



Laboratory Results

July 7, 2011

Tom Hatzopoulos - Mail Code OSRR02-2
US EPA New England R1

Project Number: 11060033

Project: Former Bendix Property - Greenfield, MA

Analysis: Total Cyanide in Water

Analyst: Inna Germansderfer *IG 7/12/11*

Analytical Procedure:

All samples were received and logged in by the laboratory according to the USEPA New England Laboratory SOP for Sample Log-in.

Sample preparation and analysis was done following the EPA Region I SOP, EIASOP-INGCN12.

The Cyanide SOP is Based on Lachat Method 10-2004-00-1-A.

Analytical support was provided by ESAT contractors.

Date Samples Received by the Laboratory: 06/17/2011

Results relate only to the items tested or to the samples as received by the Laboratory. This analytical report shall not be reproduced except in full, without written approval of the laboratory.

Report may contain multiple sections and each section will be numbered independently.

If you have any questions please call me at 617-918-8340 .

Sincerely,

Daniel N. Boudreau 7/13/11
Daniel N. Boudreau
Chemistry Team Leader

US ENVIRONMENTAL PROTECTION AGENCY
NEW ENGLAND LABORATORY

Former Bendix Property - Greenfield, MA

Total Cyanide in Water

Matrix: SW

Sample Number	Lab ID	Collected	Extracted	Analysis	Concentration ug/L	RL ug/L	Qualifier
0710-0001	AB18817	06/16/2011	06/28/2011	06/29/2011	ND	5.0	
Comments:							
0710-0002	AB18818	06/16/2011	06/28/2011	06/29/2011	ND	5.0	
Comments:							
0710-0003	AB18819	06/16/2011	06/28/2011	06/29/2011	ND	5.0	
Comments:							
0710-0004	AB18820	06/16/2011	06/28/2011	06/29/2011	ND	5.0	
Comments:							
Blank			06/28/2011	06/29/2011	ND	5.0	
Comments:							

US ENVIRONMENTAL PROTECTION AGENCY
NEW ENGLAND LABORATORY

MATRIX SPIKE (MS) RESULTS

Former Bendix Property - Greenfield, MA

SAMPLE ID	PARAMETER	SPIKE ADDED ug/L	SAMPLE CONCENTRATION ug/L	MS CONCENTRATION ug/L	MS % REC	QC LIMITS (% REC)
AB18818	Total Cyanide in Water	200	ND	166	83.0	78 - 117

Comments:

US ENVIRONMENTAL PROTECTION AGENCY
NEW ENGLAND LABORATORY

Laboratory Duplicate Results

Former Bendix Property - Greenfield, MA

SAMPLE ID	PARAMETER	SAMPLE RESULT ug/L	SAMPLE DUPLICATE RESULT ug/L	PRECISION RPD %	QC LIMITS (%RPD)
AB18817	Total Cyanide in Water	ND	ND	NC	20

Comments: NC = Not calculated since analyte concentration is ND.

US ENVIRONMENTAL PROTECTION AGENCY
NEW ENGLAND LABORATORY

Low/High Laboratory Fortified Blank (LFB) Results

Former Bendix Property - Greenfield, MA

High Level

PARAMETER	LFB AMOUNT SPIKED ug/L	LFB RESULT ug/L	LFB RECOVERY %	QC LIMITS %
Total Cyanide in Water	400	426	106	90 - 110

Comments:

Low Level

PARAMETER	LFB AMOUNT SPIKED ug/L	LFB RESULT ug/L	LFB RECOVERY %	QC LIMITS %
Total Cyanide in Water	40.0	38.0	95.0	90 - 110

Comments:

