

**Analytical Results
for**

Tetra Tech EM Inc.

WorkOrder: 1009H85

Client Reference: TTEMI-05-001-0136

| Analyte | Concentration | | | Limit of Detection | Qual | Test Method | Date Analyzed /Analyst |
|---------|---------------|----------------------|-------|--------------------|------|-------------|------------------------|
| | (ug) | (mg/m ³) | (ppm) | | | | |

| | | | | | | | |
|----------------------------|---------------------|--------------------------------|------|--------------------------|--|-----------------------|----------------|
| Client ID: MTM-A-01 | Lab ID: 001A | Date Sampled: 9/23/2010 | | Media: Tedlar Bag | | Air Vol.(L): 1 | |
| 1,1,1-Trichloroethane | <10 | <10 | <1.8 | 10 | | EPA18 | 09/24/2010 RUF |
| 1,1-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 RUF |
| 2-Butanone | <10 | <10 | <3.4 | 10 | | EPA18 | 09/24/2010 RUF |
| 4-Methyl-2-pentanone | <10 | <10 | <2.4 | 10 | | EPA18 | 09/24/2010 RUF |
| Acetone | <10 | <10 | <4.2 | 10 | | EPA18 | 09/24/2010 RUF |
| Benzene | <10 | <10 | <3.1 | 10 | | EPA18 | 09/24/2010 RUF |
| Carbon tetrachloride | <10 | <10 | <1.6 | 10 | | EPA18 | 09/24/2010 RUF |
| Chloroform | <10 | <10 | <2.0 | 10 | | EPA18 | 09/24/2010 RUF |
| cis-1,2-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 RUF |
| Diethyl ether | <10 | <10 | <3.3 | 10 | | EPA18 | 09/24/2010 RUF |
| Ethylbenzene | <10 | <10 | <2.3 | 10 | | EPA18 | 09/24/2010 RUF |
| Freon 141B | <10 | <10 | <2.1 | 10 | | EPA18 | 09/24/2010 RUF |
| m,p-Xylene | <20 | <20 | <4.6 | 20 | | EPA18 | 09/24/2010 RUF |
| Methyl tert-butyl ether | <10 | <10 | <2.8 | 10 | | EPA18 | 09/24/2010 RUF |
| Methylene chloride | <10 | <10 | <2.9 | 10 | | EPA18 | 09/24/2010 RUF |
| Naphthalene | <10 | <10 | <1.9 | 10 | | EPA18 | 09/24/2010 RUF |
| n-Heptane | <10 | <10 | <2.4 | 10 | | EPA18 | 09/24/2010 RUF |
| n-Hexane | <10 | <10 | <2.8 | 10 | | EPA18 | 09/24/2010 RUF |
| o-Xylene | <10 | <10 | <2.3 | 10 | | EPA18 | 09/24/2010 RUF |
| Tetrachloroethene | <10 | <10 | <1.5 | 10 | | EPA18 | 09/24/2010 RUF |
| Toluene | <10 | <10 | <2.7 | 10 | | EPA18 | 09/24/2010 RUF |
| trans-1,2-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 RUF |
| Trichloroethene | <10 | <10 | <1.9 | 10 | | EPA18 | 09/24/2010 RUF |
| TRPH (Based on Benzene) | <100 | <100 | <31 | 100 | | EPA18 | 09/24/2010 RUF |
| Vinyl chloride | <10 | <10 | <3.9 | 10 | | EPA18 | 09/24/2010 RUF |

**Analytical Results
for**

Tetra Tech EM Inc.

WorkOrder: 1009H85

Client Reference: TTEMI-05-001-0136

| Analyte | Concentration | | | Limit of Detection | Qual | Test Method | Date Analyzed /Analyst |
|---------|---------------|----------------------|-------|--------------------|------|-------------|------------------------|
| | (ug) | (mg/m ³) | (ppm) | | | | |

Client ID: MTM-A-02

Lab ID: 002A

Date Sampled: 9/23/2010

Media: Tedlar Bag

Air Vol.(L): 1

| | | | | | | | | |
|--------------------------|------|------|------|-----|--|-------|------------|-----|
| 1,1,1-Trichloroethane | <10 | <10 | <1.8 | 10 | | EPA18 | 09/24/2010 | RUF |
| 1,1-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 | RUF |
| 2-Butanone | <10 | <10 | <3.4 | 10 | | EPA18 | 09/24/2010 | RUF |
| 4-Methyl-2-pentanone | <10 | <10 | <2.4 | 10 | | EPA18 | 09/24/2010 | RUF |
| Acetone | <10 | <10 | <4.2 | 10 | | EPA18 | 09/24/2010 | RUF |
| Benzene | <10 | <10 | <3.1 | 10 | | EPA18 | 09/24/2010 | RUF |
| Carbon tetrachloride | <10 | <10 | <1.6 | 10 | | EPA18 | 09/24/2010 | RUF |
| Chloroform | <10 | <10 | <2.0 | 10 | | EPA18 | 09/24/2010 | RUF |
| cis-1,2-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 | RUF |
| Diethyl ether | <10 | <10 | <3.3 | 10 | | EPA18 | 09/24/2010 | RUF |
| Ethylbenzene | <10 | <10 | <2.3 | 10 | | EPA18 | 09/24/2010 | RUF |
| Freon 141B | <10 | <10 | <2.1 | 10 | | EPA18 | 09/24/2010 | RUF |
| m,p-Xylene | <20 | <20 | <4.6 | 20 | | EPA18 | 09/24/2010 | RUF |
| Methyl tert-butyl ether | <10 | <10 | <2.8 | 10 | | EPA18 | 09/24/2010 | RUF |
| Methylene chloride | <10 | <10 | <2.9 | 10 | | EPA18 | 09/24/2010 | RUF |
| Naphthalene | <10 | <10 | <1.9 | 10 | | EPA18 | 09/24/2010 | RUF |
| n-Heptane | <10 | <10 | <2.4 | 10 | | EPA18 | 09/24/2010 | RUF |
| n-Hexane | <10 | <10 | <2.8 | 10 | | EPA18 | 09/24/2010 | RUF |
| o-Xylene | <10 | <10 | <2.3 | 10 | | EPA18 | 09/24/2010 | RUF |
| Tetrachloroethene | <10 | <10 | <1.5 | 10 | | EPA18 | 09/24/2010 | RUF |
| Toluene | <10 | <10 | <2.7 | 10 | | EPA18 | 09/24/2010 | RUF |
| trans-1,2-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 | RUF |
| Trichloroethene | <10 | <10 | <1.9 | 10 | | EPA18 | 09/24/2010 | RUF |
| TRPH (Based on Benzene) | <100 | <100 | <31 | 100 | | EPA18 | 09/24/2010 | RUF |
| Vinyl chloride | <10 | <10 | <3.9 | 10 | | EPA18 | 09/24/2010 | RUF |

**Analytical Results
for**

Tetra Tech EM Inc.

WorkOrder: 1009H85

Client Reference: TTEMI-05-001-0136

| Analyte | Concentration | | | Limit of Detection | Qual | Test Method | Date Analyzed /Analyst |
|---------|---------------|----------------------|-------|--------------------|------|-------------|------------------------|
| | (ug) | (mg/m ³) | (ppm) | | | | |

Client ID: MTM-A-03

Lab ID: 003A

Date Sampled: 9/23/2010

Media: Tedlar Bag

Air Vol.(L): 1

| | | | | | | | | |
|--------------------------|------|------|------|-----|--|-------|------------|-----|
| 1,1,1-Trichloroethane | <10 | <10 | <1.8 | 10 | | EPA18 | 09/24/2010 | RUF |
| 1,1-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 | RUF |
| 2-Butanone | <10 | <10 | <3.4 | 10 | | EPA18 | 09/24/2010 | RUF |
| 4-Methyl-2-pentanone | <10 | <10 | <2.4 | 10 | | EPA18 | 09/24/2010 | RUF |
| Acetone | <10 | <10 | <4.2 | 10 | | EPA18 | 09/24/2010 | RUF |
| Benzene | <10 | <10 | <3.1 | 10 | | EPA18 | 09/24/2010 | RUF |
| Carbon tetrachloride | <10 | <10 | <1.6 | 10 | | EPA18 | 09/24/2010 | RUF |
| Chloroform | <10 | <10 | <2.0 | 10 | | EPA18 | 09/24/2010 | RUF |
| cis-1,2-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 | RUF |
| Diethyl ether | <10 | <10 | <3.3 | 10 | | EPA18 | 09/24/2010 | RUF |
| Ethylbenzene | <10 | <10 | <2.3 | 10 | | EPA18 | 09/24/2010 | RUF |
| Freon 141B | <10 | <10 | <2.1 | 10 | | EPA18 | 09/24/2010 | RUF |
| m,p-Xylene | <20 | <20 | <4.6 | 20 | | EPA18 | 09/24/2010 | RUF |
| Methyl tert-butyl ether | <10 | <10 | <2.8 | 10 | | EPA18 | 09/24/2010 | RUF |
| Methylene chloride | <10 | <10 | <2.9 | 10 | | EPA18 | 09/24/2010 | RUF |
| Naphthalene | <10 | <10 | <1.9 | 10 | | EPA18 | 09/24/2010 | RUF |
| n-Heptane | <10 | <10 | <2.4 | 10 | | EPA18 | 09/24/2010 | RUF |
| n-Hexane | <10 | <10 | <2.8 | 10 | | EPA18 | 09/24/2010 | RUF |
| o-Xylene | <10 | <10 | <2.3 | 10 | | EPA18 | 09/24/2010 | RUF |
| Tetrachloroethene | <10 | <10 | <1.5 | 10 | | EPA18 | 09/24/2010 | RUF |
| Toluene | <10 | <10 | <2.7 | 10 | | EPA18 | 09/24/2010 | RUF |
| trans-1,2-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 | RUF |
| Trichloroethene | <10 | <10 | <1.9 | 10 | | EPA18 | 09/24/2010 | RUF |
| TRPH (Based on Benzene) | <100 | <100 | <31 | 100 | | EPA18 | 09/24/2010 | RUF |
| Vinyl chloride | <10 | <10 | <3.9 | 10 | | EPA18 | 09/24/2010 | RUF |

**Analytical Results
for**

Tetra Tech EM Inc.

WorkOrder: 1009H85

Client Reference: TTEMI-05-001-0136

| Analyte | Concentration | | | Limit of Detection | Qual | Test Method | Date Analyzed /Analyst |
|---------|---------------|----------------------|-------|--------------------|------|-------------|------------------------|
| | (ug) | (mg/m ³) | (ppm) | | | | |

Client ID: MTM-A-04

Lab ID: 004A

Date Sampled: 9/23/2010

Media: Tedlar Bag

Air Vol.(L): 1

| | | | | | | | | |
|--------------------------|------|------|------|-----|--|-------|------------|-----|
| 1,1,1-Trichloroethane | <10 | <10 | <1.8 | 10 | | EPA18 | 09/24/2010 | RUF |
| 1,1-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 | RUF |
| 2-Butanone | <10 | <10 | <3.4 | 10 | | EPA18 | 09/24/2010 | RUF |
| 4-Methyl-2-pentanone | <10 | <10 | <2.4 | 10 | | EPA18 | 09/24/2010 | RUF |
| Acetone | <10 | <10 | <4.2 | 10 | | EPA18 | 09/24/2010 | RUF |
| Benzene | <10 | <10 | <3.1 | 10 | | EPA18 | 09/24/2010 | RUF |
| Carbon tetrachloride | <10 | <10 | <1.6 | 10 | | EPA18 | 09/24/2010 | RUF |
| Chloroform | <10 | <10 | <2.0 | 10 | | EPA18 | 09/24/2010 | RUF |
| cis-1,2-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 | RUF |
| Diethyl ether | <10 | <10 | <3.3 | 10 | | EPA18 | 09/24/2010 | RUF |
| Ethylbenzene | <10 | <10 | <2.3 | 10 | | EPA18 | 09/24/2010 | RUF |
| Freon 141B | <10 | <10 | <2.1 | 10 | | EPA18 | 09/24/2010 | RUF |
| m,p-Xylene | <20 | <20 | <4.6 | 20 | | EPA18 | 09/24/2010 | RUF |
| Methyl tert-butyl ether | <10 | <10 | <2.8 | 10 | | EPA18 | 09/24/2010 | RUF |
| Methylene chloride | <10 | <10 | <2.9 | 10 | | EPA18 | 09/24/2010 | RUF |
| Naphthalene | <10 | <10 | <1.9 | 10 | | EPA18 | 09/24/2010 | RUF |
| n-Heptane | <10 | <10 | <2.4 | 10 | | EPA18 | 09/24/2010 | RUF |
| n-Hexane | <10 | <10 | <2.8 | 10 | | EPA18 | 09/24/2010 | RUF |
| o-Xylene | <10 | <10 | <2.3 | 10 | | EPA18 | 09/24/2010 | RUF |
| Tetrachloroethene | <10 | <10 | <1.5 | 10 | | EPA18 | 09/24/2010 | RUF |
| Toluene | <10 | <10 | <2.7 | 10 | | EPA18 | 09/24/2010 | RUF |
| trans-1,2-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 | RUF |
| Trichloroethene | <10 | <10 | <1.9 | 10 | | EPA18 | 09/24/2010 | RUF |
| TRPH (Based on Benzene) | <100 | <100 | <31 | 100 | | EPA18 | 09/24/2010 | RUF |
| Vinyl chloride | <10 | <10 | <3.9 | 10 | | EPA18 | 09/24/2010 | RUF |

**Analytical Results
for**

Tetra Tech EM Inc.

WorkOrder: 1009H85

Client Reference: TTEMI-05-001-0136

| Analyte | Concentration | | | Limit of Detection | Qual | Test Method | Date Analyzed /Analyst |
|--|---------------|---------|-------|--------------------|------|-------------|------------------------|
| | (ug) | (mg/m³) | (ppm) | | | | |
| Client ID: MTM-A-05 Lab ID: 005A Date Sampled:9/23/2010 Media: Tedlar Bag Air Vol.(L): 1 | | | | | | | |
| 1,1,1-Trichloroethane | <10 | <10 | <1.8 | 10 | | EPA18 | 09/24/2010 RUF |
| 1,1-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 RUF |
| 2-Butanone | <10 | <10 | <3.4 | 10 | | EPA18 | 09/24/2010 RUF |
| 4-Methyl-2-pentanone | <10 | <10 | <2.4 | 10 | | EPA18 | 09/24/2010 RUF |
| Acetone | <10 | <10 | <4.2 | 10 | | EPA18 | 09/24/2010 RUF |
| Benzene | <10 | <10 | <3.1 | 10 | | EPA18 | 09/24/2010 RUF |
| Carbon tetrachloride | <10 | <10 | <1.6 | 10 | | EPA18 | 09/24/2010 RUF |
| Chloroform | <10 | <10 | <2.0 | 10 | | EPA18 | 09/24/2010 RUF |
| cis-1,2-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 RUF |
| Diethyl ether | <10 | <10 | <3.3 | 10 | | EPA18 | 09/24/2010 RUF |
| Ethylbenzene | <10 | <10 | <2.3 | 10 | | EPA18 | 09/24/2010 RUF |
| Freon 141B | <10 | <10 | <2.1 | 10 | | EPA18 | 09/24/2010 RUF |
| m,p-Xylene | <20 | <20 | <4.6 | 20 | | EPA18 | 09/24/2010 RUF |
| Methyl tert-butyl ether | <10 | <10 | <2.8 | 10 | | EPA18 | 09/24/2010 RUF |
| Methylene chloride | <10 | <10 | <2.9 | 10 | | EPA18 | 09/24/2010 RUF |
| Naphthalene | <10 | <10 | <1.9 | 10 | | EPA18 | 09/24/2010 RUF |
| n-Heptane | <10 | <10 | <2.4 | 10 | | EPA18 | 09/24/2010 RUF |
| n-Hexane | <10 | <10 | <2.8 | 10 | | EPA18 | 09/24/2010 RUF |
| o-Xylene | <10 | <10 | <2.3 | 10 | | EPA18 | 09/24/2010 RUF |
| Tetrachloroethene | <10 | <10 | <1.5 | 10 | | EPA18 | 09/24/2010 RUF |
| Toluene | <10 | <10 | <2.7 | 10 | | EPA18 | 09/24/2010 RUF |
| trans-1,2-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 RUF |
| Trichloroethene | <10 | <10 | <1.9 | 10 | | EPA18 | 09/24/2010 RUF |
| TRPH (Based on Benzene) | <100 | <100 | <31 | 100 | | EPA18 | 09/24/2010 RUF |
| Vinyl chloride | <10 | <10 | <3.9 | 10 | | EPA18 | 09/24/2010 RUF |

**Analytical Results
for**

Tetra Tech EM Inc.

WorkOrder: 1009H85

Client Reference: TTEMI-05-001-0136

| Analyte | Concentration | | | Limit of Detection | Qual | Test Method | Date Analyzed /Analyst |
|---------|---------------|----------------------|-------|--------------------|------|-------------|------------------------|
| | (ug) | (mg/m ³) | (ppm) | | | | |

Client ID: MTM-A-06

Lab ID: 006A

Date Sampled: 9/23/2010

Media: Tedlar Bag

Air Vol.(L): 1

| | | | | | | | | |
|--------------------------|------|------|------|-----|--|-------|------------|-----|
| 1,1,1-Trichloroethane | <10 | <10 | <1.8 | 10 | | EPA18 | 09/24/2010 | RUF |
| 1,1-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 | RUF |
| 2-Butanone | <10 | <10 | <3.4 | 10 | | EPA18 | 09/24/2010 | RUF |
| 4-Methyl-2-pentanone | <10 | <10 | <2.4 | 10 | | EPA18 | 09/24/2010 | RUF |
| Acetone | <10 | <10 | <4.2 | 10 | | EPA18 | 09/24/2010 | RUF |
| Benzene | <10 | <10 | <3.1 | 10 | | EPA18 | 09/24/2010 | RUF |
| Carbon tetrachloride | <10 | <10 | <1.6 | 10 | | EPA18 | 09/24/2010 | RUF |
| Chloroform | <10 | <10 | <2.0 | 10 | | EPA18 | 09/24/2010 | RUF |
| cis-1,2-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 | RUF |
| Diethyl ether | <10 | <10 | <3.3 | 10 | | EPA18 | 09/24/2010 | RUF |
| Ethylbenzene | <10 | <10 | <2.3 | 10 | | EPA18 | 09/24/2010 | RUF |
| Freon 141B | <10 | <10 | <2.1 | 10 | | EPA18 | 09/24/2010 | RUF |
| m,p-Xylene | <20 | <20 | <4.6 | 20 | | EPA18 | 09/24/2010 | RUF |
| Methyl tert-butyl ether | <10 | <10 | <2.8 | 10 | | EPA18 | 09/24/2010 | RUF |
| Methylene chloride | <10 | <10 | <2.9 | 10 | | EPA18 | 09/24/2010 | RUF |
| Naphthalene | <10 | <10 | <1.9 | 10 | | EPA18 | 09/24/2010 | RUF |
| n-Heptane | <10 | <10 | <2.4 | 10 | | EPA18 | 09/24/2010 | RUF |
| n-Hexane | <10 | <10 | <2.8 | 10 | | EPA18 | 09/24/2010 | RUF |
| o-Xylene | <10 | <10 | <2.3 | 10 | | EPA18 | 09/24/2010 | RUF |
| Tetrachloroethene | <10 | <10 | <1.5 | 10 | | EPA18 | 09/24/2010 | RUF |
| Toluene | <10 | <10 | <2.7 | 10 | | EPA18 | 09/24/2010 | RUF |
| trans-1,2-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 | RUF |
| Trichloroethene | <10 | <10 | <1.9 | 10 | | EPA18 | 09/24/2010 | RUF |
| TRPH (Based on Benzene) | <100 | <100 | <31 | 100 | | EPA18 | 09/24/2010 | RUF |
| Vinyl chloride | <10 | <10 | <3.9 | 10 | | EPA18 | 09/24/2010 | RUF |

**Analytical Results
for**

Tetra Tech EM Inc.

WorkOrder: 1009H85

Client Reference: TTEMI-05-001-0136

| Analyte | Concentration | | | Limit of Detection | Qual | Test Method | Date Analyzed /Analyst |
|--|---------------|---------|-------|--------------------|------|-------------|------------------------|
| | (ug) | (mg/m³) | (ppm) | | | | |
| Client ID: MTM-A-07 Lab ID: 007A Date Sampled:9/23/2010 Media: Tedlar Bag Air Vol.(L): 1 | | | | | | | |
| 1,1,1-Trichloroethane | <10 | <10 | <1.8 | 10 | | EPA18 | 09/24/2010 RUF |
| 1,1-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 RUF |
| 2-Butanone | <10 | <10 | <3.4 | 10 | | EPA18 | 09/24/2010 RUF |
| 4-Methyl-2-pentanone | <10 | <10 | <2.4 | 10 | | EPA18 | 09/24/2010 RUF |
| Acetone | <10 | <10 | <4.2 | 10 | | EPA18 | 09/24/2010 RUF |
| Benzene | <10 | <10 | <3.1 | 10 | | EPA18 | 09/24/2010 RUF |
| Carbon tetrachloride | <10 | <10 | <1.6 | 10 | | EPA18 | 09/24/2010 RUF |
| Chloroform | <10 | <10 | <2.0 | 10 | | EPA18 | 09/24/2010 RUF |
| cis-1,2-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 RUF |
| Diethyl ether | <10 | <10 | <3.3 | 10 | | EPA18 | 09/24/2010 RUF |
| Ethylbenzene | <10 | <10 | <2.3 | 10 | | EPA18 | 09/24/2010 RUF |
| Freon 141B | <10 | <10 | <2.1 | 10 | | EPA18 | 09/24/2010 RUF |
| m,p-Xylene | <20 | <20 | <4.6 | 20 | | EPA18 | 09/24/2010 RUF |
| Methyl tert-butyl ether | <10 | <10 | <2.8 | 10 | | EPA18 | 09/24/2010 RUF |
| Methylene chloride | <10 | <10 | <2.9 | 10 | | EPA18 | 09/24/2010 RUF |
| Naphthalene | <10 | <10 | <1.9 | 10 | | EPA18 | 09/24/2010 RUF |
| n-Heptane | <10 | <10 | <2.4 | 10 | | EPA18 | 09/24/2010 RUF |
| n-Hexane | <10 | <10 | <2.8 | 10 | | EPA18 | 09/24/2010 RUF |
| o-Xylene | <10 | <10 | <2.3 | 10 | | EPA18 | 09/24/2010 RUF |
| Tetrachloroethene | <10 | <10 | <1.5 | 10 | | EPA18 | 09/24/2010 RUF |
| Toluene | <10 | <10 | <2.7 | 10 | | EPA18 | 09/24/2010 RUF |
| trans-1,2-Dichloroethene | <10 | <10 | <2.5 | 10 | | EPA18 | 09/24/2010 RUF |
| Trichloroethene | <10 | <10 | <1.9 | 10 | | EPA18 | 09/24/2010 RUF |
| TRPH (Based on Benzene) | <100 | <100 | <31 | 100 | | EPA18 | 09/24/2010 RUF |
| Vinyl chloride | <10 | <10 | <3.9 | 10 | | EPA18 | 09/24/2010 RUF |

**Analytical Results
for**

Tetra Tech EM Inc.

WorkOrder: 1009H85

Client Reference: TTEMI-05-001-0136

| Analyte | Concentration | | | Limit of Detection | Qual | Test Method | Date Analyzed /Analyst |
|---------|---------------|----------------------|-------|--------------------|------|-------------|------------------------|
| | (ug) | (mg/m ³) | (ppm) | | | | |

| | | | | | | | |
|----------------------------|---------------------|--------------------------------|--------------------------|-----------------------|-------|------------|-----|
| Client ID: MTM-A-FB | Lab ID: 008A | Date Sampled: 9/23/2010 | Media: Tedlar Bag | Air Vol.(L): 1 | | | |
| 1,1,1-Trichloroethane | <10 | <10 | <1.8 | 10 | EPA18 | 09/24/2010 | RUF |
| 1,1-Dichloroethene | <10 | <10 | <2.5 | 10 | EPA18 | 09/24/2010 | RUF |
| 2-Butanone | <10 | <10 | <3.4 | 10 | EPA18 | 09/24/2010 | RUF |
| 4-Methyl-2-pentanone | <10 | <10 | <2.4 | 10 | EPA18 | 09/24/2010 | RUF |
| Acetone | <10 | <10 | <4.2 | 10 | EPA18 | 09/24/2010 | RUF |
| Benzene | <10 | <10 | <3.1 | 10 | EPA18 | 09/24/2010 | RUF |
| Carbon tetrachloride | <10 | <10 | <1.6 | 10 | EPA18 | 09/24/2010 | RUF |
| Chloroform | <10 | <10 | <2.0 | 10 | EPA18 | 09/24/2010 | RUF |
| cis-1,2-Dichloroethene | <10 | <10 | <2.5 | 10 | EPA18 | 09/24/2010 | RUF |
| Diethyl ether | <10 | <10 | <3.3 | 10 | EPA18 | 09/24/2010 | RUF |
| Ethylbenzene | <10 | <10 | <2.3 | 10 | EPA18 | 09/24/2010 | RUF |
| Freon 141B | <10 | <10 | <2.1 | 10 | EPA18 | 09/24/2010 | RUF |
| m,p-Xylene | <20 | <20 | <4.6 | 20 | EPA18 | 09/24/2010 | RUF |
| Methyl tert-butyl ether | <10 | <10 | <2.8 | 10 | EPA18 | 09/24/2010 | RUF |
| Methylene chloride | <10 | <10 | <2.9 | 10 | EPA18 | 09/24/2010 | RUF |
| Naphthalene | <10 | <10 | <1.9 | 10 | EPA18 | 09/24/2010 | RUF |
| n-Heptane | <10 | <10 | <2.4 | 10 | EPA18 | 09/24/2010 | RUF |
| n-Hexane | <10 | <10 | <2.8 | 10 | EPA18 | 09/24/2010 | RUF |
| o-Xylene | <10 | <10 | <2.3 | 10 | EPA18 | 09/24/2010 | RUF |
| Tetrachloroethene | <10 | <10 | <1.5 | 10 | EPA18 | 09/24/2010 | RUF |
| Toluene | <10 | <10 | <2.7 | 10 | EPA18 | 09/24/2010 | RUF |
| trans-1,2-Dichloroethene | <10 | <10 | <2.5 | 10 | EPA18 | 09/24/2010 | RUF |
| Trichloroethene | <10 | <10 | <1.9 | 10 | EPA18 | 09/24/2010 | RUF |
| TRPH (Based on Benzene) | <100 | <100 | <31 | 100 | EPA18 | 09/24/2010 | RUF |
| Vinyl chloride | <10 | <10 | <3.9 | 10 | EPA18 | 09/24/2010 | RUF |

(a) Analysis indicates possible breakthrough; back section result is greater than % of the front section result.

General Notes:

<: Less than the indicated limit of detection (LOD).

--: Information not available or not applicable.

Back sections were checked and showed no significant breakthrough.

PRELIMINARY