

August 02, 2005

Client: WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606

Attn: Heidi Gorrill

Work Order: WOG1073
Project Name: Watertown Tire Fire E. R.
Project Number: [none]
Site/Location ID: Yes
Date Received: 07/31/05

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
WTF073105EFF01	WOG1073-01	07/31/05 17:30
WTF073105EFF02	WOG1073-02	07/31/05 20:00
Trip Blank	WOG1073-03	07/31/05 20:00

SW 8270C analysis performed at Lab ID: 999917160

Samples were received into laboratory on ice.

Wisconsin Certification Number: 128053530, DATCP #266

Unless subcontracted, volatiles analyses (including VOC, PVOC, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.

Approved By:



TestAmerica Analytical - Watertown

Brian DeJong For Dan F. Milewsky

Project Manager

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOG1073-01 (WTF073105EFF01 - Water - NonPotable)							Sampled: 07/31/05 17:30			
General Chemistry Parameters										
Chemical Oxygen Demand	37		mg/L	5.7	20	1	08/01/05 08:15	pem	5080033	EPA 410.4
Oil & Grease	2.9	J	mg/L	1.0	3.3	1	08/01/05 12:15	jvk	5080030	SM 5520B
pH	9.2		pH Units	NA	NA	1	08/01/05 14:05	klb	5080036	EPA 150.1
Total Suspended Solids	5.0		mg/L	1.0	3.3	1	08/01/05 13:18	ecl	5080005	EPA 160.2
Metals										
Aluminum	0.24		mg/L	0.015	0.052	1	08/01/05 14:54	ICP	5080009	SW 6010B
Antimony	<0.013		mg/L	0.013	0.045	1	08/01/05 14:54	ICP	5080009	SW 6010B
Arsenic	0.059	J	mg/L	0.025	0.087	1	08/01/05 14:54	ICP	5080009	SW 6010B
Barium	0.0058		mg/L	0.0012	0.0043	1	08/01/05 14:54	ICP	5080009	SW 6010B
Beryllium	0.00025	J, B	mg/L	0.00013	0.00046	1	08/01/05 14:54	ICP	5080009	SW 6010B
Cadmium	0.0041	B	mg/L	0.0011	0.0040	1	08/01/05 14:54	ICP	5080009	SW 6010B
Calcium	1.2	B	mg/L	0.013	0.047	1	08/01/05 14:54	ICP	5080009	SW 6010B
Chromium	0.0030	J, B	mg/L	0.0021	0.0072	1	08/01/05 14:54	ICP	5080009	SW 6010B
Cobalt	<0.0063		mg/L	0.0063	0.022	1	08/01/05 14:54	ICP	5080009	SW 6010B
Copper	<0.018		mg/L	0.018	0.065	1	08/01/05 14:54	ICP	5080009	SW 6010B
Iron	2.9	B	mg/L	0.016	0.053	1	08/01/05 14:54	ICP	5080009	SW 6010B
Lead	<0.013		mg/L	0.013	0.047	1	08/01/05 14:54	ICP	5080009	SW 6010B
Magnesium	0.067	B	mg/L	0.013	0.047	1	08/01/05 14:54	ICP	5080009	SW 6010B
Manganese	0.028		mg/L	0.00096	0.0032	1	08/01/05 14:54	ICP	5080009	SW 6010B
Mercury	0.00019	B, J	mg/L	0.000092	0.00033	1	08/01/05 17:09	mmm	5080034	EPA 245.1
Nickel	0.013	B, J	mg/L	0.0040	0.014	1	08/01/05 14:54	ICP	5080009	SW 6010B
Potassium	0.13		mg/L	0.019	0.067	1	08/01/05 14:54	ICP	5080009	SW 6010B
Selenium	<0.045		mg/L	0.045	0.16	1	08/01/05 14:54	ICP	5080009	SW 6010B
Silver	<0.0013		mg/L	0.0013	0.0046	1	08/01/05 14:54	ICP	5080009	SW 6010B
Sodium	220		mg/L	0.0100	0.035	1	08/01/05 14:54	ICP	5080009	SW 6010B
Thallium	<0.038		mg/L	0.038	0.13	1	08/01/05 14:54	ICP	5080009	SW 6010B
Vanadium	0.0073		mg/L	0.0015	0.0052	1	08/01/05 14:54	ICP	5080009	SW 6010B
Zinc	0.065	B	mg/L	0.0028	0.0095	1	08/01/05 14:54	ICP	5080009	SW 6010B
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	08/01/05 15:22	LCG	5080012	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	08/01/05 15:22	LCG	5080012	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOG1073-01 (WTF073105EFF01 - Water - NonPotable) - cont.							Sampled: 07/31/05 17:30			
VOCs by SW8260B - cont.										
1,2-Dichlorobenzene	<0.20	C	ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B
1,2-Dichloroethane	28		ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	08/01/05 15:22	LCG	5080012	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B
p-Isopropyltoluene	<0.20	ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B	
Methylene Chloride	<1.0	ug/L	1.0	3.3	1	08/01/05 15:22	LCG	5080012	SW 8260B	
Methyl tert-Butyl Ether	<0.50	ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B	
Naphthalene	3.0	ug/L	0.25	0.83	1	08/01/05 15:22	LCG	5080012	SW 8260B	
n-Propylbenzene	<0.50	ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B	
Styrene	<0.20	ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B	
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	1	08/01/05 15:22	LCG	5080012	SW 8260B	
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B	
Tetrachloroethene	<0.50	ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B	
Toluene	<0.20	ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B	
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	1	08/01/05 15:22	LCG	5080012	SW 8260B	
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	1	08/01/05 15:22	LCG	5080012	SW 8260B	
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B	
1,1,2-Trichloroethane	<0.25	ug/L	0.25	0.83	1	08/01/05 15:22	LCG	5080012	SW 8260B	
Trichloroethene	<0.20	ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B	
Trichlorofluoromethane	<0.50	ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B	
1,2,3-Trichloropropane	<0.50	ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B	
1,2,4-Trimethylbenzene	<0.20	ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B	
1,3,5-Trimethylbenzene	<0.20	ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B	
Vinyl chloride	<0.20	ug/L	0.20	0.67	1	08/01/05 15:22	LCG	5080012	SW 8260B	
Xylenes, Total	<0.50	ug/L	0.50	1.7	1	08/01/05 15:22	LCG	5080012	SW 8260B	
Surr: Dibromofluoromethane (89-119%)	101 %									
Surr: Toluene-d8 (91-109%)	102 %									
Surr: 4-Bromofluorobenzene (89-114%)	101 %									

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOG1073-01 (WTF073105EFF01 - Water - NonPotable) - cont.						Sampled: 07/31/05 17:30			
Semivolatile Organic Compounds by EPA Method 8270C			QC						
Acenaphthene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Acenaphthylene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Aniline	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Anthracene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Benzidine	<50.0		ug/l	50.0	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Benzoic acid	<20.0		ug/l	20.0	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Benz (a) anthracene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Benzo (a) pyrene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Benzo (b) fluoranthene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Benzo (ghi) perylene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Benzo (k) fluoranthene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Benzyl alcohol	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Bis(2-chloroethoxy)methane	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Bis(2-chloroethyl)ether	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Bis(2-chloroisopropyl)ether	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Bis(2-ethylhexyl)phthalate	<10.0		ug/l	10.0	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
4-Bromophenyl phenyl ether	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Butyl benzyl phthalate	<10.0		ug/l	10.0	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Carbazole	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
4-Chloroaniline	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
4-Chloro-3-methylphenol	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
2-Chloronaphthalene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
2-Chlorophenol	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
4-Chlorophenyl phenyl ether	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Chrysene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Dibenz (a,h) anthracene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Dibenzofuran	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
1,2-Dichlorobenzene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
1,3-Dichlorobenzene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
1,4-Dichlorobenzene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
3,3'-Dichlorobenzidine	<10.0		ug/l	10.0	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
2,4-Dichlorophenol	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Diethyl phthalate	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
2,4-Dimethylphenol	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Dimethyl phthalate	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Di-n-butyl phthalate	<10.0		ug/l	10.0	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
4,6-Dinitro-2-methylphenol	<10.0		ug/l	10.0	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
2,4-Dinitrophenol	<10.0		ug/l	10.0	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
2,4-Dinitrotoluene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
2,6-Dinitrotoluene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Di-n-octyl phthalate	<10.0		ug/l	10.0	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
1,2-Diphenylhydrazine	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Fluoranthene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Fluorene	2.14		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Hexachlorobenzene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Hexachlorobutadiene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Hexachlorocyclopentadiene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Hexachloroethane	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Indeno (1,2,3-cd) pyrene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Isophorone	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
2-Methylnaphthalene	21.8		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOG1073-01 (WTF073105EFF01 - Water - NonPotable) - cont.						Sampled: 07/31/05 17:30			
Semivolatile Organic Compounds by EPA Method 8270C - cont. QC									
o-Cresol	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
m,p-Cresols	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Naphthalene	2.16		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
2-Nitroaniline	<10.0		ug/l	10.0	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
3-Nitroaniline	<10.0		ug/l	10.0	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
4-Nitroaniline	<10.0		ug/l	10.0	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Nitrobenzene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
2-Nitrophenol	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
4-Nitrophenol	<10.0		ug/l	10.0	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
N-Nitrosodimethylamine	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
N-Nitrosodi-n-propylamine	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
N-Nitrosodiphenylamine	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Pentachlorophenol	<10.0		ug/l	10.0	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Phenanthrene	4.20		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Phenol	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Pyrene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Pyridine	<5.00		ug/l	5.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
1,2,4-Trichlorobenzene	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
2,4,5-Trichlorophenol	<10.0		ug/l	10.0	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
2,4,6-Trichlorophenol	<2.00		ug/l	2.00	1.02	08/01/05 13:29	pm	5080006	EPA 8270C
Surr: 2-Fluorophenol (10-110%)	21.0 %								
Surr: Phenol-d6 (10-110%)	14.0 %								
Surr: Nitrobenzene-d5 (10-110%)	45.1 %								
Surr: 2-Fluorobiphenyl (10-110%)	46.3 %								
Surr: 2,4,6-Tribromophenol (10-110%)	45.5 %								
Surr: p-Terphenyl-d14 (10-114%)	38.5 %								

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOG1073-02 (WTF073105EFF02 - Water - NonPotable)							Sampled: 07/31/05 20:00			
General Chemistry Parameters										
Chemical Oxygen Demand	23		mg/L	5.7	20	1	08/01/05 08:15	pem	5080033	EPA 410.4
Oil & Grease	2.0	J	mg/L	1.0	3.3	1	08/01/05 12:15	jvk	5080030	SM 5520B
pH	7.6		pH Units	NA	NA	1	08/01/05 14:05	kls	5080036	EPA 150.1
Total Suspended Solids	3.0	J	mg/L	1.0	3.3	1	08/01/05 13:18	ecl	5080005	EPA 160.2
Metals										
Aluminum	0.017	J	mg/L	0.015	0.052	1	08/01/05 15:00	ICP	5080009	SW 6010B
Antimony	<0.013		mg/L	0.013	0.045	1	08/01/05 15:00	ICP	5080009	SW 6010B
Arsenic	0.049	J	mg/L	0.025	0.087	1	08/01/05 15:00	ICP	5080009	SW 6010B
Barium	0.0021	J	mg/L	0.0012	0.0043	1	08/01/05 15:00	ICP	5080009	SW 6010B
Beryllium	0.00022	J, B	mg/L	0.00013	0.00046	1	08/01/05 15:00	ICP	5080009	SW 6010B
Cadmium	0.0044	B	mg/L	0.0011	0.0040	1	08/01/05 15:00	ICP	5080009	SW 6010B
Calcium	0.11	B	mg/L	0.013	0.047	1	08/01/05 15:00	ICP	5080009	SW 6010B
Chromium	<0.0021	B	mg/L	0.0021	0.0072	1	08/01/05 15:00	ICP	5080009	SW 6010B
Cobalt	<0.0063		mg/L	0.0063	0.022	1	08/01/05 15:00	ICP	5080009	SW 6010B
Copper	<0.018		mg/L	0.018	0.065	1	08/01/05 15:00	ICP	5080009	SW 6010B
Iron	1.1	B	mg/L	0.016	0.053	1	08/01/05 15:00	ICP	5080009	SW 6010B
Lead	<0.013		mg/L	0.013	0.047	1	08/01/05 15:00	ICP	5080009	SW 6010B
Magnesium	0.027	J, B	mg/L	0.013	0.047	1	08/01/05 15:00	ICP	5080009	SW 6010B
Manganese	0.011		mg/L	0.00096	0.0032	1	08/01/05 15:00	ICP	5080009	SW 6010B
Mercury	0.00027	J, B	mg/L	0.000092	0.00033	1	08/01/05 17:09	mmm	5080034	EPA 245.1
Nickel	0.0056	B, J	mg/L	0.0040	0.014	1	08/01/05 15:00	ICP	5080009	SW 6010B
Potassium	0.16		mg/L	0.019	0.067	1	08/01/05 14:59	ICP	5080009	SW 6010B
Selenium	<0.045		mg/L	0.045	0.16	1	08/01/05 15:00	ICP	5080009	SW 6010B
Silver	<0.0013		mg/L	0.0013	0.0046	1	08/01/05 15:00	ICP	5080009	SW 6010B
Sodium	210		mg/L	0.0100	0.035	1	08/01/05 14:59	ICP	5080009	SW 6010B
Thallium	<0.038		mg/L	0.038	0.13	1	08/01/05 15:00	ICP	5080009	SW 6010B
Vanadium	0.0046	J	mg/L	0.0015	0.0052	1	08/01/05 15:00	ICP	5080009	SW 6010B
Zinc	0.038	B	mg/L	0.0028	0.0095	1	08/01/05 15:00	ICP	5080009	SW 6010B
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	08/01/05 15:54	LCG	5080012	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	08/01/05 15:54	LCG	5080012	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B

TestAmerica Analytical - Watertown

Brian DeJong For Dan F. Milewsky

Project Manager

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOG1073-02 (WTF073105EFF02 - Water - NonPotable) - cont.							Sampled: 07/31/05 20:00			
VOCs by SW8260B - cont.										
1,4-Dichlorobenzene	<0.20	C	ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,2-Dichloroethane	18		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	08/01/05 15:54	LCG	5080012	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	08/01/05 15:54	LCG	5080012	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
Naphthalene	2.7		ug/L	0.25	0.83	1	08/01/05 15:54	LCG	5080012	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	08/01/05 15:54	LCG	5080012	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	08/01/05 15:54	LCG	5080012	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	08/01/05 15:54	LCG	5080012	SW 8260B
Surr: Dibromofluoromethane (89-119%)	101 %									
Surr: Toluene-d8 (91-109%)	101 %									
Surr: 4-Bromofluorobenzene (89-114%)	100 %									

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

Analyte	Sample	Data	Units	MRL	Dilution	Date	Seq/	Batch	Method
	Result	Qualifiers			Factor	Analyzed			
Sample ID: WOG1073-02 (WTF073105EFF02 - Water - NonPotable) - cont.						Sampled: 07/31/05 20:00			
Semivolatile Organic Compounds by EPA Method 8270C			QC						
Acenaphthene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Acenaphthylene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Aniline	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Anthracene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Benzidine	<50.0		ug/l	50.0	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Benzoic acid	<20.0		ug/l	20.0	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Benz (a) anthracene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Benzo (a) pyrene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Benzo (b) fluoranthene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Benzo (ghi) perylene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Benzo (k) fluoranthene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Benzyl alcohol	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Bis(2-chloroethoxy)methane	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Bis(2-chloroethyl)ether	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Bis(2-chloroisopropyl)ether	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Bis(2-ethylhexyl)phthalate	<10.0		ug/l	10.0	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
4-Bromophenyl phenyl ether	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Butyl benzyl phthalate	<10.0		ug/l	10.0	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Carbazole	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
4-Chloroaniline	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
4-Chloro-3-methylphenol	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
2-Chloronaphthalene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
2-Chlorophenol	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
4-Chlorophenyl phenyl ether	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Chrysene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Dibenz (a,h) anthracene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Dibenzofuran	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
1,2-Dichlorobenzene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
1,3-Dichlorobenzene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
1,4-Dichlorobenzene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
3,3'-Dichlorobenzidine	<10.0		ug/l	10.0	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
2,4-Dichlorophenol	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Diethyl phthalate	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
2,4-Dimethylphenol	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Dimethyl phthalate	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Di-n-butyl phthalate	<10.0		ug/l	10.0	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
4,6-Dinitro-2-methylphenol	<10.0		ug/l	10.0	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
2,4-Dinitrophenol	<10.0		ug/l	10.0	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
2,4-Dinitrotoluene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
2,6-Dinitrotoluene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Di-n-octyl phthalate	<10.0		ug/l	10.0	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
1,2-Diphenylhydrazine	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Fluoranthene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Fluorene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Hexachlorobenzene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Hexachlorobutadiene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Hexachlorocyclopentadiene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Hexachloroethane	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Indeno (1,2,3-cd) pyrene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Isophorone	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
2-Methylnaphthalene	7.47		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOG1073-02 (WTF073105EFF02 - Water - NonPotable) - cont.						Sampled: 07/31/05 20:00			
Semivolatile Organic Compounds by EPA Method 8270C - cont. QC									
o-Cresol	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
m,p-Cresols	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Naphthalene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
2-Nitroaniline	<10.0		ug/l	10.0	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
3-Nitroaniline	<10.0		ug/l	10.0	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
4-Nitroaniline	<10.0		ug/l	10.0	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Nitrobenzene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
2-Nitrophenol	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
4-Nitrophenol	<10.0		ug/l	10.0	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
N-Nitrosodimethylamine	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
N-Nitrosodi-n-propylamine	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
N-Nitrosodiphenylamine	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Pentachlorophenol	<10.0		ug/l	10.0	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Phenanthrene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Phenol	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Pyrene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Pyridine	<5.00		ug/l	5.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
1,2,4-Trichlorobenzene	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
2,4,5-Trichlorophenol	<10.0		ug/l	10.0	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
2,4,6-Trichlorophenol	<2.00		ug/l	2.00	1.01	08/01/05 14:09	pm	5080006	EPA 8270C
Surr: 2-Fluorophenol (10-110%)	20.8 %								
Surr: Phenol-d6 (10-110%)	14.2 %								
Surr: Nitrobenzene-d5 (10-110%)	40.3 %								
Surr: 2-Fluorobiphenyl (10-110%)	41.9 %								
Surr: 2,4,6-Tribromophenol (10-110%)	41.2 %								
Surr: p-Terphenyl-d14 (10-114%)	39.2 %								

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOG1073-03 (Trip Blank - Water - NonPotable)							Sampled: 07/31/05 20:00			
VOCs by SW8260B										
Benzene	<0.20	C	ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	08/01/05 14:49	LCG	5080012	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	08/01/05 14:49	LCG	5080012	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	08/01/05 14:49	LCG	5080012	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	08/01/05 14:49	LCG	5080012	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	08/01/05 14:49	LCG	5080012	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	1	08/01/05 14:49	LCG	5080012	SW 8260B	
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B	
Tetrachloroethene	<0.50	ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B	
Toluene	<0.20	ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B	
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	1	08/01/05 14:49	LCG	5080012	SW 8260B	
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	1	08/01/05 14:49	LCG	5080012	SW 8260B	

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOG1073-03 (Trip Blank - Water - NonPotable) - cont.							Sampled: 07/31/05 20:00			
VOCs by SW8260B - cont.										
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	08/01/05 14:49	LCG	5080012	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	08/01/05 14:49	LCG	5080012	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	08/01/05 14:49	LCG	5080012	SW 8260B
Surr: Dibromofluoromethane (89-119%)	101 %									
Surr: Toluene-d8 (91-109%)	101 %									
Surr: 4-Bromofluorobenzene (89-114%)	100 %									

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
General Chemistry Parameters														
Chemical Oxygen Demand	5080033			mg/L	5.7	20	<5.7							
Chemical Oxygen Demand	5080033			mg/L	5.7	20	<5.7							
Metals														
Aluminum	5080009			mg/L	0.015	0.052	<0.015							
Antimony	5080009			mg/L	0.013	0.045	<0.013							
Arsenic	5080009			mg/L	0.025	0.087	<0.025							
Barium	5080009			mg/L	0.0012	0.0043	<0.0012							
Beryllium	5080009			mg/L	0.00013	0.00046	0.000189							A-01,J
Cadmium	5080009			mg/L	0.0011	0.0040	0.00120							A-01,J
Calcium	5080009			mg/L	0.013	0.047	0.0925							B
Chromium	5080009			mg/L	0.0021	0.0072	0.00564							A-01a,J
Cobalt	5080009			mg/L	0.0063	0.022	<0.0063							
Copper	5080009			mg/L	0.018	0.065	<0.018							
Iron	5080009			mg/L	0.016	0.053	0.0464							A-01,J
Lead	5080009			mg/L	0.013	0.047	<0.013							
Magnesium	5080009			mg/L	0.013	0.047	0.0258							A-01,J
Manganese	5080009			mg/L	0.00096	0.0032	<0.00096							
Nickel	5080009			mg/L	0.0040	0.014	0.00779							A-01,J
Potassium	5080009			mg/L	0.019	0.067	<0.019							
Selenium	5080009			mg/L	0.045	0.16	<0.045							
Silver	5080009			mg/L	0.0013	0.0046	<0.0013							
Sodium	5080009			mg/L	0.0100	0.035	<0.010							
Thallium	5080009			mg/L	0.038	0.13	<0.038							
Vanadium	5080009			mg/L	0.0015	0.0052	<0.0015							
Zinc	5080009			mg/L	0.0028	0.0095	0.0104							B
Mercury	5080034			mg/L	0.000092	0.00033	0.0000965							A-01,J

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorriall

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Semivolatile Organic Compounds by EPA Method 8270C														
Acenaphthene	5080006			ug/l	N/A	2.00	ND							
Acenaphthylene	5080006			ug/l	N/A	2.00	ND							
Aniline	5080006			ug/l	N/A	2.00	ND							
Anthracene	5080006			ug/l	N/A	2.00	ND							
Benzidine	5080006			ug/l	N/A	50.0	ND							
Benzoic acid	5080006			ug/l	N/A	20.0	ND							
Benz (a) anthracene	5080006			ug/l	N/A	2.00	ND							
Benzo (a) pyrene	5080006			ug/l	N/A	2.00	ND							
Benzo (b) fluoranthene	5080006			ug/l	N/A	2.00	ND							
Benzo (ghi) perylene	5080006			ug/l	N/A	2.00	ND							
Benzo (k) fluoranthene	5080006			ug/l	N/A	2.00	ND							
Benzyl alcohol	5080006			ug/l	N/A	2.00	ND							
Bis(2-chloroethoxy)methane	5080006			ug/l	N/A	2.00	ND							
Bis(2-chloroethyl)ether	5080006			ug/l	N/A	2.00	ND							
Bis(2-chloroisopropyl)ether	5080006			ug/l	N/A	2.00	ND							
Bis(2-ethylhexyl)phthalate	5080006			ug/l	N/A	10.0	ND							
4-Bromophenyl phenyl ether	5080006			ug/l	N/A	2.00	ND							
Butyl benzyl phthalate	5080006			ug/l	N/A	10.0	ND							
Carbazole	5080006			ug/l	N/A	2.00	ND							
4-Chloroaniline	5080006			ug/l	N/A	2.00	ND							
4-Chloro-3-methylphenol	5080006			ug/l	N/A	2.00	ND							
2-Chloronaphthalene	5080006			ug/l	N/A	2.00	ND							
2-Chlorophenol	5080006			ug/l	N/A	2.00	ND							
4-Chlorophenyl phenyl ether	5080006			ug/l	N/A	2.00	ND							
Chrysene	5080006			ug/l	N/A	2.00	ND							
Dibenz (a,h) anthracene	5080006			ug/l	N/A	2.00	ND							
Dibenzofuran	5080006			ug/l	N/A	2.00	ND							
1,2-Dichlorobenzene	5080006			ug/l	N/A	2.00	ND							
1,3-Dichlorobenzene	5080006			ug/l	N/A	2.00	ND							
1,4-Dichlorobenzene	5080006			ug/l	N/A	2.00	ND							
3,3'-Dichlorobenzidine	5080006			ug/l	N/A	10.0	ND							
2,4-Dichlorophenol	5080006			ug/l	N/A	2.00	ND							
Diethyl phthalate	5080006			ug/l	N/A	2.00	ND							
2,4-Dimethylphenol	5080006			ug/l	N/A	2.00	ND							
Dimethyl phthalate	5080006			ug/l	N/A	2.00	ND							
Di-n-butyl phthalate	5080006			ug/l	N/A	10.0	ND							
4,6-Dinitro-2-methylphenol	5080006			ug/l	N/A	10.0	ND							
2,4-Dinitrophenol	5080006			ug/l	N/A	10.0	ND							
2,4-Dinitrotoluene	5080006			ug/l	N/A	2.00	ND							
2,6-Dinitrotoluene	5080006			ug/l	N/A	2.00	ND							
Di-n-octyl phthalate	5080006			ug/l	N/A	10.0	ND							
1,2-Diphenylhydrazine	5080006			ug/l	N/A	2.00	ND							
Fluoranthene	5080006			ug/l	N/A	2.00	ND							
Fluorene	5080006			ug/l	N/A	2.00	ND							
Hexachlorobenzene	5080006			ug/l	N/A	2.00	ND							

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Semivolatile Organic Compounds by EPA Method 8270C														
Hexachlorobutadiene	5080006			ug/l	N/A	2.00	ND							
Hexachlorocyclopentadiene	5080006			ug/l	N/A	2.00	ND							
Hexachloroethane	5080006			ug/l	N/A	2.00	ND							
Indeno (1,2,3-cd) pyrene	5080006			ug/l	N/A	2.00	ND							
Isophorone	5080006			ug/l	N/A	2.00	ND							
2-Methylnaphthalene	5080006			ug/l	N/A	2.00	ND							
o-Cresol	5080006			ug/l	N/A	2.00	ND							
m,p-Cresols	5080006			ug/l	N/A	2.00	ND							
Naphthalene	5080006			ug/l	N/A	2.00	ND							
2-Nitroaniline	5080006			ug/l	N/A	10.0	ND							
3-Nitroaniline	5080006			ug/l	N/A	10.0	ND							
4-Nitroaniline	5080006			ug/l	N/A	10.0	ND							
Nitrobenzene	5080006			ug/l	N/A	2.00	ND							
2-Nitrophenol	5080006			ug/l	N/A	2.00	ND							
4-Nitrophenol	5080006			ug/l	N/A	10.0	ND							
N-Nitrosodimethylamine	5080006			ug/l	N/A	2.00	ND							
N-Nitrosodi-n-propylamine	5080006			ug/l	N/A	2.00	ND							
N-Nitrosodiphenylamine	5080006			ug/l	N/A	2.00	ND							
Pentachlorophenol	5080006			ug/l	N/A	10.0	ND							
Phenanthrene	5080006			ug/l	N/A	2.00	ND							
Phenol	5080006			ug/l	N/A	2.00	ND							
Pyrene	5080006			ug/l	N/A	2.00	ND							
Pyridine	5080006			ug/l	N/A	5.00	ND							
1,2,4-Trichlorobenzene	5080006			ug/l	N/A	2.00	ND							
2,4,5-Trichlorophenol	5080006			ug/l	N/A	10.0	ND							
2,4,6-Trichlorophenol	5080006			ug/l	N/A	2.00	ND							
Surrogate: 2-Fluorophenol	5080006			ug/l					26		10-110			
Surrogate: Phenol-d6	5080006			ug/l					17		10-110			
Surrogate: Nitrobenzene-d5	5080006			ug/l					59		10-110			
Surrogate: 2-Fluorobiphenyl	5080006			ug/l					59		10-110			
Surrogate: 2,4,6-Tribromophenol	5080006			ug/l					61		10-110			
Surrogate: p-Terphenyl-d14	5080006			ug/l					57		10-114			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

CCB QC Data

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals														
Mercury	5080034			mg/L	N/A	N/A	0.0763							B
Mercury	5080034			mg/L	N/A	N/A	0.0864							B
Mercury	5080034			mg/L	N/A	N/A	0.0669							B
Aluminum	5H01009			mg/kg wet	N/A	N/A	0.0138							
Antimony	5H01009			mg/kg wet	N/A	N/A	ND							
Arsenic	5H01009			mg/kg wet	N/A	N/A	0.00430							
Barium	5H01009			mg/kg wet	N/A	N/A	0.000717							
Beryllium	5H01009			mg/kg wet	N/A	N/A	0.000944							
Cadmium	5H01009			mg/kg wet	N/A	N/A	0.00170							
Chromium	5H01009			mg/kg wet	N/A	N/A	0.000500							
Cobalt	5H01009			mg/kg wet	N/A	N/A	ND							
Copper	5H01009			mg/kg wet	N/A	N/A	ND							
Iron	5H01009			mg/kg wet	N/A	N/A	0.00767							
Lead	5H01009			mg/kg wet	N/A	N/A	0.00217							
Magnesium	5H01009			mg/kg wet	N/A	N/A	0.0162							
Manganese	5H01009			mg/kg wet	N/A	N/A	0.000577							
Nickel	5H01009			mg/kg wet	N/A	N/A	0.00273							
Potassium	5H01009			mg/kg wet	N/A	N/A	ND							
Selenium	5H01009			mg/kg wet	N/A	N/A	ND							
Silver	5H01009			mg/kg wet	N/A	N/A	0.00114							
Sodium	5H01009			mg/kg wet	N/A	N/A	ND							
Thallium	5H01009			mg/kg wet	N/A	N/A	ND							
Vanadium	5H01009			mg/kg wet	N/A	N/A	0.00124							
Zinc	5H01009			mg/kg wet	N/A	N/A	0.00102							
Aluminum	5H01009			mg/kg wet	N/A	N/A	0.0287							
Antimony	5H01009			mg/kg wet	N/A	N/A	ND							
Arsenic	5H01009			mg/kg wet	N/A	N/A	0.0193							
Barium	5H01009			mg/kg wet	N/A	N/A	0.000289							
Beryllium	5H01009			mg/kg wet	N/A	N/A	0.000808							
Cadmium	5H01009			mg/kg wet	N/A	N/A	0.00156							
Chromium	5H01009			mg/kg wet	N/A	N/A	0.00112							
Cobalt	5H01009			mg/kg wet	N/A	N/A	0.000293							
Copper	5H01009			mg/kg wet	N/A	N/A	ND							
Iron	5H01009			mg/kg wet	N/A	N/A	0.0277							
Lead	5H01009			mg/kg wet	N/A	N/A	0.00304							
Magnesium	5H01009			mg/kg wet	N/A	N/A	0.0350							
Manganese	5H01009			mg/kg wet	N/A	N/A	0.00176							
Nickel	5H01009			mg/kg wet	N/A	N/A	0.00335							
Potassium	5H01009			mg/kg wet	N/A	N/A	0.0301							
Selenium	5H01009			mg/kg wet	N/A	N/A	0.0389							
Silver	5H01009			mg/kg wet	N/A	N/A	0.000283							
Sodium	5H01009			mg/kg wet	N/A	N/A	0.137							
Thallium	5H01009			mg/kg wet	N/A	N/A	ND							
Vanadium	5H01009			mg/kg wet	N/A	N/A	0.00128							
Zinc	5H01009			mg/kg wet	N/A	N/A	0.000668							
Aluminum	5H01009			mg/kg wet	N/A	N/A	0.0280							
Antimony	5H01009			mg/kg wet	N/A	N/A	ND							
Arsenic	5H01009			mg/kg wet	N/A	N/A	0.0307							

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

CCB QC Data

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals														
Barium	5H01009			mg/kg wet	N/A	N/A	0.00156							
Beryllium	5H01009			mg/kg wet	N/A	N/A	0.00119							
Cadmium	5H01009			mg/kg wet	N/A	N/A	0.00176							
Chromium	5H01009			mg/kg wet	N/A	N/A	0.00150							
Cobalt	5H01009			mg/kg wet	N/A	N/A	0.00273							
Copper	5H01009			mg/kg wet	N/A	N/A	ND							
Iron	5H01009			mg/kg wet	N/A	N/A	0.0157							
Lead	5H01009			mg/kg wet	N/A	N/A	0.00140							
Magnesium	5H01009			mg/kg wet	N/A	N/A	0.0520							
Manganese	5H01009			mg/kg wet	N/A	N/A	0.00172							
Nickel	5H01009			mg/kg wet	N/A	N/A	0.00417							
Potassium	5H01009			mg/kg wet	N/A	N/A	0.0105							
Selenium	5H01009			mg/kg wet	N/A	N/A	0.00649							
Silver	5H01009			mg/kg wet	N/A	N/A	0.000812							
Sodium	5H01009			mg/kg wet	N/A	N/A	0.0978							
Thallium	5H01009			mg/kg wet	N/A	N/A	ND							
Vanadium	5H01009			mg/kg wet	N/A	N/A	0.00147							
Zinc	5H01009			mg/kg wet	N/A	N/A	0.000765							
Aluminum	5H01009			mg/kg wet	N/A	N/A	0.0171							
Antimony	5H01009			mg/kg wet	N/A	N/A	ND							
Arsenic	5H01009			mg/kg wet	N/A	N/A	0.00113							
Barium	5H01009			mg/kg wet	N/A	N/A	0.00103							
Beryllium	5H01009			mg/kg wet	N/A	N/A	0.00111							
Cadmium	5H01009			mg/kg wet	N/A	N/A	0.00239							
Chromium	5H01009			mg/kg wet	N/A	N/A	0.000372							
Cobalt	5H01009			mg/kg wet	N/A	N/A	0.0000493							
Copper	5H01009			mg/kg wet	N/A	N/A	ND							
Iron	5H01009			mg/kg wet	N/A	N/A	0.00622							
Lead	5H01009			mg/kg wet	N/A	N/A	ND							
Magnesium	5H01009			mg/kg wet	N/A	N/A	0.0227							
Manganese	5H01009			mg/kg wet	N/A	N/A	0.00120							
Nickel	5H01009			mg/kg wet	N/A	N/A	0.00352							
Potassium	5H01009			mg/kg wet	N/A	N/A	ND							
Selenium	5H01009			mg/kg wet	N/A	N/A	0.0216							
Silver	5H01009			mg/kg wet	N/A	N/A	0.00109							
Sodium	5H01009			mg/kg wet	N/A	N/A	0.133							
Thallium	5H01009			mg/kg wet	N/A	N/A	0.0459							
Vanadium	5H01009			mg/kg wet	N/A	N/A	0.00143							
Zinc	5H01009			mg/kg wet	N/A	N/A	0.0000652							
Total Metals per EPA 6000 Series Methods														
Calcium	5H01009			mg/kg wet	N/A	N/A	0.0205							
Calcium	5H01009			mg/kg wet	N/A	N/A	0.0532							
Calcium	5H01009			mg/kg wet	N/A	N/A	0.0864							
Calcium	5H01009			mg/kg wet	N/A	N/A	0.0373							

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
General Chemistry Parameters														
Chemical Oxygen Demand	5080033		100	mg/L	N/A	N/A	110		110		90-110			
Chemical Oxygen Demand	5080033		100	mg/L	N/A	N/A	100		100		90-110			
pH	5080036		7.00	pH Units	N/A	N/A	7.07		101		98.6-101.4			
pH	5080036		7.00	pH Units	N/A	N/A	7.06		101		98.6-101.4			
Metals														
Mercury	5080034			mg/L	N/A	N/A	0.0550				90-110			B
Mercury	5080034			mg/L	N/A	N/A	0.0535				90-110			B
Mercury	5080034			mg/L	N/A	N/A	0.0537				90-110			B
Aluminum	5H01009		5.00	mg/kg wet	N/A	N/A	4.87		97		90-110			
Barium	5H01009		5.00	mg/kg wet	N/A	N/A	4.97		99		90-110			
Potassium	5H01009		50.0	mg/kg wet	N/A	N/A	49.4		99		90-110			
Silver	5H01009		1.00	mg/kg wet	N/A	N/A	1.01		101		90-110			
Sodium	5H01009		5.00	mg/kg wet	N/A	N/A	5.02		100		90-110			
Antimony	5H01009		5.00	mg/kg wet	N/A	N/A	5.04		101		90-110			
Arsenic	5H01009		5.00	mg/kg wet	N/A	N/A	4.98		100		90-110			
Beryllium	5H01009		5.00	mg/kg wet	N/A	N/A	5.04		101		90-110			
Cadmium	5H01009		5.00	mg/kg wet	N/A	N/A	5.08		102		90-110			
Chromium	5H01009		5.00	mg/kg wet	N/A	N/A	5.06		101		90-110			
Cobalt	5H01009		5.00	mg/kg wet	N/A	N/A	4.97		99		90-110			
Copper	5H01009		5.00	mg/kg wet	N/A	N/A	5.00		100		90-110			
Iron	5H01009		5.00	mg/kg wet	N/A	N/A	5.21		104		90-110			
Lead	5H01009		5.00	mg/kg wet	N/A	N/A	5.07		101		90-110			
Magnesium	5H01009		5.00	mg/kg wet	N/A	N/A	4.99		100		90-110			
Manganese	5H01009		5.00	mg/kg wet	N/A	N/A	5.00		100		90-110			
Nickel	5H01009		5.00	mg/kg wet	N/A	N/A	5.06		101		90-110			
Selenium	5H01009		5.00	mg/kg wet	N/A	N/A	4.93		99		90-110			
Thallium	5H01009		5.00	mg/kg wet	N/A	N/A	5.15		103		90-110			
Vanadium	5H01009		5.00	mg/kg wet	N/A	N/A	5.05		101		90-110			
Zinc	5H01009		5.00	mg/kg wet	N/A	N/A	5.05		101		90-110			
Aluminum	5H01009		5.00	mg/kg wet	N/A	N/A	4.90		98		90-110			
Barium	5H01009		5.00	mg/kg wet	N/A	N/A	5.00		100		90-110			
Potassium	5H01009		50.0	mg/kg wet	N/A	N/A	49.2		98		90-110			
Silver	5H01009		1.00	mg/kg wet	N/A	N/A	1.01		101		90-110			
Sodium	5H01009		5.00	mg/kg wet	N/A	N/A	5.20		104		90-110			
Antimony	5H01009		5.00	mg/kg wet	N/A	N/A	4.93		99		90-110			
Arsenic	5H01009		5.00	mg/kg wet	N/A	N/A	4.95		99		90-110			
Beryllium	5H01009		5.00	mg/kg wet	N/A	N/A	4.88		98		90-110			
Cadmium	5H01009		5.00	mg/kg wet	N/A	N/A	4.88		98		90-110			
Chromium	5H01009		5.00	mg/kg wet	N/A	N/A	4.91		98		90-110			
Cobalt	5H01009		5.00	mg/kg wet	N/A	N/A	4.88		98		90-110			
Copper	5H01009		5.00	mg/kg wet	N/A	N/A	4.94		99		90-110			
Iron	5H01009		5.00	mg/kg wet	N/A	N/A	5.06		101		90-110			
Lead	5H01009		5.00	mg/kg wet	N/A	N/A	4.99		100		90-110			
Magnesium	5H01009		5.00	mg/kg wet	N/A	N/A	4.93		99		90-110			
Manganese	5H01009		5.00	mg/kg wet	N/A	N/A	4.86		97		90-110			
Nickel	5H01009		5.00	mg/kg wet	N/A	N/A	4.90		98		90-110			
Selenium	5H01009		5.00	mg/kg wet	N/A	N/A	4.90		98		90-110			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals														
Thallium	5H01009		5.00	mg/kg wet	N/A	N/A	5.05		101		90-110			
Vanadium	5H01009		5.00	mg/kg wet	N/A	N/A	4.93		99		90-110			
Zinc	5H01009		5.00	mg/kg wet	N/A	N/A	4.87		97		90-110			
Aluminum	5H01009		5.00	mg/kg wet	N/A	N/A	5.25		105		90-110			
Barium	5H01009		5.00	mg/kg wet	N/A	N/A	5.38		108		90-110			
Potassium	5H01009		50.0	mg/kg wet	N/A	N/A	50.9		102		90-110			
Silver	5H01009		1.00	mg/kg wet	N/A	N/A	1.09		109		90-110			
Sodium	5H01009		5.00	mg/kg wet	N/A	N/A	5.41		108		90-110			
Antimony	5H01009		5.00	mg/kg wet	N/A	N/A	4.98		100		90-110			
Arsenic	5H01009		5.00	mg/kg wet	N/A	N/A	4.97		99		90-110			
Beryllium	5H01009		5.00	mg/kg wet	N/A	N/A	4.91		98		90-110			
Cadmium	5H01009		5.00	mg/kg wet	N/A	N/A	4.94		99		90-110			
Chromium	5H01009		5.00	mg/kg wet	N/A	N/A	4.99		100		90-110			
Cobalt	5H01009		5.00	mg/kg wet	N/A	N/A	4.91		98		90-110			
Copper	5H01009		5.00	mg/kg wet	N/A	N/A	5.06		101		90-110			
Iron	5H01009		5.00	mg/kg wet	N/A	N/A	5.15		103		90-110			
Lead	5H01009		5.00	mg/kg wet	N/A	N/A	4.99		100		90-110			
Magnesium	5H01009		5.00	mg/kg wet	N/A	N/A	4.99		100		90-110			
Manganese	5H01009		5.00	mg/kg wet	N/A	N/A	4.94		99		90-110			
Nickel	5H01009		5.00	mg/kg wet	N/A	N/A	4.98		100		90-110			
Selenium	5H01009		5.00	mg/kg wet	N/A	N/A	4.97		99		90-110			
Thallium	5H01009		5.00	mg/kg wet	N/A	N/A	5.04		101		90-110			
Vanadium	5H01009		5.00	mg/kg wet	N/A	N/A	5.01		100		90-110			
Zinc	5H01009		5.00	mg/kg wet	N/A	N/A	4.95		99		90-110			
Aluminum	5H01009		5.00	mg/kg wet	N/A	N/A	4.94		99		90-110			
Barium	5H01009		5.00	mg/kg wet	N/A	N/A	5.00		100		90-110			
Potassium	5H01009		50.0	mg/kg wet	N/A	N/A	50.1		100		90-110			
Silver	5H01009		1.00	mg/kg wet	N/A	N/A	1.01		101		90-110			
Sodium	5H01009		5.00	mg/kg wet	N/A	N/A	5.37		107		90-110			
Antimony	5H01009		5.00	mg/kg wet	N/A	N/A	5.05		101		90-110			
Arsenic	5H01009		5.00	mg/kg wet	N/A	N/A	5.02		100		90-110			
Beryllium	5H01009		5.00	mg/kg wet	N/A	N/A	4.99		100		90-110			
Cadmium	5H01009		5.00	mg/kg wet	N/A	N/A	4.96		99		90-110			
Chromium	5H01009		5.00	mg/kg wet	N/A	N/A	5.05		101		90-110			
Cobalt	5H01009		5.00	mg/kg wet	N/A	N/A	4.98		100		90-110			
Copper	5H01009		5.00	mg/kg wet	N/A	N/A	5.16		103		90-110			
Iron	5H01009		5.00	mg/kg wet	N/A	N/A	5.17		103		90-110			
Lead	5H01009		5.00	mg/kg wet	N/A	N/A	5.08		102		90-110			
Magnesium	5H01009		5.00	mg/kg wet	N/A	N/A	5.06		101		90-110			
Manganese	5H01009		5.00	mg/kg wet	N/A	N/A	5.01		100		90-110			
Nickel	5H01009		5.00	mg/kg wet	N/A	N/A	5.04		101		90-110			
Selenium	5H01009		5.00	mg/kg wet	N/A	N/A	5.01		100		90-110			
Thallium	5H01009		5.00	mg/kg wet	N/A	N/A	5.23		105		90-110			
Vanadium	5H01009		5.00	mg/kg wet	N/A	N/A	5.08		102		90-110			
Zinc	5H01009		5.00	mg/kg wet	N/A	N/A	5.01		100		90-110			
Total Metals per EPA 6000 Series Methods														
Calcium	5H01009		5.00	mg/kg wet	N/A	N/A	5.04		101		90-110			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Total Metals per EPA 6000 Series Methods														
Calcium	5H01009		5.00	mg/kg wet	N/A	N/A	4.87		97		90-110			
Calcium	5H01009		5.00	mg/kg wet	N/A	N/A	4.94		99		90-110			
Calcium	5H01009		5.00	mg/kg wet	N/A	N/A	5.00		100		90-110			
VOCs by SW8260B														
Benzene	5H01005		50.0	ug/kg wet	N/A	N/A	47.8		96		80-120			
Bromobenzene	5H01005		50.0	ug/kg wet	N/A	N/A	49.1		98		80-120			
Bromochloromethane	5H01005		50.0	ug/kg wet	N/A	N/A	47.8		96		80-120			
Bromodichloromethane	5H01005		50.0	ug/kg wet	N/A	N/A	48.2		96		80-120			
Bromoform	5H01005		50.0	ug/kg wet	N/A	N/A	50.7		101		80-120			
Bromomethane	5H01005		50.0	ug/kg wet	N/A	N/A	59.6		119		80-120			
n-Butylbenzene	5H01005		50.0	ug/kg wet	N/A	N/A	47.5		95		80-120			
sec-Butylbenzene	5H01005		50.0	ug/kg wet	N/A	N/A	47.6		95		80-120			
tert-Butylbenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.2		96		80-120			
Carbon Tetrachloride	5H01005		50.0	ug/kg wet	N/A	N/A	50.9		102		80-120			
Chlorobenzene	5H01005		50.0	ug/kg wet	N/A	N/A	49.4		99		80-120			
Chlorodibromomethane	5H01005		50.0	ug/kg wet	N/A	N/A	51.1		102		80-120			
Chloroethane	5H01005		50.0	ug/kg wet	N/A	N/A	48.7		97		80-120			
Chloroform	5H01005		50.0	ug/kg wet	N/A	N/A	48.9		98		80-120			
Chloromethane	5H01005		50.0	ug/kg wet	N/A	N/A	44.2		88		80-120			
2-Chlorotoluene	5H01005		50.0	ug/kg wet	N/A	N/A	50.8		102		80-120			
4-Chlorotoluene	5H01005		50.0	ug/kg wet	N/A	N/A	44.7		89		80-120			
1,2-Dibromo-3-chloropropane	5H01005		50.0	ug/kg wet	N/A	N/A	48.4		97		80-120			
1,2-Dibromoethane (EDB)	5H01005		50.0	ug/kg wet	N/A	N/A	49.7		99		80-120			
Dibromomethane	5H01005		50.0	ug/kg wet	N/A	N/A	50.3		101		80-120			
1,2-Dichlorobenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.0		96		80-120			
1,3-Dichlorobenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.2		96		80-120			
1,4-Dichlorobenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.0		96		80-120			
Dichlorodifluoromethane	5H01005		50.0	ug/kg wet	N/A	N/A	61.4		123		80-120			C
1,1-Dichloroethane	5H01005		50.0	ug/kg wet	N/A	N/A	47.1		94		80-120			
1,2-Dichloroethane	5H01005		50.0	ug/kg wet	N/A	N/A	49.2		98		80-120			
1,1-Dichloroethene	5H01005		50.0	ug/kg wet	N/A	N/A	49.8		100		80-120			
cis-1,2-Dichloroethene	5H01005		50.0	ug/kg wet	N/A	N/A	49.7		99		80-120			
trans-1,2-Dichloroethene	5H01005		50.0	ug/kg wet	N/A	N/A	49.8		100		80-120			
1,2-Dichloropropane	5H01005		50.0	ug/kg wet	N/A	N/A	46.5		93		80-120			
1,3-Dichloropropane	5H01005		50.0	ug/kg wet	N/A	N/A	47.7		95		80-120			
2,2-Dichloropropane	5H01005		50.0	ug/kg wet	N/A	N/A	50.6		101		80-120			
1,1-Dichloropropene	5H01005		50.0	ug/kg wet	N/A	N/A	47.8		96		80-120			
cis-1,3-Dichloropropene	5H01005		50.0	ug/kg wet	N/A	N/A	48.7		97		80-120			
trans-1,3-Dichloropropene	5H01005		50.0	ug/kg wet	N/A	N/A	49.1		98		80-120			
2,3-Dichloropropene	5H01005		50.0	ug/kg wet	N/A	N/A	51.6		103		80-120			
Isopropyl Ether	5H01005		50.0	ug/kg wet	N/A	N/A	48.7		97		80-120			
Ethylbenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.2		96		80-120			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
Hexachlorobutadiene	5H01005		50.0	ug/kg wet	N/A	N/A	46.1		92		80-120			
Isopropylbenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.0		96		80-120			
p-Isopropyltoluene	5H01005		50.0	ug/kg wet	N/A	N/A	47.9		96		80-120			
Methylene Chloride	5H01005		50.0	ug/kg wet	N/A	N/A	49.4		99		80-120			
Methyl tert-Butyl Ether	5H01005		50.0	ug/kg wet	N/A	N/A	50.2		100		80-120			
Naphthalene	5H01005		50.0	ug/kg wet	N/A	N/A	46.2		92		80-120			
n-Propylbenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.6		97		80-120			
Styrene	5H01005		50.0	ug/kg wet	N/A	N/A	50.1		100		80-120			
1,1,1,2-Tetrachloroethane	5H01005		50.0	ug/kg wet	N/A	N/A	50.6		101		80-120			
1,1,2,2-Tetrachloroethane	5H01005		50.0	ug/kg wet	N/A	N/A	47.3		95		80-120			
Tetrachloroethene	5H01005		50.0	ug/kg wet	N/A	N/A	49.9		100		80-120			
Toluene	5H01005		50.0	ug/kg wet	N/A	N/A	49.1		98		80-120			
1,2,3-Trichlorobenzene	5H01005		50.0	ug/kg wet	N/A	N/A	46.8		94		80-120			
1,2,4-Trichlorobenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.2		96		80-120			
1,1,1-Trichloroethane	5H01005		50.0	ug/kg wet	N/A	N/A	50.2		100		80-120			
1,1,2-Trichloroethane	5H01005		50.0	ug/kg wet	N/A	N/A	49.1		98		80-120			
Trichloroethene	5H01005		50.0	ug/kg wet	N/A	N/A	50.8		102		80-120			
Trichlorofluoromethane	5H01005		50.0	ug/kg wet	N/A	N/A	50.7		101		80-120			
1,2,3-Trichloropropane	5H01005		50.0	ug/kg wet	N/A	N/A	49.2		98		80-120			
1,2,4-Trimethylbenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.8		98		80-120			
1,3,5-Trimethylbenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.4		97		80-120			
Vinyl chloride	5H01005		50.0	ug/kg wet	N/A	N/A	45.8		92		80-120			
Xylenes, total	5H01005		150	ug/kg wet	N/A	N/A	146		97		80-120			
Surrogate: Dibromofluoromethane	5H01005			ug/kg wet					100		80-120			
Surrogate: Toluene-d8	5H01005			ug/kg wet					99		80-120			
Surrogate: 4-Bromofluorobenzene	5H01005			ug/kg wet					98		80-120			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

LABORATORY DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
General Chemistry Parameters													
QC Source Sample: WOG1073-02													
Total Suspended Solids	5080005	3.0		mg/L	1.0	3.3	4.00				29	26	
QC Source Sample: WOG0891-04													
pH	5080036	2.0		pH Units	N/A	N/A	1.51				28	200	
QC Source Sample: WOG1007-02													
pH	5080036	8.4		pH Units	N/A	N/A	8.40				0	200	
Metals													
QC Source Sample: WOG0999-01													
Mercury	5080034	0.00023		mg/L	0.000092	0.00033	0.000220				4	13	J,B

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals														
Aluminum	5080009		2.00	mg/L	0.015	0.052	2.00		100		80-110			
Antimony	5080009		2.00	mg/L	0.013	0.045	2.02		101		82-111			
Arsenic	5080009		2.00	mg/L	0.025	0.087	2.06		103		85-112			
Barium	5080009		1.00	mg/L	0.0012	0.0043	0.927		93		78-110			
Beryllium	5080009		1.00	mg/L	0.00013	0.00046	0.996		100		80-112			B
Cadmium	5080009		1.00	mg/L	0.0011	0.0040	1.00		100		83-109			B
Calcium	5080009		2.00	mg/L	0.013	0.047	2.02		101		68-118			B
Chromium	5080009		1.00	mg/L	0.0021	0.0072	1.03		103		84-110			B
Cobalt	5080009		1.00	mg/L	0.0063	0.022	1.01		101		81-111			
Copper	5080009		2.00	mg/L	0.018	0.065	2.10		105		84-111			
Iron	5080009		2.00	mg/L	0.016	0.053	2.09		104		77-115			B
Lead	5080009		2.00	mg/L	0.013	0.047	2.07		104		84-110			
Magnesium	5080009		2.00	mg/L	0.013	0.047	2.05		102		76-115			B
Manganese	5080009		1.00	mg/L	0.00096	0.0032	1.01		101		83-109			
Nickel	5080009		2.00	mg/L	0.0040	0.014	2.00		100		83-108			B
Potassium	5080009		4.00	mg/L	0.019	0.067	3.99		100		69-117			
Selenium	5080009		4.00	mg/L	0.045	0.16	4.09		102		84-110			
Silver	5080009		1.00	mg/L	0.0013	0.0046	1.11		111		80-123			
Sodium	5080009		3.00	mg/L	0.0100	0.035	3.09		103		63-124			
Thallium	5080009		2.00	mg/L	0.038	0.13	1.92		96		80-120			
Vanadium	5080009		1.00	mg/L	0.0015	0.0052	1.04		104		82-115			
Zinc	5080009		1.00	mg/L	0.0028	0.0095	1.02		102		82-111			B
Mercury	5080034		0.00250	mg/L	0.000092	0.00033	0.00296		118		78-131			B

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Semivolatile Organic Compounds by EPA Method 8270C														
Acenaphthene	5080006		25.0	ug/l	N/A	2.00	13.9	13.8	56	55	10-110	1	35	
Acenaphthylene	5080006		25.0	ug/l	N/A	2.00	13.8	14.1	55	56	10-110	2	35	
Aniline	5080006		25.0	ug/l	N/A	2.00	16.5	<	66		10-110		35	
Anthracene	5080006		25.0	ug/l	N/A	2.00	15.0	14.8	60	59	10-110	1	35	
Benzidine	5080006		50.0	ug/l	N/A	50.0	58.2	<	116		0-200		200	
Benzoic acid	5080006		25.0	ug/l	N/A	20.0	4.00	8.93	16	36	10-110	76	35	
Benz (a) anthracene	5080006		25.0	ug/l	N/A	2.00	16.8	16.8	67	67	10-111	0	35	
Benzo (a) pyrene	5080006		25.0	ug/l	N/A	2.00	18.0	18.0	72	72	10-110	0	35	
Benzo (b) fluoranthene	5080006		25.0	ug/l	N/A	2.00	16.2	16.5	65	66	10-111	2	35	
Benzo (ghi) perylene	5080006		25.0	ug/l	N/A	2.00	20.0	17.8	80	71	10-110	12	35	
Benzo (k) fluoranthene	5080006		25.0	ug/l	N/A	2.00	16.6	17.5	66	70	10-110	5	35	
Benzyl alcohol	5080006		25.0	ug/l	N/A	2.00	11.9	13.5	48	54	10-110	13	35	
Bis(2-chloroethoxy)methane	5080006		25.0	ug/l	N/A	2.00	14.0	14.7	56	59	10-110	5	35	
Bis(2-chloroethyl)ether	5080006		25.0	ug/l	N/A	2.00	13.3	14.1	53	56	10-110	6	35	
Bis(2-chloroisopropyl)ether	5080006		25.0	ug/l	N/A	2.00	13.0	13.0	52	52	10-110	0	35	
Bis(2-ethylhexyl)phthalate	5080006		25.0	ug/l	N/A	10.0	19.5	19.1	78	76	10-114	2	35	
4-Bromophenyl phenyl ether	5080006		25.0	ug/l	N/A	2.00	14.6	14.6	58	58	10-110	0	35	
Butyl benzyl phthalate	5080006		25.0	ug/l	N/A	10.0	16.2	16.3	65	65	10-122	1	35	
Carbazole	5080006		25.0	ug/l	N/A	2.00	17.0	17.1	68	68	10-114	1	35	
4-Chloroaniline	5080006		25.0	ug/l	N/A	2.00	19.6	5.17	78	21	10-110	117	35	
4-Chloro-3-methylphenol	5080006		25.0	ug/l	N/A	2.00	15.2	16.8	61	67	10-110	10	35	
2-Chloronaphthalene	5080006		25.0	ug/l	N/A	2.00	13.5	14.2	54	57	10-110	5	35	
2-Chlorophenol	5080006		25.0	ug/l	N/A	2.00	12.9	16.1	52	64	10-110	22	35	
4-Chlorophenyl phenyl ether	5080006		25.0	ug/l	N/A	2.00	13.6	13.4	54	54	10-110	1	35	
Chrysene	5080006		25.0	ug/l	N/A	2.00	18.2	18.3	73	73	10-110	1	35	
Dibenz (a,h) anthracene	5080006		25.0	ug/l	N/A	2.00	19.8	17.6	79	70	10-110	12	35	
Dibenzofuran	5080006		25.0	ug/l	N/A	2.00	14.7	14.5	59	58	10-110	1	35	
1,2-Dichlorobenzene	5080006		25.0	ug/l	N/A	2.00	10.8	11.5	43	46	10-110	6	35	
1,3-Dichlorobenzene	5080006		25.0	ug/l	N/A	2.00	10.8	11.8	43	47	10-110	9	35	
1,4-Dichlorobenzene	5080006		25.0	ug/l	N/A	2.00	10.3	10.6	41	42	10-110	3	35	
3,3'-Dichlorobenzidine	5080006		50.0	ug/l	N/A	10.0	56.1	55.4	112	111	10-110	1	35	
2,4-Dichlorophenol	5080006		25.0	ug/l	N/A	2.00	14.4	15.7	58	63	10-110	9	35	
Diethyl phthalate	5080006		25.0	ug/l	N/A	2.00	14.6	14.2	58	57	10-115	3	35	
2,4-Dimethylphenol	5080006		25.0	ug/l	N/A	2.00	14.1	15.7	56	63	10-110	11	35	
Dimethyl phthalate	5080006		25.0	ug/l	N/A	2.00	14.7	14.5	59	58	10-110	1	35	
Di-n-butyl phthalate	5080006		25.0	ug/l	N/A	10.0	16.5	17.0	66	68	10-116	3	35	
4,6-Dinitro-2-methylphenol	5080006		25.0	ug/l	N/A	10.0	12.7	13.3	51	53	10-110	5	35	
2,4-Dinitrophenol	5080006		25.0	ug/l	N/A	10.0	13.4	13.8	54	55	10-110	3	35	
2,4-Dinitrotoluene	5080006		25.0	ug/l	N/A	2.00	13.3	13.1	53	52	10-110	2	35	
2,6-Dinitrotoluene	5080006		25.0	ug/l	N/A	2.00	14.3	14.1	57	56	10-112	1	35	
Di-n-octyl phthalate	5080006		25.0	ug/l	N/A	10.0	22.0	21.5	88	86	10-112	2	35	
1,2-Diphenylhydrazine	5080006		25.0	ug/l	N/A	2.00	14.3	14.0	57	56	0-200	2	200	
Fluoranthene	5080006		25.0	ug/l	N/A	2.00	14.9	15.4	60	62	10-111	3	35	
Fluorene	5080006		25.0	ug/l	N/A	2.00	14.8	14.6	59	58	10-110	1	35	
Hexachlorobenzene	5080006		25.0	ug/l	N/A	2.00	14.3	14.6	57	58	10-110	2	35	

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Semivolatile Organic Compounds by EPA Method 8270C														
Hexachlorobutadiene	5080006		25.0	ug/l	N/A	2.00	9.27	10.0	37	40	10-110	8	35	
Hexachlorocyclopentadiene	5080006		25.0	ug/l	N/A	2.00	10.6	11.6	42	46	10-110	9	35	
Hexachloroethane	5080006		25.0	ug/l	N/A	2.00	11.1	11.8	44	47	10-110	6	35	
Indeno (1,2,3-cd) pyrene	5080006		25.0	ug/l	N/A	2.00	19.7	17.5	79	70	10-110	12	35	
Isophorone	5080006		25.0	ug/l	N/A	2.00	12.9	13.7	52	55	10-110	6	35	
2-Methylnaphthalene	5080006		25.0	ug/l	N/A	2.00	12.4	13.1	50	52	10-110	5	35	
o-Cresol	5080006		25.0	ug/l	N/A	2.00	11.5	17.1	46	68	10-110	39	35	
m,p-Cresols	5080006		25.0	ug/l	N/A	2.00	10.5	16.5	42	66	10-110	44	35	
Naphthalene	5080006		25.0	ug/l	N/A	2.00	12.6	13.2	50	53	10-110	5	35	
2-Nitroaniline	5080006		25.0	ug/l	N/A	10.0	16.9	16.6	68	66	10-110	2	35	
3-Nitroaniline	5080006		25.0	ug/l	N/A	10.0	21.1	18.8	84	75	10-110	12	35	
4-Nitroaniline	5080006		25.0	ug/l	N/A	10.0	19.2	17.9	77	72	10-112	7	35	
Nitrobenzene	5080006		25.0	ug/l	N/A	2.00	12.8	13.8	51	55	10-110	8	35	
2-Nitrophenol	5080006		25.0	ug/l	N/A	2.00	13.9	15.0	56	60	10-110	8	35	
4-Nitrophenol	5080006		25.0	ug/l	N/A	10.0	5.60	10.7	22	43	10-110	63	35	
N-Nitrosodimethylamine	5080006		25.0	ug/l	N/A	2.00	6.67	8.46	27	34	0-200	24	200	
N-Nitrosodi-n-propylamine	5080006		25.0	ug/l	N/A	2.00	14.6	14.7	58	59	10-113	1	35	
N-Nitrosodiphenylamine	5080006		25.0	ug/l	N/A	2.00	16.4	16.1	66	64	10-110	2	35	
Pentachlorophenol	5080006		25.0	ug/l	N/A	10.0	12.1	12.6	48	50	10-110	4	35	
Phenanthrene	5080006		25.0	ug/l	N/A	2.00	15.1	15.1	60	60	10-112	0	35	
Phenol	5080006		25.0	ug/l	N/A	2.00	5.19	8.95	21	36	10-110	53	35	
Pyrene	5080006		25.0	ug/l	N/A	2.00	14.1	14.4	56	58	10-120	2	35	
Pyridine	5080006		25.0	ug/l	N/A	5.00	8.04	<	32		0-200		200	
1,2,4-Trichlorobenzene	5080006		25.0	ug/l	N/A	2.00	10.6	11.3	42	45	10-110	6	35	
2,4,5-Trichlorophenol	5080006		25.0	ug/l	N/A	10.0	13.9	13.8	56	55	10-110	1	35	
2,4,6-Trichlorophenol	5080006		25.0	ug/l	N/A	2.00	14.2	14.8	57	59	10-110	4	35	
Surrogate: 2-Fluorophenol	5080006			ug/l					22	42	10-110			
Surrogate: Phenol-d6	5080006			ug/l					15	33	10-110			
Surrogate: Nitrobenzene-d5	5080006			ug/l					47	52	10-110			
Surrogate: 2-Fluorobiphenyl	5080006			ug/l					49	53	10-110			
Surrogate: 2,4,6-Tribromophenol	5080006			ug/l					53	55	10-110			
Surrogate: p-Terphenyl-d14	5080006			ug/l					59	59	10-114			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
General Chemistry Parameters														
QC Source Sample: WOG1073-01														
Chemical Oxygen Demand	5080033	37	37.5	mg/L	5.7	20	66.0	64.0	77	72	66-149	3	28	
Metals														
QC Source Sample: WOG1073-02														
Aluminum	5080009	0.017	2.00	mg/L	0.015	0.052	2.05	2.07	102	103	66-130	1	34	
Antimony	5080009	<0.013	2.00	mg/L	0.013	0.045	2.04	2.07	102	104	70-122	1	30	
Arsenic	5080009	0.049	2.00	mg/L	0.025	0.087	2.09	2.13	102	104	67-127	2	21	
Barium	5080009	0.0021	1.00	mg/L	0.0012	0.0043	0.935	0.939	93	94	57-124	0	32	
Beryllium	5080009	0.00022	1.00	mg/L	0.00013	0.0046	1.02	1.01	102	101	56-131	1	25	B
Cadmium	5080009	0.0044	1.00	mg/L	0.0011	0.0040	1.01	1.01	101	101	65-118	0	18	B
Calcium	5080009	0.11	2.00	mg/L	0.013	0.047	2.18	2.19	104	104	75-125	1	20	B
Chromium	5080009	<0.0021	1.00	mg/L	0.0021	0.0072	1.02	1.03	102	103	63-122	1	21	B
Cobalt	5080009	<0.0063	1.00	mg/L	0.0063	0.022	1.01	1.01	101	101	56-122	0	22	
Copper	5080009	<0.018	2.00	mg/L	0.018	0.065	2.12	2.11	106	106	69-123	1	25	
Iron	5080009	1.1	2.00	mg/L	0.016	0.053	3.08	3.10	99	100	60-131	1	42	B
Lead	5080009	<0.013	2.00	mg/L	0.013	0.047	2.06	2.06	103	103	67-120	0	18	
Magnesium	5080009	0.027	2.00	mg/L	0.013	0.047	2.07	2.09	102	103	74-122	1	31	B
Manganese	5080009	0.011	1.00	mg/L	0.00096	0.0032	1.03	1.03	102	102	69-119	0	27	
Nickel	5080009	0.0056	2.00	mg/L	0.0040	0.014	1.99	2.00	99	100	63-117	1	21	B
Potassium	5080009	0.16	4.00	mg/L	0.019	0.067	4.43	4.34	107	104	75-125	2	20	
Selenium	5080009	<0.045	4.00	mg/L	0.045	0.16	4.13	4.16	103	104	70-123	1	20	
Silver	5080009	<0.0013	1.00	mg/L	0.0013	0.0046	1.10	1.10	110	110	70-124	0	20	
Sodium	5080009	210	3.00	mg/L	0.0100	0.035	213	209	100	-33	70-130	2	20	MHA
Thallium	5080009	<0.038	2.00	mg/L	0.038	0.13	1.95	1.93	98	96	75-125	1	20	
Vanadium	5080009	0.0046	1.00	mg/L	0.0015	0.0052	1.06	1.05	106	105	75-125	1	20	
Zinc	5080009	0.038	1.00	mg/L	0.0028	0.0095	1.08	1.09	104	105	63-125	1	30	B
QC Source Sample: WOG0969-01														
Mercury	5080034	0.00018	0.00250	mg/L	0.000092	0.00033	0.00312	0.00296	118	111	67-141	5	13	B
VOCs by SW8260B														
QC Source Sample: WOG0913-06														
Benzene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.3	44.5	89	89	80-121	1	11	
Bromobenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	45.8	46.2	92	92	70-130	1	20	
Bromochloromethane	5080012	<0.50	50.0	ug/L	0.50	1.7	43.8	43.4	88	87	70-130	1	20	
Bromodichloromethane	5080012	<0.20	50.0	ug/L	0.20	0.67	44.5	44.3	89	89	70-130	1	20	
Bromoform	5080012	<0.20	50.0	ug/L	0.20	0.67	48.3	48.6	97	97	70-130	1	20	
Bromomethane	5080012	<0.20	50.0	ug/L	0.20	0.67	54.3	56.9	109	114	70-130	5	20	
n-Butylbenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	43.1	46.0	86	92	70-130	7	20	
sec-Butylbenzene	5080012	<0.25	50.0	ug/L	0.25	0.83	43.7	46.7	87	93	70-130	7	20	
tert-Butylbenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.2	47.1	88	94	70-130	6	20	
Carbon Tetrachloride	5080012	<0.50	50.0	ug/L	0.50	1.7	48.0	48.7	96	97	70-130	1	20	
Chlorobenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	46.2	46.2	92	92	85-116	0	9	
Chlorodibromomethane	5080012	<0.20	50.0	ug/L	0.20	0.67	47.1	47.4	94	95	70-130	1	20	
Chloroethane	5080012	<1.0	50.0	ug/L	1.0	3.3	45.5	45.5	91	91	70-130	0	20	
Chloroform	5080012	<0.20	50.0	ug/L	0.20	0.67	45.0	44.7	90	89	70-130	1	20	
Chloromethane	5080012	<0.20	50.0	ug/L	0.20	0.67	41.5	41.6	83	83	70-130	0	20	
2-Chlorotoluene	5080012	<0.50	50.0	ug/L	0.50	1.7	41.1	42.9	82	86	70-130	4	20	
4-Chlorotoluene	5080012	<0.20	50.0	ug/L	0.20	0.67	42.6	43.6	85	87	70-130	2	20	
1,2-Dibromo-3-chloropropane	5080012	<0.50	50.0	ug/L	0.50	1.7	47.4	50.2	95	100	70-130	6	20	

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B														
QC Source Sample: WOG0913-06														
1,2-Dibromothane (EDB)	5080012	<0.20	50.0	ug/L	0.20	0.67	47.4	47.2	95	94	70-130	0	20	C
Dibromomethane	5080012	<0.20	50.0	ug/L	0.20	0.67	46.7	46.6	93	93	70-130	0	20	
1,2-Dichlorobenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.2	45.9	88	92	70-130	4	20	
1,3-Dichlorobenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.1	45.7	88	91	70-130	4	20	
1,4-Dichlorobenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.2	45.8	88	92	70-130	4	20	
Dichlorodifluoromethane	5080012	<0.50	50.0	ug/L	0.50	1.7	59.3	60.2	119	120	70-130	2	20	
1,1-Dichloroethane	5080012	<0.50	50.0	ug/L	0.50	1.7	43.6	43.4	87	87	70-130	1	20	
1,2-Dichloroethane	5080012	<0.50	50.0	ug/L	0.50	1.7	46.0	45.5	92	91	70-130	1	20	
1,1-Dichloroethene	5080012	<0.50	50.0	ug/L	0.50	1.7	46.8	47.1	94	94	72-131	1	17	
cis-1,2-Dichloroethene	5080012	<0.50	50.0	ug/L	0.50	1.7	46.0	46.2	92	92	70-130	0	20	
trans-1,2-Dichloroethene	5080012	<0.50	50.0	ug/L	0.50	1.7	46.8	46.5	94	93	70-130	1	20	
1,2-Dichloropropane	5080012	<0.50	50.0	ug/L	0.50	1.7	42.8	42.6	86	85	70-130	1	20	
1,3-Dichloropropane	5080012	<0.25	50.0	ug/L	0.25	0.83	44.4	44.3	89	89	70-130	0	20	
2,2-Dichloropropane	5080012	<0.50	50.0	ug/L	0.50	1.7	48.7	48.0	97	96	70-130	1	20	
1,1-Dichloropropene	5080012	<0.50	50.0	ug/L	0.50	1.7	45.1	45.2	90	90	70-130	0	20	
cis-1,3-Dichloropropene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.7	44.6	89	89	70-130	0	20	
trans-1,3-Dichloropropene	5080012	<0.20	50.0	ug/L	0.20	0.67	46.1	46.2	92	92	70-130	0	20	
Isopropyl Ether	5080012	<0.50	50.0	ug/L	0.50	1.7	44.6	45.2	89	90	68-128	1	16	
Ethylbenzene	5080012	<0.50	50.0	ug/L	0.50	1.7	47.4	45.9	95	92	83-118	3	13	
Hexachlorobutadiene	5080012	<0.50	50.0	ug/L	0.50	1.7	41.9	42.6	84	85	70-130	2	20	
Isopropylbenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.5	46.5	89	93	70-130	4	20	
p-Isopropyltoluene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.0	46.2	88	92	70-130	5	20	
Methylene Chloride	5080012	<1.0	50.0	ug/L	1.0	3.3	45.1	45.4	90	91	70-130	1	20	
Methyl tert-Butyl Ether	5080012	<0.50	50.0	ug/L	0.50	1.7	46.9	47.2	94	94	71-127	1	22	
Naphthalene	5080012	<0.25	50.0	ug/L	0.25	0.83	42.3	45.6	85	91	70-130	8	20	
n-Propylbenzene	5080012	<0.50	50.0	ug/L	0.50	1.7	45.0	47.1	90	94	70-130	5	20	
Styrene	5080012	<0.20	50.0	ug/L	0.20	0.67	46.8	47.4	94	95	70-130	1	20	
1,1,1,2-Tetrachloroethane	5080012	<0.25	50.0	ug/L	0.25	0.83	46.9	47.2	94	94	70-130	1	20	
1,1,2,2-Tetrachloroethane	5080012	<0.20	50.0	ug/L	0.20	0.67	45.4	46.4	91	93	70-130	2	20	
Tetrachloroethene	5080012	<0.50	50.0	ug/L	0.50	1.7	46.5	47.1	93	94	70-130	1	20	
Toluene	5080012	<0.20	50.0	ug/L	0.20	0.67	46.0	46.1	92	92	82-116	0	11	
1,2,3-Trichlorobenzene	5080012	<0.25	50.0	ug/L	0.25	0.83	42.3	45.3	85	91	70-130	7	20	
1,2,4-Trichlorobenzene	5080012	<0.25	50.0	ug/L	0.25	0.83	43.0	45.8	86	92	70-130	6	20	
1,1,1-Trichloroethane	5080012	<0.50	50.0	ug/L	0.50	1.7	47.1	47.2	94	94	70-130	0	20	
1,1,2-Trichloroethane	5080012	<0.25	50.0	ug/L	0.25	0.83	45.4	45.6	91	91	70-130	0	20	
Trichloroethene	5080012	<0.20	50.0	ug/L	0.20	0.67	47.0	47.0	94	94	80-117	0	13	
Trichlorofluoromethane	5080012	<0.50	50.0	ug/L	0.50	1.7	48.0	49.1	96	98	70-130	2	20	
1,2,3-Trichloropropane	5080012	<0.50	50.0	ug/L	0.50	1.7	47.5	48.4	95	97	70-130	2	20	
1,2,4-Trimethylbenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.5	46.5	89	93	80-122	4	14	
1,3,5-Trimethylbenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.4	46.6	89	93	83-122	5	12	
Vinyl chloride	5080012	<0.20	50.0	ug/L	0.20	0.67	43.3	44.6	87	89	70-130	3	20	
Xylenes, Total	5080012	<0.50	150	ug/L	0.50	1.7	136	139	91	93	84-119	2	12	
Surrogate: Dibromofluoromethane	5080012			ug/L					100	100	89-119			
Surrogate: Toluene-d8	5080012			ug/L					100	100	91-109			
Surrogate: 4-Bromofluorobenzene	5080012			ug/L					99	99	89-114			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOG1073
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 07/31/05
Reported: 08/02/05 10:13

CERTIFICATION SUMMARY

TestAmerica Analytical - Watertown

Method	Matrix	Nelac	Wisconsin
EPA 150.1	Water - NonPotable	X	N/A
EPA 160.2	Water - NonPotable	X	X
EPA 245.1	Water - NonPotable	X	X
EPA 410.4	Water - NonPotable		X
SM 5520B	Water - NonPotable		X
SW 6010B	Water - NonPotable		X
SW 8260B	Water - NonPotable	X	X
SW 8270C	Water - NonPotable		

Subcontracted Laboratories

GREAT LAKES ANALYTICAL - Buffalo Grove NELAC Cert #100261, Wisconsin Cert #999917160, Illinois Cert #100261

1380 Busch Parkway - Buffalo Grove, IL 60089

Method Performed: EPA 8270C

Samples: WOG1073-01, WOG1073-02

DATA QUALIFIERS AND DEFINITIONS

A-01	result between mdl and reporting limit
A-01a	result between mdl and reporting limit
B	Analyte was detected in the associated Method Blank.
C	Calibration Verification recovery was above the method control limit for this analyte. Analyte not detected, data not impacted.
J	Results reported between the Method Detection Limit (MDL) and Limit of Quantitation (LOQ) are less certain than results at or above the LOQ.
MHA	Due to high levels of analyte in the sample, the MS/MSD calculation does not provide useful spike recovery information.
QC	The result for one or more quality control measurements associated with this sample did not meet the laboratory and/or source method acceptance criteria.

ADDITIONAL COMMENTS

Results are reported on a wet weight basis unless otherwise noted.

**To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?**
Compliance Monitoring

Client Name EPA Weston Solutions Client #:

Address: 20 N. Wacker Dr. Suite 1210

City/State/Zip Code: CHICAGO IL 60606

Project Manager: Heidi Gorrill

Telephone Number: 312.424.3328 Fax: 312.424.3330

Sampler Name: (Print Name) Kevin J. Smith

Sampler Signature: KS34

[illegible]

Special Instructions:

LABORATORY COMMENTS:

Init Lab Temp:

Rec Lab Temp:

Custody Seals:	Y	N	N/A
----------------	---	---	-----

Bottles Supplied by Test America:

Method of Shipment:

37720

N/A Y N

list