

August 03, 2005

Client: WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606

Attn: Heidi Gorrill

Work Order: WOH0036
Project Name: Watertown Tire Fire E. R.
Project Number: [none]
Site/Location ID: Yes
Date Received: 08/01/05

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
WTF080105Eff01	WOH0036-01	08/01/05 08:30
WTF080105Eff02	WOH0036-02	08/01/05 12:00
WTF080105Eff03	WOH0036-03	08/01/05 15:20
Trip Blank	WOH0036-04	08/01/05

SW 8270C analysis performed at Lab ID: 999917160

Samples were received into laboratory on ice.

Wisconsin Certification Number: 128053530, DATCP #266

Unless subcontracted, volatiles analyses (including VOC, PVOC, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.

Approved By:



TestAmerica Analytical - Watertown
David W. Havick For Dan F. Milewsky
Project Manager

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOH0036-01 (WTF080105Eff01 - Water - NonPotable)							Sampled: 08/01/05 08:30			
General Chemistry Parameters										
Chemical Oxygen Demand	27		mg/L	5.7	20	1	08/02/05 08:10	pem	5080075	EPA 410.4
Oil & Grease	2.2	J	mg/L	1.0	3.3	1	08/02/05 13:58	jvk	5080081	SM 5520B
pH	7.5		pH Units	NA	NA	1	08/02/05 10:39	cls	5080066	EPA 150.1
Total Suspended Solids	4.0		mg/L	1.0	3.3	1	08/01/05 23:59	aad	5080060	EPA 160.2
Metals										
Aluminum	<0.015		mg/L	0.015	0.052	1	08/02/05 00:00	ICP	5080049	SW 6010B
Antimony	<0.013		mg/L	0.013	0.045	1	08/02/05 00:00	ICP	5080049	SW 6010B
Arsenic	0.051	J	mg/L	0.025	0.087	1	08/02/05 00:00	ICP	5080049	SW 6010B
Barium	0.0018	J, B	mg/L	0.0012	0.0043	1	08/02/05 00:00	ICP	5080049	SW 6010B
Beryllium	<0.00013		mg/L	0.00013	0.00046	1	08/02/05 00:00	ICP	5080049	SW 6010B
Cadmium	0.0013	J	mg/L	0.0011	0.0040	1	08/02/05 00:00	ICP	5080049	SW 6010B
Calcium	0.42	B	mg/L	0.013	0.047	1	08/02/05 00:00	ICP	5080049	SW 6010B
Chromium	<0.0021		mg/L	0.0021	0.0072	1	08/02/05 00:00	ICP	5080049	SW 6010B
Cobalt	<0.0063		mg/L	0.0063	0.022	1	08/02/05 00:00	ICP	5080049	SW 6010B
Copper	<0.018		mg/L	0.018	0.065	1	08/02/05 00:00	ICP	5080049	SW 6010B
Iron	2.0		mg/L	0.016	0.053	1	08/02/05 00:00	ICP	5080049	SW 6010B
Lead	<0.013		mg/L	0.013	0.047	1	08/02/05 00:00	ICP	5080049	SW 6010B
Magnesium	0.14	B	mg/L	0.013	0.047	1	08/02/05 00:00	ICP	5080049	SW 6010B
Manganese	0.015		mg/L	0.00096	0.0032	1	08/02/05 00:00	ICP	5080049	SW 6010B
Mercury	0.00012	J, B	mg/L	0.000092	0.00033	1	08/03/05 14:28	HG	5080114	EPA 245.1
Nickel	<0.0040		mg/L	0.0040	0.014	1	08/02/05 00:00	ICP	5080049	SW 6010B
Potassium	0.33	B	mg/L	0.019	0.067	1	08/01/05 23:59	ICP	5080049	SW 6010B
Selenium	<0.045		mg/L	0.045	0.16	1	08/02/05 00:00	ICP	5080049	SW 6010B
Silver	<0.0013		mg/L	0.0013	0.0046	1	08/02/05 00:00	ICP	5080049	SW 6010B
Sodium	200	B	mg/L	0.0100	0.035	1	08/01/05 23:59	ICP	5080049	SW 6010B
Thallium	<0.038	B	mg/L	0.038	0.13	1	08/02/05 00:00	ICP	5080049	SW 6010B
Vanadium	<0.0015		mg/L	0.0015	0.0052	1	08/02/05 00:00	ICP	5080049	SW 6010B
Zinc	0.039		mg/L	0.0028	0.0095	1	08/02/05 00:00	ICP	5080049	SW 6010B
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	08/01/05 18:43	LCG	5080012	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	08/01/05 18:43	LCG	5080012	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOH0036-01 (WTF080105Eff01 - Water - NonPotable) - cont.							Sampled: 08/01/05 08:30			
VOCs by SW8260B - cont.										
1,3-Dichlorobenzene	<0.20	C	ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,2-Dichloroethane	38		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	08/01/05 18:43	LCG	5080012	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	08/01/05 18:43	LCG	5080012	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
Naphthalene	2.0		ug/L	0.25	0.83	1	08/01/05 18:43	LCG	5080012	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	08/01/05 18:43	LCG	5080012	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	08/01/05 18:43	LCG	5080012	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	08/01/05 18:43	LCG	5080012	SW 8260B
Surr: Dibromofluoromethane (89-119%)	102 %									
Surr: Toluene-d8 (91-109%)	102 %									
Surr: 4-Bromofluorobenzene (89-114%)	101 %									

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

Analyte	Sample	Data	Units	MRL	Dilution	Date	Analyst	Seq/	Method
	Result	Qualifiers			Factor	Analyzed		Batch	
Sample ID: WOH0036-01 (WTF080105Eff01 - Water - NonPotable) - cont.						Sampled: 08/01/05 08:30			
Semivolatile Organic Compounds by EPA Method 8270C			QC						
Acenaphthene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Acenaphthylene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Aniline	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Anthracene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Benzidine	<50.0		ug/l	50.0	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Benzoic acid	<20.0		ug/l	20.0	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Benz (a) anthracene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Benzo (a) pyrene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Benzo (b) fluoranthene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Benzo (ghi) perylene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Benzo (k) fluoranthene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Benzyl alcohol	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Bis(2-chloroethoxy)methane	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Bis(2-chloroethyl)ether	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Bis(2-chloroisopropyl)ether	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Bis(2-ethylhexyl)phthalate	<10.0		ug/l	10.0	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
4-Bromophenyl phenyl ether	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Butyl benzyl phthalate	<10.0		ug/l	10.0	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Carbazole	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
4-Chloroaniline	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
4-Chloro-3-methylphenol	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
2-Chloronaphthalene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
2-Chlorophenol	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
4-Chlorophenyl phenyl ether	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Chrysene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Dibenz (a,h) anthracene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Dibenzofuran	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
1,2-Dichlorobenzene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
1,3-Dichlorobenzene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
1,4-Dichlorobenzene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
3,3'-Dichlorobenzidine	<10.0		ug/l	10.0	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
2,4-Dichlorophenol	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Diethyl phthalate	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
2,4-Dimethylphenol	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Dimethyl phthalate	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Di-n-butyl phthalate	<10.0		ug/l	10.0	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
4,6-Dinitro-2-methylphenol	<10.0		ug/l	10.0	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
2,4-Dinitrophenol	<10.0		ug/l	10.0	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
2,4-Dinitrotoluene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
2,6-Dinitrotoluene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Di-n-octyl phthalate	<10.0		ug/l	10.0	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
1,2-Diphenylhydrazine	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Fluoranthene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Fluorene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Hexachlorobenzene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Hexachlorobutadiene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Hexachlorocyclopentadiene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Hexachloroethane	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Indeno (1,2,3-cd) pyrene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Isophorone	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
2-Methylnaphthalene	9.79		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
o-Cresol	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorriall

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOH0036-01 (WTF080105Eff01 - Water - NonPotable) - cont.						Sampled: 08/01/05 08:30			
Semivolatile Organic Compounds by EPA Method 8270C - cont. QC									
m,p-Cresols	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Naphthalene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
2-Nitroaniline	<10.0		ug/l	10.0	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
3-Nitroaniline	<10.0		ug/l	10.0	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
4-Nitroaniline	<10.0		ug/l	10.0	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Nitrobenzene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
2-Nitrophenol	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
4-Nitrophenol	<10.0		ug/l	10.0	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
N-Nitrosodimethylamine	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
N-Nitrosodi-n-propylamine	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
N-Nitrosodiphenylamine	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Pentachlorophenol	<10.0		ug/l	10.0	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Phenanthrene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Phenol	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Pyrene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Pyridine	<5.00		ug/l	5.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
1,2,4-Trichlorobenzene	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
2,4,5-Trichlorophenol	<10.0		ug/l	10.0	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
2,4,6-Trichlorophenol	<2.00		ug/l	2.00	1.02	08/02/05 12:06	pm	5080023	EPA 8270C
Surr: 2-Fluorophenol (10-110%)	25.5 %								
Surr: Phenol-d6 (10-110%)	24.5 %								
Surr: Nitrobenzene-d5 (10-110%)	46.7 %								
Surr: 2-Fluorobiphenyl (10-110%)	50.6 %								
Surr: 2,4,6-Tribromophenol (10-110%)	47.6 %								
Surr: p-Terphenyl-d14 (10-114%)	45.9 %								

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOH0036-02 (WTF080105Eff02 - Water - NonPotable)							Sampled: 08/01/05 12:00			
General Chemistry Parameters										
Chemical Oxygen Demand	25		mg/L	5.7	20	1	08/02/05 08:10	pem	5080075	EPA 410.4
Oil & Grease	2.2	J	mg/L	1.0	3.3	1	08/02/05 13:58	jvk	5080081	SM 5520B
pH	7.4		pH Units	NA	NA	1	08/02/05 10:39	klk	5080066	EPA 150.1
Total Suspended Solids	1.0	J	mg/L	1.0	3.3	1	08/01/05 23:59	aad	5080060	EPA 160.2
Metals										
Aluminum	<0.015		mg/L	0.015	0.052	1	08/02/05 00:14	ICP	5080049	SW 6010B
Antimony	<0.013		mg/L	0.013	0.045	1	08/02/05 00:14	ICP	5080049	SW 6010B
Arsenic	0.031	J	mg/L	0.025	0.087	1	08/02/05 00:14	ICP	5080049	SW 6010B
Barium	0.0033	J, B	mg/L	0.0012	0.0043	1	08/02/05 00:14	ICP	5080049	SW 6010B
Beryllium	<0.00013		mg/L	0.00013	0.00046	1	08/02/05 00:14	ICP	5080049	SW 6010B
Cadmium	<0.0011		mg/L	0.0011	0.0040	1	08/02/05 00:14	ICP	5080049	SW 6010B
Calcium	0.46	B	mg/L	0.013	0.047	1	08/02/05 00:14	ICP	5080049	SW 6010B
Chromium	0.0022	J	mg/L	0.0021	0.0072	1	08/02/05 00:14	ICP	5080049	SW 6010B
Cobalt	<0.0063		mg/L	0.0063	0.022	1	08/02/05 00:14	ICP	5080049	SW 6010B
Copper	<0.018		mg/L	0.018	0.065	1	08/02/05 00:14	ICP	5080049	SW 6010B
Iron	1.5		mg/L	0.016	0.053	1	08/02/05 00:14	ICP	5080049	SW 6010B
Lead	<0.013		mg/L	0.013	0.047	1	08/02/05 00:14	ICP	5080049	SW 6010B
Magnesium	0.15	B	mg/L	0.013	0.047	1	08/02/05 00:14	ICP	5080049	SW 6010B
Manganese	0.014		mg/L	0.00096	0.0032	1	08/02/05 00:14	ICP	5080049	SW 6010B
Mercury	0.00015	J, B	mg/L	0.000092	0.00033	1	08/03/05 14:31	HG	5080114	EPA 245.1
Nickel	<0.0040		mg/L	0.0040	0.014	1	08/02/05 00:14	ICP	5080049	SW 6010B
Potassium	0.36	B	mg/L	0.019	0.067	1	08/02/05 00:14	ICP	5080049	SW 6010B
Selenium	<0.045		mg/L	0.045	0.16	1	08/02/05 00:14	ICP	5080049	SW 6010B
Silver	<0.0013		mg/L	0.0013	0.0046	1	08/02/05 00:14	ICP	5080049	SW 6010B
Sodium	200	B	mg/L	0.0100	0.035	1	08/02/05 00:14	ICP	5080049	SW 6010B
Thallium	0.039	J, B	mg/L	0.038	0.13	1	08/02/05 00:14	ICP	5080049	SW 6010B
Vanadium	<0.0015		mg/L	0.0015	0.0052	1	08/02/05 00:14	ICP	5080049	SW 6010B
Zinc	0.033		mg/L	0.0028	0.0095	1	08/02/05 00:14	ICP	5080049	SW 6010B
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	08/01/05 19:12	LCG	5080012	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	08/01/05 19:12	LCG	5080012	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOH0036-02 (WTF080105Eff02 - Water - NonPotable) - cont.							Sampled: 08/01/05 12:00			
VOCs by SW8260B - cont.										
Dichlorodifluoromethane	<0.50	C	ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,2-Dichloroethane	11		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	08/01/05 19:12	LCG	5080012	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	08/01/05 19:12	LCG	5080012	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
Naphthalene	0.74	J	ug/L	0.25	0.83	1	08/01/05 19:12	LCG	5080012	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	08/01/05 19:12	LCG	5080012	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	08/01/05 19:12	LCG	5080012	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	08/01/05 19:12	LCG	5080012	SW 8260B
Surr: Dibromofluoromethane (89-119%)	101 %									
Surr: Toluene-d8 (91-109%)	102 %									
Surr: 4-Bromofluorobenzene (89-114%)	101 %									

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

Analyte	Sample	Data	Units	MRL	Dilution	Date	Analyst	Seq/	Method
	Result	Qualifiers			Factor	Analyzed		Batch	
Sample ID: WOH0036-02 (WTF080105Eff02 - Water - NonPotable) - cont.						Sampled: 08/01/05 12:00			
Semivolatile Organic Compounds by EPA Method 8270C			QC						
Acenaphthene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Acenaphthylene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Aniline	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Anthracene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Benzidine	<50.0		ug/l	50.0	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Benzoic acid	<20.0		ug/l	20.0	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Benz (a) anthracene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Benzo (a) pyrene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Benzo (b) fluoranthene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Benzo (ghi) perylene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Benzo (k) fluoranthene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Benzyl alcohol	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Bis(2-chloroethoxy)methane	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Bis(2-chloroethyl)ether	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Bis(2-chloroisopropyl)ether	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Bis(2-ethylhexyl)phthalate	<10.0		ug/l	10.0	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
4-Bromophenyl phenyl ether	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Butyl benzyl phthalate	<10.0		ug/l	10.0	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Carbazole	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
4-Chloroaniline	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
4-Chloro-3-methylphenol	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
2-Chloronaphthalene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
2-Chlorophenol	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
4-Chlorophenyl phenyl ether	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Chrysene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Dibenz (a,h) anthracene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Dibenzofuran	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
1,2-Dichlorobenzene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
1,3-Dichlorobenzene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
1,4-Dichlorobenzene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
3,3'-Dichlorobenzidine	<10.0		ug/l	10.0	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
2,4-Dichlorophenol	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Diethyl phthalate	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
2,4-Dimethylphenol	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Dimethyl phthalate	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Di-n-butyl phthalate	<10.0		ug/l	10.0	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
4,6-Dinitro-2-methylphenol	<10.0		ug/l	10.0	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
2,4-Dinitrophenol	<10.0		ug/l	10.0	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
2,4-Dinitrotoluene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
2,6-Dinitrotoluene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Di-n-octyl phthalate	<10.0		ug/l	10.0	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
1,2-Diphenylhydrazine	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Fluoranthene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Fluorene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Hexachlorobenzene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Hexachlorobutadiene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Hexachlorocyclopentadiene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Hexachloroethane	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Indeno (1,2,3-cd) pyrene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Isophorone	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
2-Methylnaphthalene	3.05		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
o-Cresol	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorriall

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOH0036-02 (WTF080105Eff02 - Water - NonPotable) - cont.						Sampled: 08/01/05 12:00			
Semivolatile Organic Compounds by EPA Method 8270C - cont. QC									
m,p-Cresols	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Naphthalene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
2-Nitroaniline	<10.0		ug/l	10.0	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
3-Nitroaniline	<10.0		ug/l	10.0	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
4-Nitroaniline	<10.0		ug/l	10.0	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Nitrobenzene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
2-Nitrophenol	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
4-Nitrophenol	<10.0		ug/l	10.0	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
N-Nitrosodimethylamine	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
N-Nitrosodi-n-propylamine	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
N-Nitrosodiphenylamine	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Pentachlorophenol	<10.0		ug/l	10.0	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Phenanthrene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Phenol	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Pyrene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Pyridine	<5.00		ug/l	5.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
1,2,4-Trichlorobenzene	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
2,4,5-Trichlorophenol	<10.0		ug/l	10.0	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
2,4,6-Trichlorophenol	<2.00		ug/l	2.00	0.918	08/02/05 12:47	pm	5080023	EPA 8270C
Surr: 2-Fluorophenol (10-110%)	24.7 %								
Surr: Phenol-d6 (10-110%)	15.3 %								
Surr: Nitrobenzene-d5 (10-110%)	58.4 %								
Surr: 2-Fluorobiphenyl (10-110%)	59.2 %								
Surr: 2,4,6-Tribromophenol (10-110%)	55.7 %								
Surr: p-Terphenyl-d14 (10-114%)	45.5 %								

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOH0036-03 (WTF080105Eff03 - Water - NonPotable)							Sampled: 08/01/05 15:20			
General Chemistry Parameters										
Chemical Oxygen Demand	28		mg/L	5.7	20	1	08/02/05 08:10	pem	5080075	EPA 410.4
Oil & Grease	2.0	J	mg/L	1.0	3.3	1	08/02/05 13:58	jvk	5080081	SM 5520B
pH	7.7		pH Units	NA	NA	1	08/02/05 10:39	klb	5080066	EPA 150.1
Total Suspended Solids	2.0	J	mg/L	1.0	3.3	1	08/01/05 23:59	aad	5080060	EPA 160.2
Metals										
Aluminum	<0.015		mg/L	0.015	0.052	1	08/02/05 00:28	ICP	5080049	SW 6010B
Antimony	<0.013		mg/L	0.013	0.045	1	08/02/05 00:28	ICP	5080049	SW 6010B
Arsenic	<0.025		mg/L	0.025	0.087	1	08/02/05 00:28	ICP	5080049	SW 6010B
Barium	0.0029	J, B	mg/L	0.0012	0.0043	1	08/02/05 00:28	ICP	5080049	SW 6010B
Beryllium	<0.00013		mg/L	0.00013	0.00046	1	08/02/05 00:28	ICP	5080049	SW 6010B
Cadmium	<0.0011		mg/L	0.0011	0.0040	1	08/02/05 00:28	ICP	5080049	SW 6010B
Calcium	0.49	B	mg/L	0.013	0.047	1	08/02/05 00:28	ICP	5080049	SW 6010B
Chromium	<0.0021		mg/L	0.0021	0.0072	1	08/02/05 00:28	ICP	5080049	SW 6010B
Cobalt	<0.0063		mg/L	0.0063	0.022	1	08/02/05 00:28	ICP	5080049	SW 6010B
Copper	<0.018		mg/L	0.018	0.065	1	08/02/05 00:28	ICP	5080049	SW 6010B
Iron	1.6		mg/L	0.016	0.053	1	08/02/05 00:28	ICP	5080049	SW 6010B
Lead	<0.013		mg/L	0.013	0.047	1	08/02/05 00:28	ICP	5080049	SW 6010B
Magnesium	0.17	B	mg/L	0.013	0.047	1	08/02/05 00:28	ICP	5080049	SW 6010B
Manganese	0.023		mg/L	0.00096	0.0032	1	08/02/05 00:28	ICP	5080049	SW 6010B
Mercury	0.00016	J, B	mg/L	0.000092	0.00033	1	08/03/05 14:33	HG	5080114	EPA 245.1
Nickel	<0.0040		mg/L	0.0040	0.014	1	08/02/05 00:28	ICP	5080049	SW 6010B
Potassium	0.39	B	mg/L	0.019	0.067	1	08/02/05 00:28	ICP	5080049	SW 6010B
Selenium	<0.045		mg/L	0.045	0.16	1	08/02/05 00:28	ICP	5080049	SW 6010B
Silver	<0.0013		mg/L	0.0013	0.0046	1	08/02/05 00:28	ICP	5080049	SW 6010B
Sodium	210	B	mg/L	0.0100	0.035	1	08/02/05 00:27	ICP	5080049	SW 6010B
Thallium	<0.038	B	mg/L	0.038	0.13	1	08/02/05 00:28	ICP	5080049	SW 6010B
Vanadium	<0.0015		mg/L	0.0015	0.0052	1	08/02/05 00:28	ICP	5080049	SW 6010B
Zinc	0.025		mg/L	0.0028	0.0095	1	08/02/05 00:28	ICP	5080049	SW 6010B
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	08/01/05 19:40	LCG	5080012	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	08/01/05 19:40	LCG	5080012	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOH0036-03 (WTF080105Eff03 - Water - NonPotable) - cont.							Sampled: 08/01/05 15:20			
VOCs by SW8260B - cont.										
Dichlorodifluoromethane	<0.50	C	ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,2-Dichloroethane	11		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	08/01/05 19:40	LCG	5080012	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	08/01/05 19:40	LCG	5080012	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
Naphthalene	0.63	J	ug/L	0.25	0.83	1	08/01/05 19:40	LCG	5080012	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	08/01/05 19:40	LCG	5080012	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	08/01/05 19:40	LCG	5080012	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	08/01/05 19:40	LCG	5080012	SW 8260B
Surr: Dibromofluoromethane (89-119%)	102 %									
Surr: Toluene-d8 (91-109%)	102 %									
Surr: 4-Bromofluorobenzene (89-114%)	101 %									

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

Analyte	Sample	Data	Units	MRL	Dilution	Date	Seq/ Batch	Method	
	Result	Qualifiers			Factor	Analyzed			Analyst
Sample ID: WOH0036-03 (WTF080105Eff03 - Water - NonPotable) - cont.						Sampled: 08/01/05 15:20			
Semivolatile Organic Compounds by EPA Method 8270C			QC						
Acenaphthene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Acenaphthylene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Aniline	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Anthracene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Benzidine	<50.0		ug/l	50.0	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Benzoic acid	<20.0		ug/l	20.0	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Benz (a) anthracene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Benzo (a) pyrene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Benzo (b) fluoranthene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Benzo (ghi) perylene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Benzo (k) fluoranthene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Benzyl alcohol	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Bis(2-chloroethoxy)methane	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Bis(2-chloroethyl)ether	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Bis(2-chloroisopropyl)ether	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Bis(2-ethylhexyl)phthalate	<10.0		ug/l	10.0	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
4-Bromophenyl phenyl ether	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Butyl benzyl phthalate	<10.0		ug/l	10.0	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Carbazole	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
4-Chloroaniline	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
4-Chloro-3-methylphenol	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
2-Chloronaphthalene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
2-Chlorophenol	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
4-Chlorophenyl phenyl ether	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Chrysene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Dibenz (a,h) anthracene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Dibenzofuran	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
1,2-Dichlorobenzene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
1,3-Dichlorobenzene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
1,4-Dichlorobenzene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
3,3'-Dichlorobenzidine	<10.0		ug/l	10.0	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
2,4-Dichlorophenol	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Diethyl phthalate	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
2,4-Dimethylphenol	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Dimethyl phthalate	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Di-n-butyl phthalate	<10.0		ug/l	10.0	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
4,6-Dinitro-2-methylphenol	<10.0		ug/l	10.0	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
2,4-Dinitrophenol	<10.0		ug/l	10.0	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
2,4-Dinitrotoluene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
2,6-Dinitrotoluene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Di-n-octyl phthalate	<10.0		ug/l	10.0	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
1,2-Diphenylhydrazine	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Fluoranthene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Fluorene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Hexachlorobenzene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Hexachlorobutadiene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Hexachlorocyclopentadiene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Hexachloroethane	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Indeno (1,2,3-cd) pyrene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Isophorone	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
2-Methylnaphthalene	3.06		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
o-Cresol	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorriall

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOH0036-03 (WTF080105Eff03 - Water - NonPotable) - cont.						Sampled: 08/01/05 15:20			
Semivolatile Organic Compounds by EPA Method 8270C - cont. QC									
m,p-Cresols	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Naphthalene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
2-Nitroaniline	<10.0		ug/l	10.0	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
3-Nitroaniline	<10.0		ug/l	10.0	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
4-Nitroaniline	<10.0		ug/l	10.0	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Nitrobenzene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
2-Nitrophenol	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
4-Nitrophenol	<10.0		ug/l	10.0	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
N-Nitrosodimethylamine	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
N-Nitrosodi-n-propylamine	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
N-Nitrosodiphenylamine	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Pentachlorophenol	<10.0		ug/l	10.0	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Phenanthrene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Phenol	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Pyrene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Pyridine	<5.00		ug/l	5.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
1,2,4-Trichlorobenzene	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
2,4,5-Trichlorophenol	<10.0		ug/l	10.0	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
2,4,6-Trichlorophenol	<2.00		ug/l	2.00	0.918	08/02/05 13:27	pm	5080023	EPA 8270C
Surr: 2-Fluorophenol (10-110%)	24.1 %								
Surr: Phenol-d6 (10-110%)	14.8 %								
Surr: Nitrobenzene-d5 (10-110%)	62.4 %								
Surr: 2-Fluorobiphenyl (10-110%)	60.0 %								
Surr: 2,4,6-Tribromophenol (10-110%)	56.7 %								
Surr: p-Terphenyl-d14 (10-114%)	49.4 %								

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOH0036-04 (Trip Blank - Water - NonPotable)						Sampled: 08/01/05				
VOCs by SW8260B										
Benzene	<0.20	C	ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	08/01/05 18:15	LCG	5080012	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	08/01/05 18:15	LCG	5080012	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	08/01/05 18:15	LCG	5080012	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	08/01/05 18:15	LCG	5080012	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	08/01/05 18:15	LCG	5080012	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25	ug/L	0.25	0.83	1	08/01/05 18:15	LCG	5080012	SW 8260B	
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B	
Tetrachloroethene	<0.50	ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B	
Toluene	<0.20	ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B	
1,2,3-Trichlorobenzene	<0.25	ug/L	0.25	0.83	1	08/01/05 18:15	LCG	5080012	SW 8260B	
1,2,4-Trichlorobenzene	<0.25	ug/L	0.25	0.83	1	08/01/05 18:15	LCG	5080012	SW 8260B	
1,1,1-Trichloroethane	<0.50	ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B	

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOH0036-04 (Trip Blank - Water - NonPotable) - cont.							Sampled: 08/01/05			
VOCs by SW8260B - cont.										
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	08/01/05 18:15	LCG	5080012	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	08/01/05 18:15	LCG	5080012	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	08/01/05 18:15	LCG	5080012	SW 8260B
Surr: Dibromofluoromethane (89-119%)	101 %									
Surr: Toluene-d8 (91-109%)	103 %									
Surr: 4-Bromofluorobenzene (89-114%)	101 %									

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
General Chemistry Parameters														
Chemical Oxygen Demand	5080075			mg/L	5.7	20	<5.7							
Chemical Oxygen Demand	5080075			mg/L	5.7	20	<5.7							
Metals														
Aluminum	5080049			mg/L	0.015	0.052	<0.015							
Antimony	5080049			mg/L	0.013	0.045	<0.013							
Arsenic	5080049			mg/L	0.025	0.087	<0.025							
Barium	5080049			mg/L	0.0012	0.0043	0.00132							J
Beryllium	5080049			mg/L	0.00013	0.00046	<0.00013							
Cadmium	5080049			mg/L	0.0011	0.0040	<0.0011							
Calcium	5080049			mg/L	0.013	0.047	1.46							B
Chromium	5080049			mg/L	0.0021	0.0072	<0.0021							
Cobalt	5080049			mg/L	0.0063	0.022	<0.0063							
Copper	5080049			mg/L	0.018	0.065	<0.018							
Iron	5080049			mg/L	0.016	0.053	<0.016							
Lead	5080049			mg/L	0.013	0.047	<0.013							
Magnesium	5080049			mg/L	0.013	0.047	0.502							B
Manganese	5080049			mg/L	0.00096	0.0032	<0.00096							
Nickel	5080049			mg/L	0.0040	0.014	<0.0040							
Potassium	5080049			mg/L	0.019	0.067	0.137							B
Selenium	5080049			mg/L	0.045	0.16	<0.045							
Silver	5080049			mg/L	0.0013	0.0046	<0.0013							
Sodium	5080049			mg/L	0.0100	0.035	0.712							B
Thallium	5080049			mg/L	0.038	0.13	0.0457							J
Vanadium	5080049			mg/L	0.0015	0.0052	<0.0015							
Zinc	5080049			mg/L	0.0028	0.0095	<0.0028							
Mercury	5080114			mg/L	0.000092	0.00033	0.000190							J

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Semivolatile Organic Compounds by EPA Method 8270C														
Acenaphthene	5080023			ug/l	N/A	2.00	ND							
Acenaphthylene	5080023			ug/l	N/A	2.00	ND							
Aniline	5080023			ug/l	N/A	2.00	ND							
Anthracene	5080023			ug/l	N/A	2.00	ND							
Benzidine	5080023			ug/l	N/A	50.0	ND							
Benzoic acid	5080023			ug/l	N/A	20.0	ND							
Benz (a) anthracene	5080023			ug/l	N/A	2.00	ND							
Benzo (a) pyrene	5080023			ug/l	N/A	2.00	ND							
Benzo (b) fluoranthene	5080023			ug/l	N/A	2.00	ND							
Benzo (ghi) perylene	5080023			ug/l	N/A	2.00	ND							
Benzo (k) fluoranthene	5080023			ug/l	N/A	2.00	ND							
Benzyl alcohol	5080023			ug/l	N/A	2.00	ND							
Bis(2-chloroethoxy)methane	5080023			ug/l	N/A	2.00	ND							
Bis(2-chloroethyl)ether	5080023			ug/l	N/A	2.00	ND							
Bis(2-chloroisopropyl)ether	5080023			ug/l	N/A	2.00	ND							
Bis(2-ethylhexyl)phthalate	5080023			ug/l	N/A	10.0	ND							
4-Bromophenyl phenyl ether	5080023			ug/l	N/A	2.00	ND							
Butyl benzyl phthalate	5080023			ug/l	N/A	10.0	ND							
Carbazole	5080023			ug/l	N/A	2.00	ND							
4-Chloroaniline	5080023			ug/l	N/A	2.00	ND							
4-Chloro-3-methylphenol	5080023			ug/l	N/A	2.00	ND							
2-Chloronaphthalene	5080023			ug/l	N/A	2.00	ND							
2-Chlorophenol	5080023			ug/l	N/A	2.00	ND							
4-Chlorophenyl phenyl ether	5080023			ug/l	N/A	2.00	ND							
Chrysene	5080023			ug/l	N/A	2.00	ND							
Dibenz (a,h) anthracene	5080023			ug/l	N/A	2.00	ND							
Dibenzofuran	5080023			ug/l	N/A	2.00	ND							
1,2-Dichlorobenzene	5080023			ug/l	N/A	2.00	ND							
1,3-Dichlorobenzene	5080023			ug/l	N/A	2.00	ND							
1,4-Dichlorobenzene	5080023			ug/l	N/A	2.00	ND							
3,3'-Dichlorobenzidine	5080023			ug/l	N/A	10.0	ND							
2,4-Dichlorophenol	5080023			ug/l	N/A	2.00	ND							
Diethyl phthalate	5080023			ug/l	N/A	2.00	ND							
2,4-Dimethylphenol	5080023			ug/l	N/A	2.00	ND							
Dimethyl phthalate	5080023			ug/l	N/A	2.00	ND							
Di-n-butyl phthalate	5080023			ug/l	N/A	10.0	ND							
4,6-Dinitro-2-methylphenol	5080023			ug/l	N/A	10.0	ND							
2,4-Dinitrophenol	5080023			ug/l	N/A	10.0	ND							
2,4-Dinitrotoluene	5080023			ug/l	N/A	2.00	ND							
2,6-Dinitrotoluene	5080023			ug/l	N/A	2.00	ND							
Di-n-octyl phthalate	5080023			ug/l	N/A	10.0	ND							
1,2-Diphenylhydrazine	5080023			ug/l	N/A	2.00	ND							
Fluoranthene	5080023			ug/l	N/A	2.00	ND							
Fluorene	5080023			ug/l	N/A	2.00	ND							
Hexachlorobenzene	5080023			ug/l	N/A	2.00	ND							

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Semivolatle Organic Compounds by EPA Method 8270C														
Hexachlorobutadiene	5080023			ug/l	N/A	2.00	ND							
Hexachlorocyclopentadiene	5080023			ug/l	N/A	2.00	ND							
Hexachloroethane	5080023			ug/l	N/A	2.00	ND							
Indeno (1,2,3-cd) pyrene	5080023			ug/l	N/A	2.00	ND							
Isophorone	5080023			ug/l	N/A	2.00	ND							
2-Methylnaphthalene	5080023			ug/l	N/A	2.00	ND							
o-Cresol	5080023			ug/l	N/A	2.00	ND							
m,p-Cresols	5080023			ug/l	N/A	2.00	ND							
Naphthalene	5080023			ug/l	N/A	2.00	ND							
2-Nitroaniline	5080023			ug/l	N/A	10.0	ND							
3-Nitroaniline	5080023			ug/l	N/A	10.0	ND							
4-Nitroaniline	5080023			ug/l	N/A	10.0	ND							
Nitrobenzene	5080023			ug/l	N/A	2.00	ND							
2-Nitrophenol	5080023			ug/l	N/A	2.00	ND							
4-Nitrophenol	5080023			ug/l	N/A	10.0	ND							
N-Nitrosodimethylamine	5080023			ug/l	N/A	2.00	ND							
N-Nitrosodi-n-propylamine	5080023			ug/l	N/A	2.00	ND							
N-Nitrosodiphenylamine	5080023			ug/l	N/A	2.00	ND							
Pentachlorophenol	5080023			ug/l	N/A	10.0	ND							
Phenanthrene	5080023			ug/l	N/A	2.00	ND							
Phenol	5080023			ug/l	N/A	2.00	ND							
Pyrene	5080023			ug/l	N/A	2.00	ND							
Pyridine	5080023			ug/l	N/A	5.00	ND							
1,2,4-Trichlorobenzene	5080023			ug/l	N/A	2.00	ND							
2,4,5-Trichlorophenol	5080023			ug/l	N/A	10.0	ND							
2,4,6-Trichlorophenol	5080023			ug/l	N/A	2.00	ND							
Surrogate: 2-Fluorophenol	5080023			ug/l					25		10-110			
Surrogate: Phenol-d6	5080023			ug/l					16		10-110			
Surrogate: Nitrobenzene-d5	5080023			ug/l					56		10-110			
Surrogate: 2-Fluorobiphenyl	5080023			ug/l					59		10-110			
Surrogate: 2,4,6-Tribromophenol	5080023			ug/l					61		10-110			
Surrogate: p-Terphenyl-d14	5080023			ug/l					55		10-114			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

CCB QC Data

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals														
Aluminum	5H01014			mg/kg wet	N/A	N/A	0.00297							
Antimony	5H01014			mg/kg wet	N/A	N/A	0.00386							
Arsenic	5H01014			mg/kg wet	N/A	N/A	0.0173							
Barium	5H01014			mg/kg wet	N/A	N/A	0.000821							
Beryllium	5H01014			mg/kg wet	N/A	N/A	0.000521							
Cadmium	5H01014			mg/kg wet	N/A	N/A	0.000901							
Chromium	5H01014			mg/kg wet	N/A	N/A	0.000643							
Cobalt	5H01014			mg/kg wet	N/A	N/A	0.000305							
Copper	5H01014			mg/kg wet	N/A	N/A	0.000271							
Iron	5H01014			mg/kg wet	N/A	N/A	0.00752							
Lead	5H01014			mg/kg wet	N/A	N/A	0.000587							
Magnesium	5H01014			mg/kg wet	N/A	N/A	ND							
Manganese	5H01014			mg/kg wet	N/A	N/A	0.000802							
Nickel	5H01014			mg/kg wet	N/A	N/A	0.00123							
Potassium	5H01014			mg/kg wet	N/A	N/A	0.0500							
Selenium	5H01014			mg/kg wet	N/A	N/A	0.0125							
Silver	5H01014			mg/kg wet	N/A	N/A	0.000202							
Sodium	5H01014			mg/kg wet	N/A	N/A	0.0223							
Thallium	5H01014			mg/kg wet	N/A	N/A	0.0776							
Vanadium	5H01014			mg/kg wet	N/A	N/A	ND							
Zinc	5H01014			mg/kg wet	N/A	N/A	0.00152							
Aluminum	5H01014			mg/kg wet	N/A	N/A	0.0109							
Antimony	5H01014			mg/kg wet	N/A	N/A	ND							
Arsenic	5H01014			mg/kg wet	N/A	N/A	0.0131							
Barium	5H01014			mg/kg wet	N/A	N/A	0.000256							
Beryllium	5H01014			mg/kg wet	N/A	N/A	0.000354							
Cadmium	5H01014			mg/kg wet	N/A	N/A	ND							
Chromium	5H01014			mg/kg wet	N/A	N/A	ND							
Cobalt	5H01014			mg/kg wet	N/A	N/A	0.00232							
Copper	5H01014			mg/kg wet	N/A	N/A	0.0000756							
Iron	5H01014			mg/kg wet	N/A	N/A	0.00379							
Lead	5H01014			mg/kg wet	N/A	N/A	ND							
Magnesium	5H01014			mg/kg wet	N/A	N/A	0.0103							
Manganese	5H01014			mg/kg wet	N/A	N/A	0.000236							
Nickel	5H01014			mg/kg wet	N/A	N/A	0.00117							
Potassium	5H01014			mg/kg wet	N/A	N/A	0.196							
Selenium	5H01014			mg/kg wet	N/A	N/A	0.0105							
Silver	5H01014			mg/kg wet	N/A	N/A	0.0000779							
Sodium	5H01014			mg/kg wet	N/A	N/A	0.295							
Thallium	5H01014			mg/kg wet	N/A	N/A	0.0172							
Vanadium	5H01014			mg/kg wet	N/A	N/A	0.000381							
Zinc	5H01014			mg/kg wet	N/A	N/A	0.000249							
Aluminum	5H01014			mg/kg wet	N/A	N/A	0.00387							
Antimony	5H01014			mg/kg wet	N/A	N/A	0.00722							
Arsenic	5H01014			mg/kg wet	N/A	N/A	0.00975							
Barium	5H01014			mg/kg wet	N/A	N/A	0.000201							
Beryllium	5H01014			mg/kg wet	N/A	N/A	0.000193							
Cadmium	5H01014			mg/kg wet	N/A	N/A	ND							
Chromium	5H01014			mg/kg wet	N/A	N/A	ND							

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

CCB QC Data

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals														
Cobalt	5H01014			mg/kg wet	N/A	N/A	0.00110							
Copper	5H01014			mg/kg wet	N/A	N/A	0.0000330							
Iron	5H01014			mg/kg wet	N/A	N/A	0.00351							
Lead	5H01014			mg/kg wet	N/A	N/A	ND							
Magnesium	5H01014			mg/kg wet	N/A	N/A	0.0225							
Manganese	5H01014			mg/kg wet	N/A	N/A	0.000582							
Nickel	5H01014			mg/kg wet	N/A	N/A	0.000672							
Potassium	5H01014			mg/kg wet	N/A	N/A	0.161							
Selenium	5H01014			mg/kg wet	N/A	N/A	ND							
Silver	5H01014			mg/kg wet	N/A	N/A	0.000800							
Sodium	5H01014			mg/kg wet	N/A	N/A	0.185							
Thallium	5H01014			mg/kg wet	N/A	N/A	ND							
Vanadium	5H01014			mg/kg wet	N/A	N/A	ND							
Zinc	5H01014			mg/kg wet	N/A	N/A	ND							
Aluminum	5H01014			mg/kg wet	N/A	N/A	0.000943							
Antimony	5H01014			mg/kg wet	N/A	N/A	ND							
Arsenic	5H01014			mg/kg wet	N/A	N/A	0.0142							
Barium	5H01014			mg/kg wet	N/A	N/A	0.000307							
Beryllium	5H01014			mg/kg wet	N/A	N/A	0.000457							
Cadmium	5H01014			mg/kg wet	N/A	N/A	ND							
Chromium	5H01014			mg/kg wet	N/A	N/A	0.000795							
Cobalt	5H01014			mg/kg wet	N/A	N/A	ND							
Copper	5H01014			mg/kg wet	N/A	N/A	0.000123							
Iron	5H01014			mg/kg wet	N/A	N/A	0.00149							
Lead	5H01014			mg/kg wet	N/A	N/A	ND							
Magnesium	5H01014			mg/kg wet	N/A	N/A	0.0151							
Manganese	5H01014			mg/kg wet	N/A	N/A	0.000979							
Nickel	5H01014			mg/kg wet	N/A	N/A	ND							
Potassium	5H01014			mg/kg wet	N/A	N/A	0.138							
Selenium	5H01014			mg/kg wet	N/A	N/A	0.0208							
Silver	5H01014			mg/kg wet	N/A	N/A	0.000408							
Sodium	5H01014			mg/kg wet	N/A	N/A	0.245							
Thallium	5H01014			mg/kg wet	N/A	N/A	0.0268							
Vanadium	5H01014			mg/kg wet	N/A	N/A	0.000258							
Zinc	5H01014			mg/kg wet	N/A	N/A	0.000754							
Aluminum	5H01014			mg/kg wet	N/A	N/A	ND							
Antimony	5H01014			mg/kg wet	N/A	N/A	0.00321							
Arsenic	5H01014			mg/kg wet	N/A	N/A	0.0118							
Barium	5H01014			mg/kg wet	N/A	N/A	ND							
Beryllium	5H01014			mg/kg wet	N/A	N/A	0.000503							
Cadmium	5H01014			mg/kg wet	N/A	N/A	ND							
Chromium	5H01014			mg/kg wet	N/A	N/A	0.00474							
Cobalt	5H01014			mg/kg wet	N/A	N/A	0.000456							
Copper	5H01014			mg/kg wet	N/A	N/A	0.00123							
Iron	5H01014			mg/kg wet	N/A	N/A	0.0300							
Lead	5H01014			mg/kg wet	N/A	N/A	ND							
Magnesium	5H01014			mg/kg wet	N/A	N/A	0.0191							
Manganese	5H01014			mg/kg wet	N/A	N/A	0.00140							
Nickel	5H01014			mg/kg wet	N/A	N/A	0.0110							

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

CCB QC Data

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals														
Potassium	5H01014			mg/kg wet	N/A	N/A	0.239							
Selenium	5H01014			mg/kg wet	N/A	N/A	0.00648							
Silver	5H01014			mg/kg wet	N/A	N/A	ND							
Sodium	5H01014			mg/kg wet	N/A	N/A	0.886							
Thallium	5H01014			mg/kg wet	N/A	N/A	ND							
Vanadium	5H01014			mg/kg wet	N/A	N/A	ND							
Zinc	5H01014			mg/kg wet	N/A	N/A	0.000547							
Mercury	5H03016			ug/L	N/A	N/A	0.171							
Mercury	5H03016			ug/L	N/A	N/A	0.166							
Total Metals per EPA 6000 Series Methods														
Calcium	5H01014			mg/kg wet	N/A	N/A	0.00284							
Calcium	5H01014			mg/kg wet	N/A	N/A	0.00835							
Calcium	5H01014			mg/kg wet	N/A	N/A	0.0224							
Calcium	5H01014			mg/kg wet	N/A	N/A	0.0191							
Calcium	5H01014			mg/kg wet	N/A	N/A	0.0413							

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
General Chemistry Parameters														
pH	5080066		7.00	pH Units	N/A	N/A	7.05		101		98.6-101.4			
pH	5080066		7.00	pH Units	N/A	N/A	7.08		101		98.6-101.4			
Chemical Oxygen Demand	5080075		100	mg/L	N/A	N/A	100		100		90-110			
Chemical Oxygen Demand	5080075		100	mg/L	N/A	N/A	100		100		90-110			
Metals														
Aluminum	5H01014		5.00	mg/kg wet	N/A	N/A	5.04		101		90-110			
Barium	5H01014		5.00	mg/kg wet	N/A	N/A	5.14		103		90-110			
Potassium	5H01014		50.0	mg/kg wet	N/A	N/A	49.8		100		90-110			
Silver	5H01014		1.00	mg/kg wet	N/A	N/A	1.04		104		90-110			
Sodium	5H01014		5.00	mg/kg wet	N/A	N/A	5.20		104		90-110			
Antimony	5H01014		5.00	mg/kg wet	N/A	N/A	4.97		99		90-110			
Arsenic	5H01014		5.00	mg/kg wet	N/A	N/A	4.91		98		90-110			
Beryllium	5H01014		5.00	mg/kg wet	N/A	N/A	4.97		99		90-110			
Cadmium	5H01014		5.00	mg/kg wet	N/A	N/A	4.99		100		90-110			
Chromium	5H01014		5.00	mg/kg wet	N/A	N/A	5.00		100		90-110			
Cobalt	5H01014		5.00	mg/kg wet	N/A	N/A	4.91		98		90-110			
Copper	5H01014		5.00	mg/kg wet	N/A	N/A	4.97		99		90-110			
Iron	5H01014		5.00	mg/kg wet	N/A	N/A	5.17		103		90-110			
Lead	5H01014		5.00	mg/kg wet	N/A	N/A	4.99		100		90-110			
Magnesium	5H01014		5.00	mg/kg wet	N/A	N/A	4.93		99		90-110			
Manganese	5H01014		5.00	mg/kg wet	N/A	N/A	4.95		99		90-110			
Nickel	5H01014		5.00	mg/kg wet	N/A	N/A	4.99		100		90-110			
Selenium	5H01014		5.00	mg/kg wet	N/A	N/A	4.93		99		90-110			
Thallium	5H01014		5.00	mg/kg wet	N/A	N/A	5.00		100		90-110			
Vanadium	5H01014		5.00	mg/kg wet	N/A	N/A	5.00		100		90-110			
Zinc	5H01014		5.00	mg/kg wet	N/A	N/A	4.98		100		90-110			
Aluminum	5H01014		5.00	mg/kg wet	N/A	N/A	4.87		97		90-110			
Barium	5H01014		5.00	mg/kg wet	N/A	N/A	4.98		100		90-110			
Potassium	5H01014		50.0	mg/kg wet	N/A	N/A	48.8		98		90-110			
Silver	5H01014		1.00	mg/kg wet	N/A	N/A	1.00		100		90-110			
Sodium	5H01014		5.00	mg/kg wet	N/A	N/A	5.27		105		90-110			
Antimony	5H01014		5.00	mg/kg wet	N/A	N/A	4.96		99		90-110			
Arsenic	5H01014		5.00	mg/kg wet	N/A	N/A	4.89		98		90-110			
Beryllium	5H01014		5.00	mg/kg wet	N/A	N/A	4.95		99		90-110			
Cadmium	5H01014		5.00	mg/kg wet	N/A	N/A	4.95		99		90-110			
Chromium	5H01014		5.00	mg/kg wet	N/A	N/A	4.96		99		90-110			
Cobalt	5H01014		5.00	mg/kg wet	N/A	N/A	4.88		98		90-110			
Copper	5H01014		5.00	mg/kg wet	N/A	N/A	4.92		98		90-110			
Iron	5H01014		5.00	mg/kg wet	N/A	N/A	5.11		102		90-110			
Lead	5H01014		5.00	mg/kg wet	N/A	N/A	4.97		99		90-110			
Magnesium	5H01014		5.00	mg/kg wet	N/A	N/A	4.90		98		90-110			
Manganese	5H01014		5.00	mg/kg wet	N/A	N/A	4.90		98		90-110			
Nickel	5H01014		5.00	mg/kg wet	N/A	N/A	4.95		99		90-110			
Selenium	5H01014		5.00	mg/kg wet	N/A	N/A	4.88		98		90-110			
Thallium	5H01014		5.00	mg/kg wet	N/A	N/A	4.97		99		90-110			
Vanadium	5H01014		5.00	mg/kg wet	N/A	N/A	4.95		99		90-110			
Zinc	5H01014		5.00	mg/kg wet	N/A	N/A	4.94		99		90-110			
Aluminum	5H01014		5.00	mg/kg wet	N/A	N/A	4.70		94		90-110			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Metals														
Barium	5H01014		5.00	mg/kg wet	N/A	N/A	4.90		98		90-110			
Potassium	5H01014		50.0	mg/kg wet	N/A	N/A	48.4		97		90-110			
Silver	5H01014		1.00	mg/kg wet	N/A	N/A	0.982		98		90-110			
Sodium	5H01014		5.00	mg/kg wet	N/A	N/A	4.98		100		90-110			
Antimony	5H01014		5.00	mg/kg wet	N/A	N/A	4.84		97		90-110			
Arsenic	5H01014		5.00	mg/kg wet	N/A	N/A	4.80		96		90-110			
Beryllium	5H01014		5.00	mg/kg wet	N/A	N/A	5.00		100		90-110			
Cadmium	5H01014		5.00	mg/kg wet	N/A	N/A	5.00		100		90-110			
Chromium	5H01014		5.00	mg/kg wet	N/A	N/A	4.94		99		90-110			
Cobalt	5H01014		5.00	mg/kg wet	N/A	N/A	4.85		97		90-110			
Copper	5H01014		5.00	mg/kg wet	N/A	N/A	4.77		95		90-110			
Iron	5H01014		5.00	mg/kg wet	N/A	N/A	5.09		102		90-110			
Lead	5H01014		5.00	mg/kg wet	N/A	N/A	4.91		98		90-110			
Magnesium	5H01014		5.00	mg/kg wet	N/A	N/A	4.81		96		90-110			
Manganese	5H01014		5.00	mg/kg wet	N/A	N/A	4.87		97		90-110			
Nickel	5H01014		5.00	mg/kg wet	N/A	N/A	4.93		99		90-110			
Selenium	5H01014		5.00	mg/kg wet	N/A	N/A	4.78		96		90-110			
Thallium	5H01014		5.00	mg/kg wet	N/A	N/A	4.90		98		90-110			
Vanadium	5H01014		5.00	mg/kg wet	N/A	N/A	4.89		98		90-110			
Zinc	5H01014		5.00	mg/kg wet	N/A	N/A	4.95		99		90-110			
Aluminum	5H01014		5.00	mg/kg wet	N/A	N/A	4.74		95		90-110			
Barium	5H01014		5.00	mg/kg wet	N/A	N/A	4.95		99		90-110			
Potassium	5H01014		50.0	mg/kg wet	N/A	N/A	49.1		98		90-110			
Silver	5H01014		1.00	mg/kg wet	N/A	N/A	0.990		99		90-110			
Sodium	5H01014		5.00	mg/kg wet	N/A	N/A	4.99		100		90-110			
Antimony	5H01014		5.00	mg/kg wet	N/A	N/A	4.83		97		90-110			
Arsenic	5H01014		5.00	mg/kg wet	N/A	N/A	4.78		96		90-110			
Beryllium	5H01014		5.00	mg/kg wet	N/A	N/A	4.95		99		90-110			
Cadmium	5H01014		5.00	mg/kg wet	N/A	N/A	5.01		100		90-110			
Chromium	5H01014		5.00	mg/kg wet	N/A	N/A	4.90		98		90-110			
Cobalt	5H01014		5.00	mg/kg wet	N/A	N/A	4.84		97		90-110			
Copper	5H01014		5.00	mg/kg wet	N/A	N/A	4.69		94		90-110			
Iron	5H01014		5.00	mg/kg wet	N/A	N/A	5.04		101		90-110			
Lead	5H01014		5.00	mg/kg wet	N/A	N/A	4.93		99		90-110			
Magnesium	5H01014		5.00	mg/kg wet	N/A	N/A	4.79		96		90-110			
Manganese	5H01014		5.00	mg/kg wet	N/A	N/A	4.82		96		90-110			
Nickel	5H01014		5.00	mg/kg wet	N/A	N/A	4.89		98		90-110			
Selenium	5H01014		5.00	mg/kg wet	N/A	N/A	4.75		95		90-110			
Thallium	5H01014		5.00	mg/kg wet	N/A	N/A	4.84		97		90-110			
Vanadium	5H01014		5.00	mg/kg wet	N/A	N/A	4.84		97		90-110			
Zinc	5H01014		5.00	mg/kg wet	N/A	N/A	4.92		98		90-110			
Aluminum	5H01014		5.00	mg/kg wet	N/A	N/A	4.43		89		90-110			C4
Barium	5H01014		5.00	mg/kg wet	N/A	N/A	4.96		99		90-110			
Potassium	5H01014		50.0	mg/kg wet	N/A	N/A	49.4		99		90-110			
Silver	5H01014		1.00	mg/kg wet	N/A	N/A	0.993		99		90-110			
Sodium	5H01014		5.00	mg/kg wet	N/A	N/A	5.40		108		90-110			
Antimony	5H01014		5.00	mg/kg wet	N/A	N/A	4.80		96		90-110			
Arsenic	5H01014		5.00	mg/kg wet	N/A	N/A	4.75		95		90-110			
Beryllium	5H01014		5.00	mg/kg wet	N/A	N/A	4.95		99		90-110			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals														
Cadmium	5H01014		5.00	mg/kg wet	N/A	N/A	5.11		102		90-110			
Chromium	5H01014		5.00	mg/kg wet	N/A	N/A	4.90		98		90-110			
Cobalt	5H01014		5.00	mg/kg wet	N/A	N/A	4.79		96		90-110			
Copper	5H01014		5.00	mg/kg wet	N/A	N/A	4.53		91		90-110			
Iron	5H01014		5.00	mg/kg wet	N/A	N/A	5.03		101		90-110			
Lead	5H01014		5.00	mg/kg wet	N/A	N/A	4.92		98		90-110			
Magnesium	5H01014		5.00	mg/kg wet	N/A	N/A	4.71		94		90-110			
Manganese	5H01014		5.00	mg/kg wet	N/A	N/A	4.79		96		90-110			
Nickel	5H01014		5.00	mg/kg wet	N/A	N/A	4.91		98		90-110			
Selenium	5H01014		5.00	mg/kg wet	N/A	N/A	4.75		95		90-110			
Thallium	5H01014		5.00	mg/kg wet	N/A	N/A	4.60		92		90-110			
Vanadium	5H01014		5.00	mg/kg wet	N/A	N/A	4.80		96		90-110			
Zinc	5H01014		5.00	mg/kg wet	N/A	N/A	4.90		98		90-110			
Mercury	5H03016		5.00	ug/L	N/A	N/A	5.25		105		90-110			
Mercury	5H03016		5.00	ug/L	N/A	N/A	5.21		104		90-110			
Total Metals per EPA 6000 Series Methods														
Calcium	5H01014		5.00	mg/kg wet	N/A	N/A	4.99		100		90-110			
Calcium	5H01014		5.00	mg/kg wet	N/A	N/A	4.95		99		90-110			
Calcium	5H01014		5.00	mg/kg wet	N/A	N/A	4.97		99		90-110			
Calcium	5H01014		5.00	mg/kg wet	N/A	N/A	4.95		99		90-110			
Calcium	5H01014		5.00	mg/kg wet	N/A	N/A	4.95		99		90-110			
VOCs by SW8260B														
Benzene	5H01005		50.0	ug/kg wet	N/A	N/A	47.8		96		80-120			
Bromobenzene	5H01005		50.0	ug/kg wet	N/A	N/A	49.1		98		80-120			
Bromochloromethane	5H01005		50.0	ug/kg wet	N/A	N/A	47.8		96		80-120			
Bromodichloromethane	5H01005		50.0	ug/kg wet	N/A	N/A	48.2		96		80-120			
Bromoform	5H01005		50.0	ug/kg wet	N/A	N/A	50.7		101		80-120			
Bromomethane	5H01005		50.0	ug/kg wet	N/A	N/A	59.6		119		80-120			
n-Butylbenzene	5H01005		50.0	ug/kg wet	N/A	N/A	47.5		95		80-120			
sec-Butylbenzene	5H01005		50.0	ug/kg wet	N/A	N/A	47.6		95		80-120			
tert-Butylbenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.2		96		80-120			
Carbon Tetrachloride	5H01005		50.0	ug/kg wet	N/A	N/A	50.9		102		80-120			
Chlorobenzene	5H01005		50.0	ug/kg wet	N/A	N/A	49.4		99		80-120			
Chlorodibromomethane	5H01005		50.0	ug/kg wet	N/A	N/A	51.1		102		80-120			
Chloroethane	5H01005		50.0	ug/kg wet	N/A	N/A	48.7		97		80-120			
Chloroform	5H01005		50.0	ug/kg wet	N/A	N/A	48.9		98		80-120			
Chloromethane	5H01005		50.0	ug/kg wet	N/A	N/A	44.2		88		80-120			
2-Chlorotoluene	5H01005		50.0	ug/kg wet	N/A	N/A	50.8		102		80-120			
4-Chlorotoluene	5H01005		50.0	ug/kg wet	N/A	N/A	44.7		89		80-120			
1,2-Dibromo-3-chloropropane	5H01005		50.0	ug/kg wet	N/A	N/A	48.4		97		80-120			
1,2-Dibromoethane (EDB)	5H01005		50.0	ug/kg wet	N/A	N/A	49.7		99		80-120			
Dibromomethane	5H01005		50.0	ug/kg wet	N/A	N/A	50.3		101		80-120			
1,2-Dichlorobenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.0		96		80-120			
1,3-Dichlorobenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.2		96		80-120			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B														
1,4-Dichlorobenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.0		96		80-120			C
Dichlorodifluoromethane	5H01005		50.0	ug/kg wet	N/A	N/A	61.4		123		80-120			
1,1-Dichloroethane	5H01005		50.0	ug/kg wet	N/A	N/A	47.1		94		80-120			
1,2-Dichloroethane	5H01005		50.0	ug/kg wet	N/A	N/A	49.2		98		80-120			
1,1-Dichloroethene	5H01005		50.0	ug/kg wet	N/A	N/A	49.8		100		80-120			
cis-1,2-Dichloroethene	5H01005		50.0	ug/kg wet	N/A	N/A	49.7		99		80-120			
trans-1,2-Dichloroethene	5H01005		50.0	ug/kg wet	N/A	N/A	49.8		100		80-120			
1,2-Dichloropropane	5H01005		50.0	ug/kg wet	N/A	N/A	46.5		93		80-120			
1,3-Dichloropropane	5H01005		50.0	ug/kg wet	N/A	N/A	47.7		95		80-120			
2,2-Dichloropropane	5H01005		50.0	ug/kg wet	N/A	N/A	50.6		101		80-120			
1,1-Dichloropropene	5H01005		50.0	ug/kg wet	N/A	N/A	47.8		96		80-120			
cis-1,3-Dichloropropene	5H01005		50.0	ug/kg wet	N/A	N/A	48.7		97		80-120			
trans-1,3-Dichloropropene	5H01005		50.0	ug/kg wet	N/A	N/A	49.1		98		80-120			
2,3-Dichloropropene	5H01005		50.0	ug/kg wet	N/A	N/A	51.6		103		80-120			
Isopropyl Ether	5H01005		50.0	ug/kg wet	N/A	N/A	48.7		97		80-120			
Ethylbenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.2		96		80-120			
Hexachlorobutadiene	5H01005		50.0	ug/kg wet	N/A	N/A	46.1		92		80-120			
Isopropylbenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.0		96		80-120			
p-Isopropyltoluene	5H01005		50.0	ug/kg wet	N/A	N/A	47.9		96		80-120			
Methylene Chloride	5H01005		50.0	ug/kg wet	N/A	N/A	49.4		99		80-120			
Methyl tert-Butyl Ether	5H01005		50.0	ug/kg wet	N/A	N/A	50.2		100		80-120			
Naphthalene	5H01005		50.0	ug/kg wet	N/A	N/A	46.2		92		80-120			
n-Propylbenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.6		97		80-120			
Styrene	5H01005		50.0	ug/kg wet	N/A	N/A	50.1		100		80-120			
1,1,1,2-Tetrachloroethane	5H01005		50.0	ug/kg wet	N/A	N/A	50.6		101		80-120			
1,1,2,2-Tetrachloroethane	5H01005		50.0	ug/kg wet	N/A	N/A	47.3		95		80-120			
Tetrachloroethene	5H01005		50.0	ug/kg wet	N/A	N/A	49.9		100		80-120			
Toluene	5H01005		50.0	ug/kg wet	N/A	N/A	49.1		98		80-120			
1,2,3-Trichlorobenzene	5H01005		50.0	ug/kg wet	N/A	N/A	46.8		94		80-120			
1,2,4-Trichlorobenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.2		96		80-120			
1,1,1-Trichloroethane	5H01005		50.0	ug/kg wet	N/A	N/A	50.2		100		80-120			
1,1,2-Trichloroethane	5H01005		50.0	ug/kg wet	N/A	N/A	49.1		98		80-120			
Trichloroethene	5H01005		50.0	ug/kg wet	N/A	N/A	50.8		102		80-120			
Trichlorofluoromethane	5H01005		50.0	ug/kg wet	N/A	N/A	50.7		101		80-120			
1,2,3-Trichloropropane	5H01005		50.0	ug/kg wet	N/A	N/A	49.2		98		80-120			
1,2,4-Trimethylbenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.8		98		80-120			
1,3,5-Trimethylbenzene	5H01005		50.0	ug/kg wet	N/A	N/A	48.4		97		80-120			
Vinyl chloride	5H01005		50.0	ug/kg wet	N/A	N/A	45.8		92		80-120			
Xylenes, total	5H01005		150	ug/kg wet	N/A	N/A	146		97		80-120			
Surrogate: Dibromofluoromethane	5H01005			ug/kg wet					100		80-120			
Surrogate: Toluene-d8	5H01005			ug/kg wet					99		80-120			
Surrogate: 4-Bromofluorobenzene	5H01005			ug/kg wet					98		80-120			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

LABORATORY DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
General Chemistry Parameters													
QC Source Sample: WOH0036-03													
Total Suspended Solids	5080060	2.0		mg/L	1.0	3.3	4.00				67	26	R2
QC Source Sample: WOH0013-03													
pH	5080066	7.4		pH Units	N/A	N/A	7.40				0	200	

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Metals														
Aluminum	5080049		2.00	mg/L	0.015	0.052	1.91		96		80-110			
Antimony	5080049		2.00	mg/L	0.013	0.045	1.93		96		82-111			
Arsenic	5080049		2.00	mg/L	0.025	0.087	1.94		97		85-112			
Barium	5080049		1.00	mg/L	0.0012	0.0043	0.907		91		78-110			B
Beryllium	5080049		1.00	mg/L	0.00013	0.00046	0.999		100		80-112			
Cadmium	5080049		1.00	mg/L	0.0011	0.0040	1.01		101		83-109			
Calcium	5080049		2.00	mg/L	0.013	0.047	3.47		174		68-118			L1,B
Chromium	5080049		1.00	mg/L	0.0021	0.0072	0.997		100		84-110			
Cobalt	5080049		1.00	mg/L	0.0063	0.022	0.978		98		81-111			
Copper	5080049		2.00	mg/L	0.018	0.065	1.93		96		84-111			
Iron	5080049		2.00	mg/L	0.016	0.053	2.05		102		77-115			
Lead	5080049		2.00	mg/L	0.013	0.047	2.01		100		84-110			
Magnesium	5080049		2.00	mg/L	0.013	0.047	2.43		122		76-115			L1,B
Manganese	5080049		1.00	mg/L	0.00096	0.0032	0.988		99		83-109			
Nickel	5080049		2.00	mg/L	0.0040	0.014	1.94		97		83-108			
Potassium	5080049		4.00	mg/L	0.019	0.067	4.17		104		69-117			B
Selenium	5080049		4.00	mg/L	0.045	0.16	3.82		96		84-110			
Silver	5080049		1.00	mg/L	0.0013	0.0046	1.08		108		80-123			
Sodium	5080049		3.00	mg/L	0.0100	0.035	3.62		121		63-124			B
Thallium	5080049		2.00	mg/L	0.038	0.13	1.90		95		80-120			B
Vanadium	5080049		1.00	mg/L	0.0015	0.0052	0.995		100		82-115			
Zinc	5080049		1.00	mg/L	0.0028	0.0095	1.00		100		82-111			
Mercury	5080114		0.00250	mg/L	0.000092	0.00033	0.00228		91		78-131			B

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Semivolatile Organic Compounds by EPA Method 8270C														
Acenaphthene	5080023		25.0	ug/l	N/A	2.00	13.3	16.5	53	66	10-110	22	35	
Acenaphthylene	5080023		25.0	ug/l	N/A	2.00	13.8	16.9	55	68	10-110	20	35	
Aniline	5080023		25.0	ug/l	N/A	2.00	9.31	14.7	37	59	10-110	45	35	
Anthracene	5080023		25.0	ug/l	N/A	2.00	15.7	17.5	63	70	10-110	11	35	
Benzydine	5080023		50.0	ug/l	N/A	50.0	12.4	26.3	25	53	0-200	72	200	
Benzoic acid	5080023		25.0	ug/l	N/A	20.0	ND	<			10-110		35	
Benz (a) anthracene	5080023		25.0	ug/l	N/A	2.00	16.7	18.7	67	75	10-111	11	35	
Benzo (a) pyrene	5080023		25.0	ug/l	N/A	2.00	17.9	18.6	72	74	10-110	4	35	
Benzo (b) fluoranthene	5080023		25.0	ug/l	N/A	2.00	17.1	19.5	68	78	10-111	13	35	
Benzo (ghi) perylene	5080023		25.0	ug/l	N/A	2.00	14.5	16.5	58	66	10-110	13	35	
Benzo (k) fluoranthene	5080023		25.0	ug/l	N/A	2.00	18.3	19.4	73	78	10-110	6	35	
Benzyl alcohol	5080023		25.0	ug/l	N/A	2.00	9.58	13.2	38	53	10-110	32	35	
Bis(2-chloroethoxy)methane	5080023		25.0	ug/l	N/A	2.00	13.6	17.4	54	70	10-110	25	35	
Bis(2-chloroethyl)ether	5080023		25.0	ug/l	N/A	2.00	12.1	16.5	48	66	10-110	31	35	
Bis(2-chloroisopropyl)ether	5080023		25.0	ug/l	N/A	2.00	11.9	16.5	48	66	10-110	32	35	
Bis(2-ethylhexyl)phthalate	5080023		25.0	ug/l	N/A	10.0	15.5	17.6	62	70	10-114	13	35	
4-Bromophenyl phenyl ether	5080023		25.0	ug/l	N/A	2.00	14.4	17.4	58	70	10-110	19	35	
Butyl benzyl phthalate	5080023		25.0	ug/l	N/A	10.0	15.6	16.8	62	67	10-122	7	35	
Carbazole	5080023		25.0	ug/l	N/A	2.00	18.2	19.8	73	79	10-114	8	35	
4-Chloroaniline	5080023		25.0	ug/l	N/A	2.00	9.43	14.7	38	59	10-110	44	35	
4-Chloro-3-methylphenol	5080023		25.0	ug/l	N/A	2.00	12.5	16.4	50	66	10-110	27	35	
2-Chloronaphthalene	5080023		25.0	ug/l	N/A	2.00	13.8	17.1	55	68	10-110	21	35	
2-Chlorophenol	5080023		25.0	ug/l	N/A	2.00	11.1	16.0	44	64	10-110	36	35	
4-Chlorophenyl phenyl ether	5080023		25.0	ug/l	N/A	2.00	13.6	15.8	54	63	10-110	15	35	
Chrysene	5080023		25.0	ug/l	N/A	2.00	18.0	20.2	72	81	10-110	12	35	
Dibenz (a,h) anthracene	5080023		25.0	ug/l	N/A	2.00	14.4	15.4	58	62	10-110	7	35	
Dibenzofuran	5080023		25.0	ug/l	N/A	2.00	14.8	17.6	59	70	10-110	17	35	
1,2-Dichlorobenzene	5080023		25.0	ug/l	N/A	2.00	10.6	14.7	42	59	10-110	32	35	
1,3-Dichlorobenzene	5080023		25.0	ug/l	N/A	2.00	10.7	15.4	43	62	10-110	36	35	
1,4-Dichlorobenzene	5080023		25.0	ug/l	N/A	2.00	9.75	14.0	39	56	10-110	36	35	
3,3'-Dichlorobenzidine	5080023		50.0	ug/l	N/A	10.0	57.7	61.6	115	123	10-110	7	35	
2,4-Dichlorophenol	5080023		25.0	ug/l	N/A	2.00	12.0	17.0	48	68	10-110	35	35	
Diethyl phthalate	5080023		25.0	ug/l	N/A	2.00	14.6	16.0	58	64	10-115	9	35	
2,4-Dimethylphenol	5080023		25.0	ug/l	N/A	2.00	12.8	16.2	51	65	10-110	23	35	
Dimethyl phthalate	5080023		25.0	ug/l	N/A	2.00	14.4	16.7	58	67	10-110	15	35	
Di-n-butyl phthalate	5080023		25.0	ug/l	N/A	10.0	16.7	18.2	67	73	10-116	9	35	
4,6-Dinitro-2-methylphenol	5080023		25.0	ug/l	N/A	10.0	ND	7.54		30	10-110		35	
2,4-Dinitrophenol	5080023		25.0	ug/l	N/A	10.0	ND	6.43		26	10-110		35	
2,4-Dinitrotoluene	5080023		25.0	ug/l	N/A	2.00	12.3	13.7	49	55	10-110	11	35	
2,6-Dinitrotoluene	5080023		25.0	ug/l	N/A	2.00	13.7	15.7	55	63	10-112	14	35	
Di-n-octyl phthalate	5080023		25.0	ug/l	N/A	10.0	16.3	18.4	65	74	10-112	12	35	
1,2-Diphenylhydrazine	5080023		25.0	ug/l	N/A	2.00	14.5	15.8	58	63	0-200	9	200	
Fluoranthene	5080023		25.0	ug/l	N/A	2.00	16.4	17.8	66	71	10-111	8	35	
Fluorene	5080023		25.0	ug/l	N/A	2.00	14.8	17.0	59	68	10-110	14	35	
Hexachlorobenzene	5080023		25.0	ug/l	N/A	2.00	14.4	16.4	58	66	10-110	13	35	

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Semivolatle Organic Compounds by EPA Method 8270C														
Hexachlorobutadiene	5080023		25.0	ug/l	N/A	2.00	9.50	13.0	38	52	10-110	31	35	
Hexachlorocyclopentadiene	5080023		25.0	ug/l	N/A	2.00	11.3	14.7	45	59	10-110	26	35	
Hexachloroethane	5080023		25.0	ug/l	N/A	2.00	10.8	15.1	43	60	10-110	33	35	
Indeno (1,2,3-cd) pyrene	5080023		25.0	ug/l	N/A	2.00	14.6	16.3	58	65	10-110	11	35	
Isophorone	5080023		25.0	ug/l	N/A	2.00	12.5	15.7	50	63	10-110	23	35	
2-Methylnaphthalene	5080023		25.0	ug/l	N/A	2.00	11.7	15.4	47	62	10-110	27	35	
o-Cresol	5080023		25.0	ug/l	N/A	2.00	9.80	13.4	39	54	10-110	31	35	
m,p-Cresols	5080023		25.0	ug/l	N/A	2.00	8.83	11.7	35	47	10-110	28	35	
Naphthalene	5080023		25.0	ug/l	N/A	2.00	12.2	16.2	49	65	10-110	28	35	
2-Nitroaniline	5080023		25.0	ug/l	N/A	10.0	15.5	18.3	62	73	10-110	17	35	
3-Nitroaniline	5080023		25.0	ug/l	N/A	10.0	14.6	18.1	58	72	10-110	21	35	
4-Nitroaniline	5080023		25.0	ug/l	N/A	10.0	16.2	18.0	65	72	10-112	11	35	
Nitrobenzene	5080023		25.0	ug/l	N/A	2.00	12.2	16.1	49	64	10-110	28	35	
2-Nitrophenol	5080023		25.0	ug/l	N/A	2.00	10.8	17.2	43	69	10-110	46	35	
4-Nitrophenol	5080023		25.0	ug/l	N/A	10.0	ND	4.86		19	10-110		35	
N-Nitrosodimethylamine	5080023		25.0	ug/l	N/A	2.00	6.96	9.90	28	40	0-200	35	200	
N-Nitrosodi-n-propylamine	5080023		25.0	ug/l	N/A	2.00	12.8	17.1	51	68	10-113	29	35	
N-Nitrosodiphenylamine	5080023		25.0	ug/l	N/A	2.00	17.3	20.7	69	83	10-110	18	35	
Pentachlorophenol	5080023		25.0	ug/l	N/A	10.0	4.42	13.8	18	55	10-110	103	35	
Phenanthrene	5080023		25.0	ug/l	N/A	2.00	16.1	17.9	64	72	10-112	11	35	
Phenol	5080023		25.0	ug/l	N/A	2.00	4.45	6.00	18	24	10-110	30	35	
Pyrene	5080023		25.0	ug/l	N/A	2.00	15.0	15.9	60	64	10-120	6	35	
Pyridine	5080023		25.0	ug/l	N/A	5.00	5.61	9.68	22	39	0-200	53	200	
1,2,4-Trichlorobenzene	5080023		25.0	ug/l	N/A	2.00	10.6	14.4	42	58	10-110	30	35	
2,4,5-Trichlorophenol	5080023		25.0	ug/l	N/A	10.0	11.4	16.4	46	66	10-110	36	35	
2,4,6-Trichlorophenol	5080023		25.0	ug/l	N/A	2.00	7.81	16.2	31	65	10-110	70	35	
Surrogate: 2-Fluorophenol	5080023			ug/l					19	29	10-110			
Surrogate: Phenol-d6	5080023			ug/l					14	19	10-110			
Surrogate: Nitrobenzene-d5	5080023			ug/l					48	63	10-110			
Surrogate: 2-Fluorobiphenyl	5080023			ug/l					55	66	10-110			
Surrogate: 2,4,6-Tribromophenol	5080023			ug/l					45	65	10-110			
Surrogate: p-Terphenyl-d14	5080023			ug/l					57	63	10-114			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
General Chemistry Parameters														
QC Source Sample: WOH0036-03														
Chemical Oxygen Demand	5080075	28	37.5	mg/L	5.7	20	69.0	70.0	109	112	66-149	1	28	
Metals														
QC Source Sample: WOH0036-03														
Aluminum	5080049	<0.015	2.00	mg/L	0.015	0.052	1.92	1.94	96	97	66-130	1	34	
Antimony	5080049	<0.013	2.00	mg/L	0.013	0.045	1.93	1.94	96	97	70-122	1	30	
Arsenic	5080049	<0.025	2.00	mg/L	0.025	0.087	1.96	1.92	98	96	67-127	2	21	
Barium	5080049	0.0029	1.00	mg/L	0.0012	0.0043	0.895	0.903	89	90	57-124	1	32	B
Beryllium	5080049	<0.00013	1.00	mg/L	0.00013	0.00046	0.983	0.991	98	99	56-131	1	25	
Cadmium	5080049	<0.0011	1.00	mg/L	0.0011	0.0040	0.995	1.00	100	100	65-118	1	18	
Calcium	5080049	0.49	2.00	mg/L	0.013	0.047	2.46	2.51	98	101	75-125	2	20	B
Chromium	5080049	<0.0021	1.00	mg/L	0.0021	0.0072	0.976	0.995	98	100	63-122	2	21	
Cobalt	5080049	<0.0063	1.00	mg/L	0.0063	0.022	0.967	0.982	97	98	56-122	2	22	
Copper	5080049	<0.018	2.00	mg/L	0.018	0.065	1.88	1.90	94	95	69-123	1	25	
Iron	5080049	1.6	2.00	mg/L	0.016	0.053	3.52	3.54	96	97	60-131	1	42	
Lead	5080049	<0.013	2.00	mg/L	0.013	0.047	1.97	2.00	98	100	67-120	2	18	
Magnesium	5080049	0.17	2.00	mg/L	0.013	0.047	2.06	2.10	94	96	74-122	2	31	B
Manganese	5080049	0.023	1.00	mg/L	0.00096	0.0032	0.985	0.993	96	97	69-119	1	27	
Nickel	5080049	<0.0040	2.00	mg/L	0.0040	0.014	1.90	1.92	95	96	63-117	1	21	
Potassium	5080049	0.39	4.00	mg/L	0.019	0.067	4.38	4.46	100	102	75-125	2	20	B
Selenium	5080049	<0.045	4.00	mg/L	0.045	0.16	3.82	3.86	96	96	70-123	1	20	
Silver	5080049	<0.0013	1.00	mg/L	0.0013	0.0046	1.05	1.06	105	106	70-124	1	20	
Sodium	5080049	210	3.00	mg/L	0.0100	0.035	203	207	-233	-100	70-130	2	20	MHA,B
Thallium	5080049	<0.038	2.00	mg/L	0.038	0.13	1.79	1.87	90	94	75-125	4	20	B
Vanadium	5080049	<0.0015	1.00	mg/L	0.0015	0.0052	0.974	0.985	97	98	75-125	1	20	
Zinc	5080049	0.025	1.00	mg/L	0.0028	0.0095	1.03	1.05	100	102	63-125	2	30	
QC Source Sample: WOH0036-03														
Mercury	5080114	0.00016	0.00250	mg/L	0.000092	0.00033	0.00236	0.00234	88	87	67-141	1	13	B
VOCs by SW8260B														
QC Source Sample: WOG0913-06														
Benzene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.3	44.5	89	89	80-121	1	11	
Bromobenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	45.8	46.2	92	92	70-130	1	20	
Bromochloromethane	5080012	<0.50	50.0	ug/L	0.50	1.7	43.8	43.4	88	87	70-130	1	20	
Bromodichloromethane	5080012	<0.20	50.0	ug/L	0.20	0.67	44.5	44.3	89	89	70-130	1	20	
Bromoform	5080012	<0.20	50.0	ug/L	0.20	0.67	48.3	48.6	97	97	70-130	1	20	
Bromomethane	5080012	<0.20	50.0	ug/L	0.20	0.67	54.3	56.9	109	114	70-130	5	20	
n-Butylbenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	43.1	46.0	86	92	70-130	7	20	
sec-Butylbenzene	5080012	<0.25	50.0	ug/L	0.25	0.83	43.7	46.7	87	93	70-130	7	20	
tert-Butylbenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.2	47.1	88	94	70-130	6	20	
Carbon Tetrachloride	5080012	<0.50	50.0	ug/L	0.50	1.7	48.0	48.7	96	97	70-130	1	20	
Chlorobenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	46.2	46.2	92	92	85-116	0	9	
Chlorodibromomethane	5080012	<0.20	50.0	ug/L	0.20	0.67	47.1	47.4	94	95	70-130	1	20	
Chloroethane	5080012	<1.0	50.0	ug/L	1.0	3.3	45.5	45.5	91	91	70-130	0	20	
Chloroform	5080012	<0.20	50.0	ug/L	0.20	0.67	45.0	44.7	90	89	70-130	1	20	
Chloromethane	5080012	<0.20	50.0	ug/L	0.20	0.67	41.5	41.6	83	83	70-130	0	20	
2-Chlorotoluene	5080012	<0.50	50.0	ug/L	0.50	1.7	41.1	42.9	82	86	70-130	4	20	
4-Chlorotoluene	5080012	<0.20	50.0	ug/L	0.20	0.67	42.6	43.6	85	87	70-130	2	20	
1,2-Dibromo-3-chloropropane	5080012	<0.50	50.0	ug/L	0.50	1.7	47.4	50.2	95	100	70-130	6	20	
1,2-Dibromoethane (EDB)	5080012	<0.20	50.0	ug/L	0.20	0.67	47.4	47.2	95	94	70-130	0	20	

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B														
QC Source Sample: WOG0913-06														
Dibromomethane	5080012	<0.20	50.0	ug/L	0.20	0.67	46.7	46.6	93	93	70-130	0	20	
1,2-Dichlorobenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.2	45.9	88	92	70-130	4	20	
1,3-Dichlorobenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.1	45.7	88	91	70-130	4	20	
1,4-Dichlorobenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.2	45.8	88	92	70-130	4	20	
Dichlorodifluoromethane	5080012	<0.50	50.0	ug/L	0.50	1.7	59.3	60.2	119	120	70-130	2	20	C
1,1-Dichloroethane	5080012	<0.50	50.0	ug/L	0.50	1.7	43.6	43.4	87	87	70-130	1	20	
1,2-Dichloroethane	5080012	<0.50	50.0	ug/L	0.50	1.7	46.0	45.5	92	91	70-130	1	20	
1,1-Dichloroethene	5080012	<0.50	50.0	ug/L	0.50	1.7	46.8	47.1	94	94	72-131	1	17	
cis-1,2-Dichloroethene	5080012	<0.50	50.0	ug/L	0.50	1.7	46.0	46.2	92	92	70-130	0	20	
trans-1,2-Dichloroethene	5080012	<0.50	50.0	ug/L	0.50	1.7	46.8	46.5	94	93	70-130	1	20	
1,2-Dichloropropane	5080012	<0.50	50.0	ug/L	0.50	1.7	42.8	42.6	86	85	70-130	1	20	
1,3-Dichloropropane	5080012	<0.25	50.0	ug/L	0.25	0.83	44.4	44.3	89	89	70-130	0	20	
2,2-Dichloropropane	5080012	<0.50	50.0	ug/L	0.50	1.7	48.7	48.0	97	96	70-130	1	20	
1,1-Dichloropropene	5080012	<0.50	50.0	ug/L	0.50	1.7	45.1	45.2	90	90	70-130	0	20	
cis-1,3-Dichloropropene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.7	44.6	89	89	70-130	0	20	
trans-1,3-Dichloropropene	5080012	<0.20	50.0	ug/L	0.20	0.67	46.1	46.2	92	92	70-130	0	20	
Isopropyl Ether	5080012	<0.50	50.0	ug/L	0.50	1.7	44.6	45.2	89	90	68-128	1	16	
Ethylbenzene	5080012	<0.50	50.0	ug/L	0.50	1.7	47.4	45.9	95	92	83-118	3	13	
Hexachlorobutadiene	5080012	<0.50	50.0	ug/L	0.50	1.7	41.9	42.6	84	85	70-130	2	20	
Isopropylbenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.5	46.5	89	93	70-130	4	20	
p-Isopropyltoluene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.0	46.2	88	92	70-130	5	20	
Methylene Chloride	5080012	<1.0	50.0	ug/L	1.0	3.3	45.1	45.4	90	91	70-130	1	20	
Methyl tert-Butyl Ether	5080012	<0.50	50.0	ug/L	0.50	1.7	46.9	47.2	94	94	71-127	1	22	
Naphthalene	5080012	<0.25	50.0	ug/L	0.25	0.83	42.3	45.6	85	91	70-130	8	20	
n-Propylbenzene	5080012	<0.50	50.0	ug/L	0.50	1.7	45.0	47.1	90	94	70-130	5	20	
Styrene	5080012	<0.20	50.0	ug/L	0.20	0.67	46.8	47.4	94	95	70-130	1	20	
1,1,1,2-Tetrachloroethane	5080012	<0.25	50.0	ug/L	0.25	0.83	46.9	47.2	94	94	70-130	1	20	
1,1,2,2-Tetrachloroethane	5080012	<0.20	50.0	ug/L	0.20	0.67	45.4	46.4	91	93	70-130	2	20	
Tetrachloroethene	5080012	<0.50	50.0	ug/L	0.50	1.7	46.5	47.1	93	94	70-130	1	20	
Toluene	5080012	<0.20	50.0	ug/L	0.20	0.67	46.0	46.1	92	92	82-116	0	11	
1,2,3-Trichlorobenzene	5080012	<0.25	50.0	ug/L	0.25	0.83	42.3	45.3	85	91	70-130	7	20	
1,2,4-Trichlorobenzene	5080012	<0.25	50.0	ug/L	0.25	0.83	43.0	45.8	86	92	70-130	6	20	
1,1,1-Trichloroethane	5080012	<0.50	50.0	ug/L	0.50	1.7	47.1	47.2	94	94	70-130	0	20	
1,1,2-Trichloroethane	5080012	<0.25	50.0	ug/L	0.25	0.83	45.4	45.6	91	91	70-130	0	20	
Trichloroethene	5080012	<0.20	50.0	ug/L	0.20	0.67	47.0	47.0	94	94	80-117	0	13	
Trichlorofluoromethane	5080012	<0.50	50.0	ug/L	0.50	1.7	48.0	49.1	96	98	70-130	2	20	
1,2,3-Trichloropropane	5080012	<0.50	50.0	ug/L	0.50	1.7	47.5	48.4	95	97	70-130	2	20	
1,2,4-Trimethylbenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.5	46.5	89	93	80-122	4	14	
1,3,5-Trimethylbenzene	5080012	<0.20	50.0	ug/L	0.20	0.67	44.4	46.6	89	93	83-122	5	12	
Vinyl chloride	5080012	<0.20	50.0	ug/L	0.20	0.67	43.3	44.6	87	89	70-130	3	20	
Xylenes, Total	5080012	<0.50	150	ug/L	0.50	1.7	136	139	91	93	84-119	2	12	
Surrogate: Dibromofluoromethane	5080012			ug/L					100	100	89-119			
Surrogate: Toluene-d8	5080012			ug/L					100	100	91-109			
Surrogate: 4-Bromofluorobenzene	5080012			ug/L					99	99	89-114			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0036
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/01/05
Reported: 08/03/05 15:05

CERTIFICATION SUMMARY

TestAmerica Analytical - Watertown

Method	Matrix	Nelac	Wisconsin
EPA 150.1	Water - NonPotable	X	N/A
EPA 160.2	Water - NonPotable	X	X
EPA 245.1	Water - NonPotable	X	X
EPA 410.4	Water - NonPotable		X
SM 5520B	Water - NonPotable		X
SW 6010B	Water - NonPotable		X
SW 8260B	Water - NonPotable	X	X
SW 8270C	Water - NonPotable		

Subcontracted Laboratories

GREAT LAKES ANALYTICAL - Buffalo Grove NELAC Cert #100261, Wisconsin Cert #999917160, Illinois Cert #100261

1380 Busch Parkway - Buffalo Grove, IL 60089

Method Performed: EPA 8270C

Samples: WOH0036-01, WOH0036-02, WOH0036-03

DATA QUALIFIERS AND DEFINITIONS

B	Analyte was detected in the associated Method Blank.
C	Calibration Verification recovery was above the method control limit for this analyte. Analyte not detected, data not impacted.
C4	Calibration Verification recovery was below the method control limit for this analyte.
J	Results reported between the Method Detection Limit (MDL) and Limit of Quantitation (LOQ) are less certain than results at or above the LOQ.
L1	Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above acceptance limits.
MHA	Due to high levels of analyte in the sample, the MS/MSD calculation does not provide useful spike recovery information.
QC	The result for one or more quality control measurements associated with this sample did not meet the laboratory and/or source method acceptance criteria.
R2	The RPD exceeded the acceptance limit.

ADDITIONAL COMMENTS

Results are reported on a wet weight basis unless otherwise noted.

Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

ANALYTICAL TESTING CORPORATION

Client Name: EPA - Western Solutions Client #:

Address: 20 N- WACKER DR. Suite 1210

City/State/Zip Code: Chicago IL, 60606

Project Manager: Heidi Gorrill

Telephone Number: 312 424 . 3328 Fax: 312.424. 3330

Sampler Name: (Print Name) Kevin Scott

Sampler Signature: KS

**To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?**

Project Name: WATERTOWN TIRE FIRE E.R.

Project #: _____

Site/Location ID: _____ State: WI

Report To: _____

Invoice To: _____

Quote #: _____ PO#: _____

[illegible]

Special Instructions:

LABORATORY COMMENTS:

Init Lab Temp:

Rec Lab Temp: on de

Custody Seals:	Y	N	N/A
----------------	---	---	-----

Bottles Supplied by Test America:

Method of Shipment: Client

12/8/05