

# Wisconsin Department of Natural Resources

## Laboratory Report

08/09/2005

Lab: 113133790

Sample: OQ000495

Page 1 of 20

**Laboratory:** Wisconsin State Laboratory of Hygiene

**DNR ID** 113133790

**2601 Agriculture Dr.**

**Madison**

**WI 537077996**

**Phone : 800-442-4618**

**Fax Phone : 608-224-6276**

### Sample:

**Field #:** 2

**Sample #:** OQ000495

**Collection Start:** 08/04/2005 12:28 pm

**Collection End:**

**Collected by:** GEIS/CONGDON

**Waterbody/Outfall Id:**

**ID #:**

**ID Point #:**

**County:** 14

**Account #:** RR029

**Sample Location:** DITCH ON HIWAY 19 - WATERTOWN RECYCLING FIRE

**Sample Description:** DOWNSTREAM OF TREATMENT DISCHARGE

**Sample Source:** SU

**Sample Depth:**

**Date Reported:** 08/05/2005

**Sample Status:** COMPLETE

**Project No:**

### Analyses and Results:

Analysis Method

Analysis Date

Lab Comment

ADDITIONAL VOCS IN WATER - EPA METH08/04/2005

SEE OQ000495.MM1

Lab Memo

THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000495.

THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY \*QL.

THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY \*MSU.

THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDIATED BY \*RPD.

IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
78133	4-METHYL-2-PENTANONE	108101	ND	UG/L	10.		33.
81552	ACETONE	67641	ND	UG/L	10.		33.
77041	CARBON DISULFIDE	75150	ND	UG/L	0.15		0.50
81577	DIISOPROPYL ETHER	108203	ND	UG/L	0.15		0.50
81595	METHYL ETHYL KETONE	78933	ND	UG/L	10.		33.
81590	N-HEXANE	110543	ND	UG/L	0.15		0.50
81607	TETRAHYDROFURAN	109999	ND	UG/L	10.		33.
81611	TRICHLOROTRIFLUOROETHANE	26523648	ND	UG/L	0.15		0.50

Analysis Method		Analysis Date		Lab Comment	
VOCs IN WATER BY GC/MS - PREP - EPA M08/04/2005		SEE OQ000495.MM1			
Lab Memo	THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000495.				

# Wisconsin Department of Natural Resources

## Laboratory Report

08/09/2005

Lab: 113133790

Sample: OQ000495

Page 2 of 20

<p><i>Lab Memo</i> THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY *QL. THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY *MSU. THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDICATED BY *RPD.</p> <p>IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.</p>							
<i>Code</i>	<i>Description</i>	<i>Cas No</i>	<i>Result</i>	<i>Units</i>	<i>LOD</i>	<i>Report Limit</i>	<i>LOQ</i>
<b>99299</b>	<b>PREP VOCS IN WATER GC/MS METHOD 524.2</b>		<b>COMPLE TE</b>				

Analysis Method		Analysis Date   Lab Comment					
VOCS IN WATER BY GC/MS - PREP - EPA M08/04/2005		SEE OQ000495.MM1					
Lab Memo	THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000495.						
	THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY *QL.						
	THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY *MSU.						
	THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDICATED BY *RPD.						
	IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.						
Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
99299	PREP VOCS IN WATER GC/MS METHOD 524.2		COMPLE				
			TE				

Analysis Method		Analysis Date   Lab Comment					
TEMPERATURE ON RECEIPT-ICED - O950		08/04/2005		SEE OQ000495.MM1			
Lab Memo	THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000495.						
	THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY *QL.						
	THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY *MSU.						
	THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDIATED BY *RPD.						
	IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.						
Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
136	TEMPERATURE AT LAB	E1645696	ICED			9999999	

<i>Analysis Method</i>		<i>Analysis Date</i> <i>Lab Comment</i>					
<b>VOCS IN WATER BY GC/MS - EPA METHOD08/04/2005</b>		<b>SEE OQ000495.MM1</b>					

# Wisconsin Department of Natural Resources

## Laboratory Report

08/09/2005

Lab: 113133790

Sample: OQ000495

Page 3 of 20

*Lab Memo* THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000495.

THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY \*QL.

THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY \*MSU.

THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDICATED BY \*RPD.

IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
77562	1,1,1,2-TETRACHLOROETHANE	630206	ND	UG/L	0.20		0.66
34506	1,1,1-TRICHLOROETHANE	71556	ND	UG/L	0.15		0.50
34516	1,1,2,2-TETRACHLOROETHANE	79345	ND	UG/L	0.15		0.50
34511	1,1,2-TRICHLOROETHANE	79005	ND	UG/L	0.15		0.50
34496	1,1-DICHLOROETHANE	75343	ND	UG/L	0.15		0.50
34501	1,1-DICHLOROETHYLENE	75354	ND	UG/L	0.15		0.50
77168	1,1-DICHLOROPROPENE	563586	ND	UG/L	0.15		0.50
77613	1,2,3-TRICHLOROBENZENE	87616	ND	UG/L	0.15		0.50
77443	1,2,3-TRICHLOROPROPANE	96184	ND	UG/L	0.15		0.50
34551	1,2,4-TRICHLOROBENZENE	120821	ND	UG/L	0.15		0.50
77222	1,2,4-TRIMETHYLBENZENE	95636	ND	UG/L	0.15		0.50
38437	1,2-DIBROMO-3-CHLOROPROPANE	96128	ND	UG/L	0.20		0.66
77651	1,2-DIBROMOETHANE	106934	ND	UG/L	0.15		0.50
34536	1,2-DICHLOROBENZENE	95501	ND	UG/L	0.15		0.50
34531	1,2-DICHLOROETHANE	107062	4.3	UG/L	0.15		0.50
77093	1,2-DICHLOROETHYLENE CIS	156592	ND	UG/L	0.15		0.50
34546	1,2-DICHLOROETHYLENE TRANS	156605	ND	UG/L	0.15		0.50
34541	1,2-DICHLOROPROPANE	78875	ND	UG/L	0.15		0.50
77226	1,3,5-TRIMETHYLBENZENE	108678	ND	UG/L	0.15		0.50
34566	1,3-DICHLOROBENZENE	541731	ND	UG/L	0.15		0.50
77173	1,3-DICHLOROPROPANE	142289	*RPD ND	UG/L	0.15		0.50
34704	1,3-DICHLOROPROPENE-CIS	10061015	ND	UG/L	0.15		0.50
34699	1,3-DICHLOROPROPENE-TRANS	10061026	ND	UG/L	0.15		0.50
34571	1,4-DICHLOROBENZENE	106467	ND	UG/L	0.15		0.50
77170	2,2-DICHLOROPROPANE	594207	ND	UG/L	0.15		0.50
34030	BENZENE	71432	ND	UG/L	0.15		0.50

# Wisconsin Department of Natural Resources

## Laboratory Report

08/09/2005

Lab: 113133790

Sample: OQ000495

Page 4 of 20

<i>Code</i>	<i>Description</i>	<i>Cas No</i>	<i>Result</i>	<i>Units</i>	<i>LOD</i>	<i>Report Limit</i>	<i>LOQ</i>
81555	BROMOBENZENE	108861	ND	UG/L	0.15		0.50
77297	BROMOCHLOROMETHANE	74975	ND	UG/L	0.15		0.50
32101	BROMODICHLOROMETHANE	75274	ND	UG/L	0.15		0.50
32104	BROMOFORM	75252	ND	UG/L	0.15		0.50
34413	BROMOMETHANE	74839	ND	UG/L	0.15		0.50
77350	BUTYLBENZENE SEC	135988	ND	UG/L	0.15		0.50
77353	BUTYLBENZENE TERT	98066	ND	UG/L	0.15		0.50
32102	CARBON TETRACHLORIDE	56235	ND	UG/L	0.15		0.50
34301	CHLOROBENZENE	108907	ND	UG/L	0.15		0.50
34311	CHLOROETHANE	75003	ND	UG/L	0.15		0.50
32106	CHLOROFORM	67663	ND	UG/L	0.15		0.50
34418	CHLOROMETHANE	74873	ND	UG/L	0.15		0.50
32105	DIBROMOCHLOROMETHANE	124481	ND	UG/L	0.15		0.50
77596	DIBROMOMETHANE	74953	ND	UG/L	0.15		0.50
34668	DICHLORODIFLUOROMETHANE	75718	ND	UG/L	0.20		0.66
34371	ETHYLBENZENE	100414	ND	UG/L	0.15		0.50
34391	HEXACHLOROBUTADIENE	87683	ND	UG/L	0.15		0.50
77223	ISOPROPYLBENZENE	98828	ND	UG/L	0.15		0.50
85795	M/P-XYLENE	136777612	ND	UG/L	0.15		0.50
78032	METHYL TERT BUTYL ETHER	1634044	ND	UG/L	0.15		0.50
34423	METHYLENE CHLORIDE	75092	*QL*MSU ND	UG/L	0.15		0.50
77342	N-BUTYLBENZENE	104518	ND	UG/L	0.15		0.50
77224	N-PROPYLBENZENE	103651	ND	UG/L	0.15		0.50
34696	NAPHTHALENE	91203	ND	UG/L	0.15		0.50
77275	O-CHLOROTOLUENE	95498	ND	UG/L	0.15		0.50
77135	O-XYLENE	95476	ND	UG/L	0.15		0.50
77277	P-CHLOROTOLUENE	106434	ND	UG/L	0.15		0.50
77356	P-ISOPROPYLTOLUENE	99876	ND	UG/L	0.15		0.50
77128	STYRENE	100425	ND	UG/L	0.15		0.50
34475	TETRACHLOROETHYLENE	127184	ND	UG/L	0.15		0.50
34010	TOLUENE	108883	ND	UG/L	0.15		0.50
39180	TRICHLOROETHYLENE	79016	ND	UG/L	0.15		0.50
34488	TRICHLOROFLUOROMETHANE	75694	ND	UG/L	0.15		0.50

Wisconsin Department of Natural Resources  
Laboratory Report

08/09/2005

Lab: 113133790

Sample: OQ000495

Page 5 of 20

<i>Code</i>	<i>Description</i>	<i>Cas No</i>	<i>Result</i>	<i>Units</i>	<i>LOD</i>	<i>Report Limit</i>	<i>LOQ</i>
<b>39175</b>	<b>VINYL CHLORIDE</b>	75014	<b>ND</b>	UG/L	0.20		0.66

**Wisconsin Department of Natural Resources**  
**Laboratory Report**

08/09/2005

Lab: 113133790

Sample: OQ000496

Page 6 of 20

**Laboratory:** Wisconsin State Laboratory of Hygiene  
2601 Agriculture Dr.  
Madison WI 537077996  
Phone : 800-442-4618 Fax Phone : 608-224-6276

DNR ID 113133790

**Sample:**

Field #: 4 Sample #: OQ000496  
Collection Start: 08/04/2005 01:00 pm Collection End:  
Collected by: GEIS/CONGDON Waterbody/Outfall Id:  
ID #: ID Point #:  
County: 14 Account #: RR029  
Sample Location: ION EXCHANGE TANK  
Sample Description: EPA WATER TREATMENT SYSTEM - WATERTOWN RECYCLING FIRE  
Sample Source: EF Sample Depth:  
Date Reported: 08/05/2005 Sample Status: COMPLETE  
Project No:

**Analyses and Results:**

Analysis Method

Analysis Date

Lab Comment

VOCS IN WATER BY GC/MS - EPA METHOD08/04/2005

SEE OQ000496.MM1

Lab Memo

THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000496.

THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY \*QL.

THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY \*MSU.

THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDICATED BY \*RPD.

IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
77562	1,1,1,2-TETRACHLOROETHANE	630206	ND	UG/L	0.20		0.66
34506	1,1,1-TRICHLOROETHANE	71556	ND	UG/L	0.15		0.50
34516	1,1,2,2-TETRACHLOROETHANE	79345	ND	UG/L	0.15		0.50
34511	1,1,2-TRICHLOROETHANE	79005	ND	UG/L	0.15		0.50
34496	1,1-DICHLOROETHANE	75343	ND	UG/L	0.15		0.50
34501	1,1-DICHLOROETHYLENE	75354	ND	UG/L	0.15		0.50
77168	1,1-DICHLOROPROPENE	563586	ND	UG/L	0.15		0.50
77613	1,2,3-TRICHLOROBENZENE	87616	ND	UG/L	0.15		0.50
77443	1,2,3-TRICHLOROPROPANE	96184	ND	UG/L	0.15		0.50
34551	1,2,4-TRICHLOROBENZENE	120821	ND	UG/L	0.15		0.50
77222	1,2,4-TRIMETHYLBENZENE	95636	ND	UG/L	0.15		0.50
38437	1,2-DIBROMO-3-	96128	ND	UG/L	0.20		0.66

# Wisconsin Department of Natural Resources

## Laboratory Report

08/09/2005

Lab: 113133790

Sample: OQ000496

Page 7 of 20

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
	<b>CHLOROPROPANE</b>						
77651	1,2-DIBROMOETHANE	106934	ND	UG/L	0.15		0.50
34536	1,2-DICHLOROBENZENE	95501	ND	UG/L	0.15		0.50
34531	1,2-DICHLOROETHANE	107062	9.7	UG/L	0.15		0.50
77093	1,2-DICHLOROETHYLENE CIS	156592	ND	UG/L	0.15		0.50
34546	1,2-DICHLOROETHYLENE TRANS	156605	ND	UG/L	0.15		0.50
34541	1,2-DICHLOROPROPANE	78875	ND	UG/L	0.15		0.50
77226	1,3,5-TRIMETHYLBENZENE	108678	ND	UG/L	0.15		0.50
34566	1,3-DICHLOROBENZENE	541731	ND	UG/L	0.15		0.50
77173	1,3-DICHLOROPROPANE	142289	*RPD ND	UG/L	0.15		0.50
34704	1,3-DICHLOROPROPENE-CIS	10061015	ND	UG/L	0.15		0.50
34699	1,3-DICHLOROPROPENE-TRANS	10061026	ND	UG/L	0.15		0.50
34571	1,4-DICHLOROBENZENE	106467	ND	UG/L	0.15		0.50
77170	2,2-DICHLOROPROPANE	594207	ND	UG/L	0.15		0.50
34030	BENZENE	71432	ND	UG/L	0.15		0.50
81555	BROMOBENZENE	108861	ND	UG/L	0.15		0.50
77297	BROMOCHLOROMETHANE	74975	ND	UG/L	0.15		0.50
32101	BROMODICHLOROMETHANE	75274	ND	UG/L	0.15		0.50
32104	BROMOFORM	75252	ND	UG/L	0.15		0.50
34413	BROMOMETHANE	74839	ND	UG/L	0.15		0.50
77350	BUTYLBENZENE SEC	135988	ND	UG/L	0.15		0.50
77353	BUTYLBENZENE TERT	98066	ND	UG/L	0.15		0.50
32102	CARBON TETRACHLORIDE	56235	ND	UG/L	0.15		0.50
34301	CHLOROBENZENE	108907	ND	UG/L	0.15		0.50
34311	CHLOROETHANE	75003	ND	UG/L	0.15		0.50
32106	CHLOROFORM	67663	ND	UG/L	0.15		0.50
34418	CHLOROMETHANE	74873	ND	UG/L	0.15		0.50
32105	DIBROMOCHLOROMETHANE	124481	ND	UG/L	0.15		0.50
77596	DIBROMOMETHANE	74953	ND	UG/L	0.15		0.50
34668	DICHLORODIFLUOROMETHANE	75718	ND	UG/L	0.20		0.66
34371	ETHYLBENZENE	100414	ND	UG/L	0.15		0.50
34391	HEXACHLOROBUTADIENE	87683	ND	UG/L	0.15		0.50
77223	ISOPROPYLBENZENE	98828	ND	UG/L	0.15		0.50
85795	M/P-XYLENE	136777612	ND	UG/L	0.15		0.50

# Wisconsin Department of Natural Resources

## Laboratory Report

08/09/2005

Lab: 113133790

Sample: OQ000496

Page 8 of 20

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
78032	METHYL TERT BUTYL ETHER	1634044	ND	UG/L	0.15		0.50
34423	METHYLENE CHLORIDE	75092	*QL*MSU	UG/L	0.15		0.50
77342	N-BUTYLBENZENE	104518	ND	UG/L	0.15		0.50
77224	N-PROPYLBENZENE	103651	ND	UG/L	0.15		0.50
34696	NAPHTHALENE	91203	ND	UG/L	0.15		0.50
77275	O-CHLOROTOLUENE	95498	ND	UG/L	0.15		0.50
77135	O-XYLENE	95476	ND	UG/L	0.15		0.50
77277	P-CHLOROTOLUENE	106434	ND	UG/L	0.15		0.50
77356	P-ISOPROPYLTOLUENE	99876	ND	UG/L	0.15		0.50
77128	STYRENE	100425	ND	UG/L	0.15		0.50
34475	TETRACHLOROETHYLENE	127184	ND	UG/L	0.15		0.50
34010	TOLUENE	108883	ND	UG/L	0.15		0.50
39180	TRICHLOROETHYLENE	79016	ND	UG/L	0.15		0.50
34488	TRICHLOROFLUOROMETHANE	75694	ND	UG/L	0.15		0.50
39175	VINYL CHLORIDE	75014	ND	UG/L	0.20		0.66

### Analysis Method

Analysis Date Lab Comment

#### ADDITIONAL VOCS IN WATER - EPA METH08/04/2005 SEE OQ000496.MM1

**Lab Memo** THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000496.

THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY \*QL.

THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY \*MSU.

THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDICATED BY \*RPD.

IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
78133	4-METHYL-2-PENTANONE	108101	ND	UG/L	10.		33.
81552	ACETONE	67641	12.	UG/L	10.		33.
77041	CARBON DISULFIDE	75150	ND	UG/L	0.15		0.50
81577	DIISOPROPYL ETHER	108203	ND	UG/L	0.15		0.50
81595	METHYL ETHYL KETONE	78933	ND	UG/L	10.		33.
81590	N-HEXANE	110543	ND	UG/L	0.15		0.50
81607	TETRAHYDROFURAN	109999	ND	UG/L	10.		33.



## Page 9 of 20

Analysis Method	Analysis Date	Lab Comment
<b>TEMPERATURE ON RECEIPT-ICED - O950 08/04/2005 SEE OQ000496.MM1</b>		
Lab Memo	<p>THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000496.</p> <p>THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY *QL.</p> <p>THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY *MSU.</p> <p>THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDICATED BY *RPD.</p>	

Wisconsin Department of Natural Resources  
Laboratory Report

08/09/2005

Lab: 113133790

Sample: OQ000496

Page 10 of 20

*Lab Memo* IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.

<i>Code</i>	<i>Description</i>	<i>Cas No</i>	<i>Result</i>	<i>Units</i>	<i>LOD</i>	<i>Report Limit</i>	<i>LOQ</i>
<b>136</b>	<b>TEMPERATURE AT LAB</b>	E1645696	<b>ICED</b>			9999999	

**Wisconsin Department of Natural Resources**  
**Laboratory Report**

08/09/2005

Lab: 113133790

Sample: OQ000497

Page 11 of 20

**Laboratory:** Wisconsin State Laboratory of Hygiene  
2601 Agriculture Dr.  
Madison WI 537077996  
Phone : 800-442-4618 Fax Phone : 608-224-6276

DNR ID 113133790

**Sample:**

Field #: 3 Sample #: OQ000497  
Collection Start: 08/04/2005 01:15 pm Collection End:  
Collected by: GEIS/CONGDON Waterbody/Outfall Id:  
ID #: ID Point #:  
County: 14 Account #: RR029  
Sample Location: POST CARBON TANK  
Sample Description: WATER TREATMENT SYSTEM - WATERTOWN RECYCLING FIRE  
Sample Source: EF Sample Depth:  
Date Reported: 08/05/2005 Sample Status: COMPLETE  
Project No:

**Analyses and Results:**

Analysis Method

Analysis Date

Lab Comment

VOCS IN WATER BY GC/MS - EPA METHOD08/04/2005

SEE OQ000497.MM1

Lab Memo

THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000497.

THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY \*QL.

THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY \*MSU.

THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDICATED BY \*RPD.

IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
77562	1,1,1,2-TETRACHLOROETHANE	630206	ND	UG/L	0.20		0.66
34506	1,1,1-TRICHLOROETHANE	71556	ND	UG/L	0.15		0.50
34516	1,1,2,2-TETRACHLOROETHANE	79345	ND	UG/L	0.15		0.50
34511	1,1,2-TRICHLOROETHANE	79005	ND	UG/L	0.15		0.50
34496	1,1-DICHLOROETHANE	75343	ND	UG/L	0.15		0.50
34501	1,1-DICHLOROETHYLENE	75354	ND	UG/L	0.15		0.50
77168	1,1-DICHLOROPROPENE	563586	ND	UG/L	0.15		0.50
77613	1,2,3-TRICHLOROBENZENE	87616	ND	UG/L	0.15		0.50
77443	1,2,3-TRICHLOROPROPANE	96184	ND	UG/L	0.15		0.50
34551	1,2,4-TRICHLOROBENZENE	120821	ND	UG/L	0.15		0.50
77222	1,2,4-TRIMETHYLBENZENE	95636	0.16	UG/L	0.15		0.50
38437	1,2-DIBROMO-3-	96128	ND	UG/L	0.20		0.66

# Wisconsin Department of Natural Resources

## Laboratory Report

08/09/2005

Lab: 113133790

Sample: OQ000497

Page 12 of 20

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
	<b>CHLOROPROPANE</b>						
77651	1,2-DIBROMOETHANE	106934	ND	UG/L	0.15		0.50
34536	1,2-DICHLOROBENZENE	95501	ND	UG/L	0.15		0.50
34531	1,2-DICHLOROETHANE	107062	ND	UG/L	0.15		0.50
77093	1,2-DICHLOROETHYLENE CIS	156592	ND	UG/L	0.15		0.50
34546	1,2-DICHLOROETHYLENE TRANS	156605	ND	UG/L	0.15		0.50
34541	1,2-DICHLOROPROPANE	78875	ND	UG/L	0.15		0.50
77226	1,3,5-TRIMETHYLBENZENE	108678	ND	UG/L	0.15		0.50
34566	1,3-DICHLOROBENZENE	541731	ND	UG/L	0.15		0.50
77173	1,3-DICHLOROPROPANE	142289	*RPD ND	UG/L	0.15		0.50
34704	1,3-DICHLOROPROPENE-CIS	10061015	ND	UG/L	0.15		0.50
34699	1,3-DICHLOROPROPENE-TRANS	10061026	ND	UG/L	0.15		0.50
34571	1,4-DICHLOROBENZENE	106467	ND	UG/L	0.15		0.50
77170	2,2-DICHLOROPROPANE	594207	ND	UG/L	0.15		0.50
34030	BENZENE	71432	ND	UG/L	0.15		0.50
81555	BROMOBENZENE	108861	ND	UG/L	0.15		0.50
77297	BROMOCHLOROMETHANE	74975	ND	UG/L	0.15		0.50
32101	BROMODICHLOROMETHANE	75274	ND	UG/L	0.15		0.50
32104	BROMOFORM	75252	ND	UG/L	0.15		0.50
34413	BROMOMETHANE	74839	ND	UG/L	0.15		0.50
77350	BUTYLBENZENE SEC	135988	ND	UG/L	0.15		0.50
77353	BUTYLBENZENE TERT	98066	ND	UG/L	0.15		0.50
32102	CARBON TETRACHLORIDE	56235	ND	UG/L	0.15		0.50
34301	CHLOROBENZENE	108907	ND	UG/L	0.15		0.50
34311	CHLOROETHANE	75003	ND	UG/L	0.15		0.50
32106	CHLOROFORM	67663	ND	UG/L	0.15		0.50
34418	CHLOROMETHANE	74873	ND	UG/L	0.15		0.50
32105	DIBROMOCHLOROMETHANE	124481	ND	UG/L	0.15		0.50
77596	DIBROMOMETHANE	74953	ND	UG/L	0.15		0.50
34668	DICHLORODIFLUOROMETHANE	75718	ND	UG/L	0.20		0.66
34371	ETHYLBENZENE	100414	ND	UG/L	0.15		0.50
34391	HEXACHLOROBUTADIENE	87683	ND	UG/L	0.15		0.50
77223	ISOPROPYLBENZENE	98828	ND	UG/L	0.15		0.50
85795	M/P-XYLENE	136777612	ND	UG/L	0.15		0.50

# Wisconsin Department of Natural Resources

## Laboratory Report

08/09/2005

Lab: 113133790

Sample: OQ000497

Page 13 of 20

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
78032	METHYL TERT BUTYL ETHER	1634044	ND	UG/L	0.15		0.50
34423	METHYLENE CHLORIDE	75092	*QL*MSU	UG/L	0.15		0.50
77342	N-BUTYLBENZENE	104518	ND	UG/L	0.15		0.50
77224	N-PROPYLBENZENE	103651	ND	UG/L	0.15		0.50
34696	NAPHTHALENE	91203	ND	UG/L	0.15		0.50
77275	O-CHLOROTOLUENE	95498	ND	UG/L	0.15		0.50
77135	O-XYLENE	95476	ND	UG/L	0.15		0.50
77277	P-CHLOROTOLUENE	106434	ND	UG/L	0.15		0.50
77356	P-ISOPROPYLTOLUENE	99876	ND	UG/L	0.15		0.50
77128	STYRENE	100425	ND	UG/L	0.15		0.50
34475	TETRACHLOROETHYLENE	127184	ND	UG/L	0.15		0.50
34010	TOLUENE	108883	ND	UG/L	0.15		0.50
39180	TRICHLOROETHYLENE	79016	ND	UG/L	0.15		0.50
34488	TRICHLOROFLUOROMETHANE	75694	ND	UG/L	0.15		0.50
39175	VINYL CHLORIDE	75014	ND	UG/L	0.20		0.66

### Analysis Method

Analysis Date Lab Comment

#### ADDITIONAL VOCs IN WATER - EPA METH08/04/2005 SEE OQ000497.MM1

**Lab Memo** THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000497.

THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY \*QL.

THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY \*MSU.

THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDICATED BY \*RPD.

IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
78133	4-METHYL-2-PENTANONE	108101	ND	UG/L	10.		33.
81552	ACETONE	67641	29.	UG/L	10.		33.
77041	CARBON DISULFIDE	75150	ND	UG/L	0.15		0.50
81577	DIISOPROPYL ETHER	108203	ND	UG/L	0.15		0.50
81595	METHYL ETHYL KETONE	78933	ND	UG/L	10.		33.
81590	N-HEXANE	110543	ND	UG/L	0.15		0.50
81607	TETRAHYDROFURAN	109999	ND	UG/L	10.		33.

# Wisconsin Department of Natural Resources

## Laboratory Report

08/09/2005

Lab: 113133790

Sample: OQ000497

Page 14 of 20

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
<b>81611</b>	<b>TRICHLOROTRIFLUOROETHANE</b>	26523648	<b>ND</b>	UG/L	0.15		0.50

<i>Analysis Method</i>		<i>Analysis Date Lab Comment</i>					
<b>VOCS IN WATER BY GC/MS - PREP - EPA M08/04/2005 SEE OQ000497.MM1</b>							
<i>Lab Memo</i>	<p>THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000497.</p> <p>THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY *QL.</p> <p>THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY *MSU.</p> <p>THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDICATED BY *RPD.</p> <p>IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.</p>						
Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
<b>99299</b>	<b>PREP VOCS IN WATER GC/MS METHOD 524.2</b>		<b>COMPLE</b>				
			<b>TE</b>				

<i>Analysis Method</i>		<i>Analysis Date Lab Comment</i>					
<b>VOCS IN WATER BY GC/MS - PREP - EPA M08/04/2005 SEE OQ000497.MM1</b>							
<i>Lab Memo</i>	<p>THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000497.</p> <p>THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY *QL.</p> <p>THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY *MSU.</p> <p>THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDICATED BY *RPD.</p> <p>IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.</p>						
Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
<b>99299</b>	<b>PREP VOCS IN WATER GC/MS METHOD 524.2</b>		<b>COMPLE</b>				
			<b>TE</b>				

<i>Analysis Method</i>		<i>Analysis Date Lab Comment</i>					
<b>TEMPERATURE ON RECEIPT-ICED - O950 08/04/2005 SEE OQ000497.MM1</b>							
<i>Lab Memo</i>	<p>THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000497.</p> <p>THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY *QL.</p> <p>THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY *MSU.</p> <p>THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDICATED BY *RPD.</p>						

**Wisconsin Department of Natural Resources**  
**Laboratory Report**

08/09/2005

Lab: 113133790

Sample: OQ000497

Page 15 of 20

*Lab Memo* IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.

<i>Code</i>	<i>Description</i>	<i>Cas No</i>	<i>Result</i>	<i>Units</i>	<i>LOD</i>	<i>Report Limit</i>	<i>LOQ</i>
<b>136</b>	<b>TEMPERATURE AT LAB</b>	E1645696	<b>ICED</b>			9999999	

**Wisconsin Department of Natural Resources**  
**Laboratory Report**

08/09/2005

Lab: 113133790

Sample: OQ000498

Page 16 of 20

**Laboratory:** Wisconsin State Laboratory of Hygiene  
2601 Agriculture Dr.  
Madison WI 537077996  
Phone : 800-442-4618 Fax Phone : 608-224-6276

DNR ID 113133790

**Sample:**

Field #: 1 Sample #: OQ000498  
Collection Start: 08/04/2005 11:55 am Collection End:  
Collected by: GEIS/CONGDON Waterbody/Outfall Id:  
ID #: ID Point #:  
County: 14 Account #: RR029  
Sample Location: DITCH ON HIWAY 19 - WATERTOWN RECYCLING FIRE  
Sample Description: UPSTREAM OF DAM  
Sample Source: SU Sample Depth:  
Date Reported: 08/05/2005 Sample Status: COMPLETE  
Project No:

**Analyses and Results:**

Analysis Method

Analysis Date

Lab Comment

VOCS IN WATER BY GC/MS - EPA METHOD08/04/2005

SEE OQ000498.MM1

Lab Memo

THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000498.

THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY \*QL.

THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY \*MSU.

THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDICATED BY \*RPD.

IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
77562	1,1,1,2-TETRACHLOROETHANE	630206	ND	UG/L	0.20		0.66
34506	1,1,1-TRICHLOROETHANE	71556	ND	UG/L	0.15		0.50
34516	1,1,2,2-TETRACHLOROETHANE	79345	ND	UG/L	0.15		0.50
34511	1,1,2-TRICHLOROETHANE	79005	ND	UG/L	0.15		0.50
34496	1,1-DICHLOROETHANE	75343	ND	UG/L	0.15		0.50
34501	1,1-DICHLOROETHYLENE	75354	ND	UG/L	0.15		0.50
77168	1,1-DICHLOROPROPENE	563586	ND	UG/L	0.15		0.50
77613	1,2,3-TRICHLOROBENZENE	87616	ND	UG/L	0.15		0.50
77443	1,2,3-TRICHLOROPROPANE	96184	ND	UG/L	0.15		0.50
34551	1,2,4-TRICHLOROBENZENE	120821	ND	UG/L	0.15		0.50
77222	1,2,4-TRIMETHYLBENZENE	95636	ND	UG/L	0.15		0.50
38437	1,2-DIBROMO-3-	96128	ND	UG/L	0.20		0.66



# Wisconsin Department of Natural Resources

## Laboratory Report

08/09/2005

Lab: 113133790

Sample: OQ000498

Page 17 of 20

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
	<b>CHLOROPROPANE</b>						
77651	1,2-DIBROMOETHANE	106934	ND	UG/L	0.15		0.50
34536	1,2-DICHLOROBENZENE	95501	ND	UG/L	0.15		0.50
34531	1,2-DICHLOROETHANE	107062	5.3	UG/L	0.15		0.50
77093	1,2-DICHLOROETHYLENE CIS	156592	ND	UG/L	0.15		0.50
34546	1,2-DICHLOROETHYLENE TRANS	156605	ND	UG/L	0.15		0.50
34541	1,2-DICHLOROPROPANE	78875	ND	UG/L	0.15		0.50
77226	1,3,5-TRIMETHYLBENZENE	108678	ND	UG/L	0.15		0.50
34566	1,3-DICHLOROBENZENE	541731	ND	UG/L	0.15		0.50
77173	1,3-DICHLOROPROPANE	142289	*RPD ND	UG/L	0.15		0.50
34704	1,3-DICHLOROPROPENE-CIS	10061015	ND	UG/L	0.15		0.50
34699	1,3-DICHLOROPROPENE-TRANS	10061026	ND	UG/L	0.15		0.50
34571	1,4-DICHLOROBENZENE	106467	ND	UG/L	0.15		0.50
77170	2,2-DICHLOROPROPANE	594207	ND	UG/L	0.15		0.50
34030	BENZENE	71432	0.28	UG/L	0.15		0.50
81555	BROMOBENZENE	108861	ND	UG/L	0.15		0.50
77297	BROMOCHLOROMETHANE	74975	ND	UG/L	0.15		0.50
32101	BROMODICHLOROMETHANE	75274	ND	UG/L	0.15		0.50
32104	BROMOFORM	75252	ND	UG/L	0.15		0.50
34413	BROMOMETHANE	74839	ND	UG/L	0.15		0.50
77350	BUTYLBENZENE SEC	135988	ND	UG/L	0.15		0.50
77353	BUTYLBENZENE TERT	98066	ND	UG/L	0.15		0.50
32102	CARBON TETRACHLORIDE	56235	ND	UG/L	0.15		0.50
34301	CHLOROBENZENE	108907	ND	UG/L	0.15		0.50
34311	CHLOROETHANE	75003	ND	UG/L	0.15		0.50
32106	CHLOROFORM	67663	ND	UG/L	0.15		0.50
34418	CHLOROMETHANE	74873	ND	UG/L	0.15		0.50
32105	DIBROMOCHLOROMETHANE	124481	ND	UG/L	0.15		0.50
77596	DIBROMOMETHANE	74953	ND	UG/L	0.15		0.50
34668	DICHLORODIFLUOROMETHANE	75718	ND	UG/L	0.20		0.66
34371	ETHYLBENZENE	100414	0.38	UG/L	0.15		0.50
34391	HEXACHLOROBUTADIENE	87683	ND	UG/L	0.15		0.50
77223	ISOPROPYLBENZENE	98828	ND	UG/L	0.15		0.50
85795	M/P-XYLENE	136777612	1.8	UG/L	0.15		0.50

# Wisconsin Department of Natural Resources

## Laboratory Report

08/09/2005

Lab: 113133790

Sample: OQ000498

Page 18 of 20

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
78032	METHYL TERT BUTYL ETHER	1634044	ND	UG/L	0.15		0.50
34423	METHYLENE CHLORIDE	75092	*QL*MSU	UG/L	0.15		0.50
77342	N-BUTYLBENZENE	104518	ND	UG/L	0.15		0.50
77224	N-PROPYLBENZENE	103651	ND	UG/L	0.15		0.50
34696	NAPHTHALENE	91203	0.45	UG/L	0.15		0.50
77275	O-CHLOROTOLUENE	95498	ND	UG/L	0.15		0.50
77135	O-XYLENE	95476	ND	UG/L	0.15		0.50
77277	P-CHLOROTOLUENE	106434	ND	UG/L	0.15		0.50
77356	P-ISOPROPYLTOLUENE	99876	0.15	UG/L	0.15		0.50
77128	STYRENE	100425	ND	UG/L	0.15		0.50
34475	TETRACHLOROETHYLENE	127184	ND	UG/L	0.15		0.50
34010	TOLUENE	108883	0.50	UG/L	0.15		0.50
39180	TRICHLOROETHYLENE	79016	ND	UG/L	0.15		0.50
34488	TRICHLOROFLUOROMETHANE	75694	ND	UG/L	0.15		0.50
39175	VINYL CHLORIDE	75014	ND	UG/L	0.20		0.66

### Analysis Method

### Analysis Date Lab Comment

#### ADDITIONAL VOCS IN WATER - EPA METH08/04/2005 SEE OQ000498.MM1

**Lab Memo** THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000498.

THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY \*QL.

THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY \*MSU.

THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDICATED BY \*RPD.

IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
78133	4-METHYL-2-PENTANONE	108101	ND	UG/L	10.		33.
81552	ACETONE	67641	45.	UG/L	10.		33.
77041	CARBON DISULFIDE	75150	ND	UG/L	0.15		0.50
81577	DIISOPROPYL ETHER	108203	ND	UG/L	0.15		0.50
81595	METHYL ETHYL KETONE	78933	ND	UG/L	10.		33.
81590	N-HEXANE	110543	ND	UG/L	0.15		0.50
81607	TETRAHYDROFURAN	109999	ND	UG/L	10.		33.

## Wisconsin Department of Natural Resources

## Laboratory Report

08/09/2005

Lab: 113133790

Sample: OQ000498

Page 19 of 20

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
81611	TRICHLOROTRIFLUOROETHANE	26523648	ND	UG/L	0.15		0.50

## Analysis Method

Analysis Date Lab Comment

**VOCS IN WATER BY GC/MS - PREP - EPA M08/04/2005 SEE OQ000498.MM1**

Lab Memo THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000498.

THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY \*QL.

THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY \*MSU.

THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDICATED BY \*RPD.

IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
99299	PREP VOCS IN WATER GC/MS METHOD 524.2		COMPLE TE				

## Analysis Method

Analysis Date Lab Comment

**VOCS IN WATER BY GC/MS - PREP - EPA M08/04/2005 SEE OQ000498.MM1**

Lab Memo THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000498.

THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY \*QL.

THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY \*MSU.

THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDICATED BY \*RPD.

IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.

Code	Description	Cas No	Result	Units	LOD	Report Limit	LOQ
99299	PREP VOCS IN WATER GC/MS METHOD 524.2		COMPLE TE				

## Analysis Method

Analysis Date Lab Comment

**TEMPERATURE ON RECEIPT-ICED - O950 08/04/2005 SEE OQ000498.MM1**

Lab Memo THE FOLLOWING QUALIFIERS EXIST FOR THE DATA THAT IS REPORTED FOR WISCONSIN STATE LABORATORY OF HYGIENE (WSLH) SAMPLE OQ000498.

THE LOWER QC LIMIT FOR THE CALIBRATION CHECK IS EXCEEDED INDICATED BY \*QL.

THE MATRIX SPIKE DOES NOT MEET THE UPPER QC LIMIT INDICATED BY \*MSU.

THE RELATIVE PERCENT DIFFERENCE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE DOES NOT MEET THE QC LIMIT INDICATED BY \*RPD.

Wisconsin Department of Natural Resources  
Laboratory Report

08/09/2005

Lab: 113133790

Sample: OQ000498

Page 20 of 20

*Lab Memo* IF YOU HAVE ANY QUESTIONS, CONTACT STEVE GEIS AT (608) 224-6269.

<i>Code</i>	<i>Description</i>	<i>Cas No</i>	<i>Result</i>	<i>Units</i>	<i>LOD</i>	<i>Report Limit</i>	<i>LOQ</i>
<b>136</b>	<b>TEMPERATURE AT LAB</b>	E1645696	<b>ICED</b>			9999999	