

August 18, 2005

Client: WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606

Work Order: WOH0543
Project Name: Watertown Tire Fire E. R.
Project Number: [none]

Attn: Heidi Gorrill

Date Received: 08/15/05

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
WTF081505 EFF01 SW 8270C analysis performed at Lab ID: 999917160 Samples were received into laboratory on ice. Wisconsin Certification Number: 128053530, DATCP #266	WOH0543-01	08/15/05 12:50

Unless subcontracted, volatiles analyses (including VOC, PVOC, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.

Approved By:



TestAmerica Analytical - Watertown
Brian DeJong For Dan F. Milewsky
Project Manager

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOH0543-01 (WTF081505 EFF01 - Ground Water)							Sampled: 08/15/05 12:50			
General Chemistry Parameters										
Chemical Oxygen Demand	27		mg/L	5.7	20	1	08/16/05 08:25	pem	5080543	EPA 410.4
Oil & Grease	<1.0		mg/L	1.0	3.3	1	08/16/05 13:03	jvk	5080545	SM 5520B
pH	6.6		pH Units	NA	NA	1	08/15/05 14:53	klb	5080508	EPA 150.1
Total Suspended Solids	3.0	J	mg/L	1.0	3.3	1	08/15/05 23:59	aad	5080518	EPA 160.2
Metals										
Aluminum	0.029	J, B	mg/L	0.015	0.052	1	08/16/05 10:59	mmm	5080513	SW 6010B
Antimony	0.019	J	mg/L	0.013	0.045	1	08/16/05 10:59	mmm	5080513	SW 6010B
Arsenic	0.039	J, B	mg/L	0.025	0.087	1	08/16/05 10:59	mmm	5080513	SW 6010B
Barium	0.0032	J	mg/L	0.0012	0.0043	1	08/16/05 10:59	mmm	5080513	SW 6010B
Beryllium	0.00051	B	mg/L	0.00013	0.00046	1	08/16/05 10:59	mmm	5080513	SW 6010B
Cadmium	0.0024	J	mg/L	0.0011	0.0040	1	08/16/05 10:59	mmm	5080513	SW 6010B
Calcium	52	B	mg/L	0.013	0.047	1	08/16/05 10:59	mmm	5080513	SW 6010B
Chromium	<0.0021		mg/L	0.0021	0.0072	1	08/16/05 10:59	mmm	5080513	SW 6010B
Cobalt	<0.0063		mg/L	0.0063	0.022	1	08/16/05 10:59	mmm	5080513	SW 6010B
Copper	<0.018		mg/L	0.018	0.065	1	08/16/05 10:59	mmm	5080513	SW 6010B
Iron	0.27		mg/L	0.016	0.053	1	08/16/05 10:59	mmm	5080513	SW 6010B
Lead	<0.013		mg/L	0.013	0.047	1	08/16/05 10:59	mmm	5080513	SW 6010B
Magnesium	47		mg/L	0.013	0.047	1	08/16/05 10:59	mmm	5080513	SW 6010B
Manganese	1.4		mg/L	0.00096	0.0032	1	08/16/05 10:59	mmm	5080513	SW 6010B
Mercury	<0.000092		mg/L	0.000092	0.00033	1	08/16/05 12:59	mmm	5080483	EPA 245.1
Nickel	0.0086	J	mg/L	0.0040	0.014	1	08/16/05 10:59	mmm	5080513	SW 6010B
Potassium	8.0		mg/L	0.019	0.067	1	08/16/05 10:59	mmm	5080513	SW 6010B
Selenium	<0.045		mg/L	0.045	0.16	1	08/16/05 10:59	mmm	5080513	SW 6010B
Silver	<0.0013		mg/L	0.0013	0.0046	1	08/16/05 10:59	mmm	5080513	SW 6010B
Sodium	70		mg/L	0.0100	0.035	1	08/16/05 10:58	mmm	5080513	SW 6010B
Thallium	0.073	J	mg/L	0.038	0.13	1	08/16/05 10:59	mmm	5080513	SW 6010B
Vanadium	0.0043	J	mg/L	0.0015	0.0052	1	08/16/05 10:59	mmm	5080513	SW 6010B
Zinc	0.038		mg/L	0.0028	0.0095	1	08/16/05 10:59	mmm	5080513	SW 6010B
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	08/15/05 15:06	MAE	5080475	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	08/15/05 15:06	MAE	5080475	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOH0543-01 (WTF081505 EFF01 - Ground Water) - cont.							Sampled: 08/15/05 12:50			
VOCs by SW8260B - cont.										
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	08/15/05 15:06	MAE	5080475	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	08/15/05 15:06	MAE	5080475	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	08/15/05 15:06	MAE	5080475	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	08/15/05 15:06	MAE	5080475	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	08/15/05 15:06	MAE	5080475	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	08/15/05 15:06	MAE	5080475	SW 8260B
Surr: Dibromofluoromethane (89-119%)	97 %									
Surr: Toluene-d8 (91-109%)	98 %									
Surr: 4-Bromofluorobenzene (89-114%)	98 %									

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOH0543-01 (WTF081505 EFF01 - Ground Water) - cont.						Sampled: 08/15/05 12:50			
Semivolatile Organic Compounds by EPA Method 8270C			QC						
Acenaphthene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Acenaphthylene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Aniline	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Anthracene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Benzidine	<50.0		ug/l	50.0	1	08/16/05 12:31	pm	5080329	EPA 8270C
Benzoic acid	<20.0		ug/l	20.0	1	08/16/05 12:31	pm	5080329	EPA 8270C
Benz (a) anthracene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Benzo (a) pyrene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Benzo (b) fluoranthene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Benzo (ghi) perylene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Benzo (k) fluoranthene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Benzyl alcohol	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Bis(2-chloroethoxy)methane	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Bis(2-chloroethyl)ether	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Bis(2-chloroisopropyl)ether	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Bis(2-ethylhexyl)phthalate	<10.0		ug/l	10.0	1	08/16/05 12:31	pm	5080329	EPA 8270C
4-Bromophenyl phenyl ether	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Butyl benzyl phthalate	<10.0		ug/l	10.0	1	08/16/05 12:31	pm	5080329	EPA 8270C
Carbazole	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
4-Chloroaniline	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
4-Chloro-3-methylphenol	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
2-Chloronaphthalene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
2-Chlorophenol	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
4-Chlorophenyl phenyl ether	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Chrysene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Dibenz (a,h) anthracene	2.01		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Dibenzofuran	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
1,2-Dichlorobenzene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
1,3-Dichlorobenzene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
1,4-Dichlorobenzene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
3,3'-Dichlorobenzidine	<10.0		ug/l	10.0	1	08/16/05 12:31	pm	5080329	EPA 8270C
2,4-Dichlorophenol	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Diethyl phthalate	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
2,4-Dimethylphenol	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Dimethyl phthalate	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Di-n-butyl phthalate	<10.0		ug/l	10.0	1	08/16/05 12:31	pm	5080329	EPA 8270C
4,6-Dinitro-2-methylphenol	<10.0		ug/l	10.0	1	08/16/05 12:31	pm	5080329	EPA 8270C
2,4-Dinitrophenol	<10.0		ug/l	10.0	1	08/16/05 12:31	pm	5080329	EPA 8270C
2,4-Dinitrotoluene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
2,6-Dinitrotoluene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Di-n-octyl phthalate	<10.0		ug/l	10.0	1	08/16/05 12:31	pm	5080329	EPA 8270C
1,2-Diphenylhydrazine	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Fluoranthene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Fluorene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Hexachlorobenzene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Hexachlorobutadiene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Hexachlorocyclopentadiene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Hexachloroethane	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Indeno (1,2,3-cd) pyrene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Isophorone	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
2-Methylnaphthalene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOH0543-01 (WTF081505 EFF01 - Ground Water) - cont.						Sampled: 08/15/05 12:50			
Semivolatile Organic Compounds by EPA Method 8270C - cont. QC									
o-Cresol	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
m,p-Cresols	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Naphthalene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
2-Nitroaniline	<10.0		ug/l	10.0	1	08/16/05 12:31	pm	5080329	EPA 8270C
3-Nitroaniline	<10.0		ug/l	10.0	1	08/16/05 12:31	pm	5080329	EPA 8270C
4-Nitroaniline	<10.0		ug/l	10.0	1	08/16/05 12:31	pm	5080329	EPA 8270C
Nitrobenzene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
2-Nitrophenol	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
4-Nitrophenol	<10.0		ug/l	10.0	1	08/16/05 12:31	pm	5080329	EPA 8270C
N-Nitrosodimethylamine	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
N-Nitrosodi-n-propylamine	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
N-Nitrosodiphenylamine	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Pentachlorophenol	<10.0		ug/l	10.0	1	08/16/05 12:31	pm	5080329	EPA 8270C
Phenanthrene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Phenol	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Pyrene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Pyridine	<5.00		ug/l	5.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
1,2,4-Trichlorobenzene	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
2,4,5-Trichlorophenol	<10.0		ug/l	10.0	1	08/16/05 12:31	pm	5080329	EPA 8270C
2,4,6-Trichlorophenol	<2.00		ug/l	2.00	1	08/16/05 12:31	pm	5080329	EPA 8270C
Surr: 2-Fluorophenol (10-110%)	11.4 %								
Surr: Phenol-d6 (10-110%)	13.7 %								
Surr: Nitrobenzene-d5 (10-110%)	79.2 %								
Surr: 2-Fluorobiphenyl (10-110%)	82.4 %								
Surr: 2,4,6-Tribromophenol (10-110%)	21.6 %								
Surr: p-Terphenyl-d14 (10-114%)	88.4 %								

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
General Chemistry Parameters														
Chemical Oxygen Demand	5080543			mg/L	5.7	20	<5.7							
Chemical Oxygen Demand	5080543			mg/L	5.7	20	<5.7							
Metals														
Mercury	5080483			mg/L	0.000092	0.00033	<0.000092							
Aluminum	5080513			mg/L	0.015	0.052	0.0235							J
Antimony	5080513			mg/L	0.013	0.045	<0.013							
Arsenic	5080513			mg/L	0.025	0.087	0.0451							J
Barium	5080513			mg/L	0.0012	0.0043	<0.0012							
Beryllium	5080513			mg/L	0.00013	0.00046	0.000209							J
Cadmium	5080513			mg/L	0.0011	0.0040	<0.0011							
Calcium	5080513			mg/L	0.013	0.047	0.0536							B
Chromium	5080513			mg/L	0.0021	0.0072	<0.0021							
Cobalt	5080513			mg/L	0.0063	0.022	<0.0063							
Copper	5080513			mg/L	0.018	0.065	<0.018							
Iron	5080513			mg/L	0.016	0.053	<0.016							
Lead	5080513			mg/L	0.013	0.047	<0.013							
Magnesium	5080513			mg/L	0.013	0.047	<0.013							
Manganese	5080513			mg/L	0.00096	0.0032	<0.00096							
Nickel	5080513			mg/L	0.0040	0.014	<0.0040							
Potassium	5080513			mg/L	0.019	0.067	<0.019							
Selenium	5080513			mg/L	0.045	0.16	<0.045							
Silver	5080513			mg/L	0.0013	0.0046	<0.0013							
Sodium	5080513			mg/L	0.0100	0.035	<0.010							
Thallium	5080513			mg/L	0.038	0.13	<0.038							
Vanadium	5080513			mg/L	0.0015	0.0052	<0.0015							
Zinc	5080513			mg/L	0.0028	0.0095	<0.0028							
VOCs by SW8260B														
Benzene	5080475			ug/L	0.20	0.67	<0.20							
Bromobenzene	5080475			ug/L	0.20	0.67	<0.20							
Bromochloromethane	5080475			ug/L	0.50	1.7	<0.50							
Bromodichloromethane	5080475			ug/L	0.20	0.67	<0.20							
Bromoform	5080475			ug/L	0.20	0.67	<0.20							
Bromomethane	5080475			ug/L	0.20	0.67	<0.20							
n-Butylbenzene	5080475			ug/L	0.20	0.67	<0.20							
sec-Butylbenzene	5080475			ug/L	0.25	0.83	<0.25							
tert-Butylbenzene	5080475			ug/L	0.20	0.67	<0.20							
Carbon Tetrachloride	5080475			ug/L	0.50	1.7	<0.50							
Chlorobenzene	5080475			ug/L	0.20	0.67	<0.20							
Chlorodibromomethane	5080475			ug/L	0.20	0.67	<0.20							
Chloroethane	5080475			ug/L	1.0	3.3	<1.0							
Chloroform	5080475			ug/L	0.20	0.67	<0.20							
Chloromethane	5080475			ug/L	0.20	0.67	<0.20							
2-Chlorotoluene	5080475			ug/L	0.50	1.7	<0.50							
4-Chlorotoluene	5080475			ug/L	0.20	0.67	<0.20							
1,2-Dibromo-3-chloropropane	5080475			ug/L	0.50	1.7	<0.50							
1,2-Dibromoethane (EDB)	5080475			ug/L	0.20	0.67	<0.20							
Dibromomethane	5080475			ug/L	0.20	0.67	<0.20							

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorriall

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
1,2-Dichlorobenzene	5080475			ug/L	0.20	0.67	<0.20							
1,3-Dichlorobenzene	5080475			ug/L	0.20	0.67	<0.20							
1,4-Dichlorobenzene	5080475			ug/L	0.20	0.67	<0.20							
Dichlorodifluoromethane	5080475			ug/L	0.50	1.7	<0.50							
1,1-Dichloroethane	5080475			ug/L	0.50	1.7	<0.50							
1,2-Dichloroethane	5080475			ug/L	0.50	1.7	<0.50							
1,1-Dichloroethene	5080475			ug/L	0.50	1.7	<0.50							
cis-1,2-Dichloroethene	5080475			ug/L	0.50	1.7	<0.50							
trans-1,2-Dichloroethene	5080475			ug/L	0.50	1.7	<0.50							
1,2-Dichloropropane	5080475			ug/L	0.50	1.7	<0.50							
1,3-Dichloropropane	5080475			ug/L	0.25	0.83	<0.25							
2,2-Dichloropropane	5080475			ug/L	0.50	1.7	<0.50							
1,1-Dichloropropene	5080475			ug/L	0.50	1.7	<0.50							
cis-1,3-Dichloropropene	5080475			ug/L	0.20	0.67	<0.20							
trans-1,3-Dichloropropene	5080475			ug/L	0.20	0.67	<0.20							
Isopropyl Ether	5080475			ug/L	0.50	1.7	<0.50							
Ethylbenzene	5080475			ug/L	0.50	1.7	<0.50							
Hexachlorobutadiene	5080475			ug/L	0.50	1.7	<0.50							
Isopropylbenzene	5080475			ug/L	0.20	0.67	<0.20							
p-Isopropyltoluene	5080475			ug/L	0.20	0.67	<0.20							
Methylene Chloride	5080475			ug/L	1.0	3.3	<1.0							
Methyl tert-Butyl Ether	5080475			ug/L	0.50	1.7	<0.50							
Naphthalene	5080475			ug/L	0.25	0.83	<0.25							
n-Propylbenzene	5080475			ug/L	0.50	1.7	<0.50							
Styrene	5080475			ug/L	0.20	0.67	<0.20							
1,1,1,2-Tetrachloroethane	5080475			ug/L	0.25	0.83	<0.25							
1,1,2,2-Tetrachloroethane	5080475			ug/L	0.20	0.67	<0.20							
Tetrachloroethene	5080475			ug/L	0.50	1.7	<0.50							
Toluene	5080475			ug/L	0.20	0.67	<0.20							
1,2,3-Trichlorobenzene	5080475			ug/L	0.25	0.83	<0.25							
1,2,4-Trichlorobenzene	5080475			ug/L	0.25	0.83	<0.25							
1,1,1-Trichloroethane	5080475			ug/L	0.50	1.7	<0.50							
1,1,2-Trichloroethane	5080475			ug/L	0.25	0.83	<0.25							
Trichloroethene	5080475			ug/L	0.20	0.67	<0.20							
Trichlorofluoromethane	5080475			ug/L	0.50	1.7	<0.50							
1,2,3-Trichloropropane	5080475			ug/L	0.50	1.7	<0.50							
1,2,4-Trimethylbenzene	5080475			ug/L	0.20	0.67	<0.20							
1,3,5-Trimethylbenzene	5080475			ug/L	0.20	0.67	<0.20							
Vinyl chloride	5080475			ug/L	0.20	0.67	<0.20							
Xylenes, Total	5080475			ug/L	0.50	1.7	<0.50							
Surrogate: Dibromofluoromethane	5080475			ug/L					96		89-119			
Surrogate: Toluene-d8	5080475			ug/L					98		91-109			
Surrogate: 4-Bromofluorobenzene	5080475			ug/L					99		89-114			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
---------	---------------	------------------	----------------	-------	-----	-----	--------	---------------	----------	-------------	-----------------	------------	--------------	---

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Semivolatile Organic Compounds by EPA Method 8270C														
Acenaphthene	5080329			ug/l	N/A	2.00	ND							02
Acenaphthylene	5080329			ug/l	N/A	2.00	ND							02
Aniline	5080329			ug/l	N/A	2.00	ND							02
Anthracene	5080329			ug/l	N/A	2.00	ND							02
Benzidine	5080329			ug/l	N/A	50.0	ND							02
Benzoic acid	5080329			ug/l	N/A	20.0	ND							02
Benz (a) anthracene	5080329			ug/l	N/A	2.00	ND							02
Benzo (a) pyrene	5080329			ug/l	N/A	2.00	ND							02
Benzo (b) fluoranthene	5080329			ug/l	N/A	2.00	ND							02
Benzo (ghi) perylene	5080329			ug/l	N/A	2.00	ND							02
Benzo (k) fluoranthene	5080329			ug/l	N/A	2.00	ND							02
Benzyl alcohol	5080329			ug/l	N/A	2.00	ND							02
Bis(2-chloroethoxy)methane	5080329			ug/l	N/A	2.00	ND							02
Bis(2-chloroethyl)ether	5080329			ug/l	N/A	2.00	ND							02
Bis(2-chloroisopropyl)ether	5080329			ug/l	N/A	2.00	ND							02
Bis(2-ethylhexyl)phthalate	5080329			ug/l	N/A	10.0	ND							02
4-Bromophenyl phenyl ether	5080329			ug/l	N/A	2.00	ND							02
Butyl benzyl phthalate	5080329			ug/l	N/A	10.0	ND							02
Carbazole	5080329			ug/l	N/A	2.00	ND							02
4-Chloroaniline	5080329			ug/l	N/A	2.00	ND							02
4-Chloro-3-methylphenol	5080329			ug/l	N/A	2.00	ND							02
2-Chloronaphthalene	5080329			ug/l	N/A	2.00	ND							02
2-Chlorophenol	5080329			ug/l	N/A	2.00	ND							02
4-Chlorophenyl phenyl ether	5080329			ug/l	N/A	2.00	ND							02
Chrysene	5080329			ug/l	N/A	2.00	ND							02
Dibenz (a,h) anthracene	5080329			ug/l	N/A	2.00	ND							02
Dibenzofuran	5080329			ug/l	N/A	2.00	ND							02
1,2-Dichlorobenzene	5080329			ug/l	N/A	2.00	ND							02
1,3-Dichlorobenzene	5080329			ug/l	N/A	2.00	ND							02
1,4-Dichlorobenzene	5080329			ug/l	N/A	2.00	ND							02
3,3'-Dichlorobenzidine	5080329			ug/l	N/A	10.0	ND							02
2,4-Dichlorophenol	5080329			ug/l	N/A	2.00	ND							02
Diethyl phthalate	5080329			ug/l	N/A	2.00	ND							02
2,4-Dimethylphenol	5080329			ug/l	N/A	2.00	ND							02
Dimethyl phthalate	5080329			ug/l	N/A	2.00	ND							02
Di-n-butyl phthalate	5080329			ug/l	N/A	10.0	ND							02
4,6-Dinitro-2-methylphenol	5080329			ug/l	N/A	10.0	ND							02
2,4-Dinitrophenol	5080329			ug/l	N/A	10.0	ND							02
2,4-Dinitrotoluene	5080329			ug/l	N/A	2.00	ND							02
2,6-Dinitrotoluene	5080329			ug/l	N/A	2.00	ND							02
Di-n-octyl phthalate	5080329			ug/l	N/A	10.0	ND							02
1,2-Diphenylhydrazine	5080329			ug/l	N/A	2.00	ND							02
Fluoranthene	5080329			ug/l	N/A	2.00	ND							02
Fluorene	5080329			ug/l	N/A	2.00	ND							02
Hexachlorobenzene	5080329			ug/l	N/A	2.00	ND							02

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorriall

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Semivolatile Organic Compounds by EPA Method 8270C														
Hexachlorobutadiene	5080329			ug/l	N/A	2.00	ND							02
Hexachlorocyclopentadiene	5080329			ug/l	N/A	2.00	ND							02
Hexachloroethane	5080329			ug/l	N/A	2.00	ND							02
Indeno (1,2,3-cd) pyrene	5080329			ug/l	N/A	2.00	ND							02
Isophorone	5080329			ug/l	N/A	2.00	ND							02
2-Methylnaphthalene	5080329			ug/l	N/A	2.00	ND							02
o-Cresol	5080329			ug/l	N/A	2.00	ND							02
m,p-Cresols	5080329			ug/l	N/A	2.00	ND							02
Naphthalene	5080329			ug/l	N/A	2.00	ND							02
2-Nitroaniline	5080329			ug/l	N/A	10.0	ND							02
3-Nitroaniline	5080329			ug/l	N/A	10.0	ND							02
4-Nitroaniline	5080329			ug/l	N/A	10.0	ND							02
Nitrobenzene	5080329			ug/l	N/A	2.00	ND							02
2-Nitrophenol	5080329			ug/l	N/A	2.00	ND							02
4-Nitrophenol	5080329			ug/l	N/A	10.0	ND							02
N-Nitrosodimethylamine	5080329			ug/l	N/A	2.00	ND							02
N-Nitrosodi-n-propylamine	5080329			ug/l	N/A	2.00	ND							02
N-Nitrosodiphenylamine	5080329			ug/l	N/A	2.00	ND							02
Pentachlorophenol	5080329			ug/l	N/A	10.0	ND							02
Phenanthrene	5080329			ug/l	N/A	2.00	ND							02
Phenol	5080329			ug/l	N/A	2.00	ND							02
Pyrene	5080329			ug/l	N/A	2.00	ND							02
Pyridine	5080329			ug/l	N/A	5.00	ND							02
1,2,4-Trichlorobenzene	5080329			ug/l	N/A	2.00	ND							02
2,4,5-Trichlorophenol	5080329			ug/l	N/A	10.0	ND							02
2,4,6-Trichlorophenol	5080329			ug/l	N/A	2.00	ND							02
Surrogate: 2-Fluorophenol	5080329			ug/l					15		10-110			02
Surrogate: Phenol-d6	5080329			ug/l					13		10-110			02
Surrogate: Nitrobenzene-d5	5080329			ug/l					93		10-110			02
Surrogate: 2-Fluorobiphenyl	5080329			ug/l					91		10-110			02
Surrogate: 2,4,6-Tribromophenol	5080329			ug/l					35		10-110			02
Surrogate: p-Terphenyl-d14	5080329			ug/l					102		10-114			02

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

CCB QC Data

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals														
Aluminum	5H16005			mg/kg wet	N/A	N/A	0.00527							
Antimony	5H16005			mg/kg wet	N/A	N/A	0.0184							
Arsenic	5H16005			mg/kg wet	N/A	N/A	0.0269							
Barium	5H16005			mg/kg wet	N/A	N/A	0.00109							
Beryllium	5H16005			mg/kg wet	N/A	N/A	0.000320							
Cadmium	5H16005			mg/kg wet	N/A	N/A	0.00107							
Chromium	5H16005			mg/kg wet	N/A	N/A	0.00118							
Cobalt	5H16005			mg/kg wet	N/A	N/A	ND							
Copper	5H16005			mg/kg wet	N/A	N/A	ND							
Iron	5H16005			mg/kg wet	N/A	N/A	0.000969							
Lead	5H16005			mg/kg wet	N/A	N/A	ND							
Magnesium	5H16005			mg/kg wet	N/A	N/A	ND							
Manganese	5H16005			mg/kg wet	N/A	N/A	ND							
Nickel	5H16005			mg/kg wet	N/A	N/A	ND							
Potassium	5H16005			mg/kg wet	N/A	N/A	0.000148							
Selenium	5H16005			mg/kg wet	N/A	N/A	ND							
Silver	5H16005			mg/kg wet	N/A	N/A	ND							
Sodium	5H16005			mg/kg wet	N/A	N/A	0.0415							
Thallium	5H16005			mg/kg wet	N/A	N/A	0.102							
Vanadium	5H16005			mg/kg wet	N/A	N/A	ND							
Zinc	5H16005			mg/kg wet	N/A	N/A	5.20E-6							
Aluminum	5H16005			mg/kg wet	N/A	N/A	0.0201							
Antimony	5H16005			mg/kg wet	N/A	N/A	0.0207							
Arsenic	5H16005			mg/kg wet	N/A	N/A	0.0295							
Barium	5H16005			mg/kg wet	N/A	N/A	0.000866							
Beryllium	5H16005			mg/kg wet	N/A	N/A	0.000867							
Cadmium	5H16005			mg/kg wet	N/A	N/A	0.000676							
Chromium	5H16005			mg/kg wet	N/A	N/A	0.000685							
Cobalt	5H16005			mg/kg wet	N/A	N/A	0.00171							
Copper	5H16005			mg/kg wet	N/A	N/A	ND							
Iron	5H16005			mg/kg wet	N/A	N/A	0.00174							
Lead	5H16005			mg/kg wet	N/A	N/A	ND							
Magnesium	5H16005			mg/kg wet	N/A	N/A	0.0285							
Manganese	5H16005			mg/kg wet	N/A	N/A	0.000187							
Nickel	5H16005			mg/kg wet	N/A	N/A	0.000106							
Potassium	5H16005			mg/kg wet	N/A	N/A	ND							
Selenium	5H16005			mg/kg wet	N/A	N/A	0.00739							
Silver	5H16005			mg/kg wet	N/A	N/A	ND							
Sodium	5H16005			mg/kg wet	N/A	N/A	0.0533							
Thallium	5H16005			mg/kg wet	N/A	N/A	0.0795							
Vanadium	5H16005			mg/kg wet	N/A	N/A	ND							
Zinc	5H16005			mg/kg wet	N/A	N/A	ND							
Mercury	5H16013			ug/L	N/A	N/A	ND							
Mercury	5H16013			ug/L	N/A	N/A	ND							
Mercury	5H16013			ug/L	N/A	N/A	ND							
Total Metals per EPA 6000 Series Methods														
Calcium	5H16005			mg/kg wet	N/A	N/A	ND							

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

Total Metals per EPA 6000 Series Methods

Calcium	5H16005	mg/kg wet	N/A	N/A	0.0357
---------	---------	-----------	-----	-----	--------

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
General Chemistry Parameters														
pH	5080508		7.00	pH Units	N/A	N/A	7.07		101		98.6-101.4			
pH	5080508		7.00	pH Units	N/A	N/A	7.07		101		98.6-101.4			
Chemical Oxygen Demand	5080543		100	mg/L	N/A	N/A	100		100		90-110			
Chemical Oxygen Demand	5080543		100	mg/L	N/A	N/A	92.0		92		90-110			
Metals														
Aluminum	5H16005		5.00	mg/kg wet	N/A	N/A	4.98		100		90-110			
Barium	5H16005		5.00	mg/kg wet	N/A	N/A	5.10		102		90-110			
Potassium	5H16005		50.0	mg/kg wet	N/A	N/A	50.0		100		90-110			
Silver	5H16005		1.00	mg/kg wet	N/A	N/A	1.03		103		90-110			
Sodium	5H16005		5.00	mg/kg wet	N/A	N/A	5.23		105		90-110			
Antimony	5H16005		5.00	mg/kg wet	N/A	N/A	5.02		100		90-110			
Arsenic	5H16005		5.00	mg/kg wet	N/A	N/A	4.99		100		90-110			
Beryllium	5H16005		5.00	mg/kg wet	N/A	N/A	4.99		100		90-110			
Cadmium	5H16005		5.00	mg/kg wet	N/A	N/A	5.02		100		90-110			
Chromium	5H16005		5.00	mg/kg wet	N/A	N/A	5.01		100		90-110			
Cobalt	5H16005		5.00	mg/kg wet	N/A	N/A	4.93		99		90-110			
Copper	5H16005		5.00	mg/kg wet	N/A	N/A	5.00		100		90-110			
Iron	5H16005		5.00	mg/kg wet	N/A	N/A	5.16		103		90-110			
Lead	5H16005		5.00	mg/kg wet	N/A	N/A	5.05		101		90-110			
Magnesium	5H16005		5.00	mg/kg wet	N/A	N/A	4.98		100		90-110			
Manganese	5H16005		5.00	mg/kg wet	N/A	N/A	4.98		100		90-110			
Nickel	5H16005		5.00	mg/kg wet	N/A	N/A	5.00		100		90-110			
Selenium	5H16005		5.00	mg/kg wet	N/A	N/A	4.97		99		90-110			
Thallium	5H16005		5.00	mg/kg wet	N/A	N/A	4.94		99		90-110			
Vanadium	5H16005		5.00	mg/kg wet	N/A	N/A	5.01		100		90-110			
Zinc	5H16005		5.00	mg/kg wet	N/A	N/A	4.98		100		90-110			
Aluminum	5H16005		5.00	mg/kg wet	N/A	N/A	4.95		99		90-110			
Barium	5H16005		5.00	mg/kg wet	N/A	N/A	5.10		102		90-110			
Potassium	5H16005		50.0	mg/kg wet	N/A	N/A	49.9		100		90-110			
Silver	5H16005		1.00	mg/kg wet	N/A	N/A	1.03		103		90-110			
Sodium	5H16005		5.00	mg/kg wet	N/A	N/A	5.23		105		90-110			
Antimony	5H16005		5.00	mg/kg wet	N/A	N/A	5.01		100		90-110			
Arsenic	5H16005		5.00	mg/kg wet	N/A	N/A	5.04		101		90-110			
Beryllium	5H16005		5.00	mg/kg wet	N/A	N/A	4.95		99		90-110			
Cadmium	5H16005		5.00	mg/kg wet	N/A	N/A	4.96		99		90-110			
Chromium	5H16005		5.00	mg/kg wet	N/A	N/A	4.98		100		90-110			
Cobalt	5H16005		5.00	mg/kg wet	N/A	N/A	4.93		99		90-110			
Copper	5H16005		5.00	mg/kg wet	N/A	N/A	5.00		100		90-110			
Iron	5H16005		5.00	mg/kg wet	N/A	N/A	5.11		102		90-110			
Lead	5H16005		5.00	mg/kg wet	N/A	N/A	5.06		101		90-110			
Magnesium	5H16005		5.00	mg/kg wet	N/A	N/A	4.96		99		90-110			
Manganese	5H16005		5.00	mg/kg wet	N/A	N/A	4.95		99		90-110			
Nickel	5H16005		5.00	mg/kg wet	N/A	N/A	4.98		100		90-110			
Selenium	5H16005		5.00	mg/kg wet	N/A	N/A	4.96		99		90-110			
Thallium	5H16005		5.00	mg/kg wet	N/A	N/A	5.01		100		90-110			
Vanadium	5H16005		5.00	mg/kg wet	N/A	N/A	4.98		100		90-110			
Zinc	5H16005		5.00	mg/kg wet	N/A	N/A	4.96		99		90-110			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals														
Mercury	5H16013		5.00	ug/L	N/A	N/A	4.95		99		90-110			
Mercury	5H16013		5.00	ug/L	N/A	N/A	5.13		103		90-110			
Mercury	5H16013		5.00	ug/L	N/A	N/A	5.14		103		90-110			
Total Metals per EPA 6000 Series Methods														
Calcium	5H16005		5.00	mg/kg wet	N/A	N/A	4.99		100		90-110			
Calcium	5H16005		5.00	mg/kg wet	N/A	N/A	4.97		99		90-110			
VOCs by SW8260B														
Benzene	5H15002		50.0	ug/L	N/A	N/A	49.4		99		80-120			
Bromobenzene	5H15002		50.0	ug/L	N/A	N/A	49.4		99		80-120			
Bromochloromethane	5H15002		50.0	ug/L	N/A	N/A	43.8		88		80-120			
Bromodichloromethane	5H15002		50.0	ug/L	N/A	N/A	46.8		94		80-120			
Bromoform	5H15002		50.0	ug/L	N/A	N/A	47.8		96		80-120			
Bromomethane	5H15002		50.0	ug/L	N/A	N/A	39.8		80		80-120			
n-Butylbenzene	5H15002		50.0	ug/L	N/A	N/A	48.3		97		80-120			
sec-Butylbenzene	5H15002		50.0	ug/L	N/A	N/A	48.0		96		80-120			
tert-Butylbenzene	5H15002		50.0	ug/L	N/A	N/A	47.8		96		80-120			
Carbon Tetrachloride	5H15002		50.0	ug/L	N/A	N/A	48.2		96		80-120			
Chlorobenzene	5H15002		50.0	ug/L	N/A	N/A	49.6		99		80-120			
Chlorodibromomethane	5H15002		50.0	ug/L	N/A	N/A	46.4		93		80-120			
Chloroethane	5H15002		50.0	ug/L	N/A	N/A	50.1		100		80-120			
Chloroform	5H15002		50.0	ug/L	N/A	N/A	48.0		96		80-120			
Chloromethane	5H15002		50.0	ug/L	N/A	N/A	50.0		100		80-120			
2-Chlorotoluene	5H15002		50.0	ug/L	N/A	N/A	46.6		93		80-120			
4-Chlorotoluene	5H15002		50.0	ug/L	N/A	N/A	56.8		114		80-120			
1,2-Dibromo-3-chloropropane	5H15002		50.0	ug/L	N/A	N/A	43.0		86		80-120			
1,2-Dibromoethane (EDB)	5H15002		50.0	ug/L	N/A	N/A	46.3		93		80-120			
Dibromomethane	5H15002		50.0	ug/L	N/A	N/A	47.0		94		80-120			
1,2-Dichlorobenzene	5H15002		50.0	ug/L	N/A	N/A	46.5		93		80-120			
1,3-Dichlorobenzene	5H15002		50.0	ug/L	N/A	N/A	46.6		93		80-120			
1,4-Dichlorobenzene	5H15002		50.0	ug/L	N/A	N/A	47.0		94		80-120			
Dichlorodifluoromethane	5H15002		50.0	ug/L	N/A	N/A	53.4		107		80-120			
1,1-Dichloroethane	5H15002		50.0	ug/L	N/A	N/A	49.8		100		80-120			
1,2-Dichloroethane	5H15002		50.0	ug/L	N/A	N/A	48.0		96		80-120			
1,1-Dichloroethene	5H15002		50.0	ug/L	N/A	N/A	51.1		102		80-120			
cis-1,2-Dichloroethene	5H15002		50.0	ug/L	N/A	N/A	48.8		98		80-120			
trans-1,2-Dichloroethene	5H15002		50.0	ug/L	N/A	N/A	51.0		102		80-120			
1,2-Dichloropropane	5H15002		50.0	ug/L	N/A	N/A	46.5		93		80-120			
1,3-Dichloropropane	5H15002		50.0	ug/L	N/A	N/A	47.5		95		80-120			
2,2-Dichloropropane	5H15002		50.0	ug/L	N/A	N/A	51.1		102		80-120			
1,1-Dichloropropene	5H15002		50.0	ug/L	N/A	N/A	48.1		96		80-120			
cis-1,3-Dichloropropene	5H15002		50.0	ug/L	N/A	N/A	48.1		96		80-120			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorriall

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
trans-1,3-Dichloropropene	5H15002		50.0	ug/L	N/A	N/A	48.0		96		80-120			
Isopropyl Ether	5H15002		50.0	ug/L	N/A	N/A	52.7		105		80-120			
Ethylbenzene	5H15002		50.0	ug/L	N/A	N/A	49.5		99		80-120			
Hexachlorobutadiene	5H15002		50.0	ug/L	N/A	N/A	47.8		96		80-120			
Isopropylbenzene	5H15002		50.0	ug/L	N/A	N/A	52.4		105		80-120			
p-Isopropyltoluene	5H15002		50.0	ug/L	N/A	N/A	54.1		108		80-120			
Methylene Chloride	5H15002		50.0	ug/L	N/A	N/A	49.9		100		80-120			
Methyl tert-Butyl Ether	5H15002		50.0	ug/L	N/A	N/A	53.8		108		80-120			
Naphthalene	5H15002		50.0	ug/L	N/A	N/A	48.4		97		80-120			
n-Propylbenzene	5H15002		50.0	ug/L	N/A	N/A	53.3		107		80-120			
Styrene	5H15002		50.0	ug/L	N/A	N/A	52.8		106		80-120			
1,1,1,2-Tetrachloroethane	5H15002		50.0	ug/L	N/A	N/A	48.6		97		80-120			
1,1,2,2-Tetrachloroethane	5H15002		50.0	ug/L	N/A	N/A	45.7		91		80-120			
Tetrachloroethene	5H15002		50.0	ug/L	N/A	N/A	49.3		99		80-120			
Toluene	5H15002		50.0	ug/L	N/A	N/A	50.4		101		80-120			
1,2,3-Trichlorobenzene	5H15002		50.0	ug/L	N/A	N/A	48.3		97		80-120			
1,2,4-Trichlorobenzene	5H15002		50.0	ug/L	N/A	N/A	47.8		96		80-120			
1,1,1-Trichloroethane	5H15002		50.0	ug/L	N/A	N/A	48.9		98		80-120			
1,1,2-Trichloroethane	5H15002		50.0	ug/L	N/A	N/A	47.1		94		80-120			
Trichloroethene	5H15002		50.0	ug/L	N/A	N/A	48.9		98		80-120			
Trichlorofluoromethane	5H15002		50.0	ug/L	N/A	N/A	51.8		104		80-120			
1,2,3-Trichloropropane	5H15002		50.0	ug/L	N/A	N/A	47.8		96		80-120			
1,2,4-Trimethylbenzene	5H15002		50.0	ug/L	N/A	N/A	53.5		107		80-120			
1,3,5-Trimethylbenzene	5H15002		50.0	ug/L	N/A	N/A	54.3		109		80-120			
Vinyl chloride	5H15002		50.0	ug/L	N/A	N/A	53.6		107		80-120			
Xylenes, Total	5H15002		150	ug/L	N/A	N/A	158		105		80-120			
Surrogate: Dibromofluoromethane	5H15002			ug/L					94		80-120			
Surrogate: Toluene-d8	5H15002			ug/L					103		80-120			
Surrogate: 4-Bromofluorobenzene	5H15002			ug/L					104		80-120			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

LABORATORY DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
General Chemistry Parameters													
QC Source Sample: WOH0543-01													
pH	5080508	6.6		pH Units	N/A	N/A	6.59				0	200	
QC Source Sample: WOH0520-03													
Total Suspended Solids	5080518	840		mg/L	1.0	3.3	714				16	26	
QC Source Sample: WOH0496-02													
Chemical Oxygen Demand	5080543	<5.7		mg/L	5.7	20	<11					28	
Metals													
QC Source Sample: WOH0531-03													
Mercury	5080483	<0.000092		mg/L	0.000092	0.00033	<0.000092					13	

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals														
Mercury	5080483		0.00250	mg/L	0.000092	0.00033	0.00254		102		78-131			
Aluminum	5080513		2.00	mg/L	0.015	0.052	2.08		104		80-110			B
Antimony	5080513		2.00	mg/L	0.013	0.045	2.06		103		82-111			
Arsenic	5080513		2.00	mg/L	0.025	0.087	2.08		104		85-112			B
Barium	5080513		1.00	mg/L	0.0012	0.0043	0.952		95		78-110			
Beryllium	5080513		1.00	mg/L	0.00013	0.00046	1.01		101		80-112			B
Cadmium	5080513		1.00	mg/L	0.0011	0.0040	1.04		104		83-109			
Calcium	5080513		2.00	mg/L	0.013	0.047	2.15		108		68-118			B
Chromium	5080513		1.00	mg/L	0.0021	0.0072	1.05		105		84-110			
Cobalt	5080513		1.00	mg/L	0.0063	0.022	1.03		103		81-111			
Copper	5080513		2.00	mg/L	0.018	0.065	2.06		103		84-111			
Iron	5080513		2.00	mg/L	0.016	0.053	2.13		106		77-115			
Lead	5080513		2.00	mg/L	0.013	0.047	2.12		106		84-110			
Magnesium	5080513		2.00	mg/L	0.013	0.047	2.06		103		76-115			
Manganese	5080513		1.00	mg/L	0.00096	0.0032	1.03		103		83-109			
Nickel	5080513		2.00	mg/L	0.0040	0.014	2.03		102		83-108			
Potassium	5080513		4.00	mg/L	0.019	0.067	4.05		101		69-117			
Selenium	5080513		4.00	mg/L	0.045	0.16	4.15		104		84-110			
Silver	5080513		1.00	mg/L	0.0013	0.0046	1.09		109		80-123			
Sodium	5080513		3.00	mg/L	0.0100	0.035	3.19		106		63-124			
Thallium	5080513		2.00	mg/L	0.038	0.13	2.01		100		80-120			
Vanadium	5080513		1.00	mg/L	0.0015	0.0052	1.04		104		82-115			
Zinc	5080513		1.00	mg/L	0.0028	0.0095	1.04		104		82-111			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Semivolatile Organic Compounds by EPA Method 8270C														
Acenaphthene	5080329		25.0	ug/l	N/A	2.00	22.7		91		10-110			02
Acenaphthylene	5080329		25.0	ug/l	N/A	2.00	23.6		94		10-110			02
Aniline	5080329		25.0	ug/l	N/A	2.00	14.4		58		10-110			02
Anthracene	5080329		25.0	ug/l	N/A	2.00	25.3		101		10-110			02
Benzidine	5080329		50.0	ug/l	N/A	50.0	33.6		67		0-200			02
Benzoic acid	5080329		25.0	ug/l	N/A	20.0	3.11		12		10-110			02
Benz (a) anthracene	5080329		25.0	ug/l	N/A	2.00	25.3		101		10-111			02
Benzo (a) pyrene	5080329		25.0	ug/l	N/A	2.00	24.3		97		10-110			02
Benzo (b) fluoranthene	5080329		25.0	ug/l	N/A	2.00	26.7		107		10-111			02
Benzo (ghi) perylene	5080329		25.0	ug/l	N/A	2.00	25.4		102		10-110			02
Benzo (k) fluoranthene	5080329		25.0	ug/l	N/A	2.00	24.3		97		10-110			02
Benzyl alcohol	5080329		25.0	ug/l	N/A	2.00	13.2		53		10-110			02
Bis(2-chloroethoxy)methane	5080329		25.0	ug/l	N/A	2.00	20.3		81		10-110			02
Bis(2-chloroethyl)ether	5080329		25.0	ug/l	N/A	2.00	21.0		84		10-110			02
Bis(2-chloroisopropyl)ether	5080329		25.0	ug/l	N/A	2.00	19.3		77		10-110			02
Bis(2-ethylhexyl)phthalate	5080329		25.0	ug/l	N/A	10.0	27.3		109		10-114			02
4-Bromophenyl phenyl ether	5080329		25.0	ug/l	N/A	2.00	23.6		94		10-110			02
Butyl benzyl phthalate	5080329		25.0	ug/l	N/A	10.0	26.3		105		10-122			02
Carbazole	5080329		25.0	ug/l	N/A	2.00	25.7		103		10-114			02
4-Chloroaniline	5080329		25.0	ug/l	N/A	2.00	16.7		67		10-110			02
4-Chloro-3-methylphenol	5080329		25.0	ug/l	N/A	2.00	20.2		81		10-110			02
2-Chloronaphthalene	5080329		25.0	ug/l	N/A	2.00	21.7		87		10-110			02
2-Chlorophenol	5080329		25.0	ug/l	N/A	2.00	14.8		59		10-110			02
4-Chlorophenyl phenyl ether	5080329		25.0	ug/l	N/A	2.00	23.2		93		10-110			02
Chrysene	5080329		25.0	ug/l	N/A	2.00	25.0		100		10-110			02
Dibenz (a,h) anthracene	5080329		25.0	ug/l	N/A	2.00	23.7		95		10-110			02
Dibenzofuran	5080329		25.0	ug/l	N/A	2.00	23.3		93		10-110			02
1,2-Dichlorobenzene	5080329		25.0	ug/l	N/A	2.00	18.1		72		10-110			02
1,3-Dichlorobenzene	5080329		25.0	ug/l	N/A	2.00	18.2		73		10-110			02
1,4-Dichlorobenzene	5080329		25.0	ug/l	N/A	2.00	18.1		72		10-110			02
3,3'-Dichlorobenzidine	5080329		50.0	ug/l	N/A	10.0	56.1		112		10-110			02
2,4-Dichlorophenol	5080329		25.0	ug/l	N/A	2.00	16.7		67		10-110			02
Diethyl phthalate	5080329		25.0	ug/l	N/A	2.00	24.1		96		10-115			02
2,4-Dimethylphenol	5080329		25.0	ug/l	N/A	2.00	20.4		82		10-110			02
Dimethyl phthalate	5080329		25.0	ug/l	N/A	2.00	23.8		95		10-110			02
Di-n-butyl phthalate	5080329		25.0	ug/l	N/A	10.0	26.6		106		10-116			02
4,6-Dinitro-2-methylphenol	5080329		25.0	ug/l	N/A	10.0	12.4		50		10-110			02
2,4-Dinitrophenol	5080329		25.0	ug/l	N/A	10.0	9.75		39		10-110			02
2,4-Dinitrotoluene	5080329		25.0	ug/l	N/A	2.00	22.8		91		10-110			02
2,6-Dinitrotoluene	5080329		25.0	ug/l	N/A	2.00	25.3		101		10-112			02
Di-n-octyl phthalate	5080329		25.0	ug/l	N/A	10.0	25.5		102		10-112			02
1,2-Diphenylhydrazine	5080329		25.0	ug/l	N/A	2.00	24.4		98		0-200			02
Fluoranthene	5080329		25.0	ug/l	N/A	2.00	25.7		103		10-111			02
Fluorene	5080329		25.0	ug/l	N/A	2.00	24.3		97		10-110			02
Hexachlorobenzene	5080329		25.0	ug/l	N/A	2.00	23.7		95		10-110			02

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorriall

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Semivolatile Organic Compounds by EPA Method 8270C														
Hexachlorobutadiene	5080329		25.0	ug/l	N/A	2.00	17.9		72		10-110			O2
Hexachlorocyclopentadiene	5080329		25.0	ug/l	N/A	2.00	16.3		65		10-110			O2
Hexachloroethane	5080329		25.0	ug/l	N/A	2.00	17.8		71		10-110			O2
Indeno (1,2,3-cd) pyrene	5080329		25.0	ug/l	N/A	2.00	23.9		96		10-110			O2
Isophorone	5080329		25.0	ug/l	N/A	2.00	20.5		82		10-110			O2
2-Methylnaphthalene	5080329		25.0	ug/l	N/A	2.00	20.1		80		10-110			O2
o-Cresol	5080329		25.0	ug/l	N/A	2.00	14.8		59		10-110			O2
m,p-Cresols	5080329		25.0	ug/l	N/A	2.00	12.4		50		10-110			O2
Naphthalene	5080329		25.0	ug/l	N/A	2.00	19.9		80		10-110			O2
2-Nitroaniline	5080329		25.0	ug/l	N/A	10.0	22.8		91		10-110			O2
3-Nitroaniline	5080329		25.0	ug/l	N/A	10.0	21.1		84		10-110			O2
4-Nitroaniline	5080329		25.0	ug/l	N/A	10.0	22.1		88		10-112			O2
Nitrobenzene	5080329		25.0	ug/l	N/A	2.00	20.0		80		10-110			O2
2-Nitrophenol	5080329		25.0	ug/l	N/A	2.00	15.3		61		10-110			O2
4-Nitrophenol	5080329		25.0	ug/l	N/A	10.0	1.57		6		10-110			O2
N-Nitrosodimethylamine	5080329		25.0	ug/l	N/A	2.00	8.06		32		0-200			O2
N-Nitrosodi-n-propylamine	5080329		25.0	ug/l	N/A	2.00	20.8		83		10-113			O2
N-Nitrosodiphenylamine	5080329		25.0	ug/l	N/A	2.00	24.4		98		10-110			O2
Pentachlorophenol	5080329		25.0	ug/l	N/A	10.0	15.0		60		10-110			O2
Phenanthrene	5080329		25.0	ug/l	N/A	2.00	24.4		98		10-112			O2
Phenol	5080329		25.0	ug/l	N/A	2.00	5.71		23		10-110			O2
Pyrene	5080329		25.0	ug/l	N/A	2.00	25.8		103		10-120			O2
Pyridine	5080329		25.0	ug/l	N/A	5.00	2.43		10		0-200			O2
1,2,4-Trichlorobenzene	5080329		25.0	ug/l	N/A	2.00	18.4		74		10-110			O2
2,4,5-Trichlorophenol	5080329		25.0	ug/l	N/A	10.0	17.7		71		10-110			O2
2,4,6-Trichlorophenol	5080329		25.0	ug/l	N/A	2.00	16.0		64		10-110			O2
Surrogate: 2-Fluorophenol	5080329			ug/l					24		10-110			O2
Surrogate: Phenol-d6	5080329			ug/l					17		10-110			O2
Surrogate: Nitrobenzene-d5	5080329			ug/l					75		10-110			O2
Surrogate: 2-Fluorobiphenyl	5080329			ug/l					82		10-110			O2
Surrogate: 2,4,6-Tribromophenol	5080329			ug/l					75		10-110			O2
Surrogate: p-Terphenyl-d14	5080329			ug/l					94		10-114			O2

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals														
QC Source Sample: WOH0539-02														
Mercury	5080483	<0.000092	0.00250	mg/L	0.000092	0.00033	0.00240	0.00239	96	96	67-141	0	13	
QC Source Sample: WOH0543-01														
Aluminum	5080513	0.029	2.00	mg/L	0.015	0.052	2.03		100		66-130			B
Antimony	5080513	0.019	2.00	mg/L	0.013	0.045	2.02		100		70-122			
Arsenic	5080513	0.039	2.00	mg/L	0.025	0.087	2.06		101		67-127			B
Barium	5080513	0.0032	1.00	mg/L	0.0012	0.0043	0.925		92		57-124			
Beryllium	5080513	0.00051	1.00	mg/L	0.00013	0.00046	1.00		100		56-131			B
Cadmium	5080513	0.0024	1.00	mg/L	0.0011	0.0040	1.01		101		65-118			
Calcium	5080513	52	2.00	mg/L	0.013	0.047	51.3		-35		75-125			MHA,B
Chromium	5080513	<0.0021	1.00	mg/L	0.0021	0.0072	1.00		100		63-122			
Cobalt	5080513	<0.0063	1.00	mg/L	0.0063	0.022	0.991		99		56-122			
Copper	5080513	<0.018	2.00	mg/L	0.018	0.065	2.00		100		69-123			
Iron	5080513	0.27	2.00	mg/L	0.016	0.053	2.30		102		60-131			
Lead	5080513	<0.013	2.00	mg/L	0.013	0.047	2.05		102		67-120			
Magnesium	5080513	47	2.00	mg/L	0.013	0.047	46.6		-20		74-122			MHA
Manganese	5080513	1.4	1.00	mg/L	0.00096	0.0032	2.30		90		69-119			
Nickel	5080513	0.0086	2.00	mg/L	0.0040	0.014	1.95		97		63-117			
Potassium	5080513	8.0	4.00	mg/L	0.019	0.067	11.7		92		75-125			
Selenium	5080513	<0.045	4.00	mg/L	0.045	0.16	4.07		102		70-123			
Silver	5080513	<0.0013	1.00	mg/L	0.0013	0.0046	1.04		104		70-124			
Sodium	5080513	70	3.00	mg/L	0.0100	0.035	70.6		20		70-130			MHA
Thallium	5080513	0.073	2.00	mg/L	0.038	0.13	1.91		92		75-125			
Vanadium	5080513	0.0043	1.00	mg/L	0.0015	0.0052	1.02		102		75-125			
Zinc	5080513	0.038	1.00	mg/L	0.0028	0.0095	1.05		101		63-125			
VOCs by SW8260B														
QC Source Sample: WOH0535-07														
Benzene	5080475	<0.20	50.0	ug/L	0.20	0.67	51.4	49.7	103	99	80-121	3	11	
Bromobenzene	5080475	<0.20	50.0	ug/L	0.20	0.67	51.0	48.7	102	97	70-130	5	20	
Bromochloromethane	5080475	<0.50	50.0	ug/L	0.50	1.7	45.2	43.9	90	88	70-130	3	20	
Bromodichloromethane	5080475	<0.20	50.0	ug/L	0.20	0.67	48.3	46.7	97	93	70-130	3	20	
Bromoform	5080475	<0.20	50.0	ug/L	0.20	0.67	47.3	46.5	95	93	70-130	2	20	
Bromomethane	5080475	<0.20	50.0	ug/L	0.20	0.67	43.3	38.5	87	77	70-130	12	20	
n-Butylbenzene	5080475	<0.20	50.0	ug/L	0.20	0.67	49.7	47.7	99	95	70-130	4	20	
sec-Butylbenzene	5080475	<0.25	50.0	ug/L	0.25	0.83	50.6	48.1	101	96	70-130	5	20	
tert-Butylbenzene	5080475	<0.20	50.0	ug/L	0.20	0.67	50.2	48.1	100	96	70-130	4	20	
Carbon Tetrachloride	5080475	<0.50	50.0	ug/L	0.50	1.7	51.3	49.2	103	98	70-130	4	20	
Chlorobenzene	5080475	<0.20	50.0	ug/L	0.20	0.67	51.2	48.6	102	97	85-116	5	9	
Chlorodibromomethane	5080475	<0.20	50.0	ug/L	0.20	0.67	47.3	46.5	95	93	70-130	2	20	
Chloroethane	5080475	<1.0	50.0	ug/L	1.0	3.3	51.6	50.9	103	102	70-130	1	20	
Chloroform	5080475	<0.20	50.0	ug/L	0.20	0.67	50.4	48.3	101	97	70-130	4	20	
Chloromethane	5080475	<0.20	50.0	ug/L	0.20	0.67	42.4	40.9	85	82	70-130	4	20	
2-Chlorotoluene	5080475	<0.50	50.0	ug/L	0.50	1.7	49.8	49.4	100	99	70-130	1	20	
4-Chlorotoluene	5080475	<0.20	50.0	ug/L	0.20	0.67	57.9	53.6	116	107	70-130	8	20	
1,2-Dibromo-3-chloropropane	5080475	<0.50	50.0	ug/L	0.50	1.7	45.3	43.8	91	88	70-130	3	20	
1,2-Dibromoethane (EDB)	5080475	<0.20	50.0	ug/L	0.20	0.67	47.1	45.5	94	91	70-130	3	20	
Dibromomethane	5080475	<0.20	50.0	ug/L	0.20	0.67	48.4	46.5	97	93	70-130	4	20	
1,2-Dichlorobenzene	5080475	<0.20	50.0	ug/L	0.20	0.67	48.7	46.2	97	92	70-130	5	20	

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B														
QC Source Sample: WOH0535-07														
1,3-Dichlorobenzene	5080475	<0.20	50.0	ug/L	0.20	0.67	49.0	46.6	98	93	70-130	5	20	
1,4-Dichlorobenzene	5080475	<0.20	50.0	ug/L	0.20	0.67	49.4	47.0	99	94	70-130	5	20	
Dichlorodifluoromethane	5080475	<0.50	50.0	ug/L	0.50	1.7	42.6	41.3	85	83	70-130	3	20	
1,1-Dichloroethane	5080475	<0.50	50.0	ug/L	0.50	1.7	53.3	50.4	107	101	70-130	6	20	
1,2-Dichloroethane	5080475	<0.50	50.0	ug/L	0.50	1.7	49.6	48.0	99	96	70-130	3	20	
1,1-Dichloroethene	5080475	<0.50	50.0	ug/L	0.50	1.7	53.9	52.2	108	104	72-131	3	17	
cis-1,2-Dichloroethene	5080475	<0.50	50.0	ug/L	0.50	1.7	50.1	48.2	100	96	70-130	4	20	
trans-1,2-Dichloroethene	5080475	<0.50	50.0	ug/L	0.50	1.7	54.3	51.4	109	103	70-130	5	20	
1,2-Dichloropropane	5080475	<0.50	50.0	ug/L	0.50	1.7	48.8	46.7	98	93	70-130	4	20	
1,3-Dichloropropane	5080475	<0.25	50.0	ug/L	0.25	0.83	49.9	48.0	100	96	70-130	4	20	
2,2-Dichloropropane	5080475	<0.50	50.0	ug/L	0.50	1.7	55.3	52.9	111	106	70-130	4	20	
1,1-Dichloropropene	5080475	<0.50	50.0	ug/L	0.50	1.7	51.3	49.0	103	98	70-130	5	20	
cis-1,3-Dichloropropene	5080475	<0.20	50.0	ug/L	0.20	0.67	50.3	48.4	101	97	70-130	4	20	
trans-1,3-Dichloropropene	5080475	<0.20	50.0	ug/L	0.20	0.67	50.6	48.7	101	97	70-130	4	20	
Isopropyl Ether	5080475	<0.50	50.0	ug/L	0.50	1.7	57.4	53.5	115	107	68-128	7	16	
Ethylbenzene	5080475	<0.50	50.0	ug/L	0.50	1.7	51.5	50.4	103	101	83-118	2	13	
Hexachlorobutadiene	5080475	<0.50	50.0	ug/L	0.50	1.7	51.0	45.1	102	90	70-130	12	20	
Isopropylbenzene	5080475	<0.20	50.0	ug/L	0.20	0.67	54.9	51.9	110	104	70-130	6	20	
p-Isopropyltoluene	5080475	<0.20	50.0	ug/L	0.20	0.67	55.6	53.0	111	106	70-130	5	20	
Methylene Chloride	5080475	<1.0	50.0	ug/L	1.0	3.3	52.9	50.7	106	101	70-130	4	20	
Methyl tert-Butyl Ether	5080475	<0.50	50.0	ug/L	0.50	1.7	57.4	54.2	115	108	71-127	6	22	
Naphthalene	5080475	0.35	50.0	ug/L	0.25	0.83	49.4	46.4	98	92	70-130	6	20	
n-Propylbenzene	5080475	<0.50	50.0	ug/L	0.50	1.7	55.7	53.0	111	106	70-130	5	20	
Styrene	5080475	<0.20	50.0	ug/L	0.20	0.67	54.9	51.7	110	103	70-130	6	20	
1,1,1,2-Tetrachloroethane	5080475	<0.25	50.0	ug/L	0.25	0.83	50.1	48.1	100	96	70-130	4	20	
1,1,2,2-Tetrachloroethane	5080475	<0.20	50.0	ug/L	0.20	0.67	47.9	45.8	96	92	70-130	4	20	
Tetrachloroethene	5080475	<0.50	50.0	ug/L	0.50	1.7	51.4	48.7	103	97	70-130	5	20	
Toluene	5080475	0.23	50.0	ug/L	0.20	0.67	52.6	50.3	105	100	82-116	4	11	
1,2,3-Trichlorobenzene	5080475	<0.25	50.0	ug/L	0.25	0.83	48.4	46.0	97	92	70-130	5	20	
1,2,4-Trichlorobenzene	5080475	<0.25	50.0	ug/L	0.25	0.83	47.9	45.8	96	92	70-130	4	20	
1,1,1-Trichloroethane	5080475	<0.50	50.0	ug/L	0.50	1.7	52.0	49.6	104	99	70-130	5	20	
1,1,2-Trichloroethane	5080475	<0.25	50.0	ug/L	0.25	0.83	49.1	47.4	98	95	70-130	4	20	
Trichloroethene	5080475	<0.20	50.0	ug/L	0.20	0.67	51.1	49.2	102	98	80-117	4	13	
Trichlorofluoromethane	5080475	<0.50	50.0	ug/L	0.50	1.7	53.8	51.8	108	104	70-130	4	20	
1,2,3-Trichloropropane	5080475	<0.50	50.0	ug/L	0.50	1.7	50.5	47.8	101	96	70-130	5	20	
1,2,4-Trimethylbenzene	5080475	<0.20	50.0	ug/L	0.20	0.67	54.2	52.4	108	105	80-122	3	14	
1,3,5-Trimethylbenzene	5080475	<0.20	50.0	ug/L	0.20	0.67	55.4	53.4	111	107	83-122	4	12	
Vinyl chloride	5080475	<0.20	50.0	ug/L	0.20	0.67	52.6	48.2	105	96	70-130	9	20	
Xylenes, Total	5080475	<0.50	150	ug/L	0.50	1.7	166	157	111	105	84-119	6	12	
Surrogate: Dibromofluoromethane	5080475			ug/L					95	95	89-119			
Surrogate: Toluene-d8	5080475			ug/L					103	102	91-109			
Surrogate: 4-Bromofluorobenzene	5080475			ug/L					103	102	89-114			

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrill

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
---------	---------------	------------------	----------------	-------	-----	-----	--------	---------------	----------	-------------	-----------------	------------	--------------	---

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Semivolatile Organic Compounds by EPA Method 8270C														
QC Source Sample: B508225-07														
Acenaphthene	5080329	<2.00	25.3	ug/l	N/A	2.00	16.4	15.6	65	62	70-130	5	20	O2
Acenaphthylene	5080329	<2.00	25.3	ug/l	N/A	2.00	16.7	16.1	66	64	70-130	4	20	O2
Aniline	5080329	<2.00	25.3	ug/l	N/A	2.00	12.1	12.8	48	51	70-130	6	20	O2
Anthracene	5080329	<2.00	25.3	ug/l	N/A	2.00	17.9	16.2	71	64	70-130	10	20	O2
Benztidine	5080329	<50.0	50.5	ug/l	N/A	50.0	8.91	3.91	18	8	0-200	78	200	O2
Benzoic acid	5080329	<20.0	25.3	ug/l	N/A	20.0	3.12	3.26	12	13	70-130	4	20	O2
Benz (a) anthracene	5080329	<2.00	25.3	ug/l	N/A	2.00	18.8	16.7	74	66	70-130	12	20	O2
Benzo (a) pyrene	5080329	<2.00	25.3	ug/l	N/A	2.00	17.7	16.2	70	64	70-130	9	20	O2
Benzo (b) fluoranthene	5080329	<2.00	25.3	ug/l	N/A	2.00	19.1	17.5	76	69	70-130	9	20	O2
Benzo (ghi) perylene	5080329	<2.00	25.3	ug/l	N/A	2.00	17.7	16.1	70	64	70-130	9	20	O2
Benzo (k) fluoranthene	5080329	<2.00	25.3	ug/l	N/A	2.00	17.9	15.7	71	62	70-130	13	20	O2
Benzyl alcohol	5080329	<2.00	25.3	ug/l	N/A	2.00	10.9	12.5	43	49	70-130	14	20	O2
Bis(2-chloroethoxy)methane	5080329	<2.00	25.3	ug/l	N/A	2.00	15.6	15.8	62	63	70-130	1	20	O2
Bis(2-chloroethyl)ether	5080329	<2.00	25.3	ug/l	N/A	2.00	16.0	15.9	63	63	70-130	1	20	O2
Bis(2-chloroisopropyl)ether	5080329	<2.00	25.3	ug/l	N/A	2.00	15.3	15.3	61	61	70-130	0	20	O2
Bis(2-ethylhexyl)phthalate	5080329	<10.0	25.3	ug/l	N/A	10.0	19.1	19.5	76	77	70-130	2	20	O2
4-Bromophenyl phenyl ether	5080329	<2.00	25.3	ug/l	N/A	2.00	17.0	15.5	67	61	70-130	9	20	O2
Butyl benzyl phthalate	5080329	<10.0	25.3	ug/l	N/A	10.0	20.2	17.6	80	70	70-130	14	20	O2
Carbazole	5080329	<2.00	25.3	ug/l	N/A	2.00	18.7	16.3	74	64	0-200	14	200	O2
4-Chloroaniline	5080329	<2.00	25.3	ug/l	N/A	2.00	13.7	14.9	54	59	70-130	8	20	O2
4-Chloro-3-methylphenol	5080329	<2.00	25.3	ug/l	N/A	2.00	13.7	14.4	54	57	70-130	5	20	O2
2-Chloronaphthalene	5080329	<2.00	25.3	ug/l	N/A	2.00	15.9	15.5	63	61	70-130	3	20	O2
2-Chlorophenol	5080329	<2.00	25.3	ug/l	N/A	2.00	8.78	10.2	35	40	70-130	15	20	O2
4-Chlorophenyl phenyl ether	5080329	<2.00	25.3	ug/l	N/A	2.00	16.8	15.7	66	62	70-130	7	20	O2
Chrysene	5080329	<2.00	25.3	ug/l	N/A	2.00	18.4	16.4	73	65	70-130	12	20	O2
Dibenz (a,h) anthracene	5080329	<2.00	25.3	ug/l	N/A	2.00	17.1	15.6	68	62	70-130	9	20	O2
Dibenzofuran	5080329	<2.00	25.3	ug/l	N/A	2.00	16.4	15.7	65	62	70-130	4	20	O2
1,2-Dichlorobenzene	5080329	<2.00	25.3	ug/l	N/A	2.00	14.7	14.7	58	58	70-130	0	20	O2
1,3-Dichlorobenzene	5080329	<2.00	25.3	ug/l	N/A	2.00	14.3	14.2	57	56	70-130	1	20	O2
1,4-Dichlorobenzene	5080329	<2.00	25.3	ug/l	N/A	2.00	14.3	14.5	57	57	70-130	1	20	O2
3,3'-Dichlorobenzidine	5080329	<10.0	50.5	ug/l	N/A	10.0	35.9	30.0	71	59	70-130	18	20	O2
2,4-Dichlorophenol	5080329	<2.00	25.3	ug/l	N/A	2.00	9.12	10.5	36	42	70-130	14	20	O2
Diethyl phthalate	5080329	<2.00	25.3	ug/l	N/A	2.00	17.5	15.8	69	63	70-130	10	20	O2
2,4-Dimethylphenol	5080329	<2.00	25.3	ug/l	N/A	2.00	14.9	15.4	59	61	70-130	3	20	O2
Dimethyl phthalate	5080329	<2.00	25.3	ug/l	N/A	2.00	17.4	16.0	69	63	70-130	8	20	O2
Di-n-butyl phthalate	5080329	<10.0	25.3	ug/l	N/A	10.0	20.0	17.9	79	71	70-130	11	20	O2
4,6-Dinitro-2-methylphenol	5080329	<10.0	25.3	ug/l	N/A	10.0	6.94	7.56	27	30	70-130	9	20	O2
2,4-Dinitrophenol	5080329	<10.0	25.3	ug/l	N/A	10.0	6.21	6.83	25	27	70-130	10	20	O2
2,4-Dinitrotoluene	5080329	<2.00	25.3	ug/l	N/A	2.00	16.9	15.3	67	61	70-130	10	20	O2
2,6-Dinitrotoluene	5080329	<2.00	25.3	ug/l	N/A	2.00	18.6	17.1	74	68	70-130	8	20	O2
Di-n-octyl phthalate	5080329	<10.0	25.3	ug/l	N/A	10.0	18.5	17.2	73	68	70-130	7	20	O2
1,2-Diphenylhydrazine	5080329	<2.00	25.3	ug/l	N/A	2.00	17.5	16.4	69	65	0-200	6	200	O2
Fluoranthene	5080329	<2.00	25.3	ug/l	N/A	2.00	19.0	16.8	75	66	70-130	12	20	O2
Fluorene	5080329	<2.00	25.3	ug/l	N/A	2.00	17.1	15.9	68	63	70-130	7	20	O2
Hexachlorobenzene	5080329	<2.00	25.3	ug/l	N/A	2.00	18.1	16.0	72	63	70-130	12	20	O2

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Semivolatile Organic Compounds by EPA Method 8270C														
QC Source Sample: B508225-07														
Hexachlorobutadiene	5080329	<2.00	25.3	ug/l	N/A	2.00	13.9	14.1	55	56	70-130	1	20	O2
Hexachlorocyclopentadiene	5080329	<2.00	25.3	ug/l	N/A	2.00	11.8	12.0	47	47	70-130	2	20	O2
Hexachloroethane	5080329	<2.00	25.3	ug/l	N/A	2.00	14.0	14.7	55	58	70-130	5	20	O2
Indeno (1,2,3-cd) pyrene	5080329	<2.00	25.3	ug/l	N/A	2.00	17.0	15.7	67	62	70-130	8	20	O2
Isophorone	5080329	<2.00	25.3	ug/l	N/A	2.00	15.4	15.8	61	63	70-130	3	20	O2
2-Methylnaphthalene	5080329	<2.00	25.3	ug/l	N/A	2.00	15.1	14.9	60	59	70-130	1	20	O2
o-Cresol	5080329	<2.00	25.3	ug/l	N/A	2.00	11.4	12.4	45	49	70-130	8	20	O2
m,p-Cresols	5080329	<2.00	25.3	ug/l	N/A	2.00	9.11	10.2	36	40	70-130	11	20	O2
Naphthalene	5080329	<2.00	25.3	ug/l	N/A	2.00	15.2	15.3	60	61	70-130	1	20	O2
2-Nitroaniline	5080329	<10.0	25.3	ug/l	N/A	10.0	17.2	16.7	68	66	70-130	3	20	O2
3-Nitroaniline	5080329	<10.0	25.3	ug/l	N/A	10.0	17.1	16.3	68	64	70-130	5	20	O2
4-Nitroaniline	5080329	<10.0	25.3	ug/l	N/A	10.0	14.8	16.4	59	65	70-130	10	20	O2
Nitrobenzene	5080329	<2.00	25.3	ug/l	N/A	2.00	15.6	16.1	62	64	70-130	3	20	O2
2-Nitrophenol	5080329	<2.00	25.3	ug/l	N/A	2.00	8.15	9.22	32	36	70-130	12	20	O2
4-Nitrophenol	5080329	<10.0	25.3	ug/l	N/A	10.0	ND	0.869		3	70-130		20	O2
N-Nitrosodimethylamine	5080329	<2.00	25.3	ug/l	N/A	2.00	8.20	9.31	32	37	0-200	13	200	O2
N-Nitrosodi-n-propylamine	5080329	<2.00	25.3	ug/l	N/A	2.00	16.0	16.0	63	63	70-130	0	20	O2
N-Nitrosodiphenylamine	5080329	<2.00	25.3	ug/l	N/A	2.00	17.1	15.0	68	59	70-130	13	20	O2
Pentachlorophenol	5080329	<10.0	25.3	ug/l	N/A	10.0	8.97	9.90	36	39	70-130	10	20	O2
Phenanthrene	5080329	<2.00	25.3	ug/l	N/A	2.00	17.9	16.2	71	64	70-130	10	20	O2
Phenol	5080329	<2.00	25.3	ug/l	N/A	2.00	4.06	4.54	16	18	70-130	11	20	O2
Pyrene	5080329	<2.00	25.3	ug/l	N/A	2.00	19.1	16.7	76	66	70-130	13	20	O2
Pyridine	5080329	<5.00	25.3	ug/l	N/A	5.00	4.37	4.65	17	18	0-200	6	200	O2
1,2,4-Trichlorobenzene	5080329	<2.00	25.3	ug/l	N/A	2.00	14.4	14.6	57	58	70-130	1	20	O2
2,4,5-Trichlorophenol	5080329	<10.0	25.3	ug/l	N/A	10.0	8.35	9.14	33	36	70-130	9	20	O2
2,4,6-Trichlorophenol	5080329	<2.00	25.3	ug/l	N/A	2.00	7.02	7.96	28	32	70-130	13	20	O2
Surrogate: 2-Fluorophenol	5080329			ug/l					14	18	10-110			O2
Surrogate: Phenol-d6	5080329			ug/l					12	15	10-110			O2
Surrogate: Nitrobenzene-d5	5080329			ug/l					59	62	10-110			O2
Surrogate: 2-Fluorobiphenyl	5080329			ug/l					61	61	10-110			O2
Surrogate: 2,4,6-Tribromophenol	5080329			ug/l					35	37	10-110			O2
Surrogate: p-Terphenyl-d14	5080329			ug/l					68	63	10-114			O2

WESTON SOLUTIONS
20 N. Wacker Drive Suite 1210
Chicago, IL 60606
Heidi Gorrell

Work Order: WOH0543
Project: Watertown Tire Fire E. R.
Project Number: [none]

Received: 08/15/05
Reported: 08/18/05 11:18

CERTIFICATION SUMMARY

TestAmerica Analytical - Watertown

Method	Matrix	Nelac	Wisconsin
EPA 150.1	Water - NonPotable	X	N/A
EPA 160.2	Water - NonPotable	X	X
EPA 245.1	Water - NonPotable	X	X
EPA 410.4	Water - NonPotable		X
SM 5520B	Water - NonPotable		X
SW 6010B	Water - NonPotable		X
SW 8260B	Water - NonPotable	X	X
SW 8270C	Water - NonPotable		

Subcontracted Laboratories

GREAT LAKES ANALYTICAL - Buffalo Grove NELAC Cert #100261, Wisconsin Cert #999917160, Illinois Cert #100261

1380 Busch Parkway - Buffalo Grove, IL 60089

Method Performed: EPA 8270C

Samples: WOH0543-01

DATA QUALIFIERS AND DEFINITIONS

- B** Analyte was detected in the associated Method Blank.
- J** Results reported between the Method Detection Limit (MDL) and Limit of Quantitation (LOQ) are less certain than results at or above the LOQ.
- MHA** Due to high levels of analyte in the sample, the MS/MSD calculation does not provide useful spike recovery information.
- O2** One or more internal standard recoveries were below the method specified acceptance criteria.
- QC** The result for one or more quality control measurements associated with this sample did not meet the laboratory and/or source method acceptance criteria.

ADDITIONAL COMMENTS

Results are reported on a wet weight basis unless otherwise noted.

