



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077

Phone: (856) 303-2500 Fax: (856) 858-4571 Email: EnvChemistry2@emsl.com

Attn:

Smita Sumbaly
Weston Solutions (King Georges Post)
1090 King Georges Post Road
Suite 201
Edison, NJ 08837

11/11/2015

Phone: (732) 585-4400

Fax:

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 11/4/2015. The results are tabulated on the attached data pages for the following client designated project:

Project ID: RFP 344
2-110315-163234-0019

The reference number for these samples is EMSL Order #011506633. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (856) 303-2500.

Reviewed and Approved By:

Julie Smith - Laboratory Director



Accreditation #100194 NELAP Certification: NJ 03036,
NY 10872

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the AIHA, unless specifically indicated. The final results are not field blank corrected. The laboratory is not responsible for final results calculated using air volumes that have been provided by non-laboratory personnel. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011506633

CustomerID: RFWE53

CustomerPO:

ProjectID: RFP 344

Attn: **Smita Sumbaly**
Weston Solutions (King Georges Post)
1090 King Georges Post Road
Suite 201
Edison, NJ 08837

Phone: (732) 585-4400
Fax:
Received: 11/04/15 8:30 AM

Project: 2-110315-163234-0019

Analytical Results**Client Sample Description** FB-L-11032015**Collected:** 11/3/2015 **Lab ID:** 0001

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
7300 Modified	Lead	ND	0.000050	mg/filter	11/9/2015	JS	11/10/2015	KB

Client Sample Description FB-P-11032015**Collected:** 11/3/2015 **Lab ID:** 0002

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
TO-10A	Aroclor-1016	ND	0.050	µg/tube	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1221	ND	0.050	µg/tube	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1232	ND	0.050	µg/tube	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1242	ND	0.050	µg/tube	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1248	ND	0.050	µg/tube	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1254	ND	0.050	µg/tube	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1260	ND	0.050	µg/tube	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1262	ND	0.050	µg/tube	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1268	ND	0.050	µg/tube	11/9/2015	AB	11/10/2015	EH

Client Sample Description P001-AS001-L-11032015**Collected:** 11/3/2015 **Lab ID:** 0003

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
7300 Modified	Lead	ND	0.000048	mg/m ³	11/9/2015	JS	11/10/2015	KB

Client Sample Description P001-AS001-P-11032015**Collected:** 11/3/2015 **Lab ID:** 0004

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
TO-10A	Aroclor-1016	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1221	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1232	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1242	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1248	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1254	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1260	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1262	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1268	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011506633

CustomerID: RFWE53

CustomerPO:

ProjectID: RFP 344

Attn: **Smita Sumbaly**
Weston Solutions (King Georges Post)
1090 King Georges Post Road
Suite 201
Edison, NJ 08837

Phone: (732) 585-4400
 Fax:
 Received: 11/04/15 8:30 AM

Project: 2-110315-163234-0019

Analytical Results**Client Sample Description** P001-AS002-L-11032015**Collected:** 11/3/2015 **Lab ID:** 0005

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
7300 Modified	Lead	ND	0.000049	mg/m ³	11/9/2015	JS	11/10/2015	KB

Client Sample Description P001-AS002-P-11032015**Collected:** 11/3/2015 **Lab ID:** 0006

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
TO-10A	Aroclor-1016	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1221	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1232	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1242	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1248	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1254	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1260	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1262	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1268	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH

Client Sample Description P001-AS003-L-11032015**Collected:** 11/3/2015 **Lab ID:** 0007

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
7300 Modified	Lead	ND	0.000049	mg/m ³	11/9/2015	JS	11/10/2015	KB

Client Sample Description P001-AS003-P-11032015**Collected:** 11/3/2015 **Lab ID:** 0008

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
TO-10A	Aroclor-1016	ND	0.050	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1221	ND	0.050	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1232	ND	0.050	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1242	ND	0.050	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1248	ND	0.050	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1254	ND	0.050	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1260	ND	0.050	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1262	ND	0.050	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1268	ND	0.050	µg/m ³	11/9/2015	AB	11/10/2015	EH

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011506633

CustomerID: RFWE53

CustomerPO:

ProjectID: RFP 344

Attn: **Smita Sumbaly**
Weston Solutions (King Georges Post)
1090 King Georges Post Road
Suite 201
Edison, NJ 08837

Phone: (732) 585-4400
Fax:
Received: 11/04/15 8:30 AM

Project: 2-110315-163234-0019

Analytical Results**Client Sample Description** P001-AS004-L-11032015**Collected:** 11/3/2015 **Lab ID:** 0009

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
7300 Modified	Lead	ND	0.000048	mg/m ³	11/9/2015	JS	11/10/2015	KB

Client Sample Description P001-AS004-P-11032015**Collected:** 11/3/2015 **Lab ID:** 0010

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
TO-10A	Aroclor-1016	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1221	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1232	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1242	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1248	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1254	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1260	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1262	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1268	ND	0.047	µg/m ³	11/9/2015	AB	11/10/2015	EH

Client Sample Description P001-AS005-L-11032015**Collected:** 11/3/2015 **Lab ID:** 0011

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
7300 Modified	Lead	ND	0.000049	mg/m ³	11/9/2015	JS	11/10/2015	KB

Client Sample Description P001-AS005-P-11032015**Collected:** 11/3/2015 **Lab ID:** 0012

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
TO-10A	Aroclor-1016	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1221	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1232	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1242	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1248	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1254	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1260	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1262	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH
TO-10A	Aroclor-1268	ND	0.046	µg/m ³	11/9/2015	AB	11/10/2015	EH

Definitions:

ND - indicates that the analyte was not detected at the reporting limit

RL - Reporting Limit