



John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Craig W. Butler, Director

August 5, 2016

Mr. Steven L. Renninger  
On-Scene Coordinator  
U.S. EPA Region 5  
Emergency Response Branch  
26 W Martin Luther King Drive  
Cincinnati, Ohio 45268

**Re: Terry Corp  
Remediation Response  
Correspondence  
RCRA C - Hazardous Waste  
Montgomery County  
OHR000201541**

**Subject: ARARs for U.S. EPA Time Critical Removal**

Dear Mr. Renninger:

In a letter dated August 5, 2016, you requested that Ohio EPA identify any State applicable or relevant and appropriate requirements (ARARs) which apply to the removal action USEPA plans to take at the Terry Corp Site in Dayton, Ohio. The following list provides the ARARs identified by Ohio EPA's Hazardous Waste Program based on what we currently know about planned activities at the site. This list does not identify ARARs for any of the other state regulatory programs.

**Ohio Administrative Code Sections:**

1. **3745-51-07:** Residues of hazardous waste in empty containers
2. **3745-52-11:** Hazardous waste determination requirements for generators
3. **3745-52-20 through 23:** Manifest requirements for hazardous waste shipments
4. **3745-52-30 through 33:** Pre-transport and transport requirements
5. **3745-52-34:** Accumulation time for hazardous waste
6. **3745-54-14:** Security requirements for hazardous waste facilities
7. **3745-54-16:** Personnel training requirements for hazardous waste management
8. **3745-54-17:** Requirements for ignitable, reactive, or incompatible wastes
9. **3745-54-30 through 37:** Preparedness and prevention requirements
10. **3745-54-50 through 56:** Contingency plan and emergency procedures
11. **3745-54-101:** Corrective action for waste management units
12. **3745-55-11 through 19:** Closure and post-closure requirements
13. **3745-55-71 through 78:** Use and management of containers
14. **3745-270:** Land disposal restrictions
15. **3745-279:** Used oil management standards

Sincerely,

A handwritten signature in black ink that reads "Cathy L. Altman". The signature is written in a cursive, flowing style.

Cathy L. Altman, SWDO, HW-DERR

cc: George Strobel, SWDO HW-DERR  
Dave Combs, SWDO, SIU