

April 21, 2017

Carla Copeland
Environmental Restoration LLC
1666 Fabick Drive
Fenton, MO 63026

RE: Project: Dudka's Auto Parts
Pace Project No.: 7015297

Dear Carla Copeland:

Enclosed are the analytical results for sample(s) received by the laboratory on April 07, 2017. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jennifer Aracri
jennifer.aracri@pacelabs.com
(631)694-3040
Project Manager

Enclosures

cc: Ken Braig, Environmental Restoration LLC



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Dudka's Auto Parts

Pace Project No.: 7015297

Long Island Certification IDs

575 Broad Hollow Rd, Melville, NY 11747

New York Certification #: 10478 Primary Accrediting Body

New Jersey Certification #: NY158

Pennsylvania Certification #: 68-00350

Connecticut Certification #: PH-0435

Maryland Certification #: 208

Rhode Island Certification #: LAO00340

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

Dallas Certification IDs:

400 West Bethany Dr Suite 190, Allen, TX 75013

EPA# TX00074

Florida Certification #: E871118

Texas Certification #: T104704232

Kansas Certification #: E-10388

Arkansas Certification #: 88-0647

Oklahoma Certification #: TX00074

Louisiana Certification #: 30686

Iowa Certification #: 408

Florida Certification #: E871118

Nevada Certification #: TX00074

Asheville Certification IDs

2225 Riverside Drive, Asheville, NC 28804

Florida/NELAP Certification #: E87648

Massachusetts Certification #: M-NC030

North Carolina Drinking Water Certification #: 37712

North Carolina Wastewater Certification #: 40

South Carolina Certification #: 99030001

Virginia/VELAP Certification #: 460222

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Dudka's Auto Parts

Pace Project No.: 7015297

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
7015297001	SD1	EPA 8015D	JKB	2	PACE-MV
		EPA 8082A	JKB	9	PACE-MV
		EPA 8015D	MTN	2	PACE-MV
		EPA 8270D	ESJ	74	PACE-MV
		EPA 8260C	KGG	51	PACE-MV
		ASTM D2216-92	MEM1	1	PACE-MV
7015297002	SLUDGE-1	EPA 8082A	JKB	9	PACE-MV
		EPA 6010C	AKS	7	PACE-MV
		EPA 7470A	JLN	1	PACE-MV
		EPA 8270D	EAG	20	PACE-MV
		EPA 8260C	MJF	13	PACE-MV
		ASTM D2216-92	MEM1	1	PACE-MV
7015297003	AQ-01	EPA 9045D	JNL	1	PACE-MV
		EPA 6010	DT1	7	PASI-D
		EPA 7471	DT1	1	PASI-D
7015297004	01A-01 (TOP)	EPA 8270	XLY	71	PASI-D
		EPA 8082A	JKB	9	PACE-MV
		EPA 6010	DT1	7	PASI-D
		EPA 7471	DT1	1	PASI-D
		EPA 8270	XLY	71	PASI-D
		EPA 1010A	HMB	2	PACE-MV
7015297005	01A-01 (BOTTOM)	EPA 9045D	JNL	1	PACE-MV
		ASTM D5468-02	MJP	1	PASI-A
		EPA 8082A	JKB	9	PACE-MV
		EPA 6010	SPS	7	PASI-D
		EPA 7470	SPS	1	PASI-D
		EPA 8270	XLY	74	PASI-D
7015297006	OIL-1	EPA 8260C/5030C	MJF	51	PACE-MV
		EPA 1010A	HMB	2	PACE-MV
		EPA 9040C	MEM1	1	PACE-MV
		ASTM D5468-02	MJP	1	PASI-A
		EPA 8082A	JKB	9	PACE-MV
		EPA 6010	DT1	7	PASI-D
		EPA 7471	DT1	1	PASI-D
		EPA 8270	XLY	71	PASI-D
		EPA 1010A	HMB	2	PACE-MV
		ASTM D5468-02	MJP	1	PASI-A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Dudka's Auto Parts

Pace Project No.: 7015297

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
7015297007	OIL-2	EPA 8082A	JKB	9	PACE-MV
		EPA 6010	DT1	7	PASI-D
		EPA 7471	DT1	1	PASI-D
		EPA 8270	XLY	71	PASI-D
		EPA 1010A	HMB	2	PACE-MV
		ASTM D5468-02	MJP	1	PASI-A
7015297008	AQ-01	EPA 8082A	JKB	9	PACE-MV
		EPA 8260C/5030C	BBL	51	PACE-MV
		EPA 9040C	SDO	1	PACE-MV
7015297009	01A-01 (TOP)	EPA 8260C	BBL	51	PACE-MV
7015297010	OIL-1	EPA 8260C	BBL	51	PACE-MV
7015297011	OIL-2	EPA 8260C	BBL	51	PACE-MV

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

Sample: SD1 **Lab ID: 7015297001** Collected: 04/06/17 07:20 Received: 04/07/17 09:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015D DRO Soil Analytical Method: EPA 8015D Preparation Method: EPA 3545A								
Diesel Range Organics(C10-C28)	343	mg/kg	7.8	1	04/11/17 09:42	04/17/17 21:33		1j
Surrogates								
1,4-Dichlorobenzene-d4 (S)	58	%.	16-113	1	04/11/17 09:42	04/17/17 21:33	3855-82-1	
8082 GCS PCB Analytical Method: EPA 8082A Preparation Method: EPA 3545A								
PCB-1016 (Aroclor 1016)	<38.2	ug/kg	38.2	1	04/10/17 11:18	04/21/17 10:03	12674-11-2	
PCB-1221 (Aroclor 1221)	<77.6	ug/kg	77.6	1	04/10/17 11:18	04/21/17 10:03	11104-28-2	
PCB-1232 (Aroclor 1232)	<38.2	ug/kg	38.2	1	04/10/17 11:18	04/21/17 10:03	11141-16-5	
PCB-1242 (Aroclor 1242)	265	ug/kg	38.2	1	04/10/17 11:18	04/21/17 10:03	53469-21-9	
PCB-1248 (Aroclor 1248)	<38.2	ug/kg	38.2	1	04/10/17 11:18	04/21/17 10:03	12672-29-6	
PCB-1254 (Aroclor 1254)	185	ug/kg	38.2	1	04/10/17 11:18	04/21/17 10:03	11097-69-1	
PCB-1260 (Aroclor 1260)	50.1	ug/kg	38.2	1	04/10/17 11:18	04/21/17 10:03	11096-82-5	CC
Surrogates								
Tetrachloro-m-xylene (S)	114	%.	30-150	1	04/10/17 11:18	04/21/17 10:03	877-09-8	
Decachlorobiphenyl (S)	113	%.	30-150	1	04/10/17 11:18	04/21/17 10:03	2051-24-3	
8015D GCV GRO Low Level Soil Analytical Method: EPA 8015D Preparation Method: EPA 5035A-L								
Gasoline Range Organics C6-C10	<116	ug/kg	116	1	04/09/17 09:56	04/09/17 12:38		
Surrogates								
Chlorofluorobenzene (S)	98	%.	46-120	1	04/09/17 09:56	04/09/17 12:38		
8270 MSSV Analytical Method: EPA 8270D Preparation Method: EPA 3545A								
1,2,4-Trichlorobenzene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	120-82-1	
2,2'-Oxybis(1-chloropropane)	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	108-60-1	
2,4,5-Trichlorophenol	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	95-95-4	
2,4,6-Trichlorophenol	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	88-06-2	
2,4-Dichlorophenol	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	120-83-2	
2,4-Dimethylphenol	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	105-67-9	
2,4-Dinitrophenol	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	51-28-5	
2,4-Dinitrotoluene	<382	ug/kg	382	1	04/11/17 10:46	04/14/17 18:03	121-14-2	
2,6-Dinitrotoluene	<382	ug/kg	382	1	04/11/17 10:46	04/14/17 18:03	606-20-2	IC
2-Chloronaphthalene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	91-58-7	
2-Chlorophenol	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	95-57-8	
2-Methylnaphthalene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	91-57-6	
2-Methylphenol(o-Cresol)	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	95-48-7	
2-Nitroaniline	<382	ug/kg	382	1	04/11/17 10:46	04/14/17 18:03	88-74-4	
2-Nitrophenol	<382	ug/kg	382	1	04/11/17 10:46	04/14/17 18:03	88-75-5	
3&4-Methylphenol(m&p Cresol)	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03		
3,3'-Dichlorobenzidine	<382	ug/kg	382	1	04/11/17 10:46	04/14/17 18:03	91-94-1	
3-Nitroaniline	<382	ug/kg	382	1	04/11/17 10:46	04/14/17 18:03	99-09-2	
4,6-Dinitro-2-methylphenol	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	534-52-1	
4-Bromophenylphenyl ether	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	101-55-3	
4-Chloro-3-methylphenol	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	59-50-7	
4-Chloroaniline	<382	ug/kg	382	1	04/11/17 10:46	04/14/17 18:03	106-47-8	
4-Chlorophenylphenyl ether	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	7005-72-3	
4-Nitroaniline	<382	ug/kg	382	1	04/11/17 10:46	04/14/17 18:03	100-01-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

Sample: SD1 **Lab ID: 7015297001** Collected: 04/06/17 07:20 Received: 04/07/17 09:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Analytical Method: EPA 8270D Preparation Method: EPA 3545A								
4-Nitrophenol	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	100-02-7	
Acenaphthene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	83-32-9	
Acenaphthylene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	208-96-8	
Acetophenone	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	98-86-2	
Anthracene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	120-12-7	
Atrazine	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	1912-24-9	L1
Benzaldehyde	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	100-52-7	CC
Benzo(a)anthracene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	56-55-3	
Benzo(a)pyrene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	50-32-8	
Benzo(b)fluoranthene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	205-99-2	
Benzo(g,h,i)perylene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	191-24-2	
Benzo(k)fluoranthene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	207-08-9	
Biphenyl (Diphenyl)	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	92-52-4	
Butylbenzylphthalate	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	85-68-7	
Caprolactam	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	105-60-2	
Carbazole	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	86-74-8	
Chrysene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	218-01-9	
Di-n-butylphthalate	106	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	84-74-2	B,L1
Di-n-octylphthalate	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	117-84-0	L1
Dibenz(a,h)anthracene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	53-70-3	
Dibenzofuran	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	132-64-9	
Diethylphthalate	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	84-66-2	
Dimethylphthalate	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	131-11-3	
Fluoranthene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	206-44-0	
Fluorene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	86-73-7	
Hexachloro-1,3-butadiene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	87-68-3	
Hexachlorobenzene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	118-74-1	
Hexachlorocyclopentadiene	<382	ug/kg	382	1	04/11/17 10:46	04/14/17 18:03	77-47-4	CC
Hexachloroethane	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	67-72-1	
Indeno(1,2,3-cd)pyrene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	193-39-5	
Isophorone	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	78-59-1	
N-Nitroso-di-n-propylamine	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	621-64-7	
N-Nitrosodiphenylamine	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	86-30-6	L1
Naphthalene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	91-20-3	
Nitrobenzene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	98-95-3	
Pentachlorophenol	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	87-86-5	
Phenanthrene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	85-01-8	
Phenol	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	108-95-2	
Pyrene	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	129-00-0	
bis(2-Chloroethoxy)methane	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	111-91-1	CC
bis(2-Chloroethyl) ether	<77.6	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	111-44-4	
bis(2-Ethylhexyl)phthalate	1160	ug/kg	77.6	1	04/11/17 10:46	04/14/17 18:03	117-81-7	
Surrogates								
Nitrobenzene-d5 (S)	64	%.	23-120	1	04/11/17 10:46	04/14/17 18:03	4165-60-0	
2-Fluorobiphenyl (S)	75	%.	30-115	1	04/11/17 10:46	04/14/17 18:03	321-60-8	
p-Terphenyl-d14 (S)	110	%.	18-137	1	04/11/17 10:46	04/14/17 18:03	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

Sample: SD1 **Lab ID: 7015297001** Collected: 04/06/17 07:20 Received: 04/07/17 09:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Analytical Method: EPA 8270D Preparation Method: EPA 3545A								
Surrogates								
Phenol-d5 (S)	66	%.	24-113	1	04/11/17 10:46	04/14/17 18:03	4165-62-2	
2-Fluorophenol (S)	72	%.	25-121	1	04/11/17 10:46	04/14/17 18:03	367-12-4	
2,4,6-Tribromophenol (S)	89	%.	19-122	1	04/11/17 10:46	04/14/17 18:03	118-79-6	
2-Chlorophenol-d4 (S)	65	%.	20-130	1	04/11/17 10:46	04/14/17 18:03	93951-73-6	
1,2-Dichlorobenzene-d4 (S)	61	%.	20-130	1	04/11/17 10:46	04/14/17 18:03	2199-69-1	
8260C MSV 5035A-L Low Level Analytical Method: EPA 8260C Preparation Method: EPA 5035A-L								
1,1,1-Trichloroethane	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	71-55-6	
1,1,2,2-Tetrachloroethane	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	79-34-5	
1,1,2-Trichloroethane	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	79-00-5	
1,1,2-Trichlorotrifluoroethane	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	76-13-1	
1,1-Dichloroethane	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	75-34-3	
1,1-Dichloroethene	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	75-35-4	
1,2,4-Trichlorobenzene	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	120-82-1	M1
1,2-Dibromo-3-chloropropane	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	96-12-8	
1,2-Dibromoethane (EDB)	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	106-93-4	
1,2-Dichlorobenzene	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	95-50-1	
1,2-Dichloroethane	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	107-06-2	
1,2-Dichloropropane	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	78-87-5	
1,3-Dichlorobenzene	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	541-73-1	
1,4-Dichlorobenzene	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	106-46-7	
2-Butanone (MEK)	42.4	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	78-93-3	CC,D6
2-Hexanone	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	591-78-6	
4-Methyl-2-pentanone (MIBK)	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	108-10-1	
Acetone	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	67-64-1	M1
Benzene	21.4	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	71-43-2	D6
Bromodichloromethane	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	75-27-4	
Bromoform	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	75-25-2	
Bromomethane	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	74-83-9	
Carbon disulfide	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	75-15-0	
Carbon tetrachloride	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	56-23-5	
Chlorobenzene	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	108-90-7	
Chloroethane	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	75-00-3	
Chloroform	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	67-66-3	
Chloromethane	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	74-87-3	
Cyclohexane	24.1	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	110-82-7	CC,D6
Dibromochloromethane	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	124-48-1	
Dichlorodifluoromethane	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	75-71-8	
Ethylbenzene	35.3	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	100-41-4	D6,M1
Isopropylbenzene (Cumene)	3.4	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	98-82-8	D6
Methyl acetate	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	79-20-9	
Methyl-tert-butyl ether	9.7	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	1634-04-4	D6
Methylcyclohexane	23.8	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	108-87-2	D6
Methylene Chloride	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	75-09-2	
Styrene	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts

Pace Project No.: 7015297

Sample: SD1 **Lab ID: 7015297001** Collected: 04/06/17 07:20 Received: 04/07/17 09:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260C MSV 5035A-L Low Level Analytical Method: EPA 8260C Preparation Method: EPA 5035A-L								
Tetrachloroethene	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	127-18-4	
Toluene	71.4	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	108-88-3	D6,M1
Trichloroethene	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	79-01-6	
Trichlorofluoromethane	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	75-69-4	
Vinyl chloride	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	75-01-4	
Xylene (Total)	118	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	1330-20-7	MS
cis-1,2-Dichloroethene	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	156-59-2	
cis-1,3-Dichloropropene	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	10061-01-5	
trans-1,2-Dichloroethene	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	156-60-5	
trans-1,3-Dichloropropene	<1.9	ug/kg	1.9	1	04/09/17 10:22	04/09/17 16:00	10061-02-6	
Surrogates								
Toluene-d8 (S)	97	%.	43-157	1	04/09/17 10:22	04/09/17 16:00	2037-26-5	
4-Bromofluorobenzene (S)	95	%.	34-145	1	04/09/17 10:22	04/09/17 16:00	460-00-4	
1,2-Dichloroethane-d4 (S)	79	%.	33-150	1	04/09/17 10:22	04/09/17 16:00	17060-07-0	

Percent Moisture

Analytical Method: ASTM D2216-92

Percent Moisture	13.7	%	0.10	1		04/11/17 08:52		
------------------	------	---	------	---	--	----------------	--	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

Sample: SLUDGE-1 **Lab ID: 7015297002** Collected: 04/05/17 13:00 Received: 04/07/17 09:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB Analytical Method: EPA 8082A Preparation Method: EPA 3545A								
PCB-1016 (Aroclor 1016)	<151	ug/kg	151	1	04/10/17 11:18	04/21/17 10:16	12674-11-2	
PCB-1221 (Aroclor 1221)	<307	ug/kg	307	1	04/10/17 11:18	04/21/17 10:16	11104-28-2	
PCB-1232 (Aroclor 1232)	<151	ug/kg	151	1	04/10/17 11:18	04/21/17 10:16	11141-16-5	
PCB-1242 (Aroclor 1242)	538	ug/kg	151	1	04/10/17 11:18	04/21/17 10:16	53469-21-9	
PCB-1248 (Aroclor 1248)	<151	ug/kg	151	1	04/10/17 11:18	04/21/17 10:16	12672-29-6	
PCB-1254 (Aroclor 1254)	<151	ug/kg	151	1	04/10/17 11:18	04/21/17 10:16	11097-69-1	
PCB-1260 (Aroclor 1260)	<151	ug/kg	151	1	04/10/17 11:18	04/21/17 10:16	11096-82-5	CC
Surrogates								
Tetrachloro-m-xylene (S)	29	%.	30-150	1	04/10/17 11:18	04/21/17 10:16	877-09-8	S0
Decachlorobiphenyl (S)	38	%.	30-150	1	04/10/17 11:18	04/21/17 10:16	2051-24-3	
6010 MET ICP, TCLP Analytical Method: EPA 6010C Preparation Method: EPA 3005A Leachate Method/Date: EPA 1311; 04/07/17 19:49								
Arsenic	<0.50	mg/L	0.50	1	04/11/17 11:06	04/14/17 17:08	7440-38-2	
Barium	<5.0	mg/L	5.0	1	04/11/17 11:06	04/14/17 17:08	7440-39-3	
Cadmium	0.060	mg/L	0.050	1	04/11/17 11:06	04/14/17 17:08	7440-43-9	
Chromium	<0.50	mg/L	0.50	1	04/11/17 11:06	04/14/17 17:08	7440-47-3	
Lead	<0.50	mg/L	0.50	1	04/11/17 11:06	04/14/17 17:08	7439-92-1	
Selenium	<0.050	mg/L	0.050	1	04/11/17 11:06	04/14/17 17:08	7782-49-2	
Silver	<0.50	mg/L	0.50	1	04/11/17 11:06	04/14/17 17:08	7440-22-4	
7470 Mercury, TCLP Analytical Method: EPA 7470A Preparation Method: EPA 7470A Leachate Method/Date: EPA 1311; 04/07/17 19:49								
Mercury	<0.00020	mg/L	0.00020	1	04/11/17 15:10	04/13/17 15:51	7439-97-6	
8270 MSSV TCLP Analytical Method: EPA 8270D Preparation Method: EPA 3510C Leachate Method/Date: EPA 1311; 04/07/17 19:49								
1,4-Dichlorobenzene	<0.20	mg/L	0.20	20	04/12/17 09:32	04/18/17 21:56	106-46-7	M1
2,4-Dinitrotoluene	<0.20	mg/L	0.20	20	04/12/17 09:32	04/18/17 21:56	121-14-2	M1
Hexachloro-1,3-butadiene	<0.20	mg/L	0.20	20	04/12/17 09:32	04/18/17 21:56	87-68-3	M1
Hexachlorobenzene	<0.20	mg/L	0.20	20	04/12/17 09:32	04/18/17 21:56	118-74-1	M1
Hexachloroethane	<0.20	mg/L	0.20	20	04/12/17 09:32	04/18/17 21:56	67-72-1	M1
2-Methylphenol(o-Cresol)	<0.20	mg/L	0.20	20	04/12/17 09:32	04/18/17 21:56	95-48-7	M1
3&4-Methylphenol(m&p Cresol)	0.37	mg/L	0.20	20	04/12/17 09:32	04/18/17 21:56		M1
Nitrobenzene	<0.20	mg/L	0.20	20	04/12/17 09:32	04/18/17 21:56	98-95-3	M1
Pentachlorophenol	<0.50	mg/L	0.50	20	04/12/17 09:32	04/18/17 21:56	87-86-5	M1
Pyridine	<0.20	mg/L	0.20	20	04/12/17 09:32	04/18/17 21:56	110-86-1	M1
2,4,5-Trichlorophenol	<0.50	mg/L	0.50	20	04/12/17 09:32	04/18/17 21:56	95-95-4	M1
2,4,6-Trichlorophenol	<0.20	mg/L	0.20	20	04/12/17 09:32	04/18/17 21:56	88-06-2	M1
Surrogates								
Nitrobenzene-d5 (S)	577	%.	35-114	20	04/12/17 09:32	04/18/17 21:56	4165-60-0	S4
2-Fluorobiphenyl (S)	69	%.	43-116	20	04/12/17 09:32	04/18/17 21:56	321-60-8	
p-Terphenyl-d14 (S)	82	%.	33-141	20	04/12/17 09:32	04/18/17 21:56	1718-51-0	
Phenol-d5 (S)	223	%.	10-110	20	04/12/17 09:32	04/18/17 21:56	4165-62-2	S4
2-Fluorophenol (S)	371	%.	21-110	20	04/12/17 09:32	04/18/17 21:56	367-12-4	S4
2,4,6-Tribromophenol (S)	73	%.	10-123	20	04/12/17 09:32	04/18/17 21:56	118-79-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

Sample: SLUDGE-1 **Lab ID: 7015297002** Collected: 04/05/17 13:00 Received: 04/07/17 09:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV TCLP								
Analytical Method: EPA 8270D Preparation Method: EPA 3510C								
Leachate Method/Date: EPA 1311; 04/07/17 19:49								
Surrogates								
2-Chlorophenol-d4 (S)	68	%.	33-110	20	04/12/17 09:32	04/18/17 21:56	93951-73-6	
1,2-Dichlorobenzene-d4 (S)	57	%.	16-110	20	04/12/17 09:32	04/18/17 21:56	2199-69-1	
8260C MSV TCLP								
Analytical Method: EPA 8260C Leachate Method/Date: EPA 1311; 04/07/17 19:49								
Benzene	11.6	mg/L	0.20	100		04/17/17 14:02	71-43-2	
2-Butanone (MEK)	1.5	mg/L	0.20	100		04/17/17 14:02	78-93-3	
Carbon tetrachloride	<0.010	mg/L	0.010	5		04/13/17 18:07	56-23-5	
Chlorobenzene	<0.010	mg/L	0.010	5		04/13/17 18:07	108-90-7	
Chloroform	<0.010	mg/L	0.010	5		04/13/17 18:07	67-66-3	
1,2-Dichloroethane	<0.010	mg/L	0.010	5		04/13/17 18:07	107-06-2	
1,1-Dichloroethene	<0.010	mg/L	0.010	5		04/13/17 18:07	75-35-4	
Tetrachloroethene	<0.010	mg/L	0.010	5		04/13/17 18:07	127-18-4	
Trichloroethene	<0.010	mg/L	0.010	5		04/13/17 18:07	79-01-6	
Vinyl chloride	<0.010	mg/L	0.010	5		04/13/17 18:07	75-01-4	
Surrogates								
1,2-Dichloroethane-d4 (S)	98	%.	53-183	5		04/13/17 18:07	17060-07-0	
Toluene-d8 (S)	91	%.	60-135	5		04/13/17 18:07	2037-26-5	
4-Bromofluorobenzene (S)	101	%.	63-140	5		04/13/17 18:07	460-00-4	
Percent Moisture								
Analytical Method: ASTM D2216-92								
Percent Moisture	56.4	%	0.10	1		04/11/17 08:52		
Corrosivity pH, <20% Water								
Analytical Method: EPA 9045D								
pH at 25 Degrees C	5.1	Std. Units	0.10	1		04/08/17 03:04		H1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

Sample: AQ-01 **Lab ID:** 7015297003 Collected: 04/05/17 10:00 Received: 04/07/17 09:30 Matrix: Non Aqueous Liquid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 Metals, Total Analytical Method: EPA 6010 Preparation Method: EPA 3050								
Arsenic	<0.25	mg/kg	0.25	1	04/13/17 15:18	04/18/17 12:01	7440-38-2	M1
Barium	5.2	mg/kg	0.50	1	04/13/17 15:18	04/18/17 12:01	7440-39-3	M1
Cadmium	<0.099	mg/kg	0.099	1	04/13/17 15:18	04/18/17 00:27	7440-43-9	
Chromium	<0.25	mg/kg	0.25	1	04/13/17 15:18	04/18/17 12:01	7440-47-3	
Lead	3.7	mg/kg	0.20	1	04/13/17 15:18	04/18/17 12:01	7439-92-1	M1
Selenium	<0.50	mg/kg	0.50	1	04/13/17 15:18	04/18/17 12:01	7782-49-2	M1
Silver	<0.099	mg/kg	0.099	1	04/13/17 15:18	04/18/17 12:01	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471								
Mercury	<0.034	mg/kg	0.034	1	04/14/17 09:41	04/14/17 12:34	7439-97-6	
8270 MSSV Oil Analytical Method: EPA 8270 Preparation Method: EPA 3580								
Acenaphthene	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	83-32-9	
Acenaphthylene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	208-96-8	
Anthracene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	120-12-7	
Benzo(a)anthracene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	56-55-3	
Benzo(a)pyrene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	50-32-8	
Benzo(b)fluoranthene	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	205-99-2	
Benzo(g,h,i)perylene	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	191-24-2	
Benzo(k)fluoranthene	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	207-08-9	
Benzoic acid	<40000	ug/kg	40000	20	04/17/17 14:22	04/17/17 23:47	65-85-0	
Benzyl alcohol	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	100-51-6	
4-Bromophenylphenyl ether	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	101-55-3	
Butylbenzylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	85-68-7	
4-Chloro-3-methylphenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	59-50-7	
4-Chloroaniline	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	106-47-8	
bis(2-Chloroethoxy)methane	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	111-91-1	
bis(2-Chloroethyl) ether	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	111-44-4	
bis(2-Chloroisopropyl) ether	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	108-60-1	
2-Chloronaphthalene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	91-58-7	
2-Chlorophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	95-57-8	
4-Chlorophenylphenyl ether	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	7005-72-3	
Chrysene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	218-01-9	
Dibenz(a,h)anthracene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	53-70-3	
Dibenzofuran	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	132-64-9	
1,2-Dichlorobenzene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	95-50-1	
1,3-Dichlorobenzene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	541-73-1	
1,4-Dichlorobenzene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	106-46-7	
3,3'-Dichlorobenzidine	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	91-94-1	
2,4-Dichlorophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	120-83-2	
Diethylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	84-66-2	
2,4-Dimethylphenol	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	105-67-9	
Dimethylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	131-11-3	
Di-n-butylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	84-74-2	
4,6-Dinitro-2-methylphenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	534-52-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts

Pace Project No.: 7015297

Sample: AQ-01 **Lab ID:** 7015297003 **Collected:** 04/05/17 10:00 **Received:** 04/07/17 09:30 **Matrix:** Non Aqueous Liquid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Oil Analytical Method: EPA 8270 Preparation Method: EPA 3580								
2,4-Dinitrophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	51-28-5	
2,4-Dinitrotoluene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	121-14-2	
2,6-Dinitrotoluene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	606-20-2	
Di-n-octylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	117-84-0	
bis(2-Ethylhexyl)phthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	117-81-7	
Fluoranthene	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	206-44-0	
Fluorene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	86-73-7	
Hexachloro-1,3-butadiene	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	87-68-3	
Hexachlorobenzene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	118-74-1	
Hexachlorocyclopentadiene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	77-47-4	
Hexachloroethane	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	67-72-1	
Indeno(1,2,3-cd)pyrene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	193-39-5	
Isophorone	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	78-59-1	
2-Methylnaphthalene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	91-57-6	
2-Methylphenol(o-Cresol)	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	95-48-7	
3&4-Methylphenol(m&p Cresol)	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47		
Naphthalene	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	91-20-3	
2-Nitroaniline	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	88-74-4	
3-Nitroaniline	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	99-09-2	
4-Nitroaniline	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	100-01-6	
Nitrobenzene	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	98-95-3	
2-Nitrophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	88-75-5	
4-Nitrophenol	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	100-02-7	
N-Nitroso-di-n-propylamine	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	621-64-7	
N-Nitrosodiphenylamine	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	86-30-6	
Pentachlorophenol	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	87-86-5	
Phenanthrene	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	85-01-8	
Phenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	108-95-2	
Pyrene	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	129-00-0	
1,2,4-Trichlorobenzene	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	120-82-1	
2,4,5-Trichlorophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/17/17 23:47	95-95-4	
2,4,6-Trichlorophenol	<10000	ug/kg	10000	20	04/17/17 14:22	04/17/17 23:47	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	83	%.	40-140	20	04/17/17 14:22	04/17/17 23:47	4165-60-0	D3
2-Fluorobiphenyl (S)	123	%.	40-140	20	04/17/17 14:22	04/17/17 23:47	321-60-8	
p-Terphenyl-d14 (S)	114	%.	40-140	20	04/17/17 14:22	04/17/17 23:47	1718-51-0	
Phenol-d6 (S)	85	%.	40-140	20	04/17/17 14:22	04/17/17 23:47	13127-88-3	
2-Fluorophenol (S)	72	%.	40-140	20	04/17/17 14:22	04/17/17 23:47	367-12-4	
2,4,6-Tribromophenol (S)	0	%.	40-140	20	04/17/17 14:22	04/17/17 23:47	118-79-6	S4

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

Sample: 01A-01 (TOP) **Lab ID: 7015297004** Collected: 04/05/17 15:00 Received: 04/07/17 09:30 Matrix: Non Aqueous Liquid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB Analytical Method: EPA 8082A Preparation Method: EPA 3580A								
PCB-1016 (Aroclor 1016)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 09:48	12674-11-2	
PCB-1221 (Aroclor 1221)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 09:48	11104-28-2	
PCB-1232 (Aroclor 1232)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 09:48	11141-16-5	
PCB-1242 (Aroclor 1242)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 09:48	53469-21-9	
PCB-1248 (Aroclor 1248)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 09:48	12672-29-6	
PCB-1254 (Aroclor 1254)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 09:48	11097-69-1	
PCB-1260 (Aroclor 1260)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 09:48	11096-82-5	CC
Surrogates								
Tetrachloro-m-xylene (S)	156	%.	30-150	1	04/10/17 12:14	04/18/17 09:48	877-09-8	S3
Decachlorobiphenyl (S)	131	%.	30-150	1	04/10/17 12:14	04/18/17 09:48	2051-24-3	
6010 Metals, Total Analytical Method: EPA 6010 Preparation Method: EPA 3050								
Arsenic	<0.26	mg/kg	0.26	1	04/13/17 15:18	04/18/17 00:33	7440-38-2	
Barium	6.8	mg/kg	0.51	1	04/13/17 15:18	04/18/17 00:33	7440-39-3	
Cadmium	0.13	mg/kg	0.10	1	04/13/17 15:18	04/18/17 00:33	7440-43-9	
Chromium	0.48	mg/kg	0.26	1	04/13/17 15:18	04/18/17 00:33	7440-47-3	
Lead	18.5	mg/kg	0.20	1	04/13/17 15:18	04/18/17 00:33	7439-92-1	
Selenium	<0.51	mg/kg	0.51	1	04/13/17 15:18	04/18/17 00:33	7782-49-2	
Silver	<0.10	mg/kg	0.10	1	04/13/17 15:18	04/18/17 00:33	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471								
Mercury	<0.033	mg/kg	0.033	1	04/14/17 09:41	04/14/17 12:36	7439-97-6	
8270 MSSV Oil Analytical Method: EPA 8270 Preparation Method: EPA 3580								
Acenaphthene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	83-32-9	
Acenaphthylene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	208-96-8	
Anthracene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	120-12-7	
Benzo(a)anthracene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	56-55-3	
Benzo(a)pyrene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	50-32-8	
Benzo(b)fluoranthene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	205-99-2	
Benzo(g,h,i)perylene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	191-24-2	
Benzo(k)fluoranthene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	207-08-9	
Benzoic acid	<40000	ug/kg	40000	20	04/17/17 14:22	04/18/17 00:22	65-85-0	
Benzyl alcohol	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	100-51-6	
4-Bromophenylphenyl ether	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	101-55-3	
Butylbenzylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	85-68-7	
4-Chloro-3-methylphenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	59-50-7	
4-Chloroaniline	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	106-47-8	
bis(2-Chloroethoxy)methane	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	111-91-1	
bis(2-Chloroethyl) ether	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	111-44-4	
bis(2-Chloroisopropyl) ether	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	108-60-1	
2-Chloronaphthalene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	91-58-7	
2-Chlorophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	95-57-8	
4-Chlorophenylphenyl ether	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	7005-72-3	
Chrysene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	218-01-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

Sample: 01A-01 (TOP) **Lab ID: 7015297004** Collected: 04/05/17 15:00 Received: 04/07/17 09:30 Matrix: Non Aqueous Liquid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Oil Analytical Method: EPA 8270 Preparation Method: EPA 3580								
Dibenz(a,h)anthracene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	53-70-3	
Dibenzofuran	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	132-64-9	
1,2-Dichlorobenzene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	95-50-1	
1,3-Dichlorobenzene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	541-73-1	
1,4-Dichlorobenzene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	106-46-7	
3,3'-Dichlorobenzidine	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	91-94-1	
2,4-Dichlorophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	120-83-2	
Diethylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	84-66-2	
2,4-Dimethylphenol	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	105-67-9	
Dimethylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	131-11-3	
Di-n-butylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	84-74-2	
4,6-Dinitro-2-methylphenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	534-52-1	
2,4-Dinitrophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	51-28-5	
2,4-Dinitrotoluene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	121-14-2	
2,6-Dinitrotoluene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	606-20-2	
Di-n-octylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	117-84-0	
bis(2-Ethylhexyl)phthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	117-81-7	
Fluoranthene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	206-44-0	
Fluorene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	86-73-7	
Hexachloro-1,3-butadiene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	87-68-3	
Hexachlorobenzene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	118-74-1	
Hexachlorocyclopentadiene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	77-47-4	
Hexachloroethane	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	67-72-1	
Indeno(1,2,3-cd)pyrene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	193-39-5	
Isophorone	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	78-59-1	
2-Methylnaphthalene	170000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	91-57-6	
2-Methylphenol(o-Cresol)	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	95-48-7	
3&4-Methylphenol(m&p Cresol)	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22		
Naphthalene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	91-20-3	
2-Nitroaniline	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	88-74-4	
3-Nitroaniline	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	99-09-2	
4-Nitroaniline	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	100-01-6	
Nitrobenzene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	98-95-3	
2-Nitrophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	88-75-5	
4-Nitrophenol	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	100-02-7	
N-Nitroso-di-n-propylamine	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	621-64-7	
N-Nitrosodiphenylamine	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	86-30-6	
Pentachlorophenol	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	87-86-5	
Phenanthrene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	85-01-8	
Phenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	108-95-2	
Pyrene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	129-00-0	
1,2,4-Trichlorobenzene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	120-82-1	
2,4,5-Trichlorophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:22	95-95-4	
2,4,6-Trichlorophenol	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:22	88-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts

Pace Project No.: 7015297

Sample: 01A-01 (TOP) **Lab ID: 7015297004** Collected: 04/05/17 15:00 Received: 04/07/17 09:30 Matrix: Non Aqueous Liquid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Oil Analytical Method: EPA 8270 Preparation Method: EPA 3580								
Surrogates								
Nitrobenzene-d5 (S)	85	%.	40-140	20	04/17/17 14:22	04/18/17 00:22	4165-60-0	D3
2-Fluorobiphenyl (S)	113	%.	40-140	20	04/17/17 14:22	04/18/17 00:22	321-60-8	
p-Terphenyl-d14 (S)	114	%.	40-140	20	04/17/17 14:22	04/18/17 00:22	1718-51-0	
Phenol-d6 (S)	87	%.	40-140	20	04/17/17 14:22	04/18/17 00:22	13127-88-3	
2-Fluorophenol (S)	65	%.	40-140	20	04/17/17 14:22	04/18/17 00:22	367-12-4	
2,4,6-Tribromophenol (S)	0	%.	40-140	20	04/17/17 14:22	04/18/17 00:22	118-79-6	S4
1010A Flashpoint,Closed Cup Analytical Method: EPA 1010A								
Flashpoint	>140.00	deg F		1		04/13/17 19:18		
Flashpoint	>60	deg C		1		04/13/17 19:18		
Corrosivity pH, <20% Water Analytical Method: EPA 9045D								
pH at 25 Degrees C	7.6	Std. Units	0.10	1		04/08/17 03:15		H1
ASTM D5468-02 BTU Analytical Method: ASTM D5468-02								
British Thermal Units	19400	BTU/lb	50.0	1		04/14/17 09:17		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

Sample: 01A-01 (BOTTOM)		Lab ID: 7015297005	Collected: 04/05/17 15:00		Received: 04/07/17 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB		Analytical Method: EPA 8082A Preparation Method: EPA 3510C						
PCB-1016 (Aroclor 1016)	<10.0	ug/L	10.0	1	04/17/17 20:14	04/18/17 19:24	12674-11-2	
PCB-1221 (Aroclor 1221)	<20.0	ug/L	20.0	1	04/17/17 20:14	04/18/17 19:24	11104-28-2	
PCB-1232 (Aroclor 1232)	<10.0	ug/L	10.0	1	04/17/17 20:14	04/18/17 19:24	11141-16-5	
PCB-1242 (Aroclor 1242)	<10.0	ug/L	10.0	1	04/17/17 20:14	04/18/17 19:24	53469-21-9	
PCB-1248 (Aroclor 1248)	<10.0	ug/L	10.0	1	04/17/17 20:14	04/18/17 19:24	12672-29-6	
PCB-1254 (Aroclor 1254)	<10.0	ug/L	10.0	1	04/17/17 20:14	04/18/17 19:24	11097-69-1	
PCB-1260 (Aroclor 1260)	<10.0	ug/L	10.0	1	04/17/17 20:14	04/18/17 19:24	11096-82-5	
Surrogates								
Tetrachloro-m-xylene (S)	81	%.	30-150	1	04/17/17 20:14	04/18/17 19:24	877-09-8	
Decachlorobiphenyl (S)	85	%.	30-150	1	04/17/17 20:14	04/18/17 19:24	2051-24-3	
6010 Metals, Total		Analytical Method: EPA 6010 Preparation Method: EPA 3010						
Arsenic	0.78	mg/L	0.25	50	04/18/17 02:33	04/20/17 15:17	7440-38-2	
Barium	<0.15	mg/L	0.15	50	04/18/17 02:33	04/20/17 15:17	7440-39-3	D3
Cadmium	<0.050	mg/L	0.050	50	04/18/17 02:33	04/20/17 15:17	7440-43-9	D3
Chromium	<0.25	mg/L	0.25	50	04/18/17 02:33	04/20/17 15:17	7440-47-3	D3
Lead	0.84	mg/L	0.25	50	04/18/17 02:33	04/20/17 15:17	7439-92-1	
Selenium	2.3	mg/L	0.50	50	04/18/17 02:33	04/20/17 15:17	7782-49-2	
Silver	<0.10	mg/L	0.10	50	04/18/17 02:33	04/20/17 15:17	7440-22-4	D3
7470 Mercury		Analytical Method: EPA 7470 Preparation Method: EPA 7470						
Mercury	<0.00080	mg/L	0.00080	1	04/17/17 14:15	04/17/17 19:57	7439-97-6	
8270 MSSV Semivolatile Organic		Analytical Method: EPA 8270 Preparation Method: EPA 3510						
Acenaphthene	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	83-32-9	
Acenaphthylene	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	208-96-8	
Anthracene	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	120-12-7	
Benzo(a)anthracene	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	56-55-3	
Benzo(a)pyrene	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	50-32-8	
Benzo(b)fluoranthene	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	205-99-2	
Benzo(g,h,i)perylene	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	191-24-2	
Benzo(k)fluoranthene	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	207-08-9	
Benzoic acid	<286	ug/L	286	10	04/12/17 16:30	04/13/17 20:43	65-85-0	
Benzyl alcohol	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	100-51-6	
4-Bromophenylphenyl ether	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	101-55-3	
Butylbenzylphthalate	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	85-68-7	
Carbazole	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	86-74-8	
4-Chloro-3-methylphenol	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	59-50-7	
4-Chloroaniline	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	106-47-8	
bis(2-Chloroethoxy)methane	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	111-91-1	
bis(2-Chloroethyl) ether	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	111-44-4	
bis(2-Chloroisopropyl) ether	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	108-60-1	
2-Chloronaphthalene	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	91-58-7	
2-Chlorophenol	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	95-57-8	
4-Chlorophenylphenyl ether	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	7005-72-3	
Chrysene	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	218-01-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

Sample: 01A-01 (BOTTOM)		Lab ID: 7015297005	Collected: 04/05/17 15:00	Received: 04/07/17 09:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic		Analytical Method: EPA 8270 Preparation Method: EPA 3510						
Dibenz(a,h)anthracene	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	53-70-3	
Dibenzofuran	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	132-64-9	
1,2-Dichlorobenzene	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	95-50-1	
1,3-Dichlorobenzene	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	541-73-1	
1,4-Dichlorobenzene	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	106-46-7	
3,3'-Dichlorobenzidine	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	91-94-1	
2,4-Dichlorophenol	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	120-83-2	
Diethylphthalate	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	84-66-2	
7,12-Dimethylbenz(a)anthracene	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	57-97-6	
2,4-Dimethylphenol	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	105-67-9	
Dimethylphthalate	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	131-11-3	
Di-n-butylphthalate	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	84-74-2	
4,6-Dinitro-2-methylphenol	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	534-52-1	
2,4-Dinitrophenol	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	51-28-5	
2,4-Dinitrotoluene	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	121-14-2	
2,6-Dinitrotoluene	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	606-20-2	
Di-n-octylphthalate	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	117-84-0	
bis(2-Ethylhexyl)phthalate	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	117-81-7	
Fluoranthene	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	206-44-0	
Fluorene	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	86-73-7	
Hexachloro-1,3-butadiene	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	87-68-3	
Hexachlorobenzene	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	118-74-1	
Hexachlorocyclopentadiene	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	77-47-4	
Hexachloroethane	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	67-72-1	
Indeno(1,2,3-cd)pyrene	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	193-39-5	
Isophorone	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	78-59-1	
2-Methylnaphthalene	234	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	91-57-6	
2-Methylphenol(o-Cresol)	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	95-48-7	
Naphthalene	320	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	91-20-3	
2-Nitroaniline	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	88-74-4	
3-Nitroaniline	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	99-09-2	
4-Nitroaniline	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	100-01-6	
Nitrobenzene	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	98-95-3	
2-Nitrophenol	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	88-75-5	
4-Nitrophenol	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	100-02-7	
N-Nitrosodimethylamine	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	62-75-9	
N-Nitroso-di-n-propylamine	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	621-64-7	
N-Nitrosodiphenylamine	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	86-30-6	
Pentachlorophenol	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	87-86-5	
Phenanthrene	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	85-01-8	
Phenol	252	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	108-95-2	
Pyrene	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	129-00-0	
Pyridine	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	110-86-1	
1,2,4-Trichlorobenzene	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	120-82-1	
2,4,5-Trichlorophenol	<42.9	ug/L	42.9	10	04/12/17 16:30	04/13/17 20:43	95-95-4	
2,4,6-Trichlorophenol	<71.4	ug/L	71.4	10	04/12/17 16:30	04/13/17 20:43	88-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts

Pace Project No.: 7015297

Sample: 01A-01 (BOTTOM)		Lab ID: 7015297005		Collected: 04/05/17 15:00		Received: 04/07/17 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8270 MSSV Semivolatile Organic		Analytical Method: EPA 8270 Preparation Method: EPA 3510							
Surrogates									
2-Fluorobiphenyl (S)	16	%.	10-112	10	04/12/17 16:30	04/13/17 20:43	321-60-8	D3	
p-Terphenyl-d14 (S)	19	%.	12-154	10	04/12/17 16:30	04/13/17 20:43	1718-51-0		
2,4,6-Tribromophenol (S)	45	%.	10-137	10	04/12/17 16:30	04/13/17 20:43	118-79-6		
2-Fluorophenol (S)	8	%.	10-80	10	04/12/17 16:30	04/13/17 20:43	367-12-4	S4	
Phenol-d6 (S)	31	%.	10-57	10	04/12/17 16:30	04/13/17 20:43	13127-88-3		
Nitrobenzene-d5 (S)	33	%.	10-117	10	04/12/17 16:30	04/13/17 20:43	4165-60-0		
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
1,1,1-Trichloroethane	<1000	ug/L	1000	1000		04/17/17 21:38	71-55-6		
1,1,2,2-Tetrachloroethane	<1000	ug/L	1000	1000		04/17/17 21:38	79-34-5		
1,1,2-Trichloroethane	<1000	ug/L	1000	1000		04/17/17 21:38	79-00-5		
1,1,2-Trichlorotrifluoroethane	<1000	ug/L	1000	1000		04/17/17 21:38	76-13-1		
1,1-Dichloroethane	<1000	ug/L	1000	1000		04/17/17 21:38	75-34-3		
1,1-Dichloroethene	<1000	ug/L	1000	1000		04/17/17 21:38	75-35-4		
1,2,4-Trichlorobenzene	3890	ug/L	1000	1000		04/17/17 21:38	120-82-1	L1	
1,2-Dibromo-3-chloropropane	<1000	ug/L	1000	1000		04/17/17 21:38	96-12-8		
1,2-Dibromoethane (EDB)	<1000	ug/L	1000	1000		04/17/17 21:38	106-93-4		
1,2-Dichlorobenzene	4590	ug/L	1000	1000		04/17/17 21:38	95-50-1		
1,2-Dichloroethane	<1000	ug/L	1000	1000		04/17/17 21:38	107-06-2		
1,2-Dichloropropane	<1000	ug/L	1000	1000		04/17/17 21:38	78-87-5		
1,3-Dichlorobenzene	<1000	ug/L	1000	1000		04/17/17 21:38	541-73-1		
1,4-Dichlorobenzene	<1000	ug/L	1000	1000		04/17/17 21:38	106-46-7		
2-Butanone (MEK)	<1000	ug/L	1000	1000		04/17/17 21:38	78-93-3		
2-Hexanone	<1000	ug/L	1000	1000		04/17/17 21:38	591-78-6		
4-Methyl-2-pentanone (MIBK)	<1000	ug/L	1000	1000		04/17/17 21:38	108-10-1		
Acetone	12900	ug/L	5000	1000		04/17/17 21:38	67-64-1		
Benzene	<1000	ug/L	1000	1000		04/17/17 21:38	71-43-2		
Bromodichloromethane	<1000	ug/L	1000	1000		04/17/17 21:38	75-27-4		
Bromoform	<1000	ug/L	1000	1000		04/17/17 21:38	75-25-2		
Bromomethane	<1000	ug/L	1000	1000		04/17/17 21:38	74-83-9		
Carbon disulfide	<1000	ug/L	1000	1000		04/17/17 21:38	75-15-0		
Carbon tetrachloride	<1000	ug/L	1000	1000		04/17/17 21:38	56-23-5		
Chlorobenzene	<1000	ug/L	1000	1000		04/17/17 21:38	108-90-7		
Chloroethane	<1000	ug/L	1000	1000		04/17/17 21:38	75-00-3		
Chloroform	<1000	ug/L	1000	1000		04/17/17 21:38	67-66-3		
Chloromethane	<1000	ug/L	1000	1000		04/17/17 21:38	74-87-3		
Cyclohexane	<1000	ug/L	1000	1000		04/17/17 21:38	110-82-7		
Dibromochloromethane	<1000	ug/L	1000	1000		04/17/17 21:38	124-48-1		
Dichlorodifluoromethane	<1000	ug/L	1000	1000		04/17/17 21:38	75-71-8		
Ethylbenzene	14400	ug/L	1000	1000		04/17/17 21:38	100-41-4		
Isopropylbenzene (Cumene)	2120	ug/L	1000	1000		04/17/17 21:38	98-82-8		
Methyl acetate	<1000	ug/L	1000	1000		04/17/17 21:38	79-20-9		
Methyl-tert-butyl ether	1550	ug/L	1000	1000		04/17/17 21:38	1634-04-4		
Methylcyclohexane	1920	ug/L	1000	1000		04/17/17 21:38	108-87-2		
Methylene Chloride	211000	ug/L	1000	1000		04/17/17 21:38	75-09-2	C9,E	
Styrene	<1000	ug/L	1000	1000		04/17/17 21:38	100-42-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts

Pace Project No.: 7015297

Sample: 01A-01 (BOTTOM)		Lab ID: 7015297005		Collected: 04/05/17 15:00		Received: 04/07/17 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Tetrachloroethene	14300	ug/L	1000	1000		04/17/17 21:38	127-18-4		
Toluene	36500	ug/L	1000	1000		04/17/17 21:38	108-88-3		
Trichloroethene	<1000	ug/L	1000	1000		04/17/17 21:38	79-01-6		
Trichlorofluoromethane	<1000	ug/L	1000	1000		04/17/17 21:38	75-69-4		
Vinyl chloride	<1000	ug/L	1000	1000		04/17/17 21:38	75-01-4		
Xylene (Total)	76400	ug/L	1000	1000		04/17/17 21:38	1330-20-7		
cis-1,2-Dichloroethene	<1000	ug/L	1000	1000		04/17/17 21:38	156-59-2		
cis-1,3-Dichloropropene	<1000	ug/L	1000	1000		04/17/17 21:38	10061-01-5		
trans-1,2-Dichloroethene	<1000	ug/L	1000	1000		04/17/17 21:38	156-60-5		
trans-1,3-Dichloropropene	<1000	ug/L	1000	1000		04/17/17 21:38	10061-02-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	98	%.	68-153	1000		04/17/17 21:38	17060-07-0		
4-Bromofluorobenzene (S)	98	%.	79-124	1000		04/17/17 21:38	460-00-4		
Toluene-d8 (S)	94	%.	69-124	1000		04/17/17 21:38	2037-26-5		
1010A Flashpoint,Closed Cup		Analytical Method: EPA 1010A							
Flashpoint	>140.00	deg F		1		04/13/17 19:26			
Flashpoint	>60	deg C		1		04/13/17 19:26			
9040 Corrosivity-pH >20% water		Analytical Method: EPA 9040C							
pH at 25 Degrees C	8.0	Std. Units	0.10	1		04/12/17 17:01		H3,H6	
ASTM D5468-02 BTU		Analytical Method: ASTM D5468-02							
British Thermal Units	4350	BTU/lb	50.0	1		04/14/17 09:17		N2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

Sample: OIL-1 **Lab ID:** 7015297006 **Collected:** 04/05/17 09:00 **Received:** 04/07/17 09:30 **Matrix:** Non Aqueous Liquid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB Analytical Method: EPA 8082A Preparation Method: EPA 3580A								
PCB-1016 (Aroclor 1016)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 10:01	12674-11-2	
PCB-1221 (Aroclor 1221)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 10:01	11104-28-2	
PCB-1232 (Aroclor 1232)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 10:01	11141-16-5	
PCB-1242 (Aroclor 1242)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 10:01	53469-21-9	
PCB-1248 (Aroclor 1248)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 10:01	12672-29-6	
PCB-1254 (Aroclor 1254)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 10:01	11097-69-1	
PCB-1260 (Aroclor 1260)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 10:01	11096-82-5	CC
Surrogates								
Tetrachloro-m-xylene (S)	117	%.	30-150	1	04/10/17 12:14	04/18/17 10:01	877-09-8	
Decachlorobiphenyl (S)	132	%.	30-150	1	04/10/17 12:14	04/18/17 10:01	2051-24-3	
6010 Metals, Total Analytical Method: EPA 6010 Preparation Method: EPA 3050								
Arsenic	<0.24	mg/kg	0.24	1	04/13/17 15:18	04/18/17 00:39	7440-38-2	
Barium	53.2	mg/kg	0.49	1	04/13/17 15:18	04/18/17 00:39	7440-39-3	
Cadmium	0.34	mg/kg	0.098	1	04/13/17 15:18	04/18/17 00:39	7440-43-9	
Chromium	0.98	mg/kg	0.24	1	04/13/17 15:18	04/18/17 00:39	7440-47-3	
Lead	121	mg/kg	0.20	1	04/13/17 15:18	04/18/17 00:39	7439-92-1	
Selenium	<0.49	mg/kg	0.49	1	04/13/17 15:18	04/18/17 00:39	7782-49-2	
Silver	<0.098	mg/kg	0.098	1	04/13/17 15:18	04/18/17 00:39	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471								
Mercury	<0.034	mg/kg	0.034	1	04/14/17 09:41	04/14/17 12:37	7439-97-6	
8270 MSSV Oil Analytical Method: EPA 8270 Preparation Method: EPA 3580								
Acenaphthene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	83-32-9	
Acenaphthylene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	208-96-8	
Anthracene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	120-12-7	
Benzo(a)anthracene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	56-55-3	
Benzo(a)pyrene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	50-32-8	
Benzo(b)fluoranthene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	205-99-2	
Benzo(g,h,i)perylene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	191-24-2	
Benzo(k)fluoranthene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	207-08-9	
Benzoic acid	<40000	ug/kg	40000	20	04/17/17 14:22	04/18/17 00:57	65-85-0	
Benzyl alcohol	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	100-51-6	
4-Bromophenylphenyl ether	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	101-55-3	
Butylbenzylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	85-68-7	
4-Chloro-3-methylphenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	59-50-7	
4-Chloroaniline	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	106-47-8	
bis(2-Chloroethoxy)methane	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	111-91-1	
bis(2-Chloroethyl) ether	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	111-44-4	
bis(2-Chloroisopropyl) ether	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	108-60-1	
2-Chloronaphthalene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	91-58-7	
2-Chlorophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	95-57-8	
4-Chlorophenylphenyl ether	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	7005-72-3	
Chrysene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	218-01-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts

Pace Project No.: 7015297

Sample: OIL-1 **Lab ID:** 7015297006 **Collected:** 04/05/17 09:00 **Received:** 04/07/17 09:30 **Matrix:** Non Aqueous Liquid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Oil Analytical Method: EPA 8270 Preparation Method: EPA 3580								
Dibenz(a,h)anthracene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	53-70-3	
Dibenzofuran	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	132-64-9	
1,2-Dichlorobenzene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	95-50-1	
1,3-Dichlorobenzene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	541-73-1	
1,4-Dichlorobenzene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	106-46-7	
3,3'-Dichlorobenzidine	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	91-94-1	
2,4-Dichlorophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	120-83-2	
Diethylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	84-66-2	
2,4-Dimethylphenol	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	105-67-9	
Dimethylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	131-11-3	
Di-n-butylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	84-74-2	
4,6-Dinitro-2-methylphenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	534-52-1	
2,4-Dinitrophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	51-28-5	
2,4-Dinitrotoluene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	121-14-2	
2,6-Dinitrotoluene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	606-20-2	
Di-n-octylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	117-84-0	
bis(2-Ethylhexyl)phthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	117-81-7	
Fluoranthene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	206-44-0	
Fluorene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	86-73-7	
Hexachloro-1,3-butadiene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	87-68-3	
Hexachlorobenzene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	118-74-1	
Hexachlorocyclopentadiene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	77-47-4	
Hexachloroethane	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	67-72-1	
Indeno(1,2,3-cd)pyrene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	193-39-5	
Isophorone	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	78-59-1	
2-Methylnaphthalene	579000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	91-57-6	
2-Methylphenol(o-Cresol)	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	95-48-7	
3&4-Methylphenol(m&p Cresol)	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57		
Naphthalene	449000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	91-20-3	
2-Nitroaniline	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	88-74-4	
3-Nitroaniline	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	99-09-2	
4-Nitroaniline	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	100-01-6	
Nitrobenzene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	98-95-3	
2-Nitrophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	88-75-5	
4-Nitrophenol	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	100-02-7	
N-Nitroso-di-n-propylamine	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	621-64-7	
N-Nitrosodiphenylamine	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	86-30-6	
Pentachlorophenol	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	87-86-5	
Phenanthrene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	85-01-8	
Phenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	108-95-2	
Pyrene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	129-00-0	
1,2,4-Trichlorobenzene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	120-82-1	
2,4,5-Trichlorophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 00:57	95-95-4	
2,4,6-Trichlorophenol	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 00:57	88-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts

Pace Project No.: 7015297

Sample: OIL-1 **Lab ID:** 7015297006 Collected: 04/05/17 09:00 Received: 04/07/17 09:30 Matrix: Non Aqueous Liquid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Oil Analytical Method: EPA 8270 Preparation Method: EPA 3580								
Surrogates								
Nitrobenzene-d5 (S)	87	%.	40-140	20	04/17/17 14:22	04/18/17 00:57	4165-60-0	D3
2-Fluorobiphenyl (S)	106	%.	40-140	20	04/17/17 14:22	04/18/17 00:57	321-60-8	
p-Terphenyl-d14 (S)	117	%.	40-140	20	04/17/17 14:22	04/18/17 00:57	1718-51-0	
Phenol-d6 (S)	85	%.	40-140	20	04/17/17 14:22	04/18/17 00:57	13127-88-3	
2-Fluorophenol (S)	62	%.	40-140	20	04/17/17 14:22	04/18/17 00:57	367-12-4	
2,4,6-Tribromophenol (S)	0	%.	40-140	20	04/17/17 14:22	04/18/17 00:57	118-79-6	S4
1010A Flashpoint,Closed Cup Analytical Method: EPA 1010A								
Flashpoint	<77.00	deg F		1		04/13/17 19:42		
Flashpoint	<25	deg C		1		04/13/17 19:42		
ASTM D5468-02 BTU Analytical Method: ASTM D5468-02								
British Thermal Units	18900	BTU/lb	50.0	1		04/14/17 09:17		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

Sample: OIL-2 **Lab ID:** 7015297007 Collected: 04/05/17 09:00 Received: 04/07/17 09:30 Matrix: Non Aqueous Liquid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB Analytical Method: EPA 8082A Preparation Method: EPA 3580A								
PCB-1016 (Aroclor 1016)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 10:26	12674-11-2	
PCB-1221 (Aroclor 1221)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 10:26	11104-28-2	
PCB-1232 (Aroclor 1232)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 10:26	11141-16-5	
PCB-1242 (Aroclor 1242)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 10:26	53469-21-9	
PCB-1248 (Aroclor 1248)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 10:26	12672-29-6	
PCB-1254 (Aroclor 1254)	6.9	mg/kg	2.0	1	04/10/17 12:14	04/18/17 10:26	11097-69-1	
PCB-1260 (Aroclor 1260)	<2.0	mg/kg	2.0	1	04/10/17 12:14	04/18/17 10:26	11096-82-5	CC
Surrogates								
Tetrachloro-m-xylene (S)	123	%.	30-150	1	04/10/17 12:14	04/18/17 10:26	877-09-8	
Decachlorobiphenyl (S)	102	%.	30-150	1	04/10/17 12:14	04/18/17 10:26	2051-24-3	
6010 Metals, Total Analytical Method: EPA 6010 Preparation Method: EPA 3050								
Arsenic	<0.25	mg/kg	0.25	1	04/13/17 15:18	04/18/17 00:45	7440-38-2	
Barium	3.1	mg/kg	0.51	1	04/13/17 15:18	04/18/17 00:45	7440-39-3	
Cadmium	<0.10	mg/kg	0.10	1	04/13/17 15:18	04/18/17 00:45	7440-43-9	
Chromium	<0.25	mg/kg	0.25	1	04/13/17 15:18	04/18/17 00:45	7440-47-3	
Lead	5.4	mg/kg	0.20	1	04/13/17 15:18	04/18/17 00:45	7439-92-1	
Selenium	<0.51	mg/kg	0.51	1	04/13/17 15:18	04/18/17 00:45	7782-49-2	
Silver	<0.10	mg/kg	0.10	1	04/13/17 15:18	04/18/17 00:45	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471								
Mercury	<0.034	mg/kg	0.034	1	04/14/17 09:41	04/14/17 12:39	7439-97-6	
8270 MSSV Oil Analytical Method: EPA 8270 Preparation Method: EPA 3580								
Acenaphthene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	83-32-9	
Acenaphthylene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	208-96-8	
Anthracene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	120-12-7	
Benzo(a)anthracene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	56-55-3	
Benzo(a)pyrene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	50-32-8	
Benzo(b)fluoranthene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	205-99-2	
Benzo(g,h,i)perylene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	191-24-2	
Benzo(k)fluoranthene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	207-08-9	
Benzoic acid	<40000	ug/kg	40000	20	04/17/17 14:22	04/18/17 01:32	65-85-0	
Benzyl alcohol	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	100-51-6	
4-Bromophenylphenyl ether	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	101-55-3	
Butylbenzylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	85-68-7	
4-Chloro-3-methylphenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	59-50-7	
4-Chloroaniline	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	106-47-8	
bis(2-Chloroethoxy)methane	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	111-91-1	
bis(2-Chloroethyl) ether	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	111-44-4	
bis(2-Chloroisopropyl) ether	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	108-60-1	
2-Chloronaphthalene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	91-58-7	
2-Chlorophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	95-57-8	
4-Chlorophenylphenyl ether	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	7005-72-3	
Chrysene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	218-01-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts

Pace Project No.: 7015297

Sample: OIL-2 **Lab ID:** 7015297007 **Collected:** 04/05/17 09:00 **Received:** 04/07/17 09:30 **Matrix:** Non Aqueous Liquid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Oil Analytical Method: EPA 8270 Preparation Method: EPA 3580								
Dibenz(a,h)anthracene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	53-70-3	
Dibenzofuran	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	132-64-9	
1,2-Dichlorobenzene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	95-50-1	
1,3-Dichlorobenzene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	541-73-1	
1,4-Dichlorobenzene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	106-46-7	
3,3'-Dichlorobenzidine	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	91-94-1	
2,4-Dichlorophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	120-83-2	
Diethylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	84-66-2	
2,4-Dimethylphenol	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	105-67-9	
Dimethylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	131-11-3	
Di-n-butylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	84-74-2	
4,6-Dinitro-2-methylphenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	534-52-1	
2,4-Dinitrophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	51-28-5	
2,4-Dinitrotoluene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	121-14-2	
2,6-Dinitrotoluene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	606-20-2	
Di-n-octylphthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	117-84-0	
bis(2-Ethylhexyl)phthalate	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	117-81-7	
Fluoranthene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	206-44-0	
Fluorene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	86-73-7	
Hexachloro-1,3-butadiene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	87-68-3	
Hexachlorobenzene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	118-74-1	
Hexachlorocyclopentadiene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	77-47-4	
Hexachloroethane	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	67-72-1	
Indeno(1,2,3-cd)pyrene	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	193-39-5	
Isophorone	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	78-59-1	
2-Methylnaphthalene	1990000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	91-57-6	
2-Methylphenol(o-Cresol)	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	95-48-7	
3&4-Methylphenol(m&p Cresol)	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32		
Naphthalene	2740000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	91-20-3	
2-Nitroaniline	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	88-74-4	
3-Nitroaniline	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	99-09-2	
4-Nitroaniline	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	100-01-6	
Nitrobenzene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	98-95-3	
2-Nitrophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	88-75-5	
4-Nitrophenol	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	100-02-7	
N-Nitroso-di-n-propylamine	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	621-64-7	
N-Nitrosodiphenylamine	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	86-30-6	
Pentachlorophenol	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	87-86-5	
Phenanthrene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	85-01-8	
Phenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	108-95-2	
Pyrene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	129-00-0	
1,2,4-Trichlorobenzene	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	120-82-1	
2,4,5-Trichlorophenol	<6000	ug/kg	6000	20	04/17/17 14:22	04/18/17 01:32	95-95-4	
2,4,6-Trichlorophenol	<10000	ug/kg	10000	20	04/17/17 14:22	04/18/17 01:32	88-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts

Pace Project No.: 7015297

Sample: OIL-2 **Lab ID:** 7015297007 Collected: 04/05/17 09:00 Received: 04/07/17 09:30 Matrix: Non Aqueous Liquid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Oil Analytical Method: EPA 8270 Preparation Method: EPA 3580								
Surrogates								
Nitrobenzene-d5 (S)	108	%.	40-140	20	04/17/17 14:22	04/18/17 01:32	4165-60-0	D3
2-Fluorobiphenyl (S)	108	%.	40-140	20	04/17/17 14:22	04/18/17 01:32	321-60-8	
p-Terphenyl-d14 (S)	111	%.	40-140	20	04/17/17 14:22	04/18/17 01:32	1718-51-0	
Phenol-d6 (S)	88	%.	40-140	20	04/17/17 14:22	04/18/17 01:32	13127-88-3	
2-Fluorophenol (S)	73	%.	40-140	20	04/17/17 14:22	04/18/17 01:32	367-12-4	
2,4,6-Tribromophenol (S)	0	%.	40-140	20	04/17/17 14:22	04/18/17 01:32	118-79-6	S4
1010A Flashpoint,Closed Cup Analytical Method: EPA 1010A								
Flashpoint	<77.00	deg F		1		04/13/17 21:40		
Flashpoint	<25	deg C		1		04/13/17 21:40		
ASTM D5468-02 BTU Analytical Method: ASTM D5468-02								
British Thermal Units	18300	BTU/lb	50.0	1		04/14/17 09:17		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

Sample: AQ-01		Lab ID: 7015297008		Collected: 04/05/17 10:00		Received: 04/07/17 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8082 GCS PCB		Analytical Method: EPA 8082A Preparation Method: EPA 3510C							
PCB-1016 (Aroclor 1016)	<10.0	ug/L	10.0	1	04/17/17 20:14	04/18/17 19:37	12674-11-2		
PCB-1221 (Aroclor 1221)	<20.0	ug/L	20.0	1	04/17/17 20:14	04/18/17 19:37	11104-28-2		
PCB-1232 (Aroclor 1232)	<10.0	ug/L	10.0	1	04/17/17 20:14	04/18/17 19:37	11141-16-5		
PCB-1242 (Aroclor 1242)	<10.0	ug/L	10.0	1	04/17/17 20:14	04/18/17 19:37	53469-21-9		
PCB-1248 (Aroclor 1248)	<10.0	ug/L	10.0	1	04/17/17 20:14	04/18/17 19:37	12672-29-6		
PCB-1254 (Aroclor 1254)	<10.0	ug/L	10.0	1	04/17/17 20:14	04/18/17 19:37	11097-69-1		
PCB-1260 (Aroclor 1260)	<10.0	ug/L	10.0	1	04/17/17 20:14	04/18/17 19:37	11096-82-5		
Surrogates									
Tetrachloro-m-xylene (S)	74	%.	30-150	1	04/17/17 20:14	04/18/17 19:37	877-09-8		
Decachlorobiphenyl (S)	68	%.	30-150	1	04/17/17 20:14	04/18/17 19:37	2051-24-3		
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
1,1,1-Trichloroethane	<100	ug/L	100	100		04/14/17 18:52	71-55-6		
1,1,2,2-Tetrachloroethane	<100	ug/L	100	100		04/14/17 18:52	79-34-5		
1,1,2-Trichloroethane	<100	ug/L	100	100		04/14/17 18:52	79-00-5		
1,1,2-Trichlorotrifluoroethane	<100	ug/L	100	100		04/14/17 18:52	76-13-1		
1,1-Dichloroethane	<100	ug/L	100	100		04/14/17 18:52	75-34-3		
1,1-Dichloroethene	<100	ug/L	100	100		04/14/17 18:52	75-35-4		
1,2,4-Trichlorobenzene	<100	ug/L	100	100		04/14/17 18:52	120-82-1		
1,2-Dibromo-3-chloropropane	<100	ug/L	100	100		04/14/17 18:52	96-12-8		
1,2-Dibromoethane (EDB)	<100	ug/L	100	100		04/14/17 18:52	106-93-4		
1,2-Dichlorobenzene	<100	ug/L	100	100		04/14/17 18:52	95-50-1		
1,2-Dichloroethane	<100	ug/L	100	100		04/14/17 18:52	107-06-2		
1,2-Dichloropropane	<100	ug/L	100	100		04/14/17 18:52	78-87-5		
1,3-Dichlorobenzene	<100	ug/L	100	100		04/14/17 18:52	541-73-1		
1,4-Dichlorobenzene	<100	ug/L	100	100		04/14/17 18:52	106-46-7		
2-Butanone (MEK)	119	ug/L	100	100		04/14/17 18:52	78-93-3		
2-Hexanone	<100	ug/L	100	100		04/14/17 18:52	591-78-6		
4-Methyl-2-pentanone (MIBK)	<100	ug/L	100	100		04/14/17 18:52	108-10-1		
Acetone	<500	ug/L	500	100		04/14/17 18:52	67-64-1		
Benzene	733	ug/L	100	100		04/14/17 18:52	71-43-2		
Bromodichloromethane	<100	ug/L	100	100		04/14/17 18:52	75-27-4		
Bromoform	<100	ug/L	100	100		04/14/17 18:52	75-25-2		
Bromomethane	<100	ug/L	100	100		04/14/17 18:52	74-83-9	L1	
Carbon disulfide	<100	ug/L	100	100		04/14/17 18:52	75-15-0		
Carbon tetrachloride	<100	ug/L	100	100		04/14/17 18:52	56-23-5		
Chlorobenzene	<100	ug/L	100	100		04/14/17 18:52	108-90-7		
Chloroethane	<100	ug/L	100	100		04/14/17 18:52	75-00-3		
Chloroform	<100	ug/L	100	100		04/14/17 18:52	67-66-3		
Chloromethane	<100	ug/L	100	100		04/14/17 18:52	74-87-3		
Cyclohexane	<100	ug/L	100	100		04/14/17 18:52	110-82-7		
Dibromochloromethane	<100	ug/L	100	100		04/14/17 18:52	124-48-1		
Dichlorodifluoromethane	<100	ug/L	100	100		04/14/17 18:52	75-71-8		
Ethylbenzene	8780	ug/L	100	100		04/14/17 18:52	100-41-4		
Isopropylbenzene (Cumene)	1100	ug/L	100	100		04/14/17 18:52	98-82-8		
Methyl acetate	<100	ug/L	100	100		04/14/17 18:52	79-20-9		
Methyl-tert-butyl ether	138	ug/L	100	100		04/14/17 18:52	1634-04-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

Sample: AQ-01		Lab ID: 7015297008		Collected: 04/05/17 10:00		Received: 04/07/17 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Methylcyclohexane	176	ug/L	100	100		04/14/17 18:52	108-87-2		
Methylene Chloride	<100	ug/L	100	100		04/14/17 18:52	75-09-2		
Styrene	<100	ug/L	100	100		04/14/17 18:52	100-42-5		
Tetrachloroethene	<100	ug/L	100	100		04/14/17 18:52	127-18-4		
Toluene	25800	ug/L	1000	1000		04/14/17 18:29	108-88-3		
Trichloroethene	<100	ug/L	100	100		04/14/17 18:52	79-01-6		
Trichlorofluoromethane	<100	ug/L	100	100		04/14/17 18:52	75-69-4		
Vinyl chloride	<100	ug/L	100	100		04/14/17 18:52	75-01-4		
Xylene (Total)	46100	ug/L	100	100		04/14/17 18:52	1330-20-7		
cis-1,2-Dichloroethene	<100	ug/L	100	100		04/14/17 18:52	156-59-2		
cis-1,3-Dichloropropene	<100	ug/L	100	100		04/14/17 18:52	10061-01-5		
trans-1,2-Dichloroethene	<100	ug/L	100	100		04/14/17 18:52	156-60-5		
trans-1,3-Dichloropropene	<100	ug/L	100	100		04/14/17 18:52	10061-02-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	102	%.	68-153	100		04/14/17 18:52	17060-07-0		
4-Bromofluorobenzene (S)	87	%.	79-124	100		04/14/17 18:52	460-00-4		
Toluene-d8 (S)	97	%.	69-124	100		04/14/17 18:52	2037-26-5		
9040 Corrosivity-pH >20% water		Analytical Method: EPA 9040C							
pH at 25 Degrees C	8.0	Std. Units	0.10	1		04/12/17 14:56		H3,H6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

Sample: 01A-01 (TOP) Lab ID: 7015297009 Collected: 04/05/17 15:00 Received: 04/07/17 09:30 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A-H Med Level		Analytical Method: EPA 8260C Preparation Method: EPA 5035A-H/5030C						
Acetone	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	67-64-1	
Benzene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	71-43-2	
Bromodichloromethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	75-27-4	
Bromoform	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	75-25-2	
Bromomethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	74-83-9	
2-Butanone (MEK)	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	78-93-3	
Carbon disulfide	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	75-15-0	
Carbon tetrachloride	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	56-23-5	
Chlorobenzene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	108-90-7	
Chloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	75-00-3	L2
Chloroform	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	67-66-3	
Chloromethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	74-87-3	
Cyclohexane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	110-82-7	
1,2-Dibromo-3-chloropropane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	96-12-8	
Dibromochloromethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	124-48-1	L2
1,2-Dibromoethane (EDB)	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	106-93-4	
1,2-Dichlorobenzene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	95-50-1	
1,3-Dichlorobenzene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	541-73-1	
1,4-Dichlorobenzene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	106-46-7	
Dichlorodifluoromethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	75-71-8	
1,1-Dichloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	75-34-3	
1,2-Dichloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	107-06-2	
1,1-Dichloroethene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	75-35-4	
cis-1,2-Dichloroethene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	156-59-2	L2
trans-1,2-Dichloroethene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	156-60-5	
1,2-Dichloropropane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	78-87-5	
cis-1,3-Dichloropropene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	10061-01-5	
trans-1,3-Dichloropropene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	10061-02-6	
Ethylbenzene	144000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	100-41-4	
2-Hexanone	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	591-78-6	
Isopropylbenzene (Cumene)	22800	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	98-82-8	
Methyl acetate	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	79-20-9	
Methylcyclohexane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	108-87-2	
Methylene Chloride	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	75-09-2	
4-Methyl-2-pentanone (MIBK)	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	108-10-1	
Methyl-tert-butyl ether	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	1634-04-4	
Styrene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	100-42-5	
1,1,2,2-Tetrachloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	79-34-5	
Tetrachloroethene	316000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	127-18-4	
Toluene	281000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	108-88-3	
1,2,4-Trichlorobenzene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	120-82-1	
1,1,1-Trichloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	71-55-6	
1,1,2-Trichloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	79-00-5	
Trichloroethene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	79-01-6	
Trichlorofluoromethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	75-69-4	
1,1,2-Trichlorotrifluoroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts

Pace Project No.: 7015297

Sample: 01A-01 (TOP) **Lab ID: 7015297009** Collected: 04/05/17 15:00 Received: 04/07/17 09:30 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A-H Med Level								
Analytical Method: EPA 8260C Preparation Method: EPA 5035A-H/5030C								
Vinyl chloride	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	75-01-4	
Xylene (Total)	840000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:13	1330-20-7	
Surrogates								
Toluene-d8 (S)	95	%.	43-157	200	04/14/17 08:07	04/14/17 19:13	2037-26-5	
4-Bromofluorobenzene (S)	92	%.	34-145	200	04/14/17 08:07	04/14/17 19:13	460-00-4	
1,2-Dichloroethane-d4 (S)	112	%.	33-150	200	04/14/17 08:07	04/14/17 19:13	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

Sample: OIL-1 Lab ID: 7015297010 Collected: 04/05/17 09:00 Received: 04/07/17 09:30 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A-H Med Level		Analytical Method: EPA 8260C Preparation Method: EPA 5035A-H/5030C						
Acetone	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	67-64-1	
Benzene	907000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	71-43-2	
Bromodichloromethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	75-27-4	
Bromoform	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	75-25-2	
Bromomethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	74-83-9	
2-Butanone (MEK)	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	78-93-3	
Carbon disulfide	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	75-15-0	
Carbon tetrachloride	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	56-23-5	
Chlorobenzene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	108-90-7	
Chloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	75-00-3	L2
Chloroform	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	67-66-3	
Chloromethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	74-87-3	
Cyclohexane	1490000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	110-82-7	
1,2-Dibromo-3-chloropropane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	96-12-8	
Dibromochloromethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	124-48-1	L2
1,2-Dibromoethane (EDB)	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	106-93-4	
1,2-Dichlorobenzene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	95-50-1	
1,3-Dichlorobenzene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	541-73-1	
1,4-Dichlorobenzene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	106-46-7	
Dichlorodifluoromethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	75-71-8	
1,1-Dichloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	75-34-3	
1,2-Dichloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	107-06-2	
1,1-Dichloroethene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	75-35-4	
cis-1,2-Dichloroethene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	156-59-2	L2
trans-1,2-Dichloroethene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	156-60-5	
1,2-Dichloropropane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	78-87-5	
cis-1,3-Dichloropropene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	10061-01-5	
trans-1,3-Dichloropropene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	10061-02-6	
Ethylbenzene	3280000	ug/kg	200000	2000	04/14/17 08:07	04/17/17 18:07	100-41-4	
2-Hexanone	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	591-78-6	
Isopropylbenzene (Cumene)	326000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	98-82-8	
Methyl acetate	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	79-20-9	
Methylcyclohexane	1210000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	108-87-2	
Methylene Chloride	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	108-10-1	
Methyl-tert-butyl ether	232000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	1634-04-4	
Styrene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	100-42-5	
1,1,2,2-Tetrachloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	79-34-5	
Tetrachloroethene	192000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	127-18-4	
Toluene	14400000	ug/kg	200000	2000	04/14/17 08:07	04/17/17 18:07	108-88-3	
1,2,4-Trichlorobenzene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	120-82-1	
1,1,1-Trichloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	71-55-6	
1,1,2-Trichloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	79-00-5	
Trichloroethene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	79-01-6	
Trichlorofluoromethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	75-69-4	
1,1,2-Trichlorotrifluoroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts

Pace Project No.: 7015297

Sample: OIL-1 **Lab ID:** 7015297010 Collected: 04/05/17 09:00 Received: 04/07/17 09:30 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A-H Med Level								
Analytical Method: EPA 8260C Preparation Method: EPA 5035A-H/5030C								
Vinyl chloride	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 19:38	75-01-4	
Xylene (Total)	16000000	ug/kg	400000	2000	04/14/17 08:07	04/17/17 18:07	1330-20-7	
Surrogates								
Toluene-d8 (S)	86	%.	43-157	200	04/14/17 08:07	04/14/17 19:38	2037-26-5	
4-Bromofluorobenzene (S)	90	%.	34-145	200	04/14/17 08:07	04/14/17 19:38	460-00-4	
1,2-Dichloroethane-d4 (S)	108	%.	33-150	200	04/14/17 08:07	04/14/17 19:38	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

Sample: OIL-2 Lab ID: 7015297011 Collected: 04/05/17 11:00 Received: 04/07/17 09:30 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A-H Med Level		Analytical Method: EPA 8260C Preparation Method: EPA 5035A-H/5030C						
Acetone	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	67-64-1	
Benzene	5860000	ug/kg	800000	8000	04/14/17 08:07	04/17/17 18:54	71-43-2	
Bromodichloromethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	75-27-4	
Bromoform	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	75-25-2	
Bromomethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	74-83-9	
2-Butanone (MEK)	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	78-93-3	
Carbon disulfide	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	75-15-0	
Carbon tetrachloride	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	56-23-5	
Chlorobenzene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	108-90-7	
Chloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	75-00-3	L2
Chloroform	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	67-66-3	
Chloromethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	74-87-3	
Cyclohexane	10300000	ug/kg	800000	8000	04/14/17 08:07	04/17/17 18:54	110-82-7	
1,2-Dibromo-3-chloropropane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	96-12-8	
Dibromochloromethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	124-48-1	L2
1,2-Dibromoethane (EDB)	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	106-93-4	
1,2-Dichlorobenzene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	95-50-1	
1,3-Dichlorobenzene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	541-73-1	
1,4-Dichlorobenzene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	106-46-7	
Dichlorodifluoromethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	75-71-8	
1,1-Dichloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	75-34-3	
1,2-Dichloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	107-06-2	
1,1-Dichloroethene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	75-35-4	
cis-1,2-Dichloroethene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	156-59-2	L2
trans-1,2-Dichloroethene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	156-60-5	
1,2-Dichloropropane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	78-87-5	
cis-1,3-Dichloropropene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	10061-01-5	
trans-1,3-Dichloropropene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	10061-02-6	
Ethylbenzene	14400000	ug/kg	800000	8000	04/14/17 08:07	04/17/17 18:54	100-41-4	
2-Hexanone	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	591-78-6	
Isopropylbenzene (Cumene)	1370000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	98-82-8	
Methyl acetate	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	79-20-9	
Methylcyclohexane	6670000	ug/kg	800000	8000	04/14/17 08:07	04/17/17 18:54	108-87-2	
Methylene Chloride	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	75-09-2	
4-Methyl-2-pentanone (MIBK)	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	108-10-1	
Methyl-tert-butyl ether	1530000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	1634-04-4	
Styrene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	100-42-5	
1,1,2,2-Tetrachloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	79-34-5	
Tetrachloroethene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	127-18-4	
Toluene	59200000	ug/kg	800000	8000	04/14/17 08:07	04/17/17 18:54	108-88-3	
1,2,4-Trichlorobenzene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	120-82-1	
1,1,1-Trichloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	71-55-6	
1,1,2-Trichloroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	79-00-5	
Trichloroethene	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	79-01-6	
Trichlorofluoromethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	75-69-4	
1,1,2-Trichlorotrifluoroethane	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dudka's Auto Parts

Pace Project No.: 7015297

Sample: OIL-2 **Lab ID:** 7015297011 Collected: 04/05/17 11:00 Received: 04/07/17 09:30 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A-H Med Level								
Analytical Method: EPA 8260C Preparation Method: EPA 5035A-H/5030C								
Vinyl chloride	<20000	ug/kg	20000	200	04/14/17 08:07	04/14/17 20:00	75-01-4	
Xylene (Total)	71200000	ug/kg	1600000	8000	04/14/17 08:07	04/17/17 18:54	1330-20-7	
Surrogates								
Toluene-d8 (S)	71	%.	43-157	200	04/14/17 08:07	04/14/17 20:00	2037-26-5	
4-Bromofluorobenzene (S)	80	%.	34-145	200	04/14/17 08:07	04/14/17 20:00	460-00-4	
1,2-Dichloroethane-d4 (S)	111	%.	33-150	200	04/14/17 08:07	04/14/17 20:00	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

QC Batch:	20687	Analysis Method:	EPA 8015D
QC Batch Method:	EPA 5035A-L	Analysis Description:	8015D Solid
Associated Lab Samples:	7015297001		

METHOD BLANK: 97698 Matrix: Solid
Associated Lab Samples: 7015297001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Gasoline Range Organics C6-C10	ug/kg	<100	100	04/09/17 11:32	
Chlorofluorobenzene (S)	%.	97	46-120	04/09/17 11:32	

LABORATORY CONTROL SAMPLE: 97699

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Gasoline Range Organics C6-C10	ug/kg	2500	1980	79	39-128	
Chlorofluorobenzene (S)	%.			125	46-120 S0	

MATRIX SPIKE SAMPLE: 97701

Parameter	Units	7015297001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Gasoline Range Organics C6-C10	ug/kg	<116	2900	1130	38	10-136	
Chlorofluorobenzene (S)	%.				98	46-120	

SAMPLE DUPLICATE: 97700

Parameter	Units	7015297001 Result	Dup Result	RPD	Qualifiers
Gasoline Range Organics C6-C10	ug/kg	<116	149		
Chlorofluorobenzene (S)	%.	98	92	7	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

QC Batch: 20121 Analysis Method: EPA 7470A
QC Batch Method: EPA 7470A Analysis Description: 7470 Mercury TCLP
Associated Lab Samples: 7015297002

METHOD BLANK: 95228
Associated Lab Samples: 7015297002

Matrix: Water

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/L	<0.00020	0.00020	04/13/17 15:31	

METHOD BLANK: 91677
Associated Lab Samples: 7015297002

Matrix: Water

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/L	<0.00020	0.00020	04/13/17 15:35	

LABORATORY CONTROL SAMPLE: 95229

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/L	.001	0.00095	95	80-120	

MATRIX SPIKE SAMPLE: 95230

Parameter	Units	7015240001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Mercury	mg/L	<0.00020	.001	0.00097	93	75-125	

SAMPLE DUPLICATE: 95231

Parameter	Units	7015240001 Result	Dup Result	RPD	Qualifiers
Mercury	mg/L	<0.00020	<0.00020		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

QC Batch: 74129

Analysis Method: EPA 7470

QC Batch Method: EPA 7470

Analysis Description: 7470 Mercury

Associated Lab Samples: 7015297005

METHOD BLANK: 320960

Matrix: Water

Associated Lab Samples: 7015297005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/L	<0.00020	0.00020	04/17/17 19:44	

LABORATORY CONTROL SAMPLE: 320961

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/L	.0025	0.0027	109	85-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

QC Batch: 73823 Analysis Method: EPA 7471
QC Batch Method: EPA 7471 Analysis Description: 7471 Mercury
Associated Lab Samples: 7015297003, 7015297004, 7015297006, 7015297007

METHOD BLANK: 319321 Matrix: Solid
Associated Lab Samples: 7015297003, 7015297004, 7015297006, 7015297007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/kg	<0.035	0.035	04/14/17 13:23	

LABORATORY CONTROL SAMPLE: 319322

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	.05	0.046	91	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 319323 319324

Parameter	Units	7563550001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Mercury	mg/kg	0.027J	.0593	.0606	0.090	0.10	106	125	70-130	14	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

QC Batch: 73951 Analysis Method: EPA 6010
QC Batch Method: EPA 3050 Analysis Description: 6010 MET
Associated Lab Samples: 7015297003, 7015297004, 7015297006, 7015297007

METHOD BLANK: 320012 Matrix: Solid
Associated Lab Samples: 7015297003, 7015297004, 7015297006, 7015297007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/kg	<0.25	0.25	04/18/17 00:02	
Barium	mg/kg	<0.50	0.50	04/18/17 00:02	
Cadmium	mg/kg	<0.10	0.10	04/18/17 00:02	
Chromium	mg/kg	<0.25	0.25	04/18/17 00:02	
Lead	mg/kg	<0.20	0.20	04/18/17 00:02	
Selenium	mg/kg	<0.50	0.50	04/18/17 00:02	
Silver	mg/kg	<0.10	0.10	04/18/17 00:02	

LABORATORY CONTROL SAMPLE: 320013

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	50	43.3	87	79-106	
Barium	mg/kg	50	42.6	85	83-116	
Cadmium	mg/kg	50	42.3	85	80-109	
Chromium	mg/kg	50	45.0	90	84-121	
Lead	mg/kg	50	42.7	85	80-112	
Selenium	mg/kg	50	39.7	79	79-110	
Silver	mg/kg	25	22.4	90	81-112	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 320014 320015

Parameter	Units	7015297003		MS		MSD		MS		MSD		% Rec		RPD	Qual
		Result	Conc.	Spike Conc.	Result	Spike Conc.	Result	% Rec	Result	% Rec	Result	Limits	Limits		
Arsenic	mg/kg	<0.25	48.3	47.7	32.3	34.2	66	71	75-125	6	M1				
Barium	mg/kg	5.2	48.3	47.7	35.4	37.9	63	69	75-125	7	M1				
Cadmium	mg/kg	<0.099	48.3	47.7	36.6	37.6	76	79	75-125	3					
Chromium	mg/kg	<0.25	48.3	47.7	36.6	37.9	75	79	75-125	3					
Lead	mg/kg	3.7	48.3	47.7	37.0	38.8	69	74	75-125	5	M1				
Selenium	mg/kg	<0.50	48.3	47.7	34.5	36.8	71	77	75-125	6	M1				
Silver	mg/kg	<0.099	24.2	23.9	20.2	20.3	83	85	75-125	1					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

QC Batch: 20117	Analysis Method: EPA 6010C
QC Batch Method: EPA 3005A	Analysis Description: 6010 MET TCLP
Associated Lab Samples: 7015297002	

METHOD BLANK: 95207 Matrix: Water
Associated Lab Samples: 7015297002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.50	0.50	04/14/17 16:01	
Barium	mg/L	<5.0	5.0	04/14/17 16:01	
Cadmium	mg/L	<0.050	0.050	04/14/17 16:01	
Chromium	mg/L	<0.50	0.50	04/14/17 16:01	
Lead	mg/L	<0.50	0.50	04/14/17 16:01	
Selenium	mg/L	<0.050	0.050	04/14/17 16:01	
Silver	mg/L	<0.50	0.50	04/14/17 16:01	

LABORATORY CONTROL SAMPLE: 95208

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	.5	<0.50	98	80-120	
Barium	mg/L	.5	<5.0	101	80-120	
Cadmium	mg/L	.05	0.050	101	80-120	
Chromium	mg/L	.25	<0.50	103	80-120	
Lead	mg/L	.5	0.52	103	80-120	
Selenium	mg/L	.75	0.75	100	80-120	
Silver	mg/L	.25	<0.50	97	80-120	

MATRIX SPIKE SAMPLE: 95210

Parameter	Units	7015240001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	<0.50	.5	0.55	109	75-125	
Barium	mg/L	<5.0	.5	<5.0	104	75-125	
Cadmium	mg/L	<0.050	.05	0.066	106	75-125	
Chromium	mg/L	<0.50	.25	<0.50	109	75-125	
Lead	mg/L	<0.50	.5	0.59	108	75-125	
Selenium	mg/L	<0.050	.75	0.87	115	75-125	
Silver	mg/L	<0.50	.25	<0.50	110	75-125	

SAMPLE DUPLICATE: 95209

Parameter	Units	7015240001 Result	Dup Result	RPD	Qualifiers
Arsenic	mg/L	<0.50	<0.50		
Barium	mg/L	<5.0	<5.0		
Cadmium	mg/L	<0.050	<0.050		
Chromium	mg/L	<0.50	<0.50		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

SAMPLE DUPLICATE: 95209

Parameter	Units	7015240001 Result	Dup Result	RPD	Qualifiers
Lead	mg/L	<0.50	<0.50		
Selenium	mg/L	<0.050	<0.050		
Silver	mg/L	<0.50	<0.50		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

QC Batch:	74132	Analysis Method:	EPA 6010
QC Batch Method:	EPA 3010	Analysis Description:	6010 MET
Associated Lab Samples:	7015297005		

METHOD BLANK: 320968 Matrix: Water
Associated Lab Samples: 7015297005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	<0.0050	0.0050	04/18/17 17:38	
Barium	mg/L	<0.0030	0.0030	04/18/17 17:38	
Cadmium	mg/L	<0.0010	0.0010	04/18/17 17:38	
Chromium	mg/L	<0.0050	0.0050	04/18/17 17:38	
Lead	mg/L	<0.0050	0.0050	04/18/17 17:38	
Selenium	mg/L	<0.010	0.010	04/18/17 17:38	
Silver	mg/L	<0.0020	0.0020	04/18/17 17:38	

LABORATORY CONTROL SAMPLE: 320969

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	1	0.97	97	83-111	
Barium	mg/L	1	0.96	96	87-116	
Cadmium	mg/L	1	0.92	92	86-113	
Chromium	mg/L	1	0.98	98	89-114	
Lead	mg/L	1	1.0	105	90-117	
Selenium	mg/L	1	0.90	90	83-121	
Silver	mg/L	.5	0.49	99	82-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 320970 320971

Parameter	Units	7564085001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Arsenic	mg/L	0.012	1	1	0.94	0.92	93	90	71-126	3	
Barium	mg/L	0.21	1	1	1.1	1.1	89	87	66-124	1	
Cadmium	mg/L	ND	1	1	0.88	0.85	88	85	70-130	3	
Chromium	mg/L	ND	1	1	0.90	0.87	90	87	68-123	3	
Lead	mg/L	0.0034J	1	1	0.95	0.93	95	93	56-130	2	
Selenium	mg/L	ND	1	1	0.88	0.84	88	84	70-139	4	
Silver	mg/L	ND	.5	.5	0.47	0.47	95	94	72-130	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

QC Batch:	20076	Analysis Method:	EPA 8260C
QC Batch Method:	EPA 5035A-L	Analysis Description:	8260 MSV 5035A-L Low Level
Associated Lab Samples:	7015297001		

METHOD BLANK: 94836 Matrix: Solid
Associated Lab Samples: 7015297001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/kg	<2.0	2.0	04/09/17 12:11	
1,1,2,2-Tetrachloroethane	ug/kg	<2.0	2.0	04/09/17 12:11	
1,1,2-Trichloroethane	ug/kg	<2.0	2.0	04/09/17 12:11	
1,1,2-Trichlorotrifluoroethane	ug/kg	<2.0	2.0	04/09/17 12:11	
1,1-Dichloroethane	ug/kg	<2.0	2.0	04/09/17 12:11	
1,1-Dichloroethene	ug/kg	<2.0	2.0	04/09/17 12:11	
1,2,4-Trichlorobenzene	ug/kg	<2.0	2.0	04/09/17 12:11	
1,2-Dibromo-3-chloropropane	ug/kg	<2.0	2.0	04/09/17 12:11	
1,2-Dibromoethane (EDB)	ug/kg	<2.0	2.0	04/09/17 12:11	
1,2-Dichlorobenzene	ug/kg	<2.0	2.0	04/09/17 12:11	
1,2-Dichloroethane	ug/kg	<2.0	2.0	04/09/17 12:11	
1,2-Dichloropropane	ug/kg	<2.0	2.0	04/09/17 12:11	
1,3-Dichlorobenzene	ug/kg	<2.0	2.0	04/09/17 12:11	
1,4-Dichlorobenzene	ug/kg	<2.0	2.0	04/09/17 12:11	
2-Butanone (MEK)	ug/kg	<2.0	2.0	04/09/17 12:11	
2-Hexanone	ug/kg	<2.0	2.0	04/09/17 12:11	
4-Methyl-2-pentanone (MIBK)	ug/kg	<2.0	2.0	04/09/17 12:11	
Acetone	ug/kg	<2.0	2.0	04/09/17 12:11	
Benzene	ug/kg	<2.0	2.0	04/09/17 12:11	
Bromodichloromethane	ug/kg	<2.0	2.0	04/09/17 12:11	
Bromoform	ug/kg	<2.0	2.0	04/09/17 12:11	
Bromomethane	ug/kg	<2.0	2.0	04/09/17 12:11	
Carbon disulfide	ug/kg	<2.0	2.0	04/09/17 12:11	
Carbon tetrachloride	ug/kg	<2.0	2.0	04/09/17 12:11	
Chlorobenzene	ug/kg	<2.0	2.0	04/09/17 12:11	
Chloroethane	ug/kg	<2.0	2.0	04/09/17 12:11	
Chloroform	ug/kg	<2.0	2.0	04/09/17 12:11	
Chloromethane	ug/kg	<2.0	2.0	04/09/17 12:11	
cis-1,2-Dichloroethene	ug/kg	<2.0	2.0	04/09/17 12:11	
cis-1,3-Dichloropropene	ug/kg	<2.0	2.0	04/09/17 12:11	
Cyclohexane	ug/kg	<2.0	2.0	04/09/17 12:11	
Dibromochloromethane	ug/kg	<2.0	2.0	04/09/17 12:11	
Dichlorodifluoromethane	ug/kg	<2.0	2.0	04/09/17 12:11	
Ethylbenzene	ug/kg	<2.0	2.0	04/09/17 12:11	
Isopropylbenzene (Cumene)	ug/kg	<2.0	2.0	04/09/17 12:11	
Methyl acetate	ug/kg	<2.0	2.0	04/09/17 12:11	
Methyl-tert-butyl ether	ug/kg	<2.0	2.0	04/09/17 12:11	
Methylcyclohexane	ug/kg	<2.0	2.0	04/09/17 12:11	
Methylene Chloride	ug/kg	<2.0	2.0	04/09/17 12:11	
Styrene	ug/kg	<2.0	2.0	04/09/17 12:11	
Tetrachloroethene	ug/kg	<2.0	2.0	04/09/17 12:11	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

METHOD BLANK: 94836
Associated Lab Samples: 7015297001

Matrix: Solid

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Toluene	ug/kg	<2.0	2.0	04/09/17 12:11	
trans-1,2-Dichloroethene	ug/kg	<2.0	2.0	04/09/17 12:11	
trans-1,3-Dichloropropene	ug/kg	<2.0	2.0	04/09/17 12:11	
Trichloroethene	ug/kg	<2.0	2.0	04/09/17 12:11	
Trichlorofluoromethane	ug/kg	<2.0	2.0	04/09/17 12:11	
Vinyl chloride	ug/kg	<2.0	2.0	04/09/17 12:11	
Xylene (Total)	ug/kg	<2.0	2.0	04/09/17 12:11	
1,2-Dichloroethane-d4 (S)	%	87	33-150	04/09/17 12:11	
4-Bromofluorobenzene (S)	%	102	34-145	04/09/17 12:11	
Toluene-d8 (S)	%	90	43-157	04/09/17 12:11	

LABORATORY CONTROL SAMPLE: 94837

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	50	52.1	104	59-134	
1,1,2,2-Tetrachloroethane	ug/kg	50	46.8	94	69-132	
1,1,2-Trichloroethane	ug/kg	50	57.5	115	73-135	
1,1,2-Trichlorotrifluoroethane	ug/kg	50	47.7	95	45-156	
1,1-Dichloroethane	ug/kg	50	51.0	102	53-160	
1,1-Dichloroethene	ug/kg	50	50.5	101	47-152	
1,2,4-Trichlorobenzene	ug/kg	50	45.5	91	52-140	
1,2-Dibromo-3-chloropropane	ug/kg	50	43.5	87	57-140	
1,2-Dibromoethane (EDB)	ug/kg	50	57.2	114	76-138	
1,2-Dichlorobenzene	ug/kg	50	45.0	90	67-125	
1,2-Dichloroethane	ug/kg	50	48.2	96	65-143	
1,2-Dichloropropane	ug/kg	50	55.2	110	72-131	
1,3-Dichlorobenzene	ug/kg	50	45.9	92	64-124	
1,4-Dichlorobenzene	ug/kg	50	44.0	88	61-127	
2-Butanone (MEK)	ug/kg	50	55.2	110	52-164	CC
2-Hexanone	ug/kg	50	42.8	86	66-151	
4-Methyl-2-pentanone (MIBK)	ug/kg	50	55.4	111	63-154	
Acetone	ug/kg	50	37.6	75	23-196	CC
Benzene	ug/kg	50	57.7	115	65-129	
Bromodichloromethane	ug/kg	50	58.4	117	74-141	
Bromoform	ug/kg	50	61.7	123	59-136	
Bromomethane	ug/kg	50	66.8	134	32-182	CC
Carbon disulfide	ug/kg	50	51.1	102	26-160	
Carbon tetrachloride	ug/kg	50	42.8	86	57-135	
Chlorobenzene	ug/kg	50	49.8	100	62-136	
Chloroethane	ug/kg	50	42.1	84	50-159	
Chloroform	ug/kg	50	57.4	115	71-135	CC
Chloromethane	ug/kg	50	41.8	84	44-139	
cis-1,2-Dichloroethene	ug/kg	50	61.5	123	75-130	
cis-1,3-Dichloropropene	ug/kg	50	59.1	118	74-140	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

LABORATORY CONTROL SAMPLE: 94837

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyclohexane	ug/kg	50	52.0	104	21-139	CC
Dibromochloromethane	ug/kg	50	56.2	112	71-133	
Dichlorodifluoromethane	ug/kg	50	32.3	65	10-155	CC
Ethylbenzene	ug/kg	50	49.2	98	59-135	
Isopropylbenzene (Cumene)	ug/kg	50	43.6	87	56-129	
Methyl acetate	ug/kg	50	45.6	91	33-176	
Methyl-tert-butyl ether	ug/kg	50	52.3	105	25-171	
Methylcyclohexane	ug/kg	50	49.0	98	24-141	
Methylene Chloride	ug/kg	50	50.4	101	50-164	
Styrene	ug/kg	50	52.5	105	73-133	
Tetrachloroethene	ug/kg	50	49.3	99	10-176	
Toluene	ug/kg	50	54.0	108	66-131	
trans-1,2-Dichloroethene	ug/kg	50	54.1	108	53-157	
trans-1,3-Dichloropropene	ug/kg	50	56.7	113	66-144	
Trichloroethene	ug/kg	50	54.7	109	62-130	
Trichlorofluoromethane	ug/kg	50	40.8	82	38-166	
Vinyl chloride	ug/kg	50	42.2	84	45-137	
Xylene (Total)	ug/kg	150	150	100	62-135	
1,2-Dichloroethane-d4 (S)	%			80	33-150	
4-Bromofluorobenzene (S)	%			104	34-145	
Toluene-d8 (S)	%			92	43-157	

MATRIX SPIKE SAMPLE: 94838

Parameter	Units	7015297001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	<1.9	57.9	58.9	102	59-134	
1,1,2,2-Tetrachloroethane	ug/kg	<1.9	57.9	63.6	110	69-132	
1,1,2-Trichloroethane	ug/kg	<1.9	57.9	67.4	116	73-135	
1,1,2-Trichlorotrifluoroethane	ug/kg	<1.9	57.9	57.2	99	45-156	
1,1-Dichloroethane	ug/kg	<1.9	57.9	63.8	110	53-160	
1,1-Dichloroethene	ug/kg	<1.9	57.9	66.7	115	47-152	
1,2,4-Trichlorobenzene	ug/kg	<1.9	57.9	27.3	47	52-140	M1
1,2-Dibromo-3-chloropropane	ug/kg	<1.9	57.9	50.6	87	57-140	
1,2-Dibromoethane (EDB)	ug/kg	<1.9	57.9	64.2	111	76-138	
1,2-Dichlorobenzene	ug/kg	<1.9	57.9	46.9	81	67-125	
1,2-Dichloroethane	ug/kg	<1.9	57.9	57.3	99	65-143	
1,2-Dichloropropane	ug/kg	<1.9	57.9	64.7	112	72-131	
1,3-Dichlorobenzene	ug/kg	<1.9	57.9	47.9	83	64-124	
1,4-Dichlorobenzene	ug/kg	<1.9	57.9	46.0	79	61-127	
2-Butanone (MEK)	ug/kg	42.4	57.9	77.6	61	52-164	CC
2-Hexanone	ug/kg	<1.9	57.9	48.7	84	66-151	
4-Methyl-2-pentanone (MIBK)	ug/kg	<1.9	57.9	60.5	105	63-154	
Acetone	ug/kg	<1.9	57.9	295	510	23-196	CC,M1
Benzene	ug/kg	21.4	57.9	65.8	77	65-129	
Bromodichloromethane	ug/kg	<1.9	57.9	67.5	117	74-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

MATRIX SPIKE SAMPLE: 94838

Parameter	Units	7015297001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/kg	<1.9	57.9	68.0	117	59-136	
Bromomethane	ug/kg	<1.9	57.9	89.6	155	32-182	CC
Carbon disulfide	ug/kg	<1.9	57.9	64.4	111	26-160	
Carbon tetrachloride	ug/kg	<1.9	57.9	45.7	79	57-135	
Chlorobenzene	ug/kg	<1.9	57.9	54.5	94	62-136	
Chloroethane	ug/kg	<1.9	57.9	60.5	104	50-159	
Chloroform	ug/kg	<1.9	57.9	72.4	125	71-135	CC
Chloromethane	ug/kg	<1.9	57.9	59.4	103	44-139	
cis-1,2-Dichloroethene	ug/kg	<1.9	57.9	73.5	127	75-130	
cis-1,3-Dichloropropene	ug/kg	<1.9	57.9	65.6	113	74-140	
Cyclohexane	ug/kg	24.1	57.9	84.8	105	21-139	CC
Dibromochloromethane	ug/kg	<1.9	57.9	64.1	111	71-133	
Dichlorodifluoromethane	ug/kg	<1.9	57.9	57.6	99	10-155	CC
Ethylbenzene	ug/kg	35.3	57.9	59.7	42	59-135	M1
Isopropylbenzene (Cumene)	ug/kg	3.4	57.9	51.8	84	56-129	
Methyl acetate	ug/kg	<1.9	57.9	54.3	94	33-176	
Methyl-tert-butyl ether	ug/kg	9.7	57.9	75.9	114	25-171	
Methylcyclohexane	ug/kg	23.8	57.9	52.7	50	24-141	
Methylene Chloride	ug/kg	<1.9	57.9	67.4	116	50-164	
Styrene	ug/kg	<1.9	57.9	54.9	95	73-133	
Tetrachloroethene	ug/kg	<1.9	57.9	53.2	90	10-176	
Toluene	ug/kg	71.4	57.9	59.3	-21	66-131	M1
trans-1,2-Dichloroethene	ug/kg	<1.9	57.9	68.0	117	53-157	
trans-1,3-Dichloropropene	ug/kg	<1.9	57.9	61.8	107	66-144	
Trichloroethene	ug/kg	<1.9	57.9	62.8	108	62-130	
Trichlorofluoromethane	ug/kg	<1.9	57.9	54.1	93	38-166	
Vinyl chloride	ug/kg	<1.9	57.9	58.6	101	45-137	
Xylene (Total)	ug/kg	118	174	160	24	62-135	MS
1,2-Dichloroethane-d4 (S)	%				79	33-150	
4-Bromofluorobenzene (S)	%				97	34-145	
Toluene-d8 (S)	%				96	43-157	

SAMPLE DUPLICATE: 94839

Parameter	Units	7015297001 Result	Dup Result	RPD	Qualifiers
1,1,1-Trichloroethane	ug/kg	<1.9	<1.9		
1,1,2,2-Tetrachloroethane	ug/kg	<1.9	<1.9		
1,1,2-Trichloroethane	ug/kg	<1.9	<1.9		
1,1,2-Trichlorotrifluoroethane	ug/kg	<1.9	<1.9		
1,1-Dichloroethane	ug/kg	<1.9	<1.9		
1,1-Dichloroethene	ug/kg	<1.9	<1.9		
1,2,4-Trichlorobenzene	ug/kg	<1.9	<1.9		
1,2-Dibromo-3-chloropropane	ug/kg	<1.9	<1.9		
1,2-Dibromoethane (EDB)	ug/kg	<1.9	<1.9		
1,2-Dichlorobenzene	ug/kg	<1.9	<1.9		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

SAMPLE DUPLICATE: 94839

Parameter	Units	7015297001 Result	Dup Result	RPD	Qualifiers
1,2-Dichloroethane	ug/kg	<1.9	<1.9		
1,2-Dichloropropane	ug/kg	<1.9	<1.9		
1,3-Dichlorobenzene	ug/kg	<1.9	<1.9		
1,4-Dichlorobenzene	ug/kg	<1.9	<1.9		
2-Butanone (MEK)	ug/kg	42.4	63.2	39	D6
2-Hexanone	ug/kg	<1.9	<1.9		
4-Methyl-2-pentanone (MIBK)	ug/kg	<1.9	<1.9		
Acetone	ug/kg	<1.9	<1.9		
Benzene	ug/kg	21.4	38.6	58	D6
Bromodichloromethane	ug/kg	<1.9	<1.9		
Bromoform	ug/kg	<1.9	<1.9		
Bromomethane	ug/kg	<1.9	<1.9		
Carbon disulfide	ug/kg	<1.9	<1.9		
Carbon tetrachloride	ug/kg	<1.9	<1.9		
Chlorobenzene	ug/kg	<1.9	<1.9		
Chloroethane	ug/kg	<1.9	<1.9		
Chloroform	ug/kg	<1.9	6.8		
Chloromethane	ug/kg	<1.9	<1.9		
cis-1,2-Dichloroethene	ug/kg	<1.9	<1.9		
cis-1,3-Dichloropropene	ug/kg	<1.9	<1.9		
Cyclohexane	ug/kg	24.1	43.1	56	D6
Dibromochloromethane	ug/kg	<1.9	<1.9		
Dichlorodifluoromethane	ug/kg	<1.9	<1.9		
Ethylbenzene	ug/kg	35.3	62.6	56	D6
Isopropylbenzene (Cumene)	ug/kg	3.4	7.2	72	D6
Methyl acetate	ug/kg	<1.9	<1.9		
Methyl-tert-butyl ether	ug/kg	9.7	16.6	53	D6
Methylcyclohexane	ug/kg	23.8	35.1	38	D6
Methylene Chloride	ug/kg	<1.9	<1.9		
Styrene	ug/kg	<1.9	<1.9		
Tetrachloroethene	ug/kg	<1.9	<1.9		
Toluene	ug/kg	71.4	120	51	D6
trans-1,2-Dichloroethene	ug/kg	<1.9	<1.9		
trans-1,3-Dichloropropene	ug/kg	<1.9	<1.9		
Trichloroethene	ug/kg	<1.9	<1.9		
Trichlorofluoromethane	ug/kg	<1.9	<1.9		
Vinyl chloride	ug/kg	<1.9	<1.9		
Xylene (Total)	ug/kg	118	164	32	
1,2-Dichloroethane-d4 (S)	%	79	79	1	
4-Bromofluorobenzene (S)	%	95	92	1	
Toluene-d8 (S)	%	97	98	2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

QC Batch:	20947	Analysis Method:	EPA 8260C
QC Batch Method:	EPA 5035A-H/5030C	Analysis Description:	8260 MSV 5035A-H Med
Associated Lab Samples:	7015297009, 7015297010, 7015297011		

METHOD BLANK: 99428 Matrix: Solid

Associated Lab Samples: 7015297009, 7015297010, 7015297011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/kg	<100	100	04/14/17 09:18	
1,1,2,2-Tetrachloroethane	ug/kg	<100	100	04/14/17 09:18	
1,1,2-Trichloroethane	ug/kg	<100	100	04/14/17 09:18	
1,1,2-Trichlorotrifluoroethane	ug/kg	<100	100	04/14/17 09:18	
1,1-Dichloroethane	ug/kg	<100	100	04/14/17 09:18	
1,1-Dichloroethene	ug/kg	<100	100	04/14/17 09:18	
1,2,4-Trichlorobenzene	ug/kg	<100	100	04/14/17 09:18	
1,2-Dibromo-3-chloropropane	ug/kg	<100	100	04/14/17 09:18	
1,2-Dibromoethane (EDB)	ug/kg	<100	100	04/14/17 09:18	
1,2-Dichlorobenzene	ug/kg	<100	100	04/14/17 09:18	
1,2-Dichloroethane	ug/kg	<100	100	04/14/17 09:18	
1,2-Dichloropropane	ug/kg	<100	100	04/14/17 09:18	
1,3-Dichlorobenzene	ug/kg	<100	100	04/14/17 09:18	
1,4-Dichlorobenzene	ug/kg	<100	100	04/14/17 09:18	
2-Butanone (MEK)	ug/kg	<100	100	04/14/17 09:18	
2-Hexanone	ug/kg	<100	100	04/14/17 09:18	
4-Methyl-2-pentanone (MIBK)	ug/kg	<100	100	04/14/17 09:18	
Acetone	ug/kg	<100	100	04/14/17 09:18	
Benzene	ug/kg	<100	100	04/14/17 09:18	
Bromodichloromethane	ug/kg	<100	100	04/14/17 09:18	
Bromoform	ug/kg	<100	100	04/14/17 09:18	
Bromomethane	ug/kg	<100	100	04/14/17 09:18	
Carbon disulfide	ug/kg	<100	100	04/14/17 09:18	
Carbon tetrachloride	ug/kg	<100	100	04/14/17 09:18	
Chlorobenzene	ug/kg	<100	100	04/14/17 09:18	
Chloroethane	ug/kg	<100	100	04/14/17 09:18	
Chloroform	ug/kg	<100	100	04/14/17 09:18	
Chloromethane	ug/kg	<100	100	04/14/17 09:18	
cis-1,2-Dichloroethene	ug/kg	<100	100	04/14/17 09:18	
cis-1,3-Dichloropropene	ug/kg	<100	100	04/14/17 09:18	
Cyclohexane	ug/kg	<100	100	04/14/17 09:18	
Dibromochloromethane	ug/kg	<100	100	04/14/17 09:18	
Dichlorodifluoromethane	ug/kg	<100	100	04/14/17 09:18	
Ethylbenzene	ug/kg	<100	100	04/14/17 09:18	
Isopropylbenzene (Cumene)	ug/kg	<100	100	04/14/17 09:18	
Methyl acetate	ug/kg	<100	100	04/14/17 09:18	
Methyl-tert-butyl ether	ug/kg	<100	100	04/14/17 09:18	
Methylcyclohexane	ug/kg	<100	100	04/14/17 09:18	
Methylene Chloride	ug/kg	<100	100	04/14/17 09:18	
Styrene	ug/kg	<100	100	04/14/17 09:18	
Tetrachloroethene	ug/kg	<100	100	04/14/17 09:18	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

METHOD BLANK: 99428

Matrix: Solid

Associated Lab Samples: 7015297009, 7015297010, 7015297011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Toluene	ug/kg	<100	100	04/14/17 09:18	
trans-1,2-Dichloroethene	ug/kg	<100	100	04/14/17 09:18	
trans-1,3-Dichloropropene	ug/kg	<100	100	04/14/17 09:18	
Trichloroethene	ug/kg	<100	100	04/14/17 09:18	
Trichlorofluoromethane	ug/kg	<100	100	04/14/17 09:18	
Vinyl chloride	ug/kg	<100	100	04/14/17 09:18	
Xylene (Total)	ug/kg	<100	100	04/14/17 09:18	
1,2-Dichloroethane-d4 (S)	%	115	33-150	04/14/17 09:18	
4-Bromofluorobenzene (S)	%	93	34-145	04/14/17 09:18	
Toluene-d8 (S)	%	97	43-157	04/14/17 09:18	

LABORATORY CONTROL SAMPLE: 99429

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	1980	79	59-134	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2370	95	69-132	
1,1,2-Trichloroethane	ug/kg	2500	2310	93	73-135	
1,1,2-Trichlorotrifluoroethane	ug/kg	2500	1660	66	45-156	
1,1-Dichloroethane	ug/kg	2500	1970	79	53-160	
1,1-Dichloroethene	ug/kg	2500	1700	68	47-152	
1,2,4-Trichlorobenzene	ug/kg	2500	2120	85	52-140	
1,2-Dibromo-3-chloropropane	ug/kg	2500	1970	79	57-140	
1,2-Dibromoethane (EDB)	ug/kg	2500	2150	86	76-138	
1,2-Dichlorobenzene	ug/kg	2500	2110	84	67-125	
1,2-Dichloroethane	ug/kg	2500	1990	79	65-143	
1,2-Dichloropropane	ug/kg	2500	2370	95	72-131	
1,3-Dichlorobenzene	ug/kg	2500	2180	87	64-124	
1,4-Dichlorobenzene	ug/kg	2500	2140	86	61-127	
2-Butanone (MEK)	ug/kg	2500	2250	90	52-164	
2-Hexanone	ug/kg	2500	2750	110	66-151	
4-Methyl-2-pentanone (MIBK)	ug/kg	2500	2890	115	63-154	
Acetone	ug/kg	2500	2820	113	23-196	
Benzene	ug/kg	2500	2170	87	65-129	
Bromodichloromethane	ug/kg	2500	2110	85	74-141	
Bromoform	ug/kg	2500	1480	59	59-136 CC	
Bromomethane	ug/kg	2500	1140	46	32-182	
Carbon disulfide	ug/kg	2500	2650	106	26-160	
Carbon tetrachloride	ug/kg	2500	2080	83	57-135	
Chlorobenzene	ug/kg	2500	1940	77	62-136	
Chloroethane	ug/kg	2500	277	11	50-159 L2	
Chloroform	ug/kg	2500	1870	75	71-135	
Chloromethane	ug/kg	2500	2420	97	44-139	
cis-1,2-Dichloroethene	ug/kg	2500	1800	72	75-130 L2	
cis-1,3-Dichloropropene	ug/kg	2500	2320	93	74-140	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

LABORATORY CONTROL SAMPLE: 99429

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyclohexane	ug/kg	2500	2080	83	21-139	
Dibromochloromethane	ug/kg	2500	1700	68	71-133	L2
Dichlorodifluoromethane	ug/kg	2500	1980	79	10-155	
Ethylbenzene	ug/kg	2500	1980	79	59-135	
Isopropylbenzene (Cumene)	ug/kg	2500	2260	90	56-129	
Methyl acetate	ug/kg	2500	2620	105	33-176	
Methyl-tert-butyl ether	ug/kg	2500	1950	78	25-171	
Methylcyclohexane	ug/kg	2500	2310	92	24-141	
Methylene Chloride	ug/kg	2500	1850	74	50-164	
Styrene	ug/kg	2500	2090	84	73-133	
Tetrachloroethene	ug/kg	2500	1720	69	10-176	
Toluene	ug/kg	2500	2180	87	66-131	
trans-1,2-Dichloroethene	ug/kg	2500	1750	70	53-157	
trans-1,3-Dichloropropene	ug/kg	2500	2370	95	66-144	
Trichloroethene	ug/kg	2500	2130	85	62-130	
Trichlorofluoromethane	ug/kg	2500	1500	60	38-166	
Vinyl chloride	ug/kg	2500	2370	95	45-137	
Xylene (Total)	ug/kg	7500	5970	80	62-135	
1,2-Dichloroethane-d4 (S)	%			108	33-150	
4-Bromofluorobenzene (S)	%			99	34-145	
Toluene-d8 (S)	%			94	43-157	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

QC Batch:	20524	Analysis Method:	EPA 8260C
QC Batch Method:	EPA 8260C	Analysis Description:	8260 MSV TCLP
Associated Lab Samples:	7015297002		

METHOD BLANK: 97142 Matrix: Water
Associated Lab Samples: 7015297002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1-Dichloroethene	mg/L	<0.0020	0.0020	04/13/17 12:19	
1,2-Dichloroethane	mg/L	<0.0020	0.0020	04/13/17 12:19	
2-Butanone (MEK)	mg/L	<0.0020	0.0020	04/13/17 12:19	
Benzene	mg/L	<0.0020	0.0020	04/13/17 12:19	
Carbon tetrachloride	mg/L	<0.0020	0.0020	04/13/17 12:19	
Chlorobenzene	mg/L	<0.0020	0.0020	04/13/17 12:19	
Chloroform	mg/L	<0.0020	0.0020	04/13/17 12:19	
Tetrachloroethene	mg/L	<0.0020	0.0020	04/13/17 12:19	
Trichloroethene	mg/L	<0.0020	0.0020	04/13/17 12:19	
Vinyl chloride	mg/L	<0.0020	0.0020	04/13/17 12:19	
1,2-Dichloroethane-d4 (S)	%	101	53-183	04/13/17 12:19	
4-Bromofluorobenzene (S)	%	101	63-140	04/13/17 12:19	
Toluene-d8 (S)	%	99	60-135	04/13/17 12:19	

METHOD BLANK: 93779 Matrix: Solid
Associated Lab Samples: 7015297002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1-Dichloroethene	mg/L	<0.010	0.010	04/13/17 17:05	
1,2-Dichloroethane	mg/L	<0.010	0.010	04/13/17 17:05	
2-Butanone (MEK)	mg/L	<0.010	0.010	04/13/17 17:05	
Benzene	mg/L	<0.010	0.010	04/13/17 17:05	
Carbon tetrachloride	mg/L	<0.010	0.010	04/13/17 17:05	
Chlorobenzene	mg/L	<0.010	0.010	04/13/17 17:05	
Chloroform	mg/L	<0.010	0.010	04/13/17 17:05	
Tetrachloroethene	mg/L	<0.010	0.010	04/13/17 17:05	
Trichloroethene	mg/L	<0.010	0.010	04/13/17 17:05	
Vinyl chloride	mg/L	<0.010	0.010	04/13/17 17:05	
1,2-Dichloroethane-d4 (S)	%	100	53-183	04/13/17 17:05	
4-Bromofluorobenzene (S)	%	100	63-140	04/13/17 17:05	
Toluene-d8 (S)	%	98	60-135	04/13/17 17:05	

LABORATORY CONTROL SAMPLE: 97143

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	mg/L	.05	0.040	80	58-112	
1,2-Dichloroethane	mg/L	.05	0.045	89	52-133	
2-Butanone (MEK)	mg/L	.05	0.041	83	14-166	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

LABORATORY CONTROL SAMPLE: 97143

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	mg/L	.05	0.043	86	50-127	
Carbon tetrachloride	mg/L	.05	0.046	92	64-126	
Chlorobenzene	mg/L	.05	0.044	87	72-124	
Chloroform	mg/L	.05	0.044	87	75-119	
Tetrachloroethene	mg/L	.05	0.043	87	59-133	
Trichloroethene	mg/L	.05	0.043	86	57-115	
Vinyl chloride	mg/L	.05	0.032	64	14-152	
1,2-Dichloroethane-d4 (S)	%			101	53-183	
4-Bromofluorobenzene (S)	%			102	63-140	
Toluene-d8 (S)	%			102	60-135	

MATRIX SPIKE SAMPLE: 97145

Parameter	Units	7015160001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	mg/L	<0.010	.2	0.24	118	58-169	
1,2-Dichloroethane	mg/L	<0.010	.2	0.24	121	38-169	
2-Butanone (MEK)	mg/L	0.15	.2	0.35	100	10-229	
Benzene	mg/L	<0.010	.2	0.26	129	58-152	
Carbon tetrachloride	mg/L	<0.010	.2	0.26	130	16-203	
Chlorobenzene	mg/L	<0.010	.2	0.24	122	29-167	
Chloroform	mg/L	<0.010	.2	0.25	123	37-170	
Tetrachloroethene	mg/L	<0.010	.2	0.24	121	27-172	
Trichloroethene	mg/L	<0.010	.2	0.25	126	16-237	
Vinyl chloride	mg/L	<0.010	.2	0.17	83	21-186	
1,2-Dichloroethane-d4 (S)	%				101	53-183	
4-Bromofluorobenzene (S)	%				101	63-140	
Toluene-d8 (S)	%				97	60-135	

SAMPLE DUPLICATE: 97144

Parameter	Units	7015142001 Result	Dup Result	RPD	Qualifiers
1,1-Dichloroethene	mg/L	<0.010	<0.010		
1,2-Dichloroethane	mg/L	<0.010	<0.010		
2-Butanone (MEK)	mg/L	0.48	0.48	0	
Benzene	mg/L	<0.010	<0.010		
Carbon tetrachloride	mg/L	<0.010	<0.010		
Chlorobenzene	mg/L	<0.010	<0.010		
Chloroform	mg/L	<0.010	<0.010		
Tetrachloroethene	mg/L	<0.010	<0.010		
Trichloroethene	mg/L	<0.010	<0.010		
Vinyl chloride	mg/L	<0.010	<0.010		
1,2-Dichloroethane-d4 (S)	%	98	95	2	
4-Bromofluorobenzene (S)	%	101	101	0	
Toluene-d8 (S)	%	101	98	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

QC Batch:	20667	Analysis Method:	EPA 8260C/5030C
QC Batch Method:	EPA 8260C/5030C	Analysis Description:	8260 MSV
Associated Lab Samples:	7015297008		

METHOD BLANK: 97639 Matrix: Water
Associated Lab Samples: 7015297008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	<1.0	1.0	04/14/17 09:47	
1,1,2,2-Tetrachloroethane	ug/L	<1.0	1.0	04/14/17 09:47	
1,1,2-Trichloroethane	ug/L	<1.0	1.0	04/14/17 09:47	
1,1,2-Trichlorotrifluoroethane	ug/L	<1.0	1.0	04/14/17 09:47	
1,1-Dichloroethane	ug/L	<1.0	1.0	04/14/17 09:47	
1,1-Dichloroethene	ug/L	<1.0	1.0	04/14/17 09:47	
1,2,4-Trichlorobenzene	ug/L	<1.0	1.0	04/14/17 09:47	
1,2-Dibromo-3-chloropropane	ug/L	<1.0	1.0	04/14/17 09:47	
1,2-Dibromoethane (EDB)	ug/L	<1.0	1.0	04/14/17 09:47	
1,2-Dichlorobenzene	ug/L	<1.0	1.0	04/14/17 09:47	
1,2-Dichloroethane	ug/L	<1.0	1.0	04/14/17 09:47	
1,2-Dichloropropane	ug/L	<1.0	1.0	04/14/17 09:47	
1,3-Dichlorobenzene	ug/L	<1.0	1.0	04/14/17 09:47	
1,4-Dichlorobenzene	ug/L	<1.0	1.0	04/14/17 09:47	
2-Butanone (MEK)	ug/L	<1.0	1.0	04/14/17 09:47	
2-Hexanone	ug/L	<1.0	1.0	04/14/17 09:47	
4-Methyl-2-pentanone (MIBK)	ug/L	<1.0	1.0	04/14/17 09:47	
Acetone	ug/L	<5.0	5.0	04/14/17 09:47	
Benzene	ug/L	<1.0	1.0	04/14/17 09:47	
Bromodichloromethane	ug/L	<1.0	1.0	04/14/17 09:47	
Bromoform	ug/L	<1.0	1.0	04/14/17 09:47	
Bromomethane	ug/L	<1.0	1.0	04/14/17 09:47	
Carbon disulfide	ug/L	<1.0	1.0	04/14/17 09:47	
Carbon tetrachloride	ug/L	<1.0	1.0	04/14/17 09:47	
Chlorobenzene	ug/L	<1.0	1.0	04/14/17 09:47	
Chloroethane	ug/L	<1.0	1.0	04/14/17 09:47	
Chloroform	ug/L	<1.0	1.0	04/14/17 09:47	
Chloromethane	ug/L	<1.0	1.0	04/14/17 09:47	
cis-1,2-Dichloroethene	ug/L	<1.0	1.0	04/14/17 09:47	
cis-1,3-Dichloropropene	ug/L	<1.0	1.0	04/14/17 09:47	
Cyclohexane	ug/L	<1.0	1.0	04/14/17 09:47	
Dibromochloromethane	ug/L	<1.0	1.0	04/14/17 09:47	
Dichlorodifluoromethane	ug/L	<1.0	1.0	04/14/17 09:47	
Ethylbenzene	ug/L	<1.0	1.0	04/14/17 09:47	
Isopropylbenzene (Cumene)	ug/L	<1.0	1.0	04/14/17 09:47	
Methyl acetate	ug/L	<1.0	1.0	04/14/17 09:47	
Methyl-tert-butyl ether	ug/L	<1.0	1.0	04/14/17 09:47	
Methylcyclohexane	ug/L	<1.0	1.0	04/14/17 09:47	
Methylene Chloride	ug/L	<1.0	1.0	04/14/17 09:47	
Styrene	ug/L	<1.0	1.0	04/14/17 09:47	
Tetrachloroethene	ug/L	<1.0	1.0	04/14/17 09:47	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

METHOD BLANK: 97639
Associated Lab Samples: 7015297008

Matrix: Water

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Toluene	ug/L	<1.0	1.0	04/14/17 09:47	
trans-1,2-Dichloroethene	ug/L	<1.0	1.0	04/14/17 09:47	
trans-1,3-Dichloropropene	ug/L	<1.0	1.0	04/14/17 09:47	
Trichloroethene	ug/L	<1.0	1.0	04/14/17 09:47	
Trichlorofluoromethane	ug/L	<1.0	1.0	04/14/17 09:47	
Vinyl chloride	ug/L	<1.0	1.0	04/14/17 09:47	
Xylene (Total)	ug/L	<1.0	1.0	04/14/17 09:47	
1,2-Dichloroethane-d4 (S)	%	118	68-153	04/14/17 09:47	
4-Bromofluorobenzene (S)	%	90	79-124	04/14/17 09:47	
Toluene-d8 (S)	%	97	69-124	04/14/17 09:47	

LABORATORY CONTROL SAMPLE: 97640

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	45.6	91	65-118	
1,1,2,2-Tetrachloroethane	ug/L	50	54.1	108	74-121	
1,1,2-Trichloroethane	ug/L	50	50.0	100	80-117	
1,1,2-Trichlorotrifluoroethane	ug/L	50	38.1	76	60-140	
1,1-Dichloroethane	ug/L	50	44.3	89	83-151	
1,1-Dichloroethene	ug/L	50	39.8	80	45-146	
1,2,4-Trichlorobenzene	ug/L	50	47.5	95	66-116	
1,2-Dibromo-3-chloropropane	ug/L	50	48.3	97	74-119	
1,2-Dibromoethane (EDB)	ug/L	50	45.9	92	83-115	
1,2-Dichlorobenzene	ug/L	50	47.4	95	74-113	
1,2-Dichloroethane	ug/L	50	42.8	86	74-129	
1,2-Dichloropropane	ug/L	50	51.7	103	75-117	
1,3-Dichlorobenzene	ug/L	50	48.4	97	71-112	
1,4-Dichlorobenzene	ug/L	50	46.9	94	71-113	
2-Butanone (MEK)	ug/L	50	49.4	99	44-162	
2-Hexanone	ug/L	50	60.2	120	32-183	
4-Methyl-2-pentanone (MIBK)	ug/L	50	63.3	127	69-132	
Acetone	ug/L	50	55.8	112	23-188	
Benzene	ug/L	50	48.0	96	73-119	
Bromodichloromethane	ug/L	50	47.6	95	78-117	
Bromoform	ug/L	50	35.4	71	65-122	CC
Bromomethane	ug/L	50	159	317	52-147	CC,L1
Carbon disulfide	ug/L	50	46.2	92	41-144	CC
Carbon tetrachloride	ug/L	50	48.5	97	59-120	
Chlorobenzene	ug/L	50	42.6	85	75-113	
Chloroethane	ug/L	50	52.2	104	49-151	
Chloroform	ug/L	50	41.3	83	72-122	
Chloromethane	ug/L	50	52.0	104	46-144	
cis-1,2-Dichloroethene	ug/L	50	38.7	77	72-121	
cis-1,3-Dichloropropene	ug/L	50	52.0	104	78-116	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

LABORATORY CONTROL SAMPLE: 97640

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyclohexane	ug/L	50	47.9	96	43-143	
Dibromochloromethane	ug/L	50	39.8	80	70-120	CC
Dichlorodifluoromethane	ug/L	50	42.0	84	22-154	
Ethylbenzene	ug/L	50	44.9	90	70-113	
Isopropylbenzene (Cumene)	ug/L	50	52.1	104	67-115	
Methyl acetate	ug/L	50	53.9	108	60-140	
Methyl-tert-butyl ether	ug/L	50	43.8	88	72-131	
Methylcyclohexane	ug/L	50	53.2	106	60-140	
Methylene Chloride	ug/L	50	40.1	80	61-142	
Styrene	ug/L	50	46.1	92	72-118	
Tetrachloroethene	ug/L	50	39.5	79	60-128	
Toluene	ug/L	50	48.8	98	72-119	
trans-1,2-Dichloroethene	ug/L	50	38.8	78	56-142	
trans-1,3-Dichloropropene	ug/L	50	51.8	104	79-116	
Trichloroethene	ug/L	50	46.7	93	69-117	
Trichlorofluoromethane	ug/L	50	41.3	83	27-173	
Vinyl chloride	ug/L	50	42.6	85	43-143	
Xylene (Total)	ug/L	150	133	89	71-109	
1,2-Dichloroethane-d4 (S)	%			109	68-153	
4-Bromofluorobenzene (S)	%			96	79-124	
Toluene-d8 (S)	%			96	69-124	

MATRIX SPIKE SAMPLE: 97642

Parameter	Units	7015449033 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	<1.0	50	46.8	94	65-118	
1,1,2,2-Tetrachloroethane	ug/L	<1.0	50	44.6	89	74-121	
1,1,2-Trichloroethane	ug/L	<1.0	50	47.5	95	80-117	
1,1,2-Trichlorotrifluoroethane	ug/L	<1.0	50	42.0	84	60-140	
1,1-Dichloroethane	ug/L	7.7	50	53.3	91	83-151	
1,1-Dichloroethene	ug/L	<1.0	50	44.3	89	45-146	
1,2,4-Trichlorobenzene	ug/L	<1.0	50	18.7	37	66-116	M1
1,2-Dibromo-3-chloropropane	ug/L	<1.0	50	18.7	37	74-119	M1
1,2-Dibromoethane (EDB)	ug/L	<1.0	50	43.9	88	83-115	
1,2-Dichlorobenzene	ug/L	<1.0	50	43.0	86	74-113	
1,2-Dichloroethane	ug/L	<1.0	50	43.8	88	74-129	
1,2-Dichloropropane	ug/L	<1.0	50	53.1	106	75-117	
1,3-Dichlorobenzene	ug/L	<1.0	50	47.0	94	71-112	
1,4-Dichlorobenzene	ug/L	<1.0	50	45.0	90	71-113	
2-Butanone (MEK)	ug/L	<1.0	50	43.1	86	44-162	
2-Hexanone	ug/L	<1.0	50	55.0	110	32-183	
4-Methyl-2-pentanone (MIBK)	ug/L	<1.0	50	61.8	124	69-132	
Acetone	ug/L	5.1	50	46.2	82	23-188	
Benzene	ug/L	<1.0	50	48.7	97	73-119	
Bromodichloromethane	ug/L	<1.0	50	44.1	88	78-117	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

MATRIX SPIKE SAMPLE: 97642		7015449033	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Bromoform	ug/L	<1.0	50	24.6	49	65-122	CC,M1
Bromomethane	ug/L	<1.0	50	126	252	52-147	CC,M0
Carbon disulfide	ug/L	<1.0	50	57.4	115	41-144	CC
Carbon tetrachloride	ug/L	<1.0	50	42.5	85	59-120	
Chlorobenzene	ug/L	<1.0	50	40.2	80	75-113	
Chloroethane	ug/L	2.4	50	55.9	107	49-151	
Chloroform	ug/L	<1.0	50	41.7	83	72-122	
Chloromethane	ug/L	<1.0	50	59.0	118	46-144	
cis-1,2-Dichloroethene	ug/L	17.5	50	53.6	72	72-121	
cis-1,3-Dichloropropene	ug/L	<1.0	50	50.7	101	78-116	
Cyclohexane	ug/L	<1.0	50	53.0	106	43-143	
Dibromochloromethane	ug/L	<1.0	50	31.5	63	70-120	CC,M1
Dichlorodifluoromethane	ug/L	<1.0	50	42.3	85	22-154	
Ethylbenzene	ug/L	<1.0	50	43.2	86	70-113	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	53.2	106	67-115	
Methyl acetate	ug/L	<1.0	50	52.2	104	60-140	
Methyl-tert-butyl ether	ug/L	<1.0	50	44.0	88	72-131	
Methylcyclohexane	ug/L	<1.0	50	55.6	111	60-140	
Methylene Chloride	ug/L	<1.0	50	39.2	78	61-142	
Styrene	ug/L	<1.0	50	42.8	86	72-118	
Tetrachloroethene	ug/L	<1.0	50	39.1	78	60-128	
Toluene	ug/L	<1.0	50	50.0	100	72-119	
trans-1,2-Dichloroethene	ug/L	<1.0	50	39.1	78	56-142	
trans-1,3-Dichloropropene	ug/L	<1.0	50	50.5	101	79-116	
Trichloroethene	ug/L	2.5	50	50.8	97	69-117	
Trichlorofluoromethane	ug/L	<1.0	50	42.6	85	27-173	
Vinyl chloride	ug/L	55.2	50	87.7	65	43-143	
Xylene (Total)	ug/L	<1.0	150	129	86	71-109	
1,2-Dichloroethane-d4 (S)	%				109	68-153	
4-Bromofluorobenzene (S)	%				93	79-124	
Toluene-d8 (S)	%				93	69-124	

SAMPLE DUPLICATE: 97641

Parameter	Units	7015449024	Dup	RPD	Qualifiers
		Result	Result		
1,1,1-Trichloroethane	ug/L	1.6	1.4	14	
1,1,2,2-Tetrachloroethane	ug/L	<1.0	<1.0		
1,1,2-Trichloroethane	ug/L	<1.0	<1.0		
1,1,2-Trichlorotrifluoroethane	ug/L	<1.0	<1.0		
1,1-Dichloroethane	ug/L	35.2	33.7	4	
1,1-Dichloroethene	ug/L	<1.0	<1.0		
1,2,4-Trichlorobenzene	ug/L	<1.0	<1.0		
1,2-Dibromo-3-chloropropane	ug/L	<1.0	<1.0		
1,2-Dibromoethane (EDB)	ug/L	<1.0	<1.0		
1,2-Dichlorobenzene	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

SAMPLE DUPLICATE: 97641

Parameter	Units	7015449024 Result	Dup Result	RPD	Qualifiers
1,2-Dichloroethane	ug/L	<1.0	<1.0		
1,2-Dichloropropane	ug/L	<1.0	<1.0		
1,3-Dichlorobenzene	ug/L	<1.0	<1.0		
1,4-Dichlorobenzene	ug/L	<1.0	<1.0		
2-Butanone (MEK)	ug/L	<1.0	<1.0		
2-Hexanone	ug/L	<1.0	<1.0		
4-Methyl-2-pentanone (MIBK)	ug/L	<1.0	<1.0		
Acetone	ug/L	6.2	6.0	3	
Benzene	ug/L	<1.0	<1.0		
Bromodichloromethane	ug/L	<1.0	<1.0		
Bromoform	ug/L	<1.0	<1.0		
Bromomethane	ug/L	<1.0	<1.0		
Carbon disulfide	ug/L	<1.0	<1.0		
Carbon tetrachloride	ug/L	<1.0	<1.0		
Chlorobenzene	ug/L	<1.0	<1.0		
Chloroethane	ug/L	27.4	24.8	10	
Chloroform	ug/L	<1.0	<1.0		
Chloromethane	ug/L	<1.0	<1.0		
cis-1,2-Dichloroethene	ug/L	1.4	1.1	22 D6	
cis-1,3-Dichloropropene	ug/L	<1.0	<1.0		
Cyclohexane	ug/L	<1.0	<1.0		
Dibromochloromethane	ug/L	<1.0	<1.0		
Dichlorodifluoromethane	ug/L	<1.0	<1.0		
Ethylbenzene	ug/L	<1.0	<1.0		
Isopropylbenzene (Cumene)	ug/L	<1.0	<1.0		
Methyl acetate	ug/L	<1.0	<1.0		
Methyl-tert-butyl ether	ug/L	<1.0	<1.0		
Methylcyclohexane	ug/L	<1.0	<1.0		
Methylene Chloride	ug/L	<1.0	<1.0		
Styrene	ug/L	<1.0	<1.0		
Tetrachloroethene	ug/L	<1.0	<1.0		
Toluene	ug/L	<1.0	<1.0		
trans-1,2-Dichloroethene	ug/L	<1.0	<1.0		
trans-1,3-Dichloropropene	ug/L	<1.0	<1.0		
Trichloroethene	ug/L	<1.0	<1.0		
Trichlorofluoromethane	ug/L	<1.0	<1.0		
Vinyl chloride	ug/L	<1.0	<1.0		
Xylene (Total)	ug/L	<1.0	<1.0		
1,2-Dichloroethane-d4 (S)	%	120	120	0	
4-Bromofluorobenzene (S)	%	90	90	0	
Toluene-d8 (S)	%	94	96	2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

QC Batch: 20895	Analysis Method: EPA 8260C/5030C
QC Batch Method: EPA 8260C/5030C	Analysis Description: 8260 MSV
Associated Lab Samples: 7015297005	

METHOD BLANK: 98974	Matrix: Water
Associated Lab Samples: 7015297005	

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	<1.0	1.0	04/17/17 12:51	
1,1,2,2-Tetrachloroethane	ug/L	<1.0	1.0	04/17/17 12:51	
1,1,2-Trichloroethane	ug/L	<1.0	1.0	04/17/17 12:51	
1,1,2-Trichlorotrifluoroethane	ug/L	<1.0	1.0	04/17/17 12:51	
1,1-Dichloroethane	ug/L	<1.0	1.0	04/17/17 12:51	
1,1-Dichloroethene	ug/L	<1.0	1.0	04/17/17 12:51	
1,2,4-Trichlorobenzene	ug/L	<1.0	1.0	04/17/17 12:51	
1,2-Dibromo-3-chloropropane	ug/L	<1.0	1.0	04/17/17 12:51	
1,2-Dibromoethane (EDB)	ug/L	<1.0	1.0	04/17/17 12:51	
1,2-Dichlorobenzene	ug/L	<1.0	1.0	04/17/17 12:51	
1,2-Dichloroethane	ug/L	<1.0	1.0	04/17/17 12:51	
1,2-Dichloropropane	ug/L	<1.0	1.0	04/17/17 12:51	
1,3-Dichlorobenzene	ug/L	<1.0	1.0	04/17/17 12:51	
1,4-Dichlorobenzene	ug/L	<1.0	1.0	04/17/17 12:51	
2-Butanone (MEK)	ug/L	<1.0	1.0	04/17/17 12:51	
2-Hexanone	ug/L	<1.0	1.0	04/17/17 12:51	
4-Methyl-2-pentanone (MIBK)	ug/L	<1.0	1.0	04/17/17 12:51	
Acetone	ug/L	<5.0	5.0	04/17/17 12:51	
Benzene	ug/L	<1.0	1.0	04/17/17 12:51	
Bromodichloromethane	ug/L	<1.0	1.0	04/17/17 12:51	
Bromoform	ug/L	<1.0	1.0	04/17/17 12:51	
Bromomethane	ug/L	<1.0	1.0	04/17/17 12:51	
Carbon disulfide	ug/L	<1.0	1.0	04/17/17 12:51	
Carbon tetrachloride	ug/L	<1.0	1.0	04/17/17 12:51	
Chlorobenzene	ug/L	<1.0	1.0	04/17/17 12:51	
Chloroethane	ug/L	<1.0	1.0	04/17/17 12:51	
Chloroform	ug/L	<1.0	1.0	04/17/17 12:51	
Chloromethane	ug/L	<1.0	1.0	04/17/17 12:51	
cis-1,2-Dichloroethene	ug/L	<1.0	1.0	04/17/17 12:51	
cis-1,3-Dichloropropene	ug/L	<1.0	1.0	04/17/17 12:51	
Cyclohexane	ug/L	<1.0	1.0	04/17/17 12:51	
Dibromochloromethane	ug/L	<1.0	1.0	04/17/17 12:51	
Dichlorodifluoromethane	ug/L	<1.0	1.0	04/17/17 12:51	
Ethylbenzene	ug/L	<1.0	1.0	04/17/17 12:51	
Isopropylbenzene (Cumene)	ug/L	<1.0	1.0	04/17/17 12:51	
Methyl acetate	ug/L	<1.0	1.0	04/17/17 12:51	
Methyl-tert-butyl ether	ug/L	<1.0	1.0	04/17/17 12:51	
Methylcyclohexane	ug/L	<1.0	1.0	04/17/17 12:51	
Methylene Chloride	ug/L	<1.0	1.0	04/17/17 12:51	
Styrene	ug/L	<1.0	1.0	04/17/17 12:51	
Tetrachloroethene	ug/L	<1.0	1.0	04/17/17 12:51	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

METHOD BLANK: 98974
Associated Lab Samples: 7015297005

Matrix: Water

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Toluene	ug/L	<1.0	1.0	04/17/17 12:51	
trans-1,2-Dichloroethene	ug/L	<1.0	1.0	04/17/17 12:51	
trans-1,3-Dichloropropene	ug/L	<1.0	1.0	04/17/17 12:51	
Trichloroethene	ug/L	<1.0	1.0	04/17/17 12:51	
Trichlorofluoromethane	ug/L	<1.0	1.0	04/17/17 12:51	
Vinyl chloride	ug/L	<1.0	1.0	04/17/17 12:51	
Xylene (Total)	ug/L	<1.0	1.0	04/17/17 12:51	
1,2-Dichloroethane-d4 (S)	%	97	68-153	04/17/17 12:51	
4-Bromofluorobenzene (S)	%	101	79-124	04/17/17 12:51	
Toluene-d8 (S)	%	99	69-124	04/17/17 12:51	

LABORATORY CONTROL SAMPLE: 98975

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	43.7	87	65-118	
1,1,2,2-Tetrachloroethane	ug/L	50	43.9	88	74-121	
1,1,2-Trichloroethane	ug/L	50	51.1	102	80-117	
1,1,2-Trichlorotrifluoroethane	ug/L	50	40.0	80	60-140	
1,1-Dichloroethane	ug/L	50	45.2	90	83-151	
1,1-Dichloroethene	ug/L	50	42.0	84	45-146	
1,2,4-Trichlorobenzene	ug/L	50	65.2	130	66-116	L1
1,2-Dibromo-3-chloropropane	ug/L	50	51.9	104	74-119	
1,2-Dibromoethane (EDB)	ug/L	50	47.6	95	83-115	
1,2-Dichlorobenzene	ug/L	50	45.4	91	74-113	
1,2-Dichloroethane	ug/L	50	52.2	104	74-129	
1,2-Dichloropropane	ug/L	50	45.5	91	75-117	
1,3-Dichlorobenzene	ug/L	50	41.9	84	71-112	
1,4-Dichlorobenzene	ug/L	50	40.5	81	71-113	
2-Butanone (MEK)	ug/L	50	47.7	95	44-162	
2-Hexanone	ug/L	50	48.6	97	32-183	
4-Methyl-2-pentanone (MIBK)	ug/L	50	50.7	101	69-132	
Acetone	ug/L	50	46.4	93	23-188	
Benzene	ug/L	50	47.5	95	73-119	
Bromodichloromethane	ug/L	50	49.0	98	78-117	
Bromoform	ug/L	50	51.4	103	65-122	
Bromomethane	ug/L	50	49.8	100	52-147	
Carbon disulfide	ug/L	50	47.9	96	41-144	
Carbon tetrachloride	ug/L	50	46.0	92	59-120	
Chlorobenzene	ug/L	50	42.4	85	75-113	
Chloroethane	ug/L	50	49.4	99	49-151	
Chloroform	ug/L	50	49.1	98	72-122	
Chloromethane	ug/L	50	62.9	126	46-144	CC
cis-1,2-Dichloroethene	ug/L	50	53.7	107	72-121	
cis-1,3-Dichloropropene	ug/L	50	48.3	97	78-116	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

LABORATORY CONTROL SAMPLE: 98975

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyclohexane	ug/L	50	42.3	85	43-143	
Dibromochloromethane	ug/L	50	50.0	100	70-120	
Dichlorodifluoromethane	ug/L	50	48.5	97	22-154	CC
Ethylbenzene	ug/L	50	41.7	83	70-113	
Isopropylbenzene (Cumene)	ug/L	50	40.7	81	67-115	
Methyl acetate	ug/L	50	49.2	98	60-140	
Methyl-tert-butyl ether	ug/L	50	50.6	101	72-131	
Methylcyclohexane	ug/L	50	43.5	87	60-140	
Methylene Chloride	ug/L	50	47.1	94	61-142	
Styrene	ug/L	50	45.7	91	72-118	
Tetrachloroethene	ug/L	50	40.9	82	60-128	
Toluene	ug/L	50	45.9	92	72-119	
trans-1,2-Dichloroethene	ug/L	50	45.1	90	56-142	
trans-1,3-Dichloropropene	ug/L	50	50.2	100	79-116	
Trichloroethene	ug/L	50	44.2	88	69-117	
Trichlorofluoromethane	ug/L	50	48.6	97	27-173	
Vinyl chloride	ug/L	50	51.3	103	43-143	
Xylene (Total)	ug/L	150	130	87	71-109	
1,2-Dichloroethane-d4 (S)	%			105	68-153	
4-Bromofluorobenzene (S)	%			100	79-124	
Toluene-d8 (S)	%			100	69-124	

MATRIX SPIKE SAMPLE: 98977

Parameter	Units	7015940005 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	<1.0	50	46.9	94	73-119	
Ethylbenzene	ug/L	<1.0	50	44.1	88	70-113	
Isopropylbenzene (Cumene)	ug/L	<1.0	50	42.3	85	67-115	
Methyl-tert-butyl ether	ug/L	<1.0	50	44.1	88	72-131	
Toluene	ug/L	<1.0	50	46.4	93	72-119	
Xylene (Total)	ug/L	<2.0	150	130	87	71-109	
1,2-Dichloroethane-d4 (S)	%				110	68-153	
4-Bromofluorobenzene (S)	%				101	79-124	
Toluene-d8 (S)	%				96	69-124	

SAMPLE DUPLICATE: 98976

Parameter	Units	7015940001 Result	Dup Result	RPD	Qualifiers
Benzene	ug/L	16.9	20.4	19	
Ethylbenzene	ug/L	14.8	23.6	46	D6
Isopropylbenzene (Cumene)	ug/L	3.9	4.0	2	
Methyl-tert-butyl ether	ug/L	<1.0	<1.0		
Toluene	ug/L	26.6	45.2	52	D6
Xylene (Total)	ug/L		62.4		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

SAMPLE DUPLICATE: 98976

Parameter	Units	7015940001 Result	Dup Result	RPD	Qualifiers
1,2-Dichloroethane-d4 (S)	%.	102	99	3	
4-Bromofluorobenzene (S)	%.	101	109	7	
Toluene-d8 (S)	%.	98	101	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

QC Batch: 20058

Analysis Method: EPA 8015D

QC Batch Method: EPA 3545A

Analysis Description: 8015D Solid GCSV

Associated Lab Samples: 7015297001

METHOD BLANK: 94809

Matrix: Solid

Associated Lab Samples: 7015297001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Range Organics(C10-C28)	mg/kg	<6.7	6.7	04/17/17 20:17	
1,4-Dichlorobenzene-d4 (S)	%.	27	16-113	04/17/17 20:17	

LABORATORY CONTROL SAMPLE: 94810

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Diesel Range Organics(C10-C28)	mg/kg	167	112	67	34-99	
1,4-Dichlorobenzene-d4 (S)	%.			36	16-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

QC Batch: 20057 Analysis Method: EPA 8082A
QC Batch Method: EPA 3580A Analysis Description: 8082 GCS PCB Oil
Associated Lab Samples: 7015297004, 7015297006, 7015297007

METHOD BLANK: 94805 Matrix: Non Aqueous Liquid
Associated Lab Samples: 7015297004, 7015297006, 7015297007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<2.0	2.0	04/18/17 09:22	
PCB-1221 (Aroclor 1221)	mg/kg	<2.0	2.0	04/18/17 09:22	
PCB-1232 (Aroclor 1232)	mg/kg	<2.0	2.0	04/18/17 09:22	
PCB-1242 (Aroclor 1242)	mg/kg	<2.0	2.0	04/18/17 09:22	
PCB-1248 (Aroclor 1248)	mg/kg	<2.0	2.0	04/18/17 09:22	
PCB-1254 (Aroclor 1254)	mg/kg	<2.0	2.0	04/18/17 09:22	
PCB-1260 (Aroclor 1260)	mg/kg	<2.0	2.0	04/18/17 09:22	CC
Decachlorobiphenyl (S)	%	123	30-150	04/18/17 09:22	
Tetrachloro-m-xylene (S)	%	142	30-150	04/18/17 09:22	

LABORATORY CONTROL SAMPLE: 94806

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	12.5	11.9	95	66-162	
PCB-1221 (Aroclor 1221)	mg/kg		<2.0			
PCB-1232 (Aroclor 1232)	mg/kg		<2.0			
PCB-1242 (Aroclor 1242)	mg/kg		<2.0			
PCB-1248 (Aroclor 1248)	mg/kg		<2.0			
PCB-1254 (Aroclor 1254)	mg/kg		<2.0			
PCB-1260 (Aroclor 1260)	mg/kg	12.5	12.0	96	67-164	CC
Decachlorobiphenyl (S)	%			130	30-150	
Tetrachloro-m-xylene (S)	%			143	30-150	

MATRIX SPIKE SAMPLE: 94807

Parameter	Units	7015297006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<2.0	12.5	11.6	93	52-157	
PCB-1221 (Aroclor 1221)	mg/kg	<2.0		<2.0			
PCB-1232 (Aroclor 1232)	mg/kg	<2.0		<2.0			
PCB-1242 (Aroclor 1242)	mg/kg	<2.0		<2.0			
PCB-1248 (Aroclor 1248)	mg/kg	<2.0		<2.0			
PCB-1254 (Aroclor 1254)	mg/kg	<2.0		<2.0			
PCB-1260 (Aroclor 1260)	mg/kg	<2.0	12.5	10.4	83	48-155	CC
Decachlorobiphenyl (S)	%				134	30-150	
Tetrachloro-m-xylene (S)	%				111	30-150	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

QC Batch: 20056

Analysis Method: EPA 8082A

QC Batch Method: EPA 3545A

Analysis Description: 8082 GCS PCB

Associated Lab Samples: 7015297001, 7015297002

METHOD BLANK: 94803

Matrix: Solid

Associated Lab Samples: 7015297001, 7015297002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	<33.0	33.0	04/21/17 09:38	
PCB-1221 (Aroclor 1221)	ug/kg	<67.0	67.0	04/21/17 09:38	
PCB-1232 (Aroclor 1232)	ug/kg	<33.0	33.0	04/21/17 09:38	
PCB-1242 (Aroclor 1242)	ug/kg	<33.0	33.0	04/21/17 09:38	
PCB-1248 (Aroclor 1248)	ug/kg	<33.0	33.0	04/21/17 09:38	
PCB-1254 (Aroclor 1254)	ug/kg	<33.0	33.0	04/21/17 09:38	
PCB-1260 (Aroclor 1260)	ug/kg	<33.0	33.0	04/21/17 09:38	CC
Decachlorobiphenyl (S)	%	67	30-150	04/21/17 09:38	
Tetrachloro-m-xylene (S)	%	60	30-150	04/21/17 09:38	

LABORATORY CONTROL SAMPLE: 94804

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	167	215	129	50-136	
PCB-1221 (Aroclor 1221)	ug/kg		<67.0			
PCB-1232 (Aroclor 1232)	ug/kg		<33.0			
PCB-1242 (Aroclor 1242)	ug/kg		<33.0			
PCB-1248 (Aroclor 1248)	ug/kg		<33.0			
PCB-1254 (Aroclor 1254)	ug/kg		<33.0			
PCB-1260 (Aroclor 1260)	ug/kg	167	228	137	45-154	CC
Decachlorobiphenyl (S)	%			105	30-150	
Tetrachloro-m-xylene (S)	%			89	30-150	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

QC Batch: 20843

Analysis Method: EPA 8082A

QC Batch Method: EPA 3510C

Analysis Description: 8082 GCS PCB

Associated Lab Samples: 7015297005, 7015297008

METHOD BLANK: 98888

Matrix: Water

Associated Lab Samples: 7015297005, 7015297008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/L	<0.10	0.10	04/17/17 22:56	
PCB-1221 (Aroclor 1221)	ug/L	<0.20	0.20	04/17/17 22:56	
PCB-1232 (Aroclor 1232)	ug/L	<0.10	0.10	04/17/17 22:56	
PCB-1242 (Aroclor 1242)	ug/L	<0.10	0.10	04/17/17 22:56	
PCB-1248 (Aroclor 1248)	ug/L	<0.10	0.10	04/17/17 22:56	
PCB-1254 (Aroclor 1254)	ug/L	<0.10	0.10	04/17/17 22:56	
PCB-1260 (Aroclor 1260)	ug/L	<0.10	0.10	04/17/17 22:56	
Decachlorobiphenyl (S)	%	83	30-150	04/17/17 22:56	
Tetrachloro-m-xylene (S)	%	87	30-150	04/17/17 22:56	

LABORATORY CONTROL SAMPLE: 98889

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/L	.5	0.59	117	42-134	
PCB-1221 (Aroclor 1221)	ug/L		<0.20			
PCB-1232 (Aroclor 1232)	ug/L		<0.10			
PCB-1242 (Aroclor 1242)	ug/L		<0.10			
PCB-1248 (Aroclor 1248)	ug/L		<0.10			
PCB-1254 (Aroclor 1254)	ug/L		<0.10			
PCB-1260 (Aroclor 1260)	ug/L	.5	0.37	74	34-146	
Decachlorobiphenyl (S)	%			88	30-150	
Tetrachloro-m-xylene (S)	%			91	30-150	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

QC Batch: 74150 Analysis Method: EPA 8270
QC Batch Method: EPA 3580 Analysis Description: 8270 Oil MSSV
Associated Lab Samples: 7015297003, 7015297004, 7015297006, 7015297007

METHOD BLANK: 321038 Matrix: Non Aqueous Liquid
Associated Lab Samples: 7015297003, 7015297004, 7015297006, 7015297007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	<500	500	04/17/17 23:12	
1,2-Dichlorobenzene	ug/kg	<300	300	04/17/17 23:12	
1,3-Dichlorobenzene	ug/kg	<300	300	04/17/17 23:12	
1,4-Dichlorobenzene	ug/kg	<300	300	04/17/17 23:12	
2,4,5-Trichlorophenol	ug/kg	<300	300	04/17/17 23:12	
2,4,6-Trichlorophenol	ug/kg	<500	500	04/17/17 23:12	
2,4-Dichlorophenol	ug/kg	<300	300	04/17/17 23:12	
2,4-Dimethylphenol	ug/kg	<500	500	04/17/17 23:12	
2,4-Dinitrophenol	ug/kg	<300	300	04/17/17 23:12	
2,4-Dinitrotoluene	ug/kg	<300	300	04/17/17 23:12	
2,6-Dinitrotoluene	ug/kg	<300	300	04/17/17 23:12	
2-Chloronaphthalene	ug/kg	<300	300	04/17/17 23:12	
2-Chlorophenol	ug/kg	<300	300	04/17/17 23:12	
2-Methylnaphthalene	ug/kg	<300	300	04/17/17 23:12	
2-Methylphenol(o-Cresol)	ug/kg	<300	300	04/17/17 23:12	
2-Nitroaniline	ug/kg	<300	300	04/17/17 23:12	
2-Nitrophenol	ug/kg	<300	300	04/17/17 23:12	
3&4-Methylphenol(m&p Cresol)	ug/kg	<500	500	04/17/17 23:12	
3,3'-Dichlorobenzidine	ug/kg	<300	300	04/17/17 23:12	
3-Nitroaniline	ug/kg	<300	300	04/17/17 23:12	
4,6-Dinitro-2-methylphenol	ug/kg	<300	300	04/17/17 23:12	
4-Bromophenylphenyl ether	ug/kg	<300	300	04/17/17 23:12	
4-Chloro-3-methylphenol	ug/kg	<300	300	04/17/17 23:12	
4-Chloroaniline	ug/kg	<300	300	04/17/17 23:12	
4-Chlorophenylphenyl ether	ug/kg	<300	300	04/17/17 23:12	
4-Nitroaniline	ug/kg	<300	300	04/17/17 23:12	
4-Nitrophenol	ug/kg	<500	500	04/17/17 23:12	
Acenaphthene	ug/kg	<500	500	04/17/17 23:12	
Acenaphthylene	ug/kg	<300	300	04/17/17 23:12	
Anthracene	ug/kg	<300	300	04/17/17 23:12	
Benzo(a)anthracene	ug/kg	<300	300	04/17/17 23:12	
Benzo(a)pyrene	ug/kg	<300	300	04/17/17 23:12	
Benzo(b)fluoranthene	ug/kg	<500	500	04/17/17 23:12	
Benzo(g,h,i)perylene	ug/kg	<500	500	04/17/17 23:12	
Benzo(k)fluoranthene	ug/kg	<500	500	04/17/17 23:12	
Benzoic acid	ug/kg	<2000	2000	04/17/17 23:12	
Benzyl alcohol	ug/kg	<500	500	04/17/17 23:12	
bis(2-Chloroethoxy)methane	ug/kg	<500	500	04/17/17 23:12	
bis(2-Chloroethyl) ether	ug/kg	<300	300	04/17/17 23:12	
bis(2-Chloroisopropyl) ether	ug/kg	<300	300	04/17/17 23:12	
bis(2-Ethylhexyl)phthalate	ug/kg	<300	300	04/17/17 23:12	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

METHOD BLANK: 321038

Matrix: Non Aqueous Liquid

Associated Lab Samples: 7015297003, 7015297004, 7015297006, 7015297007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Butylbenzylphthalate	ug/kg	<300	300	04/17/17 23:12	
Chrysene	ug/kg	<300	300	04/17/17 23:12	
Di-n-butylphthalate	ug/kg	<300	300	04/17/17 23:12	
Di-n-octylphthalate	ug/kg	<300	300	04/17/17 23:12	
Dibenz(a,h)anthracene	ug/kg	<300	300	04/17/17 23:12	
Dibenzofuran	ug/kg	<300	300	04/17/17 23:12	
Diethylphthalate	ug/kg	<300	300	04/17/17 23:12	
Dimethylphthalate	ug/kg	<300	300	04/17/17 23:12	
Fluoranthene	ug/kg	<500	500	04/17/17 23:12	
Fluorene	ug/kg	<300	300	04/17/17 23:12	
Hexachloro-1,3-butadiene	ug/kg	<500	500	04/17/17 23:12	
Hexachlorobenzene	ug/kg	<300	300	04/17/17 23:12	
Hexachlorocyclopentadiene	ug/kg	<300	300	04/17/17 23:12	
Hexachloroethane	ug/kg	<300	300	04/17/17 23:12	
Indeno(1,2,3-cd)pyrene	ug/kg	<300	300	04/17/17 23:12	
Isophorone	ug/kg	<500	500	04/17/17 23:12	
N-Nitroso-di-n-propylamine	ug/kg	<500	500	04/17/17 23:12	
N-Nitrosodiphenylamine	ug/kg	<300	300	04/17/17 23:12	
Naphthalene	ug/kg	<300	300	04/17/17 23:12	
Nitrobenzene	ug/kg	<500	500	04/17/17 23:12	
Pentachlorophenol	ug/kg	<500	500	04/17/17 23:12	
Phenanthrene	ug/kg	<500	500	04/17/17 23:12	
Phenol	ug/kg	<300	300	04/17/17 23:12	
Pyrene	ug/kg	<500	500	04/17/17 23:12	
2,4,6-Tribromophenol (S)	%	60	40-140	04/17/17 23:12	
2-Fluorobiphenyl (S)	%	106	40-140	04/17/17 23:12	
2-Fluorophenol (S)	%	104	40-140	04/17/17 23:12	
Nitrobenzene-d5 (S)	%	100	40-140	04/17/17 23:12	
p-Terphenyl-d14 (S)	%	99	40-140	04/17/17 23:12	
Phenol-d6 (S)	%	105	40-140	04/17/17 23:12	

LABORATORY CONTROL SAMPLE: 321039

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	50000	56000	112	40-140	
1,2-Dichlorobenzene	ug/kg	50000	55400	111	10-140	
1,3-Dichlorobenzene	ug/kg	50000	54800	110	10-140	
1,4-Dichlorobenzene	ug/kg	50000	55600	111	10-140	
2,4,5-Trichlorophenol	ug/kg	50000	43800	88	40-140	
2,4,6-Trichlorophenol	ug/kg	50000	50400	101	40-140	
2,4-Dichlorophenol	ug/kg	50000	45200	90	40-140	
2,4-Dimethylphenol	ug/kg	50000	49400	99	40-140	
2,4-Dinitrophenol	ug/kg	50000	46200	92	10-140	
2,4-Dinitrotoluene	ug/kg	50000	34500	69	40-140	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

LABORATORY CONTROL SAMPLE: 321039

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,6-Dinitrotoluene	ug/kg	50000	46200	92	40-140	
2-Chloronaphthalene	ug/kg	50000	51700	103	40-140	
2-Chlorophenol	ug/kg	50000	51300	103	10-140	
2-Methylnaphthalene	ug/kg	50000	57400	115	40-140	
2-Methylphenol(o-Cresol)	ug/kg	50000	43000	86	10-140	
2-Nitroaniline	ug/kg	50000	53000	106	40-140	
2-Nitrophenol	ug/kg	50000	52700	105	40-140	
3&4-Methylphenol(m&p Cresol)	ug/kg	50000	47600	95	10-140	
3,3'-Dichlorobenzidine	ug/kg	100000	68700	69	10-140	
3-Nitroaniline	ug/kg	50000	30800	62	40-140	
4,6-Dinitro-2-methylphenol	ug/kg	50000	44800	90	40-140	
4-Bromophenylphenyl ether	ug/kg	50000	55300	111	40-140	
4-Chloro-3-methylphenol	ug/kg	50000	47500	95	40-140	
4-Chloroaniline	ug/kg	50000	35400	71	40-140	
4-Chlorophenylphenyl ether	ug/kg	50000	50900	102	40-140	
4-Nitroaniline	ug/kg	50000	35500	71	40-140	
4-Nitrophenol	ug/kg	50000	50700	101	10-140	
Acenaphthene	ug/kg	50000	55600	111	40-140	
Acenaphthylene	ug/kg	50000	56500	113	40-140	
Anthracene	ug/kg	50000	51100	102	40-140	
Benzo(a)anthracene	ug/kg	50000	50200	100	40-140	
Benzo(a)pyrene	ug/kg	50000	41300	83	40-140	
Benzo(b)fluoranthene	ug/kg	50000	53500	107	40-140	
Benzo(g,h,i)perylene	ug/kg	50000	44500	89	40-140	
Benzo(k)fluoranthene	ug/kg	50000	49500	99	40-140	
Benzoic acid	ug/kg	100000	91900	92	10-140	
Benzyl alcohol	ug/kg	50000	52700	105	10-140	
bis(2-Chloroethoxy)methane	ug/kg	50000	55600	111	40-140	
bis(2-Chloroethyl) ether	ug/kg	50000	55600	111	40-140	
bis(2-Chloroisopropyl) ether	ug/kg	50000	59300	119	10-140	
bis(2-Ethylhexyl)phthalate	ug/kg	50000	46300	93	40-140	
Butylbenzylphthalate	ug/kg	50000	47900	96	40-140	
Chrysene	ug/kg	50000	47700	95	40-140	
Di-n-butylphthalate	ug/kg	50000	45500	91	40-140	
Di-n-octylphthalate	ug/kg	50000	45400	91	40-140	
Dibenz(a,h)anthracene	ug/kg	50000	30500	61	40-140	
Dibenzofuran	ug/kg	50000	56200	112	40-140	
Diethylphthalate	ug/kg	50000	49300	99	40-140	
Dimethylphthalate	ug/kg	50000	52700	105	40-140	
Fluoranthene	ug/kg	50000	45500	91	40-140	
Fluorene	ug/kg	50000	45200	90	40-140	
Hexachloro-1,3-butadiene	ug/kg	50000	54500	109	40-140	
Hexachlorobenzene	ug/kg	50000	57800	116	40-140	
Hexachlorocyclopentadiene	ug/kg	50000	49700	99	10-140	
Hexachloroethane	ug/kg	50000	56100	112	40-140	
Indeno(1,2,3-cd)pyrene	ug/kg	50000	38000	76	40-140	
Isophorone	ug/kg	50000	59200	118	40-140	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

LABORATORY CONTROL SAMPLE: 321039

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
N-Nitroso-di-n-propylamine	ug/kg	50000	61800	124	40-140	
N-Nitrosodiphenylamine	ug/kg	50000	47800	96	40-140	
Naphthalene	ug/kg	50000	54800	110	40-140	
Nitrobenzene	ug/kg	50000	59800	120	40-140	
Pentachlorophenol	ug/kg	50000	20900	42	10-140	
Phenanthrene	ug/kg	50000	55600	111	40-140	
Phenol	ug/kg	50000	46100	92	10-140	
Pyrene	ug/kg	50000	44900	90	40-140	
2,4,6-Tribromophenol (S)	%.			87	40-140	
2-Fluorobiphenyl (S)	%.			121	40-140	
2-Fluorophenol (S)	%.			102	40-140	
Nitrobenzene-d5 (S)	%.			109	40-140	
p-Terphenyl-d14 (S)	%.			116	40-140	
Phenol-d6 (S)	%.			105	40-140	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

QC Batch:	20064	Analysis Method:	EPA 8270D
QC Batch Method:	EPA 3545A	Analysis Description:	8270 Solid MSSV
Associated Lab Samples:	7015297001		

METHOD BLANK:	94822	Matrix:	Solid
Associated Lab Samples:	7015297001		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	<67.0	67.0	04/14/17 17:03	
2,2'-Oxybis(1-chloropropane)	ug/kg	<67.0	67.0	04/14/17 17:03	
2,4,5-Trichlorophenol	ug/kg	<67.0	67.0	04/14/17 17:03	
2,4,6-Trichlorophenol	ug/kg	<67.0	67.0	04/14/17 17:03	
2,4-Dichlorophenol	ug/kg	<67.0	67.0	04/14/17 17:03	
2,4-Dimethylphenol	ug/kg	<67.0	67.0	04/14/17 17:03	
2,4-Dinitrophenol	ug/kg	<67.0	67.0	04/14/17 17:03	
2,4-Dinitrotoluene	ug/kg	<330	330	04/14/17 17:03	
2,6-Dinitrotoluene	ug/kg	<330	330	04/14/17 17:03	IC
2-Chloronaphthalene	ug/kg	<67.0	67.0	04/14/17 17:03	
2-Chlorophenol	ug/kg	<67.0	67.0	04/14/17 17:03	
2-Methylnaphthalene	ug/kg	<67.0	67.0	04/14/17 17:03	
2-Methylphenol(o-Cresol)	ug/kg	<67.0	67.0	04/14/17 17:03	
2-Nitroaniline	ug/kg	<330	330	04/14/17 17:03	
2-Nitrophenol	ug/kg	<330	330	04/14/17 17:03	
3&4-Methylphenol(m&p Cresol)	ug/kg	<67.0	67.0	04/14/17 17:03	
3,3'-Dichlorobenzidine	ug/kg	<330	330	04/14/17 17:03	
3-Nitroaniline	ug/kg	<330	330	04/14/17 17:03	
4,6-Dinitro-2-methylphenol	ug/kg	<67.0	67.0	04/14/17 17:03	
4-Bromophenylphenyl ether	ug/kg	<67.0	67.0	04/14/17 17:03	
4-Chloro-3-methylphenol	ug/kg	<67.0	67.0	04/14/17 17:03	
4-Chloroaniline	ug/kg	<330	330	04/14/17 17:03	
4-Chlorophenylphenyl ether	ug/kg	<67.0	67.0	04/14/17 17:03	
4-Nitroaniline	ug/kg	<330	330	04/14/17 17:03	
4-Nitrophenol	ug/kg	<67.0	67.0	04/14/17 17:03	
Acenaphthene	ug/kg	<67.0	67.0	04/14/17 17:03	
Acenaphthylene	ug/kg	<67.0	67.0	04/14/17 17:03	
Acetophenone	ug/kg	<67.0	67.0	04/14/17 17:03	
Anthracene	ug/kg	<67.0	67.0	04/14/17 17:03	
Atrazine	ug/kg	<67.0	67.0	04/14/17 17:03	
Benzaldehyde	ug/kg	<67.0	67.0	04/14/17 17:03	CC
Benzo(a)anthracene	ug/kg	<67.0	67.0	04/14/17 17:03	
Benzo(a)pyrene	ug/kg	<67.0	67.0	04/14/17 17:03	
Benzo(b)fluoranthene	ug/kg	<67.0	67.0	04/14/17 17:03	
Benzo(g,h,i)perylene	ug/kg	<67.0	67.0	04/14/17 17:03	
Benzo(k)fluoranthene	ug/kg	<67.0	67.0	04/14/17 17:03	
Biphenyl (Diphenyl)	ug/kg	<67.0	67.0	04/14/17 17:03	
bis(2-Chloroethoxy)methane	ug/kg	<67.0	67.0	04/14/17 17:03	CC
bis(2-Chloroethyl) ether	ug/kg	<67.0	67.0	04/14/17 17:03	
bis(2-Ethylhexyl)phthalate	ug/kg	<67.0	67.0	04/14/17 17:03	
Butylbenzylphthalate	ug/kg	<67.0	67.0	04/14/17 17:03	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

METHOD BLANK: 94822

Matrix: Solid

Associated Lab Samples: 7015297001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Caprolactam	ug/kg	<67.0	67.0	04/14/17 17:03	
Carbazole	ug/kg	<67.0	67.0	04/14/17 17:03	
Chrysene	ug/kg	<67.0	67.0	04/14/17 17:03	
Di-n-butylphthalate	ug/kg	126	67.0	04/14/17 17:03	
Di-n-octylphthalate	ug/kg	<67.0	67.0	04/14/17 17:03	
Dibenz(a,h)anthracene	ug/kg	<67.0	67.0	04/14/17 17:03	
Dibenzofuran	ug/kg	<67.0	67.0	04/14/17 17:03	
Diethylphthalate	ug/kg	<67.0	67.0	04/14/17 17:03	
Dimethylphthalate	ug/kg	<67.0	67.0	04/14/17 17:03	
Fluoranthene	ug/kg	<67.0	67.0	04/14/17 17:03	
Fluorene	ug/kg	<67.0	67.0	04/14/17 17:03	
Hexachloro-1,3-butadiene	ug/kg	<67.0	67.0	04/14/17 17:03	
Hexachlorobenzene	ug/kg	<67.0	67.0	04/14/17 17:03	
Hexachlorocyclopentadiene	ug/kg	<330	330	04/14/17 17:03	CC
Hexachloroethane	ug/kg	<67.0	67.0	04/14/17 17:03	
Indeno(1,2,3-cd)pyrene	ug/kg	<67.0	67.0	04/14/17 17:03	
Isophorone	ug/kg	<67.0	67.0	04/14/17 17:03	
N-Nitroso-di-n-propylamine	ug/kg	<67.0	67.0	04/14/17 17:03	
N-Nitrosodiphenylamine	ug/kg	<67.0	67.0	04/14/17 17:03	
Naphthalene	ug/kg	<67.0	67.0	04/14/17 17:03	
Nitrobenzene	ug/kg	<67.0	67.0	04/14/17 17:03	
Pentachlorophenol	ug/kg	<670	670	04/14/17 17:03	
Phenanthrene	ug/kg	<67.0	67.0	04/14/17 17:03	
Phenol	ug/kg	<67.0	67.0	04/14/17 17:03	
Pyrene	ug/kg	<67.0	67.0	04/14/17 17:03	
1,2-Dichlorobenzene-d4 (S)	%	61	20-130	04/14/17 17:03	
2,4,6-Tribromophenol (S)	%	59	19-122	04/14/17 17:03	
2-Chlorophenol-d4 (S)	%	62	20-130	04/14/17 17:03	
2-Fluorobiphenyl (S)	%	66	30-115	04/14/17 17:03	
2-Fluorophenol (S)	%	66	25-121	04/14/17 17:03	
Nitrobenzene-d5 (S)	%	53	23-120	04/14/17 17:03	
p-Terphenyl-d14 (S)	%	81	18-137	04/14/17 17:03	
Phenol-d5 (S)	%	65	24-113	04/14/17 17:03	

LABORATORY CONTROL SAMPLE: 94823

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	1670	1190	72	35-110	
2,2'-Oxybis(1-chloropropane)	ug/kg	1670	1310	78	33-116	
2,4,5-Trichlorophenol	ug/kg	1670	1330	80	45-111	CC
2,4,6-Trichlorophenol	ug/kg	1670	1440	87	45-110	
2,4-Dichlorophenol	ug/kg	1670	1290	78	41-117	
2,4-Dimethylphenol	ug/kg	1670	1140	68	24-96	
2,4-Dinitrophenol	ug/kg	1670	<670	22	10-80	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

LABORATORY CONTROL SAMPLE: 94823

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrotoluene	ug/kg	1670	1560	94	49-112	CC
2,6-Dinitrotoluene	ug/kg	1670	1550	93	50-109	CC,IC
2-Chloronaphthalene	ug/kg	1670	1330	80	35-107	
2-Chlorophenol	ug/kg	1670	1180	71	36-109	
2-Methylnaphthalene	ug/kg	1670	1220	73	31-135	
2-Methylphenol(o-Cresol)	ug/kg	1670	1130	68	36-104	
2-Nitroaniline	ug/kg	1670	1460	87	42-118	CC
2-Nitrophenol	ug/kg	1670	1130	68	36-117	
3&4-Methylphenol(m&p Cresol)	ug/kg	1670	1120	67	37-137	
3,3'-Dichlorobenzidine	ug/kg	1670	1010	61	41-116	
3-Nitroaniline	ug/kg	1670	1360	82	40-95	
4,6-Dinitro-2-methylphenol	ug/kg	1670	<670	24	16-104	
4-Bromophenylphenyl ether	ug/kg	1670	1780	107	50-116	
4-Chloro-3-methylphenol	ug/kg	1670	1400	84	45-118	
4-Chloroaniline	ug/kg	1670	1040	63	29-88	
4-Chlorophenylphenyl ether	ug/kg	1670	1370	82	48-111	
4-Nitroaniline	ug/kg	1670	1200	72	46-110	
4-Nitrophenol	ug/kg	1670	1540	93	26-118	
Acenaphthene	ug/kg	1670	1310	78	45-109	
Acenaphthylene	ug/kg	1670	1260	75	43-107	
Acetophenone	ug/kg	1670	1120	67	10-132	
Anthracene	ug/kg	1670	1820	109	50-117	
Atrazine	ug/kg	1670	2350	141	40-120	L1
Benzaldehyde	ug/kg	1670	663	40	40-140	CC
Benzo(a)anthracene	ug/kg	1670	1420	85	52-116	
Benzo(a)pyrene	ug/kg	1670	1600	96	56-119	
Benzo(b)fluoranthene	ug/kg	1670	1650	99	45-122	
Benzo(g,h,i)perylene	ug/kg	1670	1030	62	30-107	
Benzo(k)fluoranthene	ug/kg	1670	1700	102	54-124	
Biphenyl (Diphenyl)	ug/kg	1670	1210	73	40-120	
bis(2-Chloroethoxy)methane	ug/kg	1670	1080	65	29-112	CC
bis(2-Chloroethyl) ether	ug/kg	1670	1080	65	32-116	
bis(2-Ethylhexyl)phthalate	ug/kg	1670	1590	95	60-127	
Butylbenzylphthalate	ug/kg	1670	1540	93	54-130	
Caprolactam	ug/kg	1670	1310	78	40-120	
Carbazole	ug/kg	1670	1830	110	40-120	
Chrysene	ug/kg	1670	1650	99	48-121	
Di-n-butylphthalate	ug/kg	1670	2160	130	53-124	L1
Di-n-octylphthalate	ug/kg	1670	2400	144	46-141	CC,L1
Dibenz(a,h)anthracene	ug/kg	1670	988	59	52-109	
Dibenzofuran	ug/kg	1670	1360	81	48-112	
Diethylphthalate	ug/kg	1670	1580	95	51-114	CC
Dimethylphthalate	ug/kg	1670	1500	90	49-112	CC
Fluoranthene	ug/kg	1670	1750	105	45-126	
Fluorene	ug/kg	1670	1330	80	47-108	CC
Hexachloro-1,3-butadiene	ug/kg	1670	1220	73	36-118	
Hexachlorobenzene	ug/kg	1670	1720	103	51-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

LABORATORY CONTROL SAMPLE: 94823

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Hexachlorocyclopentadiene	ug/kg	1670	469	28	10-97	CC
Hexachloroethane	ug/kg	1670	1020	61	34-105	
Indeno(1,2,3-cd)pyrene	ug/kg	1670	1150	69	50-108	
Isophorone	ug/kg	1670	1210	73	14-129	
N-Nitroso-di-n-propylamine	ug/kg	1670	1130	68	33-109	
N-Nitrosodiphenylamine	ug/kg	1670	1700	102	39-90	L1
Naphthalene	ug/kg	1670	1130	68	18-142	
Nitrobenzene	ug/kg	1670	1140	68	36-119	
Pentachlorophenol	ug/kg	1670	871	52	22-115	
Phenanthrene	ug/kg	1670	1480	89	47-124	
Phenol	ug/kg	1670	1070	64	38-104	
Pyrene	ug/kg	1670	1580	95	49-132	
1,2-Dichlorobenzene-d4 (S)	%.			56	20-130	
2,4,6-Tribromophenol (S)	%.			75	19-122	
2-Chlorophenol-d4 (S)	%.			62	20-130	
2-Fluorobiphenyl (S)	%.			69	30-115	
2-Fluorophenol (S)	%.			67	25-121	
Nitrobenzene-d5 (S)	%.			66	23-120	
p-Terphenyl-d14 (S)	%.			88	18-137	
Phenol-d5 (S)	%.			64	24-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

QC Batch:	20197	Analysis Method:	EPA 8270D
QC Batch Method:	EPA 3510C	Analysis Description:	8270 TCLP MSSV
Associated Lab Samples:	7015297002		

METHOD BLANK: 95574 Matrix: Water
Associated Lab Samples: 7015297002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,4-Dichlorobenzene	mg/L	<0.010	0.010	04/17/17 17:37	
2,4,5-Trichlorophenol	mg/L	<0.025	0.025	04/17/17 17:37	
2,4,6-Trichlorophenol	mg/L	<0.010	0.010	04/17/17 17:37	
2,4-Dinitrotoluene	mg/L	<0.010	0.010	04/17/17 17:37	
2-Methylphenol(o-Cresol)	mg/L	<0.010	0.010	04/17/17 17:37	
3&4-Methylphenol(m&p Cresol)	mg/L	<0.010	0.010	04/17/17 17:37	
Hexachloro-1,3-butadiene	mg/L	<0.010	0.010	04/17/17 17:37	
Hexachlorobenzene	mg/L	<0.010	0.010	04/17/17 17:37	
Hexachloroethane	mg/L	<0.010	0.010	04/17/17 17:37	
Nitrobenzene	mg/L	<0.010	0.010	04/17/17 17:37	
Pentachlorophenol	mg/L	<0.025	0.025	04/17/17 17:37	
Pyridine	mg/L	<0.010	0.010	04/17/17 17:37	
1,2-Dichlorobenzene-d4 (S)	%	53	16-110	04/17/17 17:37	
2,4,6-Tribromophenol (S)	%	85	10-123	04/17/17 17:37	
2-Chlorophenol-d4 (S)	%	71	33-110	04/17/17 17:37	
2-Fluorobiphenyl (S)	%	73	43-116	04/17/17 17:37	
2-Fluorophenol (S)	%	53	21-110	04/17/17 17:37	
Nitrobenzene-d5 (S)	%	71	35-114	04/17/17 17:37	
p-Terphenyl-d14 (S)	%	96	33-141	04/17/17 17:37	
Phenol-d5 (S)	%	29	10-110	04/17/17 17:37	

METHOD BLANK: 93100 Matrix: Water
Associated Lab Samples: 7015297002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,4-Dichlorobenzene	mg/L	<0.010	0.010	04/18/17 20:56	
2,4,5-Trichlorophenol	mg/L	<0.025	0.025	04/18/17 20:56	
2,4,6-Trichlorophenol	mg/L	<0.010	0.010	04/18/17 20:56	
2,4-Dinitrotoluene	mg/L	<0.010	0.010	04/18/17 20:56	
2-Methylphenol(o-Cresol)	mg/L	<0.010	0.010	04/18/17 20:56	
3&4-Methylphenol(m&p Cresol)	mg/L	<0.010	0.010	04/18/17 20:56	
Hexachloro-1,3-butadiene	mg/L	<0.010	0.010	04/18/17 20:56	
Hexachlorobenzene	mg/L	<0.010	0.010	04/18/17 20:56	
Hexachloroethane	mg/L	<0.010	0.010	04/18/17 20:56	
Nitrobenzene	mg/L	<0.010	0.010	04/18/17 20:56	
Pentachlorophenol	mg/L	<0.025	0.025	04/18/17 20:56	
Pyridine	mg/L	<0.010	0.010	04/18/17 20:56	
1,2-Dichlorobenzene-d4 (S)	%	55	16-110	04/18/17 20:56	
2,4,6-Tribromophenol (S)	%	99	10-123	04/18/17 20:56	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

METHOD BLANK: 93100
Associated Lab Samples: 7015297002

Matrix: Water

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
2-Chlorophenol-d4 (S)	%	80	33-110	04/18/17 20:56	
2-Fluorobiphenyl (S)	%	80	43-116	04/18/17 20:56	
2-Fluorophenol (S)	%	56	21-110	04/18/17 20:56	
Nitrobenzene-d5 (S)	%	78	35-114	04/18/17 20:56	
p-Terphenyl-d14 (S)	%	120	33-141	04/18/17 20:56	
Phenol-d5 (S)	%	35	10-110	04/18/17 20:56	

LABORATORY CONTROL SAMPLE: 95564

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,4-Dichlorobenzene	mg/L	.05	0.038	76	25-123	
2,4,5-Trichlorophenol	mg/L	.05	0.052	104	55-125	
2,4,6-Trichlorophenol	mg/L	.05	0.052	104	55-114	
2,4-Dinitrotoluene	mg/L	.05	0.052	103	55-122	
2-Methylphenol(o-Cresol)	mg/L	.05	0.035	71	41-131	
3&4-Methylphenol(m&p Cresol)	mg/L	.1	0.059	59	15-141	
Hexachloro-1,3-butadiene	mg/L	.05	0.040	79	18-90	
Hexachlorobenzene	mg/L	.05	0.055	111	52-128	
Hexachloroethane	mg/L	.05	0.035	69	41-119	
Nitrobenzene	mg/L	.05	0.038	76	41-122	
Pentachlorophenol	mg/L	.05	0.046	92	12-124	
Pyridine	mg/L	.05	0.026	51	16-100	
1,2-Dichlorobenzene-d4 (S)	%			55	16-110	
2,4,6-Tribromophenol (S)	%			96	10-123	
2-Chlorophenol-d4 (S)	%			71	33-110	
2-Fluorobiphenyl (S)	%			75	43-116	
2-Fluorophenol (S)	%			53	21-110	
Nitrobenzene-d5 (S)	%			72	35-114	
p-Terphenyl-d14 (S)	%			100	33-141	
Phenol-d5 (S)	%			32	10-110	

MATRIX SPIKE SAMPLE: 95577

Parameter	Units	7015297002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,4-Dichlorobenzene	mg/L	<0.20	.05	<0.010	0	25-123	M1
2,4,5-Trichlorophenol	mg/L	<0.50	.05	<0.025	0	55-125	M1
2,4,6-Trichlorophenol	mg/L	<0.20	.05	<0.010	0	55-114	M1
2,4-Dinitrotoluene	mg/L	<0.20	.05	<0.010	0	55-122	M1
2-Methylphenol(o-Cresol)	mg/L	<0.20	.05	<0.010	0	41-131	M1
3&4-Methylphenol(m&p Cresol)	mg/L	0.37	.1	<0.010	-371	15-141	M1
Hexachloro-1,3-butadiene	mg/L	<0.20	.05	<0.010	0	18-90	M1
Hexachlorobenzene	mg/L	<0.20	.05	<0.010	0	52-128	M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

MATRIX SPIKE SAMPLE:		95577					
Parameter	Units	7015297002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Hexachloroethane	mg/L	<0.20	.05	<0.010	0	41-119	M1
Nitrobenzene	mg/L	<0.20	.05	<0.010	0	41-122	M1
Pentachlorophenol	mg/L	<0.50	.05	<0.025	0	12-124	M1
Pyridine	mg/L	<0.20	.05	<0.010	0	16-100	M1
1,2-Dichlorobenzene-d4 (S)	%.				220	16-110	S3
2,4,6-Tribromophenol (S)	%.				0	10-123	S0
2-Chlorophenol-d4 (S)	%.				0	33-110	S0
2-Fluorobiphenyl (S)	%.				5	43-116	S0
2-Fluorophenol (S)	%.				38	21-110	
Nitrobenzene-d5 (S)	%.				0	35-114	S0
p-Terphenyl-d14 (S)	%.				107	33-141	
Phenol-d5 (S)	%.				0	10-110	S0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

QC Batch:	73885	Analysis Method:	EPA 8270
QC Batch Method:	EPA 3510	Analysis Description:	8270 Water MSSV
Associated Lab Samples:	7015297005		

METHOD BLANK:	319701	Matrix:	Water
Associated Lab Samples:	7015297005		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/L	<5.0	5.0	04/13/17 14:43	
1,2-Dichlorobenzene	ug/L	<3.0	3.0	04/13/17 14:43	
1,3-Dichlorobenzene	ug/L	<3.0	3.0	04/13/17 14:43	
1,4-Dichlorobenzene	ug/L	<3.0	3.0	04/13/17 14:43	
2,4,5-Trichlorophenol	ug/L	<3.0	3.0	04/13/17 14:43	
2,4,6-Trichlorophenol	ug/L	<5.0	5.0	04/13/17 14:43	
2,4-Dichlorophenol	ug/L	<3.0	3.0	04/13/17 14:43	
2,4-Dimethylphenol	ug/L	<5.0	5.0	04/13/17 14:43	
2,4-Dinitrophenol	ug/L	<3.0	3.0	04/13/17 14:43	
2,4-Dinitrotoluene	ug/L	<3.0	3.0	04/13/17 14:43	
2,6-Dinitrotoluene	ug/L	<3.0	3.0	04/13/17 14:43	
2-Chloronaphthalene	ug/L	<3.0	3.0	04/13/17 14:43	
2-Chlorophenol	ug/L	<3.0	3.0	04/13/17 14:43	
2-Methylnaphthalene	ug/L	<3.0	3.0	04/13/17 14:43	
2-Methylphenol(o-Cresol)	ug/L	<3.0	3.0	04/13/17 14:43	
2-Nitroaniline	ug/L	<3.0	3.0	04/13/17 14:43	
2-Nitrophenol	ug/L	<3.0	3.0	04/13/17 14:43	
3,3'-Dichlorobenzidine	ug/L	<3.0	3.0	04/13/17 14:43	
3-Nitroaniline	ug/L	<3.0	3.0	04/13/17 14:43	
4,6-Dinitro-2-methylphenol	ug/L	<3.0	3.0	04/13/17 14:43	
4-Bromophenylphenyl ether	ug/L	<3.0	3.0	04/13/17 14:43	
4-Chloro-3-methylphenol	ug/L	<3.0	3.0	04/13/17 14:43	
4-Chloroaniline	ug/L	<3.0	3.0	04/13/17 14:43	
4-Chlorophenylphenyl ether	ug/L	<3.0	3.0	04/13/17 14:43	
4-Nitroaniline	ug/L	<3.0	3.0	04/13/17 14:43	
4-Nitrophenol	ug/L	<5.0	5.0	04/13/17 14:43	
7,12-Dimethylbenz(a)anthracene	ug/L	<3.0	3.0	04/13/17 14:43	
Acenaphthene	ug/L	<5.0	5.0	04/13/17 14:43	
Acenaphthylene	ug/L	<3.0	3.0	04/13/17 14:43	
Anthracene	ug/L	<3.0	3.0	04/13/17 14:43	
Benzo(a)anthracene	ug/L	<3.0	3.0	04/13/17 14:43	
Benzo(a)pyrene	ug/L	<3.0	3.0	04/13/17 14:43	
Benzo(b)fluoranthene	ug/L	<5.0	5.0	04/13/17 14:43	
Benzo(g,h,i)perylene	ug/L	<5.0	5.0	04/13/17 14:43	
Benzo(k)fluoranthene	ug/L	<5.0	5.0	04/13/17 14:43	
Benzoic acid	ug/L	<20.0	20.0	04/13/17 14:43	
Benzyl alcohol	ug/L	<5.0	5.0	04/13/17 14:43	
bis(2-Chloroethoxy)methane	ug/L	<5.0	5.0	04/13/17 14:43	
bis(2-Chloroethyl) ether	ug/L	<3.0	3.0	04/13/17 14:43	
bis(2-Chloroisopropyl) ether	ug/L	<3.0	3.0	04/13/17 14:43	
bis(2-Ethylhexyl)phthalate	ug/L	<3.0	3.0	04/13/17 14:43	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

METHOD BLANK: 319701
Associated Lab Samples: 7015297005

Matrix: Water

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Butylbenzylphthalate	ug/L	<3.0	3.0	04/13/17 14:43	
Carbazole	ug/L	<3.0	3.0	04/13/17 14:43	
Chrysene	ug/L	<3.0	3.0	04/13/17 14:43	
Di-n-butylphthalate	ug/L	<3.0	3.0	04/13/17 14:43	
Di-n-octylphthalate	ug/L	<3.0	3.0	04/13/17 14:43	
Dibenz(a,h)anthracene	ug/L	<3.0	3.0	04/13/17 14:43	
Dibenzofuran	ug/L	<3.0	3.0	04/13/17 14:43	
Diethylphthalate	ug/L	<3.0	3.0	04/13/17 14:43	
Dimethylphthalate	ug/L	<3.0	3.0	04/13/17 14:43	
Fluoranthene	ug/L	<5.0	5.0	04/13/17 14:43	
Fluorene	ug/L	<3.0	3.0	04/13/17 14:43	
Hexachloro-1,3-butadiene	ug/L	<5.0	5.0	04/13/17 14:43	
Hexachlorobenzene	ug/L	<3.0	3.0	04/13/17 14:43	
Hexachlorocyclopentadiene	ug/L	<3.0	3.0	04/13/17 14:43	
Hexachloroethane	ug/L	<3.0	3.0	04/13/17 14:43	
Indeno(1,2,3-cd)pyrene	ug/L	<3.0	3.0	04/13/17 14:43	
Isophorone	ug/L	<5.0	5.0	04/13/17 14:43	
N-Nitroso-di-n-propylamine	ug/L	<5.0	5.0	04/13/17 14:43	
N-Nitrosodimethylamine	ug/L	<3.0	3.0	04/13/17 14:43	
N-Nitrosodiphenylamine	ug/L	<3.0	3.0	04/13/17 14:43	
Naphthalene	ug/L	<3.0	3.0	04/13/17 14:43	
Nitrobenzene	ug/L	<5.0	5.0	04/13/17 14:43	
Pentachlorophenol	ug/L	<5.0	5.0	04/13/17 14:43	
Phenanthrene	ug/L	<5.0	5.0	04/13/17 14:43	
Phenol	ug/L	<3.0	3.0	04/13/17 14:43	
Pyrene	ug/L	<5.0	5.0	04/13/17 14:43	
Pyridine	ug/L	<3.0	3.0	04/13/17 14:43	
2,4,6-Tribromophenol (S)	%	81	10-137	04/13/17 14:43	
2-Fluorobiphenyl (S)	%	63	10-112	04/13/17 14:43	
2-Fluorophenol (S)	%	60	10-80	04/13/17 14:43	
Nitrobenzene-d5 (S)	%	87	10-117	04/13/17 14:43	
p-Terphenyl-d14 (S)	%	92	12-154	04/13/17 14:43	
Phenol-d6 (S)	%	41	10-57	04/13/17 14:43	

LABORATORY CONTROL SAMPLE: 319702

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	50	30.9	62	26-112	
1,2-Dichlorobenzene	ug/L	50	29.2	58	23-104	
1,3-Dichlorobenzene	ug/L	50	28.1	56	19-104	
1,4-Dichlorobenzene	ug/L	50	28.1	56	24-110	
2,4,5-Trichlorophenol	ug/L	50	42.2	84	65-126	
2,4,6-Trichlorophenol	ug/L	50	41.7	83	65-118	
2,4-Dichlorophenol	ug/L	50	41.0	82	58-118	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

LABORATORY CONTROL SAMPLE: 319702

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dimethylphenol	ug/L	50	38.3	77	28-115	
2,4-Dinitrophenol	ug/L	50	38.6	77	19-123	
2,4-Dinitrotoluene	ug/L	50	47.2	94	60-130	
2,6-Dinitrotoluene	ug/L	50	49.6	99	64-124	
2-Chloronaphthalene	ug/L	50	40.6	81	47-115	
2-Chlorophenol	ug/L	50	37.4	75	48-108	
2-Methylnaphthalene	ug/L	50	37.7	75	48-108	
2-Methylphenol(o-Cresol)	ug/L	50	37.1	74	42-118	
2-Nitroaniline	ug/L	50	45.4	91	63-122	
2-Nitrophenol	ug/L	50	36.5	73	52-116	
3,3'-Dichlorobenzidine	ug/L	100	105	105	60-117	
3-Nitroaniline	ug/L	50	51.2	102	65-128	
4,6-Dinitro-2-methylphenol	ug/L	50	41.3	83	46-120	
4-Bromophenylphenyl ether	ug/L	50	45.7	91	61-116	
4-Chloro-3-methylphenol	ug/L	50	47.1	94	62-121	
4-Chloroaniline	ug/L	50	40.2	80	56-100	
4-Chlorophenylphenyl ether	ug/L	50	45.1	90	60-113	
4-Nitroaniline	ug/L	50	57.6	115	60-132	
4-Nitrophenol	ug/L	50	26.3	53	27-84	
7,12-Dimethylbenz(a)anthracene	ug/L	50	45.4	91	48-121	
Acenaphthene	ug/L	50	40.8	82	52-112	
Acenaphthylene	ug/L	50	40.8	82	54-113	
Anthracene	ug/L	50	47.2	94	63-116	
Benzo(a)anthracene	ug/L	50	47.9	96	65-112	
Benzo(a)pyrene	ug/L	50	47.6	95	66-118	
Benzo(b)fluoranthene	ug/L	50	45.7	91	67-120	
Benzo(g,h,i)perylene	ug/L	50	49.2	98	53-124	
Benzo(k)fluoranthene	ug/L	50	50.1	100	61-124	
Benzoic acid	ug/L	100	50.8	51	10-88	
Benzyl alcohol	ug/L	50	38.7	77	40-117	
bis(2-Chloroethoxy)methane	ug/L	50	41.5	83	54-112	
bis(2-Chloroethyl) ether	ug/L	50	37.2	74	43-110	
bis(2-Chloroisopropyl) ether	ug/L	50	36.5	73	40-140	
bis(2-Ethylhexyl)phthalate	ug/L	50	55.2	110	65-133	
Butylbenzylphthalate	ug/L	50	55.6	111	64-130	
Carbazole	ug/L	50	50.9	102	64-131	
Chrysene	ug/L	50	49.4	99	62-114	
Di-n-butylphthalate	ug/L	50	53.9	108	61-129	
Di-n-octylphthalate	ug/L	50	54.3	109	65-128	
Dibenz(a,h)anthracene	ug/L	50	49.5	99	57-123	
Dibenzofuran	ug/L	50	43.7	87	60-110	
Diethylphthalate	ug/L	50	50.2	100	60-122	
Dimethylphthalate	ug/L	50	48.4	97	60-121	
Fluoranthene	ug/L	50	49.7	99	60-119	
Fluorene	ug/L	50	45.9	92	57-114	
Hexachloro-1,3-butadiene	ug/L	50	29.4	59	38-112	
Hexachlorobenzene	ug/L	50	45.6	91	67-114	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

LABORATORY CONTROL SAMPLE: 319702

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Hexachlorocyclopentadiene	ug/L	50	30.9	62	11-135	
Hexachloroethane	ug/L	50	27.0	54	36-106	
Indeno(1,2,3-cd)pyrene	ug/L	50	49.0	98	58-122	
Isophorone	ug/L	50	43.5	87	54-117	
N-Nitroso-di-n-propylamine	ug/L	50	43.1	86	51-118	
N-Nitrosodimethylamine	ug/L	50	26.9	54	25-86	
N-Nitrosodiphenylamine	ug/L	50	48.5	97	58-117	
Naphthalene	ug/L	50	34.2	68	38-111	
Nitrobenzene	ug/L	50	40.5	81	47-123	
Pentachlorophenol	ug/L	50	36.5	73	23-128	
Phenanthrene	ug/L	50	46.1	92	61-116	
Phenol	ug/L	50	21.2	42	22-64	
Pyrene	ug/L	50	50.2	100	59-121	
Pyridine	ug/L	50	20.3	41	10-90	
2,4,6-Tribromophenol (S)	%.			92	10-137	
2-Fluorobiphenyl (S)	%.			57	10-112	
2-Fluorophenol (S)	%.			53	10-80	
Nitrobenzene-d5 (S)	%.			74	10-117	
p-Terphenyl-d14 (S)	%.			94	12-154	
Phenol-d6 (S)	%.			40	10-57	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

QC Batch: 19972

Analysis Method: ASTM D2216-92

QC Batch Method: ASTM D2216-92

Analysis Description: Dry Weight/Percent Moisture

Associated Lab Samples: 7015297001, 7015297002

SAMPLE DUPLICATE: 94538

Parameter	Units	7015318001 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	24.0	26.2	9	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts
Pace Project No.: 7015297

QC Batch: 20447 Analysis Method: EPA 1010A
QC Batch Method: EPA 1010A Analysis Description: 1010 Flash Point, Closed Cup
Associated Lab Samples: 7015297004, 7015297005, 7015297006, 7015297007

METHOD BLANK: 96891 Matrix: Water
Associated Lab Samples: 7015297004, 7015297005, 7015297006, 7015297007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Flashpoint	deg C	>60		04/13/17 17:55	
Flashpoint	deg F	>140.00		04/13/17 17:55	

METHOD BLANK: 97066 Matrix: Water
Associated Lab Samples: 7015297004, 7015297005, 7015297006, 7015297007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Flashpoint	deg C	>60		04/13/17 18:58	
Flashpoint	deg F	>140.00		04/13/17 18:58	

METHOD BLANK: 97080 Matrix: Water
Associated Lab Samples: 7015297004, 7015297005, 7015297006, 7015297007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Flashpoint	deg C	>60		04/13/17 20:14	
Flashpoint	deg F	>140.00		04/13/17 20:14	

METHOD BLANK: 97082 Matrix: Water
Associated Lab Samples: 7015297004, 7015297005, 7015297006, 7015297007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Flashpoint	deg C	>60		04/13/17 22:02	
Flashpoint	deg F	>140.00		04/13/17 22:02	

METHOD BLANK: 97100 Matrix: Water
Associated Lab Samples: 7015297004, 7015297005, 7015297006, 7015297007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Flashpoint	deg C	>60		04/13/17 22:31	
Flashpoint	deg F	>140.00		04/13/17 22:31	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

LABORATORY CONTROL SAMPLE: 96890

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Flashpoint	deg C		27.19			
Flashpoint	deg F		80.94			

LABORATORY CONTROL SAMPLE: 97099

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Flashpoint	deg C		26.19			
Flashpoint	deg F		79.14			

SAMPLE DUPLICATE: 96892

Parameter	Units	7015209001 Result	Dup Result	RPD	Qualifiers
Flashpoint	deg F	176.34	174.54		
Flashpoint	deg C		79.19		

SAMPLE DUPLICATE: 97079

Parameter	Units	7015297006 Result	Dup Result	RPD	Qualifiers
Flashpoint	deg F	<77.00	<77.00		
Flashpoint	deg C	<25	<25		

SAMPLE DUPLICATE: 97081

Parameter	Units	7015297007 Result	Dup Result	RPD	Qualifiers
Flashpoint	deg F	<77.00	<77.00		
Flashpoint	deg C	<25	<25		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

QC Batch: 20269 Analysis Method: EPA 9040C

QC Batch Method: EPA 9040C Analysis Description: 9040 pH

Associated Lab Samples: 7015297005, 7015297008

SAMPLE DUPLICATE: 95830

Parameter	Units	7015297008 Result	Dup Result	RPD	Qualifiers
pH at 25 Degrees C	Std. Units	8.0	8.0	0	H3,H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

QC Batch: 19779

Analysis Method: EPA 9045D

QC Batch Method: EPA 9045D

Analysis Description: 9045D Corrosivity pH in Soil

Associated Lab Samples: 7015297002, 7015297004

SAMPLE DUPLICATE: 93808

Parameter	Units	7015212001 Result	Dup Result	RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.2	7.2	0	H1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dudka's Auto Parts

Pace Project No.: 7015297

QC Batch:	356764	Analysis Method:	ASTM D5468-02
QC Batch Method:	ASTM D5468-02	Analysis Description:	ASTM D5468-02 BTU
Associated Lab Samples:	7015297004, 7015297005, 7015297006, 7015297007		

SAMPLE DUPLICATE: 1979252

Parameter	Units	7015297004 Result	Dup Result	RPD	Qualifiers
British Thermal Units	BTU/lb	19400	19400	0	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Dudka's Auto Parts
Pace Project No.: 7015297

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.
ND - Not Detected at or above adjusted reporting limit.
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.
MDL - Adjusted Method Detection Limit.
PQL - Practical Quantitation Limit.
RL - Reporting Limit.
S - Surrogate
1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.
LCS(D) - Laboratory Control Sample (Duplicate)
MS(D) - Matrix Spike (Duplicate)
DUP - Sample Duplicate
RPD - Relative Percent Difference
NC - Not Calculable.
SG - Silica Gel - Clean-Up
U - Indicates the compound was analyzed for, but not detected.
N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.
Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.
TNI - The NELAC Institute.

LABORATORIES

PACE-MV Pace Analytical Services - Melville
PASI-A Pace Analytical Services - Asheville
PASI-D Pace Analytical Services - Dallas

SAMPLE QUALIFIERS

Sample: 7015297002
[1] EPA 625 - Sample was diluted prior to analysis due to matrix.

ANALYTE QUALIFIERS

1j C10-C28 Quantified with Diesel Fuel #2.
B Analyte was detected in the associated method blank.
C9 Common Laboratory Contaminant.
CC The continuing calibration for this compound is outside of method control limits. The result is estimated.
D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
D6 The precision between the sample and sample duplicate exceeded laboratory control limits.
E Analyte concentration exceeded the calibration range. The reported result is estimated.
H1 Analysis conducted outside the EPA method holding time.
H3 Sample was received or analysis requested beyond the recognized method holding time.
H6 Analysis initiated outside of the 15 minute EPA recommended holding time.
IC The initial calibration for this compound was outside of method control limits. The result is estimated.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Dudka's Auto Parts

Pace Project No.: 7015297

ANALYTE QUALIFIERS

- | | |
|----|---|
| L1 | Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high. |
| L2 | Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low. |
| M0 | Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits. |
| M1 | Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery. |
| MS | Analyte recovery in the matrix spike was outside QC limits for one or more of the constituent analytes used in the calculated result. |
| N2 | The lab does not hold NELAC/TNI accreditation for this parameter. |
| S0 | Surrogate recovery outside laboratory control limits. |
| S3 | Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated sample. |
| S4 | Surrogate recovery not evaluated against control limits due to sample dilution. |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Dudka's Auto Parts

Pace Project No.: 7015297

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
7015297001	SD1	EPA 3545A	20058	EPA 8015D	20070
7015297004	01A-01 (TOP)	EPA 3580A	20057	EPA 8082A	20068
7015297006	OIL-1	EPA 3580A	20057	EPA 8082A	20068
7015297007	OIL-2	EPA 3580A	20057	EPA 8082A	20068
7015297001	SD1	EPA 3545A	20056	EPA 8082A	20066
7015297002	SLUDGE-1	EPA 3545A	20056	EPA 8082A	20066
7015297005	01A-01 (BOTTOM)	EPA 3510C	20843	EPA 8082A	20858
7015297008	AQ-01	EPA 3510C	20843	EPA 8082A	20858
7015297001	SD1	EPA 5035A-L	20687	EPA 8015D	20696
7015297003	AQ-01	EPA 3050	73951	EPA 6010	74043
7015297004	01A-01 (TOP)	EPA 3050	73951	EPA 6010	74043
7015297006	OIL-1	EPA 3050	73951	EPA 6010	74043
7015297007	OIL-2	EPA 3050	73951	EPA 6010	74043
7015297002	SLUDGE-1	EPA 3005A	20117	EPA 6010C	20129
7015297005	01A-01 (BOTTOM)	EPA 3010	74132	EPA 6010	74216
7015297002	SLUDGE-1	EPA 7470A	20121	EPA 7470A	20132
7015297005	01A-01 (BOTTOM)	EPA 7470	74129	EPA 7470	74180
7015297003	AQ-01	EPA 7471	73823	EPA 7471	74044
7015297004	01A-01 (TOP)	EPA 7471	73823	EPA 7471	74044
7015297006	OIL-1	EPA 7471	73823	EPA 7471	74044
7015297007	OIL-2	EPA 7471	73823	EPA 7471	74044
7015297003	AQ-01	EPA 3580	74150	EPA 8270	74182
7015297004	01A-01 (TOP)	EPA 3580	74150	EPA 8270	74182
7015297006	OIL-1	EPA 3580	74150	EPA 8270	74182
7015297007	OIL-2	EPA 3580	74150	EPA 8270	74182
7015297001	SD1	EPA 3545A	20064	EPA 8270D	20090
7015297002	SLUDGE-1	EPA 3510C	20197	EPA 8270D	20333
7015297005	01A-01 (BOTTOM)	EPA 3510	73885	EPA 8270	73985
7015297001	SD1	EPA 5035A-L	20076	EPA 8260C	20082
7015297009	01A-01 (TOP)	EPA 5035A-H/5030C	20947	EPA 8260C	20949
7015297010	OIL-1	EPA 5035A-H/5030C	20947	EPA 8260C	20949
7015297011	OIL-2	EPA 5035A-H/5030C	20947	EPA 8260C	20949
7015297002	SLUDGE-1	EPA 8260C	20524		
7015297005	01A-01 (BOTTOM)	EPA 8260C/5030C	20895		
7015297008	AQ-01	EPA 8260C/5030C	20667		
7015297001	SD1	ASTM D2216-92	19972		
7015297002	SLUDGE-1	ASTM D2216-92	19972		
7015297004	01A-01 (TOP)	EPA 1010A	20447		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Dudka's Auto Parts

Pace Project No.: 7015297

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
7015297005	01A-01 (BOTTOM)	EPA 1010A	20447		
7015297006	OIL-1	EPA 1010A	20447		
7015297007	OIL-2	EPA 1010A	20447		
7015297005	01A-01 (BOTTOM)	EPA 9040C	20269		
7015297008	AQ-01	EPA 9040C	20269		
7015297002	SLUDGE-1	EPA 9045D	19779		
7015297004	01A-01 (TOP)	EPA 9045D	19779		
7015297004	01A-01 (TOP)	ASTM D5468-02	356764		
7015297005	01A-01 (BOTTOM)	ASTM D5468-02	356764		
7015297006	OIL-1	ASTM D5468-02	356764		
7015297007	OIL-2	ASTM D5468-02	356764		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



www.pacelabs.com


Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company:	Environmental Restoration	Report To:	Ken Brais	Attention:	Chad Capeland
Address:	1656 Fabrik Dr	Copy To:	K. brais@erlc.com	Company Name:	Environmental Restoration
Phone:	63026	Purchase Order No.:	P012327	Address:	1656 Fabrik Dr, Fitch
Email To:		Project Name:	Dudkas Auto Parts	Pace Order Reference:	P.O. 12327
Requested Due Date/TAT:	Standard	Project Number:	DA2-53	Pace Project Manager:	Walter Dotson
				Pace Profile #:	62508
				Site Location:	Autodan
				STATE:	NY
				Requested Analysis Filtered (Y/N)	

Page: 1 of 1
1819276

REGULATORY AGENCY	
<input type="checkbox"/> NPDES	<input type="checkbox"/> GROUND WATER
<input type="checkbox"/> DRINKING WATER	<input type="checkbox"/> OTHER
<input type="checkbox"/> RCRA	<input type="checkbox"/> OTHER

ITEM #	Section D Required Client Information	Matrix Codes MATRIX / CODE DW Drinking Water WT Water WW Waste Water P Product SL Soil/Solid OL Oil WP Wipe AR Air TS Tissue OT Other	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives										Y/N	Requested Analysis Filtered (Y/N)	Pace Project No./ Lab I.D.									
					COMPOSITE START	COMPOSITE END/GRAB			DATE	TIME	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ SO ₃	Methanol	Other												
1	SO1		SLG	C	4-6	0720		4																						001
2	Sludge-1		mw	C	4-5	1300		3																						002
3	Aq-01			C	4-5	1000		7																						003/008
4	Q/A-01			C	4-5	1500		7																						004/005/009
5	oil-1		DL	C	4-5	0900		2																						006/010
6	oil-2		DL	C	4-5	1100		2																						007/011
7																														
8																														
9																														
10																														
11																														
12																														

WO# : 7015297



7015297

WO#: 7015297



ADDITIONAL COMMENTS	RELINQUISHMENT / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION		DATE	TIME	SAMPLE CONDITIONS			
								Received on	Sealed Cooler	Custody	Samples Intact
* Sample of Acheson		4/6/17	0930	MTO	PACE	4/6/17	940				
phases - only our Analysis		4/6/17	1245	A. Bailey	(PACE)	4/6/17	1245	2.0	Y	N	Y
Analysis back byers		4/6/17	16:00	A. Bailey	(PACE)	4/6/17	0930	0.5	Y	Y	Y

SAMPLER NAME AND SIGNATURE	
PRINT Name of SAMPLER:	K. Brais
SIGNATURE of SAMPLER:	[Signature]
DATE Signed (MM/DD/YYYY):	4/6/17

ORIGINAL
7145 4771 8123

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

WO#: 7015297

PM: JSA Due Date: 04/18/17
CLIENT: ERLLC

Sample Condition Upon Rec

Client Name: Env. Rest.Courier: ☒ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace OtherTracking #: 745 4771 8134 / 8145Custody Seal on Cooler/Box Present: ☒ yes ☐ no Seals intact: ☒ yes ☐ noPacking Material: ☐ Bubble Wrap ☒ Bubble Bags ☐ None ☐ OtherThermometer Used: TH077 TH078 Type of Ice: Wet Blue None ☐ Samples on ice, cooling process has begunCooler Temperature: 5.5, 2.2Date and Initials of person examining contents: 4/17/17 JSA

Temp should be above freezing to 6°C

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5. except pH (15 min HTR)
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	8. SOI-limited vol. Only 1 vial kit collected for VOC + GPC. Bulk jar used for SVOC, DRO + PCB (2oz only)
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix <u>(SL/W/OIL)</u>		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Initial when completed:
		Lot # of added preservative:
Exceptions: VOA, micro, TOC, O&G		Date and Time preservative added:
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15. 1 of 3 vials: sample Aq-01 0.9mm
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	16. No spare vol. for OLA-01 Aq. phase for PCB SVOC
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____