

2-CARV

Tote#2

CONTAINER INVENTORY FORM

Tote#2

~~10092~~

Container Number ~~10092~~

Container Size:

Type:

55 gal 30 gal 15 gal

Metal Fiber Glass Plastic

5 gal 1 gal Other: Tote

Type of Closure:

Contents:

Open Top Bung Top Screw Top

Full 3/4 1/2 1/4 Empty

300 gal

Container Condition:

DOT Hazard Labels:

Sealed New Rusty Dented

Flammable Liquid _____ Corrosive _____

Open Leaking Torn Crushed

Flammable Solid _____ Oxidizer _____

Proper Shipping Name:

Poison _____ Explosive _____ Radiation _____

Other: _____

UN ID# _____

OTHER LABEL INFORMATION:

~~XXXXXXXXXX~~

Other:

TFL

Sample Description:

Color:

Viscosity:

Liquid Solid
Clear Opaque

Black

Thin Oily Thick NA

Phases:

Notes:

1 2 3

Hazardous Classification Data Sheet

Project Name: _____ Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water Coats Thick Like Surface Syrup Color: <u>Black</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	CYANIDE TEST: (Perform if pH >7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
# of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color <u>no change</u>
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes <u>✓</u> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <u>Non-flammable</u> : Sample does not ignite or burn
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>9</u>	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change No color change (oxidizer) <u>(not oxidizer)</u>	SULFIDE TEST: (Perform when pH >7 - no oxidizer) Test Strip: <i>Wet lead acetate paper with 3M HCl</i> Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CHKV

Tote ~~2~~ #1

CONTAINER INVENTORY FORM

Container Number Tote 1

Type:

Metal Fiber Glass Plastic

Tote with metal frame

Type of Closure:

Open Top Bung Top Screw Top

Container Size:

55 gal 30 gal 15 gal

5 gal 1 gal Other: 275gal

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

~~Used~~ New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Tanin Co.

~~Leather~~

Lionmulse DG-1

Other:

~~Being Picked up
by Colonial Leather
on 8/30~~

Being picked up by Tannin Corp.

Sample Description:

Liquid

Solid

Clear

Opaque

Phases:

1

2

3

Color:

Brown

Viscosity:

Thin Oily Thick NA

Notes:

Tote #1

Hazardous Classification Data Sheet

Project Name: _____ Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water Coats Thick Like Surface Syrup Color: _____ # of phases: _____ Liquid _____ Solid Odor: _____	CYANIDE TEST: (Perform if pH >7 - no oxidizer) Solution: Color change No color change (cyanide) _____ (no cyanide) _____
# of phases: _____ Liquid _____ Solid Odor: _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No _____ Effervescence or gases: Yes _____ No _____ Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does <u>not</u> ignite or burn
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: _____	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change No color change (peroxide) _____ (no peroxide) _____
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change No color change (oxidizer) (not oxidizer)	SULFIDE TEST: (Perform when pH >7 - no oxidizer) Test Strip: <i>Wet lead acetate paper with 3M HCl</i> Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

OSC

CONTAINER INVENTORY FORM

Container Number

ER#01

Type:

Metal Fiber Glass

Plastic

Container Size:

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top

Bung Top

Screw Top

Contents:

Full

3/4

1/2

1/4

Empty

Container Condition:

Sealed New Rusted Dented

Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____

Corrosive _____

Flammable Solid _____

Oxidizer _____

Poison _____

Explosive _____

Radiation _____

Other: _____

Proper Shipping Name:

Petr. Distillates
1 x 55 gal.

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Anies - took back

8/19/16.

Other: _____

Sample Description:

Liquid

Solid

Clear

Opaque

Phases:

1

2

3

Color: _____

Viscosity:

Thin Oily Thick NA

Notes: _____

2-CARV

CONTAINER INVENTORY FORM

Container Number ER # 02

Type:

Metal Fiber Glass Plastic

Type of Closure:

Open Top Bung Top Screw Top

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

Proper Shipping Name:

Aluminum Sulfate Shn.
1 x 330g.

OTHER LABEL INFORMATION:

Manufacturer:

Artes - took back.

8/19/16.

[Signature]

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: 300gal

Contents:

Full 3/4 1/2 1/4 Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

UN ID# _____

Other: _____

Sample Description:

Liquid Solid
Clear Opaque

Phases:

1 2 3

Color: _____

Viscosity:

Thin Oily Thick NA

Notes: _____

2-CARV

CONTAINER INVENTORY FORM

Container Number

ER #03

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

Aluminum Sulfate Shm
1 x 350g

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Aries - took back.

8/19/10.

OK

Sample Description:

Liquid Solid
Clear Opaque

Color:

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

2-CARV

CONTAINER INVENTORY FORM

Container Number:

ER # 04

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal

5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

Aluminum Sulfate Shn.
1 x 330g

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Arises - took back.

8/19/16

Am

Sample Description:

Liquid Solid
Clear Opaque

Color:

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

2-CARV

ER#5

CONTAINER INVENTORY FORM

Container Number ER #5

Type:

Metal Fiber Glass Plastic

Type of Closure:

Open Top Bung Top Screw Top

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

Proper Shipping Name:

Petroleum distillates
non-haz

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Contents:

Full 3/4 1/2 1/4 Empty 1/8

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Aries - took
back

Other: _____

Sample Description:

Liquid Solid
Clear Opaque

Phases:

1 2 3

Color: _____

Viscosity:

Thin Oily Thick NA

Notes: _____

CONTAINER INVENTORY FORM

Container Number T#1(WWTP)

Type:

Metal ☒ Fiber ☐ Glass ☐ Plastic ☐

Type of Closure:

☒ Open Top ☐ Bung Top ☐ Screw Top

Container Condition:

Scaled ☐ New ☐ Rusted ☐ Dented ☐
☒ Open ☐ Leaking ☐ Torn ☐ Crushed ☐

Proper Shipping Name:

OTHER LABEL INFORMATION:

Manufacturer:

Container Size:

55 gal ☐ 30 gal ☐ 15 gal ☐

5 gal ☐ 1 gal ☐ Other: 500 gal

Contents:

Full ☐ 3/4 ☐ 1/2 ☐ ☒ 1/4 Empty

DOT Hazard Labels:

Flammable Liquid ☐ Corrosive ☐

Flammable Solid ☐ Oxidizer ☐

Poison ☐ Explosive ☐ Radiation ☐

Other: _____

UN ID# _____

Other:

Ashy Solids

Sample Description:

Liquid ☐

☒ Solid

Clear ☐

Opaque ☐

Phases:

☒ 1

☐ 2

☐ 3

Color:

black

Viscosity:

Thin ☐ Oily ☐ Thick ☐ NA ☐

Notes:

Hazardous Classification Data Sheet

Project Name: _____ Date: _____
Project Number: _____ Sample ID No.: _____
Personnel: _____
Notes: _____

OBSERVATIONS:		CYANIDE TEST: (Perform if pH >7 - no oxidizer)	
Viscosity: Water Coats Thick Like Surface Syrup		Solution: Color change (cyanide) _____ No color change (no cyanide) _____	
Color: <u>black</u>		COPPER WIRE TEST	
# of phases: _____ Liquid <u>1</u> Solid		Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color <u>No</u>	
Odor: _____			
WATER SOLUBILITY TEST: (Add sample to H ₂ O)		FLAMMABILITY TEST	
Temperature change: Yes _____ No <input checked="" type="checkbox"/>		Circle One:	
Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/>		Flammable: Sample ignites rapidly or gives PID > 200	
Dissolves: Yes _____ No _____ Partial <input checked="" type="checkbox"/>		Combustible: Sample ignites and sustains flame, PID < 200	
<u>Sinks</u> OR Floats: Partial _____ Complete _____		Non-flammable: Sample does <u>not</u> ignite or burn	
pH TEST		PCB TEST	
Test Strip: Moisten with sample material and compare color change on package		Perform sample preparation with kit content instructions	
Color change number: <u>5</u>		Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)	
HEXANE SOLUBILITY TEST:		PEROXIDE TEST	
Circle One:		Test Strip: Moisten with sample material	
Dissolves: Yes _____ No _____ Partial _____		Solution: Color change (peroxide) _____ No color change (no peroxide) _____	
Sinks OR Floats			
Emulsion present: Yes _____ No _____			
OXIDIZER TEST: (Perform on H ₂ O solubles only)		SULFIDE TEST: (Perform when pH >7 - no oxidizer)	
Wet potassium iodide (KI) paper with 3M HCl		Test Strip: <u>Wet lead acetate paper with 3M HCl</u>	
Color change (oxidizer) _____ No color change (not oxidizer) <u>_____</u>		Darkens (sulfides) _____ Not Darken (no sulfides) _____	

CONTAINER INVENTORY FORM

Container Number T#2(WWTP)

Type:

Metal Fiber Glass Plastic

Type of Closure:

Open Top Bung Top Screw Top

Container Condition:

Open Sealed New Rusted Dented
Leaking Torn Crushed

Proper Shipping Name:

OTHER LABEL INFORMATION:

Manufacturer:

Container Size:

55 gal 30 gal 15 gal

5 gal 1 gal

Other:

225 gal

Contents:

Full 3/4 1/2 1/4 Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

UN ID# _____

Other:

Clear liquid

Sample Description:

Liquid

Solid

Clear

Opaque

Color:

light brown

Viscosity:

Thin

Oily Thick NA

Phases:

1

2

3

Notes:

Hazardous Classification Data Sheet

Project Name: _____ Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: <u>Water Like</u> Coats Thick Surface Syrup Color: <u>brown</u> # of phases: <u>2</u> Liquid _____ Solid _____ Odor: _____	CYANIDE TEST: (Perform if pH > 7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
# of phases: <u>2</u> Liquid _____ Solid _____ Odor: _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color <u>No</u>
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes <u>✓</u> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <u>Non-flammable:</u> Sample does <u>not</u> ignite or burn
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats _____ Emulsion present: Yes _____ No _____	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with <u>3M HCl</u> Color change _____ No color change _____ (oxidizer) (not oxidizer)	SULFIDE TEST: (Perform when pH > 7 - no oxidizer) Test Strip: <u>Wet lead acetate paper with 3M HCl</u> Darkens (sulfides) _____ Not Darken (no sulfides) _____

CONTAINER INVENTORY FORM

Container Number T#3(WWTP)

Type:

☒ Metal ☐ Fiber ☐ Glass ☐ Plastic

Type of Closure:

☒ Open Top ☐ Bung Top ☐ Screw Top

Container Condition:

☐ Sealed ☐ New ☐ Rusty ☐ Dented

☒ Open ☐ Leaking ☐ Torn ☐ Crushed

Proper Shipping Name:

OTHER LABEL INFORMATION:

Manufacturer:

Container Size:

55 gal 30 gal 15 gal

5 gal 1 gal

Other: 200991

Contents:

Full 3/4 1/2 ☒ Empty

DOT Hazard Labels:

Flammable Liquid ☐ Corrosive ☐

Flammable Solid ☐ Oxidizer ☐

Poison ☐ Explosive ☐ Radiation ☐

Other: _____

UN ID# _____

Other:

liquid

Sample Description:

☒ Liquid

☐ Solid

Clear

☒ Opaque

Color:

brown

Viscosity:

☒ Thin ☐ Oily ☐ Thick ☐ NA

Phases:

☒ 1

☐ 2

☐ 3

Notes:

Hazardous Classification Data Sheet

Project Name: _____ Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water Like Coats Thick Surface Syrup Color: <u>brown</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	CYANIDE TEST: (Perform if pH > 7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
# of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <div style="text-align: center; font-size: 1.5em;">No</div>
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <input checked="" type="checkbox"/> Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <div style="border: 1px solid black; border-radius: 50%; padding: 5px; display: inline-block;">Non-flammable: Sample does <u>not</u> ignite or burn</div>
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats _____ Emulsion present: Yes _____ No _____	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change _____ (oxidizer) (not oxidizer)	SULFIDE TEST: (Perform when pH > 7 - no oxidizer) Test Strip: <i>Wet lead acetate paper with 3M HCl</i> Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

CONTAINER INVENTORY FORM

DI

Container Number DI

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusty Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive ☒

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

Sodium Hydroxide SolutionsUN ID# 1824

OTHER LABEL INFORMATION:

Manufacturer:

Surpass Chemical Company, INC.
Sodium Hydroxide Solution (50%)

Other:

Being Picked
up by Colonial
Leather on 8/30

Sample Description:

Liquid Solid
Clear Opaque

Color:

Clear

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

1

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: <u>Water</u> Coats Thick Like Surface Syrup Color: <u>clear</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	CYANIDE TEST: (Perform if pH > 7 - no oxidizer) Solution: Color change _____ No color change (cyanide) _____ (no cyanide) <input checked="" type="checkbox"/>
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <input checked="" type="checkbox"/> Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color <u>No color change</u>
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>13</u>	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <u>Non-flammable</u> Sample does <u>not</u> ignite or burn
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats _____ Emulsion present: Yes _____ No _____	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
OXIDIZER TEST: (perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change (oxidizer) <u>(not oxidizer)</u>	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change (peroxide) _____ (no peroxide) _____
SULFIDE TEST: (perform when pH > 7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

D2

CONTAINER INVENTORY FORM

Container Number D2

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

Unknown

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

Dark Brown

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

2

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<p>OBSERVATIONS:</p> <p>Viscosity: <u>Water Like</u> Coats Thick Surface Syrup</p> <p>Color: <u>Dark Brown</u></p> <p># of phases: <u>1</u> Liquid _____ Solid _____</p> <p>Odor: _____</p>	<p>CYANIDE TEST: (Perform if pH > 7 - no oxidizer)</p> <p>Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____</p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <input checked="" type="checkbox"/></p> <p>Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/></p> <p>Dissolves: Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> Partial _____</p> <p>Sinks OR Floats: Partial _____ Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____</p> <p style="text-align: right;"><i>no color change</i></p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: 2 <u>5</u></p>	<p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200 _____</p> <p>Combustible: Sample ignites and sustains flame, PID < 200 _____</p> <p><u>Non-flammable</u> Sample does <u>not</u> ignite or burn</p>
<p>HEXANE SOLUBILITY TEST:</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats _____</p> <p>Emulsion present: Yes _____ No _____</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (Perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change _____ No color change _____ (oxidizer) (not oxidizer)</p>	<p>SULFIDE TEST: (Perform when pH > 7 - no oxidizer)</p> <p>Test Strip: <u>Wet lead acetate</u> paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>

2-CARV

D3

CONTAINER INVENTORY FORM

Container Number D3

Type:

Metal Fiber Glass Plastic

Type of Closure:

Open Top Bung Top Screw Top

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

Proper Shipping Name:

OTHER LABEL INFORMATION:

Manufacturer:

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Contents:

Full 3/4 1/2 1/4 Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

UN ID# _____

Other:

Sample Description:

Liquid Solid
Clear Opaque

Phases:

1 2 3

Color:

purple

Viscosity:

Thin Oily Thick NA

Notes:

2-CARV

D4

CONTAINER INVENTORY FORM

Container Number D 4

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

purple

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

4

<p>OBSERVATIONS:</p> <p>Viscosity: <u>Water Like</u> Coats Thick Surface Syrup</p> <p>Color: <u>purple</u></p> <p># of phases: <u>1</u> Liquid _____ Solid _____</p> <p>Odor: _____</p>	<p>CYANIDE TEST: (Perform if pH > 7 - no oxidizer)</p> <p>Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____</p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <u>✓</u></p> <p>Effervescence or gases: Yes _____ No <u>✓</u></p> <p>Dissolves: Yes <u>✓</u> No _____ Partial _____</p> <p>Sinks OR Floats: Partial _____ Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color: <u>no color change</u></p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: <u>6</u></p>	<p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200</p> <p>Combustible: Sample ignites and sustains flame, PID < 200</p> <p><u>Non-flammable</u> Sample does <u>not</u> ignite or burn</p>
<p>HEXANE SOLUBILITY TEST:</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats _____</p> <p>Emulsion present: Yes _____ No _____</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (Perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change _____ No color change _____ (oxidizer) (not oxidizer)</p>	<p>SULFIDE TEST: (Perform when pH > 7 - no oxidizer)</p> <p>Test Strip: <u>Wet lead acetate</u> paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>

2-CARV

CONTAINER INVENTORY FORM

D
5

Container Number D5

Type:

Metal Fiber Glass **Plastic**

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 **1/8** Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

O-BASF, The Chemical Company
Eukesol oil Ground

Other:

Sample Description:

Liquid **Solid**
Clear Opaque

Color:

Red

Viscosity:

Thin Oily **Thick** NA

Phases:

1 **2** 3

Notes:

Hazardous Classification Data Sheet

5

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<p>OBSERVATIONS:</p> <p>Viscosity: Water Coats <u>Thick</u> Like Surface Syrup</p> <p>Color: <u>Red</u></p> <p># of phases: <u>1</u> Liquid <u>1</u> Solid</p> <p>Odor: _____</p>	<p>CYANIDE TEST: (Perform if pH > 7 - no oxidizer)</p> <p>Solution: Color change _____ No color change _____ (cyanide) (no cyanide)</p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <input checked="" type="checkbox"/></p> <p>Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/></p> <p>Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____</p> <p>Sinks OR Floats: Partial _____ Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>no color change</u></p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: <u>5</u></p>	<p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200</p> <p>Combustible: Sample ignites and sustains flame, PID < 200</p> <p><u>Non-flammable</u>: Sample does not ignite or burn</p>
<p>HEXANE SOLUBILITY TEST:</p> <p>Circle One:</p> <p>Dissolves: Yes No Partial</p> <p>Sinks OR Floats</p> <p>Emulsion present: Yes No</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (Perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change _____ No color change _____ (oxidizer) <u>not oxidizer</u></p>	<p>SULFIDE TEST: (Perform when pH > 7 - no oxidizer)</p> <p>Test Strip: <u>Wet lead acetate</u> paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>

2-CARV

CONTAINER INVENTORY FORM

D

6

Container Number D6

Container Size:

Type:

Metal Fiber Glass Plastic

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

Black

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

6

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<p>OBSERVATIONS:</p> <p>Viscosity: Water Like Coats Thick Surface Syrup</p> <p>Color: <u>Black</u></p> <p># of phases: <u>1</u> Liquid _____ Solid _____</p> <p>Odor: _____</p>	<p>CYANIDE TEST: (Perform if pH > 7 - no oxidizer)</p> <p>Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____</p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <u>✓</u></p> <p>Effervescence or gases: Yes _____ No <u>✓</u></p> <p>Dissolves: Yes <u>✓</u> No _____ Partial _____</p> <p>Sinks OR Floats: Partial _____ Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>No color change</u></p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: 2 <u>5</u></p>	<p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200 _____</p> <p>Combustible: Sample ignites and sustains flame, PID < 200 _____</p> <p><u>Non-flammable</u> Sample does <u>not</u> ignite or burn</p>
<p>HEXANE SOLUBILITY TEST:</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats _____</p> <p>Emulsion present: Yes _____ No _____</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change _____ No color change _____ (oxidizer) (not oxidizer)</p>	<p>PEROXIDE TEST</p> <p>Test Strip: Moisten with sample material</p> <p>Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____</p>
<p>SULFIDE TEST: (perform when pH > 7 - no oxidizer)</p> <p>Test Strip: Wet lead acetate paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>	

2-CARV

CONTAINER INVENTORY FORM

D

7

Container Number D7

Type:

Metal Fiber Glass Plastic

Type of Closure:

Open Top Bung Top Screw Top

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

Proper Shipping Name:

OTHER LABEL INFORMATION:

Manufacturer:

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Contents:

Full 3/4 1/2 1/4 Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

UN ID# _____

Other:

Sample Description:

Liquid Solid
Clear Opaque

Phases:

1 2 3

Color:

Dark brown

Viscosity:

Thin Oily Thick NA

Notes:

7

Notes: _____

Test Strip: Wet lead acetate paper with 3M HCl

Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

D7
Part B

CONTAINER INVENTORY FORM

Container Number D7 Part B

Container Size:

Type:

Metal Fiber Glass Plastic

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

a container inside
of a drum

Sample Description:

Liquid Solid
Clear Opaque

Color:

grey

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

D7 Part B

Hazardous Classification Data Sheet

Project Name: _____ Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS:		CYANIDE TEST: (Perform if pH > 7 - no oxidizer)	
Viscosity: Water Coats Thick Like Surface Syrup Color: <u>grey</u> # of phases: _____ Liquid <u>1</u> Solid Odor: _____		Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____	
		COPPER WIRE TEST	
		Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color <u>no color change</u>	
WATER SOLUBILITY TEST: (Add sample to H ₂ O)		FLAMMABILITY TEST	
Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes _____ No <u>✓</u> Partial _____ Sinks OR Floats: Partial _____ Complete _____		Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <u>Non-flammable:</u> Sample does <u>not</u> ignite or burn	
pH TEST		PCB TEST	
Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>		Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)	
HEXANE SOLUBILITY TEST:		PEROXIDE TEST	
Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No		Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____	
OXIDIZER TEST: (Perform on H ₂ O solubles only)		SULFIDE TEST: (Perform when pH > 7 - no oxidizer)	
Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change _____ (oxidizer) (not oxidizer)		Test Strip: <i>Wet lead acetate paper with 3M HCl</i> Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

D

8

CONTAINER INVENTORY FORM

Container Number D8

Type:

Metal Fiber Glass Plastic

Type of Closure:

Open Top Bung Top Screw Top

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

Proper Shipping Name:

OTHER LABEL INFORMATION:

Manufacturer:

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Contents:

Full 3/4 1/2 1/4 Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

UN ID# _____

Other:

Sample Description:

Liquid Solid
Clear Opaque

Phases:

1 2 3

Color:

Black

Viscosity:

Thin Oily Thick NA

Notes:

Hazardous Classification Data Sheet

8

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<p>OBSERVATIONS:</p> <p>Viscosity: <u>Water Like</u> Coats Thick Surface Syrup</p> <p>Color: <u>B/K</u></p> <p># of phases: <u>1</u> Liquid _____ Solid _____</p> <p>Odor: _____</p>	<p>CYANIDE TEST: (Perform if pH >7 - no oxidizer)</p> <p>Solution: Color change (cyanide) _____ No color change (no cyanide) _____</p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <input checked="" type="checkbox"/></p> <p>Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/></p> <p>Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____</p> <p>Sinks OR Floats: Partial _____ Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____</p> <p style="text-align: right;"><i>no color change</i></p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: <u>5</u></p>	<p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200 _____</p> <p>Combustible: Sample ignites and sustains flame, PID < 200 _____</p> <p><u>Non-flammable</u> Sample does <u>not</u> ignite or burn</p>
<p>HEXANE SOLUBILITY TEST:</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats _____</p> <p>Emulsion present: Yes _____ No _____</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (Perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change (oxidizer) _____ No color change (not oxidizer) <u>2</u></p>	<p>SULFIDE TEST: (Perform when pH >7 - no oxidizer)</p> <p>Test Strip: <u>Wet lead acetate</u> paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>

2-CARV

CONTAINER INVENTORY FORM

D
9

Container Number D9

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusty Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

TFL USA/CANADA INC.
Sella Fin Black PN

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

Red

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

9

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water Coats Thick <u>N/A</u> Like Surface Syrup Color: <u>Red</u> # of phases: _____ Liquid <u>1</u> Solid Odor: _____	CYANIDE TEST: (Perform if pH >7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
# of phases: _____ Liquid <u>1</u> Solid Odor: _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>No color change</u>
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes <u>✓</u> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <u>Non-flammable</u> Sample does <u>not</u> ignite or burn
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change No color change (oxidizer) <u>(not oxidize)</u>	SULFIDE TEST: (Perform when pH >7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

CONTAINER INVENTORY FORM

D

10

Container Number D10

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented

Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Lionwax

Other:

Broken glass on top.

Sample Description:

Liquid

Solid

Clear

Opaque

Color:

Brown/white

Viscosity:

Thin Oily Thick NA

Phases:

1

2

3

Notes:

Hazardous Classification Data Sheet

10

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<p>OBSERVATIONS:</p> <p>Viscosity: Water Coats Thick N/A Like Surface Syrup</p> <p>Color: <u>Brown/white</u></p> <p># of phases: _____ Liquid <u>1</u> Solid</p> <p>Odor: _____</p>	<p>CYANIDE TEST: (Perform if pH >7 - no oxidizer)</p> <p>Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____</p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <input checked="" type="checkbox"/></p> <p>Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/></p> <p>Dissolves: Yes _____ No <input checked="" type="checkbox"/> Partial _____</p> <p>Sinks OR <u>Floats</u> Partial <input checked="" type="checkbox"/> Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____</p> <p style="text-align: right;"><u>no color change</u></p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: <u>6</u></p>	<p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200</p> <p><u>Combustible</u>: Sample ignites and sustains flame, PID < 200</p> <p>Non-flammable: Sample does <u>not</u> ignite or burn</p>
<p>HEXANE SOLUBILITY TEST:</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats</p> <p>Emulsion present: Yes _____ No _____</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (Perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change _____ No color change _____ (oxidizer) (not oxidizer)</p>	<p>PEROXIDE TEST</p> <p>Test Strip: Moisten with sample material</p> <p>Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____</p>
<p>SULFIDE TEST: (Perform when pH >7 - no oxidizer)</p> <p>Test Strip: <u>Wet lead acetate</u> paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>	

2-CARV

CONTAINER INVENTORY FORM

D



Container Number D11

Type:

☒ Metal Fiber Glass Plastic

Type of Closure:

☒ Open Top Bung Top Screw Top

Container Condition:

Sealed New Rusted Dented
☒ Open Leaking Torn Crushed

Proper Shipping Name:

OTHER LABEL INFORMATION:

Manufacturer:

Container Size:

☒ 55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Contents:

Full 3/4 1/2 ☒ 1/4 Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

UN ID# _____

Other:

Sample Description:

Liquid ☒ Solid
Clear Opaque

Phases:

☒ 1 2 3

Color:

yellowish Tan

Viscosity:

Thin Oily Thick NA

Notes:

Hazardous Classification Data Sheet

11

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water Coats Thick _____ Like Surface Syrup <u>N/A</u> Color: <u>yellow/tan</u> # of phases: _____ Liquid _____ Solid Odor: _____	CYANIDE TEST: (Perform if pH > 7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
# of phases: _____ Liquid _____ Solid Odor: _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <input checked="" type="checkbox"/> Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes _____ No <input checked="" type="checkbox"/> Partial _____ Sinks OR <u>Floats</u> Partial <input checked="" type="checkbox"/> Complete _____	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <u>Non-flammable</u> : Sample does not ignite or burn
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats Emulsion present: Yes _____ No _____	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change _____ (oxidizer) (not oxidizer)	SULFIDE TEST: (Perform when pH > 7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

D

12

CONTAINER INVENTORY FORM

Container Number D12

Type:

☒ Metal ☐ Fiber ☐ Glass ☐ Plastic

Type of Closure:

☒ Open Top ☐ Bung Top ☐ Screw Top

Container Condition:

Sealed ☐ New ☐ Rusty ☐ Dented
☒ Open ☐ Leaking ☐ Torn ☐ Crushed

Proper Shipping Name:

OTHER LABEL INFORMATION:

Manufacturer:

Tannin Corp.

Lionwax RX-50

Container Size:

☒ 55 gal ☐ 30 gal ☐ 15 gal
☐ 5 gal ☐ 1 gal ☐ Other: _____

Contents:

Full ☐ 3/4 ☒ 1/2 ☐ 1/4 ☐ Empty

DOT Hazard Labels:

Flammable Liquid ☐ Corrosive ☐

Flammable Solid ☐ Oxidizer ☐

Poison ☐ Explosive ☐ Radiation ☐

Other: _____

UN ID# _____

Other:

Sample Description:

Liquid ☐ ☒ Solid
Clear ☐ Opaque ☐

Phases:

☒ 1 ☐ 2 ☐ 3

Color:

white

Viscosity:

Thin ☐ Oily ☐ Thick ☒ NA

Notes:

12

Notes: _____

OBSERVATIONS:	CYANIDE TEST: (Perform if pH >7 - no oxidizer)
Viscosity: Water Coats Thick Like Surface Syrup <i>N/A</i>	Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
Color: <i>white</i>	COPPER WIRE TEST
# of phases: _____ Liquid <i>1</i> Solid	Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____
Odor: _____	<i>no color change</i>
WATER SOLUBILITY TEST: (Add sample to H ₂ O)	FLAMMABILITY TEST
Temperature change: Yes _____ No <input checked="" type="checkbox"/>	Circle One:
Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/>	Flammable: Sample ignites rapidly or gives PID > 200
Dissolves: Yes _____ No <input checked="" type="checkbox"/> Partial _____	Combustible: Sample ignites and sustains flame, PID < 200
Sinks OR <u>Floats</u> : Partial <input checked="" type="checkbox"/> Complete _____	<u>Non-flammable</u> Sample does <u>not</u> ignite or burn
pH TEST	PCB TEST
Test Strip: Moisten with sample material and compare color change on package	Perform sample preparation with kit content instructions
Color change number: <i>5</i>	Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST:	PEROXIDE TEST
Circle One:	Test Strip: Moisten with sample material
Dissolves: Yes _____ No _____ Partial _____	Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
Sinks OR Floats	
Emulsion present: Yes _____ No _____	
OXIDIZER TEST: (Perform on H ₂ O solubles only)	SULFIDE TEST: (Perform when pH >7 - no oxidizer)
Wet potassium iodide (KI) paper with 3M HCl	Test Strip: <u>Wet lead acetate</u> paper with 3M HCl
Color change _____ No color change _____ (oxidizer) (not oxidizer)	Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

D

13

CONTAINER INVENTORY FORM

Container Number D13

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Stahl
RH-6663
Aqueous Hybrid Resin

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

Black

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

13

OBSERVATIONS: Viscosity: <u>Water Like</u> Coats Thick Surface Syrup Color: <u>B/K</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	CYANIDE TEST: (Perform if pH >7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes <u>✓</u> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <div style="text-align: right;"><i>no color change</i></div>
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <u>Non-flammable</u> : Sample does <u>not</u> ignite or burn
HEXANE SOLUBILITY TEST Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats _____ Emulsion present: Yes _____ No _____	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change _____ (oxidizer) <u>(not oxidizer)</u>	SULFIDE TEST: (Perform when pH >7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

CONTAINER INVENTORY FORM

D

14

Container Number D14

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusty Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Stahl

RC - 21-004

Aqueous Compact Resin

Other:

Sample Description:

Liquid Solid
Clear Opaque

Phases:

1 2 3

Color:

Dark green

Viscosity:

Thin Oily Thick NA

Notes:

Hazardous Classification Data Sheet

14

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<p>OBSERVATIONS:</p> <p>Viscosity: <u>Water Like</u> Coats Thick Surface Syrup</p> <p>Color: <u>Drk green</u></p> <p># of phases: <u>1</u> Liquid _____ Solid _____</p> <p>Odor: _____</p>	<p>CYANIDE TEST: (Perform if pH > 7 - no oxidizer)</p> <p>Solution: Color change (cyanide) _____ No color change (no cyanide) _____</p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <u>✓</u></p> <p>Effervescence or gases: Yes _____ No <u>✓</u></p> <p>Dissolves: Yes <u>✓</u> No _____ Partial _____</p> <p>Sinks OR Floats: Partial _____ Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____</p> <p style="text-align: right;"><i>no color change</i></p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: <u>5</u></p>	<p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200</p> <p>Combustible: Sample ignites and sustains flame, PID < 200</p> <p><u>Non-flammable</u>: Sample does <u>not</u> ignite or burn</p>
<p>HEXANE SOLUBILITY TEST:</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats _____</p> <p>Emulsion present: Yes _____ No _____</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (Perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change (oxidizer) _____ No color change (not oxidizer) <u>✓</u></p>	<p>SULFIDE TEST: (Perform when pH > 7 - no oxidizer)</p> <p>Test Strip: <u>Wet lead acetate</u> paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>

2-CARV

CONTAINER INVENTORY FORM

D

15

Container Number D15

Type:

Metal Fiber Glass Plastic

Type of Closure:

Open Top Bung Top Screw Top

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

Proper Shipping Name:

OTHER LABEL INFORMATION:

Manufacturer:

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Contents:

Full 3/4 1/2 1/4 Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

UN ID# _____

Other:

Sample Description:

Liquid Solid
Clear Opaque

Phases:

1 2 3

Color:

Orange

Viscosity:

Thin Oily Thick NA

Notes:

15

Date:

Sample ID No.:

Notes:

OBSERVATIONS:

CYANIDE TEST: (Perform if pH >7 - no oxidizer)

Viscosity: Water Coats Thick
Like Surface Syrup *N/A*

Solution: Color change (cyanide) _____ No color change (no cyanide) _____

Color: Orange

COPPER WIRE TEST

of phases: 1 Liquid 1 Solid

Flame color: green (chlorine compound) _____
orange (sodium compound) _____
other color _____

Odor:

no color change

WATER SOLUBILITY TEST: (Add sample to H₂O)

FLAMMABILITY TEST

Temperature change: Yes No ☒

Circle One:

Effervescence or gases: Yes No ☒

Flammable: Sample ignites rapidly or gives PID > 200

Dissolves: Yes ☒ No ☐ Partial ☐

Combustible: Sample ignites and sustains flame, PID < 200

Sinks OR Floats: Partial Complete

Non-flammable Sample does not ignite or burn

pH TEST

PCB TEST

Test Strip: Moisten with sample material and compare color change on package

Perform sample preparation with kit content instructions

Color change number: 5

Solution: Color change _____ No color change _____
(PCB > or = 50 ppm)

HEXANE SOLUBILITY TEST:

PEROXIDE TEST

Circle One:

Test Strip: Moisten with sample material

Dissolves: Yes No Partial

Sinks OR Floats

Solution: Color change	No color change
(peroxide)	(no peroxide)

Emulsion present: Yes No

OXIDIZER TEST: (Perform on H₂O solubles only)

SULFIDE TEST: (perform when pH >7 - no oxidizer)

Wet potassium iodide (KI) paper with 3M HCl

Test Strip: Wet lead acetate paper with 3M HCl

Color change	No color change
--------------	-----------------

Darkens (sulfides) _____ Not Darken (no sulfides) _____

(oxidizer)

(not oxidizer)

2-CARV

CONTAINER INVENTORY FORM

D

16

Container Number D16

Type:

Metal Fiber Glass Plastic

Type of Closure:

Open Top Bung Top Screw Top

Container Condition:

Sealed New Rusty Dented
Open Leaking Torn Crushed

Proper Shipping Name:

OTHER LABEL INFORMATION:

Manufacturer:

LANXESS Energizing Chemistry
EUDERM NAPPA SOFT

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Contents:

Full 3/4 1/2 1/8 Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

UN ID# _____

Other:

Sample Description:

Liquid Solid
Clear Opaque

Phases:

1 2 3

Color:

yellow

Viscosity:

Thin Oily Thick NA

Notes:

2-CARV

CONTAINER INVENTORY FORM

D

17

Container Number D17

Type:

Metal ☒ Fiber ☐ Glass ☐ Plastic

Type of Closure:

☒ Open Top ☐ Bung Top ☐ Screw Top

Container Condition:

Sealed ☐ New ☐ Rusted ☐ Dented ☐
☒ Open ☐ Leaking ☐ Torn ☐ Crushed

Proper Shipping Name:

OTHER LABEL INFORMATION:

Manufacturer:

Container Size:

55 gal ☐ 30 gal ☒ 15 gal ☐
5 gal ☐ 1 gal ☐ Other:

Contents:

Full ☐ 3/4 ☐ 1/2 ☒ Empty

DOT Hazard Labels:

Flammable Liquid Corrosive
Flammable Solid Oxidizer
Poison Explosive Radiation
Other:

UN ID#

Other:

Liquid (needs transfer)

Sample Description:

☒ Liquid ☐ Solid
Clear ☐ Opaque

Phases:

☒ 1 ☐ 2 ☐ 3

Color:

Dark Red

Viscosity:

☒ Thin ☐ Oily ☐ Thick ☐ NA

Notes:

2-CARV

CONTAINER INVENTORY FORM

D

18

Container Number D18

Container Size:

Type:

Metal Fiber Glass Plastic

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusty Dented

Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

ROHM AND HAAS CORPORATION
LEUKOTAN MB-A

Other:

Sample Description:

Liquid

Solid

Clear

Opaque

Color:

Red

Viscosity:

Thin Oily Thick NA

Phases:

1

2

3

Notes:

Hazardous Classification Data Sheet

18

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<p>OBSERVATIONS:</p> <p>Viscosity: <u>Water Like</u> Coats Thick Surface Syrup</p> <p>Color: <u>Red</u></p> <p># of phases: <u>1</u> Liquid _____ Solid _____</p> <p>Odor: _____</p>	<p>CYANIDE TEST: (Perform if pH > 7 - no oxidizer)</p> <p>Solution: Color change (cyanide) _____ No color change (no cyanide) <input checked="" type="checkbox"/></p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <input checked="" type="checkbox"/></p> <p>Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/></p> <p>Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____</p> <p>Sinks OR Floats: Partial _____ Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____</p> <p style="text-align: right;"><i>no color change</i></p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: <u>11</u></p>	<p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200 _____</p> <p>Combustible: Sample ignites and sustains flame, PID < 200 _____</p> <p><u>Non-flammable</u> Sample does <u>not</u> ignite or burn</p>
<p>HEXANE SOLUBILITY TEST</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats: _____</p> <p>Emulsion present: Yes _____ No _____</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (Perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change (oxidizer) _____ No color change (not oxidizer) <input checked="" type="checkbox"/></p>	<p>PEROXIDE TEST</p> <p>Test Strip: Moisten with sample material</p> <p>Solution: Color change (peroxide) _____ No color change (no peroxide) _____</p>
<p>SULFIDE TEST: (Perform when pH > 7 - no oxidizer)</p> <p>Test Strip: <u>Wet lead acetate</u> paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>	<p>HEXANE SOLUBILITY TEST</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats: _____</p> <p>Emulsion present: Yes _____ No _____</p>

2-CARV

CONTAINER INVENTORY FORM

D

19

Container Number D19

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusty Dented

Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

ROHM AND HAAS COMPANY

LEUKOTAN 1084

Other:

Sample Description:

Liquid Solid
~~Clear~~ Opaque

Color:

white

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

19

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water Coats <u>Thick</u> Like Surface Syrup Color: <u>clear/white</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	CYANIDE TEST: (Perform if pH >7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
# of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>no color change</u>
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes _____ No _____ Partial <u>✓</u> Sinks OR Floats: Partial _____ Complete _____	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <u>Non-flammable</u> Sample does not ignite or burn
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
OXIDIZER TEST: (perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change <u>✓</u> (oxidizer) (not oxidizer)	SULFIDE TEST: (perform when pH >7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

CONTAINER INVENTORY FORM

D

20

Container Number D20

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusty Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

TANNIN CORPORATION
LIONCAT 25-M

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

20

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<p>OBSERVATIONS:</p> <p>Viscosity: Water Coats Thick Like Surface Syrup</p> <p>Color: _____</p> <p># of phases: _____ Liquid _____ Solid</p> <p>Odor: _____</p>	<p>CYANIDE TEST: (Perform if pH > 7 - no oxidizer)</p> <p>Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____</p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No _____</p> <p>Effervescence or gases: Yes _____ No _____</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats: Partial _____ Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____</p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: _____</p>	<p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200</p> <p>Combustible: Sample ignites and sustains flame, PID < 200</p> <p>Non-flammable: Sample does <u>not</u> ignite or burn</p>
<p>HEXANE SOLUBILITY TEST</p> <p>Circle One:</p> <p>Dissolves: Yes No Partial</p> <p>Sinks OR Floats</p> <p>Emulsion present: Yes No</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (Perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change _____ No color change _____ (oxidizer) (not oxidizer)</p>	<p>PEROXIDE TEST</p> <p>Test Strip: Moisten with sample material</p> <p>Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____</p>
<p>SULFIDE TEST: (Perform when pH > 7 - no oxidizer)</p> <p>Test Strip: <u>Wet lead acetate</u> paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>	

2-CARV

CONTAINER INVENTORY FORM

D
(21)

Container Number D21

Type:

☒ Metal ☐ Fiber ☐ Glass ☐ Plastic

Container Size:

☒ 55 gal ☐ 30 gal ☐ 15 gal
☐ 5 gal ☐ 1 gal ☐ Other: _____

Type of Closure:

☒ Open Top ☐ Bung Top ☐ Screw Top

Contents:

☒ Full ☐ 3/4 ☐ 1/2 ☐ 1/4 ☐ Empty

Container Condition:

☐ Sealed ☐ New ☐ Rusty ☐ Dented
☒ Open ☐ Leaking ☐ Torn ☐ Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

OTHER LABEL INFORMATION:

Manufacturer:

TANNIN CORP.

LIONOL AF-15

Other:

Being Picked
up by Colonial
Leather on 8/30

Sample Description:

☐ Liquid ☐ Solid
☐ Clear ☐ Opaque

Color:

Viscosity:

☐ Thin ☐ Oily ☐ Thick ☐ NA

Phases:

1 2 3

Notes:

21

Project Name: 2-CARV Date: _____
Project Number: _____ Sample ID No.: _____
Personnel: _____
Notes: _____

OBSERVATIONS:	CYANIDE TEST: (Perform if pH >7 - no oxidizer)
Viscosity: Water Coats Thick Like Surface Syrup	Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
Color: _____	COPPER WIRE TEST
# of phases: _____ Liquid _____ Solid	Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____
Odor: _____	
WATER SOLUBILITY TEST: (Add sample to H ₂ O)	FLAMMABILITY TEST
Temperature change: Yes _____ No _____	Circle One:
Effervescence or gases: Yes _____ No _____	Flammable: Sample ignites rapidly or gives PID > 200
Dissolves: Yes _____ No _____ Partial _____	Combustible: Sample ignites and sustains flame, PID < 200
Sinks OR Floats: Partial _____ Complete _____	Non-flammable: Sample does <u>not</u> ignite or burn
pH TEST	PCB TEST
Test Strip: Moisten with sample material and compare color change on package	Perform sample preparation with kit content instructions
Color change number: _____	Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST:	PEROXIDE TEST
Circle One:	Test Strip: Moisten with sample material
Dissolves: Yes No Partial	Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
Sinks OR Floats	
Emulsion present: Yes No	
OXIDIZER TEST: (Perform on H ₂ O solubles only)	SULFIDE TEST: (Perform when pH >7 - no oxidizer)
Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change _____ (oxidizer) (not oxidizer)	Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

CONTAINER INVENTORY FORM

22

Container Number D22

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusty Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Conditioning Mix Oil (handwritten)

Sample Description:

Liquid Solid
Clear Opaque

Phases:

1 2 3

Color:

off white

Viscosity:

Thin Oily Thick NA

Notes:

Hazardous Classification Data Sheet

22

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<p>OBSERVATIONS:</p> <p>Viscosity: Water Like <u>Coats Surface</u> Thick Syrup</p> <p>Color: _____</p> <p># of phases: <u>1</u> Liquid _____ Solid</p> <p>Odor: _____</p>	<p>CYANIDE TEST: (Perform if pH > 7 - no oxidizer)</p> <p>Solution: Color change (cyanide) _____ No color change (no cyanide) _____</p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <u>✓</u></p> <p>Effervescence or gases: Yes _____ No <u>✓</u></p> <p>Dissolves: Yes <u>✓</u> No _____ Partial _____</p> <p>Sinks OR Floats: Partial _____ Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>no color change</u></p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: <u>5</u></p>	<p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200</p> <p>Combustible: Sample ignites and sustains flame, PID < 200</p> <p><u>Non-flammable</u> Sample does <u>not</u> ignite or burn</p>
<p>HEXANE SOLUBILITY TEST:</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats _____</p> <p>Emulsion present: Yes _____ No _____</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (Perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change (oxidizer) _____ No color change (not oxidizer) <u>✓</u></p>	<p>PEROXIDE TEST</p> <p>Test Strip: Moisten with sample material</p> <p>Solution: Color change (peroxide) _____ No color change (no peroxide) _____</p>
<p>SULFIDE TEST: (Perform when pH > 7 - no oxidizer)</p> <p>Test Strip: <u>Wet lead acetate</u> paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>	

2-CARV

CONTAINER INVENTORY FORM

D
23

Container Number D23

Container Size:

Type:

Metal Fiber Glass Plastic

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented

Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Consolidated Color Company
UTD-1850

Other:

STAHL Flame Retardant (handwritten)

Sample Description:

Liquid

Solid

Clear

Opaque

Color:

white opaque

Viscosity:

Thin

Oily Thick NA

Phases:

1

2

3

Notes:

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

23

<p>OBSERVATIONS:</p> <p>Viscosity: <u>Water Like</u> Coats Thick Surface Syrup</p> <p>Color: <u>white opaque</u></p> <p># of phases: <u>1</u> Liquid _____ Solid _____</p> <p>Odor: _____</p>	<p>CYANIDE TEST: (Perform if pH > 7 - no oxidizer)</p> <p>Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____</p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <u>✓</u></p> <p>Effervescence or gases: Yes _____ No <u>✓</u></p> <p>Dissolves: Yes <u>✓</u> No _____ Partial _____</p> <p>Sinks OR Floats: Partial _____ Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____</p> <p style="text-align: right;"><i>no color change</i></p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: <u>1</u></p>	<p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200</p> <p>Combustible: Sample ignites and sustains flame, PID < 200</p> <p><u>Non-flammable</u> Sample does <u>not</u> ignite or burn</p>
<p>HEXANE SOLUBILITY TEST:</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats _____</p> <p>Emulsion present: Yes _____ No _____</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (Perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change _____ No color change <u>✓</u> (oxidizer) (not oxidizer)</p>	<p>PEROXIDE TEST</p> <p>Test Strip: Moisten with sample material</p> <p>Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____</p>
<p>SULFIDE TEST: (Perform when pH > 7 - no oxidizer)</p> <p>Test Strip: <u>Wet lead acetate</u> paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>	

2-CARV

CONTAINER INVENTORY FORM

D

24

Container Number D24

Type:

Metal ☒ Fiber ☐ Glass ☐ Plastic

Container Size:

55 gal ☐ 30 gal ☒ 15 gal ☐
5 gal ☐ 1 gal ☐ Other:

Type of Closure:

☒ Open Top ☐ Bung Top ☐ Screw Top

Contents:

Full ☐ 3/4 ☐ 1/2 ☒ 1/8 Empty

Container Condition:

Sealed ☐ New ☐ Rusted ☐ Dented ☐

☒ Open ☐ Leaking ☐ Torn ☐ Crushed

DOT Hazard Labels:

Flammable Liquid Corrosive

Flammable Solid Oxidizer

Poison Explosive Radiation

Other:

Proper Shipping Name:

UN ID#

OTHER LABEL INFORMATION:

Manufacturer:

Consolidated Color Company
5263

Other:

VITASOL - 25 (Handwritten)

Sample Description:

☒ Liquid ☐ Solid
Clear ☐ Opaque

Phases:

1 ☒ 2 ☐ 3 ☐

Color:

white/brown

Viscosity:

☒ Thin ☐ Oily ☒ Thick NA

Notes:

Thin liquid with thick bottom

Hazardous Classification Data Sheet

24

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: <u>Water Like</u> Coats Surface <u>Thick Syrup</u> Color: <u>white/brown</u> # of phases: <u>1</u> Liquid <u>1</u> Solid Odor: _____	CYANIDE TEST: (Perform if pH >7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
# of phases: <u>1</u> Liquid <u>1</u> Solid Odor: _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <div style="text-align: right; margin-top: 10px;"><u>no color change</u></div>
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes _____ No <u>✓</u> Partial _____ Sinks OR <u>Floats</u> : Partial _____ Complete _____	FLAMMABILITY TEST Circle One: <u>Flammable</u> Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does <u>not</u> ignite or burn
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats Emulsion present: Yes _____ No _____	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl _____ Color change _____ No color change _____ (oxidizer) (not oxidizer)	SULFIDE TEST: (Perform when pH >7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

CONTAINER INVENTORY FORM

25

Container Number D25

Container Size:

Type:

Metal Fiber Glass Plastic

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented

Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Whittemore - Wright, CO.

Process Oil For Leather Use

Other:

Sample Description:

Liquid

Solid

Clear

Opaque

Color:

Brown

Viscosity:

Thin Oily Thick NA

Phases:

1

2

3

Notes:

25

Hazardous Classification Data Sheet

Project Name: 2-CARV

Date: _____

Project Number: _____

Sample ID No.: _____

Personnel: _____

Notes: _____

OBSERVATIONS:	CYANIDE TEST: (Perform if pH > 7 - no oxidizer)
Viscosity: Water Coats Thick Like Surface Syrup	Solution: Color change _____ No color change (cyanide) _____ (no cyanide) _____
Color: <u>Brown</u>	COPPER WIRE TEST
# of phases: _____ Liquid <u>1</u> Solid	Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____
Odor: _____	FLAMMABILITY TEST <u>none</u>
WATER SOLUBILITY TEST: (Add sample to H ₂ O)	Circle One: Flammable: Sample ignites rapidly or gives PID > 200 <u>Combustible</u> : Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does <u>not</u> ignite or burn
Temperature change: Yes _____ No <u>✓</u>	
Effervescence or gases: Yes _____ No <u>✓</u>	
Dissolves: Yes _____ No <u>✓</u> Partial _____	
Sinks OR Floats: Partial _____ Complete _____	
pH TEST	PCB TEST
Test Strip: Moisten with sample material and compare color change on package	Perform sample preparation with kit content instructions
Color change number: <u>5</u>	Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST	PEROXIDE TEST
Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No	Test Strip: Moisten with sample material
	Solution: Color change _____ No color change (peroxide) _____ (no peroxide) _____
OXIDIZER TEST: (Perform on H ₂ O solubles only)	SULFIDE TEST: (Perform when pH > 7 - no oxidizer)
Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change <u>✓</u> (oxidizer) (not oxidizer)	Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

CONTAINER INVENTORY FORM

D

26

Container Number D26

Container Size:

Type:

Metal Fiber Glass Plastic

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Whittemore - Wright Co.
Process Oil For Leather use

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

Brown

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

26

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<p>OBSERVATIONS:</p> <p>Viscosity: Water Coats Thick Like Surface Syrup</p> <p>Color: <u>Brown</u></p> <p># of phases: <u>1</u> Liquid _____ Solid _____</p> <p>Odor: _____</p>	<p>CYANIDE TEST: (Perform if pH > 7 - no oxidizer)</p> <p>Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____</p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <u>✓</u></p> <p>Effervescence or gases: Yes _____ No <u>✓</u></p> <p>Dissolves: Yes <u>✓</u> No _____ Partial _____</p> <p>Sinks OR Floats: Partial _____ Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: <u>Green</u> (chlorine compound) _____ orange (sodium compound) _____ other color _____</p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: <u>5</u></p>	<p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200</p> <p><u>Combustible</u>: Sample ignites and sustains flame, PID < 200</p> <p>Non-flammable: Sample does <u>not</u> ignite or burn</p>
<p>HEXANE SOLUBILITY TEST:</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats _____</p> <p>Emulsion present: Yes _____ No _____</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (Perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl <u>✓</u></p> <p>Color change _____ No color change _____ (oxidizer) (not oxidizer)</p>	<p>PEROXIDE TEST</p> <p>Test Strip: Moisten with sample material</p> <p>Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____</p>
<p>SULFIDE TEST: (Perform when pH > 7 - no oxidizer)</p> <p>Test Strip: <u>Wet lead acetate</u> paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>	

2-CARV

CONTAINER INVENTORY FORM

D

27

Container Number D 27

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusty Dented

Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

Ethylene Diamine Tetra
Acetic Acid Sodium Salt

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

MANN DISTRIBUTION
EDTA-100

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

Clear

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

27

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<p>OBSERVATIONS:</p> <p>Viscosity: Water Like Coats Thick Surface Syrup</p> <p>Color: <u>clear</u></p> <p># of phases: <u>1</u> Liquid _____ Solid _____</p> <p>Odor: _____</p>	<p>CYANIDE TEST: (Perform if pH >7 - no oxidizer)</p> <p>Solution: Color change (cyanide) _____ No color change (no cyanide) <input checked="" type="checkbox"/></p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <input checked="" type="checkbox"/></p> <p>Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/></p> <p>Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____</p> <p>Sinks OR Floats: Partial _____ Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____</p> <p style="text-align: right;"><u>no color change</u></p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: <u>11</u></p>	<p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200 _____</p> <p>Combustible: Sample ignites and sustains flame, PID < 200 _____</p> <p>Non-flammable: Sample does <u>not</u> ignite or burn</p>
<p>HEXANE SOLUBILITY TEST:</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats _____</p> <p>Emulsion present: Yes _____ No _____</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (Perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change (oxidizer) _____ No color change (not oxidizer) <input checked="" type="checkbox"/></p>	<p>PEROXIDE TEST</p> <p>Test Strip: Moisten with sample material</p> <p>Solution: Color change (peroxide) _____ No color change (no peroxide) _____</p>
<p>SULFIDE TEST: (Perform when pH >7 - no oxidizer)</p> <p>Test Strip: Wet lead acetate paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>	

2-CARV

CONTAINER INVENTORY FORM

D

28

Container Number D28

Type:

☒ Metal ☐ Fiber ☐ Glass ☐ Plastic

Type of Closure:

☒ Open Top ☐ Bung Top ☐ Screw Top

Container Condition:

☐ Sealed ☐ New ☐ Rusted ☐ Dented

☒ Open ☐ Leaking ☐ Torn ☐ Crushed

Proper Shipping Name:

Container Size:

☒ 55 gal ☐ 30 gal ☐ 15 gal
☐ 5 gal ☐ 1 gal ☐ Other: _____

Contents:

☒ Full ☐ 3/4 ☐ 1/2 ☐ 1/4 ☐ Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Tannin Corporation

LionCat SG-3

Other:

Sample Description:

Liquid ☐ Solid ☐
Clear ☐ Opaque ☐

Phases:

1 2 3

Color:

Viscosity:

Thin Oily Thick NA

Notes:

2-CARV

CONTAINER INVENTORY FORM

D

29

Container Number D29

Type:

Metal Fiber Glass Plastic

Type of Closure:

Open Top Bung Top Screw Top

Container Condition:

Sealed New Rusted Dented

Open Leaking Torn Crushed

Proper Shipping Name:

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Contents:

Full 3/4 1/2 1/4 Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Stahl

Other:

Burgundy (Aqueous Pigment)

Sample Description:

Liquid Solid
Clear Opaque

Phases:

1 2 3

Color:

purple / Red

Viscosity:

~~Thin~~ Oily Thick NA

Notes:

Hazardous Classification Data Sheet

29

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<p>OBSERVATIONS:</p> <p>Viscosity: Water Like Coats Surface <u>Thick Syrup</u></p> <p>Color: <u>Red/purple</u></p> <p># of phases: <u>1</u> Liquid _____ Solid _____</p> <p>Odor: _____</p>	<p>CYANIDE TEST: (Perform if pH > 7 - no oxidizer)</p> <p>Solution: Color change <u>N/A</u> No color change <u>test strip changed color of dye</u> (cyanide) _____ (no cyanide) _____</p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <u>✓</u></p> <p>Effervescence or gases: Yes _____ No <u>✓</u></p> <p>Dissolves: Yes <u>✓</u> No _____ Partial _____</p> <p>Sinks OR Floats: Partial _____ Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____</p> <p><u>no color change</u></p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: <u>8</u> <u>when diluted</u></p>	<p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200 _____</p> <p>Combustible: Sample ignites and sustains flame, PID < 200 _____</p> <p><u>Non-flammable</u> Sample does <u>not</u> ignite or burn</p>
<p>HEXANE SOLUBILITY TEST</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats _____</p> <p>Emulsion present: Yes _____ No _____</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (Perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change _____ No color change <u>✓</u> (oxidizer) (not oxidizer)</p>	<p>PEROXIDE TEST</p> <p>Test Strip: Moisten with sample material</p> <p>Solution: Color change _____ No color change _____ (peroxide) (no peroxide)</p>
<p>SULFIDE TEST: (Perform when pH > 7 - no oxidizer)</p> <p>Test Strip: <u>Wet lead acetate</u> paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>	

2-CARV

CONTAINER INVENTORY FORM

D

30

Container Number D29

Type:

Metal Fiber Glass Plastic

Type of Closure:

Open Top Bung Top Screw Top

Container Condition:

Sealed New Rusty Dented
Open Leaking Torn Crushed

Proper Shipping Name:

OTHER LABEL INFORMATION:

Manufacturer:

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Contents:

Full 3/4 1/2 1/4 Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

UN ID# _____

Other:

Sample Description:

Liquid

Clear

Phases:

1

2

3

with
Solid

Opaque

Color:

white

Viscosity:

Thin Oily Thick NA

Notes:

Hazardous Classification Data Sheet

30

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: <u>Water Like</u> Coats Thick Surface Syrup Color: <u>white</u> # of phases: <u>1</u> Liquid <u>1</u> Solid Odor: _____	CYANIDE TEST: (Perform if pH >7 - no oxidizer) Solution: Color change (cyanide) _____ No color change (no cyanide) _____
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <input checked="" type="checkbox"/> Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <i>No color change</i>
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <u>Non-flammable</u> : Sample does <u>not</u> ignite or burn
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats _____ Emulsion present: Yes _____ No _____	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change (oxidizer) _____ No color change (not oxidizer) <input checked="" type="checkbox"/>	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change (peroxide) _____ No color change (no peroxide) _____
SULFIDE TEST: (Perform when pH >7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____	OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change (oxidizer) _____ No color change (not oxidizer) <input checked="" type="checkbox"/>

2-Carv

D31

CONTAINER INVENTORY FORM

Container Number D 31

Type:

Metal ☒ Fiber ☐ Glass ☐ Plastic

Container Size:

55 gal ☐ 30 gal ☒ 15 gal ☐
5 gal ☐ 1 gal ☐ Other:

Type of Closure:

☒ Open Top ☐ Bung Top ☐ Screw Top

Contents:

☒ Full ☐ 3/4 ☐ 1/2 ☐ 1/4 ☐ Empty

Container Condition:

Scaled ☐ New ☐ Rusted ☐ Dented ☐
☒ Open ☐ Leaking ☐ Torn ☐ Crushed

DOT Hazard Labels:

Flammable Liquid Corrosive
Flammable Solid Oxidizer
Poison Explosive Radiation
Other:

Proper Shipping Name:

UN ID#

OTHER LABEL INFORMATION:

Manufacturer:

Consolidated Color Company
CC - 6500

Other:

Sample Description:

☒ Liquid ☐ Solid
Clear ☐ Opaque

Color:

Black

Viscosity:

☒ Thin ☐ Oily ☐ Thick ☐ NA

Phases:

☒ 1 ☐ 2 ☐ 3

Notes:

Hazardous Classification Data Sheet

Project Name: _____ Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water Coats Thick Like Surface Syrup Color: <u>Black</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	CYANIDE TEST: (Perform if pH >7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
# of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <div style="text-align: center; font-size: 1.2em;">No color change</div>
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <input checked="" type="checkbox"/> Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable Sample does not ignite or burn
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change _____ (oxidizer) (not oxidizer)	SULFIDE TEST: (Perform when pH >7 - no oxidizer) Test Strip: Wet lead acetate paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

D32

CONTAINER INVENTORY FORM

Container Number D32

Type:

Metal ☒ Fiber ☐ Glass ☐ Plastic ☐

Container Size:

☒ 55 gal ☐ 30 gal ☐ 15 gal
☐ 5 gal ☐ 1 gal ☐ Other: _____

Type of Closure:

☒ Open Top ☐ Bung Top ☐ Screw Top

Contents:

Full ☐ 3/4 ☐ 1/2 ☒ 1/4 ☐ Empty

Container Condition:

Sealed ☐ New ☐ Rusty ☐ Dented ☐
☒ Open ☐ Leaking ☐ Torn ☐ Crushed ☐

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Consolidated Color Company
UP-1441

Other:

Sample Description:

☒ Liquid

☐ Solid

Clear ☐

☒ Opaque

Phases:

☒ 1

☐ 2

☐ 3

Color:

Orange

Viscosity:

Thin ☐ Oily ☐ Thick ☒ NA

Notes:

D32

Hazardous Classification Data Sheet

Project Name: _____ Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS:		CYANIDE TEST: (Perform if pH >7 - no oxidizer)	
Viscosity: Water Coats <u>Thick</u> Like Surface Syrup		Solution: Color change No color change (cyanide) _____ (no cyanide) _____	
Color: <u>orange</u>		COPPER WIRE TEST	
# of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____		Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>No color change</u>	
WATER SOLUBILITY TEST: (Add sample to H ₂ O)		FLAMMABILITY TEST	
Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes <u>✓</u> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____		Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <u>Non-Flammable:</u> Sample does <u>not</u> ignite or burn	
pH TEST		PCB TEST	
Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>		Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)	
HEXANE SOLUBILITY TEST:		PEROXIDE TEST	
Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No		Test Strip: Moisten with sample material Solution: Color change No color change (peroxide) _____ (no peroxide) _____	
OXIDIZER TEST: (Perform on H ₂ O solubles only)		SULFIDE TEST: (Perform when pH >7 - no oxidizer)	
Wet potassium iodide (KI) paper with 3M HCl Color change <u>No color change</u> (oxidizer) (not oxidizer)		Test Strip: <u>Wet lead acetate paper with 3M HCl</u> Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

D33

CONTAINER INVENTORY FORM

Container Number D33

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Parts Cleaner written on it

Sample Description:

Liquid Solid
Clear Opaque

Color:

clear

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

D33

Hazardous Classification Data Sheet

Project Name: _____ Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS:		CYANIDE TEST: (Perform if pH >7 - no oxidizer)	
Viscosity: <u>Water</u> Coats Thick <u>Like</u> Surface Syrup Color: <u>clear</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____		Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____	
		COPPER WIRE TEST	
		Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>No color change</u>	
WATER SOLUBILITY TEST: (Add sample to H ₂ O)		FLAMMABILITY TEST	
Temperature change: Yes _____ No <input checked="" type="checkbox"/> Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____		Circle One: <u>Flammable</u> Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does <u>not</u> ignite or burn	
pH TEST		PCB TEST	
Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>		Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)	
HEXANE SOLUBILITY TEST:		PEROXIDE TEST	
Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No		Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____	
OXIDIZER TEST: (Perform on H ₂ O solubles only)		SULFIDE TEST: (Perform when pH >7 - no oxidizer)	
Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change _____ (oxidizer) (not oxidizer)		Test Strip: <u>Wet lead acetate paper with 3M HCl</u> Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

D34

CONTAINER INVENTORY FORM

Container Number D34

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Stahl
Renektan zy-C

Other:

tanning Agent

Sample Description:

Liquid Solid
Clear Opaque

Color:

Blue

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

D34

Hazardous Classification Data Sheet

Project Name: _____ Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS:		CYANIDE TEST: (Perform if pH >7 - no oxidizer)	
Viscosity: Water Coats <u>Thick</u> Like Surface Syrup Color: <u>Blue</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____		Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____	
		COPPER WIRE TEST	
		Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>No color change</u>	
WATER SOLUBILITY TEST: (Add sample to H ₂ O)		FLAMMABILITY TEST	
Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes <u>✓</u> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____		Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <u>Non-flammable:</u> Sample does not ignite or burn	
pH TEST		PCB TEST	
Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>		Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)	
HEXANE SOLUBILITY TEST:		PEROXIDE TEST	
Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No		Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____	
OXIDIZER TEST: (Perform on H ₂ O solubles only)		SULFIDE TEST: (Perform when pH >7 - no oxidizer)	
Wet potassium iodide (KI) paper with <u>3M HCl</u> Color change _____ No color change _____ (oxidizer) (not oxidizer)		Test Strip: <u>Wet lead acetate paper with 3M HCl</u> Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

CONTAINER INVENTORY FORM

D35

Container Number D35

Type:

☒ Metal ☐ Fiber ☐ Glass ☐ Plastic

Type of Closure:

☒ Open Top ☐ Bung Top ☐ Screw Top

Container Condition:

☐ Sealed ☐ New ☐ Rusted ☐ Dented
☒ Open ☐ Leaking ☐ Torn ☐ Crushed

Proper Shipping Name:

OTHER LABEL INFORMATION:

Manufacturer:

Container Size:

☒ 55 gal ☐ 30 gal ☐ 15 gal
☐ 5 gal ☐ 1 gal ☐ Other: _____

Contents:

☒ Full ☐ 3/4 ☐ 1/2 ☐ 1/4 ☐ Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

UN ID# _____

Other:

Sample Description:

☒ Liquid

Clear

Phases:

1

2

3

☐ Solid

☒ Opaque

Color:

BLACK

Viscosity:

☒ Thin ☐ Oily ☐ Thick ☐ NA

Notes:

Hazardous Classification Data Sheet

OBSERVATIONS:		CYANIDE TEST: (Perform if pH >7 - no oxidizer)	
Viscosity: <u>Water</u> Coats Thick Like Surface Syrup		Solution: Color change _____ No color change (cyanide) _____ (no cyanide) _____	
Color: <u>BLACK</u>		COPPER WIRE TEST	
# of phases: <u>1</u> Liquid _____ Solid		Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____	
Odor: _____		<u>NO COLOR CHANGE</u>	
WATER SOLUBILITY TEST: (Add sample to H ₂ O)		FLAMMABILITY TEST	
Temperature change: Yes _____ No <u>✓</u>		Circle One:	
Effervescence or gases: Yes _____ No <u>✓</u>		Flammable: Sample ignites rapidly or gives PID > 200	
Dissolves: Yes <u>✓</u> No <u>✓</u> Partial _____		<u>Combustible:</u> Sample ignites and sustains flame, PID < 200	
Sinks OR <u>(Floats)</u> Partial _____ Complete <u>✓</u>		Non-flammable: Sample does <u>not</u> ignite or burn	
pH TEST		PCB TEST	
Test Strip: Moisten with sample material and compare color change on package		Perform sample preparation with kit content instructions	
Color change number: <u>5</u>		Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)	
HEXANE SOLUBILITY TEST:		PEROXIDE TEST	
Circle One:		Test Strip: Moisten with sample material	
Dissolves: Yes _____ No _____ Partial _____		Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____	
Sinks OR Floats			
Emulsion present: Yes _____ No _____			
OXIDIZER TEST: (Perform on H ₂ O solubles only)		SULFIDE TEST: (Perform when pH >7 - no oxidizer)	
Wet potassium iodide (KI) paper with 3M HCl		Test Strip: <u>Wet lead acetate paper with 3M HCl</u>	
Color change _____ No color change _____ (oxidizer) (not oxidizer)		Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

D36

CONTAINER INVENTORY FORM

Container Number D36

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

Black

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

D36

OBSERVATIONS:		CYANIDE TEST: (Perform if pH >7 - no oxidizer)	
Viscosity: <u>Water like</u> Coats Thick Surface Syrup		Solution: Color change (cyanide) _____ No color change (no cyanide) _____	
Color: <u>Black</u>		COPPER WIRE TEST	
# of phases: <u>1</u> Liquid _____ Solid _____		Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____	
Odor: _____		<u>No color change</u>	
WATER SOLUBILITY TEST: (Add sample to H ₂ O)		FLAMMABILITY TEST	
Temperature change: Yes _____ No <u>✓</u>		Circle One:	
Effervescence or gases: Yes _____ No <u>✓</u>		Flammable: Sample ignites rapidly or gives PID > 200	
Dissolves: Yes _____ No <u>✓</u> Partial _____		<u>Combustible</u> Sample ignites and sustains flame, PID < 200	
Sinks OR <u>Floats</u> Partial _____ Complete <u>✓</u>		Non-flammable: Sample does <u>not</u> ignite or burn	
pH TEST		PCB TEST	
Test Strip: Moisten with sample material and compare color change on package		Perform sample preparation with kit content instructions	
Color change number: <u>5</u>		Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)	
HEXANE SOLUBILITY TEST:		PEROXIDE TEST	
Circle One:		Test Strip: Moisten with sample material	
Dissolves: Yes _____ No _____ Partial _____		Solution: Color change (peroxide) _____ No color change (no peroxide) _____	
Sinks OR Floats _____			
Emulsion present: Yes _____ No _____			
OXIDIZER TEST: (Perform on H ₂ O solubles only)		SULFIDE TEST: (Perform when pH >7 - no oxidizer)	
Wet potassium iodide (KI) paper with 3M HCl		Test Strip: <u>Wet lead acetate paper with 3M HCl</u>	
Color change (oxidizer) _____ No color change (not oxidizer) _____		Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

D37

CONTAINER INVENTORY FORM

Container Number D37

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusty Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Atlas Refinery Inc,
Eureka FN

Other:

Sample Description:

Liquid
Clear

Solid
Opaque

Color:

Red

Viscosity:

Thin Oily Thick NA

Phases:

1

2

3

Notes:

D37

Hazardous Classification Data Sheet

Project Name: _____ Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS:		CYANIDE TEST: (Perform if pH > 7 - no oxidizer)	
Viscosity: Water Coats <u>Thick</u> Thin Surface Syrup Color: <u>Red</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____		Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____	
		COPPER WIRE TEST	
		Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>NO COLOR CHANGE</u>	
WATER SOLUBILITY TEST: (Add sample to H ₂ O)		FLAMMABILITY TEST	
Temperature change: Yes _____ No <input checked="" type="checkbox"/> Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes _____ No _____ Partial <input checked="" type="checkbox"/> <u>Sinks</u> OR <u>Floats</u> Partial <input checked="" type="checkbox"/> Complete _____		Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <u>Non-flammable:</u> Sample does <u>not</u> ignite or burn	
pH TEST		PCB TEST	
Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>		Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)	
HEXANE SOLUBILITY TEST:		PEROXIDE TEST	
Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats Emulsion present: Yes _____ No _____		Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____	
OXIDIZER TEST: (Perform on H ₂ O solubles only)		SULFIDE TEST: (Perform when pH > 7 - no oxidizer)	
Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change _____ (oxidizer) (not oxidizer)		Test Strip: Wet lead acetate paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

D38

CONTAINER INVENTORY FORM

Container Number D38

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Stahl
Salem H-700

Other:

Pate Antique

Sample Description:

Liquid

Solid

Clear

Opaque

Color:

Dark Red

Viscosity:

Thin Oily Thick NA

Phases:

1

2

3

Notes:

Hazardous Classification Data Sheet

Project Name: _____ Date: _____
Project Number: _____ Sample ID No.: _____
Personnel: _____
Notes: _____

OBSERVATIONS:		CYANIDE TEST: (Perform if pH >7 - no oxidizer)	
Viscosity: Water Coats Thick Like Surface Syrup		Solution: Color change (cyanide) _____ No color change (no cyanide) _____	
Color: <u>DARK BROWN LIQ</u>		COPPER WIRE TEST	
# of phases: <u>1</u> Liquid _____ Solid _____		Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____	
Odor: <u>NO CHANGE</u>		<u>no color change</u>	
WATER SOLUBILITY TEST: (Add sample to H ₂ O)		FLAMMABILITY TEST	
Temperature change: Yes _____ No <input checked="" type="checkbox"/>		Circle One:	
Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/>		Flammable: Sample ignites rapidly or gives PID > 200	
Dissolves: Yes _____ No _____ Partial <input checked="" type="checkbox"/>		Combustible: Sample ignites and sustains flame, PID < 200	
<input checked="" type="checkbox"/> Sink OR <input checked="" type="checkbox"/> Floats Partial _____ Complete _____		<input checked="" type="checkbox"/> Non-flammable: Sample does <u>not</u> ignite or burn	
pH TEST		PCB TEST	
Test Strip: Moisten with sample material and compare color change on package		Perform sample preparation with kit content instructions	
Color change number: <u>5</u>		Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)	
HEXANE SOLUBILITY TEST:		PEROXIDE TEST	
Circle One:		Test Strip: Moisten with sample material	
Dissolves: Yes _____ No _____ Partial _____		Solution: Color change (peroxide) _____ No color change (no peroxide) _____	
Sinks OR Floats			
Emulsion present: Yes _____ No _____			
OXIDIZER TEST: (Perform on H ₂ O solubles only)		SULFIDE TEST: (Perform when pH >7 - no oxidizer)	
Wet potassium iodide (KI) paper with 3M HCl		Test Strip: <u>Wet lead acetate paper with 3M HCl</u>	
Color change (oxidizer) _____ No color change (not oxidizer) <input checked="" type="checkbox"/>		Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

D

39

CONTAINER INVENTORY FORM

Container Number D39

Type:

Metal Fiber Glass Plastic

Type of Closure:

Open Top Bung Top Screw Top

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

Proper Shipping Name:

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Contents:

Full 3/4 1/2 1/4 Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

UN ID# 1993

OTHER LABEL INFORMATION:

Manufacturer:

o-BASF

Amoilan IP

Other:

Sample Description:

Liquid Solid
Clear Opaque

Phases:

1 2 3

Color:

Clear

Viscosity:

Thin Oily Thick NA

Notes:

Hazardous Classification Data Sheet

Project Name: _____ Date: _____
Project Number: _____ Sample ID No.: _____
Personnel: _____
Notes: _____

OBSERVATIONS:		CYANIDE TEST: (Perform if pH >7 - no oxidizer)	
Viscosity: <u>Water Like</u> Coats Thick Surface Syrup		Solution: Color change (cyanide) _____ No color change (no cyanide) _____	
Color: _____		COPPER WIRE TEST	
# of phases: <u>4/1</u> Liquid _____ Solid _____		Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____	
Odor: _____		<u>no color change</u>	
WATER SOLUBILITY TEST: (Add sample to H ₂ O)		_____	
Temperature change: Yes _____ No <input checked="" type="checkbox"/>		Circle One:	
Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/>		Flammable: Sample ignites rapidly or gives PID > 200	
Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____		Combustible: Sample ignites and sustains flame, PID < 200	
Sinks OR Floats: Partial _____ Complete _____		<u>Non-flammable</u> : Sample does <u>not</u> ignite or burn	
pH TEST		PCB TEST	
Test Strip: Moisten with sample material and compare color change on package <u>4</u>		Perform sample preparation with kit content instructions	
Color change number: _____		Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)	
HEXANE SOLUBILITY TEST:		PEROXIDE TEST	
Circle One:		Test Strip: Moisten with sample material	
Dissolves: Yes No Partial		Solution: Color change (peroxide) _____ No color change (no peroxide) _____	
Sinks OR Floats			
Emulsion present: Yes No			
OXIDIZER TEST: (Perform on H ₂ O solubles only)		SULFIDE TEST: (Perform when pH >7 - no oxidizer)	
Wet potassium iodide (KI) paper with 3M HCl		Test Strip: <u>Wet lead acetate paper with 3M HCl</u>	
Color change (oxidizer) <u>No color change</u> (not oxidizer)		Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

CONTAINER INVENTORY FORM

D

40

Container Number D40

Container Size:

Type:

Metal Fiber Glass Plastic

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented

Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Surpass Chemical Company, INC.
Leather Strip A

Other:

Being Picked up
by Colonial leather
on 8/30

Sample Description:

Liquid Solid

Clear Opaque

Phases:

1 2 3

Color:

Viscosity:

Thin Oily Thick NA

Notes:

2-CARV

CONTAINER INVENTORY FORM

40

Container Number _____

Type:

Metal Fiber Glass Plastic

Type of Closure:

Open Top Bung Top Screw Top

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

Proper Shipping Name:

OTHER LABEL INFORMATION:

Manufacturer:

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Contents:

Full 3/4 1/2 1/4 Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

UN ID# _____

Other:

Sample Description:

Liquid Solid
Clear Opaque

Phases:

1 2 3

Color:

Viscosity:

Thin Oily Thick NA

Notes:

2-CARV

CONTAINER INVENTORY FORM

D

41

Container Number D41

Type:

Metal ☒ Fiber ☐ Glass ☐ Plastic ☐

Type of Closure:

☒ Open Top ☐ Bung Top ☐ Screw Top

Container Condition:

Sealed ☐ New ☐ Rusted ☐ Dented ☐
☒ Open ☐ Leaking ☐ Torn ☐ Crushed ☐

Proper Shipping Name:

Container Size:

55 gal ☐ 30 gal ☒ 15 gal ☐
5 gal ☐ 1 gal ☐ Other: _____

Contents:

☒ Full ☐ 3/4 ☐ 1/2 ☐ 1/4 ☐ Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Consolidated Color Company
LBX-2122

Other:

Sample Description:

☒ Liquid ☐ Solid
Clear ☒ Opaque

Phases:

☒ 1 ☐ 2 ☐ 3

Color:

Red

Viscosity:

☒ Thin ☐ Oily ☐ Thick ☐ NA

Notes:

D41

Hazardous Classification Data Sheet

Project Name: _____ Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water Like Coats Surface Thick Syrup Color: <u>RED</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	CYANIDE TEST: (Perform if pH >7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
# of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <div style="text-align: center; font-size: 1.2em; font-weight: bold;">NO color change</div>
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <input checked="" type="checkbox"/> Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does <u>not</u> ignite or burn
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>7</u>	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats _____ Emulsion present: Yes _____ No _____	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change (oxidizer) (not oxidizer)	SULFIDE TEST: (Perform when pH >7 - no oxidizer) Test Strip: Wet lead acetate paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

CONTAINER INVENTORY FORM

D **42**

Container Number D42

Type:

Metal Fiber Glass **Plastic**

Container Size:

55 gal **30 gal** 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 **1/4** Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Sample Description:

Liquid Solid
Clear **Opaque**

Phases:

1 **2** 3

Color:

↓

Viscosity:

Thin Oily **Thick** NA

Notes:

green top
brown bottom

D42

Hazardous Classification Data Sheet

Project Name: _____ Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS:		CYANIDE TEST: (Perform if pH > 7 - no oxidizer)	
Viscosity: Water Coats Thick Like Surface Syrup		Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____	
Color: <u>green / brown</u>		COPPER WIRE TEST	
# of phases: <u>2</u> Liquid _____ Solid _____ Odor: _____		Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>NO COLOR CHANGE</u>	
WATER SOLUBILITY TEST: (Add sample to H ₂ O)		FLAMMABILITY TEST	
Temperature change: Yes _____ No <input checked="" type="checkbox"/> Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____		Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does not ignite or burn	
pH TEST		PCB TEST	
Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>		Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)	
HEXANE SOLUBILITY TEST:		PEROXIDE TEST	
Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No		Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____	
OXIDIZER TEST: (Perform on H ₂ O solubles only)		SULFIDE TEST: (Perform when pH > 7 - no oxidizer)	
Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change _____ (oxidizer) (not oxidizer)		Test Strip: Wet lead acetate paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

D

43

CONTAINER INVENTORY FORM

Container Number D43

Container Size:

Type:

Metal Fiber Glass Plastic

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Consolidated Color Company
BF-19

Other:

[Redacted]

Color:

Black

Viscosity:

Thin Oily Thick NA

Liquid

Solid

Clear

Opaque

Phases:

~~1~~

2

3

Notes:

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: <u>Water Like</u> Coats Thick Surface Syrup Color: <u>BLACK</u> # of phases: <u>1</u> Liquid <u>1</u> Solid Odor: _____	CYANIDE TEST: (Perform if pH > 7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes <u>✓</u> No _____ Partial <u>✓</u> <u>Sinks</u> OR Floats: Partial <u>✓</u> Complete _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>no color change</u>
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>6</u>	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <u>Non-flammable:</u> Sample does <u>not</u> ignite or burn
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats Emulsion present: Yes _____ No _____	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change _____ (oxidizer) (not oxidizer)	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
SULFIDE TEST: (Perform when pH > 7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

CONTAINER INVENTORY FORM

D

44

Container Number D44

Type:

Metal ☒ Fiber ☐ Glass ☐ Plastic ☐

Type of Closure:

☒ Open Top ☐ Bung Top ☐ Screw Top

Container Condition:

Sealed ☐ New ☐ Rusted ☐ Dented ☐
☒ Open ☐ Leaking ☐ Torn ☐ Crushed ☐

Proper Shipping Name:

Container Size:

55 gal ☐ 30 gal ☒ 15 gal ☐
5 gal ☐ 1 gal ☐ Other: _____

Contents:

☒ Full ☐ 3/4 ☐ 1/2 ☐ 1/4 ☐ Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Consolidated Color Company
UTD - 1850

Other:

Sample Description:

☒ Liquid

Clear ☐

☒ Solid

Opaque ☐

Phases:

1

2

3

Viscosity:

☒ Thin

Oily ☐ Thick ☐ NA ☐

Notes:

D 44

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<div style="border: 1px solid black; border-radius: 50%; width: 100px; height: 20px; margin: 0 auto;"></div>	CYANIDE TEST: (Perform if pH > 7 - no oxidizer)
Viscosity: Water Like Coats Thick Surface Syrup	Solution: Color change (cyanide) _____ No color change (no cyanide) <input checked="" type="checkbox"/>
<div style="border: 1px solid black; border-radius: 50%; width: 100px; height: 20px; margin: 0 auto;"></div> green	COPPER WIRE TEST
# of phases: <u>1</u> Liquid <u>1</u> Solid Odor: _____	Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____
<div style="border: 1px solid black; border-radius: 50%; width: 100px; height: 20px; margin: 0 auto;"></div>	FLAMMABILITY TEST NO color change
Temperature change: Yes _____ No _____ Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes _____ No _____ Partial <input checked="" type="checkbox"/> Sinks OR Floats: Partial <u>None</u> Complete _____	Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does <u>not</u> ignite or burn
pH TEST	PCB TEST
Test Strip: Moisten with sample material and compare color change on package Color change number: <u>8</u>	Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST	PEROXIDE TEST
Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats _____ Emulsion present: Yes _____ No _____	Test Strip: Moisten with sample material Solution: Color change (peroxide) _____ No color change (no peroxide) _____
OXIDIZER TEST: (perform on H ₂ O solubles only)	SULFIDE TEST: (perform when pH > 7 - no oxidizer)
Wet potassium iodide (KI) paper with 3M HCl Color change (oxidizer) _____ No color change (not oxidizer) (not oxidizer)	Test Strip: Wet lead acetate paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

D

45

CONTAINER INVENTORY FORM

Container Number D45

Container Size:

Type:

Metal

Fiber

Glass

Plastic

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top

Bung Top

Screw Top

Contents:

Full

3/4

1/2

1/4

Empty

Container Condition:

Sealed

New

Rusted

Dented

Open

Leaking

Torn

Crushed

DOT Hazard Labels:

Flammable Liquid _____

Corrosive _____

Flammable Solid _____

Oxidizer _____

Poison _____

Explosive _____

Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Consolidated Color Company
BU-AB

Other: _____

Sample Description:

Liquid

Solid

Clear

Opaque

Phases:

1

2

3

Color:

Black

Viscosity:

Thin

Oily Thick NA

Notes:

Hazardous Classification Data Sheet

D

45

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<p>OBSERVATIONS:</p> <p>Viscosity: Water Like Coats Thick Surface Syrup</p> <p>Color: <u>black</u></p> <p># of phases: <u>1</u> Liquid <u>1</u> Solid 2</p> <p>Odor: _____</p> <p>_____ Add sample to H₂O</p> <p>Temperature change: Yes _____ No <input checked="" type="checkbox"/></p> <p>Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/></p> <p>Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____</p> <p>Sinks OR Floats: Partial _____ Complete _____</p>	<p>CYANIDE TEST: (Perform if pH > 7 - no oxidizer)</p> <p>Solution: Color change (cyanide) _____ No color change (no cyanide) _____</p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: <u>5</u></p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____</p> <p><u>no color change</u></p>
<p>HEXANE SOLUBILITY TEST</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats _____</p> <p>Emulsion present: Yes _____ No _____</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change (oxidizer) _____ No color change (not oxidizer) (not oxidizer)</p>	<p>PEROXIDE TEST</p> <p>Test Strip: Moisten with sample material</p> <p>Solution: Color change (peroxide) _____ No color change (no peroxide) _____</p>
<p>SULFIDE TEST: (perform when pH > 7 - no oxidizer)</p> <p>Test Strip: Wet lead acetate paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>	<p>COMBUSTIBILITY TEST</p> <p>Circle One:</p> <p>_____ Sample ignites rapidly or gives PID > 200</p> <p>_____ Sample ignites and sustains flame, PID < 200</p> <p><u>_____</u> Sample does not ignite or burn</p> <p><u>combustible</u></p>

2-CARV

CONTAINER INVENTORY FORM

D

46

Container Number D46

Container Size:



Metal Fiber Glass

Plastic

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

~~Spaced~~ New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Spray Nine

Other:

Cleaner/Degreaser

Sodium Metasilicate

Sodium Dodecylbenzenesulfonate

Being Picked up
by Colonial Leather on 8/30

Sample Description:

Liquid

Solid

Clear

Opaque

Color:

Light Blue

Viscosity:

Thin

Oily Thick NA

Phases:

1

2

3

Notes:

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: <u>Water Like</u> Coats Thick Surface Syrup Color: <u>BLUE</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	CYANIDE TEST: (Perform if pH > 7 - no oxidizer) Solution: Color change (cyanide) _____ No color change (no cyanide) _____
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes <u>✓</u> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>13</u>	FLAMMABILITY TEST <u>NO Color Change</u> Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does <u>not</u> ignite or burn
HEXANE SOLUBILITY TEST Circle One: Dissolves Yes No Partial Sinks OR Floats Emulsion present: Yes No	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
OXIDIZER TEST: (perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change (oxidizer) _____ No color change (not oxidizer) _____	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change (peroxide) _____ No color change (no peroxide) _____
SULFIDE TEST: (perform when pH > 7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

CONTAINER INVENTORY FORM

D

47

Container Number D 47

Container Size:

Type:

Metal Fiber Glass Plastic55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

~~New~~ New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive ✓

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Ammonium HydroxideUN ID# 2672

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Aqua AmmoniaAmmonium hydroxide 19%

Sample Description:

Liquid

Solid

Clear

Opaque

Color:

Red

Viscosity:

Thin

Oily Thick NA

Phases:

1

2

3

Notes:

D 47

Hazardous Cl
2-CARV

OBSERVATIONS:

Color: RED

Odor:

Temperature change: Yes ☐ No ☒

Effervescence or gases: Yes _____ No ☒

Dissolves: Yes No ☒ Partial

Sinks OR Floats Partial Complete ✓

pH TEST

Test Strip: Moisten with sample material and compare color change on package

Color change number: 5

HEXANE SOLUBILITY TEST

Circle One:

Dissolves: Yes No Partial

Sinks OR Floats

Emulsion present: Yes No

OXIDIZER TEST: (Perform on H₂O solubles only)

Wet potassium iodide (KI) paper with 3M HCl

Color change (oxidizer)	No color change (not oxidizer)

CYANIDE TEST: (Perform if pH >7 - no oxidizer)

Solution: Color change	No color change
(cyanide)	(no cyanide)

COPPER WIRE TEST

Flame color: green (chlorine compound)

orange (sodium compound) _____

other color

Circle One:

Flammable: Sample ignites rapidly or gives PID > 200

Combustible: Sample ignites and sustains flame, PID < 200

Non-flammable: Sample does not ignite or burn

PCB TEST

Perform sample preparation with kit content instructions

Solution: Color change _____ No color change _____
(PCB > or = 50 ppm)

PEROXIDE TEST

Test Strip: Moisten with sample material

Solution: Color change (peroxide) _____ No color change (no peroxide) _____

SULFIDE TEST: (perform when pH >7 - no oxidizer)

Test Strip: Wet lead acetate paper with 3M HCl

Darkens (sulfides) Not Darken (no sulfides)

2-CARV

CONTAINER INVENTORY FORM

D

48

Container Number D48

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

~~Sealed~~ New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

TFLR
Magnopal Fis

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

D. blue

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

48

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water <input checked="" type="radio"/> Coats Thick Like Surface Syrup Color: <u>Blue</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	CYANIDE TEST: (Perform if pH >7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
# of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color <u>none</u>
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <input checked="" type="checkbox"/> Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <u>Non-flammable</u> : Sample does <u>not</u> ignite or burn
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats _____ Emulsion present: Yes _____ No _____	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change <input checked="" type="checkbox"/> (oxidizer) (not oxidizer)	SULFIDE TEST: (Perform when pH >7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

CONTAINER INVENTORY FORM

D

49

Container Number D49

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Looks like possibly trash.

Sample Description:

Liquid Solid
Clear Opaque

Color:

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

No sample
Just trash

Hazardous Classification Data Sheet

49

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water Coats Thick Like Surface Syrup Color: _____ # of phases: _____ Liquid _____ Solid Odor: _____	CYANIDE TEST: (Perform if pH >7 - no oxidizer) Solution: Color change No color change (cyanide) _____ (no cyanide) _____
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No _____ Effervescence or gases: Yes _____ No _____ Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: _____	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does <u>not</u> ignite or burn
HEXANE SOLUBILITY TEST Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
OXIDIZER TEST: (perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change No color change (oxidizer) (not oxidizer)	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change No color change (peroxide) _____ (no peroxide) _____
SULFIDE TEST: (perform when pH >7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

D

50

CONTAINER INVENTORY FORM

Container Number D50

Container Size:

Type:

55 gal

30 gal

15 gal

Metal

Fiber

Glass

Plastic

5 gal

1 gal

Other: _____

Type of Closure:

Open Top

Bung Top

Screw Top

Contents:

Full

3/4

1/2

1/4

Empty

Container Condition:

Open

New

Rusted

Dented

Leaking

Torn

Crushed

DOT Hazard Labels:

Flammable Liquid _____

Corrosive _____

Flammable Solid _____

Oxidizer _____

Poison _____

Explosive _____

Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Sample Description:

Liquid

Solid

Clear

Opaque

Color:

white

Viscosity:

Thin Oily Thick NA

Phases:

1

2

3

Notes:

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

50

<p><u>[Redacted]</u></p> <p>Viscosity: Thin Coats Surface <u>Thick Syrup</u></p> <p>Color: <u>White / Yellow</u></p> <p># of phases: <u>1</u> Liquid <u>1</u> Solid</p> <p>Odor: <u>1</u></p>	<p>CYANIDE TEST: (Perform if pH > 7 - no oxidizer)</p> <p>Solution: Color change (cyanide) _____ No color change (no cyanide) _____</p>
<p><u>[Redacted]</u> (sample to H₂O)</p> <p>Temperature change: Yes _____ No <u>✓</u></p> <p>Effervescence or gases: Yes _____ No <u>✓</u></p> <p>Dissolves: Yes <u>✓</u> No _____ Partial <u>✓</u></p> <p>Sinks OR Floats Partial <u>✓</u> Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____</p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: <u>10</u></p>	<p>FLAMMABILITY TEST <u>no color change</u></p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200</p> <p>Combustible: Sample ignites and sustains flame, PID < 200</p> <p>Non-flammable: Sample does <u>not</u> ignite or burn</p>
<p>HEXANE SOLUBILITY TEST</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats _____</p> <p>Emulsion present: Yes _____ No _____</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change (oxidizer) _____ No color change (not oxidizer) <u>✓</u></p>	<p>PEROXIDE TEST</p> <p>Test Strip: Moisten with sample material</p> <p>Solution: Color change (peroxide) _____ No color change (no peroxide) _____</p>
<p>SULFIDE TEST: (perform when pH > 7 - no oxidizer)</p> <p>Test Strip: <u>Wet lead acetate</u> paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>	

2-CARV

D 51

CONTAINER INVENTORY FORM

Container Number D51

Container Size:

Type:

Metal Fiber Glass Plastic

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/8 Empty

Container Condition:

Sealed New Rusted Dented

Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Paradigm Labs
Defoamer NSP-5X

Other:

Sample Description:

Liquid

Solid

Clear

Opaque

Color:

white

Viscosity:

Thin Oily Thick NA

Phases:

1

2

3

Notes:

Hazardous Classification Data Sheet

Project Name: **2-CARV** Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water Coats Thick Like Surface Syrup Color: <u>white</u> _____ Liquid <u>1</u> _____ Solid Odor: _____	CYANIDE TEST: (Perform if pH >7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes _____ No _____ Partial <u>✓</u> Sinks OR <u>Floats</u> : Partial <u>✓</u> Complete _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>No color change</u>
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <u>Non-flammable</u> : Sample does <u>not</u> ignite or burn
HEXANE SOLUBILITY TEST Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats Emulsion present: Yes _____ No _____	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
OXIDIZER TEST: (perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change <u>✓</u> (oxidizer) (not oxidizer)	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
SULFIDE TEST: (perform when pH >7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____	

D

51

2-CARV

CONTAINER INVENTORY FORM

D 52

Container Number D 52

Container Size:

Type:

55 gal 30 gal 15 gal

Metal Fiber Glass Plastic

5 gal 1 gal Other: _____

Type of Closure:

Contents:

Open Top Bung Top Screw Top

Full 3/4 1/2 1/4 Empty

Container Condition:

DOT Hazard Labels:

Sealed New Rusted Dented

Flammable Liquid _____ Corrosive _____

Open Leaking Torn Crushed

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Proper Shipping Name:

Other: _____

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Consolidated Color Company
BF-19

Sample Description:

Color:

Viscosity:

Liquid

Solid

white

Clear

Opaque

~~Thin~~ ~~Medium~~ Thick NA

Phases:

Notes:

1

2

3

52

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS:	CYANIDE TEST: (Perform if pH > 7 - no oxidizer)
Viscosity: Thin Thick Syrup <u>white</u> Color: _____ # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
	COPPER WIRE TEST
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <input checked="" type="checkbox"/> Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>No color change</u> FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does <u>not</u> ignite or burn
pH TEST	PCB TEST
Test Strip: Moisten with sample material and compare color change on package Color change number: <u>7</u>	Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST	PEROXIDE TEST
Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats _____ Emulsion present: Yes _____ No _____	Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
OXIDIZER TEST: (Perform on H ₂ O solubles only)	SULFIDE TEST: (Perform when pH > 7 - no oxidizer)
Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change _____ (oxidizer) (not oxidizer)	Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

D

53

CONTAINER INVENTORY FORM

Container Number D53

Container Size:

Type:

55 gal

30 gal

15 gal

Metal

Fiber

Glass

Plastic

5 gal

1 gal

Other: _____

Type of Closure:

Open Top

Bung Top

Screw Top

Contents:

Full

3/4

1/2

1/4

Empty

Container Condition:

Sealed

New

Rusted

Dented

Open

Leaking

Torn

Crushed

DOT Hazard Labels:

Flammable Liquid _____

Corrosive _____

Flammable Solid _____

Oxidizer _____

Poison _____

Explosive _____

Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Tannin Corporation

Lion proof SP1

Other:

Sample Description:

Liquid

Solid

Clear

Opaque

Color:

Maroon

Viscosity:

Thin Oily Thick NA

Phases:

1

2

3

Notes:

Hazardous Classification Data Sheet

Project Name: L-CARV Date: _____
Project Number: _____ Sample ID No.: _____
Personnel: _____
Notes: _____

OBSERVATIONS:		CYANIDE TEST: (Perform if pH > 7 - no oxidizer)	
Viscosity: Water Coats Thick Like Surface Syrup		Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____	
Color: <u>Maroon</u>		COPPER WIRE TEST	
# of phases: _____ Liquid <u>1</u> Solid		Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color <u>No</u>	
Odor: _____			
WATER SOLUBILITY TEST: (Add sample to H ₂ O)		FLAMMABILITY TEST	
Temperature change: Yes _____ No <u>✓</u>		Circle One:	
Effervescence or gases: Yes _____ No <u>✓</u>		Flammable: Sample ignites rapidly or gives PID > 200	
Dissolves: Yes _____ No _____ Partial <u>✓</u>		Combustible: Sample ignites and sustains flame, PID < 200	
<u>Sinks</u> OR Floats: Partial <u>✓</u> Complete _____		Non-flammable: Sample does <u>not</u> ignite or burn	
pH TEST		PCB TEST	
Test Strip: Moisten with sample material and compare color change on package		Perform sample preparation with kit content instructions	
Color change number: <u>6</u>		Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)	
HEXANE SOLUBILITY TEST:		PEROXIDE TEST	
Circle One:		Test Strip: Moisten with sample material	
Dissolves: Yes No Partial		Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____	
Sinks OR Floats			
Emulsion present: Yes No			
OXIDIZER TEST: (Perform on H ₂ O solubles only)		SULFIDE TEST: (Perform when pH > 7 - no oxidizer)	
Wet potassium iodide (KI) paper with 3M HCl		Test Strip: <u>Wet lead acetate</u> paper with 3M HCl	
Color change _____ No color change <u>_____</u> (oxidizer) (not oxidizer)		Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

D

54

CONTAINER INVENTORY FORM

Container Number D54

Container Size:

Type:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Metal Fiber Glass Plastic

Type of Closure:

Contents:

Open Top Bung Top Screw Top

Full 3/4 1/2 1/4 Empty

Container Condition:

DOT Hazard Labels:

Sealed New Rusted Dented

Flammable Liquid _____ Corrosive _____

Open Leaking Torn Crushed

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Proper Shipping Name:

Other: _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Tannin Corporation

RODA PUR 8103

Sample Description:

Color:

Viscosity:

Liquid

Solid

Red

Thin Oily Thick NA

Clear

Opaque

Phases:

Notes:

~~1~~

2

3

Hazardous Classification Data Sheet

54

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water Coats Thick Like Surface Syrup Color: <u>Red</u> # of phases: <u>1</u> Liquid <u>1</u> Solid Odor: _____	CYANIDE TEST: (Perform if pH > 7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
# of phases: <u>1</u> Liquid <u>1</u> Solid Odor: _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color <u>NO</u>
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <input checked="" type="checkbox"/> Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does <u>not</u> ignite or burn
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>6</u>	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
OXIDIZER TEST: (perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with <u>3M HCl</u> Color change _____ No color change _____ (oxidizer) (not oxidizer)	SULFIDE TEST: (perform when pH > 7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

CONTAINER INVENTORY FORM

D

55

Container Number D55

Container Size:

Type:

55 gal

30 gal

15 gal

Metal

Fiber

Glass

Plastic

5 gal

1 gal

Other: _____

Type of Closure:

Contents:

Open Top

Bung Top

Screw Top

Full

3/4

1/2

1/4

Empty

Container Condition:

DOT Hazard Labels:

Sealed

New

Rusted

Dented

Flammable Liquid _____

Corrosive _____

Open

Leaking

Torn

Crushed

Flammable Solid _____

Oxidizer _____

Poison _____

Explosive _____

Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Tannin Corporation

Sample Description:

Color:

Viscosity:

Liquid

Solid

white

Thin

Oily Thick NA

Clear

Opaque

Phases:

Notes:

1

2

3

Hazardous Classification Data Sheet

55

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<p>OBSERVATIONS:</p> <p>Viscosity: <u>Water Like</u> Coats Thick Surface Syrup</p> <p>Color: <u>white</u></p> <p># of phases: <u>1</u> Liquid _____ Solid _____</p> <p>Odor: _____</p>	<p>CYANIDE TEST: (Perform if pH > 7 - no oxidizer)</p> <p>Solution: Color change (cyanide) _____ No color change (no cyanide) _____</p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <u>✓</u></p> <p>Effervescence or gases: Yes _____ No <u>✓</u></p> <p>Dissolves: Yes <u>✓</u> No _____ Partial _____</p> <p>Sinks OR Floats: Partial _____ Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____</p> <p style="text-align: right; font-size: 1.5em;">No</p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: <u>5</u></p>	<p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200</p> <p>Combustible: Sample ignites and sustains flame, PID < 200</p> <p><u>Non-flammable:</u> Sample does <u>not</u> ignite or burn</p>
<p>HEXANE SOLUBILITY TEST:</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats _____</p> <p>Emulsion present: Yes _____ No _____</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change (oxidizer) _____ No color change (not oxidizer) <u>✓</u></p>	<p>PEROXIDE TEST</p> <p>Test Strip: Moisten with sample material</p> <p>Solution: Color change (peroxide) _____ No color change (no peroxide) _____</p>
<p>SULFIDE TEST: (perform when pH > 7 - no oxidizer)</p> <p>Test Strip: <u>Wet lead acetate</u> paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>	

2-CARV

CONTAINER INVENTORY FORM

D

56

Container Number D56

Type:

Metal Fiber Glass Plastic

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented

Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: Marine Pollutant

Proper Shipping Name:

UN ID# 3082

OTHER LABEL INFORMATION:

Manufacturer:

Struktol Company of America
Limanol Pew

Other:

Sample Description:

Liquid

Solid

Clear

Opaque

Phases:

1

2

3

Color:

yellow

Viscosity:

~~Thin~~

Oily

Thick

NA

Notes:

D 56

Notes: _____

other color _____
No color change

2-CARV

D

57

CONTAINER INVENTORY FORM

Container Number D57

Container Size:

Type:

55 gal

30 gal

15 gal

Metal Fiber Glass Plastic

5 gal

1 gal

Other: _____

Type of Closure:

Contents:

Open Top Bung Top Screw Top

Full 3/4 1/2 1/4 Empty

Container Condition:

DOT Hazard Labels:

Sealed New Rusted Dented

Flammable Liquid _____ Corrosive _____

Open Leaking Torn Crushed

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Proper Shipping Name:

Other: _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Surpass Chemical Company, Inc.
Leather Strip A

Combustible liquid

Being Picked
up by Colonial
leather on 8/30

Sample Description:

Color:

Viscosity:

Liquid

Solid

Clear

Opaque

Thin Oily Thick NA

Phases:

Notes:

1 2 3

Hazardous Classification Data Sheet

Project Name: L-CARV Date: _____
Project Number: _____ Sample ID No.: _____
Personnel: _____
Notes: _____

OBSERVATIONS:		CYANIDE TEST: (Perform if pH >7 - no oxidizer)	
Viscosity: Water Coats Thick Like Surface Syrup		Solution: Color change No color change (cyanide) (no cyanide)	
Color: _____		COPPER WIRE TEST	
# of phases: Liquid Solid		Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____	
Odor: _____		FLAMMABILITY TEST	
WATER SOLUBILITY TEST: (Add sample to H ₂ O)		FLAMMABILITY TEST	
Temperature change: Yes No		Circle One:	
Effervescence or gases: Yes No		Flammable: Sample ignites rapidly or gives PID > 200	
Dissolves: Yes No Partial		Combustible: Sample ignites and sustains flame, PID < 200	
Sinks OR Floats: Partial Complete		Non-flammable: Sample does <u>not</u> ignite or burn	
pH TEST		PCB TEST	
Test Strip: Moisten with sample material and compare color change on package		Perform sample preparation with kit content instructions	
Color change number: _____		Solution: Color change No color change (PCB > or = 50 ppm)	
HEXANE SOLUBILITY TEST:		PEROXIDE TEST	
Circle One:		Test Strip: Moisten with sample material	
Dissolves: Yes No Partial		Solution: Color change No color change (peroxide) (no peroxide)	
Sinks OR Floats			
Emulsion present: Yes No			
OXIDIZER TEST: (Perform on H ₂ O solubles only)		SULFIDE TEST: (Perform when pH >7 - no oxidizer)	
Wet potassium iodide (KI) paper with 3M HCl Color change No color change (oxidizer) (not oxidizer)		Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) Not Darken (no sulfides)	

2-CARV

CONTAINER INVENTORY FORM

D

58

Container Number D58

Type:

Metal Fiber Glass Plastic

Container Size: 30 gal

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Tannin Corporation

Lionproof SP-1

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

Black

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

58

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS:	CYANIDE TEST: (Perform if pH > 7 - no oxidizer)
Viscosity: Water Coats Thick Like Surface Syrup Color: <u>Black</u> # of phases: _____ Liquid <u>1</u> Solid Odor: _____	Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____ COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color <u>NO</u>
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <input checked="" type="checkbox"/> Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes _____ No <input checked="" type="checkbox"/> Partial _____ Sinks OR Floats: Partial _____ Complete <input checked="" type="checkbox"/>	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does not ignite or burn
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>6</u>	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats _____ Emulsion present: Yes _____ No _____	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
OXIDIZER TEST: (perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change <u>_____</u> (oxidizer) (not oxidizer)	SULFIDE TEST: (perform when pH > 7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

CONTAINER INVENTORY FORM

D

59

Container Number D59

Container Size:

Type:

☒ Metal ☐ Fiber ☐ Glass ☐ Plastic

☒ 55 gal

☐ 30 gal

☐ 15 gal

☐ 5 gal

☐ 1 gal

Other: _____

Type of Closure:

Open Top ☒ Bung Top ☐ Screw Top

Full ☐ 3/4 ☒ 1/2 ☐ 1/4 Empty

Container Condition:

☒ New ☐ Rusted ☐ Dented
☒ Open ☐ Leaking ☐ Torn ☐ Crushed

DOT Hazard Labels:

Flammable Liquid ☒ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

First Source Worldwide, LLC
Mineral Spirits

Other:

Odorless
Flammable liquid

Sample Description:

☒ Liquid ☐ Solid
☒ Clear ☐ Opaque

Color:

Clear

Viscosity:

☒ Thin ☐ Oily ☐ Thick ☐ NA

Phases:

☒ 1 ☐ 2 ☐ 3

Notes:

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: <u>Water Like</u> Coats Thick Surface Syrup Color: <u>clear</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	CYANIDE TEST: (Perform if pH > 7 - no oxidizer) Solution: Color change (cyanide) _____ No color change (no cyanide) _____
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes <u>✓</u> No <u>✓</u> Dissolves: Yes _____ No <u>✓</u> Partial _____ Sinks OR Floats: Partial _____ Complete <u>✓</u>	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>4</u>	FLAMMABILITY TEST <u>NO CHANGE</u> Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does <u>not</u> ignite or burn
HEXANE SOLUBILITY TEST Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats _____ Emulsion present: Yes _____ No _____	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
OXIDIZER TEST: (perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change (oxidizer) _____ No color change (not oxidizer) _____	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change (peroxide) _____ No color change (no peroxide) _____
SULFIDE TEST: (perform when pH > 7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

CONTAINER INVENTORY FORM

D

60

Container Number D60

Container Size:

Type:

Metal Fiber Glass Plastic

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Full

3/4

1/2

1/4

Empty

Container Condition:

Sealed New Rusted Dented

Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

OTHER LABEL INFORMATION:

Manufacturer:

Consolidated Color Company
CC - 7323

Other:

Sample Description:

Liquid

Solid

Clear

Opaque

Phases:

1

2

3

Color:

Viscosity:

Thin Oily Thick NA

Notes:

No sample

Copper wine

Hazardous Classification Data Sheet

60

Project Name: **2-CARV** Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water Coats Thick Like Surface Syrup Color: _____ # of phases: _____ Liquid _____ Solid Odor: _____	CYANIDE TEST: (Perform if pH > 7 - no oxidizer) Solution: Color change No color change (cyanide) _____ (no cyanide) _____
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No _____ Effervescence or gases: Yes _____ No _____ Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: _____	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does <u>not</u> ignite or burn
HEXANE SOLUBILITY TEST Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
OXIDIZER TEST: (perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change No color change (oxidizer) (not oxidizer)	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change No color change (peroxide) _____ (no peroxide) _____
SULFIDE TEST: (perform when pH > 7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

CONTAINER INVENTORY FORM

D

61

Container Number D61

Container Size:

Type:

Metal Fiber Glass Plastic

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Open ~~New~~ Rusted Dented

Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Sample Description:

Liquid Solid

Clear Opaque

Phases:

1 2 3

Color:

Clear yellow

Viscosity:

Thin Oily Thick NA

Notes:

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: <u>Water Like</u> Coats Thick Surface Syrup Color: <u>Yellow</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	CYANIDE TEST: (Perform if pH > 7 - no oxidizer) Solution: Color change (cyanide) _____ No color change (no cyanide) _____
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes <u>✓</u> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>no change</u>
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>4</u>	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats _____ Emulsion present: Yes _____ No _____	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change (peroxide) _____ No color change (no peroxide) _____
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change (oxidizer) _____ No color change (not oxidizer) <u>_____</u>	SULFIDE TEST: (Perform when pH > 7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

D

62

CONTAINER INVENTORY FORM

Container Number D62

Container Size:

Type:

55 gal

30 gal

15 gal

Metal Fiber Glass Plastic

5 gal

1 gal

Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented

Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Sample Description:

Liquid

Solid

Clear

Opaque

Color:

white

Viscosity:

Thin

Oily Thick NA

Phases:

1

2

3

Notes:

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<div style="border: 1px solid black; border-radius: 50%; width: 100px; height: 20px; margin: 0 auto;"></div>	CYANIDE TEST: (Perform if pH > 7 - no oxidizer)
Viscosity: Water Like Coats Thick Surface Syrup	Solution: Color change (cyanide) _____ No color change (no cyanide) _____
Color: <u>white</u>	COPPER WIRE TEST
# of phases: <u>1</u> Liquid Solid	Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____
Odor: _____	FLAMMABILITY TEST <u>no color change</u>
WATER SOLUBILITY TEST: (Add sample to H ₂ O)	Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable Sample does <u>not</u> ignite or burn
Temperature change: Yes _____ No <input checked="" type="checkbox"/>	PCB TEST
Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/>	Perform sample preparation with kit content instructions
Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____	Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
Sinks OR Floats: Partial _____ Complete <input checked="" type="checkbox"/>	PEROXIDE TEST
pH TEST	Test Strip: Moisten with sample material
Test Strip: Moisten with sample material and compare color change on package	Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
Color change number: <u>4</u>	SULFIDE TEST: (Perform when pH > 7 - no oxidizer)
HEXANE SOLUBILITY TEST:	Test Strip: Wet lead acetate paper with 3M HCl
Circle One: Dissolves: Yes _____ No _____ Partial _____	Darkens (sulfides) _____ Not Darken (no sulfides) _____
Sinks OR Floats: _____	
Emulsion present: Yes _____ No _____	
OXIDIZER TEST: (Perform on H ₂ O solubles only)	
Wet potassium iodide (KI) paper with 3M HCl Color change (oxidizer) _____ No color change (not oxidizer) (not oxidizer)	

2-CARV

CONTAINER INVENTORY FORM

D

63

Container Number D63

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Tannin Corporation
Lionproof Sp-1

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

Blue

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

63

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water Coats Thick Like Surface Syrup Color: <u>Blue</u> # of phases: <u>1</u> Liquid <u>1</u> Solid Odor: _____	CYANIDE TEST: (Perform if pH >7 - no oxidizer) Solution: Color change No color change (cyanide) _____ (no cyanide) _____
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <input checked="" type="checkbox"/> Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes _____ No _____ Partial <input checked="" type="checkbox"/> Sinks OR Floats: Partial <input checked="" type="checkbox"/> Complete _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color <u>NO</u>
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>6</u>	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does <u>not</u> ignite or burn
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl _____ Color change <u>No color change</u> (oxidizer) (not oxidizer)	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change No color change (peroxide) _____ (no peroxide) _____
SULFIDE TEST: (Perform when pH >7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____	OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl _____ Color change <u>No color change</u> (oxidizer) (not oxidizer)

2-CARV

CONTAINER INVENTORY FORM

D
64

Container Number D64

Container Size:

Type:

Metal Fiber Glass Plastic

55 gal 30 gal 15 gal

5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

RED

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

64

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water Like Coats Thick Surface Syrup Color: <u>RED</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	CYANIDE TEST: (Perform if pH > 7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
# of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes <u>✓</u> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: <u>no change</u> Sample does <u>not</u> ignite or burn
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats _____ Emulsion present: Yes _____ No _____	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change _____ (oxidizer) (not oxidizer)	SULFIDE TEST: (Perform when pH > 7 - no oxidizer) Test Strip: Wet lead acetate paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

CONTAINER INVENTORY FORM

D 65

Container Number D65

Type:

Metal ☒ Fiber ☐ Glass ☐ Plastic

Type of Closure:

☒ Open Top ☐ Bung Top ☐ Screw Top

Container Condition:

Sealed ☐ New ☐ Rusted ☐ Dented

☒ Open ☐ Leaking ☐ Torn ☐ Crushed

Proper Shipping Name:

Container Size:

55 gal ☐ 30 gal ☒ 15 gal ☐
5 gal ☐ 1 gal ☐ Other: _____

Contents:

Full ☐ 3/4 ☐ 1/2 ☒ 1/4 ☐ Empty ☐

DOT Hazard Labels:

Flammable Liquid ☐ Corrosive ☐

Flammable Solid ☐ Oxidizer ☐

Poison ☐ Explosive ☐ Radiation ☐

Other: _____

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Consolidated Color Company
BRM - 9037

Other:

Liquid in Fiber (needs move to plastic)

Sample Description:

☒ Liquid

Clear ☐

☐ Solid

☒ Opaque

Phases:

1

2

3

Color:

BLUE

Viscosity:

☒ Thin

☐ Oily ☐ Thick ☐ NA

Notes:

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

D 65

<div style="border: 1px solid black; border-radius: 50%; width: 100px; height: 20px; margin-bottom: 10px;"></div> <p>Viscosity: Water Like Coats Thick Surface Syrup</p> <p>Color: <u>BLUE</u></p> <p># of phases: <u>1</u> Liquid <u>1</u> Solid</p> <p>Odor: <u> </u></p>	<p>CYANIDE TEST: (Perform if pH >7 - no oxidizer)</p> <p>Solution: Color change (cyanide) _____ No color change (no cyanide) _____</p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <u>✓</u></p> <p>Effervescence or gases: Yes _____ No <u>✓</u></p> <p>Dissolves: Yes _____ No _____ Partial <u>✓</u></p> <p>Sinks OR Floats: Partial _____ Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____</p> <p><u>no change</u></p> <p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200</p> <p>Combustible: Sample ignites and sustains flame, PID < 200</p> <p>Non-flammable Sample does <u>not</u> ignite or burn</p>
<div style="border: 1px solid black; border-radius: 50%; width: 100px; height: 20px; margin-bottom: 10px;"></div> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: <u>88</u></p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>HEXANE SOLUBILITY TEST:</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats</p> <p>Emulsion present: Yes _____ No _____</p>	<p>PEROXIDE TEST</p> <p>Test Strip: Moisten with sample material</p> <p>Solution: Color change (peroxide) _____ No color change (no peroxide) _____</p>
<p>OXIDIZER TEST: (perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change (oxidizer) _____ No color change not oxidizer</p>	<p>SULFIDE TEST: (perform when pH >7 - no oxidizer)</p> <p>Test Strip: Wet lead acetate paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>

2-CARV

CONTAINER INVENTORY FORM

D

66

Container Number D66

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Tannin Corp.
Lionel Raw Cod

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

Project Name: **2-CARV** Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

66

OBSERVATIONS: Viscosity: Water Coats Thick Like Surface Syrup Color: _____ # of phases: _____ Liquid _____ Solid Odor: _____	CYANIDE TEST: (Perform if pH > 7 - no oxidizer) Solution: Color change No color change (cyanide) _____ (no cyanide) _____
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No _____ Effervescence or gases: Yes _____ No _____ Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: _____	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does <u>not</u> ignite or burn
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change No color change (oxidizer) (not oxidizer)	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change No color change (peroxide) _____ (no peroxide) _____
SULFIDE TEST: (Perform when pH > 7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

CONTAINER INVENTORY FORM

D

67

Container Number D67

Container Size:

Type:

Metal Fiber Glass Plastic

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Could be trash.

Sample Description:

Liquid Solid
Clear Opaque

Color:

Black

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

67

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<div style="border: 1px solid black; border-radius: 10px; padding: 5px; margin-bottom: 10px;">OBSERVATIONS:</div> <p>Viscosity: Water Coats Thick Like Surface Syrup</p> <p>Color: <u>Black</u></p> <p># of phases: 2 Liquid <u>1</u> Solid</p> <p>Odor: _____</p>	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; margin-bottom: 10px;">CYANIDE TEST: (Perform if pH > 7 - no oxidizer)</div> <p>Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____</p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <u>✓</u></p> <p>Effervescence or gases: Yes <u>✓</u> No <u>✓</u></p> <p>Dissolves: Yes <u>✓</u> No _____ Partial _____</p> <p>Sinks <u>OR</u> Floats: Partial _____ Complete <u>✓</u></p>	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; margin-bottom: 10px;">COPPER WIRE TEST</div> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____</p>
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; margin-bottom: 10px;">pH TEST</div> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: <u>5</u></p>	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; margin-bottom: 10px;">FLAMMABILITY TEST</div> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200</p> <p>Combustible: Sample ignites and sustains flame, PID < 200</p> <p><u>Non-flammable</u>: Sample does <u>not</u> ignite or burn</p>
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; margin-bottom: 10px;">HEXANE SOLUBILITY TEST:</div> <p>Circle One:</p> <p>Dissolves: Yes No Partial</p> <p>Sinks OR Floats</p> <p>Emulsion present: Yes No</p>	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; margin-bottom: 10px;">PCB TEST</div> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; margin-bottom: 10px;">OXIDIZER TEST: (Perform on H₂O solubles only)</div> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change _____ No color change _____ (oxidizer) (not oxidizer)</p>	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; margin-bottom: 10px;">PEROXIDE TEST</div> <p>Test Strip: Moisten with sample material</p> <p>Solution: Color change _____ No color change _____ (peroxide) (no peroxide)</p>
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; margin-bottom: 10px;">SULFIDE TEST: (Perform when pH > 7 - no oxidizer)</div> <p>Test Strip: <u>Wet lead acetate</u> paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>	

2-CARV

D

68

CONTAINER INVENTORY FORM

Container Number D68

Container Size:

Type:

Metal Fiber Glass Plastic

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Could be trash

Sample Description:

Liquid Solid
Clear Opaque

Color:

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Just
trash
didn't
sample

68

2-CARV

OBSERVATIONS:

CYANIDE TEST: (Perform if pH >7 - no oxidizer)

Viscosity: Water Coats Thick
Like Surface Syrup

Solution: Color change (cyanide) _____ No color change (no cyanide) _____

Color:

COPPER WIRE TEST

of
phases: _____ Liquid _____ Solid

Flame color: green (chlorine compound) _____
orange (sodium compound) _____
other color _____

Odor:

WATER SOLUBILITY TEST: (Add sample to H₂O)

FLAMMABILITY TEST

Temperature change: Yes _____ No _____

Circle One:

Effervescence or gases: Yes No

Flammable: Sample ignites rapidly or gives PID > 200

Dissolves: Yes No Partial

Combustible: Sample ignites and sustains flame, PID < 200

Sinks OR Floats: Partial_____ Complete_____

Non-flammable: Sample does not ignite or burn.

pH TEST

PCB TEST

Test Strip: Moisten with sample material and compare color change on package

Perform sample preparation with kit content instructions

Color change number: _____

Solution: Color change _____ No color change _____
(PCB > or = 50 ppm)

HEXANE SOLUBILITY TEST:

PEROXIDE TEST

Circle One:

Test Strip: Moisten with sample material

Dissolves: Yes No Partial

Sinks OR Floats

Solution: Color change (peroxide) _____ No color change (no peroxide) _____

Emulsion present: Yes No

OXIDIZER TEST: (Perform on H₂O solubles only)

SULFIDE TEST: (Perform when pH >7 - no oxidizer)

Wet potassium iodide (KI) paper with 3M HCl

Test Strip: Wet lead acetate paper with 3M HCl

Color change (oxidizer)	No color change (not oxidizer)
----------------------------	-----------------------------------

Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

CONTAINER INVENTORY FORM

D

69

Container Number D69

Container Size:

Type:

Metal Fiber Glass Plastic

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Stahl

Salem LCN

Other:

Fat liquor

Sample Description:

Liquid

Solid

Clear

Opaque

Phases:

1

2

3

Color:

Brown

Viscosity:

Thin Oily Thick NA

Notes:

Hazardous Classification Data Sheet

69

Project Name: **2-CARV**

Date: _____

Project Number: _____

Sample ID No.: _____

Personnel: _____

Notes: _____

<p>OBSERVATIONS:</p> <p>Viscosity: Water Coats Thick Like Surface Syrup</p> <p>Color: BROWN</p> <p># of phases: 2 Liquid _____ Solid _____</p> <p>Odor: _____</p>	<p>CYANIDE TEST: (Perform if pH > 7 - no oxidizer)</p> <p>Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____</p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <input checked="" type="checkbox"/></p> <p>Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/></p> <p>Dissolves: Yes _____ No _____ Partial <input checked="" type="checkbox"/></p> <p>Sink OR Floats: Partial <input checked="" type="checkbox"/> Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____</p> <p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200</p> <p>Combustible: Sample ignites and sustains flame, PID < 200</p> <p>Non-flammable: Sample does <u>not</u> ignite or burn</p> <p style="text-align: right;"><i>no change</i></p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: 5</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>HEXANE SOLUBILITY TEST:</p> <p>Circle One:</p> <p>Dissolves: Yes No Partial</p> <p>Sinks OR Floats</p> <p>Emulsion present: Yes No</p>	<p>PEROXIDE TEST</p> <p>Test Strip: Moisten with sample material</p> <p>Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____</p>
<p>OXIDIZER TEST: (Perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change _____ No color change _____ (oxidizer) (not oxidizer)</p>	<p>SULFIDE TEST: (Perform when pH > 7 - no oxidizer)</p> <p>Test Strip: <u>Wet lead acetate</u> paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>

2-CARV

CONTAINER INVENTORY FORM

70

Container Number D70

Container Size:

Type:

Metal

Fiber

Glass

Plastic

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top

Bung Top

Screw Top

Contents:

Full

3/4

1/2

1/4

Empty

Container Condition:

~~Sealed~~

New

Rusted

Dented

~~Open~~

Leaking

Torn

Crushed

DOT Hazard Labels:

Flammable Liquid _____

Corrosive _____

Flammable Solid _____

Oxidizer _____

Poison _____

Explosive _____

Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Trumpler

Other:

Sample Description:

Liquid

Solid

Clear

Opaque

Color:

YELLOW

Viscosity:

Thin

Oily Thick NA

Phases:

1

2

3

Notes:

Hazardous Classification Data Sheet

70

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water Like Coats Thick Surface Syrup Color: <u>YELLOW</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	CYANIDE TEST: (Perform if pH > 7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes <u>✓</u> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>no change</u>
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>11</u>	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does <u>not</u> ignite or burn
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats: _____ Emulsion present: Yes _____ No _____	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
OXIDIZER TEST: (perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change _____ (oxidizer) (not oxidizer)	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
SULFIDE TEST: (perform when pH > 7 - no oxidizer) Test Strip: Wet lead acetate paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

CONTAINER INVENTORY FORM

D

71

Container Number D 71

Container Size:

Type:

55 gal

30 gal

15 gal

Metal

Fiber

Glass

Plastic

5 gal

1 gal

Other: _____

Type of Closure:

Open Top

Bung Top

Screw Top

Contents:

Full

3/4

1/2

1/4

Empty

Container Condition:

~~Sealed~~

New

Rusted

Dented

Open

Leaking

Torn

Crushed

DOT Hazard Labels:

Flammable Liquid _____

Corrosive _____

Flammable Solid _____

Oxidizer _____

Poison _____

Explosive _____

Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Sample Description:

Liquid

Solid

Clear

Opaque

Color:

white

Viscosity:

Thin

Oily

Thick

NA

Phases:

1

2

3

Notes:

sludge

71

Hazardous Class: 2-CARV

WATER SOLUBILITY TEST: (Add sample to H₂O)

other color _____
No color change

2-CARV

D72

CONTAINER INVENTORY FORM

Container Number D72

Type:

☒ Metal ☐ Fiber ☐ Glass ☐ Plastic

Type of Closure:

☒ Open Top ☐ Bung Top ☐ Screw Top

Container Condition:

☐ Sealed ☐ New ☒ Rusted ☐ Dented
☒ Open ☐ Leaking ☐ Torn ☐ Crushed

Proper Shipping Name:

Container Size:

55 gal ☒ 30 gal ☐ 15 gal
5 gal ☐ 1 gal ☐ Other: _____

Contents:

Full ☒ 3/4 ☐ 1/2 ☐ 1/4 ☐ Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Stahl
LW-136

Other:

Sample Description:

☒ Liquid ☐ Solid
☐ Clear ☒ Opaque

Phases:

☒ 1 ☐ 2 ☐ 3

Color:

Black

Viscosity:

Thin Oily ☒ Thick NA

Notes:

D72

Hazardous Classification Data Sheet

Project Name: _____ Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS:	CYANIDE TEST: (Perform if pH > 7 - no oxidizer)
Viscosity: Water Coats <u>Thick</u> Like Surface Syrup Color: <u>Black</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____ COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color <u>No</u>
WATER SOLUBILITY TEST: (Add sample to H ₂ O)	FLAMMABILITY TEST
Temperature change: Yes _____ No <input checked="" type="checkbox"/> Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does <u>not</u> ignite or burn
pH TEST	PCB TEST
Test Strip: Moisten with sample material and compare color change on package Color change number: <u>7</u>	Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST:	PEROXIDE TEST
Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No	Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
OXIDIZER TEST: (Perform on H ₂ O solubles only)	SULFIDE TEST: (Perform when pH > 7 - no oxidizer)
Wet potassium iodide (KI) paper with <u>3M HCl</u> Color change <u>No color change</u> (oxidizer) (not oxidizer)	Test Strip: Wet lead acetate paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

CONTAINER INVENTORY FORM

D 73

Container Number D 73

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top ~~Screw Top~~

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusty Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Consolidated color
CC-462

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

Clear

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

73

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

<p>OBSERVATIONS:</p> <p>Viscosity: <u>Water Like</u> Coats Thick Surface Syrup</p> <p>Color: <u>clear</u></p> <p># of phases: <u>1</u> Liquid _____ Solid _____</p> <p>Odor: _____</p>	<p>CYANIDE TEST: (Perform if pH > 7 - no oxidizer)</p> <p>Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____</p>
<p>WATER SOLUBILITY TEST: (Add sample to H₂O)</p> <p>Temperature change: Yes _____ No <input checked="" type="checkbox"/></p> <p>Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/></p> <p>Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____</p> <p>Sinks OR Floats: Partial _____ Complete _____</p>	<p>COPPER WIRE TEST</p> <p>Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____</p> <p style="text-align: right;"><i>no color change</i></p>
<p>pH TEST</p> <p>Test Strip: Moisten with sample material and compare color change on package</p> <p>Color change number: <u>5</u></p>	<p>FLAMMABILITY TEST</p> <p>Circle One:</p> <p>Flammable: Sample ignites rapidly or gives PID > 200</p> <p>Combustible: Sample ignites and sustains flame, PID < 200</p> <p><u>Non-flammable</u>: Sample does <u>not</u> ignite or burn</p>
<p>HEXANE SOLUBILITY TEST:</p> <p>Circle One:</p> <p>Dissolves: Yes _____ No _____ Partial _____</p> <p>Sinks OR Floats _____</p> <p>Emulsion present: Yes _____ No _____</p>	<p>PCB TEST</p> <p>Perform sample preparation with kit content instructions</p> <p>Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)</p>
<p>OXIDIZER TEST: (Perform on H₂O solubles only)</p> <p>Wet potassium iodide (KI) paper with 3M HCl</p> <p>Color change _____ No color change <input checked="" type="checkbox"/> (oxidizer) (not oxidizer)</p>	<p>PEROXIDE TEST</p> <p>Test Strip: Moisten with sample material</p> <p>Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____</p>
<p>SULFIDE TEST: (Perform when pH > 7 - no oxidizer)</p> <p>Test Strip: <u>Wet lead acetate</u> paper with 3M HCl</p> <p>Darkens (sulfides) _____ Not Darken (no sulfides) _____</p>	

2-CARV

CONTAINER INVENTORY FORM

D

74

Container Number D74

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Consolidated color
560 SOAP

Other: _____

Sample Description:

Liquid Solid
Clear Opaque

Color:

yellow

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

D

74

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water Coats <u>Thick</u> Like Surface Syrup Color: <u>yellow</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	CYANIDE TEST: (Perform if pH > 7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) <u>✓</u>
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes <u>✓</u> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>no color change</u>
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>11</u>	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <u>Non-flammable</u> Sample does <u>not</u> ignite or burn
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
OXIDIZER TEST: (perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change <u>✓</u> (oxidizer) (not oxidizer)	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
SULFIDE TEST: (perform when pH > 7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

CONTAINER INVENTORY FORM

D

75

Container Number D75

Container Size:

Type:

Metal Fiber Glass

Plastic

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top

Bung Top

Screw Top

Contents:

Full

3/4

1/2

1/4

Empty

Container Condition:

Sealed New Rusted Dented

Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Union Specialties, Inc

Other:

Penetrator 1004

Sample Description:

Liquid

Solid

Clear

Opaque

Color:

yellow

Viscosity:

Thin

Oily Thick NA

Phases:

1

2

3

Notes:

D 75

Notes: _____

OBSERVATIONS:		CYANIDE TEST: (Perform if pH >7 - no oxidizer)	
Viscosity: <u>Water Like</u> Coats Thick Surface Syrup		Solution: Color change _____ (cyanide) _____ No color change _____ (no cyanide) _____	
Color: <u>yellow</u>		COPPER WIRE TEST	
# of phases: <u>1</u> Liquid _____ Solid _____		Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____	
Odor: _____		FLAMMABILITY TEST	
WATER SOLUBILITY TEST: (Add sample to H ₂ O)		FLAMMABILITY TEST	
Temperature change: Yes _____ No <u>✓</u>		Circle One:	
Effervescence or gases: Yes <u>✓</u> No <u>✓</u>		Flammable: Sample ignites rapidly or gives PID > 200	
Dissolves: Yes <u>✓</u> No _____ Partial _____		Combustible: Sample ignites and sustains flame, PID < 200	
Sinks OR Floats: Partial _____ Complete _____		<u>Non-flammable</u> : Sample does <u>not</u> ignite or burn	
pH TEST		PCB TEST	
Test Strip: Moisten with sample material and compare color change on package		Perform sample preparation with kit content instructions	
Color change number: <u>6</u>		Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)	
HEXANE SOLUBILITY TEST:		PEROXIDE TEST	
Circle One:		Test Strip: Moisten with sample material	
Dissolves: Yes _____ No _____ Partial _____		Solution: Color change _____ (peroxide) _____ No color change _____ (no peroxide) _____	
Sinks OR Floats _____			
Emulsion present: Yes _____ No _____			
OXIDIZER TEST: (Perform on H ₂ O solubles only)		SULFIDE TEST: (Perform when pH >7 - no oxidizer)	
Wet potassium iodide (KI) paper with 3M HCl		Test Strip: <u>Wet lead acetate</u> paper with 3M HCl	
Color change _____ No color change <u>✓</u>		Darkens (sulfides) _____ Not Darken (no sulfides) _____	
(oxidizer)		(not oxidizer)	

2-CARV

CONTAINER INVENTORY FORM

D

76

Container Number D76

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Consolidated color
BA-280

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

white

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: Water Coats <u>Thick</u> Like Surface Syrup Color: <u>white</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	CYANIDE TEST: (Perform if pH > 7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) <input checked="" type="checkbox"/>
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <input checked="" type="checkbox"/> Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>no color change</u>
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>9</u>	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 <u>Non-flammable:</u> Sample does <u>not</u> ignite or burn
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change <input checked="" type="checkbox"/> (oxidizer) (not oxidizer)	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
SULFIDE TEST: (Perform when pH > 7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

CONTAINER INVENTORY FORM

D 77

Container Number D 77

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Tammin Corp.
Lyonfix 791

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

2-CARV

CONTAINER INVENTORY FORM

D 78

Container Number

D 78

Type:

Metal

Fiber

Glass

Plastic

Container Size:

55 gal

30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

Open Top

Bung Top

Screw Top

Contents:

Full

3/4

1/2

1/4

Empty

Container Condition:

Sealed

New

Rusted

Dented

Open

Leaking

Torn

Crushed

DOT Hazard Labels:

Flammable Liquid _____

Corrosive _____

Flammable Solid _____

Oxidizer _____

Poison _____

Explosive _____

Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Sample Description:

Liquid

Solid

Clear

Opaque

Color:

white

Viscosity:

Thin

Oily Thick NA

Phases:

1

2

3

Notes:

D 78

2-CARV

WATER SOLUBILITY TEST: (Add sample to H₂O)

no color change

2-CARV

CONTAINER INVENTORY FORM

D 79

Container Number D79

Container Size:

Type:

☒ Metal ☐ Fiber ☐ Glass ☐ Plastic

☒ 55 gal

☐ 30 gal

☐ 15 gal

☐ 5 gal

☐ 1 gal

Other: _____

Type of Closure:

☒ Open Top ☒ Bung Top ☐ Screw Top

Contents:

Full ☐ 3/4 ☒ 1/2 ☐ 1/4 Empty

Container Condition:

☐ Sealed ☐ New ☐ Rusty ☐ Dented
☒ Open ☐ Leaking ☐ Torn ☐ Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Tannin Corp

Lionol 30 ct weats

Other:

Sample Description:

Liquid ☐ Solid ☐
Clear ☐ Opaque ☐

Color:

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

2-CARV

CONTAINER INVENTORY FORM

D 80

Container Number D80

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Surpass chemical company
Propylene Glycol

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

blue

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
Project Number: _____ Sample ID No.: _____
Personnel: _____
Notes: _____

OBSERVATIONS:		CYANIDE TEST: (Perform if pH > 7 - no oxidizer)	
Viscosity: <u>Water Like</u> Coats <u>Thick</u> Surface <u>Syrup</u>		Solution: Color change _____ (cyanide) _____ No color change _____ (no cyanide) _____	
Color: <u>Blue</u>		COPPER WIRE TEST	
# of phases: <u>1</u> Liquid _____ Solid _____		Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____	
Odor: _____		FLAMMABILITY TEST <u>none</u>	
WATER SOLUBILITY TEST: (Add sample to H ₂ O)		FLAMMABILITY TEST	
Temperature change: Yes _____ No <input checked="" type="checkbox"/>		Circle One: <u>Flammable</u> Sample ignites rapidly or gives PID > 200	
Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/>		Combustible: Sample ignites and sustains flame, PID < 200	
Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____		Non-flammable: Sample does <u>not</u> ignite or burn	
Sinks OR Floats: Partial _____ Complete _____			
pH TEST		PCB TEST	
Test Strip: Moisten with sample material and compare color change on package		Perform sample preparation with kit content instructions	
Color change number: <u>5</u>		Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)	
HEXANE SOLUBILITY TEST:		PEROXIDE TEST	
Circle One: Dissolves: Yes _____ No _____ Partial _____		Test Strip: Moisten with sample material	
Sinks OR Floats _____		Solution: Color change _____ No color change _____ (peroxide) _____	
Emulsion present: Yes _____ No _____			
OXIDIZER TEST: (Perform on H ₂ O solubles only)		SULFIDE TEST: (Perform when pH > 7 - no oxidizer)	
Wet potassium iodide (KI) paper with 3M HCl <u>do not</u> Color change _____ No color change <input checked="" type="checkbox"/> (oxidizer) (not oxidizer)		Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____	

D (81)

2-CARV

OBSERVATIONS:

CYANIDE TEST: (Perform if pH >7 - no oxidizer)

Viscosity: Water Like Coats Thick Surface Syrup

Solution: Color change (cyanide) _____ No color change (no cyanide) _____

Color: Blue

COPPER WIRE TEST

of phases: 1 Liquid Solid

Flame color: green (chlorine compound) ☒
orange (sodium compound) ☐
other color ☐

Odor:

WATER SOLUBILITY TEST: (Add sample to H₂O)

FLAMMABILITY TEST

Temperature change: Yes _____ No ✓

Effervescence or gases: Yes _____ No ✓

Dissolves: Yes ✓ No _____ Partial _____

Sinks OR Floats: Partial _____ Complete _____

Circle One:

Flammable: Sample ignites rapidly or gives PID > 200

Combustible: Sample ignites and sustains flame, PID < 200

Non-flammable: Sample does not ignite or burn

pH TEST

PCB TEST

Test Strip: Moisten with sample material and compare color change on package

Color change number: **5**

Perform sample preparation with kit content instructions

Solution: Color change _____ No color change _____
(PCB > or = 50 ppm)

HEXANE SOLUBILITY TEST

PEROXIDE TEST

Circle One:

Dissolves:	Yes	No	Partial
Sinks	OR Floats		
Emulsion present:	Yes	No	

Test Strip: Moisten with sample material

Solution: Color change (peroxide) _____ No color change (no peroxide) _____

OXIDIZER TEST: (Perform on H₂O solubles only)

SULFIDE TEST: (Perform when pH > 7 - no oxidizer)

Wet potassium iodide (KI) paper with 3M HCl

Color change	No color change
(oxidizer)	(not oxidizer)

Test Strip: Wet lead acetate paper with 3M HCl

Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

CONTAINER INVENTORY FORM

D

81

Container Number

D81

Container Size:

Type:

☒ Metal

☐ Fiber

☐ Glass

☐ Plastic

55 gal

☒ 30 gal

15 gal

5 gal

1 gal

Other: _____

Type of Closure:

☒ Open Top

☐ Bung Top

☐ Screw Top

Contents:

☒ Full

☐ 3/4

☐ 1/2

☐ 1/4

☐ Empty

Container Condition:

☐ Sealed

☐ New

☐ Rusted

☐ Dented

☒ Open

☐ Leaking

☐ Torn

☐ Crushed

DOT Hazard Labels:

Flammable Liquid _____

Corrosive _____

Flammable Solid _____

Oxidizer _____

Poison _____

Explosive _____

Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Other:

Sample Description:

☒ Liquid

☐ Solid

☐ Clear

☐ Opaque

Phases:

☒ 1

☐ 2

☐ 3

Color:

Blue

Viscosity:

☒ Thin

☐ Oily ☐ Thick ☐ NA

Notes:

2-CARV

CONTAINER INVENTORY FORM

D

82

Container Number D82

Container Size:

Type:

55 gal

30 gal

15 gal

Metal

Fiber

Glass

Plastic

5 gal

1 gal

Other: _____

Type of Closure:

Open Top

Bung Top

Screw Top

Contents:

Full

3/4

1/2

1/4

Empty

Container Condition:

Sealed

New

Rusted

Dented

Open

Leaking

Torn

Crushed

DOT Hazard Labels:

Flammable Liquid _____

Corrosive _____

Flammable Solid _____

Oxidizer _____

Poison _____

Explosive _____

Radiation _____

Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Stahl

RP-9851

Other:

No sample
need to open

Sample Description:

Liquid

Solid

Clear

Opaque

Color:

white/Blue

Viscosity:

Thin Oily Thick NA

Phases:

1

2

3

Notes:

82

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS:	CYANIDE TEST: (Perform if pH > 7 - no oxidizer)
Viscosity: Water Coats <u>Thick</u> Like Surface Syrup Color: <u>white/Blue</u> # of phases: <u>1</u> Liquid <u>1</u> Solid Odor: _____	Solution: Color change _____ (cyanide) _____ (no color change) (no cyanide) <input checked="" type="checkbox"/> COPPER WIRE TEST Flame color: green (chlorine compound) <input checked="" type="checkbox"/> orange (sodium compound) _____ other color _____
WATER SOLUBILITY TEST: (Add sample to H ₂ O)	FLAMMABILITY TEST
Temperature change: Yes _____ No <input checked="" type="checkbox"/> Effervescence or gases: Yes _____ No <input checked="" type="checkbox"/> Dissolves: Yes <input checked="" type="checkbox"/> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does not ignite or burn
pH TEST	PCB TEST
Test Strip: Moisten with sample material and compare color change on package Color change number: <u>9</u>	Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST:	PEROXIDE TEST
Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No	Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) (no peroxide)
OXIDIZER TEST: (Perform on H ₂ O solubles only)	SULFIDE TEST: (Perform when pH > 7 - no oxidizer)
Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change _____ (oxidizer) (not oxidizer)	Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

CONTAINER INVENTORY FORM

D

83

Container Number D 83

Type:

Metal Fiber Glass Plastic

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Type of Closure:

Open Top Bung Top Screw Top

Contents:

Full 3/4 1/2 1/4 Empty

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Surpass
propylene Glycol

Other:

Sample Description:

Liquid Solid
Clear Opaque

Color:

light brown

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

83

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS:	CYANIDE TEST: (Perform if pH > 7 - no oxidizer)
Viscosity: Water Coats <u>Thick</u> Like Surface Syrup Color: <u>light brown</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	Solution: Color change _____ No color change _____ (cyanide) (no cyanide) COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color <u>No</u>
WATER SOLUBILITY TEST: (Add sample to H ₂ O)	FLAMMABILITY TEST
Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes <u>✓</u> No _____ Partial _____ Sinks OR Floats: Partial _____ Complete _____	Circle One: Flammable: Sample ignites rapidly or gives PID > 200 Combustible: <u>Not</u> Sample ignites and sustains flame, PID < 200 Not Flammable: Sample does not ignite or burn
pH TEST	PCB TEST
Test Strip: Moisten with sample material and compare color change on package Color change number: <u>5</u>	Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
HEXANE SOLUBILITY TEST:	PEROXIDE TEST
Circle One: Dissolves: Yes No Partial Sinks OR Floats Emulsion present: Yes No	Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) (no peroxide)
OXIDIZER TEST: (Perform on H ₂ O solubles only)	SULFIDE TEST: (Perform when pH > 7 - no oxidizer)
Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change <u>_____</u> (oxidizer) (not oxidizer)	Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____

2-CARV

CONTAINER INVENTORY FORM

D 84

Container Number D84

Type:

Metal Fiber Glass Plastic

Type of Closure:

Open Top Bung Top Screw Top

Container Condition:

Sealed New Rusted Dented
Open Leaking Torn Crushed

Proper Shipping Name:

Container Size:

55 gal 30 gal 15 gal
5 gal 1 gal Other: _____

Contents:

Full 3/4 1/2 1/4 Empty

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____

Flammable Solid _____ Oxidizer _____

Poison _____ Explosive _____ Radiation _____

Other: _____

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

~~Densotan~~ O-BASF
Densotan

Other:

Sample Description:

Liquid Solid
Clear Opaque

Phases:

0 2 3

Color:

Brown

Viscosity:

Thin Oily Thick NA

Notes:

Hazardous Classification Data Sheet

Project Name: 2-CARV Date: _____
 Project Number: _____ Sample ID No.: _____
 Personnel: _____
 Notes: _____

OBSERVATIONS: Viscosity: <u>Water</u> Coats Thick <u>Like</u> Surface Syrup Color: <u>Brown</u> # of phases: <u>1</u> Liquid _____ Solid _____ Odor: _____	CYANIDE TEST: (Perform if pH > 7 - no oxidizer) Solution: Color change _____ No color change _____ (cyanide) _____ (no cyanide) _____
WATER SOLUBILITY TEST: (Add sample to H ₂ O) Temperature change: Yes _____ No <u>✓</u> Effervescence or gases: Yes _____ No <u>✓</u> Dissolves: Yes _____ No <u>✓</u> Partial _____ Sinks OR Floats: Partial _____ Complete <u>✓</u>	COPPER WIRE TEST Flame color: green (chlorine compound) _____ orange (sodium compound) _____ other color _____ <u>no color change</u>
pH TEST Test Strip: Moisten with sample material and compare color change on package Color change number: <u>4</u>	FLAMMABILITY TEST Circle One: Flammable: Sample ignites rapidly or gives PID > 200 <u>Combustible</u> Sample ignites and sustains flame, PID < 200 Non-flammable: Sample does <u>not</u> ignite or burn
HEXANE SOLUBILITY TEST: Circle One: Dissolves: Yes _____ No _____ Partial _____ Sinks OR Floats _____ Emulsion present: Yes _____ No _____	PCB TEST Perform sample preparation with kit content instructions Solution: Color change _____ No color change _____ (PCB > or = 50 ppm)
OXIDIZER TEST: (Perform on H ₂ O solubles only) Wet potassium iodide (KI) paper with 3M HCl Color change _____ No color change _____ (oxidizer) (not oxidizer)	PEROXIDE TEST Test Strip: Moisten with sample material Solution: Color change _____ No color change _____ (peroxide) _____ (no peroxide) _____
SULFIDE TEST: (Perform when pH > 7 - no oxidizer) Test Strip: <u>Wet lead acetate</u> paper with 3M HCl Darkens (sulfides) _____ Not Darken (no sulfides) _____	

2-CARV

CONTAINER INVENTORY FORM

D

85

Container Number D85

Type:

☒ Metal ☐ Fiber ☐ Glass ☐ Plastic

Container Size:

☒ 55 gal ☐ 30 gal ☐ 15 gal
☐ 5 gal ☐ 1 gal ☐ Other: _____

Type of Closure:

☒ Open Top ☒ Bung Top ☐ Screw Top

Contents:

Full ☐ 3/4 ☐ 1/2 ☒ 1/4 ☐ Empty

Container Condition:

☐ Sealed ☐ New ☐ Rusty ☐ Dented
☒ Open ☐ Leaking ☐ Torn ☐ Crushed

DOT Hazard Labels:

Flammable Liquid _____ Corrosive _____
Flammable Solid _____ Oxidizer _____
Poison _____ Explosive _____ Radiation _____
Other: _____

Proper Shipping Name:

UN ID# _____

OTHER LABEL INFORMATION:

Manufacturer:

Tannin Corp.
Lionel FO-300

Other:

Sample Description:

Liquid ☐ Solid ☐
Clear ☐ Opaque ☐

Color:

Viscosity:

Thin Oily Thick NA

Phases:

1 2 3

Notes:

