

Table 1 (11/14/2017)

Cell Area	Depth (ft)	Result (mg/kg)
South	0-1	~4
South 2	0-1	~6
South	1-2	~10
South 2	1-2	~11
North	0-1	~10
North 2	0-1	~11
North	1-2	~5
North 2	1-2	~5

Table 2 (4/18/2017)

Sample #	Wet-Weight PCP Result	% Moisture	Dry-weight PCP Result*	Units
CTSO-SouthA06-20170418	5.21	10.9	5.85	mg/kg
CTSO-SouthB06-20170418	8.49	11.1	9.55	mg/kg
CTSO-SouthA612-20170418	8.8	13	10.11	mg/kg
CTSO-SouthB612-20170418	4.29	12.4	4.90	mg/kg
CTSO-SouthA1218-20170418	9.15	12.7	10.48	mg/kg
CTSO-SouthB1218-20170418	8.99	12.5	10.27	mg/kg
CTSO-NorthA06-20170418	5.35	9.5	5.91	mg/kg
CTSO-NorthB06-20170418	18.2	10.2	20.27	mg/kg
CTSO-NorthA612-20170418	3.65	13	4.20	mg/kg
CTSO-NorthB612-20170418	21.5	12	24.43	mg/kg
CTSO-NorthA1218-20170418	6.55	10.7	7.33	mg/kg
CTSO-NorthB1218-20170418	32.2	9.3	35.50	mg/kg

Table 3 (4/25/2017)

Location	Wet-Weight PCP Result	% Moisture	Dry-weight PCP Result*	Units
0-6SA	5.69	9.28	6.27	mg/kg
0-6SB	5.86	8.15	6.38	mg/kg
6-12SA	5.12	9.61	5.66	mg/kg
6-12SB	4.83	10.42	5.39	mg/kg
12-18SA	10.03	10.20	11.17	mg/kg
12-18SB	4.75	11.26	5.35	mg/kg
0-6NA	25.22	11.12	28.38	mg/kg
0-6NB	59.54	11.97	67.64	mg/kg
6-12NA	39.45	11.57	44.61	mg/kg
6-12NB	26.83	11.78	30.41	mg/kg
12-18NA	43.46	13.54	50.27	mg/kg
12-18NB	35.77	9.37	39.47	mg/kg

Table 4 (5/3/2017)

Location	Wet-Weight PCP Result	% Moisture	Dry-weight PCP Result*	Units
0-6SA	4.64	93.9	4.94	mg/kg
0-6SB	4.09	94.6	4.32	mg/kg
6-12SA	4.41	91.7	4.81	mg/kg
6-12SB	5	92	5.43	mg/kg
12-18SA	9.77	91.4	10.69	mg/kg
12-18SB	9.97	90.5	11.02	mg/kg
0-6NA	6.95	97.7	7.11	mg/kg
0-6NB	6.77	95.4	7.10	mg/kg
6-12NA	8.7	90.8	9.58	mg/kg
6-12NB	4.35	92.2	4.72	mg/kg
12-18NA	9.77	96.5	10.12	mg/kg
12-18NB	9.34	95.6	9.77	mg/kg

Table 5 (5/8/2017)

Location	Wet-Weight PCP Result	% Moisture	Dry-weight PCP Result*	Units
0-6SA	2.08	88.4	2.35	mg/kg
0-6SB	2.67	87.4	3.05	mg/kg
6-12SA	3.6	88.7	4.06	mg/kg
6-12SB	3.98	86.7	4.59	mg/kg
12-18SA	3.19	85.6	3.73	mg/kg
12-18SB	2.85	86.2	3.31	mg/kg
0-6NA	4.18	87.6	4.77	mg/kg
0-6NB	3.6	87	4.14	mg/kg
6-12NA	3.15	87.3	3.61	mg/kg
6-12NB	3.14	87.1	3.61	mg/kg
12-18NA	3.57	85.1	4.20	mg/kg
12-18NB	2.38	85.1	2.80	mg/kg

Table 6 (5/17/2017)

Location	Wet-Weight PCP Result	% Moisture	Dry-weight PCP Result*	Units
0-6SA	4.24	3.4	4.39	mg/kg
0-6SB	5.55	3.7	5.76	mg/kg
6-12SA	3.94	5.8	4.18	mg/kg
6-12SB	4.85	5.2	5.12	mg/kg
12-18SA	4.87	5.5	5.15	mg/kg
12-18SB	4.22	7.8	4.58	mg/kg
0-6NA	8.3	3.6	8.61	mg/kg
0-6NB	6.56	3	6.76	mg/kg
6-12NA	4.97	10.6	5.56	mg/kg
6-12NB	4.17	11.3	4.70	mg/kg
12-18NA	10.6	10.5	11.84	mg/kg
12-18NB	8.65	4.4	9.05	mg/kg

Table 7 (5/31/2017)

Location	Wet-Weight PCP Result	% Moisture	Dry-weight PCP Result*	Units
0-6SA	2.75	8.5	3.01	mg/kg
0-6SB	5.09	5.6	5.39	mg/kg
6-12SA	3.06	9.6	3.38	mg/kg
6-12SB	6.58	1.8	6.70	mg/kg
12-18SA	6.28	5.3	6.63	mg/kg
12-18SB	2.85	9.8	3.16	mg/kg
0-6NA	1.38	8	1.50	mg/kg
0-6NB	4.46	9.4	4.92	mg/kg
6-12NA	4.22	4.8	4.43	mg/kg
6-12NB	3.78	3.3	3.91	mg/kg
12-18NA	8.81	8.7	9.65	mg/kg
12-18NB	3.85	5	4.05	mg/kg

Table 8 (06/04/2017)

Location	Wet-Weight PCP Result	% Moisture	Dry-weight PCP Result*	Units
0-6SA	2.68	0.9	2.70	mg/kg
0-6SB	3.32	0.9	3.35	mg/kg
6-12SA	3.06	1.4	3.10	mg/kg
6-12SB	3.64	1.2	3.68	mg/kg
12-18SA	3.18	5.2	3.35	mg/kg
12-18SB	6.65	3.4	6.88	mg/kg
0-6NA	4.49	2.7	4.61	mg/kg
0-6NB	6.01	2.2	6.15	mg/kg
6-12NA	5.86	2.4	6.00	mg/kg
6-12NB	6.26	5.1	6.60	mg/kg
12-18NA	4.01	9.4	4.43	mg/kg
12-18NB	6.44	4	6.71	mg/kg

Table 9 (06/06/2017)

Location	Wet-Weight PCP Result	% Moisture	Dry-weight PCP Result*	Units
0-6SA	1.73	4.4	1.81	mg/kg
0-6SB	2.28	2.3	2.33	mg/kg
6-12SA	2.59	4.4	2.71	mg/kg
6-12SB	3	3.6	3.11	mg/kg
12-18SA	2.6	6.8	2.79	mg/kg
12-18SB	2.51	6.1	2.67	mg/kg
0-6NA	1.96	6.7	2.10	mg/kg
0-6NB	2.61	4.2	2.72	mg/kg
6-12NA	2.01	7.9	2.18	mg/kg
6-12NB	2.82	9.5	3.12	mg/kg
12-18NA	2.97	6.4	3.17	mg/kg
12-18NB	1.8	6.5	1.93	mg/kg

* - all action levels for soils are for soil with zero moisture and that sample results have to be corrected to account for any moisture in the soil, otherwise they would be biased low.