



December 7, 2018

Mr. Todd Davis
Site Assessment Manager
U.S. Environmental Protection Agency, Region 7
11201 Renner Blvd.
Lenexa, Kansas 66219

Subject: Tier 1 Risk Assessment
Mead Hansen Building, 408 S. 8th Street, St. Joseph, Buchanan County, Missouri
U.S. EPA Region 7, START 4, Contract No. EP S7 13 06, Task Order No. 0002.043
Task Monitor: Todd Davis, Site Assessment Manager

Dear Mr. Davis:

Tetra Tech, Inc. (Tetra Tech) is submitting the enclosed Tier 1 Risk Assessment (RA) report regarding the Mead Hansen Building site in St. Joseph, Missouri. If you have any questions or comments regarding this submittal, please call the Project Manager at (816) 412-1772.

Sincerely,

A handwritten signature in black ink, reading 'John R. Simpson'.

John R. Simpson, CHMM
START Project Manager

A handwritten signature in blue ink, reading 'Ted Faile'.

Ted Faile, PG, CHMM
START Program Manager

Enclosures

cc: Debra Dorsey, START Project Officer (cover letter only)
David Homer, Tetra Tech

**DRAFT
TIER 1 RISK ASSESSMENT**

**MEAD HANSEN BUILDING
408 S. 8TH STREET
ST. JOSEPH, MISSOURI**

Superfund Technical Assessment and Response Team (START) 4

Contract No. EP-S7-13-06, Task Order No. 0002.043

Prepared For:

U.S. Environmental Protection Agency
Region 7
11201 Renner Blvd.
Lenexa, Kansas 66219

Revision 00

December 7, 2018

Prepared By:

Tetra Tech, Inc.
415 Oak Street
Kansas City, Missouri 64106
(816) 412-1741

CONTENTS

<u>Section</u>	<u>Page</u>
EXECUTIVE SUMMARY	ES-1
1.0 INTRODUCTION	1
1.1 PURPOSE.....	1
1.2 OBJECTIVE OF THE TIER 1 RISK ASSESSMENT	1
2.0 SITE BACKGROUND	2
2.1 SITE DESCRIPTION AND FEATURES	2
2.2 SITE HISTORY AND LAND USE	2
2.3 SUMMARY OF PREVIOUS AND CURRENT ASSESSMENTS	3
2.3.1 Previous Assessments	3
2.3.2 Current Assessment	4
3.0 DATA	5
3.1 SAMPLING ACTIVITIES	5
3.1.1 Soil Sampling.....	6
3.1.2 Groundwater Sampling	6
3.1.3 Quality Control Sampling.....	6
3.2 NATURE AND EXTENT OF CONTAMINATION	7
3.2.1 Surface Soils	7
3.2.2 Subsurface Soils.....	8
3.2.3 Groundwater	9
4.0 EXPOSURE MODEL.....	11
4.1 CONCEPTUAL SITE MODEL	11
4.2 POTENTIAL RECEPTORS AND EXPOSURE POINTS.....	12
4.3 POTENTIAL EXPOSURE ROUTES	12
5.0 RISK CHARACTERIZATION	13
5.1 SURFACE SOILS	13
5.2 SUBSURFACE SOILS.....	14
5.3 GROUNDWATER	14
5.4 ECOLOGICAL RISK CHARACTERIZATION	15
6.0 RECOMMENDATIONS	16
7.0 REFERENCES	17

CONTENTS (Continued)

APPENDICES

Appendix

A FIGURES

Figure 1: Site Location Map

Figure 2: Boring Location Map

Figure 3: Conceptual Site Model

B TABLES

B-1: Summary of Volatile Organic Compounds in Surface Soil Samples

B-2: Summary of Semivolatile Organic Compounds in Surface Soil Samples

B-3: Summary of Pesticides in Surface Soil Samples

B-4: Summary of Total Petroleum Hydrocarbons in Surface Soil Samples

B-5: Summary of RCRA Metals in Surface Soil Samples

B-6: Summary of Volatile Organic Compounds in Subsurface Soil Samples

B-7: Summary of Semivolatile Organic Compounds in Subsurface Soil Samples

B-8: Summary of Pesticides and Herbicides in Subsurface Soil Samples

B-9: Summary of Total Petroleum Hydrocarbons in Subsurface Soil Samples

B-10: Summary of RCRA Metals in Subsurface Soil Samples

B-11: Summary of Volatile Organic Compounds in Groundwater Samples

B-12: Summary of Semivolatile Organic Compounds in Groundwater Samples

B-13: Summary of Pesticides and Herbicides in Groundwater Samples

B-14: Summary of Total Petroleum Hydrocarbons in Groundwater Samples

B-15: Summary of Total and Dissolved RCRA Metals in Groundwater Samples

B-16: Representative Concentrations – Surface Soils

C CHAIN-OF-CUSTODY RECORDS, ANALYTICAL DATA PACKAGES, AND DATA VALIDATION REPORTS

D ECOLOGICAL RISK FORM

EXECUTIVE SUMMARY

The Tetra Tech, Inc. (Tetra Tech) Region 7 Superfund Technical Assessment and Response Team (START) was tasked by the U.S. Environmental Protection Agency (EPA) Region 7 Superfund Division to conduct a Tier 1 Risk Assessment (RA) of the approximately 0.71-acre Mead Hansen Building site (the site or subject property), in St. Joseph, Buchanan County, Missouri. The subject property is currently unoccupied and includes one building and an asphalt parking area. The subject property has historically been occupied by a lumberyard, a car dealership, and a service garage. The most recent usage of the subject property was as a chemical mixing and storage facility for HPI Products, Inc.

START completed a Phase II Targeted Brownfields Assessment (TBA) of the site in 2018 (Tetra Tech 2018). The TBA identified soil and groundwater concentrations exceeding Missouri Department of Natural Resources (MDNR) Missouri Risk-based Corrective Action (MRBCA) guidance lowest Default Target Levels (DTL). This Tier 1 RA occurred to further evaluate exceedances of DTLs. START conducted this Tier 1 RA in accordance with MDNR MRBCA guidance (MDNR 2006).

Significant findings of the Tier 1 RA are as follows:

The Tier 1 RA, based on the sampling results from the Phase II TBA, indicated only minimal detections of contaminant analytes in surface soil, subsurface soil, and groundwater at the site. In surface soil samples, no detectable concentrations of volatile organic compounds (VOC), semivolatile organic compounds (SVOC), pesticides, herbicides, total petroleum hydrocarbons (TPH), and most metals were found to exceed MRBCA Tier 1 Risk-based target levels (RBTL) for either the construction worker or non-residential land use. The maximum arsenic concentration in surface soils, however, exceeded the MRBCA RBTL for non-residential land use, although the representative arsenic concentration was found to be less than the MRBCA RBTL for non-residential land use. In subsurface soil samples, no detected analyte concentration exceeded an appropriate MRBCA RBTL. In groundwater samples, concentrations of arsenic and TPH – diesel-range organics (DRO) exceeded MRBCA Groundwater Target concentrations. However, groundwater is not currently used as a drinking water source at the site, and because the facility is connected to the public water supply in St. Joseph, it is not likely to use groundwater in the future as a potable water source.

START completed the ecological risk form for the site and given its urban location, no potential ecological populations were identified that could be at risk from soils or groundwater at the site.

No remediation may be necessary, based on anticipated future use of the subject property as a parking lot for the adjacent St. Joseph Fire Department, and on the nature and extent of contaminants detected in soil and groundwater at the site.

Prior to consideration of any property transaction and/or enrollment of this property in MDNR's Brownfields Volunteer Cleanup Program (BVCP), coordination regarding the status of the Consent Decree and the Unilateral Administrative Order is recommended among the EPA enforcement case team, the U.S. Department of Justice (DOJ), and any party interested in acquiring the property.

1.0 INTRODUCTION

The Tetra Tech, Inc. (Tetra Tech) Region 7 Superfund Technical Assessment and Response Team (START) was tasked by the U.S. Environmental Protection Agency (EPA) Region 7 Superfund Division to conduct a Tier 1 Risk Assessment (RA) of the approximately 0.71-acre Mead Hansen Building site (the site or subject property), in St. Joseph, Buchanan County, Missouri (see Appendix A, Figure 1). The subject property is currently unoccupied and includes one building and an asphalt parking area. The subject property has historically been occupied by a lumberyard, a car dealership, and service garage. The most recent usage of the subject property was as a chemical mixing and storage facility for HPI Products, Inc. (HPI).

START completed a Phase II Targeted Brownfields Assessment (TBA) of the site in 2018 (Tetra Tech 2018). The TBA identified soil and groundwater concentrations exceeding MRBCA lowest Default Target Levels (DTL). This Tier 1 RA occurred to further evaluate exceedances of DTLs.

1.1 PURPOSE

START conducted this Tier 1 RA in accordance with the Missouri Department of Natural Resources (MDNR) *Missouri Risk-based Corrective Action (MRBCA) Technical Guidance* (MDNR 2006).

Purposes of the Tier 1 RA were to further evaluate available data from the site, and to better understand potential risks associated constituents detected at the site. DTLs are based on the most conservative chemical and media-specific concentrations that allow for unrestricted property use. DTLs do not take into account a site-specific conceptual site model (CSM), any activity or use limitations, or a determination of whether groundwater is used or likely to be used for domestic consumptions. This Tier 1 RA considers the predominant soil type, receptors, media, exposure pathways, and likely groundwater use at the site. Exceedances of Tier 1 risk-based target levels (RBTL) may require implementation of activity and use limits (AUL).

1.2 OBJECTIVE OF THE TIER 1 RISK ASSESSMENT

The overall objective of the Tier 1 RA was to determine potential risks by adequately characterizing the site and its potential current and future receptors and comparing available site data to appropriate RBTLs. The first step to meet this objective was to develop a CSM reflecting current and likely anticipated land uses, receptors, and exposure pathways. The following step involved review of available data to determine if those data adequately described the nature and extent of contamination at the site and could be used to characterize potential risks.

2.0 SITE BACKGROUND

This section briefly describes the site and physical setting, recounts site history, discusses land uses at the site and adjacent properties, and summarizes previous and current assessments.

2.1 SITE DESCRIPTION AND FEATURES

The site is a 0.71-acre property that hosts a vacant industrial building with an asphalt parking lot on the north-central portion (see Appendix A, Figure 2). The site includes 408 and 424 S. 8th Street in downtown St. Joseph, Buchanan County, Missouri. The subject property lies within a commercial and industrial area in the central business district of St. Joseph. The site is bounded north by an imported foods and beauty supply store and Sylvania Street, east by S. 8th Street with an International Brotherhood of Electrical Workers building and metal service shop beyond, south by Angelique Street with a motor shop beyond, and west by an alleyway with an auto repair shop, vacant lot, and St. Joseph Fire Department beyond.

The site is included on the St. Joseph North, Missouri, U.S. Geological Survey (USGS) 7.5- minute topographic series map (USGS 1997) (see Appendix A, Figure 1). The site is in the southwest quarter of Section 8, Township 57 North, Range 35 West. Coordinates at the approximate center of the site are 39.7637690 degrees north latitude and 94.8510450 degrees west longitude. The parcel identification number for the subject property is 06-3.0-08-004-003-055.000 (Buchanan County, Missouri 2016).

The site is within Buchanan County in northwest Missouri. The site is mostly urban land soils (U.S. Department of Agriculture [USDA] 2016). Generally, urban land soils have been modified by disturbance of natural layers. Geology in the region is typically characterized by unconsolidated alluvial deposits that overlie Pennsylvanian-aged bedrock of the Lansing Group, which consists primarily of limestone and shale.

Groundwater in the site area likely flows west-southwest (following the topographic gradient) toward the Missouri River. Depth to groundwater in the site area is believed to range from 10 to 20 feet below ground surface (bgs). Potable water in the site area is supplied by Missouri American Water and is obtained from groundwater sources along the Missouri River north (upstream) of St. Joseph.

2.2 SITE HISTORY AND LAND USE

Based on a review of historical sources, the site was developed as early as 1883. The subject property is occupied by a vacant industrial building and an asphalt parking lot in downtown St. Joseph. Historical

documents and interviews indicate the subject property was previously occupied by a lumberyard, residential dwellings, car dealership and service garage, and jewelry store; the most recent occupant was a storage/dry chemical mixing facility for HPI—a contract packaging, liquid, dry, and formulation company serving agricultural, industrial, detergent, and chemical markets (Seagull Environmental Technologies, Inc. [Seagull] 2016).

Several regulatory actions by EPA related to the property are as follows:

- On March 30, 2007, EPA filed a Resource Conservation and Recovery Act (RCRA) §7003/ Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) §106 Unilateral Administrative Order (EPA Docket No. RCRA-07-2007-0007) regarding the 424 South 8th Street property due to potential and/or actual conditions at the facility that had presented or may present an imminent and substantial endangerment to health or the environment. This Unilateral Administrative Order also includes the 408 South 8th Street address because it is a contiguous property owned and/or operated by HPI. This Unilateral Administrative Order is active, and the Defendants are legally responsible to address the requirements listed.
- On January 12, 2011, the United States of America (i.e., the U.S. Department of Justice [DOJ] on behalf of EPA), the State of Missouri, and MDNR—collectively known as the Plaintiffs—filed a Consent Decree (Civil No. 5:08-cv-06133-DGK) against HPI; St. Joseph Properties, LLC; and William Garvey—collectively known as the Defendants. This Consent Decree includes the 424 South 8th Street and the 408 South 8th Street addresses because these properties are contiguous and owned and/or operated by HPI. This Consent Decree is active, and the Defendants are legally responsible to address the requirements listed.

2.3 SUMMARY OF PREVIOUS AND CURRENT ASSESSMENTS

This section summarizes previous and current assessment activities at the site.

2.3.1 Previous Assessments

During March 2007, the EPA Region 7 RCRA program conducted a RCRA Compliance Evaluation Inspection of HPI. Most (if not all) containers inside the building were determined to hold solid waste. The Unilateral Administrative Order required HPI to complete hazardous waste determinations on the containers of solid waste, and many of these containers were found to contain hazardous waste. During 2007-2008, the solid and hazardous wastes were shipped off site for disposal in a manner to that required by the Unilateral Administrative Order and RCRA requirements.

The Phase I ESA of the subject property (Seagull 2016) identified the following recognized environmental conditions (REC):

- A multimedia inspection by EPA revealed improper storage and handling of chemicals, including more than 300 containers of various materials throughout the building.
- The property was identified as HPI in the RCRA Non-generator/No Longer Regulated (NLR), EPA Watchlist, and Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) databases.
- The subject property historically hosted an automotive sales and repair shop.
- North adjacent properties were used historically for auto repair.

2.3.2 Current Assessment

START conducted a Phase II Targeted Brownfields Assessment (TBA) of the site. On December 19, 2017, START members Megan Sawyer and John Simpson conducted a survey at the site to assess presence of asbestos-containing materials (ACM), lead-based paint (LBP), and polychlorinated biphenyl (PCB)-containing caulk. During the TBA (January 22 through 26, 2018), START sampled soil, groundwater, sediment and water from floor drains, and floor sweepings. The Tier 1 RA was based on sample data acquired during the TBA; however, the RA did not assess potential risks from ACM, LBP, or PCB-containing caulk.

3.0 DATA

The following subsections describe data used in the Tier 1 RA. Details on scope, field exploration, and methods implemented during the Phase II TBA are in the TBA report (Tetra Tech 2018), and only summaries of that information appear in this report. The Tier 1 RA used only soil and groundwater data from the TBA; data from sediment and water from floor drains and floor sweepings had been acquired to characterize those materials in order to ensure that management of them complied with applicable regulations and guidance. Assumedly, those materials will not be present for long-term exposures. The remaining portions of this section discuss collections of surface soil, subsurface soil, and groundwater samples.

3.1 SAMPLING ACTIVITIES

START conducted environmental sampling to determine if surface (0 to 3 feet below ground surface [bgs]) and subsurface soils (3 to 15 feet bgs) and groundwater had been contaminated by current or historical activities at the subject property.

The proposed sampling scheme for this project incorporated a combination of biased and judgmental sampling and definitive laboratory analysis. Objectives of sampling soil and groundwater were to document possible releases to the environment. Appendix A, Figure 2 depicts soil boring locations at the site. Sampling at the site was as follows:

- Ten soil borings (SB-1 through SB-10) were advanced inside the building by use of Geoprobe direct-push technology (DPT). Two to three soil samples were collected from each soil boring within intervals of 0-1, 0-3, and 3-5 feet bgs. At SB-2, a third depth interval (12-14 feet bgs) was sampled because evidence of potential impact was observed therein.
- Six soil borings (SB-11 through SB-16) were advanced by use of DPT at exterior locations surrounding the building. Two to three soil samples were collected from each boring. Depth intervals sampled were 3-5 and 13-15 feet bgs unless indication of potential impact was detected at other depth intervals, which occurred within 10-12 feet bgs at SB-13, and 13-14 and 14-15 feet bgs at SB-15.
- Seventeen groundwater samples were collected at the 16 boring locations. One groundwater sample was collected from the first encountered groundwater (approximately 10-16 feet bgs) at each boring, and an additional sample was collected at approximately 60 feet bgs at SB-11.

Laboratory analyses for chemical parameters were selected based on possibly present contaminants associated with current and historical uses of the subject property. All samples were submitted for analyses for the following parameters: volatile organic compounds (VOC), semivolatile organic compounds (SVOC), total petroleum hydrocarbons (TPH) – gasoline range organics (GRO), TPH – diesel

range organics (DRO), TPH – oil range organics (ORO), Resource Conservation and Recovery Act (RCRA) metals, organochlorine and organophosphate pesticides, herbicides, nitrogen, and sulfate. Data from analyses for nitrogen and sulfate were not used in the Tier RA and are provided in Appendix C.

3.1.1 Soil Sampling

Thirty-three soil samples were collected during Phase II TBA activities at select locations to investigate possibly present contamination from historical activities at the site (see Appendix A, Figure 2). Borings were advanced as follows: 10 inside the building (including three from the basement level), five surrounding the exterior of the building, and one in the parking area north of the building. Sampling proceeded by use of a Geoprobe® DPT rig. The soil borings inside the building were advanced to depths at which groundwater was encountered, approximately 12 to 16 feet bgs. The exterior soil borings were advanced to depths of first encountered water, resulting in total boring depths of approximately 15-22 feet bgs.

All soil boring cores were field-screened by use of a photoionization detector (PID). Soil samples were collected within intervals inducing elevated PID readings, showing staining, or exhibiting other indicators of possible contamination. In the absence of any indication of contamination, intervals sampled from the inside borings included 0-1 and 3-5 feet bgs (a soil sample was collected within 0-3 feet bgs at SB-9 because of low recovery). A third depth interval (12-14 feet bgs) was sampled at one soil boring (SB-2) where evidence of potential impact was detected. Depth intervals sampled from the exterior borings included 3-5 and 13-15 feet bgs except where indications of potential impact were detected at differing depths—10-12 feet bgs at boring SB-13, and 13-14 and 14-15 feet bgs at boring SB-15.

3.1.2 Groundwater Sampling

A total of 17 groundwater samples were collected at the 16 boring locations (see Appendix A, Figure 2). At each boring location, groundwater samples were collected at depth of first encountered groundwater, approximately 11 to 30 feet bgs. One additional groundwater sample was collected at boring location SB-11 at a deeper interval (approximately 60 feet bgs). The remaining exterior soil borings lacked sufficient groundwater at the deeper interval to allow sample collection.

3.1.3 Quality Control Sampling

Field quality control (QC) sampling for this investigation included one laboratory-supplied aqueous trip blank, one laboratory-supplied soil trip blank, and one equipment rinsate blank. The aqueous and soil trip blanks were analyzed by Pace for VOCs. The equipment rinsate blank was analyzed for VOCs, SVOCs,

RCRA metals (including mercury), organochlorine pesticides, organophosphate pesticides, chlorinated herbicides, nitrogen, and sulfate. Analytical data from trip blanks were referenced to determine whether contamination had been introduced during transportation of containers and samples. Analytical data from the equipment rinsate blank were used to verify that equipment had been properly decontaminated after sampling at each location, and that cross-contamination had not occurred.

3.2 NATURE AND EXTENT OF CONTAMINATION

This section summarizes the nature and extent of contamination at the site in media with potentially complete exposure pathways to human and ecological receptors. However, the reader should refer to the Phase II TBA report for a more comprehensive presentation and analysis of nature and extent of contaminants at the site. Sections 3.2.1 through 3.2.3 summarize nature and extent of contaminants by type and medium (surface soil, subsurface soil, groundwater). In the TBA, contaminants were compared to EPA's Regional Screening Levels (RSL) (EPA 2018) and MDNR DTLs. The detailed comparison of the data to RSLs and DTLs are provided in Appendix E of the TBA report (Tetra Tech 2018).

3.2.1 Surface Soils

Ten surface soil samples were collected from beneath the building foundation at 10 soil boring locations throughout the interior of the building to assess impacts on soil from historical site activities. Tables B-1 through B-5 in Appendix B summarize detections in surface soil samples and associated regulatory benchmarks. VOC analytes detected were acetone, 2-butanone (methyl ethyl ketone [MEK]), tetrachloroethene, and 1,1,1-trichloroethane. None of the reported detections exceeded an EPA RSL or MRBCA DTL. Nineteen SVOCs were detected at concentrations above laboratory detection limits in one or more samples collected within the 0- to 1-foot bgs interval (0-3 feet bgs at SB-9). None of the reported detections exceeded an EPA RSL or MRBCA DTL. Three pesticides were detected at concentrations above laboratory detection limits in one or more samples collected within the 0- to 1-foot bgs interval (0-3 feet bgs at SB-9). Detected pesticides were 4,4-dichlorodiphenyldichloroethene (DDE), Diazinon, and gamma-benzene hydrochloride (BHC) (Lindane). None of the reported detections of pesticides exceeded an EPA RSL or MRBCA DTL. TPH-DRO and TPH-ORO were detected in all surface soil samples at concentrations ranging from 3.4 to 159 milligrams per kilogram (mg/kg). No reported TPH-DRO or TPH-ORO concentration exceeded a MRBCA DTL.

Seven of the eight reported RCRA metals were detected at concentrations above laboratory reporting limits in one or more samples—only silver was undetected in surface soils during Phase II sampling.

Comparisons of analytical data to EPA RSLs for industrial soil, MRBCA DTLs for surface soil, and Buchanan County mean background concentrations yielded the following notable results:

- Arsenic was reported in all 10 samples collected within the 0- to 1-foot bgs interval (0-3 feet at SB-9) within the building. All reported concentrations exceeded the EPA RSL of 3 mg/kg and the MRBCA DTL of 3.89 mg/kg. One reported concentration of 20.1 mg/kg from the soil boring at SB-4 exceeded the United States Geological Survey (USGS)-established mean background concentration of 17.4 mg/kg in Buchanan County, Missouri (USGS 2018).
- Barium was detected at concentrations above the laboratory reporting limit in all 10 surface soil samples; however, only one of the reported concentrations exceeded a regulatory benchmark. The sample collected from the soil boring at SB-5 contained a reported barium concentration of 4,650 mg/kg—exceeding the MRBCA DTL of 2,040 mg/kg but below the EPA RSL of 22,000 mg/kg. USGS has not established a mean background concentration of barium in Buchanan County, Missouri.
- Cadmium was detected at concentrations above the laboratory detection limit in all 10 surface soil samples; however, only one of the reported concentrations exceeded a regulatory benchmark. The sample collected from the soil boring at SB-4 contained a reported cadmium concentration of 13 mg/kg—exceeding the MRBCA DTL of 9.31 mg/kg but below the EPA RSL of 98 mg/kg. USGS has not established a mean background concentration of cadmium in Buchanan County, Missouri.
- Lead was reported in all 10 surface soil samples at concentrations ranging from 12 to 480 mg/kg. Lead concentrations exceeded the MRBCA DTL of 3.74 mg/kg at all locations, and exceeded the USGS-established mean background concentration of 30.802 mg/kg at all but one location. No reported lead concentration exceeded the EPA RSL of 800 mg/kg.
- Mercury was reported in all 10 surface soil samples; however, no reported mercury concentration exceeded the EPA RSL of 4.6 mg/kg or MRBCA DTL of 2.19 mg/kg.

3.2.2 Subsurface Soils

Twenty-four subsurface soil samples were collected at 16 soil boring locations to assess impacts on soil from historical site activities. Tables B-6 through B-10 in Appendix B summarize analytical data from all subsurface soil samples collected during the Phase II TBA.

Six VOCs were detected in one or more samples collected at the 16 soil boring locations. No VOCs were detected in subsurface soil samples collected from soil borings at SB-5, -7, -8, -9, or -10. All VOC detections reported were below applicable EPA RSLs and MRBCA DTLs except for reported concentrations of bromomethane (210 µg/kg) and methylene chloride (328 µg/kg) in a sample collected within 13-15 feet bgs at soil boring SB-16 at the southeast corner of the building. One or more SVOCs were identified in five subsurface soil samples. No reported detection exceeded an EPA RSL or MRBCA DTL. Pesticides and herbicides were detected in three of the 24 subsurface soil samples. Subsurface soils

contained the pesticides Diazinon and dieldrin, and herbicide 2,4-dichlorophenoxyacetic acid (2,4-D) at concentrations below their EPA RSLs and MRBCA DTLs. TPH-GRO was detected in three subsurface soil samples, and TPH-DRO and TPH-ORO were detected in at least one subsurface soil sample at each of the 16 soil boring locations. No detected concentration exceeded an applicable MDNR regulatory benchmark.

Of the eight reported RCRA metals, seven were detected at concentrations above laboratory reporting limits in one or more samples—only silver was undetected in subsurface soils during Phase II sampling. Comparisons of analytical data to EPA RSLs for industrial soil, MRBCA DTLs, and Buchanan County mean background concentrations yielded the following notable results:

- Arsenic was reported in all 24 samples collected within intervals deeper than 3 feet bgs. All reported concentrations exceeded the EPA RSL of 3 mg/kg and the MRBCA DTL of 3.89 mg/kg. Two reported concentrations of 17.7 (SB-4 [3-5]) and 26.8 (SB-13 [10-12]) mg/kg exceeded the USGS-established mean background concentration of 17.365 mg/kg in Buchanan County, Missouri.
- Barium and chromium were detected at concentrations above laboratory reporting limits in all 24 subsurface soil samples; however, no reported concentration exceeded an EPA RSL or MRBCA DTL.
- Lead was reported in all 24 subsurface soil samples at concentrations ranging from 9.4 to 451 mg/kg. Lead concentrations exceeded the MRBCA DTL of 3.74 mg/kg at all locations, and exceeded the USGS-established mean background concentration of 30.802 mg/kg at four locations. No reported lead concentration exceeded the EPA RSL of 800 mg/kg.
- Mercury was reported in all 24 subsurface soil samples. One subsurface soil sample, SB-3 (3-5), contained mercury at 2.7 mg/kg, exceeding the MRBCA DTL of 2.16 mg/kg. Seventeen detections exceeded the USGS-established mean background concentration of 0.017 mg/kg in Buchanan County, Missouri. However, no reported mercury concentration exceeded the EPA RSL of 4.6 mg/kg.

3.2.3 Groundwater

Seventeen groundwater samples were collected at the 16 soil boring locations to assess impacts on groundwater from historical site activities. Tables B-11 through B-15 in Appendix B summarize analytical data from all groundwater samples collected during the Phase II TBA.

Fourteen VOCs were detected in one or more of the 17 groundwater samples. Five samples contained no VOC at a concentration above a laboratory reporting limit. No concentration of a detected VOC exceeded any applicable EPA MCL or MRBCA DTL. Six SVOCs were identified in one or more groundwater samples; seven samples had no detected SVOCs and one sample was not analyzed for

SVOCs, with the exception of PAHs, due to slow recharge of the temporary well. No SVOC detection exceeded any applicable EPA or MDNR regulatory benchmark. Two pesticides – gamma BHC (lindane) and dieldrin – and three herbicides – 2,4-D, Dicamba, and dichloroprop – were detected at concentrations above laboratory reporting limits in one or more of the 17 groundwater samples. Five samples (SB-9, SB-11, SB-13, SB-14, and SB-16) contained no detected pesticides or herbicides, and two samples (SB-11D and SB-15) were not analyzed for pesticides/herbicides due to slow recharge of groundwater in the temporary well. No detected concentration of a pesticide or herbicide exceeded an applicable EPA MCL or MRBCA DTL. TPH-DRO and/or TPH-ORO were detected in 10 of the 17 groundwater samples at concentrations ranging from 0.13 to 75.4 milligrams per liter (mg/L). All detections were below MRBCA DTLs except for one TPH-DRO detection in the sample collected at SB-2. The reported TPH-DRO concentration in groundwater at location SB-2 was 75.4 mg/L—exceeding the MRBCA DTL of 34.3 mg/L.

All 17 groundwater samples analyzed for total RCRA metals contained detectable concentrations of one or more metals. Several detections in samples analyzed for total RCRA metals exceeded EPA MCLs or MRBCA DTLs. In the 15 groundwater samples analyzed for dissolved concentrations of RCRA metals, only one analyte in one sample exceeded an EPA MCL or MRBCA DTL—arsenic at 18.8 µg/L in the sample collected at boring SB-11. Due to limited groundwater recharge, no sample for dissolved metals analysis was collected from the temporary well at boring location SB-15.

4.0 EXPOSURE MODEL

The Tier 1 RA conservatively characterized risks to current or future human receptors exposed to constituents detected in environmental media at the site. This section presents the conceptual site model (CSM) for the site and discusses current and future potential human receptors. This information was used to select the appropriate RBTL to apply to data acquired at the site.

4.1 CONCEPTUAL SITE MODEL

The CSM identifies potentially complete exposure pathways by which receptors could come in contact with site-related constituents. The CSM is used throughout the site investigation and remediation processes to (1) provide a framework for addressing potential risks, (2) evaluate need for additional data acquisition activities, and (3) evaluate health risks and need for corrective measures.

As defined in *Risk Assessment Guidance for Superfund* (RAGS) Part A (EPA 1989), the following four elements are necessary to form a complete exposure pathway:

- A source or release from a source
- A mechanism of release and transport
- A point of contact for potential receptors
- An exposure route.

If any one of the four elements is missing, the exposure pathway is incomplete. In general, only potentially complete exposure pathways were evaluated in the RA. However, in some instances, exposure pathways not reasonably anticipated to be complete were assumed and quantitatively evaluated to provide support for evaluation of risk management measures.

The first two elements (a source or a release from a source, and a mechanism of release and transport) were discussed in Sections 1.0 and 2.0. Briefly, operations at the site, including pesticide management, have resulted in releases to soils and groundwater. The remaining two elements of the CSM—potential receptors' exposure points and exposure routes—are described in the following section. The human health CSM is diagrammed on Figure A-3.

4.2 POTENTIAL RECEPTORS AND EXPOSURE POINTS

Current and future receptors reasonably anticipated or assumed exposed to site-related contaminants in environmental media were identified as follows based on the information presented in Section 2:

- **Future Commercial/Industrial Workers** (adults only): The building is abandoned, and no commercial/industrial workers are currently working at the site. However, future use of the site could include commercial operation(s) within the building if the building is allowed to stand and be reused. This receptor, although not likely, is included to be complete in the evaluation of potential risks.
- **Current and Future Construction and Utility Workers** (adults only): Potential exposure of construction workers was evaluated during the Tier 1 RA under both current and potential future land use conditions.
- **Future Residents** (children and adults): The building is currently zoned for commercial use, and this is anticipated also in the future. Based on that assumption, the Tier 1 RA evaluated only non-residential exposures. Discussions with EPA indicated plans for demolition of the building, removal of the structure, and future use of the site as a parking lot for the adjacent Fire Department building.

4.3 POTENTIAL EXPOSURE ROUTES

Potential exposure routes considered in the Tier 1 RA for the various exposure scenarios described in Section 4.2 were as follows:

- **Current and Future Commercial/Industrial Worker**
 - Inhalation of fugitive and volatile emissions to ambient air from surface and subsurface soil
 - Incidental ingestion of and dermal contact with surface and subsurface soil
 - Inhalation of indoor air contaminated by volatile COPCs via the VI exposure pathway.

Ingestion of and dermal contact with groundwater was not considered because the site is currently supplied with potable water from the local utility.

- **Current and Future Construction and Utility Workers**
 - Incidental ingestion of, dermal contact with, and inhalation of fugitive and volatile emissions from subsurface soil.

5.0 RISK CHARACTERIZATION

This section summarizes risk characterization findings regarding surface soils, subsurface soils, and groundwater. Consistent with MRBCA Tier 1 RA protocols, analyte concentrations in media were compared to appropriate MRBCA Tier 1 RBTLs. To be conservative, it was assumed that the soil type at the site was Type 1 – Sandy. Because the site is currently zoned for commercial use, and this is not expected to change in the future, MRBCA Tier 1 RBTLs for non-residential land use were used. As noted in the previous section, current plans for the site are to demolish and remove current structures, and to install a parking lot. These activities were considered construction activities, and thus soil concentrations were also compared to construction worker RBTLs. Groundwater concentrations were compared to MRBCA Groundwater Target Concentrations which are for the protection of groundwater as a drinking water source, although groundwater is not currently used as a drinking water source, and the site is connected to a public water supply. Exceedances could justify an AUL for the site. The following sections summarize, by medium, potential risks identified from comparisons of analyte concentrations in media to appropriate RBTLs. These comparisons are listed in Tables B-1 through B-15 in Appendix B.

5.1 SURFACE SOILS

During the Phase II TBA, 10 soil samples were collected within 0 to 3 feet bgs, categorized as surface soil by MDNR. Surface soil samples were analyzed for VOCs, SVOCs, pesticides, herbicides, TPH-GRO, TPH-DRO, TPH-ORO, and RCRA metals including mercury. Summaries of the detected concentrations by chemical groupings are in Tables B-1 through B-5 in Appendix B. Review of analytical data indicated the following significant findings:

- No detectable concentrations of VOCs, SVOCs, pesticides, herbicides, or TPH were found to exceed MRBCA Tier 1 RBTLs for either the construction worker or non-residential land use— indicating no unacceptable risks from exposure to those constituents in surface soils.
- Only one reported arsenic concentration (in the soil boring at SB-4) exceeded the MRBCA Tier 1 RBTL for non-residential land use. This arsenic value did not exceed the MRBCA Tier 1 for a construction worker. This one arsenic detection exceeded the USGS-established mean background concentration in Buchanan County, Missouri (USGS 2018).
- A surface soil representative concentration of arsenic calculated for surface soils at the site (see Table B-16 in Appendix B) was below the MRBCA Tier 1 RBTL for non-residential land use, indicating no unacceptable risk from exposure to arsenic in surface soils.

5.2 SUBSURFACE SOILS

During the Phase II TBA, 24 subsurface soil samples were collected at 16 boring locations to assess potential impacts. Samples were collected within the building interior and exterior to the buildings. Subsurface soil samples were analyzed for VOCs, SVOCs, pesticides, herbicides, TPH-GRO, TPH-DRO, TPH-ORO, and RCRA metals including mercury. Review of the laboratory analytical data indicated that while several samples contained detectable concentrations of VOCs, SVOCs, pesticides, herbicides, TPH, metals, and nitrogen and sulfate, detections of only two VOCs in one sample and detections of several metals exceeded regulatory screening levels. Summaries of the detected concentrations by chemical groupings are in Tables B-6 through B-10 in Appendix B. Review of analytical data indicated the following significant findings:

- No detectable concentrations of VOCs, SVOCs, pesticides, herbicides, TPH, or metals exceeded MRBCA Tier 1 RBTLs for the construction worker or non-residential land use—indicating no unacceptable risks from exposure to those constituents in subsurface soils.

5.3 GROUNDWATER

Seventeen groundwater samples were collected at the 16 soil boring locations to assess impacts on groundwater from historical activities. Groundwater samples were analyzed for VOCs, SVOCs, pesticides, herbicides, TPH-GRO, TPH-DRO, TPH-ORO, and total and dissolved RCRA metals including mercury. Summaries of the detected concentrations by chemical groupings are in Tables B-11 through B-15 in Appendix B. Review of analytical data indicated the following significant findings:

- No detectable concentrations of VOCs, SVOCs, pesticides, or herbicides were found above MRBCA Groundwater Target Concentrations or MRBCA Tier 1 RBTLs for either the construction worker or non-residential land use.
- The groundwater sample collected at soil boring location SB-2 contained TPH-DRO at a concentration exceeding the MRBCA Groundwater Target concentration but not the Tier 1 RBTL for groundwater for construction worker or non-residential land use. No EPA MCL for TPH has been established.
- Several metals (arsenic, barium, cadmium, chromium, lead, and selenium) were detected in all 17 groundwater samples analyzed for total metals at concentrations exceeding MRBCA Groundwater Target Concentrations and EPA MCLs. Only one arsenic concentration (in sample SB-15) exceeded a MRBCA Tier 1 RBTL for non-residential land use. No detected concentration exceeded an MRBCA Tier 1 RBTL for the construction worker.
- Analytical data from samples analyzed for dissolved metals indicated that only one detection of arsenic (in the sample from SB-11) exceeded the EPA MCL and the MRBCA Groundwater Target Concentration, but not the Tier 1 RBTL for non-residential land use or for a construction

worker. It should be noted that the duplicate sample for SB-11 was non-detect for arsenic. No other detection of a dissolved metal in other samples exceeded a screening value. Notably, the well (SB-15) with the highest total arsenic concentration did not produce sufficient water to enable analysis of a sample for dissolved metals.

5.4 Ecological Risk Characterization

START completed the ecological risk form (Appendix D) for the site and given its urban location, no potential ecological populations were identified that could be at risk from soils or groundwater at the site.

6.0 RECOMMENDATIONS

The Tier 1 RA, based on sampling results from the Phase II TBA, indicated only limited detections of contaminant analytes in surface soil, subsurface soil, and groundwater at the site. Regarding surface soils, no detectable concentrations of VOCs, SVOCs, pesticides, herbicides, TPH, or most metals were found to exceed an MRBCA Tier 1 RBTL for either the construction worker or non-residential land use. The most notable exception was arsenic. The maximum arsenic concentration in surface soils was above the MRBCA RBTL for non-residential land use; however, the representative arsenic concentration was found to be less than the MRBCA RBTL for non-residential land use. Regarding subsurface soils, no detected analytes were found to exceed appropriate MRBCA RBTLs. Groundwater sampling results indicated TPH-DRO and arsenic concentrations above MRBCA Groundwater Target concentrations. However, groundwater is not currently used as a drinking water source at the site, and because the facility is connected to the public water supply in St. Joseph, future use of groundwater as a potable water source is unlikely.

START completed the ecological risk form for the site and given its urban location, no potential ecological populations were identified that could be at risk from soils or groundwater at the site.

No remediation may be necessary, based on anticipated future use of the subject property as a parking lot for the adjacent St. Joseph Fire Department, and on the nature and extent of contamination detected in soil and groundwater at the site.




Prior to consideration of any property transaction and/or enrollment of this property in MDNR's Brownfields Volunteer Cleanup Program (BVCP), coordination regarding the status of the Consent Decree and the Unilateral Administrative Order is recommended among the EPA enforcement case team, DOJ, and any party interested in acquiring the property.

7.0 REFERENCES

- Buchanan County, Missouri. 2016. Geographic Information System Website. Accessed February 2018. <http://buchanan.maps.arcgis.com/home/index.html>
- Missouri Department of Natural Resources (MDNR). 2006. Missouri Risk-Based Corrective Action Technical Guidance. April. Revised March 2010.
- Seagull Environmental Technologies, Inc. (Seagull). 2016. Phase I Environmental Site Assessment, Mead Hansen Building, 408 South 8th Street, St. Joseph, Buchanan County, Missouri. October 18.
- Tetra Tech, Inc. (Tetra Tech). 2018. Phase II Targeted Brownfields Assessment Report – Mead Hansen Building, St. Joseph, Missouri. November.
- U.S. Department of Agriculture (USDA). 2016. Soil Survey of Buchanan County, Missouri. Accessed on February 28, 2018. <http://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>
- U.S. Environmental Protection Agency (EPA). 1989. *Risk Assessment Guidance for Superfund (RAGS). Volume I, Human Health Evaluation Manual (Part A)*, Interim Final. Office of Emergency and Remedial Response (OERR). Washington, DC. EPA/540/1-89/002. December. On-line Address: https://www.epa.gov/sites/production/files/2015-09/documents/rags_a.pdf
- EPA. 2018. Regional Screening Level (RSL) Summary Table. November.
- U.S. Geological Survey (USGS). 1997. St. Joseph North, Missouri Quadrangle. USGS 7.5-Minute Topographic Series.
- USGS. 2018. Mineral Resources On-Line Spatial Data, Average Concentrations of Elements in Buchanan County, Missouri. Accessed February 2018. <https://mrdata.usgs.gov/geochem/county.php?place=f29021&el=Pb&rf=central>

APPENDIX A

FIGURES



Mead Hansen Building
408 S 8th Street
St. Joseph, Missouri

Figure 1
Site Location Map




Source: USGS Saint Joseph North, MO 7.5 Minute Topo Quad, 1981;
USGS Saint Joseph South, MO 7.5 Minute Topo Quad, 1981.

Date: 8/9/2017


Drawn By: Nick Wiederholt

Project No: X9025.14.0002.043

X:\G025\02\02\043\Projects\mxd\Figure 1.mxd



- Legend
- Soil and groundwater sample location
 - Former trench drain
 - Approximate site boundary
 - Basement extent




Mead Hansen Building
408 S 8th Street
St. Joseph, Missouri

Figure 2
Boring Location Map



X:\9025\002\043\PHU\Figures\CSM.FH10



Notes:

RA = Risk assessment
R/T = Release/transport
VOC - Volatile organic compound

- = Potentially complete exposure pathway - retain for Tier 1 analysis
- = Incomplete exposure pathway - will not be considered in the Tier 1 RA
- = Potentially complete, but insignificant exposure pathway - will not be retained for Tier 1 analysis

1. In addition, there are likely various spills, leaks, and other releases from historic operations.
2. As shown under primary R/T mechanisms
3. Secondary R/T mechanisms originating from surface soil also apply to subsurface soil brought to the surface as the result of excavating and landscaping activities in the future.
4. Potential exposure to subsurface soil assumed to occur in the future only if subsurface soil is brought to the surface and mixed with surface soil as the result of intrusive activities such as excavating and landscaping.
5. For construction and utility workers, inhalation is assumed to occur in outdoor work areas.
6. Dermal contact with groundwater by industrial-commercial workers is expected to occur.
7. Reflects VOC released during household groundwater use.

Mead Hansen Building
408 S 8th Street
St. Joseph, Missouri

Figure 3
Human Health Conceptual Site Model



Date: 11/30/18

Drawn By: Nick Wiederholt

Project No: X9025.14.0002.043

APPENDIX B

TABLES

TABLE B-1

SUMMARY OF VOLATILE ORGANIC COMPOUNDS IN SURFACE SOIL SAMPLES
TIER 1 RISK ASSESSMENT
MEAD HANSEN BUILDING SITE
ST. JOSEPH, MISSOURI

Sample ID (depth interval in ft bgs)	Laboratory ID	Acetone	2-Butanone (MEK)	Tetrachloroethene	1,1,1-Trichloroethane
		Analyte and Associated Concentration ¹ (µg/kg)			
Interior Borings					
SB-1 (0-1)	60262572001	ND	ND	ND	ND
SB-2 (0-1)	60262572003	77.0	9.7 J	ND	10.8
SB-3 (0-1)	60262572005	ND	ND	ND	ND
SB-4 (0-1)	60262644001	21.9 J	ND	ND	ND
SB-5 (0-1)	60262644003	ND	ND	ND	ND
SB-6 (0-1)	60262644005	ND	ND	9.2 J	ND
SB-7 (0-1)	60262644007	ND	ND	ND	ND
SB-8 (0-1)	60262644009	47.1	ND	ND	15.1
SB-9 (0-3)	60262644011	11.1 J	ND	ND	ND
SB-10 (0-1)	60262738001	97.6	11.7	ND	6.2
Screening Values (µg/kg)					
EPA RSL - Industrial Soil		6.7E+07	1.9E+07	3.9E+04	3.6E+06
Tier 1 Construction Worker RBTL - Soil Type 1 - Soil		2.08E+08	2.97E+05	2.56E+03	1.32E+05
Tier 1 Non-Residential RBTL - Soil Type 1 - Surface Soil		8.07E+08	5.79E+08	5.27E+04	2.69E+08

Notes:

¹Only analytes with concentrations above laboratory detection limits are presented. Complete laboratory reports are included in Appendix C.

EPA RSL	U.S. Environmental Protection Agency Regional Screening Level, TR = 1E-06 and HQ = 0.1
ft bgs	Feet below ground surface
HQ	Hazard quotient
ID	Identification
J	Analyte is present at an estimated concentration between the method detection limit and the reporting limit
µg/kg	Micrograms per kilogram
ND	Not detected at or above laboratory reporting limit
RBTL	Risk-Based Target Level
TR	Target Cancer Risk

TABLE B-2																				
SUMMARY OF SEMIVOLATILE ORGANIC COMPOUNDS IN SURFACE SOIL SAMPLES																				
TIER 1 RISK ASSESSMENT																				
MEAD HANSEN BUILDING SITE																				
ST. JOSEPH, MISSOURI																				
Sample ID (depth interval in ft bgs)	Laboratory ID	Acenaphthene	Acenaphthylene ²	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene ²	Benzo(k)fluoranthene	Carbazole ²	Chrysene	Dibenzo(a,h)anthracene	Dibenzofuran	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	2-Methylnaphthalene	Naphthalene	Phenanthrene ²	Pyrene
		Analyte and Associated Concentration ¹ (µg/kg)																		
		Interior Borings																		
SB-1 (0-1)	60262572001	470	67.1 J	380 J	244 J	142 J	326 J	75.7 J	ND	206 J	255 J	ND	271 J	1,120	442	79.0 J	460	520	1,690	834
SB-2 (0-1)	60262572003	ND	97.1 J	78.7 J	296 J	335 J	452	194 J	211 J	ND	343 J	77.2 J	ND	441	ND	200 J	ND	48.5 J	284 J	371 J
SB-3 (0-1)	60262572005	ND	ND	ND	ND	ND	64.6 J	ND	ND	ND	ND	ND	ND	56.4 J	ND	ND	ND	ND	ND	50.3 J
SB-4 (0-1)	60262644001	ND	ND	69.2 J	299 J	380 J	521	335 J	197 J	ND	336 J	93.6 J	ND	539	ND	287 J	41.2 J	43 J	256 J	465
SB-5 (0-1)	60262644003	ND	ND	ND	ND	ND	42.4 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-6 (0-1)	60262644005	ND	ND	ND	ND	ND	47.0 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-7 (0-1)	60262644007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	50.5 J	ND	ND	ND	ND	ND	41.8 J
SB-8 (0-1)	60262644009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-9 (0-3)	60262644011	ND	ND	ND	69.4 J	62.8 J	114 J	ND	ND	ND	70.7 J	ND	ND	136 J	ND	ND	ND	ND	ND	122 J
SB-10 (0-1)	60262738001	135 J	ND	257 J	653	621	1,120	397	ND	98.0 J	673	104 J	53.4 J	1,610	123 J	350 J	ND	ND	1,240	1,450
Screening Values (µg/kg)																				
EPA RSL - Industrial Soil		4.5E+06	4.5E+06	2.3E+07	2.1E+04	2.1E+03	2.1E+04	2.3E+06	2.1E+05	2.1E+06	2.1E+06	2.1E+03	1.0E+05	3.0E+06	3.0E+06	2.1E+04	3.0E+05	1.7E+04	2.3E+06	2.3E+06
Tier 1 Construction Worker RBTL - Soil Type 1 - Soil		2.57E+07	2.57E+07	1.35E+08	1.19E+06	1.19E+05	1.14E+06	3.37E+07	1.19E+07	4.69E+07	6.57E+07	1.19E+05	8.35E+05	4.38E+07	2.57E+07	7.24E+05	9.26E+05	2.15E+05	2.42E+07	3.37E+07
Tier 1 Non-Residential RBTL - Soil Type 1 - Surface Soil		3.07E+07	5.38E+07	1.54E+08	2.11E+04	2.11E+03	2.10E+04	1.65E+07	2.11E+05	8.58E+05	1.99E+06	2.11E+03	1.79E+06	2.18E+07	2.07E+07	1.28E+04	3.59E+06	1.19E+05	2.69E+07	1.64E+07

Notes:

¹Only analytes with concentrations above laboratory detection limits are presented. Complete laboratory reports are included in Appendix C.

² Surrogates used for chemicals without toxicity values:

	Acenaphthene for Acenaphthylene
	Pyrene for Benzo(g,h,i)perylene
	Chrysene for Carbazole
	Pyrene for Phenanthrene
EPA RSL	U.S. Environmental Protection Agency Regional Screening Level, TR = 1E-06 and HQ = 0.1
ft bgs	Feet below ground surface
HQ	Hazard quotient
ID	Identification
J	Analyte is present at an estimated concentration between the method detection limit and the reporting limit
µg/kg	Micrograms per kilogram
ND	Not detected at or above laboratory reporting limit
RBTL	Risk-Based Target Level
TR	Target Cancer Risk

TABLE B-3

SUMMARY OF PESTICIDES IN SURFACE SOIL SAMPLES
TIER 1 RISK ASSESSMENT
MEAD HANSEN BUILDING SITE
ST. JOSEPH, MISSOURI

Sample ID (depth interval in ft bgs)	Laboratory ID	Pesticides		
		4,4'-DDE	Diazinon	gamma-BHC (Lindane)
		Analyte and Associated Concentration ¹ (µg/kg)		
Interior Borings				
SB-1 (0-1)	60262572001	ND	427	ND
SB-2 (0-1)	60262572003	ND	ND	ND
SB-3 (0-1)	60262572005	ND	ND	ND
SB-4 (0-1)	60262644001	0.93 J	ND	ND
SB-5 (0-1)	60262644003	ND	ND	ND
SB-6 (0-1)	60262644005	ND	ND	ND
SB-7 (0-1)	60262644007	ND	ND	ND
SB-8 (0-1)	60262644009	ND	ND	ND
SB-9 (0-3)	60262644011	ND	ND	2.0 J
SB-10 (0-1)	60262738001	ND	ND	ND
Screening Values (µg/kg)				
EPA RSL - Industrial Soil		9.3E+03	5.7E+04	2.5E+03
Tier 1 Construction Worker RBTL - Soil Type 1 - Soil		2.88E+06	1.28E+06	2.16E+05
Tier 1 Non-Residential RBTL - Soil Type 1 - Surface Soil		5.06E+04	5.54E+05	1.46E+04

Notes:

¹Only analytes with concentrations above laboratory detection limits are presented. Complete laboratory reports are included in Appendix C.

BHC Benzene hexachloride

DDE Dichlorodiphenyldichloroethene

EPA RSL U.S. Environmental Protection Agency Regional Screening Level,
TR = 1E-06 and HQ = 0.1

ft bgs Feet below ground surface

HQ Hazard quotient

ID Identification

J Analyte is present at an estimated concentration between the method
detection limit and the reporting limit.

µg/kg Micrograms per kilogram

MRBCA Missouri Risk-Based Corrective Action

ND Not detected at or above laboratory reporting limit

RBTL Risk-Based Target Level

TR Target Cancer Risk

TABLE B-4

**SUMMARY OF TOTAL PETROLEUM HYDROCARBONS IN SURFACE SOIL SAMPLES
TIER 1 RISK ASSESSMENT
MEAD HANSEN BUILDING SITE
ST. JOSEPH, MISSOURI**

Sample ID (depth interval in ft bgs)	Laboratory ID	TPH - GRO	TPH - DRO	TPH - ORO
		Analyte and Associated Concentration ¹ (mg/kg)		
Interior Borings				
SB-1 (0-1)	60262572001	ND	65.6	159
SB-2 (0-1)	60262572003	ND	51.1	105
SB-3 (0-1)	60262572005	ND	23.1	31.1
SB-4 (0-1)	60262644001	ND	46.9	114
SB-5 (0-1)	60262644003	ND	7.0 J	27.2
SB-6 (0-1)	60262644005	ND	26.4	48.7
SB-7 (0-1)	60262644007	ND	13.7 J	56.6
SB-8 (0-1)	60262644009	ND	16.7 J	50.1
SB-9 (0-3)	60262644011	ND	20.6	97.0
SB-10 (0-1)	60262738001	ND	3.4 J	37.4
Screening Values (mg/kg)				
Tier 1 Construction Worker RBTL - Soil Type 1 - Soil		1.29E+06	3.01E+06	2.89E+06
Tier 1 Non-Residential RBTL - Soil Type 1 - Surface Soil		4.65E+06	1.41E+06	1.25E+06

Notes:

¹Only analytes with concentrations above laboratory detection limits are presented. Complete laboratory reports are included in Appendix C.

DRO	Diesel-range organics
ft bgs	Feet below ground surface
GRO	Gasoline-range organics
ID	Identification
J	Analyte is present at an estimated concentration between the method detection limit and the reporting limit
mg/kg	Milligrams per kilogram
ND	Not detected at or above laboratory reporting limit
ORO	Oil-range organics
RBTL	Risk-Based Target Level
TPH	Total petroleum hydrocarbons

TABLE B-5

**SUMMARY OF RCRA METALS IN SURFACE SOIL SAMPLES
TIER 1 RISK ASSESSMENT
MEAD HANSEN BUILDING SITE
ST. JOSEPH, MISSOURI**

Sample ID (depth interval in ft bgs)	Laboratory ID	Arsenic	Barium	Cadmium	Chromium*	Lead	Selenium	Silver	Mercury
Analyte and Associated Concentration ¹ (mg/kg)									
Interior Borings									
SB-1 (0-1)	60262572001	7.3	280	0.84	15.4	89.1	ND	ND	0.31
SB-2 (0-1)	60262572003	7.0	253	0.75	14.1	41.3	ND	ND	0.021 J
SB-3 (0-1)	60262572005	8.5	264	1.3	15.7	53.5	0.93 J	ND	0.21
SB-4 (0-1)	60262644001	20.1	271	13	16.8	480	1.2 J	ND	0.80
SB-5 (0-1)	60262644003	8.2	4,650	2.9	15.0	146	ND	ND	0.16
SB-6 (0-1)	60262644005	7.5	229	1.2	16.0	81.9	ND	ND	0.35
SB-7 (0-1)	60262644007	5.2	423	0.32 J	15.0	101	ND	ND	0.097
SB-8 (0-1)	60262644009	7.1	208	1.8	16.1	42.8	ND	ND	0.057
SB-9 (0-3)	60262644011	9.6	196	3.2	15.6	194	ND	ND	0.069
SB-10 (0-1)	60262738001	6.1	231	0.11 J	16.5	12	ND	ND	0.051 J
Screening Values (mg/kg)									
EPA RSL - Industrial Soil		3.0E+00	2.2E+04	9.8E+01	1.8E+05	8.0E+02	5.8E+02	5.8E+02	4.6E+00
Tier 1 Construction Worker RBTL - Soil Type 1 - Soil		6.54E+02	4.39E+05	2.81E+03	5.21E+05	NE	1.28E+04	1.06E+04	2.16E+01
Tier 1 Non-Residential RBTL - Soil Type 1 - Surface Soil		1.59E+01	1.81E+05	7.48E+01	4.72E+05	6.60E+02	4.78E+03	4.48E+03	6.30E+02
Buchanan County, Missouri, Average Background		17.365	NE	NE	NE	30.802	0.297	NE	0.017

Notes:

* Total chromium; screening values are for chromium (III), as hexavalent chromium is not believed to have been used at the site

¹Only analytes with concentrations above laboratory detection limits are presented. Complete laboratory reports are included in Appendix C.

Bold Analyte concentration equals or exceeds the EPA RSL

Shade Analyte concentration equals or exceeds the MRBCA RBTL

EPA RSL U.S. Environmental Protection Agency Regional Screening Level, TR = 1E-06 and HQ = 0.1

ft bgs Feet below ground surface

HQ Hazard quotient

ID Identification

J Analyte is present at an estimated concentration between the method detection limit and the reporting limit

mg/kg Milligrams per kilogram

MRBCA Missouri Risk-Based Corrective Action

ND Not detected at or above laboratory reporting limit

NE Not established

RBTL Risk-Based Target Level

RCRA Resource Conservation and Recovery Act

TABLE B-6

SUMMARY OF VOLATILE ORGANIC COMPOUNDS IN SUBSURFACE SOIL SAMPLES
TIER 1 RISK ASSESSMENT
MEAD HANSEN BUILDING SITE
ST. JOSEPH, MISSOURI

Sample ID (depth interval in ft bgs)	Laboratory ID	Acetone	Bromomethane	2-Butanone (MEK)	Carbon disulfide	Methylene Chloride	1,1,1-Trichloroethane
		Analyte and Associated Concentration ¹ (µg/kg)					
Interior Borings							
SB-1 (3-5)	60262572002	26	ND	ND	ND	ND	ND
SB-2 (3-5)	60262572004	11.3 J	4.0 J	ND	ND	ND	ND
SB-2 (12-14)	60262572007	24.5	ND	ND	6.8	ND	3.8 J
SB-3 (3-5)	60262572006	240	ND	18.1	ND	ND	ND
SB-4 (3-5)	60262644002	47.0	ND	ND	ND	ND	ND
SB-5 (3-5)	60262644004	ND	ND	ND	ND	ND	ND
SB-6 (3-5)	60262644006	28.1	ND	ND	ND	ND	ND
SB-7 (3-5)	60262644008	ND	ND	ND	ND	ND	ND
SB-8 (3-5)	60262644010	ND	ND	ND	ND	ND	ND
SB-9 (3-5)	60262644012	ND	ND	ND	ND	ND	ND
SB-10 (3-5)	60262738002	ND	ND	ND	ND	ND	ND
Exterior Borings							
SB-11 (3-5)	60262738003	12.6 J	ND	ND	4.7 J	ND	ND
SB-11 (13-15)	60262738004	50.4	ND	13.6	ND	ND	ND
SB-12 (3-5)	60262738005	65.9	ND	11.6 J	ND	ND	ND
SB-12 (13-15)	60262738006	61.7	ND	ND	ND	6.0 J	ND
SB-13 (3-5)	60262738007	16.6 J	ND	ND	ND	4.2 J	ND
SB-13 (10-12)	60262738008	ND	ND	ND	ND	3.5 J	ND
SB-14 (3-5)	60262831001	37.7	ND	ND	ND	ND	ND
SB-14 (13-15)	60262831002	ND	ND	ND	ND	ND	ND
SB-15 (3-5)	60262831003	ND	ND	ND	ND	4.9 J	ND
SB-15 (13-14)	60262831004	ND	ND	ND	7.2	ND	ND
SB-15 (14-15)	60262831005	ND	ND	ND	ND	ND	ND
SB-16 (3-5)	60262831006	17.8 J	ND	ND	ND	4.0 J	ND
SB-16 (13-15)	60262831007	ND	210 J	ND	ND	328 J	ND
Screening Values (µg/kg)							
EPA RSL - Industrial Soil		6.7E+07	3.0E+03	1.9E+07	3.5E+05	3.2E+05	3.6E+06
Tier 1 Construction Worker RBTL - Soil Type 1 - Soil		2.08E+08	3.30E+05	2.97E+08	4.28E+07	2.46E+07	1.32E+08
Tier 1 Non-Residential RBTL - Soil Type 1 - Subsurface Soil		1.47E+07	6.77E+02	3.14E+07	5.04E+04	1.50E+04	5.51E+05

Notes:

¹Only analytes with concentrations above laboratory detection limits are presented. Complete laboratory reports are included in Appendix F.

EPA RSL	U.S. Environmental Protection Agency Regional Screening Level, TR = 1E-06 and HQ = 0.1
ft bgs	Feet below ground surface
HQ	Hazard quotient
ID	Identification
J	Analyte is present at an estimated concentration between the method detection limit and the reporting limit
µg/kg	Micrograms per kilogram
ND	Not detected at or above laboratory reporting limit
RBTL	Risk-Based Target Level
TR	Target Cancer Risk

TABLE B-7

SUMMARY OF SEMIVOLATILE ORGANIC COMPOUNDS IN SUBSURFACE SOIL SAMPLES
TIER 1 RISK ASSESSMENT
MEAD HANSEN BUILDING SITE
ST. JOSEPH, MISSOURI

Sample ID (depth interval in ft bgs)	Laboratory ID	Acenaphthene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene ²	Benzo(k)fluoranthene	Benzoic Acid	Chrysene	Dibenzo(a,h)anthracene	Fluoranthene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene
		Analyte and Associated Concentration ¹ (µg/kg)													
Interior Borings															
SB-1 (3-5)	60262572002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-2 (3-5)	60262572004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-2 (12-14)	60262572007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-3 (3-5)	60262572006	ND	ND	ND	ND	ND	ND	206 J	ND	ND	ND	ND	ND	ND	ND
SB-4 (3-5)	60262644002	ND	170 J	272 J	410	222 J	130 J	ND	208 J	76 J	196 J	212 J	43.5 J	120 J	182 J
SB-5 (3-5)	60262644004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-6 (3-5)	60262644006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-7 (3-5)	60262644008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-8 (3-5)	60262644010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-9 (3-5)	60262644012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-10 (3-5)	60262738002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Exterior Borings															
SB-11 (3-5)	60262738003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-11 (13-15)	60262738004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-12 (3-5)	60262738005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-12 (13-15)	60262738006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-13 (3-5)	60262738007	46.5 J	ND	ND	46.8 J	ND	ND	ND	50.4 J	ND	80.7 J	ND	ND	377 J	66.6 J
SB-13 (10-12)	60262738008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-14 (3-5)	60262831001	ND	ND	ND	ND	ND	ND	175 J	ND	ND	ND	ND	ND	ND	ND
SB-14 (13-15)	60262831002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-15 (3-5)	60262831003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-15 (13-14)	60262831004	294 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-15 (14-15)	60262831005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-16 (3-5)	60262831006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-16 (13-15)	60262831007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Screening Values (µg/kg)															
EPA RSL - Industrial Soil		4.5E+06	2.1E+04	2.1E+03	2.1E+04	2.3E+06	2.1E+05	3.3E+08	2.1E+06	2.1E+04	3.0E+06	2.1E+04	1.7E+04	1.7E+04	2.3E+06
Tier 1 Construction Worker RBTL - Soil Type 1 - Soil		2.57E+07	1.19E+06	1.19E+05	1.14E+05	3.37E+07	1.19E+07	8.57E+08	6.57E+07	1.19E+05	4.38E+07	7.24E+05	2.15E+05	2.42E+07	3.37E+07
Tier 1 Non-Residential RBTL - Soil Type 1 - Subsurface Soil		5.38E+08	1.36E+09	1.18E+09	2.91E+08	1.64E+13	3.58E+10	3.69E+09	1.01E+09	1.16E+11	7.25E+10	6.41E+10	1.36E+05	7.99E+08	8.64E+10

Notes:

¹Only analytes with concentrations above laboratory detection limits are presented. Complete laboratory reports are included in Appendix F.

²Surrogates used for chemicals without toxicity values:

	Pyrene for benzo(g,h,i)perylene	
EPA RSL	U.S. Environmental Protection Agency Regional Screening Level, TR = 1E-06 and HQ = 0.1	
ft bgs	Feet below ground surface	
HQ	Hazard quotient	
ID	Identification	
J	Analyte is present at an estimated concentration between the method detection limit and the reporting limit	

µg/kg	Micrograms per kilogram
ND	Not detected at or above laboratory reporting limit
RBTL	Risk-Based Target Level
TR	Target Cancer Risk

TABLE B-8

SUMMARY OF PESTICIDES AND HERBICIDES IN SUBSURFACE SOIL SAMPLES
TIER 1 RISK ASSESSMENT
MEAD HANSEN BUILDING SITE
ST. JOSEPH, MISSOURI

Sample ID (depth interval in ft bgs)	Laboratory ID	Pesticides		Herbicides
		Diazinon	Dieldrin	2,4-D
		Analyte and Associated Concentration ¹ (µg/kg)		
Interior Borings				
SB-1 (3-5)	60262572002	192	ND	ND
SB-2 (3-5)	60262572004	ND	ND	ND
SB-2 (12-14)	60262572007	ND	ND	ND
SB-3 (3-5)	60262572006	ND	ND	ND
SB-4 (3-5)	60262644002	ND	ND	19.9
SB-5 (3-5)	60262644004	ND	ND	ND
SB-6 (3-5)	60262644006	ND	ND	ND
SB-7 (3-5)	60262644008	ND	ND	ND
SB-8 (3-5)	60262644010	ND	ND	ND
SB-9 (3-5)	60262644012	ND	ND	ND
SB-10 (3-5)	60262738002	ND	ND	ND
Exterior Borings				
SB-11 (3-5)	60262738003	ND	ND	ND
SB-11 (13-15)	60262738004	ND	ND	ND
SB-12 (3-5)	60262738005	ND	ND	ND
SB-12 (13-15)	60262738006	ND	1.3 J	ND
SB-13 (3-5)	60262738007	ND	ND	ND
SB-13 (10-12)	60262738008	ND	ND	ND
SB-14 (3-5)	60262831001	ND	ND	ND
SB-14 (13-15)	60262831002	ND	ND	ND
SB-15 (3-5)	60262831003	ND	ND	ND
SB-15 (13-14)	60262831004	ND	ND	ND
SB-15 (14-15)	60262831005	ND	ND	ND
SB-16 (3-5)	60262831006	ND	ND	ND
SB-16 (13-15)	60262831007	ND	ND	ND
Screening Values (µg/kg)				
EPA RSL - Industrial Soil		5.7E+04	1.4E+02	9.6E+05
Tier 1 Construction Worker RBTL - Soil Type 1 - Soil		1.28E+06	5.14E+05	4.28E+07
Tier 1 Non-Residential RBTL - Soil Type 1 - Subsurface Soil		5.06E+08	1.62E+06	2.92E+10

Notes:

¹Only analytes with concentrations above laboratory detection limits are presented. Complete laboratory reports are included in Appendix C.

2,4-D

2,4-Dichlorophenoxy acetic acid

EPA RSL

U.S. Environmental Protection Agency Regional Screening Level, TR = 1E-06 and HQ = 0.1

ft bgs

Feet below ground surface

HQ

Hazard quotient

ID

Identification

J

Analyte is present at an estimated concentration between the method detection limit and the reporting limit

µg/kg

Micrograms per kilogram

ND

Not detected at or above laboratory reporting limit

RBTL

Risk-Based Target Level

TR

Target Cancer Risk

TABLE B-9

SUMMARY OF TOTAL PETROLEUM HYDROCARBONS IN SUBSURFACE SOIL SAMPLES
TIER 1 RISK ASSESSMENT
MEAD HANSEN BUILDING SITE
ST. JOSEPH, MISSOURI

Sample ID (depth interval in ft bgs)	Laboratory ID	TPH - GRO	TPH - DRO	TPH - ORO
		Analyte and Associated Concentration ¹ (mg/kg)		
Interior Borings				
SB-1 (3-5)	60262572002	ND	2.5 J	18.3
SB-2 (3-5)	60262572004	ND	1.7 J	22.3
SB-2 (12-14)	60262572007	3.0	134	27.1
SB-3 (3-5)	60262572006	ND	1.7 J	18.3
SB-4 (3-5)	60262644002	ND	16.4 J	40.3
SB-5 (3-5)	60262644004	ND	5.7 J	18.9 J
SB-6 (3-5)	60262644006	ND	12.9 J	21.1
SB-7 (3-5)	60262644008	ND	3.9 J	19.2
SB-8 (3-5)	60262644010	ND	2.3 J	15.0 J
SB-9 (3-5)	60262644012	ND	4.0 J	18.6 J
SB-10 (3-5)	60262738002	ND	ND	13.4 J
Exterior Borings				
SB-11 (3-5)	60262738003	ND	84.2	54.2
SB-11 (13-15)	60262738004	ND	ND	12.3 J
SB-12 (3-5)	60262738005	ND	2.3 J	14.6 J
SB-12 (13-15)	60262738006	ND	ND	10.9 J
SB-13 (3-5)	60262738007	ND	1.9 J	17.4 J
SB-13 (10-12)	60262738008	ND	ND	13.5 J
SB-14 (3-5)	60262831001	ND	2.0 J	21.4
SB-14 (13-15)	60262831002	ND	ND	11.9 J
SB-15 (3-5)	60262831003	ND	2.0 J	11.1 J
SB-15 (13-14)	60262831004	1.3	1,450	47.3
SB-15 (14-15)	60262831005	0.29 J	26.1	14.0 J
SB-16 (3-5)	60262831006	ND	2.1 J	28.0
SB-16 (13-15)	60262831007	ND	ND	13.7 J
Screening Values (mg/kg)				
Tier 1 Construction Worker RBTL - Soil Type 1 - Soil		1.29E+06	3.01E+06	2.89E+06
Tier 1 Non-Residential RBTL - Soil Type 1 - Surface Soil		3.10E+03	3.34E+04	NE

Notes:

¹Only analytes with concentrations above laboratory detection limits are presented. Complete laboratory reports are included in Appendix C.

DRO Diesel-range organics

ft bgs Feet below ground surface

GRO Gasoline-range organics

ID Identification

J Analyte is present at an estimated concentration between the method detection limit and the reporting limit

mg/kg Milligrams per kilogram

ND Not detected at or above laboratory reporting limit

ORO Oil-range organics

RBTL Risk-Based Target Level

TPH Total petroleum hydrocarbons

TABLE B-10

SUMMARY OF RCRA METALS IN SUBSURFACE SOIL SAMPLES
TIER 1 RISK ASSESSMENT
MEAD HANSEN BUILDING SITE
ST. JOSEPH, MISSOURI

Sample ID (depth interval in ft bgs)	Laboratory ID	Arsenic	Barium	Cadmium	Chromium ²	Lead	Selenium	Silver	Mercury
		Analyte and Associated Concentration ¹ (mg/kg)							
Interior Borings									
SB-1 (3-5)	60262572002	9.9	240	0.58	14.5	54.5	ND	ND	0.93
SB-2 (3-5)	60262572004	5.8	175	0.38 J	15.7	9.5	1.1 J	ND	0.015 J
SB-2 (12-14)	60262572007	8.6	169	0.44 J	17.0	11.6	ND	ND	0.037 J
SB-3 (3-5)	60262572006	6.9	214	0.42 J	16.1	21.2	0.95 J	ND	2.7
SB-4 (3-5)	60262644002	17.7	333	29	25.7	250	2.3	ND	0.59
SB-5 (3-5)	60262644004	6.5	231	0.25 J	17.8	20.2	ND	ND	0.35
SB-6 (3-5)	60262644006	5.4	212	0.26 J	15.9	16.1	ND	ND	0.035 J
SB-7 (3-5)	60262644008	5.5	414	0.33 J	15.7	93.8	ND	ND	0.014 J
SB-8 (3-5)	60262644010	5.8	145	0.19 J	16.6	9.4	ND	ND	0.017 J
SB-9 (3-5)	60262644012	5.7	169	0.17 J	16.4	9.9	ND	ND	0.027 J
SB-10 (3-5)	60262738002	6.7	220	0.050 J	17.2	10.7	ND	ND	0.018 J
Exterior Borings									
SB-11 (3-5)	60262738003	6.9	162	0.062 J	17.6	11.1	ND	ND	0.13
SB-11 (13-15)	60262738004	6.9	186	ND	17.0	10.3	ND	ND	0.015 J
SB-12 (3-5)	60262738005	5.1	173	0.13 J	14.0	451	ND	ND	0.027 J
SB-12 (13-15)	60262738006	9.2	94	ND	18.3	10.3	ND	ND	0.027 J
SB-13 (3-5)	60262738007	5.0	235	0.073 J	15.8	10.1	ND	ND	0.013 J
SB-13 (10-12)	60262738008	26.8	265	0.048 J	17.4	14.0	ND	ND	0.027 J
SB-14 (3-5)	60262831001	6.2	200	0.056 J	15.8	9.6	ND	ND	0.013 J
SB-14 (13-15)	60262831002	8.3	209	0.13 J	17.2	11.8	ND	ND	0.021 J
SB-15 (3-5)	60262831003	6.1	147	0.040 J	19.8	11.9	ND	ND	0.034 J
SB-15 (13-14)	60262831004	4.3	155	ND	18.4	16.1	ND	ND	0.014 J
SB-15 (14-15)	60262831005	8.3	174	0.13 J	19.7	10.8	ND	ND	0.015 J
SB-16 (3-5)	60262831006	7.9	257	0.15 J	15.6	18.5	ND	ND	0.16
SB-16 (13-15)	60262831007	7.3	198	0.086 J	17.8	10.7	ND	ND	0.011 J
Screening Values (mg/kg)									
EPA RSL - Industrial Soil		3	22,000	98	180,000	800	580	580	4.6
Tier 1 Construction Worker RBTL - Soil Type 1 - Soil		654	439,000	2810	521,000	NE	12,800	10,600	21.6
Tier 1 Non-Residential RBTL - Soil Type 1 - Subsurface Soil		NE	NE	NE	NE	660	NE	NE	17.6
Buchanan County, Missouri, Average Background		17.365	NE	NE	NE	30.802	0.297	NE	0.017

TABLE B-10 (Continued)

**SUMMARY OF RCRA METALS IN SUBSURFACE SOIL SAMPLES
TIER 1 RISK ASSESSMENT
MEAD HANSEN BUILDING SITE
ST. JOSEPH, MISSOURI**

Notes:

¹ Only analytes with concentrations above laboratory detection limits are presented. Complete laboratory reports are included in Appendix C.

² Total chromium; screening values are for chromium (III), as hexavalent chromium is not believed to have been used at the site

Bold	Analyte concentration equals or exceeds the EPA RSL
Shade	Analyte concentration equals or exceeds the MRBCA RBTL
<i>Italics</i>	Analyte concentration equals or exceeds the county average background.
EPA RSL	U.S. Environmental Protection Agency Regional Screening Level, TR = 1E-06 and HQ = 0.1
ft bgs	Feet below ground surface
HQ	Hazard quotient
ID	Identification
J	Analyte is present at an estimated concentration between the method detection limit and the reporting limit
mg/kg	Milligrams per kilogram
ND	Not detected at or above laboratory reporting limit
NE	Not established
RBTL	Risk-Based Target Level
RCRA	Resource Conservation and Recovery Act
TR	Target Cancer Risk

TABLE B-11

SUMMARY OF VOLATILE ORGANIC COMPOUNDS IN GROUNDWATER SAMPLES
TIER 1 RISK ASSESSMENT
MEAD HANSEN BUILDING SITE
ST. JOSEPH, MISSOURI

Sample ID	Laboratory ID	Acetone	Benzene	n-Butylbenzene	sec-Butylbenzene	Carbon disulfide	Chloroform	Ethylbenzene	Naphthalene	n-Propylbenzene	Toluene	1,1,1-Trichloroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Xylenes, Total
		Analyte and Associated Concentration ¹ (µg/L)													
SB-1	60262572008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-2	60262572009	ND	ND	ND	ND	0.19 J	ND	ND	ND	ND	ND	1.2	ND	ND	ND
SB-3	60262572010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.67 J	ND	ND	ND
SB-4	60262644013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.15 J	ND	ND	ND
SB-5	60262644014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-6	60262644015	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.72 J	ND	ND	ND
SB-7	60262644016	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-8	60262644017	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.43 J	ND	ND	ND
SB-9	60262644018	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-10	60262738009	ND	ND	ND	ND	ND	ND	ND	0.61 J	ND	0.24 J	0.17 J	0.12 J	ND	ND
SB-11	60262831008	2.8 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SB-11D	60262831012	6.9 J	0.28 J	ND	ND	0.17 J	ND	0.24 J	ND	ND	0.51 J	ND	ND	ND	ND
SB-12	60262738010	ND	0.15 J	0.19 J	ND	0.12 J	ND	0.26 J	0.51 J	0.20 J	0.30 J	ND	2.8	1.2	1.7 J
SB-13	60262738011	ND	0.11 J	ND	ND	ND	ND	ND	ND	ND	ND	0.13 J	ND	ND	ND
SB-14	60262831009	6.3 J	ND	ND	ND	ND	1.4	ND	ND	ND	ND	ND	ND	ND	ND
SB-15	60262831011	8.5 J	0.30 J	0.16 J	0.08 J	1.2 J	ND	ND	ND	ND	0.69 J	0.20 J	0.16 J	ND	ND
SB-16	60262831010	3.2 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Screening Values (µg/L)															
EPA Maximum Contaminant Level		NE	5	NE	NE	NE	80	700	NE	NE	1,000	200	NE	NE	10,000
EPA RSL Tap Water		1.4E+03	5.1E+00	1.0E+02	2.0E+02	8.1E+01	2.2E-01	1.5E+00	1.7E-01	6.6E+01	1.1E+02	8.0E+02	5.6E+00	6.0E+00	1.9E+01
Groundwater Target Concentrations		2.97E+06	5.00E+00	9.89E+01	1.06E+02	5.27E+02	8.00E+01	7.00E+02	1.09E+00	1.15E+02	1.00E+03	2.00E+02	7.06E+00	7.05E+00	1.00E+04
Tier 1 Construction Worker RBTL - Soil Type 1 - Groundwater ²		1.02E+05	1.48E+01	8.26E+00	1.12E+01	3.21E+02	6.49E+01	9.76E+01	5.21E+00	1.82E+01	1.32E+02	8.68E+02	2.56E+01	2.38E+01	3.28E+02
Tier 1 Construction Worker RBTL - Soil Type 1 - Groundwater ³		1.39E+07	1.16E+04	3.50E+04	2.62E+04	6.28E+04	1.34E+04	3.73E+05	4.82E+03	4.17E+04	1.77E+06	4.20E+05	2.69E+03	2.09E+03	4.10E+04
Tier 1 Non-Residential RBTL - Soil Type 1 - Groundwater ²		3.69E+07	1.06E+03	2.97E+03	4.03E+03	1.15E+05	2.11E+03	3.51E+04	7.15E+01	6.54E+03	4.76E+04	3.13E+05	9.23E+04	8.50E+04	1.18E+05
Tier 1 Non-Residential RBTL - Soil Type 1 - Groundwater ⁴		2.62E+08	5.26E+04	7.05E+05	5.00E+05	1.14E+05	2.11E+03	3.51E+04	7.15E+01	6.54E+03	4.76E+04	3.13E+05	9.23E+04	8.50E+04	1.18E+05

TABLE B-11 (Continued)

SUMMARY OF VOLATILE ORGANIC COMPOUNDS IN GROUNDWATER SAMPLES
TIER 1 RISK ASSESSMENT
MEAD HANSEN BUILDING SITE
ST. JOSEPH, MISSOURI

Notes:

¹Only analytes with concentrations above laboratory detection limits are presented. Complete laboratory reports are included in Appendix C.

²Tier 1 Construction Worker or Non-Residential RBTLs are for groundwater in Soil Type 1 with exposure via dermal contact.

³Tier 1 Construction Worker RBTLs are for groundwater in Soil Type 1 with exposure via outdoor inhalation of vapor emissions.

⁴Tier 1 Non-Residential RBTLs are for groundwater in Soil Type 1 with exposure via indoor inhalation of vapor emissions.

<i>Italics</i>	Analyte concentrations equals or exceeds EPA RSL
EPA RSL	U.S. Environmental Protection Agency Regional Screening Level, TR = 1E-06 and HQ = 0.1
HQ	Hazard quotient
ID	Identification
J	Analyte is present at an estimated concentration between the method detection limit and the reporting limit
µg/L	Micrograms per liter
ND	Not detected at or above laboratory reporting limit
NE	Not established
RBTL	Risk-Based Target Level
TR	Target Cancer Risk

TABLE B-12

SUMMARY OF SEMIVOLATILE ORGANIC COMPOUNDS IN GROUNDWATER SAMPLES
TIER 1 RISK ASSESSMENT
MEAD HANSEN BUILDING SITE
ST. JOSEPH, MISSOURI

Sample ID	Laboratory ID	Acenaphthene	Benzoic Acid	Di-n-butylphthalate	2-Methylnaphthalene	3&4-Methylphenol ⁵ (m&p Cresol)	Phenanthrene ⁵
		Analyte and Associated Concentration ¹ (µg/L)					
SB-1	60262572008	ND	ND	ND	0.53 J	ND	ND
SB-2	60262572009	3.9 J	ND	ND	ND	ND	ND
SB-3	60262572010	ND	9.7 J	ND	ND	ND	ND
SB-4	60262644013	ND	ND	ND	ND	ND	ND
SB-5	60262644014	ND	9.6 J	ND	ND	ND	ND
SB-6	60262644015	ND	10.2 J	ND	ND	ND	ND
SB-7	60262644016	ND	10.2 J	ND	ND	ND	ND
SB-8	60262644017	ND	9.4 J	ND	ND	ND	1.3 J
SB-9	60262644018	ND	9.1 J	ND	ND	ND	ND
SB-10	60262738009	ND	9.6 J	ND	ND	ND	ND
SB-11	60262831008	ND	9.0 J	0.72 J	ND	ND	ND
SB-11D	60262831012	ND	ND	ND	ND	ND	ND
SB-12	60262738010	ND	ND	ND	ND	ND	ND
SB-13	60262738011	ND	ND	ND	ND	ND	ND
SB-14	60262831009	ND	31.0 J	ND	ND	5.5 J	ND
SB-15	60262831011	ND	NA	NA	ND	NA	NA
SB-16	60262831010	ND	10.8 J	0.49 J	ND	ND	ND
Screening Values (µg/L)							
EPA Maximum Contaminant Level		NE	NE	NE	NE	NE	NE
EPA RSL Tap Water		5.30E+01	7.50E+03	9.00E+01	3.60E+00	3.60E+00	1.20E+01
Groundwater Target Concentrations		1.65E+02	6.00E+03	1.08E+03	1.17E+01	7.43E+00	7.50E+01
Tier 1 Construction Worker RBTL - Soil Type 1 - Groundwater ²		2.08E+04	3.04E+07	6.44E+04	2.18E+06	3.04E+02	2.52E+00
Tier 1 Construction Worker RBTL - Soil Type 1 - Groundwater ³		7.91E+08	2.97E+12	5.38E+11	2.30E+04	3.45E+07	6.36E+06
Tier 1 Non-Residential RBTL - Soil Type 1 - Groundwater ²		7.50E+03	1.10E+05	2.64E+01	7.84E+02	1.11E+04	2.33E+03
Tier 1 Non-Residential RBTL - Soil Type 1 - Groundwater ⁴		1.29E+04	6.58E+07	5.84E+07	2.03E+05	9.07E+07	9.59E+06

Notes:

¹Only analytes with concentrations above laboratory detection limits are presented. Complete laboratory reports are included in Appendix C.²Tier 1 Construction Worker or Non-Residential RBTLs are for groundwater in Soil Type 1 with exposure via dermal contact.³Tier 1 Construction Worker RBTLs are for groundwater in Soil Type 1 with exposure via outdoor inhalation of vapor emissions.⁴Tier 1 Non-Residential RBTLs are for groundwater in Soil Type 1 with exposure via indoor inhalation of vapor emissions.⁵ Surrogates used for chemicals without toxicity values:

The lower value of either 3-methylphenol or 4-methylphenol for 3,4-methylphenol
Pyrene for phenanthrene

EPA RSL	U.S. Environmental Protection Agency Regional Screening Level, TR = 1E-06 and HQ = 0.1
HQ	Hazard quotient
ID	Identification
J	Analyte is present at an estimated concentration between the method detection limit and the reporting limit
µg/L	Micrograms per liter
NA	Not analyzed
ND	Not detected at or above laboratory reporting limit
NE	Not established
RBTL	Risk-Based Target Level
TR	Target Cancer Risk

TABLE B-13

SUMMARY OF PESTICIDES AND HERBICIDES IN GROUNDWATER SAMPLES
TIER 1 RISK ASSESSMENT
MEAD HANSEN BUILDING SITE
ST. JOSEPH, MISSOURI

Sample ID	Laboratory ID	Pesticides		Herbicides		
		gamma-BHC (Lindane)	Dieldrin	2,4-D	Dicamba	Dichloroprop
		Analyte and Associated Concentration ¹ (µg/L)				
SB-1	60262572008	ND	ND	2.0	ND	2.0
SB-2	60262572009	ND	ND	4.1	ND	4.2
SB-3	60262572010	ND	ND	3.7	ND	4.0
SB-4	60262644013	ND	ND	8.0	ND	6.0
SB-5	60262644014	ND	ND	8.9	0.92	7.6
SB-6	60262644015	ND	ND	1.5	ND	1.5
SB-7	60262644016	ND	ND	0.43 J	ND	0.30 J
SB-8	60262644017	ND	ND	0.59	ND	0.40 J
SB-9	60262644018	ND	ND	ND	ND	ND
SB-10	60262738009	0.011	ND	1.7	0.32 J	1.2
SB-11	60262831008	ND	ND	ND	ND	ND
SB-11D	60262831012	NA	NA	NA	NA	NA
SB-12	60262738010	ND	0.023	2.3	ND	4.7
SB-13	60262738011	ND	ND	ND	ND	ND
SB-14	60262831009	ND	ND	ND	ND	ND
SB-15	60262831011	NA	NA	NA	NA	NA
SB-16	60262831010	ND	ND	ND	ND	ND
Screening Values (µg/L)						
EPA Maximum Contaminant Level		0.2	NE	70	NE	NE
EPA RSL Tap Water		0.042	0.00183	17	57	NE
Groundwater Target Concentrations		0.2	0.0294	70	454	134
Tier 1 Construction Worker RBTL - Soil Type 1 - Groundwater ²		4.41E+02	3.71E+01	4.82E+04	2.98E+05	1.99E+04
Tier 1 Construction Worker RBTL - Soil Type 1 - Groundwater ³		9.48E+07	1.46E+07	4.27E+11	8.83E+11	2.12E+11
Tier 1 Non-Residential RBTL - Soil Type 1 - Groundwater ²		1.35E+01	5.34E-01	5.48E+09	1.07E+05	7.18E+03
Tier 1 Non-Residential RBTL - Soil Type 1 - Groundwater ⁴		1.77E+05	1.28E+04	1.73E+04	1.98E+11	4.72E+09

Notes:

¹Only analytes with concentrations above laboratory detection limits are presented. Complete laboratory reports are included in Appendix C.²Tier 1 Non-Residential RBTLs are for groundwater in Soil Type 1 with exposure via dermal contact.³Tier 1 Construction Worker RBTLs are for groundwater in Soil Type 1 with exposure via outdoor inhalation of vapor emissions.⁴Tier 1 Non-Residential RBTLs are for groundwater in Soil Type 1 with exposure via indoor inhalation of vapor emissions.

<i>Italics</i>	Analyte concentrations equals or exceeds EPA RSL
BHC	Benzene hexachloride
2,4-D	2,4-Dichlorophenoxy acetic acid
EPA RSL	U.S. Environmental Protection Agency Regional Screening Level, TR = 1E-06 and HQ = 0.1
HQ	Hazard quotient
ID	Identification
J	Analyte is present at an estimated concentration between the method detection limit and the reporting limit
µg/L	Micrograms per liter
NA	Not analyzed
ND	Not detected at or above laboratory reporting limit
NE	Not established
RBTL	Risk-Based Target Level
TR	Target Cancer Risk

TABLE B-14

SUMMARY OF TOTAL PETROLEUM HYDROCARBONS IN GROUNDWATER SAMPLES
TIER 1 RISK ASSESSMENT
MEAD HANSEN BUILDING SITE
ST. JOSEPH, MISSOURI

Sample ID	Laboratory ID	TPH - GRO	TPH - DRO	TPH - ORO
		Analyte and Associated Concentration ¹ (mg/L)		
SB-1	60262572008	ND	ND	ND
SB-2	60262572009	ND	75.4	2.4
SB-3	60262572010	ND	1.4	ND
SB-4	60262644013	ND	ND	0.97
SB-5	60262644014	ND	ND	1.7
SB-6	60262644015	ND	ND	1.3
SB-7	60262644016	ND	ND	1.0
SB-8	60262644017	ND	ND	ND
SB-9	60262644018	ND	ND	0.91
SB-10	60262738009	ND	ND	ND
SB-11	60262831008	ND	ND	ND
SB-11D	60262831012	ND	ND	ND
SB-12	60262738010	ND	2.4	5.9
SB-13	60262738011	ND	ND	1.9
SB-14	60262831009	ND	ND	1.3
SB-15	60262831011	ND	NA	NA
SB-16	60262831010	ND	ND	ND
Screening Values (mg/L)				
Groundwater Target Concentrations		18.1	34.3	31.8
Tier 1 Construction Worker RBTL - Soil Type 1 - Groundwater ²		NE	NE	NE
Tier 1 Construction Worker RBTL - Soil Type 1 - Groundwater ³		90,600	242,000	NE
Tier 1 Non-Residential RBTL - Soil Type 1 - Groundwater ²		NE	NE	NE
Tier 1 Non-Residential RBTL - Soil Type 1 - Groundwater ⁴		167	938	NE

Notes:

¹Only analytes with concentrations above laboratory detection limits are presented. Complete laboratory reports are included in Appendix C.

²Tier 1 Construction Worker or Non-Residential RBTLs for groundwater in Soil Type 1 are for exposure via dermal contact

³Tier 1 Construction Worker RBTLs for groundwater in Soil Type 1 are for exposure via outdoor inhalation of vapor emissions.

⁴Tier 1 Non-Residential RBTLs for groundwater in Soil Type 1 are for exposure via indoor inhalation of vapor emissions.

DRO Diesel-range organics

DWG Protection of domestic groundwater use pathway

GRO Gasoline-range organics

ID Identification

J Analyte is present at an estimated concentration between the method detection limit and the reporting limit

mg/L Milligrams per liter

NA Not analyzed

ND Not detected at or above laboratory reporting limit

NE Not established

ORO Oil-range organics

RBTL Risk-Based Target Level

TPH Total petroleum hydrocarbons

TABLE B-15

SUMMARY OF TOTAL AND DISSOLVED RCRA METALS IN GROUNDWATER SAMPLES
TIER 1 RISK ASSESSMENT
MEAD HANSEN BUILDING SITE
ST. JOSEPH, MISSOURI

Sample ID	Laboratory ID	Arsenic	Barium	Cadmium	Chromium*	Lead	Selenium	Silver	Mercury
		Analyte and Associated Concentration ¹ (µg/L)							
TOTAL METALS									
SB-1	60262572008	36.2	1,200	4.7 J	39.9	95.4	7.3 J	ND	1.1
SB-2	60262572009	42.4	2,570	6.3	76.6	63.8	8.8 J	ND	0.72
SB-3	60262572010	119	14,600	16.1	181	401	13.6 J	2.4 J	31.6
SB-4	60262644013	72.9	4,310	6.4	129	109	6.2 J	ND	0.25
SB-5	60262644014	24.7	797	1.6 J	59.1	37.9	ND	ND	0.11 J
SB-6	60262644015	55.7	4,080	6.8	151	137	5.5 J	ND	1.1
SB-7	60262644016	63.9	10,900	5.0 J	145	145	5.2 J	ND	0.72
SB-8	60262644017	30.4	1,760	1.8 J	108	57.4	ND	ND	0.11 J
SB-9	60262644018	12.6	562	0.79 J	40.7	18.3	ND	ND	ND
SB-10	60262738009	68.6	7,570	8.6	218	268	ND	ND	1.5
SB-11	60262831008	170	1,720	3.1 J	130	148	ND	ND	0.32
SB-11D	60262831012	894	18,400	39.3	3130	2,880	205	ND	8.3
SB-12	60262738010	144	4,980	32.7	405	1,550	6.0 J	8.4	2.7
SB-13	60262738011	281	10,200	13.3	293	2,230	8.7 J	ND	2.7
SB-14	60262831009	45.1	1,280	5.4	132	172	ND	ND	0.38
SB-15	60262831011	1,070	10,200	147	1,520	6,320	29.5 J	ND	21.6
SB-16	60262831010	25.8	1,220	2.0 J	84.7	407	3.7 J	2.9 J	0.9
DISSOLVED METALS									
SB-1	60262572008	ND	85.1	ND	1.2 J	ND	6.2 J	ND	ND
SB-2	60262572009	ND	74.5	ND	0.85 J	ND	6.9 J	ND	ND
ID	60262572010	ND	64.5	ND	0.80 J	ND	4.1 J	ND	ND
SB-4	60262644013	ND	76	0.71 J	0.84 J	ND	6.7 J	ND	ND
SB-5	60262644014	ND	78.4	ND	1.1 J	ND	4.5 J	ND	ND
SB-6	60262644015	ND	70.2	ND	1.4 J	ND	4.5 J	ND	ND
SB-7	60262644016	ND	71	ND	1.1 J	ND	6.2 J	ND	ND
SB-8	60262644017	ND	130	ND	1.5 J	ND	ND	ND	ND
SB-9	60262644018	ND	141	ND	ND	ND	ND	ND	ND
SB-10	60262738009	ND	84.3	0.76 J	1.8 J	ND	ND	ND	ND
SB-11	60262831008	18.8	652	ND	ND	ND	ND	ND	ND
SB-11D	60262831012	ND	333	ND	ND	ND	ND	ND	ND
SB-12	60262738010	ND	115	0.65 J	3.0 J	ND	5.5 J	ND	ND
SB-13	60262738011	ND	232	ND	ND	ND	3.8 J	ND	ND
SB-14	60262831009	ND	64.7	0.88 J	1.4 J	ND	ND	ND	ND
SB-15	60262831011	NA	NA	NA	NA	NA	NA	NA	NA
SB-16	60262831010	ND	94.6	ND	2.4 J	ND	7.6 J	ND	ND
Screening Values (µg/L)									
EPA Maximum Contaminant Level		10	2,000	5	100	15	50	NE	2
EPA RSL Tap Water		0.05	380	0.92	2,200	15	10	9	0.57
Groundwater Target Concentrations		10	2000	5	100	15	50	78.1	NE
Tier I Construction Worker RBTL - Soil Type 1 - Groundwater ²		2.58E+04	1.72E+07	8.60E+04	1.29E+08	NE	4.30E+05	7.17E+05	NE
Tier I Construction Worker RBTL - Soil Type 1 - Groundwater ³		NE	NE	NE	NE	NE	NE	NE	1.68E+04
Tier I Non-Residential RBTL - Soil Type 1 - Groundwater ²		578	6.19E+06	2,280	4.65E+07	NE	1.55E+05	2.58E+05	NE
Tier I Non-Residential RBTL - Soil Type 1 - Groundwater ⁴		NE	NE	NE	NE	NE	NE	NE	407

Notes:

¹Only analytes with concentrations above laboratory detection limits are presented. Complete laboratory reports are included in Appendix C.

* Total chromium; screening values are for chromium (III), as hexavalent chromium is not believed to have been used at the site

²Tier 1 Construction Worker or Non-Residential RBTLs for groundwater in Soil Type 1 are for dermal contact exposure

³Tier 1 Construction Worker RBTLs for groundwater in Soil Type 1 are for exposure via outdoor inhalation of vapor emissions.

⁴Tier 1 Non-Residential RBTLs for groundwater in Soil Type 1 are for exposure via indoor inhalation of vapor emissions.

Bold	Analyte concentration equals or exceeds the EPA Maximum Contaminant Level or MDNR Groundwater Target Concentration
Shade	Analyte concentration equals or exceeds the MRBCA RBTL
<i>Italics</i>	Analyte concentrations equals or exceeds EPA RSL
EPA RSL	U.S. Environmental Protection Agency Regional Screening Level, TR = 1E-06 and HQ = 0.1
ID	Identification
J	Analyte is present at an estimated concentration between the method detection limit and the reporting limit
mg/L	Milligrams per liter
NA	Not analyzed
ND	Not detected at or above laboratory reporting limit
NE	Not established
RBTL	Risk-Based Target Level
RCRA	Resource Conservation and Recovery Act
TR	Target Cancer Risk

TABLE B-16

**REPRESENTATIVE CONCENTRATIONS - SURFACE SOILS
TIER 1 RISK ASSESSMENT
MEAD HANSEN BUILDING SITE
ST. JOSEPH, MISSOURI**

Sample ID (depth interval in ft bgs)	Laboratory ID	Arsenic (mg/kg)
SB-1 (0-1)	60262572001	7.3
SB-2 (0-1)	60262572003	7.0
SB-3 (0-1)	60262572005	8.5
SB-4 (0-1)	60262644001	20.1
SB-5 (0-1)	60262644003	8.2
SB-6 (0-1)	60262644005	7.5
SB-7 (0-1)	60262644007	5.2
SB-8 (0-1)	60262644009	7.1
SB-9 (0-3)	60262644011	9.6
SB-10 (0-1)	60262738001	6.1
Representative Concentration		8.66
EPA RSL - Industrial Soil		3.0E+00
Tier 1 Construction Worker RBTL - Soil Type 1 - Soil		1.19E+02
Tier 1 Non-Residential RBTL - Soil Type 1 - Surface Soil		1.59E+01
Buchanan County, Missouri, Average Background		17.365

Notes:

EPA RSL	U.S. Environmental Protection Agency Regional Screening Level, TR = 1E-06 and HQ = 0.1
ID	Identification
mg/kg	Milligrams per kilogram
RBTL	Risk-Based Target Level

APPENDIX C

CHAIN-OF-CUSTODY RECORDS, ANALYTICAL DATA PACKAGES, AND DATA VALIDATION REPORTS

Tetra Tech, Inc.
DATA VALIDATION REPORT
LEVEL II

Site: Mead Hansen Building Site

Laboratory: Pace Analytical (Lenexa, Kansas)

Data Reviewer: Harry Ellis, Tetra Tech, Inc. (Tetra Tech)

Review Date: February 20, 2018

Sample Delivery Group (SDG): 60262572


Sample Numbers: SB-1 (0-1), SB-1 (3-5), SB-2 (0-1), SB-2 (3-5), SB-3 (0-1), SB-3 (3-5), SB-3 (12-14), SB-1, SB-2, SB-3,, and Soil Trip Blank

Matrix / Number of Samples: Seven Soil Samples, Three Groundwater Samples, and One Blank Sample

The data were qualified according to the U.S. Environmental Protection Agency (EPA) Region 7 documents entitled "Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review", dated January 2017, and "Contract Laboratory Program National Functional Guidelines for Superfund Inorganic Methods Data Review", also dated January 2017. In addition, the Tetra Tech document "Review of Data Packages from Subcontracted Laboratories" (February 2002) was used along with other criteria specified in the applicable methods.

The review was intended to identify problems and quality control (QC) deficiencies that were readily apparent from the summary data package. The following sections discuss any problems or deficiencies that were found, and data qualifications applied because of non-compliant QC. The data review was limited to the available field and laboratory QC information submitted with the project-specific data package.

I, Harry Ellis, certify that all data validation criteria outlined in the above-referenced documents were assessed, and any qualifications made to the data accorded with those documents.



20 February 2018

Certified by Harry Ellis, Chemist

Date

DATA VALIDATION QUALIFIERS

- | | | |
|-----------|---|---|
| U | — | The analyte was not detected above the reported sample quantitation limit. |
| J | — | The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample. |
| UJ | — | The analyte was not detected above the reported sample quantitation limit, which is estimated. |
| R | — | The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet QC criteria. Presence or absence of the analyte cannot be verified. |

DATA ASSESSMENT

Sample delivery group (SDG) 60262572 included seven (7) environmental soil samples, three (3) environmental groundwater samples, and one (1) quality control (QC) sample (a soil trip blank). Samples were analyzed for volatile organic compounds (VOC) by EPA SW-846 Method 8260, semivolatile organic compounds (SVOC) by EPA SW-846 Method 8270, total petroleum hydrocarbons (TPH) as gasoline range organics (GRO), diesel range organics (DRO), and oil range organics (ORO) by EPA SW-846 Methods 8260 and 8270, organochlorine pesticides by EPA SW-846 Method 8081, organophosphate pesticides by EPA SW-846 Method 8141, organochlorine herbicides by EPA SW-846 Method 8051A, total and dissolved metals by EPA SW-846 Methods 6010 and 7471 and EPA Water Methods 200.7 and 245.1, pH by EPA SW-846 Method 9045 and Standard Method 4500-H, and inorganic anions by EPA SW-846 Method 9056 and EPA Water Method 353.2. All samples did not receive all analyses. The following summarizes the data validation that was performed.

VOLATILE ORGANIC COMPOUND ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding time of 14 days from sample collection to analysis. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

No MS/MSD analyses were performed due to insufficient sample volume. No qualifications were applied for these data gaps.

III. Blanks

The laboratory (method) blanks and trip blanks yielded no detectable concentrations of analytes, so no qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

All surrogate recoveries were within their QC limits. No qualifications were applied.

VI. Comments

Some detected concentrations were less than their reporting limits ("RL"). These low-concentration results were qualified as estimated (flagged "J").

VII. Overall Assessment of Data

Overall data quality is acceptable, with no qualifications applied. All data are usable as reported for their intended purposes.

SEMIVOLATILE ORGANIC COMPOUND ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding time of 14 days from sample collection to extraction and 40 days to analysis. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

The soil MS/MSD analyses were performed on sample SB-1 (0-1). They yielded recoveries of 125 and 108 percent (versus limits of 47 to 102 percent) for bis(2-chloroethyl)ether and of 22 and 31 percent (versus 49 to 110 percent) for phenanthrene. bis(2-Chloroethyl)ether was not detected in the unspiked sample, so that result was not qualified. Phenanthrene was reported at a concentration similar to the spike, so these results indicate heterogeneity in the phenanthrene distribution within the sample. Therefore the phenanthrene result for that sample was qualified as estimated and flagged "J".

There was insufficient sample for aqueous MS/MSD analyses. No qualifications were applied for these data gaps.

III. Blanks

The laboratory (method) blank yielded no detectable analyte concentrations. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

All surrogate recoveries were within QC limits so no qualifications were applied.

VI. Comments

Some detected concentrations were less than their RLs. These low-concentration results were qualified as estimated (flagged "J").

VII. Overall Assessment of Data

Overall data quality is acceptable, with no significant qualifications applied. All data are usable as qualified for their intended purposes.

TOTAL PETROLEUM HYDROCARBON ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

Due to insufficient sample volume, the only MS/MSD analyses were for DRO/ORO in soil. Results were fully satisfactory. No qualifications were applied for the data gaps.

III. Blanks

The soil laboratory (method) blank yielded a low concentration of ORO. All field samples yielded much higher concentrations, so no qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

All field sample surrogate recoveries were within QC limits. The GRO blank and LCS yielded excessive recoveries for one (of there) surrogates), but no qualifications were applied for these irregularities in QC samples..

VI. Comments

Some detected concentrations (including all for silver) were less than their RLs. These low-concentration results were qualified as estimated (flagged "J").

VII. Overall Assessment of Data

Overall data quality is acceptable, with no qualifications applied. All data are usable as reported for their intended purposes.

ORGANOCHLORINE PESTICIDES ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

Most MS/MSD results were within limits. However, the soil analyses performed on sample SB-1 (0-1) yielded beta-BHC recoveries of 110 and 146 percent, versus limits of 70 to 130 percent. beta-BHC was not detected in any unspiked samples so no qualifications were applied.

III. Blanks

The laboratory (method) blanks yielded no detectable analytes. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

All surrogate recoveries from field samples were within QC limits. The soil laboratory blank and LCS yielded excessive recoveries for the second (of two) surrogate. No qualifications were applied for these irregularities in laboratory samples.

VI. Comments

No analytes were detected in the field samples.

VII. Overall Assessment of Data

Overall data quality is acceptable, with no qualifications applied. All data are usable as reported for their intended purposes.

ORGANOPHOSPHATE PESTICIDES ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

In the soil MS/MSD analyses performed on sample SB-1 (3-5), recoveries of diazinon could not be determined because the unspiked sample contained almost 20 times the amount of the spike. No qualifications were applied for this data gap. However, matrix interference led to excessive relative percent differences (RPD) (that is, more than 40 percent) for diazinon (47 percent) and most other analytes. This is apparently due to matrix interference. Therefore all detected results in the unspiked sample were qualified as estimated and flagged "J".

The aqueous MS analysis, performed on sample SB-2, yielded excessive recoveries for ethyl parathion and trichloronate, again apparently due to matrix interference. Again, no qualifications were applied. Also, no qualifications were applied for the lack of a MSD analysis.

III. Blanks

The laboratory (method) blanks yielded no detectable analytes. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

All surrogate recoveries were within QC limits so no qualifications were applied.

VI. Comments

Aqueous sample SB-2 was analyzed at a 5-fold dilution to minimize matrix interference. No qualifications were applied, but the nondetected results for this sample are not comparable to those for others.

VII. Overall Assessment of Data

Overall data quality is acceptable, with few qualifications applied. All data are usable as qualified for their intended purposes.

ORGANOCHLORINE HERBICIDES ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

The soil MS/MSD analyses performed on sample SB-1 (0-1) yielded recoveries of 9 and 20 percent for dalapon, versus limits of 10 to 154 percent. The average recovery is within limits so no qualifications were applied. In addition, most spiked analytes yielded excessive RPD. No organochlorine herbicides were detected in the unspiked sample (or other soil sample), so no qualifications were applied.

The aqueous MS analysis performed on sample SB-3 yielded low recoveries for 2,4-D and dichloroprop, the only two detected analytes. This is due to matrix interference, heterogeneous distribution, or both. In addition, most RPD were above their limits, apparently due to matrix interference. Therefore the detected results for chlorinated herbicides in that sample were qualified as estimated and flagged :”J”.

III. Blanks

The laboratory (method) blanks yielded no detectable analytes. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

All surrogate recoveries were within QC limits so no qualifications were applied.

VI. Comments

No analytes were detected in the soil samples, but several were detected in the aqueous samples. .

VII. Overall Assessment of Data

Overall data quality is acceptable, with few qualifications applied. All data are usable as qualified for their intended purposes.

METALS ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times of 28 days (for mercury) and 6 months (for all other metals) from sample collection to analysis. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

In the soil MS/MSD analyses performed on sample SB-1 (0-1), recoveries of barium were 156 and 19 percent, versus limits of 75 to 125 percent. However, the RPD was only 17 percent, below its limit of 20 percent. Therefore the heterogeneity in the sample barium concentration was not qualified.

III. Blanks

No analytes were detected in the laboratory blanks. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Comments

Some detected concentrations (including all for silver) were less than their RLs. These low-concentration results were qualified as estimated (flagged "J").

VI. Overall Assessment of Data

Overall data quality is acceptable, with no significant qualifications applied. All data are usable as qualified for their intended purposes.

IONS ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The holding time for pH analyses is "as soon as possible", generally interpreted as within 15 minutes of sampling (for water) or of preparation (for soil). The pH analyses were performed four days after sampling, so the water results were qualified as estimated and flagged "J". All other holding time requirements were met so no further qualifications were applied.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

MS/MSD analyses performed on samples from other sites were not evaluated. Those performed on these samples, and the laboratory duplicate analyses performed on these samples, yielded fully acceptable results, so no qualifications were applied.

III. Blanks

No analytes were detected in the laboratory blanks. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Comments

Some detected concentrations were less than their RLs. These low-concentration results were qualified as estimated (flagged “J”). All sulfate analyses and the soil analyses for nitrate and nitrite were performed at 10-fold dilutions to minimize matrix interference. The aqueous concentrations for nitrate plus nitrite were performed at 2-fold dilutions for the same reason. Since all samples received the same dilutions, all results are comparable.

VI. Overall Assessment of Data

Overall data quality is acceptable, with no significant qualifications applied. All data are usable as qualified for their intended purposes.

February 09, 2018

Emily Fisher
TETRA TECH EMI
415 Oak
Kansas City, MO 64106

RE: Project: Mead Hansen Building Site 1/22
Pace Project No.: 60262572

Dear Emily Fisher:

Enclosed are the analytical results for sample(s) received by the laboratory on January 23, 2018. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

2/7/2018 revised to report to the MDL

Revised report_rev1

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jeffrey Shopper
jeff.shopper@pacelabs.com
1(913)563-1408
Project Manager

Enclosures

cc: John Simpson, TETRA TECH EMI



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Kansas Certification IDs

9608 Loiret Boulevard, Lenexa, KS 66219

WY STR Certification #: 2456.01

Arkansas Certification #: 17-016-0

Illinois Certification #: 200030

Iowa Certification #: 118

Kansas/NELAP Certification #: E-10116

Louisiana Certification #: 03055

Nevada Certification #: KS000212018-1

Oklahoma Certification #: 9205/9935

Texas Certification #: T104704407

Utah Certification #: KS00021

Kansas Field Laboratory Accreditation: # E-92587

Missouri Certification: 10070

Dallas Certification IDs:

400 West Bethany Dr Suite 190, Allen, TX 75013

EPA# TX00074

Florida Certification #: E871118

Texas Certification #: T104704232

Kansas Certification #: E-10388

Arkansas Certification #: 88-0647

Oklahoma Certification #: 8727

Louisiana Certification #: 30686

Iowa Certification #: 408

Florida Certification #: E871118

Nevada Certification #: TX00074

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60262572001	SB-1 (0-1)	Solid	01/22/18 13:50	01/23/18 12:15
60262572002	SB-1 (3-5)	Solid	01/22/18 14:00	01/23/18 12:15
60262572003	SB-2 (0-1)	Solid	01/22/18 15:20	01/23/18 12:15
60262572004	SB-2 (3-5)	Solid	01/22/18 15:30	01/23/18 12:15
60262572005	SB-3 (0-1)	Solid	01/22/18 16:50	01/23/18 12:15
60262572006	SB-3 (3-5)	Solid	01/22/18 17:00	01/23/18 12:15
60262572007	SB-2 (12-14)	Solid	01/22/18 15:50	01/23/18 12:15
60262572008	SB-1	Water	01/22/18 14:40	01/23/18 12:15
60262572009	SB-2	Water	01/22/18 16:20	01/23/18 12:15
60262572010	SB-3	Water	01/22/18 17:20	01/23/18 12:15
60262572011	TRIP BLANK SOIL	Solid	01/22/18 13:50	01/23/18 12:15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262572001	SB-1 (0-1)	EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	TDS	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	AGO	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
60262572002	SB-1 (3-5)	EPA 8151	JS	11	PASI-D
		EPA 6010	TDS	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	TDS	7	PASI-K
60262572003	SB-2 (0-1)	EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	TDS	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262572004	SB-2 (3-5)	EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	TDS	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
60262572005	SB-3 (0-1)	EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	TDS	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
60262572006	SB-3 (3-5)	EPA 8151	JS	11	PASI-D
		EPA 6010	TDS	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	TDS	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262572007	SB-2 (12-14)	ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	TDS	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
60262572008	SB-1	EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K
		EPA 7470	SMW	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
		EPA 8260	JTK	4	PASI-K
		SM 4500-H+B	MJK	1	PASI-K
		EPA 353.2	RAD	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 8081	MS1	24	PASI-D
60262572009	SB-2	EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262572010	SB-3	EPA 7470	SMW	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
		EPA 8260	JTK	4	PASI-K
		SM 4500-H+B	MJK	1	PASI-K
		EPA 353.2	RAD	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K
		EPA 7470	SMW	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
		EPA 8260	JTK	4	PASI-K
		SM 4500-H+B	MJK	1	PASI-K
60262572011	TRIP BLANK SOIL	EPA 353.2	RAD	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 8260	JKL	68	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22
Pace Project No.: 60262572

Method: EPA 8081
Description: 8081 GCS Pesticides
Client: TETRA TECH EMI
Date: February 09, 2018

General Information:

10 samples were analyzed for EPA 8081. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

The samples were prepared in accordance with EPA 3510 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 91279

S0: Surrogate recovery outside laboratory control limits.

- BLANK (Lab ID: 404437)
 - Decachlorobiphenyl (S)
- LCS (Lab ID: 404438)
 - Decachlorobiphenyl (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 91279

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262572001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MSD (Lab ID: 404440)
 - beta-BHC

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 8141A

Description: 8141 O/P Pesticides Microwave

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

7 samples were analyzed for EPA 8141A. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 91281

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262572002

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 404452)
 - Diazinon
- MSD (Lab ID: 404453)
 - Diazinon

R1: RPD value was outside control limits.

- MSD (Lab ID: 404453)
 - Chlorpyrifos
 - Diazinon
 - Dichlorvos
 - Disulfoton
 - EPN (ENT)
 - Ethoprop
 - Fenthion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 8141A

Description: 8141 O/P Pesticides Microwave

Client: TETRA TECH EMI

Date: February 09, 2018

QC Batch: 91281

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262572002

R1: RPD value was outside control limits.

- Malathion
- Methyl parathion
- Mevinphos
- Parathion (Ethyl parathion)
- Phorate
- Ronnel
- Stirophos (Tetrachlorvinphos)
- Sulfotep (Thiodiphosphoric Ac
- Tokuthion (Prothiofos)
- Total Demeton
- Trichloronate

Additional Comments:

Analyte Comments:

QC Batch: 91281

N2: The lab does not hold NELAC/TNI accreditation for this parameter.

- BLANK (Lab ID: 404450)
 - Total Demeton
 - Total Merphos
- LCS (Lab ID: 404451)
 - Total Demeton
 - Total Merphos
- MS (Lab ID: 404452)
 - Total Demeton
 - Total Merphos
- MSD (Lab ID: 404453)
 - Total Demeton
 - Total Merphos
- SB-1 (0-1) (Lab ID: 60262572001)
 - Total Demeton
 - Total Merphos
- SB-1 (3-5) (Lab ID: 60262572002)
 - Total Demeton
 - Total Merphos
- SB-2 (0-1) (Lab ID: 60262572003)
 - Total Demeton
 - Total Merphos
- SB-2 (12-14) (Lab ID: 60262572007)
 - Total Demeton
 - Total Merphos

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 8141A

Description: 8141 O/P Pesticides Microwave

Client: TETRA TECH EMI

Date: February 09, 2018

Analyte Comments:

QC Batch: 91281

N2: The lab does not hold NELAC/TNI accreditation for this parameter.

- SB-2 (3-5) (Lab ID: 60262572004)
 - Total Demeton
 - Total Merphos
- SB-3 (0-1) (Lab ID: 60262572005)
 - Total Demeton
 - Total Merphos
- SB-3 (3-5) (Lab ID: 60262572006)
 - Total Demeton
 - Total Merphos

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 8141A

Description: 8141 GCS, O/P Pesticides

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

3 samples were analyzed for EPA 8141A. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 91347

S1: Surrogate recovery outside laboratory control limits (confirmed by re-analysis).

- LCS (Lab ID: 404970)
- Tributylphosphate (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 91347

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262572009

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 404971)
- Trichloronate

M3: Matrix spike recovery was outside laboratory control limits due to matrix interferences.

- MS (Lab ID: 404971)
- Parathion (Ethyl parathion)

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 8141A

Description: 8141 GCS, O/P Pesticides

Client: TETRA TECH EMI

Date: February 09, 2018

Analyte Comments:

QC Batch: 91347

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- SB-2 (Lab ID: 60262572009)
- Tributylphosphate (S)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 8151

Description: 8151 Chlorinated Herbicides

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

10 samples were analyzed for EPA 8151. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 8151 with any exceptions noted below.

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 91432

S1: Surrogate recovery outside laboratory control limits (confirmed by re-analysis).

- SB-1 (3-5) (Lab ID: 60262572002)
 - 2,4-DCAA (S)
- SB-2 (12-14) (Lab ID: 60262572007)
 - 2,4-DCAA (S)
- SB-3 (3-5) (Lab ID: 60262572006)
 - 2,4-DCAA (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 91432

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262572001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 405364)
 - Dalapon

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 8151

Description: 8151 Chlorinated Herbicides

Client: TETRA TECH EMI

Date: February 09, 2018

QC Batch: 91432

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262572001

R1: RPD value was outside control limits.

- MSD (Lab ID: 405365)
 - 2,4,5-T
 - 2,4-D
 - Dalapon
 - Dicamba
 - Dinoseb
 - MCPP

QC Batch: 91466

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262572010

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 405534)
 - 2,4-D
 - Dichloroprop

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 6010

Description: 6010 MET ICP Red. Interference

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

7 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3050 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511567

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262572001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2094753)
- Barium

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 6010

Description: 6010 MET ICP

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

3 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 6010

Description: 6010 MET ICP, Dissolved (LF)

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

3 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 7470

Description: 7470 Mercury

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

3 samples were analyzed for EPA 7470. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7470 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 7470

Description: 7470 Mercury, Dissolved (LF)

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

3 samples were analyzed for EPA 7470. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7470 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 7471

Description: 7471 Mercury

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

7 samples were analyzed for EPA 7471. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7471 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511728

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262572001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2095317)
 - Mercury
- MSD (Lab ID: 2095318)
 - Mercury

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 8270

Description: 8270 MSSV Semivolatiles

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

7 samples were analyzed for EPA 8270. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511576

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262572001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2094773)
 - Phenanthrene
 - bis(2-Chloroethyl) ether
- MSD (Lab ID: 2094774)
 - Phenanthrene
 - bis(2-Chloroethyl) ether

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

3 samples were analyzed for EPA 8270. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511654

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

Analyte Comments:

QC Batch: 511654

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-1 (Lab ID: 60262572008)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 09, 2018

Analyte Comments:

QC Batch: 511654

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-1 (Lab ID: 60262572008)
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol
 - 2,4-Dimethylphenol
 - 2,4-Dinitrophenol
 - 2,4-Dinitrotoluene
 - 2,4,5-Trichlorophenol
 - 2,6-Dinitrotoluene
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylphenol(o-Cresol)
 - 2-Methylnaphthalene
 - 2-Nitroaniline
 - 2-Nitrophenol
 - 3,3'-Dichlorobenzidine
 - 3&4-Methylphenol(m&p Cresol)
 - 3-Nitroaniline
 - 4,6-Dinitro-2-methylphenol
 - 4-Bromophenylphenyl ether
 - 4-Chloro-3-methylphenol
 - 4-Chloroaniline
 - 4-Chlorophenylphenyl ether
 - 4-Nitroaniline
 - 4-Nitrophenol
 - Acenaphthene
 - Acenaphthylene
 - Anthracene
 - Butylbenzylphthalate
 - Benzoic acid
 - Benzyl alcohol
 - Benzo(k)fluoranthene
 - Benzo(g,h,i)perylene
 - Benzo(a)anthracene
 - Benzo(b)fluoranthene
 - Benzo(a)pyrene
 - bis(2-Chloroethoxy)methane
 - bis(2-Chloroethyl) ether
 - bis(2-Chloroisopropyl) ether
 - bis(2-Ethylhexyl)phthalate
 - Carbazole
 - Chrysene
 - Dibenz(a,h)anthracene
 - Dibenzofuran

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 09, 2018

Analyte Comments:

QC Batch: 511654

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-1 (Lab ID: 60262572008)
 - Dimethylphthalate
 - Di-n-butylphthalate
 - Di-n-octylphthalate
 - Diethylphthalate
 - Fluorene
 - Fluoranthene
 - Hexachloro-1,3-butadiene
 - Hexachlorobenzene
 - Hexachlorocyclopentadiene
 - Hexachloroethane
 - Indeno(1,2,3-cd)pyrene
 - Isophorone
 - Naphthalene
 - N-Nitroso-di-n-propylamine
 - Nitrobenzene
 - N-Nitrosodiphenylamine
 - Phenol
 - Phenanthrene
 - Pentachlorophenol
 - Pyrene
 - Pyridine
- SB-2 (Lab ID: 60262572009)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol
 - 2,4-Dimethylphenol
 - 2,4-Dinitrophenol
 - 2,4-Dinitrotoluene
 - 2,4,5-Trichlorophenol
 - 2,6-Dinitrotoluene
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylphenol(o-Cresol)
 - 2-Methylnaphthalene
 - 2-Nitroaniline
 - 2-Nitrophenol
 - 3,3'-Dichlorobenzidine
 - 3&4-Methylphenol(m&p Cresol)
 - 3-Nitroaniline

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 09, 2018

Analyte Comments:

QC Batch: 511654

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-2 (Lab ID: 60262572009)
 - 4,6-Dinitro-2-methylphenol
 - 4-Bromophenylphenyl ether
 - 4-Chloro-3-methylphenol
 - 4-Chloroaniline
 - 4-Chlorophenylphenyl ether
 - 4-Nitroaniline
 - 4-Nitrophenol
 - Acenaphthene
 - Acenaphthylene
 - Anthracene
 - Butylbenzylphthalate
 - Benzoic acid
 - Benzyl alcohol
 - Benzo(k)fluoranthene
 - Benzo(g,h,i)perylene
 - Benzo(a)anthracene
 - Benzo(b)fluoranthene
 - Benzo(a)pyrene
 - bis(2-Chloroethoxy)methane
 - bis(2-Chloroethyl) ether
 - bis(2-Chloroisopropyl) ether
 - bis(2-Ethylhexyl)phthalate
 - Carbazole
 - Chrysene
 - Dibenz(a,h)anthracene
 - Dibenzofuran
 - Dimethylphthalate
 - Di-n-butylphthalate
 - Di-n-octylphthalate
 - Diethylphthalate
 - Fluorene
 - Fluoranthene
 - Hexachloro-1,3-butadiene
 - Hexachlorobenzene
 - Hexachlorocyclopentadiene
 - Hexachloroethane
 - Indeno(1,2,3-cd)pyrene
 - Isophorone
 - Naphthalene
 - N-Nitroso-di-n-propylamine
 - Nitrobenzene
 - N-Nitrosodiphenylamine

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 09, 2018

Analyte Comments:

QC Batch: 511654

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-2 (Lab ID: 60262572009)
 - Phenol
 - Phenanthrene
 - Pentachlorophenol
 - Pyrene
 - Pyridine
- SB-3 (Lab ID: 60262572010)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol
 - 2,4-Dimethylphenol
 - 2,4-Dinitrophenol
 - 2,4-Dinitrotoluene
 - 2,4,5-Trichlorophenol
 - 2,6-Dinitrotoluene
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylphenol(o-Cresol)
 - 2-Methylnaphthalene
 - 2-Nitroaniline
 - 2-Nitrophenol
 - 3,3'-Dichlorobenzidine
 - 3&4-Methylphenol(m&p Cresol)
 - 3-Nitroaniline
 - 4,6-Dinitro-2-methylphenol
 - 4-Bromophenylphenyl ether
 - 4-Chloro-3-methylphenol
 - 4-Chloroaniline
 - 4-Chlorophenylphenyl ether
 - 4-Nitroaniline
 - 4-Nitrophenol
 - Acenaphthene
 - Acenaphthylene
 - Anthracene
 - Butylbenzylphthalate
 - Benzoic acid
 - Benzyl alcohol
 - Benzo(k)fluoranthene
 - Benzo(g,h,i)perylene
 - Benzo(a)anthracene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 09, 2018

Analyte Comments:

QC Batch: 511654

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-3 (Lab ID: 60262572010)
 - Benzo(b)fluoranthene
 - Benzo(a)pyrene
 - bis(2-Chloroethoxy)methane
 - bis(2-Chloroethyl) ether
 - bis(2-Chloroisopropyl) ether
 - bis(2-Ethylhexyl)phthalate
 - Carbazole
 - Chrysene
 - Dibenz(a,h)anthracene
 - Dibenzofuran
 - Dimethylphthalate
 - Di-n-butylphthalate
 - Di-n-octylphthalate
 - Diethylphthalate
 - Fluorene
 - Fluoranthene
 - Hexachloro-1,3-butadiene
 - Hexachlorobenzene
 - Hexachlorocyclopentadiene
 - Hexachloroethane
 - Indeno(1,2,3-cd)pyrene
 - Isophorone
 - Naphthalene
 - N-Nitroso-di-n-propylamine
 - Nitrobenzene
 - N-Nitrosodiphenylamine
 - Phenol
 - Phenanthrene
 - Pentachlorophenol
 - Pyrene
 - Pyridine

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 8270

Description: 8270 MSSV DRO/ORO

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

10 samples were analyzed for EPA 8270. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510C with any exceptions noted below.

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 511572

S0: Surrogate recovery outside laboratory control limits.

- LCS (Lab ID: 2094761)
- Nitrobenzene-d5 (S)

S3: Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated sample.

- BLANK (Lab ID: 2094760)
- 2-Fluorobiphenyl (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

QC Batch: 511638

B: Analyte was detected in the associated method blank.

- BLANK for HBN 511638 [OEXT/630 (Lab ID: 2094920)
- TPH-ORO

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 8270

Description: 8270 MSSV DRO/ORO

Client: TETRA TECH EMI

Date: February 09, 2018

QC Batch: 511572

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

Analyte Comments:

QC Batch: 511572

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-1 (Lab ID: 60262572008)
 - TPH-DRO
 - TPH-ORO
- SB-2 (Lab ID: 60262572009)
 - TPH-DRO
 - TPH-ORO
- SB-3 (Lab ID: 60262572010)
 - TPH-DRO
 - TPH-ORO

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 5035A/8260

Description: 8260 MSV GRO and Oxygenates

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

7 samples were analyzed for EPA 5035A/8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511774

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 5030B/8260

Description: 8260 MSV

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

3 samples were analyzed for EPA 5030B/8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511785

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22
Pace Project No.: 60262572

Method: EPA 8260
Description: 8260 MSV GRO and Oxygenates
Client: TETRA TECH EMI
Date: February 09, 2018

General Information:

3 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511832

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 8260

Description: 8260 MSV 5035A VOA

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

8 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: 511857

L2: Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.

- LCS (Lab ID: 2095755)
- trans-1,2-Dichloroethene

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511857

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: SM 4500-H+B

Description: 4500H+ pH, Electrometric

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

3 samples were analyzed for SM 4500-H+B. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

H6: Analysis initiated outside of the 15 minute EPA required holding time.

- SB-1 (Lab ID: 60262572008)
- SB-2 (Lab ID: 60262572009)
- SB-3 (Lab ID: 60262572010)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 9045

Description: 9045 pH Soil

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

7 samples were analyzed for EPA 9045. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

H1: Analysis conducted outside the EPA method holding time.

- SB-1 (0-1) (Lab ID: 60262572001)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 353.2

Description: 353.2 Nitrogen, NO₂/NO₃ pres.

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

3 samples were analyzed for EPA 353.2. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511900

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262516065,60262522002

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2095974)
- Nitrogen, NO₂ plus NO₃

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Method: EPA 9056

Description: 9056 IC Anions

Client: TETRA TECH EMI

Date: February 09, 2018

General Information:

10 samples were analyzed for EPA 9056. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 9056 with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 512959

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262653001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2100110)
 - Sulfate
- MSD (Lab ID: 2100111)
 - Sulfate

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 (0-1) Lab ID: 60262572001 Collected: 01/22/18 13:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.68	ug/kg	1.9	0.68	1	01/25/18 16:25	01/29/18 18:43	309-00-2	M1
alpha-BHC	<0.30	ug/kg	1.9	0.30	1	01/25/18 16:25	01/29/18 18:43	319-84-6	
beta-BHC	<1.0	ug/kg	3.2	1.0	1	01/25/18 16:25	01/29/18 18:43	319-85-7	
delta-BHC	<0.92	ug/kg	2.7	0.92	1	01/25/18 16:25	01/29/18 18:43	319-86-8	
gamma-BHC (Lindane)	<0.86	ug/kg	2.7	0.86	1	01/25/18 16:25	01/29/18 18:43	58-89-9	
Chlordane (Technical)	<53.9	ug/kg	288	53.9	1	01/25/18 16:25	01/29/18 18:43	57-74-9	
alpha-Chlordane	<0.76	ug/kg	3.2	0.76	1	01/25/18 16:25	01/29/18 18:43	5103-71-9	
gamma-Chlordane	<1.3	ug/kg	3.2	1.3	1	01/25/18 16:25	01/29/18 18:43	5103-74-2	
4,4'-DDD	<0.63	ug/kg	1.9	0.63	1	01/25/18 16:25	01/29/18 18:43	72-54-8	
4,4'-DDE	<0.60	ug/kg	1.9	0.60	1	01/25/18 16:25	01/29/18 18:43	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.7	1.2	1	01/25/18 16:25	01/29/18 18:43	50-29-3	
Dieldrin	<0.83	ug/kg	2.7	0.83	1	01/25/18 16:25	01/29/18 18:43	60-57-1	
Endosulfan I	<0.89	ug/kg	2.7	0.89	1	01/25/18 16:25	01/29/18 18:43	959-98-8	
Endosulfan II	<0.62	ug/kg	1.9	0.62	1	01/25/18 16:25	01/29/18 18:43	33213-65-9	
Endosulfan sulfate	<0.88	ug/kg	2.7	0.88	1	01/25/18 16:25	01/29/18 18:43	1031-07-8	
Endrin	<0.89	ug/kg	3.2	0.89	1	01/25/18 16:25	01/29/18 18:43	72-20-8	
Endrin aldehyde	<0.89	ug/kg	2.7	0.89	1	01/25/18 16:25	01/29/18 18:43	7421-93-4	
Endrin ketone	<1.1	ug/kg	3.8	1.1	1	01/25/18 16:25	01/29/18 18:43	53494-70-5	
Heptachlor	<1.5	ug/kg	3.8	1.5	1	01/25/18 16:25	01/29/18 18:43	76-44-8	
Heptachlor epoxide	<3.8	ug/kg	9.6	3.8	1	01/25/18 16:25	01/29/18 18:43	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.8	1.1	1	01/25/18 16:25	01/29/18 18:43	72-43-5	
Toxaphene	<99.5	ug/kg	288	99.5	1	01/25/18 16:25	01/29/18 18:43	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	77	%.	70-130		1	01/25/18 16:25	01/29/18 18:43	877-09-8	
Decachlorobiphenyl (S)	85	%.	70-130		1	01/25/18 16:25	01/29/18 18:43	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<6.4	ug/kg	12.8	6.4	1	01/25/18 16:25	01/31/18 22:19	22248-79-9	
Azinphos, methyl (Guthion)	<6.4	ug/kg	12.8	6.4	1	01/25/18 16:25	01/31/18 22:19	86-50-0	
Bolstar	<6.4	ug/kg	12.8	6.4	1	01/25/18 16:25	01/31/18 22:19	35400-43-2	
Chlorpyrifos	<6.4	ug/kg	12.8	6.4	1	01/25/18 16:25	01/31/18 22:19	2921-88-2	
Coumaphos	<6.4	ug/kg	12.8	6.4	1	01/25/18 16:25	01/31/18 22:19	56-72-4	
Diazinon	427	ug/kg	12.8	6.4	1	01/25/18 16:25	01/31/18 22:19	333-41-5	
Dichlorvos	<3.2	ug/kg	6.4	3.2	1	01/25/18 16:25	01/31/18 22:19	62-73-7	
Dimethoate	<6.4	ug/kg	12.8	6.4	1	01/25/18 16:25	01/31/18 22:19	60-51-5	
Disulfoton	<3.2	ug/kg	6.4	3.2	1	01/25/18 16:25	01/31/18 22:19	298-04-4	
EPN (ENT)	<4.1	ug/kg	6.4	4.1	1	01/25/18 16:25	01/31/18 22:19	2104-64-5	
Ethoprop	<3.2	ug/kg	6.4	3.2	1	01/25/18 16:25	01/31/18 22:19	13194-48-4	
Fensulfthion	<6.4	ug/kg	12.8	6.4	1	01/25/18 16:25	01/31/18 22:19	115-90-2	
Fenthion	<3.2	ug/kg	6.4	3.2	1	01/25/18 16:25	01/31/18 22:19	55-38-9	
Malathion	<6.4	ug/kg	12.8	6.4	1	01/25/18 16:25	01/31/18 22:19	121-75-5	
Methyl parathion	<3.2	ug/kg	6.4	3.2	1	01/25/18 16:25	01/31/18 22:19	298-00-0	
Mevinphos	<3.8	ug/kg	6.4	3.8	1	01/25/18 16:25	01/31/18 22:19	7786-34-7	
Parathion (Ethyl parathion)	<6.4	ug/kg	12.8	6.4	1	01/25/18 16:25	01/31/18 22:19	56-38-2	
Phorate	<3.2	ug/kg	6.4	3.2	1	01/25/18 16:25	01/31/18 22:19	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 (0-1) **Lab ID: 60262572001** Collected: 01/22/18 13:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<3.2	ug/kg	6.4	3.2	1	01/25/18 16:25	01/31/18 22:19	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<3.2	ug/kg	6.4	3.2	1	01/25/18 16:25	01/31/18 22:19	3689-24-5	
Tokuthion (Prothiofos)	<3.2	ug/kg	6.4	3.2	1	01/25/18 16:25	01/31/18 22:19	34643-46-4	
Trichloronate	<6.4	ug/kg	12.8	6.4	1	01/25/18 16:25	01/31/18 22:19	327-98-0	
Total Demeton	<5.2	ug/kg	6.4	5.2	1	01/25/18 16:25	01/31/18 22:19	8065-48-3	N2
Total Merphos	<6.4	ug/kg	25.6	6.4	1	01/25/18 16:25	01/31/18 22:19	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	80	%.	11-137		1	01/25/18 16:25	01/31/18 22:19	115-86-6	
Tributylphosphate (S)	105	%.	17-125		1	01/25/18 16:25	01/31/18 22:19	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.2	ug/kg	3.2	3.2	1	01/29/18 16:21	01/30/18 12:53	94-75-7	R1
Dalapon	<3.2	ug/kg	3.2	3.2	1	01/29/18 16:21	01/30/18 12:53	75-99-0	M1,R1
2,4-DB	<3.2	ug/kg	3.2	3.2	1	01/29/18 16:21	01/30/18 12:53	94-82-6	
Dicamba	<3.2	ug/kg	3.2	3.2	1	01/29/18 16:21	01/30/18 12:53	1918-00-9	R1
Dichloroprop	<3.2	ug/kg	3.2	3.2	1	01/29/18 16:21	01/30/18 12:53	15165-67-0	
Dinoseb	<3.2	ug/kg	3.2	3.2	1	01/29/18 16:21	01/30/18 12:53	88-85-7	R1
MCPA	<320	ug/kg	320	320	1	01/29/18 16:21	01/30/18 12:53	94-74-6	
MCP	<320	ug/kg	320	320	1	01/29/18 16:21	01/30/18 12:53	7085-19-0	R1
2,4,5-T	<3.2	ug/kg	3.2	3.2	1	01/29/18 16:21	01/30/18 12:53	93-76-5	R1
2,4,5-TP (Silvex)	<3.2	ug/kg	3.2	3.2	1	01/29/18 16:21	01/30/18 12:53	93-72-1	
Surrogates									
2,4-DCAA (S)	12	%.	10-188		1	01/29/18 16:21	01/30/18 12:53	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	7.3	mg/kg	1.2	0.50	1	01/24/18 09:50	01/25/18 11:59	7440-38-2	
Barium	280	mg/kg	0.61	0.038	1	01/24/18 09:50	01/25/18 11:59	7440-39-3	M1
Cadmium	0.84	mg/kg	0.61	0.045	1	01/24/18 09:50	01/25/18 11:59	7440-43-9	
Chromium	15.4	mg/kg	0.61	0.12	1	01/24/18 09:50	01/25/18 11:59	7440-47-3	
Lead	89.1	mg/kg	0.61	0.25	1	01/24/18 09:50	01/25/18 11:59	7439-92-1	
Selenium	<0.91	mg/kg	1.8	0.91	1	01/24/18 09:50	01/25/18 11:59	7782-49-2	
Silver	<0.20	mg/kg	0.85	0.20	1	01/24/18 09:50	01/25/18 11:59	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.31	mg/kg	0.051	0.0067	1	01/25/18 09:26	01/25/18 11:32	7439-97-6	M1
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	470	ug/kg	420	44.5	1	01/24/18 15:00	01/25/18 22:46	83-32-9	
Acenaphthylene	67.1J	ug/kg	420	39.4	1	01/24/18 15:00	01/25/18 22:46	208-96-8	
Anthracene	380J	ug/kg	420	44.5	1	01/24/18 15:00	01/25/18 22:46	120-12-7	
Benzo(a)anthracene	244J	ug/kg	420	38.1	1	01/24/18 15:00	01/25/18 22:46	56-55-3	
Benzo(a)pyrene	142J	ug/kg	420	33.1	1	01/24/18 15:00	01/25/18 22:46	50-32-8	
Benzo(b)fluoranthene	326J	ug/kg	420	29.2	1	01/24/18 15:00	01/25/18 22:46	205-99-2	
Benzo(g,h,i)perylene	75.7J	ug/kg	420	40.7	1	01/24/18 15:00	01/25/18 22:46	191-24-2	
Benzo(k)fluoranthene	<49.6	ug/kg	420	49.6	1	01/24/18 15:00	01/25/18 22:46	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 (0-1) Lab ID: 60262572001 Collected: 01/22/18 13:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<39.4	ug/kg	2120	39.4	1	01/24/18 15:00	01/25/18 22:46	65-85-0	
Benzyl alcohol	<131	ug/kg	839	131	1	01/24/18 15:00	01/25/18 22:46	100-51-6	
4-Bromophenylphenyl ether	<33.1	ug/kg	420	33.1	1	01/24/18 15:00	01/25/18 22:46	101-55-3	
Butylbenzylphthalate	<54.7	ug/kg	420	54.7	1	01/24/18 15:00	01/25/18 22:46	85-68-7	
Carbazole	206J	ug/kg	420	34.3	1	01/24/18 15:00	01/25/18 22:46	86-74-8	
4-Chloro-3-methylphenol	<45.8	ug/kg	839	45.8	1	01/24/18 15:00	01/25/18 22:46	59-50-7	
4-Chloroaniline	<82.6	ug/kg	839	82.6	1	01/24/18 15:00	01/25/18 22:46	106-47-8	
bis(2-Chloroethoxy)methane	<33.1	ug/kg	420	33.1	1	01/24/18 15:00	01/25/18 22:46	111-91-1	
bis(2-Chloroethyl) ether	<33.1	ug/kg	420	33.1	1	01/24/18 15:00	01/25/18 22:46	111-44-4	M1
bis(2-Chloroisopropyl) ether	<33.1	ug/kg	420	33.1	1	01/24/18 15:00	01/25/18 22:46	39638-32-9	
2-Chloronaphthalene	<35.6	ug/kg	420	35.6	1	01/24/18 15:00	01/25/18 22:46	91-58-7	
2-Chlorophenol	<34.3	ug/kg	420	34.3	1	01/24/18 15:00	01/25/18 22:46	95-57-8	
4-Chlorophenylphenyl ether	<40.7	ug/kg	420	40.7	1	01/24/18 15:00	01/25/18 22:46	7005-72-3	
Chrysene	255J	ug/kg	420	35.6	1	01/24/18 15:00	01/25/18 22:46	218-01-9	
Dibenz(a,h)anthracene	<38.1	ug/kg	420	38.1	1	01/24/18 15:00	01/25/18 22:46	53-70-3	
Dibenzofuran	271J	ug/kg	420	38.1	1	01/24/18 15:00	01/25/18 22:46	132-64-9	
1,2-Dichlorobenzene	<31.8	ug/kg	420	31.8	1	01/24/18 15:00	01/25/18 22:46	95-50-1	
1,3-Dichlorobenzene	<35.6	ug/kg	420	35.6	1	01/24/18 15:00	01/25/18 22:46	541-73-1	
1,4-Dichlorobenzene	<36.9	ug/kg	420	36.9	1	01/24/18 15:00	01/25/18 22:46	106-46-7	
3,3'-Dichlorobenzidine	<144	ug/kg	839	144	1	01/24/18 15:00	01/25/18 22:46	91-94-1	
2,4-Dichlorophenol	<38.1	ug/kg	420	38.1	1	01/24/18 15:00	01/25/18 22:46	120-83-2	
Diethylphthalate	<39.4	ug/kg	420	39.4	1	01/24/18 15:00	01/25/18 22:46	84-66-2	
2,4-Dimethylphenol	<22.9	ug/kg	420	22.9	1	01/24/18 15:00	01/25/18 22:46	105-67-9	
Dimethylphthalate	<40.7	ug/kg	420	40.7	1	01/24/18 15:00	01/25/18 22:46	131-11-3	
Di-n-butylphthalate	<44.5	ug/kg	420	44.5	1	01/24/18 15:00	01/25/18 22:46	84-74-2	
4,6-Dinitro-2-methylphenol	<55.9	ug/kg	2120	55.9	1	01/24/18 15:00	01/25/18 22:46	534-52-1	
2,4-Dinitrophenol	<61.0	ug/kg	2120	61.0	1	01/24/18 15:00	01/25/18 22:46	51-28-5	
2,4-Dinitrotoluene	<35.6	ug/kg	420	35.6	1	01/24/18 15:00	01/25/18 22:46	121-14-2	
2,6-Dinitrotoluene	<43.2	ug/kg	420	43.2	1	01/24/18 15:00	01/25/18 22:46	606-20-2	
Di-n-octylphthalate	<49.6	ug/kg	420	49.6	1	01/24/18 15:00	01/25/18 22:46	117-84-0	
bis(2-Ethylhexyl)phthalate	<145	ug/kg	420	145	1	01/24/18 15:00	01/25/18 22:46	117-81-7	
Fluoranthene	1120	ug/kg	420	39.4	1	01/24/18 15:00	01/25/18 22:46	206-44-0	
Fluorene	442	ug/kg	420	39.4	1	01/24/18 15:00	01/25/18 22:46	86-73-7	
Hexachloro-1,3-butadiene	<42.0	ug/kg	420	42.0	1	01/24/18 15:00	01/25/18 22:46	87-68-3	
Hexachlorobenzene	<40.7	ug/kg	420	40.7	1	01/24/18 15:00	01/25/18 22:46	118-74-1	
Hexachlorocyclopentadiene	<89.0	ug/kg	420	89.0	1	01/24/18 15:00	01/25/18 22:46	77-47-4	
Hexachloroethane	<31.8	ug/kg	420	31.8	1	01/24/18 15:00	01/25/18 22:46	67-72-1	
Indeno(1,2,3-cd)pyrene	79.0J	ug/kg	420	45.8	1	01/24/18 15:00	01/25/18 22:46	193-39-5	
Isophorone	<38.1	ug/kg	420	38.1	1	01/24/18 15:00	01/25/18 22:46	78-59-1	
2-Methylnaphthalene	460	ug/kg	420	30.5	1	01/24/18 15:00	01/25/18 22:46	91-57-6	
2-Methylphenol(o-Cresol)	<39.4	ug/kg	420	39.4	1	01/24/18 15:00	01/25/18 22:46	95-48-7	
3&4-Methylphenol(m&p Cresol)	<45.8	ug/kg	420	45.8	1	01/24/18 15:00	01/25/18 22:46		
Naphthalene	520	ug/kg	420	33.1	1	01/24/18 15:00	01/25/18 22:46	91-20-3	
2-Nitroaniline	<71.2	ug/kg	839	71.2	1	01/24/18 15:00	01/25/18 22:46	88-74-4	
3-Nitroaniline	<127	ug/kg	839	127	1	01/24/18 15:00	01/25/18 22:46	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 (0-1) **Lab ID: 60262572001** Collected: 01/22/18 13:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<108	ug/kg	839	108	1	01/24/18 15:00	01/25/18 22:46	100-01-6	
Nitrobenzene	<39.4	ug/kg	420	39.4	1	01/24/18 15:00	01/25/18 22:46	98-95-3	
2-Nitrophenol	<58.5	ug/kg	420	58.5	1	01/24/18 15:00	01/25/18 22:46	88-75-5	
4-Nitrophenol	<66.1	ug/kg	2120	66.1	1	01/24/18 15:00	01/25/18 22:46	100-02-7	
N-Nitroso-di-n-propylamine	<42.0	ug/kg	420	42.0	1	01/24/18 15:00	01/25/18 22:46	621-64-7	
N-Nitrosodiphenylamine	<33.1	ug/kg	420	33.1	1	01/24/18 15:00	01/25/18 22:46	86-30-6	
Pentachlorophenol	<39.4	ug/kg	2120	39.4	1	01/24/18 15:00	01/25/18 22:46	87-86-5	
Phenanthrene	1690	ug/kg	420	39.4	1	01/24/18 15:00	01/25/18 22:46	85-01-8	M1
Phenol	<33.1	ug/kg	420	33.1	1	01/24/18 15:00	01/25/18 22:46	108-95-2	
Pyrene	834	ug/kg	420	42.0	1	01/24/18 15:00	01/25/18 22:46	129-00-0	
Pyridine	<34.3	ug/kg	420	34.3	1	01/24/18 15:00	01/25/18 22:46	110-86-1	
1,2,4-Trichlorobenzene	<38.1	ug/kg	420	38.1	1	01/24/18 15:00	01/25/18 22:46	120-82-1	
2,4,5-Trichlorophenol	<38.1	ug/kg	420	38.1	1	01/24/18 15:00	01/25/18 22:46	95-95-4	
2,4,6-Trichlorophenol	<39.4	ug/kg	420	39.4	1	01/24/18 15:00	01/25/18 22:46	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	74	%	41-114		1	01/24/18 15:00	01/25/18 22:46	4165-60-0	
2-Fluorobiphenyl (S)	78	%	61-109		1	01/24/18 15:00	01/25/18 22:46	321-60-8	
Terphenyl-d14 (S)	86	%	48-120		1	01/24/18 15:00	01/25/18 22:46	1718-51-0	
Phenol-d6 (S)	78	%	48-102		1	01/24/18 15:00	01/25/18 22:46	13127-88-3	
2-Fluorophenol (S)	72	%	46-102		1	01/24/18 15:00	01/25/18 22:46	367-12-4	
2,4,6-Tribromophenol (S)	78	%	39-114		1	01/24/18 15:00	01/25/18 22:46	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	159	mg/kg	18.9	1.5	1	01/24/18 15:00	01/30/18 06:52		
TPH-DRO	65.6	mg/kg	18.9	1.5	1	01/24/18 15:00	01/30/18 06:52		
Surrogates									
Nitrobenzene-d5 (S)	71	%	41-114		1	01/24/18 15:00	01/30/18 06:52	4165-60-0	
2-Fluorobiphenyl (S)	76	%	61-109		1	01/24/18 15:00	01/30/18 06:52	321-60-8	
Terphenyl-d14 (S)	80	%	48-120		1	01/24/18 15:00	01/30/18 06:52	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.27	mg/kg	0.54	0.27	1		01/31/18 12:42		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	<10.9	ug/kg	21.7	10.9	1		01/31/18 12:42	67-64-1	
Benzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	71-43-2	
Bromobenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	108-86-1	
Bromochloromethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	74-97-5	
Bromodichloromethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	75-27-4	
Bromoform	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	75-25-2	
Bromomethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	74-83-9	
2-Butanone (MEK)	<5.4	ug/kg	10.9	5.4	1		01/31/18 12:42	78-93-3	
n-Butylbenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	104-51-8	
sec-Butylbenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	135-98-8	
tert-Butylbenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 (0-1) Lab ID: 60262572001 Collected: 01/22/18 13:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	75-15-0	
Carbon tetrachloride	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	56-23-5	
Chlorobenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	108-90-7	
Chloroethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	75-00-3	
Chloroform	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	67-66-3	
Chloromethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	74-87-3	
2-Chlorotoluene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	95-49-8	
4-Chlorotoluene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	106-43-4	
1,2-Dibromo-3-chloropropane	<5.4	ug/kg	10.9	5.4	1		01/31/18 12:42	96-12-8	
Dibromochloromethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	124-48-1	
1,2-Dibromoethane (EDB)	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	106-93-4	
Dibromomethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	74-95-3	
1,2-Dichlorobenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	95-50-1	
1,3-Dichlorobenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	541-73-1	
1,4-Dichlorobenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	106-46-7	
Dichlorodifluoromethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	75-71-8	
1,1-Dichloroethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	75-34-3	
1,2-Dichloroethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	107-06-2	
1,2-Dichloroethene (Total)	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	540-59-0	
1,1-Dichloroethene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	75-35-4	
cis-1,2-Dichloroethene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	156-59-2	
trans-1,2-Dichloroethene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	156-60-5	L2
1,2-Dichloropropane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	78-87-5	
1,3-Dichloropropane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	142-28-9	
2,2-Dichloropropane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	594-20-7	
1,1-Dichloropropene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	563-58-6	
cis-1,3-Dichloropropene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	10061-01-5	
trans-1,3-Dichloropropene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	10061-02-6	
Ethylbenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	87-68-3	
2-Hexanone	<10.9	ug/kg	21.7	10.9	1		01/31/18 12:42	591-78-6	
Isopropylbenzene (Cumene)	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	98-82-8	
p-Isopropyltoluene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	99-87-6	
Methylene chloride	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.4	ug/kg	10.9	5.4	1		01/31/18 12:42	108-10-1	
Methyl-tert-butyl ether	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	1634-04-4	
Naphthalene	<5.4	ug/kg	10.9	5.4	1		01/31/18 12:42	91-20-3	
n-Propylbenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	103-65-1	
Styrene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	100-42-5	
1,1,1,2-Tetrachloroethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	630-20-6	
1,1,2,2-Tetrachloroethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	79-34-5	
Tetrachloroethene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	127-18-4	
Toluene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	108-88-3	
1,2,3-Trichlorobenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	87-61-6	
1,2,4-Trichlorobenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 (0-1) **Lab ID: 60262572001** Collected: 01/22/18 13:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	71-55-6	
1,1,2-Trichloroethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	79-00-5	
Trichloroethene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	79-01-6	
Trichlorofluoromethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	75-69-4	
1,2,3-Trichloropropane	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	96-18-4	
1,2,4-Trimethylbenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	95-63-6	
1,3,5-Trimethylbenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	108-67-8	
Vinyl chloride	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	75-01-4	
Xylene (Total)	<2.7	ug/kg	5.4	2.7	1		01/31/18 12:42	1330-20-7	
Surrogates									
Toluene-d8 (S)	97	%	78-122		1		01/31/18 12:42	2037-26-5	
4-Bromofluorobenzene (S)	103	%	69-133		1		01/31/18 12:42	460-00-4	
1,2-Dichloroethane-d4 (S)	114	%	80-123		1		01/31/18 12:42	17060-07-0	
Percent Moisture									
Analytical Method: ASTM D2974									
Percent Moisture	22.3	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil									
Analytical Method: EPA 9045									
pH at 25 Degrees C	6.8	Std. Units	0.10	0.10	1		01/29/18 15:45		H1
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	403	mg/kg	131	65.4	10	02/04/18 07:00	02/05/18 17:02	14808-79-8	
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	7.3J	mg/kg	12.6	6.3	10	02/05/18 16:00	02/06/18 00:00	14797-55-8	
Nitrite as N	<6.3	mg/kg	12.6	6.3	10	02/05/18 16:00	02/06/18 00:00	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 (3-5) Lab ID: 60262572002 Collected: 01/22/18 14:00 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.44	ug/kg	1.2	0.44	1	01/25/18 16:25	01/29/18 18:57	309-00-2	
alpha-BHC	<0.20	ug/kg	1.2	0.20	1	01/25/18 16:25	01/29/18 18:57	319-84-6	
beta-BHC	<0.66	ug/kg	2.1	0.66	1	01/25/18 16:25	01/29/18 18:57	319-85-7	
delta-BHC	<0.59	ug/kg	1.7	0.59	1	01/25/18 16:25	01/29/18 18:57	319-86-8	
gamma-BHC (Lindane)	<0.56	ug/kg	1.7	0.56	1	01/25/18 16:25	01/29/18 18:57	58-89-9	
Chlordane (Technical)	<34.9	ug/kg	186	34.9	1	01/25/18 16:25	01/29/18 18:57	57-74-9	
alpha-Chlordane	<0.49	ug/kg	2.1	0.49	1	01/25/18 16:25	01/29/18 18:57	5103-71-9	
gamma-Chlordane	<0.83	ug/kg	2.1	0.83	1	01/25/18 16:25	01/29/18 18:57	5103-74-2	
4,4'-DDD	<0.41	ug/kg	1.2	0.41	1	01/25/18 16:25	01/29/18 18:57	72-54-8	
4,4'-DDE	<0.39	ug/kg	1.2	0.39	1	01/25/18 16:25	01/29/18 18:57	72-55-9	
4,4'-DDT	<0.80	ug/kg	1.7	0.80	1	01/25/18 16:25	01/29/18 18:57	50-29-3	
Dieldrin	<0.54	ug/kg	1.7	0.54	1	01/25/18 16:25	01/29/18 18:57	60-57-1	
Endosulfan I	<0.58	ug/kg	1.7	0.58	1	01/25/18 16:25	01/29/18 18:57	959-98-8	
Endosulfan II	<0.40	ug/kg	1.2	0.40	1	01/25/18 16:25	01/29/18 18:57	33213-65-9	
Endosulfan sulfate	<0.57	ug/kg	1.7	0.57	1	01/25/18 16:25	01/29/18 18:57	1031-07-8	
Endrin	<0.58	ug/kg	2.1	0.58	1	01/25/18 16:25	01/29/18 18:57	72-20-8	
Endrin aldehyde	<0.58	ug/kg	1.7	0.58	1	01/25/18 16:25	01/29/18 18:57	7421-93-4	
Endrin ketone	<0.68	ug/kg	2.5	0.68	1	01/25/18 16:25	01/29/18 18:57	53494-70-5	
Heptachlor	<0.95	ug/kg	2.5	0.95	1	01/25/18 16:25	01/29/18 18:57	76-44-8	
Heptachlor epoxide	<2.5	ug/kg	6.2	2.5	1	01/25/18 16:25	01/29/18 18:57	1024-57-3	
Methoxychlor	<0.71	ug/kg	2.5	0.71	1	01/25/18 16:25	01/29/18 18:57	72-43-5	
Toxaphene	<64.4	ug/kg	186	64.4	1	01/25/18 16:25	01/29/18 18:57	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	80	%	70-130		1	01/25/18 16:25	01/29/18 18:57	877-09-8	
Decachlorobiphenyl (S)	85	%	70-130		1	01/25/18 16:25	01/29/18 18:57	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	01/31/18 21:25	22248-79-9	R1
Azinphos, methyl (Guthion)	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	01/31/18 21:25	86-50-0	
Bolstar	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	01/31/18 21:25	35400-43-2	
Chlorpyrifos	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	01/31/18 21:25	2921-88-2	R1
Coumaphos	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	01/31/18 21:25	56-72-4	
Diazinon	192	ug/kg	8.3	4.1	1	01/25/18 16:25	01/31/18 21:25	333-41-5	M1,R1
Dichlorvos	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	01/31/18 21:25	62-73-7	R1
Dimethoate	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	01/31/18 21:25	60-51-5	
Disulfoton	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	01/31/18 21:25	298-04-4	R1
EPN (ENT)	<2.6	ug/kg	4.1	2.6	1	01/25/18 16:25	01/31/18 21:25	2104-64-5	R1
Ethoprop	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	01/31/18 21:25	13194-48-4	R1
Fensulfthion	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	01/31/18 21:25	115-90-2	
Fenthion	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	01/31/18 21:25	55-38-9	R1
Malathion	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	01/31/18 21:25	121-75-5	R1
Methyl parathion	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	01/31/18 21:25	298-00-0	R1
Mevinphos	<2.4	ug/kg	4.1	2.4	1	01/25/18 16:25	01/31/18 21:25	7786-34-7	R1
Parathion (Ethyl parathion)	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	01/31/18 21:25	56-38-2	R1
Phorate	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	01/31/18 21:25	298-02-2	R1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 (3-5) Lab ID: 60262572002 Collected: 01/22/18 14:00 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	01/31/18 21:25	299-84-3	R1
Sulfotep (Thiodiphosphoric Ac	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	01/31/18 21:25	3689-24-5	R1
Tokuthion (Prothiofos)	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	01/31/18 21:25	34643-46-4	R1
Trichloronate	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	01/31/18 21:25	327-98-0	R1
Total Demeton	<3.4	ug/kg	4.1	3.4	1	01/25/18 16:25	01/31/18 21:25	8065-48-3	N2,R1
Total Merphos	<4.1	ug/kg	16.6	4.1	1	01/25/18 16:25	01/31/18 21:25	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	83	%.	11-137		1	01/25/18 16:25	01/31/18 21:25	115-86-6	
Tributylphosphate (S)	104	%.	17-125		1	01/25/18 16:25	01/31/18 21:25	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<2.9	ug/kg	2.9	2.9	1	01/29/18 16:21	01/30/18 13:18	94-75-7	
Dalapon	<2.9	ug/kg	2.9	2.9	1	01/29/18 16:21	01/30/18 13:18	75-99-0	
2,4-DB	<2.9	ug/kg	2.9	2.9	1	01/29/18 16:21	01/30/18 13:18	94-82-6	
Dicamba	<2.9	ug/kg	2.9	2.9	1	01/29/18 16:21	01/30/18 13:18	1918-00-9	
Dichloroprop	<2.9	ug/kg	2.9	2.9	1	01/29/18 16:21	01/30/18 13:18	15165-67-0	
Dinoseb	<2.9	ug/kg	2.9	2.9	1	01/29/18 16:21	01/30/18 13:18	88-85-7	
MCPA	<294	ug/kg	294	294	1	01/29/18 16:21	01/30/18 13:18	94-74-6	
MCP	<294	ug/kg	294	294	1	01/29/18 16:21	01/30/18 13:18	7085-19-0	
2,4,5-T	<2.9	ug/kg	2.9	2.9	1	01/29/18 16:21	01/30/18 13:18	93-76-5	
2,4,5-TP (Silvex)	<2.9	ug/kg	2.9	2.9	1	01/29/18 16:21	01/30/18 13:18	93-72-1	
Surrogates									
2,4-DCAA (S)	7	%.	10-188		1	01/29/18 16:21	01/30/18 13:18	19719-28-9	S1
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	9.9	mg/kg	1.1	0.47	1	01/24/18 09:50	01/25/18 12:05	7440-38-2	
Barium	240	mg/kg	0.57	0.035	1	01/24/18 09:50	01/25/18 12:05	7440-39-3	
Cadmium	0.58	mg/kg	0.57	0.042	1	01/24/18 09:50	01/25/18 12:05	7440-43-9	
Chromium	14.5	mg/kg	0.57	0.11	1	01/24/18 09:50	01/25/18 12:05	7440-47-3	
Lead	54.5	mg/kg	0.57	0.24	1	01/24/18 09:50	01/25/18 12:05	7439-92-1	
Selenium	<0.85	mg/kg	1.7	0.85	1	01/24/18 09:50	01/25/18 12:05	7782-49-2	
Silver	<0.19	mg/kg	0.80	0.19	1	01/24/18 09:50	01/25/18 12:05	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.93	mg/kg	0.051	0.0067	1	01/25/18 09:26	01/25/18 11:38	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<42.7	ug/kg	403	42.7	1	01/24/18 15:00	01/26/18 14:35	83-32-9	
Acenaphthylene	<37.9	ug/kg	403	37.9	1	01/24/18 15:00	01/26/18 14:35	208-96-8	
Anthracene	<42.7	ug/kg	403	42.7	1	01/24/18 15:00	01/26/18 14:35	120-12-7	
Benzo(a)anthracene	<36.6	ug/kg	403	36.6	1	01/24/18 15:00	01/26/18 14:35	56-55-3	
Benzo(a)pyrene	<31.8	ug/kg	403	31.8	1	01/24/18 15:00	01/26/18 14:35	50-32-8	
Benzo(b)fluoranthene	<28.1	ug/kg	403	28.1	1	01/24/18 15:00	01/26/18 14:35	205-99-2	
Benzo(g,h,i)perylene	<39.1	ug/kg	403	39.1	1	01/24/18 15:00	01/26/18 14:35	191-24-2	
Benzo(k)fluoranthene	<47.6	ug/kg	403	47.6	1	01/24/18 15:00	01/26/18 14:35	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 (3-5) Lab ID: 60262572002 Collected: 01/22/18 14:00 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<37.9	ug/kg	2040	37.9	1	01/24/18 15:00	01/26/18 14:35	65-85-0	
Benzyl alcohol	<126	ug/kg	806	126	1	01/24/18 15:00	01/26/18 14:35	100-51-6	
4-Bromophenylphenyl ether	<31.8	ug/kg	403	31.8	1	01/24/18 15:00	01/26/18 14:35	101-55-3	
Butylbenzylphthalate	<52.5	ug/kg	403	52.5	1	01/24/18 15:00	01/26/18 14:35	85-68-7	
Carbazole	<33.0	ug/kg	403	33.0	1	01/24/18 15:00	01/26/18 14:35	86-74-8	
4-Chloro-3-methylphenol	<44.0	ug/kg	806	44.0	1	01/24/18 15:00	01/26/18 14:35	59-50-7	
4-Chloroaniline	<79.4	ug/kg	806	79.4	1	01/24/18 15:00	01/26/18 14:35	106-47-8	
bis(2-Chloroethoxy)methane	<31.8	ug/kg	403	31.8	1	01/24/18 15:00	01/26/18 14:35	111-91-1	
bis(2-Chloroethyl) ether	<31.8	ug/kg	403	31.8	1	01/24/18 15:00	01/26/18 14:35	111-44-4	
bis(2-Chloroisopropyl) ether	<31.8	ug/kg	403	31.8	1	01/24/18 15:00	01/26/18 14:35	39638-32-9	
2-Chloronaphthalene	<34.2	ug/kg	403	34.2	1	01/24/18 15:00	01/26/18 14:35	91-58-7	
2-Chlorophenol	<33.0	ug/kg	403	33.0	1	01/24/18 15:00	01/26/18 14:35	95-57-8	
4-Chlorophenylphenyl ether	<39.1	ug/kg	403	39.1	1	01/24/18 15:00	01/26/18 14:35	7005-72-3	
Chrysene	<34.2	ug/kg	403	34.2	1	01/24/18 15:00	01/26/18 14:35	218-01-9	
Dibenz(a,h)anthracene	<36.6	ug/kg	403	36.6	1	01/24/18 15:00	01/26/18 14:35	53-70-3	
Dibenzofuran	<36.6	ug/kg	403	36.6	1	01/24/18 15:00	01/26/18 14:35	132-64-9	
1,2-Dichlorobenzene	<30.5	ug/kg	403	30.5	1	01/24/18 15:00	01/26/18 14:35	95-50-1	
1,3-Dichlorobenzene	<34.2	ug/kg	403	34.2	1	01/24/18 15:00	01/26/18 14:35	541-73-1	
1,4-Dichlorobenzene	<35.4	ug/kg	403	35.4	1	01/24/18 15:00	01/26/18 14:35	106-46-7	
3,3'-Dichlorobenzidine	<138	ug/kg	806	138	1	01/24/18 15:00	01/26/18 14:35	91-94-1	
2,4-Dichlorophenol	<36.6	ug/kg	403	36.6	1	01/24/18 15:00	01/26/18 14:35	120-83-2	
Diethylphthalate	<37.9	ug/kg	403	37.9	1	01/24/18 15:00	01/26/18 14:35	84-66-2	
2,4-Dimethylphenol	<22.0	ug/kg	403	22.0	1	01/24/18 15:00	01/26/18 14:35	105-67-9	
Dimethylphthalate	<39.1	ug/kg	403	39.1	1	01/24/18 15:00	01/26/18 14:35	131-11-3	
Di-n-butylphthalate	<42.7	ug/kg	403	42.7	1	01/24/18 15:00	01/26/18 14:35	84-74-2	
4,6-Dinitro-2-methylphenol	<53.7	ug/kg	2040	53.7	1	01/24/18 15:00	01/26/18 14:35	534-52-1	
2,4-Dinitrophenol	<58.6	ug/kg	2040	58.6	1	01/24/18 15:00	01/26/18 14:35	51-28-5	
2,4-Dinitrotoluene	<34.2	ug/kg	403	34.2	1	01/24/18 15:00	01/26/18 14:35	121-14-2	
2,6-Dinitrotoluene	<41.5	ug/kg	403	41.5	1	01/24/18 15:00	01/26/18 14:35	606-20-2	
Di-n-octylphthalate	<47.6	ug/kg	403	47.6	1	01/24/18 15:00	01/26/18 14:35	117-84-0	
bis(2-Ethylhexyl)phthalate	<139	ug/kg	403	139	1	01/24/18 15:00	01/26/18 14:35	117-81-7	
Fluoranthene	<37.9	ug/kg	403	37.9	1	01/24/18 15:00	01/26/18 14:35	206-44-0	
Fluorene	<37.9	ug/kg	403	37.9	1	01/24/18 15:00	01/26/18 14:35	86-73-7	
Hexachloro-1,3-butadiene	<40.3	ug/kg	403	40.3	1	01/24/18 15:00	01/26/18 14:35	87-68-3	
Hexachlorobenzene	<39.1	ug/kg	403	39.1	1	01/24/18 15:00	01/26/18 14:35	118-74-1	
Hexachlorocyclopentadiene	<85.5	ug/kg	403	85.5	1	01/24/18 15:00	01/26/18 14:35	77-47-4	
Hexachloroethane	<30.5	ug/kg	403	30.5	1	01/24/18 15:00	01/26/18 14:35	67-72-1	
Indeno(1,2,3-cd)pyrene	<44.0	ug/kg	403	44.0	1	01/24/18 15:00	01/26/18 14:35	193-39-5	
Isophorone	<36.6	ug/kg	403	36.6	1	01/24/18 15:00	01/26/18 14:35	78-59-1	
2-Methylnaphthalene	<29.3	ug/kg	403	29.3	1	01/24/18 15:00	01/26/18 14:35	91-57-6	
2-Methylphenol(o-Cresol)	<37.9	ug/kg	403	37.9	1	01/24/18 15:00	01/26/18 14:35	95-48-7	
3&4-Methylphenol(m&p Cresol)	<44.0	ug/kg	403	44.0	1	01/24/18 15:00	01/26/18 14:35		
Naphthalene	<31.8	ug/kg	403	31.8	1	01/24/18 15:00	01/26/18 14:35	91-20-3	
2-Nitroaniline	<68.4	ug/kg	806	68.4	1	01/24/18 15:00	01/26/18 14:35	88-74-4	
3-Nitroaniline	<122	ug/kg	806	122	1	01/24/18 15:00	01/26/18 14:35	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 (3-5) **Lab ID: 60262572002** Collected: 01/22/18 14:00 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<104	ug/kg	806	104	1	01/24/18 15:00	01/26/18 14:35	100-01-6	
Nitrobenzene	<37.9	ug/kg	403	37.9	1	01/24/18 15:00	01/26/18 14:35	98-95-3	
2-Nitrophenol	<56.2	ug/kg	403	56.2	1	01/24/18 15:00	01/26/18 14:35	88-75-5	
4-Nitrophenol	<63.5	ug/kg	2040	63.5	1	01/24/18 15:00	01/26/18 14:35	100-02-7	
N-Nitroso-di-n-propylamine	<40.3	ug/kg	403	40.3	1	01/24/18 15:00	01/26/18 14:35	621-64-7	
N-Nitrosodiphenylamine	<31.8	ug/kg	403	31.8	1	01/24/18 15:00	01/26/18 14:35	86-30-6	
Pentachlorophenol	<37.9	ug/kg	2040	37.9	1	01/24/18 15:00	01/26/18 14:35	87-86-5	
Phenanthrene	<37.9	ug/kg	403	37.9	1	01/24/18 15:00	01/26/18 14:35	85-01-8	
Phenol	<31.8	ug/kg	403	31.8	1	01/24/18 15:00	01/26/18 14:35	108-95-2	
Pyrene	<40.3	ug/kg	403	40.3	1	01/24/18 15:00	01/26/18 14:35	129-00-0	
Pyridine	<33.0	ug/kg	403	33.0	1	01/24/18 15:00	01/26/18 14:35	110-86-1	
1,2,4-Trichlorobenzene	<36.6	ug/kg	403	36.6	1	01/24/18 15:00	01/26/18 14:35	120-82-1	
2,4,5-Trichlorophenol	<36.6	ug/kg	403	36.6	1	01/24/18 15:00	01/26/18 14:35	95-95-4	
2,4,6-Trichlorophenol	<37.9	ug/kg	403	37.9	1	01/24/18 15:00	01/26/18 14:35	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	72	%	41-114		1	01/24/18 15:00	01/26/18 14:35	4165-60-0	
2-Fluorobiphenyl (S)	73	%	61-109		1	01/24/18 15:00	01/26/18 14:35	321-60-8	
Terphenyl-d14 (S)	74	%	48-120		1	01/24/18 15:00	01/26/18 14:35	1718-51-0	
Phenol-d6 (S)	73	%	48-102		1	01/24/18 15:00	01/26/18 14:35	13127-88-3	
2-Fluorophenol (S)	71	%	46-102		1	01/24/18 15:00	01/26/18 14:35	367-12-4	
2,4,6-Tribromophenol (S)	92	%	39-114		1	01/24/18 15:00	01/26/18 14:35	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	18.3	mg/kg	18.2	1.5	1	01/24/18 15:00	01/31/18 05:30		B
TPH-DRO	2.5J	mg/kg	18.2	1.5	1	01/24/18 15:00	01/31/18 05:30		
Surrogates									
Nitrobenzene-d5 (S)	85	%	41-114		1	01/24/18 15:00	01/31/18 05:30	4165-60-0	
2-Fluorobiphenyl (S)	81	%	61-109		1	01/24/18 15:00	01/31/18 05:30	321-60-8	
Terphenyl-d14 (S)	80	%	48-120		1	01/24/18 15:00	01/31/18 05:30	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.26	mg/kg	0.52	0.26	1		01/31/18 12:58		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	26.0	ug/kg	20.9	10.4	1		01/31/18 12:58	67-64-1	
Benzene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	71-43-2	
Bromobenzene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	108-86-1	
Bromochloromethane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	74-97-5	
Bromodichloromethane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	75-27-4	
Bromoform	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	75-25-2	
Bromomethane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	74-83-9	
2-Butanone (MEK)	<5.2	ug/kg	10.4	5.2	1		01/31/18 12:58	78-93-3	
n-Butylbenzene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	104-51-8	
sec-Butylbenzene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	135-98-8	
tert-Butylbenzene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 (3-5) Lab ID: 60262572002 Collected: 01/22/18 14:00 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	75-15-0	
Carbon tetrachloride	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	56-23-5	
Chlorobenzene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	108-90-7	
Chloroethane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	75-00-3	
Chloroform	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	67-66-3	
Chloromethane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	74-87-3	
2-Chlorotoluene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	95-49-8	
4-Chlorotoluene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	106-43-4	
1,2-Dibromo-3-chloropropane	<5.2	ug/kg	10.4	5.2	1		01/31/18 12:58	96-12-8	
Dibromochloromethane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	124-48-1	
1,2-Dibromoethane (EDB)	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	106-93-4	
Dibromomethane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	74-95-3	
1,2-Dichlorobenzene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	95-50-1	
1,3-Dichlorobenzene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	541-73-1	
1,4-Dichlorobenzene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	106-46-7	
Dichlorodifluoromethane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	75-71-8	
1,1-Dichloroethane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	75-34-3	
1,2-Dichloroethane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	107-06-2	
1,2-Dichloroethene (Total)	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	540-59-0	
1,1-Dichloroethene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	75-35-4	
cis-1,2-Dichloroethene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	156-59-2	
trans-1,2-Dichloroethene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	156-60-5	L2
1,2-Dichloropropane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	78-87-5	
1,3-Dichloropropane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	142-28-9	
2,2-Dichloropropane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	594-20-7	
1,1-Dichloropropene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	563-58-6	
cis-1,3-Dichloropropene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	10061-01-5	
trans-1,3-Dichloropropene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	10061-02-6	
Ethylbenzene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	100-41-4	
Hexachloro-1,3-butadiene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	87-68-3	
2-Hexanone	<10.4	ug/kg	20.9	10.4	1		01/31/18 12:58	591-78-6	
Isopropylbenzene (Cumene)	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	98-82-8	
p-Isopropyltoluene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	99-87-6	
Methylene chloride	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.2	ug/kg	10.4	5.2	1		01/31/18 12:58	108-10-1	
Methyl-tert-butyl ether	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	1634-04-4	
Naphthalene	<5.2	ug/kg	10.4	5.2	1		01/31/18 12:58	91-20-3	
n-Propylbenzene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	103-65-1	
Styrene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	100-42-5	
1,1,1,2-Tetrachloroethane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	630-20-6	
1,1,2,2-Tetrachloroethane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	79-34-5	
Tetrachloroethene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	127-18-4	
Toluene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	108-88-3	
1,2,3-Trichlorobenzene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	87-61-6	
1,2,4-Trichlorobenzene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 (3-5) **Lab ID: 60262572002** Collected: 01/22/18 14:00 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	71-55-6	
1,1,2-Trichloroethane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	79-00-5	
Trichloroethene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	79-01-6	
Trichlorofluoromethane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	75-69-4	
1,2,3-Trichloropropane	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	96-18-4	
1,2,4-Trimethylbenzene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	95-63-6	
1,3,5-Trimethylbenzene	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	108-67-8	
Vinyl chloride	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	75-01-4	
Xylene (Total)	<2.6	ug/kg	5.2	2.6	1		01/31/18 12:58	1330-20-7	
Surrogates									
Toluene-d8 (S)	99	%	78-122		1		01/31/18 12:58	2037-26-5	
4-Bromofluorobenzene (S)	102	%	69-133		1		01/31/18 12:58	460-00-4	
1,2-Dichloroethane-d4 (S)	115	%	80-123		1		01/31/18 12:58	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974									
Percent Moisture	20.0	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	121J	mg/kg	124	61.9	10	02/04/18 07:00	02/05/18 17:30	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	7.4J	mg/kg	12.5	6.2	10	02/05/18 16:00	02/06/18 00:14	14797-55-8	
Nitrite as N	<6.2	mg/kg	12.5	6.2	10	02/05/18 16:00	02/06/18 00:14	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (0-1) Lab ID: 60262572003 Collected: 01/22/18 15:20 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.43	ug/kg	1.2	0.43	1	01/25/18 16:25	01/29/18 19:11	309-00-2	
alpha-BHC	<0.19	ug/kg	1.2	0.19	1	01/25/18 16:25	01/29/18 19:11	319-84-6	
beta-BHC	<0.64	ug/kg	2.0	0.64	1	01/25/18 16:25	01/29/18 19:11	319-85-7	
delta-BHC	<0.58	ug/kg	1.7	0.58	1	01/25/18 16:25	01/29/18 19:11	319-86-8	
gamma-BHC (Lindane)	<0.55	ug/kg	1.7	0.55	1	01/25/18 16:25	01/29/18 19:11	58-89-9	
Chlordane (Technical)	<34.3	ug/kg	183	34.3	1	01/25/18 16:25	01/29/18 19:11	57-74-9	
alpha-Chlordane	<0.49	ug/kg	2.0	0.49	1	01/25/18 16:25	01/29/18 19:11	5103-71-9	
gamma-Chlordane	<0.81	ug/kg	2.0	0.81	1	01/25/18 16:25	01/29/18 19:11	5103-74-2	
4,4'-DDD	<0.40	ug/kg	1.2	0.40	1	01/25/18 16:25	01/29/18 19:11	72-54-8	
4,4'-DDE	<0.38	ug/kg	1.2	0.38	1	01/25/18 16:25	01/29/18 19:11	72-55-9	
4,4'-DDT	<0.79	ug/kg	1.7	0.79	1	01/25/18 16:25	01/29/18 19:11	50-29-3	
Dieldrin	<0.53	ug/kg	1.7	0.53	1	01/25/18 16:25	01/29/18 19:11	60-57-1	
Endosulfan I	<0.57	ug/kg	1.7	0.57	1	01/25/18 16:25	01/29/18 19:11	959-98-8	
Endosulfan II	<0.39	ug/kg	1.2	0.39	1	01/25/18 16:25	01/29/18 19:11	33213-65-9	
Endosulfan sulfate	<0.56	ug/kg	1.7	0.56	1	01/25/18 16:25	01/29/18 19:11	1031-07-8	
Endrin	<0.57	ug/kg	2.0	0.57	1	01/25/18 16:25	01/29/18 19:11	72-20-8	
Endrin aldehyde	<0.57	ug/kg	1.7	0.57	1	01/25/18 16:25	01/29/18 19:11	7421-93-4	
Endrin ketone	<0.67	ug/kg	2.4	0.67	1	01/25/18 16:25	01/29/18 19:11	53494-70-5	
Heptachlor	<0.93	ug/kg	2.4	0.93	1	01/25/18 16:25	01/29/18 19:11	76-44-8	
Heptachlor epoxide	<2.4	ug/kg	6.1	2.4	1	01/25/18 16:25	01/29/18 19:11	1024-57-3	
Methoxychlor	<0.70	ug/kg	2.4	0.70	1	01/25/18 16:25	01/29/18 19:11	72-43-5	
Toxaphene	<63.3	ug/kg	183	63.3	1	01/25/18 16:25	01/29/18 19:11	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	76	%.	70-130		1	01/25/18 16:25	01/29/18 19:11	877-09-8	
Decachlorobiphenyl (S)	89	%.	70-130		1	01/25/18 16:25	01/29/18 19:11	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<4.1	ug/kg	8.1	4.1	1	01/25/18 16:25	01/31/18 22:46	22248-79-9	
Azinphos, methyl (Guthion)	<4.1	ug/kg	8.1	4.1	1	01/25/18 16:25	01/31/18 22:46	86-50-0	
Bolstar	<4.1	ug/kg	8.1	4.1	1	01/25/18 16:25	01/31/18 22:46	35400-43-2	
Chlorpyrifos	<4.1	ug/kg	8.1	4.1	1	01/25/18 16:25	01/31/18 22:46	2921-88-2	
Coumaphos	<4.1	ug/kg	8.1	4.1	1	01/25/18 16:25	01/31/18 22:46	56-72-4	
Diazinon	<4.1	ug/kg	8.1	4.1	1	01/25/18 16:25	01/31/18 22:46	333-41-5	
Dichlorvos	<2.0	ug/kg	4.1	2.0	1	01/25/18 16:25	01/31/18 22:46	62-73-7	
Dimethoate	<4.1	ug/kg	8.1	4.1	1	01/25/18 16:25	01/31/18 22:46	60-51-5	
Disulfoton	<2.0	ug/kg	4.1	2.0	1	01/25/18 16:25	01/31/18 22:46	298-04-4	
EPN (ENT)	<2.6	ug/kg	4.1	2.6	1	01/25/18 16:25	01/31/18 22:46	2104-64-5	
Ethoprop	<2.0	ug/kg	4.1	2.0	1	01/25/18 16:25	01/31/18 22:46	13194-48-4	
Fensulfthion	<4.1	ug/kg	8.1	4.1	1	01/25/18 16:25	01/31/18 22:46	115-90-2	
Fenthion	<2.0	ug/kg	4.1	2.0	1	01/25/18 16:25	01/31/18 22:46	55-38-9	
Malathion	<4.1	ug/kg	8.1	4.1	1	01/25/18 16:25	01/31/18 22:46	121-75-5	
Methyl parathion	<2.0	ug/kg	4.1	2.0	1	01/25/18 16:25	01/31/18 22:46	298-00-0	
Mevinphos	<2.4	ug/kg	4.1	2.4	1	01/25/18 16:25	01/31/18 22:46	7786-34-7	
Parathion (Ethyl parathion)	<4.1	ug/kg	8.1	4.1	1	01/25/18 16:25	01/31/18 22:46	56-38-2	
Phorate	<2.0	ug/kg	4.1	2.0	1	01/25/18 16:25	01/31/18 22:46	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (0-1) Lab ID: 60262572003 Collected: 01/22/18 15:20 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<2.0	ug/kg	4.1	2.0	1	01/25/18 16:25	01/31/18 22:46	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<2.0	ug/kg	4.1	2.0	1	01/25/18 16:25	01/31/18 22:46	3689-24-5	
Tokuthion (Prothiofos)	<2.0	ug/kg	4.1	2.0	1	01/25/18 16:25	01/31/18 22:46	34643-46-4	
Trichloronate	<4.1	ug/kg	8.1	4.1	1	01/25/18 16:25	01/31/18 22:46	327-98-0	
Total Demeton	<3.3	ug/kg	4.1	3.3	1	01/25/18 16:25	01/31/18 22:46	8065-48-3	N2
Total Merphos	<4.1	ug/kg	16.3	4.1	1	01/25/18 16:25	01/31/18 22:46	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	78	%.	11-137		1	01/25/18 16:25	01/31/18 22:46	115-86-6	
Tributylphosphate (S)	111	%.	17-125		1	01/25/18 16:25	01/31/18 22:46	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 13:42	94-75-7	
Dalapon	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 13:42	75-99-0	
2,4-DB	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 13:42	94-82-6	
Dicamba	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 13:42	1918-00-9	
Dichloroprop	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 13:42	15165-67-0	
Dinoseb	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 13:42	88-85-7	
MCPA	<303	ug/kg	303	303	1	01/29/18 16:21	01/30/18 13:42	94-74-6	
MCP	<303	ug/kg	303	303	1	01/29/18 16:21	01/30/18 13:42	7085-19-0	
2,4,5-T	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 13:42	93-76-5	
2,4,5-TP (Silvex)	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 13:42	93-72-1	
Surrogates									
2,4-DCAA (S)	15	%.	10-188		1	01/29/18 16:21	01/30/18 13:42	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	7.0	mg/kg	1.2	0.50	1	01/24/18 09:50	01/25/18 12:08	7440-38-2	
Barium	253	mg/kg	0.60	0.037	1	01/24/18 09:50	01/25/18 12:08	7440-39-3	
Cadmium	0.75	mg/kg	0.60	0.045	1	01/24/18 09:50	01/25/18 12:08	7440-43-9	
Chromium	14.1	mg/kg	0.60	0.12	1	01/24/18 09:50	01/25/18 12:08	7440-47-3	
Lead	41.3	mg/kg	0.60	0.25	1	01/24/18 09:50	01/25/18 12:08	7439-92-1	
Selenium	<0.90	mg/kg	1.8	0.90	1	01/24/18 09:50	01/25/18 12:08	7782-49-2	
Silver	<0.20	mg/kg	0.84	0.20	1	01/24/18 09:50	01/25/18 12:08	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.021J	mg/kg	0.048	0.0064	1	01/25/18 09:26	01/25/18 11:40	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<42.2	ug/kg	398	42.2	1	01/24/18 15:00	01/26/18 14:56	83-32-9	
Acenaphthylene	97.1J	ug/kg	398	37.4	1	01/24/18 15:00	01/26/18 14:56	208-96-8	
Anthracene	78.7J	ug/kg	398	42.2	1	01/24/18 15:00	01/26/18 14:56	120-12-7	
Benzo(a)anthracene	296J	ug/kg	398	36.2	1	01/24/18 15:00	01/26/18 14:56	56-55-3	
Benzo(a)pyrene	335J	ug/kg	398	31.3	1	01/24/18 15:00	01/26/18 14:56	50-32-8	
Benzo(b)fluoranthene	452	ug/kg	398	27.7	1	01/24/18 15:00	01/26/18 14:56	205-99-2	
Benzo(g,h,i)perylene	194J	ug/kg	398	38.6	1	01/24/18 15:00	01/26/18 14:56	191-24-2	
Benzo(k)fluoranthene	211J	ug/kg	398	47.0	1	01/24/18 15:00	01/26/18 14:56	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (0-1) Lab ID: 60262572003 Collected: 01/22/18 15:20 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<37.4	ug/kg	2010	37.4	1	01/24/18 15:00	01/26/18 14:56	65-85-0	
Benzyl alcohol	<124	ug/kg	796	124	1	01/24/18 15:00	01/26/18 14:56	100-51-6	
4-Bromophenylphenyl ether	<31.3	ug/kg	398	31.3	1	01/24/18 15:00	01/26/18 14:56	101-55-3	
Butylbenzylphthalate	<51.8	ug/kg	398	51.8	1	01/24/18 15:00	01/26/18 14:56	85-68-7	
Carbazole	<32.5	ug/kg	398	32.5	1	01/24/18 15:00	01/26/18 14:56	86-74-8	
4-Chloro-3-methylphenol	<43.4	ug/kg	796	43.4	1	01/24/18 15:00	01/26/18 14:56	59-50-7	
4-Chloroaniline	<78.3	ug/kg	796	78.3	1	01/24/18 15:00	01/26/18 14:56	106-47-8	
bis(2-Chloroethoxy)methane	<31.3	ug/kg	398	31.3	1	01/24/18 15:00	01/26/18 14:56	111-91-1	
bis(2-Chloroethyl) ether	<31.3	ug/kg	398	31.3	1	01/24/18 15:00	01/26/18 14:56	111-44-4	
bis(2-Chloroisopropyl) ether	<31.3	ug/kg	398	31.3	1	01/24/18 15:00	01/26/18 14:56	39638-32-9	
2-Chloronaphthalene	<33.8	ug/kg	398	33.8	1	01/24/18 15:00	01/26/18 14:56	91-58-7	
2-Chlorophenol	<32.5	ug/kg	398	32.5	1	01/24/18 15:00	01/26/18 14:56	95-57-8	
4-Chlorophenylphenyl ether	<38.6	ug/kg	398	38.6	1	01/24/18 15:00	01/26/18 14:56	7005-72-3	
Chrysene	343J	ug/kg	398	33.8	1	01/24/18 15:00	01/26/18 14:56	218-01-9	
Dibenz(a,h)anthracene	77.2J	ug/kg	398	36.2	1	01/24/18 15:00	01/26/18 14:56	53-70-3	
Dibenzofuran	<36.2	ug/kg	398	36.2	1	01/24/18 15:00	01/26/18 14:56	132-64-9	
1,2-Dichlorobenzene	<30.1	ug/kg	398	30.1	1	01/24/18 15:00	01/26/18 14:56	95-50-1	
1,3-Dichlorobenzene	<33.8	ug/kg	398	33.8	1	01/24/18 15:00	01/26/18 14:56	541-73-1	
1,4-Dichlorobenzene	<35.0	ug/kg	398	35.0	1	01/24/18 15:00	01/26/18 14:56	106-46-7	
3,3'-Dichlorobenzidine	<136	ug/kg	796	136	1	01/24/18 15:00	01/26/18 14:56	91-94-1	
2,4-Dichlorophenol	<36.2	ug/kg	398	36.2	1	01/24/18 15:00	01/26/18 14:56	120-83-2	
Diethylphthalate	<37.4	ug/kg	398	37.4	1	01/24/18 15:00	01/26/18 14:56	84-66-2	
2,4-Dimethylphenol	<21.7	ug/kg	398	21.7	1	01/24/18 15:00	01/26/18 14:56	105-67-9	
Dimethylphthalate	<38.6	ug/kg	398	38.6	1	01/24/18 15:00	01/26/18 14:56	131-11-3	
Di-n-butylphthalate	<42.2	ug/kg	398	42.2	1	01/24/18 15:00	01/26/18 14:56	84-74-2	
4,6-Dinitro-2-methylphenol	<53.0	ug/kg	2010	53.0	1	01/24/18 15:00	01/26/18 14:56	534-52-1	
2,4-Dinitrophenol	<57.9	ug/kg	2010	57.9	1	01/24/18 15:00	01/26/18 14:56	51-28-5	
2,4-Dinitrotoluene	<33.8	ug/kg	398	33.8	1	01/24/18 15:00	01/26/18 14:56	121-14-2	
2,6-Dinitrotoluene	<41.0	ug/kg	398	41.0	1	01/24/18 15:00	01/26/18 14:56	606-20-2	
Di-n-octylphthalate	<47.0	ug/kg	398	47.0	1	01/24/18 15:00	01/26/18 14:56	117-84-0	
bis(2-Ethylhexyl)phthalate	<137	ug/kg	398	137	1	01/24/18 15:00	01/26/18 14:56	117-81-7	
Fluoranthene	441	ug/kg	398	37.4	1	01/24/18 15:00	01/26/18 14:56	206-44-0	
Fluorene	<37.4	ug/kg	398	37.4	1	01/24/18 15:00	01/26/18 14:56	86-73-7	
Hexachloro-1,3-butadiene	<39.8	ug/kg	398	39.8	1	01/24/18 15:00	01/26/18 14:56	87-68-3	
Hexachlorobenzene	<38.6	ug/kg	398	38.6	1	01/24/18 15:00	01/26/18 14:56	118-74-1	
Hexachlorocyclopentadiene	<84.4	ug/kg	398	84.4	1	01/24/18 15:00	01/26/18 14:56	77-47-4	
Hexachloroethane	<30.1	ug/kg	398	30.1	1	01/24/18 15:00	01/26/18 14:56	67-72-1	
Indeno(1,2,3-cd)pyrene	200J	ug/kg	398	43.4	1	01/24/18 15:00	01/26/18 14:56	193-39-5	
Isophorone	<36.2	ug/kg	398	36.2	1	01/24/18 15:00	01/26/18 14:56	78-59-1	
2-Methylnaphthalene	<28.9	ug/kg	398	28.9	1	01/24/18 15:00	01/26/18 14:56	91-57-6	
2-Methylphenol(o-Cresol)	<37.4	ug/kg	398	37.4	1	01/24/18 15:00	01/26/18 14:56	95-48-7	
3&4-Methylphenol(m&p Cresol)	<43.4	ug/kg	398	43.4	1	01/24/18 15:00	01/26/18 14:56		
Naphthalene	48.5J	ug/kg	398	31.3	1	01/24/18 15:00	01/26/18 14:56	91-20-3	
2-Nitroaniline	<67.5	ug/kg	796	67.5	1	01/24/18 15:00	01/26/18 14:56	88-74-4	
3-Nitroaniline	<121	ug/kg	796	121	1	01/24/18 15:00	01/26/18 14:56	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (0-1) Lab ID: 60262572003 Collected: 01/22/18 15:20 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<102	ug/kg	796	102	1	01/24/18 15:00	01/26/18 14:56	100-01-6	
Nitrobenzene	<37.4	ug/kg	398	37.4	1	01/24/18 15:00	01/26/18 14:56	98-95-3	
2-Nitrophenol	<55.4	ug/kg	398	55.4	1	01/24/18 15:00	01/26/18 14:56	88-75-5	
4-Nitrophenol	<62.7	ug/kg	2010	62.7	1	01/24/18 15:00	01/26/18 14:56	100-02-7	
N-Nitroso-di-n-propylamine	<39.8	ug/kg	398	39.8	1	01/24/18 15:00	01/26/18 14:56	621-64-7	
N-Nitrosodiphenylamine	<31.3	ug/kg	398	31.3	1	01/24/18 15:00	01/26/18 14:56	86-30-6	
Pentachlorophenol	<37.4	ug/kg	2010	37.4	1	01/24/18 15:00	01/26/18 14:56	87-86-5	
Phenanthrene	284J	ug/kg	398	37.4	1	01/24/18 15:00	01/26/18 14:56	85-01-8	
Phenol	<31.3	ug/kg	398	31.3	1	01/24/18 15:00	01/26/18 14:56	108-95-2	
Pyrene	371J	ug/kg	398	39.8	1	01/24/18 15:00	01/26/18 14:56	129-00-0	
Pyridine	<32.5	ug/kg	398	32.5	1	01/24/18 15:00	01/26/18 14:56	110-86-1	
1,2,4-Trichlorobenzene	<36.2	ug/kg	398	36.2	1	01/24/18 15:00	01/26/18 14:56	120-82-1	
2,4,5-Trichlorophenol	<36.2	ug/kg	398	36.2	1	01/24/18 15:00	01/26/18 14:56	95-95-4	
2,4,6-Trichlorophenol	<37.4	ug/kg	398	37.4	1	01/24/18 15:00	01/26/18 14:56	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	73	%	41-114		1	01/24/18 15:00	01/26/18 14:56	4165-60-0	
2-Fluorobiphenyl (S)	75	%	61-109		1	01/24/18 15:00	01/26/18 14:56	321-60-8	
Terphenyl-d14 (S)	80	%	48-120		1	01/24/18 15:00	01/26/18 14:56	1718-51-0	
Phenol-d6 (S)	71	%	48-102		1	01/24/18 15:00	01/26/18 14:56	13127-88-3	
2-Fluorophenol (S)	67	%	46-102		1	01/24/18 15:00	01/26/18 14:56	367-12-4	
2,4,6-Tribromophenol (S)	83	%	39-114		1	01/24/18 15:00	01/26/18 14:56	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	105	mg/kg	18.1	1.4	1	01/24/18 15:00	01/30/18 07:34		
TPH-DRO	51.1	mg/kg	18.1	1.4	1	01/24/18 15:00	01/30/18 07:34		
Surrogates									
Nitrobenzene-d5 (S)	83	%	41-114		1	01/24/18 15:00	01/30/18 07:34	4165-60-0	
2-Fluorobiphenyl (S)	86	%	61-109		1	01/24/18 15:00	01/30/18 07:34	321-60-8	
Terphenyl-d14 (S)	83	%	48-120		1	01/24/18 15:00	01/30/18 07:34	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.29	mg/kg	0.59	0.29	1		01/31/18 13:14		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	77.0	ug/kg	23.6	11.8	1		01/31/18 13:14	67-64-1	
Benzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	71-43-2	
Bromobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	108-86-1	
Bromochloromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	74-97-5	
Bromodichloromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	75-27-4	
Bromoform	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	75-25-2	
Bromomethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	74-83-9	
2-Butanone (MEK)	9.7J	ug/kg	11.8	5.9	1		01/31/18 13:14	78-93-3	
n-Butylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	104-51-8	
sec-Butylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	135-98-8	
tert-Butylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (0-1) Lab ID: 60262572003 Collected: 01/22/18 15:20 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	75-15-0	
Carbon tetrachloride	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	56-23-5	
Chlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	108-90-7	
Chloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	75-00-3	
Chloroform	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	67-66-3	
Chloromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	74-87-3	
2-Chlorotoluene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	95-49-8	
4-Chlorotoluene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	106-43-4	
1,2-Dibromo-3-chloropropane	<5.9	ug/kg	11.8	5.9	1		01/31/18 13:14	96-12-8	
Dibromochloromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	124-48-1	
1,2-Dibromoethane (EDB)	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	106-93-4	
Dibromomethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	74-95-3	
1,2-Dichlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	95-50-1	
1,3-Dichlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	541-73-1	
1,4-Dichlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	106-46-7	
Dichlorodifluoromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	75-71-8	
1,1-Dichloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	75-34-3	
1,2-Dichloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	107-06-2	
1,2-Dichloroethene (Total)	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	540-59-0	
1,1-Dichloroethene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	75-35-4	
cis-1,2-Dichloroethene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	156-59-2	
trans-1,2-Dichloroethene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	156-60-5	L2
1,2-Dichloropropane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	78-87-5	
1,3-Dichloropropane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	142-28-9	
2,2-Dichloropropane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	594-20-7	
1,1-Dichloropropene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	563-58-6	
cis-1,3-Dichloropropene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	10061-01-5	
trans-1,3-Dichloropropene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	10061-02-6	
Ethylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	100-41-4	
Hexachloro-1,3-butadiene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	87-68-3	
2-Hexanone	<11.8	ug/kg	23.6	11.8	1		01/31/18 13:14	591-78-6	
Isopropylbenzene (Cumene)	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	98-82-8	
p-Isopropyltoluene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	99-87-6	
Methylene chloride	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.9	ug/kg	11.8	5.9	1		01/31/18 13:14	108-10-1	
Methyl-tert-butyl ether	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	1634-04-4	
Naphthalene	<5.9	ug/kg	11.8	5.9	1		01/31/18 13:14	91-20-3	
n-Propylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	103-65-1	
Styrene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	100-42-5	
1,1,1,2-Tetrachloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	630-20-6	
1,1,2,2-Tetrachloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	79-34-5	
Tetrachloroethene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	127-18-4	
Toluene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	108-88-3	
1,2,3-Trichlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	87-61-6	
1,2,4-Trichlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (0-1) **Lab ID: 60262572003** Collected: 01/22/18 15:20 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	10.8	ug/kg	5.9	2.9	1		01/31/18 13:14	71-55-6	
1,1,2-Trichloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	79-00-5	
Trichloroethene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	79-01-6	
Trichlorofluoromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	75-69-4	
1,2,3-Trichloropropane	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	96-18-4	
1,2,4-Trimethylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	95-63-6	
1,3,5-Trimethylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	108-67-8	
Vinyl chloride	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	75-01-4	
Xylene (Total)	<2.9	ug/kg	5.9	2.9	1		01/31/18 13:14	1330-20-7	
Surrogates									
Toluene-d8 (S)	99	%	78-122		1		01/31/18 13:14	2037-26-5	
4-Bromofluorobenzene (S)	104	%	69-133		1		01/31/18 13:14	460-00-4	
1,2-Dichloroethane-d4 (S)	121	%	80-123		1		01/31/18 13:14	17060-07-0	
Percent Moisture									
Analytical Method: ASTM D2974									
Percent Moisture	18.6	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil									
Analytical Method: EPA 9045									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	97.0J	mg/kg	122	60.8	10	02/04/18 07:00	02/05/18 17:44	14808-79-8	
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	18.1	mg/kg	12.1	6.0	10	02/05/18 16:00	02/06/18 00:28	14797-55-8	
Nitrite as N	<6.0	mg/kg	12.1	6.0	10	02/05/18 16:00	02/06/18 00:28	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (3-5) Lab ID: 60262572004 Collected: 01/22/18 15:30 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.44	ug/kg	1.3	0.44	1	01/25/18 16:25	01/29/18 19:26	309-00-2	
alpha-BHC	<0.20	ug/kg	1.3	0.20	1	01/25/18 16:25	01/29/18 19:26	319-84-6	
beta-BHC	<0.66	ug/kg	2.1	0.66	1	01/25/18 16:25	01/29/18 19:26	319-85-7	
delta-BHC	<0.60	ug/kg	1.8	0.60	1	01/25/18 16:25	01/29/18 19:26	319-86-8	
gamma-BHC (Lindane)	<0.56	ug/kg	1.8	0.56	1	01/25/18 16:25	01/29/18 19:26	58-89-9	
Chlordane (Technical)	<35.3	ug/kg	188	35.3	1	01/25/18 16:25	01/29/18 19:26	57-74-9	
alpha-Chlordane	<0.50	ug/kg	2.1	0.50	1	01/25/18 16:25	01/29/18 19:26	5103-71-9	
gamma-Chlordane	<0.83	ug/kg	2.1	0.83	1	01/25/18 16:25	01/29/18 19:26	5103-74-2	
4,4'-DDD	<0.41	ug/kg	1.3	0.41	1	01/25/18 16:25	01/29/18 19:26	72-54-8	
4,4'-DDE	<0.39	ug/kg	1.3	0.39	1	01/25/18 16:25	01/29/18 19:26	72-55-9	
4,4'-DDT	<0.81	ug/kg	1.8	0.81	1	01/25/18 16:25	01/29/18 19:26	50-29-3	
Dieldrin	<0.54	ug/kg	1.8	0.54	1	01/25/18 16:25	01/29/18 19:26	60-57-1	
Endosulfan I	<0.58	ug/kg	1.8	0.58	1	01/25/18 16:25	01/29/18 19:26	959-98-8	
Endosulfan II	<0.40	ug/kg	1.3	0.40	1	01/25/18 16:25	01/29/18 19:26	33213-65-9	
Endosulfan sulfate	<0.58	ug/kg	1.8	0.58	1	01/25/18 16:25	01/29/18 19:26	1031-07-8	
Endrin	<0.58	ug/kg	2.1	0.58	1	01/25/18 16:25	01/29/18 19:26	72-20-8	
Endrin aldehyde	<0.58	ug/kg	1.8	0.58	1	01/25/18 16:25	01/29/18 19:26	7421-93-4	
Endrin ketone	<0.69	ug/kg	2.5	0.69	1	01/25/18 16:25	01/29/18 19:26	53494-70-5	
Heptachlor	<0.96	ug/kg	2.5	0.96	1	01/25/18 16:25	01/29/18 19:26	76-44-8	
Heptachlor epoxide	<2.5	ug/kg	6.3	2.5	1	01/25/18 16:25	01/29/18 19:26	1024-57-3	
Methoxychlor	<0.72	ug/kg	2.5	0.72	1	01/25/18 16:25	01/29/18 19:26	72-43-5	
Toxaphene	<65.1	ug/kg	188	65.1	1	01/25/18 16:25	01/29/18 19:26	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	80	%.	70-130		1	01/25/18 16:25	01/29/18 19:26	877-09-8	
Decachlorobiphenyl (S)	72	%.	70-130		1	01/25/18 16:25	01/29/18 19:26	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<4.2	ug/kg	8.4	4.2	1	01/25/18 16:25	01/31/18 23:13	22248-79-9	
Azinphos, methyl (Guthion)	<4.2	ug/kg	8.4	4.2	1	01/25/18 16:25	01/31/18 23:13	86-50-0	
Bolstar	<4.2	ug/kg	8.4	4.2	1	01/25/18 16:25	01/31/18 23:13	35400-43-2	
Chlorpyrifos	<4.2	ug/kg	8.4	4.2	1	01/25/18 16:25	01/31/18 23:13	2921-88-2	
Coumaphos	<4.2	ug/kg	8.4	4.2	1	01/25/18 16:25	01/31/18 23:13	56-72-4	
Diazinon	<4.2	ug/kg	8.4	4.2	1	01/25/18 16:25	01/31/18 23:13	333-41-5	
Dichlorvos	<2.1	ug/kg	4.2	2.1	1	01/25/18 16:25	01/31/18 23:13	62-73-7	
Dimethoate	<4.2	ug/kg	8.4	4.2	1	01/25/18 16:25	01/31/18 23:13	60-51-5	
Disulfoton	<2.1	ug/kg	4.2	2.1	1	01/25/18 16:25	01/31/18 23:13	298-04-4	
EPN (ENT)	<2.7	ug/kg	4.2	2.7	1	01/25/18 16:25	01/31/18 23:13	2104-64-5	
Ethoprop	<2.1	ug/kg	4.2	2.1	1	01/25/18 16:25	01/31/18 23:13	13194-48-4	
Fensulfthion	<4.2	ug/kg	8.4	4.2	1	01/25/18 16:25	01/31/18 23:13	115-90-2	
Fenthion	<2.1	ug/kg	4.2	2.1	1	01/25/18 16:25	01/31/18 23:13	55-38-9	
Malathion	<4.2	ug/kg	8.4	4.2	1	01/25/18 16:25	01/31/18 23:13	121-75-5	
Methyl parathion	<2.1	ug/kg	4.2	2.1	1	01/25/18 16:25	01/31/18 23:13	298-00-0	
Mevinphos	<2.5	ug/kg	4.2	2.5	1	01/25/18 16:25	01/31/18 23:13	7786-34-7	
Parathion (Ethyl parathion)	<4.2	ug/kg	8.4	4.2	1	01/25/18 16:25	01/31/18 23:13	56-38-2	
Phorate	<2.1	ug/kg	4.2	2.1	1	01/25/18 16:25	01/31/18 23:13	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (3-5) Lab ID: 60262572004 Collected: 01/22/18 15:30 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<2.1	ug/kg	4.2	2.1	1	01/25/18 16:25	01/31/18 23:13	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<2.1	ug/kg	4.2	2.1	1	01/25/18 16:25	01/31/18 23:13	3689-24-5	
Tokuthion (Prothiofos)	<2.1	ug/kg	4.2	2.1	1	01/25/18 16:25	01/31/18 23:13	34643-46-4	
Trichloronate	<4.2	ug/kg	8.4	4.2	1	01/25/18 16:25	01/31/18 23:13	327-98-0	
Total Demeton	<3.4	ug/kg	4.2	3.4	1	01/25/18 16:25	01/31/18 23:13	8065-48-3	N2
Total Merphos	<4.2	ug/kg	16.7	4.2	1	01/25/18 16:25	01/31/18 23:13	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	94	%.	11-137		1	01/25/18 16:25	01/31/18 23:13	115-86-6	
Tributylphosphate (S)	109	%.	17-125		1	01/25/18 16:25	01/31/18 23:13	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 15:47	94-75-7	
Dalapon	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 15:47	75-99-0	
2,4-DB	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 15:47	94-82-6	
Dicamba	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 15:47	1918-00-9	
Dichloroprop	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 15:47	15165-67-0	
Dinoseb	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 15:47	88-85-7	
MCPA	<313	ug/kg	313	313	1	01/29/18 16:21	01/30/18 15:47	94-74-6	
MCP	<313	ug/kg	313	313	1	01/29/18 16:21	01/30/18 15:47	7085-19-0	
2,4,5-T	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 15:47	93-76-5	
2,4,5-TP (Silvex)	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 15:47	93-72-1	
Surrogates									
2,4-DCAA (S)	12	%.	10-188		1	01/29/18 16:21	01/30/18 15:47	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	5.8	mg/kg	1.3	0.52	1	01/24/18 09:50	01/25/18 12:10	7440-38-2	
Barium	175	mg/kg	0.63	0.039	1	01/24/18 09:50	01/25/18 12:10	7440-39-3	
Cadmium	0.38J	mg/kg	0.63	0.047	1	01/24/18 09:50	01/25/18 12:10	7440-43-9	
Chromium	15.7	mg/kg	0.63	0.13	1	01/24/18 09:50	01/25/18 12:10	7440-47-3	
Lead	9.5	mg/kg	0.63	0.26	1	01/24/18 09:50	01/25/18 12:10	7439-92-1	
Selenium	1.1J	mg/kg	1.9	0.95	1	01/24/18 09:50	01/25/18 12:10	7782-49-2	
Silver	<0.21	mg/kg	0.89	0.21	1	01/24/18 09:50	01/25/18 12:10	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.015J	mg/kg	0.048	0.0063	1	01/25/18 09:26	01/25/18 11:43	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<43.8	ug/kg	413	43.8	1	01/24/18 15:00	01/26/18 15:18	83-32-9	
Acenaphthylene	<38.8	ug/kg	413	38.8	1	01/24/18 15:00	01/26/18 15:18	208-96-8	
Anthracene	<43.8	ug/kg	413	43.8	1	01/24/18 15:00	01/26/18 15:18	120-12-7	
Benzo(a)anthracene	<37.6	ug/kg	413	37.6	1	01/24/18 15:00	01/26/18 15:18	56-55-3	
Benzo(a)pyrene	<32.6	ug/kg	413	32.6	1	01/24/18 15:00	01/26/18 15:18	50-32-8	
Benzo(b)fluoranthene	<28.8	ug/kg	413	28.8	1	01/24/18 15:00	01/26/18 15:18	205-99-2	
Benzo(g,h,i)perylene	<40.1	ug/kg	413	40.1	1	01/24/18 15:00	01/26/18 15:18	191-24-2	
Benzo(k)fluoranthene	<48.8	ug/kg	413	48.8	1	01/24/18 15:00	01/26/18 15:18	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (3-5) Lab ID: 60262572004 Collected: 01/22/18 15:30 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<38.8	ug/kg	2090	38.8	1	01/24/18 15:00	01/26/18 15:18	65-85-0	
Benzyl alcohol	<129	ug/kg	826	129	1	01/24/18 15:00	01/26/18 15:18	100-51-6	
4-Bromophenylphenyl ether	<32.6	ug/kg	413	32.6	1	01/24/18 15:00	01/26/18 15:18	101-55-3	
Butylbenzylphthalate	<53.8	ug/kg	413	53.8	1	01/24/18 15:00	01/26/18 15:18	85-68-7	
Carbazole	<33.8	ug/kg	413	33.8	1	01/24/18 15:00	01/26/18 15:18	86-74-8	
4-Chloro-3-methylphenol	<45.1	ug/kg	826	45.1	1	01/24/18 15:00	01/26/18 15:18	59-50-7	
4-Chloroaniline	<81.4	ug/kg	826	81.4	1	01/24/18 15:00	01/26/18 15:18	106-47-8	
bis(2-Chloroethoxy)methane	<32.6	ug/kg	413	32.6	1	01/24/18 15:00	01/26/18 15:18	111-91-1	
bis(2-Chloroethyl) ether	<32.6	ug/kg	413	32.6	1	01/24/18 15:00	01/26/18 15:18	111-44-4	
bis(2-Chloroisopropyl) ether	<32.6	ug/kg	413	32.6	1	01/24/18 15:00	01/26/18 15:18	39638-32-9	
2-Chloronaphthalene	<35.1	ug/kg	413	35.1	1	01/24/18 15:00	01/26/18 15:18	91-58-7	
2-Chlorophenol	<33.8	ug/kg	413	33.8	1	01/24/18 15:00	01/26/18 15:18	95-57-8	
4-Chlorophenylphenyl ether	<40.1	ug/kg	413	40.1	1	01/24/18 15:00	01/26/18 15:18	7005-72-3	
Chrysene	<35.1	ug/kg	413	35.1	1	01/24/18 15:00	01/26/18 15:18	218-01-9	
Dibenz(a,h)anthracene	<37.6	ug/kg	413	37.6	1	01/24/18 15:00	01/26/18 15:18	53-70-3	
Dibenzofuran	<37.6	ug/kg	413	37.6	1	01/24/18 15:00	01/26/18 15:18	132-64-9	
1,2-Dichlorobenzene	<31.3	ug/kg	413	31.3	1	01/24/18 15:00	01/26/18 15:18	95-50-1	
1,3-Dichlorobenzene	<35.1	ug/kg	413	35.1	1	01/24/18 15:00	01/26/18 15:18	541-73-1	
1,4-Dichlorobenzene	<36.3	ug/kg	413	36.3	1	01/24/18 15:00	01/26/18 15:18	106-46-7	
3,3'-Dichlorobenzidine	<141	ug/kg	826	141	1	01/24/18 15:00	01/26/18 15:18	91-94-1	
2,4-Dichlorophenol	<37.6	ug/kg	413	37.6	1	01/24/18 15:00	01/26/18 15:18	120-83-2	
Diethylphthalate	<38.8	ug/kg	413	38.8	1	01/24/18 15:00	01/26/18 15:18	84-66-2	
2,4-Dimethylphenol	<22.5	ug/kg	413	22.5	1	01/24/18 15:00	01/26/18 15:18	105-67-9	
Dimethylphthalate	<40.1	ug/kg	413	40.1	1	01/24/18 15:00	01/26/18 15:18	131-11-3	
Di-n-butylphthalate	<43.8	ug/kg	413	43.8	1	01/24/18 15:00	01/26/18 15:18	84-74-2	
4,6-Dinitro-2-methylphenol	<55.1	ug/kg	2090	55.1	1	01/24/18 15:00	01/26/18 15:18	534-52-1	
2,4-Dinitrophenol	<60.1	ug/kg	2090	60.1	1	01/24/18 15:00	01/26/18 15:18	51-28-5	
2,4-Dinitrotoluene	<35.1	ug/kg	413	35.1	1	01/24/18 15:00	01/26/18 15:18	121-14-2	
2,6-Dinitrotoluene	<42.6	ug/kg	413	42.6	1	01/24/18 15:00	01/26/18 15:18	606-20-2	
Di-n-octylphthalate	<48.8	ug/kg	413	48.8	1	01/24/18 15:00	01/26/18 15:18	117-84-0	
bis(2-Ethylhexyl)phthalate	<143	ug/kg	413	143	1	01/24/18 15:00	01/26/18 15:18	117-81-7	
Fluoranthene	<38.8	ug/kg	413	38.8	1	01/24/18 15:00	01/26/18 15:18	206-44-0	
Fluorene	<38.8	ug/kg	413	38.8	1	01/24/18 15:00	01/26/18 15:18	86-73-7	
Hexachloro-1,3-butadiene	<41.3	ug/kg	413	41.3	1	01/24/18 15:00	01/26/18 15:18	87-68-3	
Hexachlorobenzene	<40.1	ug/kg	413	40.1	1	01/24/18 15:00	01/26/18 15:18	118-74-1	
Hexachlorocyclopentadiene	<87.7	ug/kg	413	87.7	1	01/24/18 15:00	01/26/18 15:18	77-47-4	
Hexachloroethane	<31.3	ug/kg	413	31.3	1	01/24/18 15:00	01/26/18 15:18	67-72-1	
Indeno(1,2,3-cd)pyrene	<45.1	ug/kg	413	45.1	1	01/24/18 15:00	01/26/18 15:18	193-39-5	
Isophorone	<37.6	ug/kg	413	37.6	1	01/24/18 15:00	01/26/18 15:18	78-59-1	
2-Methylnaphthalene	<30.1	ug/kg	413	30.1	1	01/24/18 15:00	01/26/18 15:18	91-57-6	
2-Methylphenol(o-Cresol)	<38.8	ug/kg	413	38.8	1	01/24/18 15:00	01/26/18 15:18	95-48-7	
3&4-Methylphenol(m&p Cresol)	<45.1	ug/kg	413	45.1	1	01/24/18 15:00	01/26/18 15:18		
Naphthalene	<32.6	ug/kg	413	32.6	1	01/24/18 15:00	01/26/18 15:18	91-20-3	
2-Nitroaniline	<70.1	ug/kg	826	70.1	1	01/24/18 15:00	01/26/18 15:18	88-74-4	
3-Nitroaniline	<125	ug/kg	826	125	1	01/24/18 15:00	01/26/18 15:18	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (3-5) Lab ID: 60262572004 Collected: 01/22/18 15:30 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<106	ug/kg	826	106	1	01/24/18 15:00	01/26/18 15:18	100-01-6	
Nitrobenzene	<38.8	ug/kg	413	38.8	1	01/24/18 15:00	01/26/18 15:18	98-95-3	
2-Nitrophenol	<57.6	ug/kg	413	57.6	1	01/24/18 15:00	01/26/18 15:18	88-75-5	
4-Nitrophenol	<65.1	ug/kg	2090	65.1	1	01/24/18 15:00	01/26/18 15:18	100-02-7	
N-Nitroso-di-n-propylamine	<41.3	ug/kg	413	41.3	1	01/24/18 15:00	01/26/18 15:18	621-64-7	
N-Nitrosodiphenylamine	<32.6	ug/kg	413	32.6	1	01/24/18 15:00	01/26/18 15:18	86-30-6	
Pentachlorophenol	<38.8	ug/kg	2090	38.8	1	01/24/18 15:00	01/26/18 15:18	87-86-5	
Phenanthrene	<38.8	ug/kg	413	38.8	1	01/24/18 15:00	01/26/18 15:18	85-01-8	
Phenol	<32.6	ug/kg	413	32.6	1	01/24/18 15:00	01/26/18 15:18	108-95-2	
Pyrene	<41.3	ug/kg	413	41.3	1	01/24/18 15:00	01/26/18 15:18	129-00-0	
Pyridine	<33.8	ug/kg	413	33.8	1	01/24/18 15:00	01/26/18 15:18	110-86-1	
1,2,4-Trichlorobenzene	<37.6	ug/kg	413	37.6	1	01/24/18 15:00	01/26/18 15:18	120-82-1	
2,4,5-Trichlorophenol	<37.6	ug/kg	413	37.6	1	01/24/18 15:00	01/26/18 15:18	95-95-4	
2,4,6-Trichlorophenol	<38.8	ug/kg	413	38.8	1	01/24/18 15:00	01/26/18 15:18	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	59	%	41-114		1	01/24/18 15:00	01/26/18 15:18	4165-60-0	
2-Fluorobiphenyl (S)	61	%	61-109		1	01/24/18 15:00	01/26/18 15:18	321-60-8	
Terphenyl-d14 (S)	66	%	48-120		1	01/24/18 15:00	01/26/18 15:18	1718-51-0	
Phenol-d6 (S)	60	%	48-102		1	01/24/18 15:00	01/26/18 15:18	13127-88-3	
2-Fluorophenol (S)	58	%	46-102		1	01/24/18 15:00	01/26/18 15:18	367-12-4	
2,4,6-Tribromophenol (S)	78	%	39-114		1	01/24/18 15:00	01/26/18 15:18	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	22.3	mg/kg	18.6	1.5	1	01/24/18 15:00	01/31/18 05:52		B
TPH-DRO	1.7J	mg/kg	18.6	1.5	1	01/24/18 15:00	01/31/18 05:52		
Surrogates									
Nitrobenzene-d5 (S)	93	%	41-114		1	01/24/18 15:00	01/31/18 05:52	4165-60-0	
2-Fluorobiphenyl (S)	91	%	61-109		1	01/24/18 15:00	01/31/18 05:52	321-60-8	
Terphenyl-d14 (S)	86	%	48-120		1	01/24/18 15:00	01/31/18 05:52	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.27	mg/kg	0.54	0.27	1		01/31/18 13:29		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	11.3J	ug/kg	21.7	10.9	1		01/31/18 13:29	67-64-1	
Benzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	71-43-2	
Bromobenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	108-86-1	
Bromochloromethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	74-97-5	
Bromodichloromethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	75-27-4	
Bromoform	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	75-25-2	
Bromomethane	4.0J	ug/kg	5.4	2.7	1		01/31/18 13:29	74-83-9	
2-Butanone (MEK)	<5.4	ug/kg	10.9	5.4	1		01/31/18 13:29	78-93-3	
n-Butylbenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	104-51-8	
sec-Butylbenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	135-98-8	
tert-Butylbenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (3-5) Lab ID: 60262572004 Collected: 01/22/18 15:30 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	75-15-0	
Carbon tetrachloride	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	56-23-5	
Chlorobenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	108-90-7	
Chloroethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	75-00-3	
Chloroform	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	67-66-3	
Chloromethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	74-87-3	
2-Chlorotoluene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	95-49-8	
4-Chlorotoluene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	106-43-4	
1,2-Dibromo-3-chloropropane	<5.4	ug/kg	10.9	5.4	1		01/31/18 13:29	96-12-8	
Dibromochloromethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	124-48-1	
1,2-Dibromoethane (EDB)	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	106-93-4	
Dibromomethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	74-95-3	
1,2-Dichlorobenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	95-50-1	
1,3-Dichlorobenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	541-73-1	
1,4-Dichlorobenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	106-46-7	
Dichlorodifluoromethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	75-71-8	
1,1-Dichloroethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	75-34-3	
1,2-Dichloroethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	107-06-2	
1,2-Dichloroethene (Total)	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	540-59-0	
1,1-Dichloroethene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	75-35-4	
cis-1,2-Dichloroethene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	156-59-2	
trans-1,2-Dichloroethene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	156-60-5	L2
1,2-Dichloropropane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	78-87-5	
1,3-Dichloropropane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	142-28-9	
2,2-Dichloropropane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	594-20-7	
1,1-Dichloropropene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	563-58-6	
cis-1,3-Dichloropropene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	10061-01-5	
trans-1,3-Dichloropropene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	10061-02-6	
Ethylbenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	87-68-3	
2-Hexanone	<10.9	ug/kg	21.7	10.9	1		01/31/18 13:29	591-78-6	
Isopropylbenzene (Cumene)	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	98-82-8	
p-Isopropyltoluene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	99-87-6	
Methylene chloride	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.4	ug/kg	10.9	5.4	1		01/31/18 13:29	108-10-1	
Methyl-tert-butyl ether	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	1634-04-4	
Naphthalene	<5.4	ug/kg	10.9	5.4	1		01/31/18 13:29	91-20-3	
n-Propylbenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	103-65-1	
Styrene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	100-42-5	
1,1,1,2-Tetrachloroethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	630-20-6	
1,1,2,2-Tetrachloroethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	79-34-5	
Tetrachloroethene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	127-18-4	
Toluene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	108-88-3	
1,2,3-Trichlorobenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	87-61-6	
1,2,4-Trichlorobenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (3-5) **Lab ID: 60262572004** Collected: 01/22/18 15:30 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	71-55-6	
1,1,2-Trichloroethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	79-00-5	
Trichloroethene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	79-01-6	
Trichlorofluoromethane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	75-69-4	
1,2,3-Trichloropropane	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	96-18-4	
1,2,4-Trimethylbenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	95-63-6	
1,3,5-Trimethylbenzene	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	108-67-8	
Vinyl chloride	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	75-01-4	
Xylene (Total)	<2.7	ug/kg	5.4	2.7	1		01/31/18 13:29	1330-20-7	
Surrogates									
Toluene-d8 (S)	100	%	78-122		1		01/31/18 13:29	2037-26-5	
4-Bromofluorobenzene (S)	105	%	69-133		1		01/31/18 13:29	460-00-4	
1,2-Dichloroethane-d4 (S)	112	%	80-123		1		01/31/18 13:29	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974									
Percent Moisture	21.1	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045									
pH at 25 Degrees C	7.1	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	498	mg/kg	129	64.5	10	02/04/18 07:00	02/05/18 17:58	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	144	mg/kg	12.6	6.3	10	02/05/18 16:00	02/06/18 00:41	14797-55-8	
Nitrite as N	<6.3	mg/kg	12.6	6.3	10	02/05/18 16:00	02/06/18 00:41	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 (0-1) Lab ID: 60262572005 Collected: 01/22/18 16:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.43	ug/kg	1.2	0.43	1	01/25/18 16:25	01/29/18 19:40	309-00-2	
alpha-BHC	<0.19	ug/kg	1.2	0.19	1	01/25/18 16:25	01/29/18 19:40	319-84-6	
beta-BHC	<0.64	ug/kg	2.0	0.64	1	01/25/18 16:25	01/29/18 19:40	319-85-7	
delta-BHC	<0.58	ug/kg	1.7	0.58	1	01/25/18 16:25	01/29/18 19:40	319-86-8	
gamma-BHC (Lindane)	<0.54	ug/kg	1.7	0.54	1	01/25/18 16:25	01/29/18 19:40	58-89-9	
Chlordane (Technical)	<33.9	ug/kg	181	33.9	1	01/25/18 16:25	01/29/18 19:40	57-74-9	
alpha-Chlordane	<0.48	ug/kg	2.0	0.48	1	01/25/18 16:25	01/29/18 19:40	5103-71-9	
gamma-Chlordane	<0.80	ug/kg	2.0	0.80	1	01/25/18 16:25	01/29/18 19:40	5103-74-2	
4,4'-DDD	<0.39	ug/kg	1.2	0.39	1	01/25/18 16:25	01/29/18 19:40	72-54-8	
4,4'-DDE	<0.38	ug/kg	1.2	0.38	1	01/25/18 16:25	01/29/18 19:40	72-55-9	
4,4'-DDT	<0.78	ug/kg	1.7	0.78	1	01/25/18 16:25	01/29/18 19:40	50-29-3	
Dieldrin	<0.52	ug/kg	1.7	0.52	1	01/25/18 16:25	01/29/18 19:40	60-57-1	
Endosulfan I	<0.56	ug/kg	1.7	0.56	1	01/25/18 16:25	01/29/18 19:40	959-98-8	
Endosulfan II	<0.39	ug/kg	1.2	0.39	1	01/25/18 16:25	01/29/18 19:40	33213-65-9	
Endosulfan sulfate	<0.55	ug/kg	1.7	0.55	1	01/25/18 16:25	01/29/18 19:40	1031-07-8	
Endrin	<0.56	ug/kg	2.0	0.56	1	01/25/18 16:25	01/29/18 19:40	72-20-8	
Endrin aldehyde	<0.56	ug/kg	1.7	0.56	1	01/25/18 16:25	01/29/18 19:40	7421-93-4	
Endrin ketone	<0.66	ug/kg	2.4	0.66	1	01/25/18 16:25	01/29/18 19:40	53494-70-5	
Heptachlor	<0.92	ug/kg	2.4	0.92	1	01/25/18 16:25	01/29/18 19:40	76-44-8	
Heptachlor epoxide	<2.4	ug/kg	6.0	2.4	1	01/25/18 16:25	01/29/18 19:40	1024-57-3	
Methoxychlor	<0.69	ug/kg	2.4	0.69	1	01/25/18 16:25	01/29/18 19:40	72-43-5	
Toxaphene	<62.5	ug/kg	181	62.5	1	01/25/18 16:25	01/29/18 19:40	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	78	%	70-130		1	01/25/18 16:25	01/29/18 19:40	877-09-8	
Decachlorobiphenyl (S)	72	%	70-130		1	01/25/18 16:25	01/29/18 19:40	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<4.0	ug/kg	8.0	4.0	1	01/25/18 16:25	01/31/18 23:41	22248-79-9	
Azinphos, methyl (Guthion)	<4.0	ug/kg	8.0	4.0	1	01/25/18 16:25	01/31/18 23:41	86-50-0	
Bolstar	<4.0	ug/kg	8.0	4.0	1	01/25/18 16:25	01/31/18 23:41	35400-43-2	
Chlorpyrifos	<4.0	ug/kg	8.0	4.0	1	01/25/18 16:25	01/31/18 23:41	2921-88-2	
Coumaphos	<4.0	ug/kg	8.0	4.0	1	01/25/18 16:25	01/31/18 23:41	56-72-4	
Diazinon	<4.0	ug/kg	8.0	4.0	1	01/25/18 16:25	01/31/18 23:41	333-41-5	
Dichlorvos	<2.0	ug/kg	4.0	2.0	1	01/25/18 16:25	01/31/18 23:41	62-73-7	
Dimethoate	<4.0	ug/kg	8.0	4.0	1	01/25/18 16:25	01/31/18 23:41	60-51-5	
Disulfoton	<2.0	ug/kg	4.0	2.0	1	01/25/18 16:25	01/31/18 23:41	298-04-4	
EPN (ENT)	<2.6	ug/kg	4.0	2.6	1	01/25/18 16:25	01/31/18 23:41	2104-64-5	
Ethoprop	<2.0	ug/kg	4.0	2.0	1	01/25/18 16:25	01/31/18 23:41	13194-48-4	
Fensulfthion	<4.0	ug/kg	8.0	4.0	1	01/25/18 16:25	01/31/18 23:41	115-90-2	
Fenthion	<2.0	ug/kg	4.0	2.0	1	01/25/18 16:25	01/31/18 23:41	55-38-9	
Malathion	<4.0	ug/kg	8.0	4.0	1	01/25/18 16:25	01/31/18 23:41	121-75-5	
Methyl parathion	<2.0	ug/kg	4.0	2.0	1	01/25/18 16:25	01/31/18 23:41	298-00-0	
Mevinphos	<2.4	ug/kg	4.0	2.4	1	01/25/18 16:25	01/31/18 23:41	7786-34-7	
Parathion (Ethyl parathion)	<4.0	ug/kg	8.0	4.0	1	01/25/18 16:25	01/31/18 23:41	56-38-2	
Phorate	<2.0	ug/kg	4.0	2.0	1	01/25/18 16:25	01/31/18 23:41	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 (0-1) **Lab ID: 60262572005** Collected: 01/22/18 16:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<2.0	ug/kg	4.0	2.0	1	01/25/18 16:25	01/31/18 23:41	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<2.0	ug/kg	4.0	2.0	1	01/25/18 16:25	01/31/18 23:41	3689-24-5	
Tokuthion (Prothiofos)	<2.0	ug/kg	4.0	2.0	1	01/25/18 16:25	01/31/18 23:41	34643-46-4	
Trichloronate	<4.0	ug/kg	8.0	4.0	1	01/25/18 16:25	01/31/18 23:41	327-98-0	
Total Demeton	<3.3	ug/kg	4.0	3.3	1	01/25/18 16:25	01/31/18 23:41	8065-48-3	N2
Total Merphos	<4.0	ug/kg	16.1	4.0	1	01/25/18 16:25	01/31/18 23:41	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	93	%.	11-137		1	01/25/18 16:25	01/31/18 23:41	115-86-6	
Tributylphosphate (S)	112	%.	17-125		1	01/25/18 16:25	01/31/18 23:41	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 16:11	94-75-7	
Dalapon	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 16:11	75-99-0	
2,4-DB	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 16:11	94-82-6	
Dicamba	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 16:11	1918-00-9	
Dichloroprop	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 16:11	15165-67-0	
Dinoseb	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 16:11	88-85-7	
MCPA	<298	ug/kg	298	298	1	01/29/18 16:21	01/30/18 16:11	94-74-6	
MCP	<298	ug/kg	298	298	1	01/29/18 16:21	01/30/18 16:11	7085-19-0	
2,4,5-T	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 16:11	93-76-5	
2,4,5-TP (Silvex)	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 16:11	93-72-1	
Surrogates									
2,4-DCAA (S)	17	%.	10-188		1	01/29/18 16:21	01/30/18 16:11	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	8.5	mg/kg	1.1	0.46	1	01/24/18 09:50	01/25/18 12:12	7440-38-2	
Barium	264	mg/kg	0.55	0.034	1	01/24/18 09:50	01/25/18 12:12	7440-39-3	
Cadmium	1.3	mg/kg	0.55	0.041	1	01/24/18 09:50	01/25/18 12:12	7440-43-9	
Chromium	15.7	mg/kg	0.55	0.11	1	01/24/18 09:50	01/25/18 12:12	7440-47-3	
Lead	53.5	mg/kg	0.55	0.23	1	01/24/18 09:50	01/25/18 12:12	7439-92-1	
Selenium	0.93J	mg/kg	1.7	0.83	1	01/24/18 09:50	01/25/18 12:12	7782-49-2	
Silver	<0.18	mg/kg	0.77	0.18	1	01/24/18 09:50	01/25/18 12:12	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.21	mg/kg	0.055	0.0073	1	01/25/18 09:26	01/25/18 11:45	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<42.2	ug/kg	398	42.2	1	01/24/18 15:00	01/26/18 15:40	83-32-9	
Acenaphthylene	<37.4	ug/kg	398	37.4	1	01/24/18 15:00	01/26/18 15:40	208-96-8	
Anthracene	<42.2	ug/kg	398	42.2	1	01/24/18 15:00	01/26/18 15:40	120-12-7	
Benzo(a)anthracene	<36.2	ug/kg	398	36.2	1	01/24/18 15:00	01/26/18 15:40	56-55-3	
Benzo(a)pyrene	<31.4	ug/kg	398	31.4	1	01/24/18 15:00	01/26/18 15:40	50-32-8	
Benzo(b)fluoranthene	64.6J	ug/kg	398	27.8	1	01/24/18 15:00	01/26/18 15:40	205-99-2	
Benzo(g,h,i)perylene	<38.6	ug/kg	398	38.6	1	01/24/18 15:00	01/26/18 15:40	191-24-2	
Benzo(k)fluoranthene	<47.1	ug/kg	398	47.1	1	01/24/18 15:00	01/26/18 15:40	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 (0-1) Lab ID: 60262572005 Collected: 01/22/18 16:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<37.4	ug/kg	2020	37.4	1	01/24/18 15:00	01/26/18 15:40	65-85-0	
Benzyl alcohol	<124	ug/kg	797	124	1	01/24/18 15:00	01/26/18 15:40	100-51-6	
4-Bromophenylphenyl ether	<31.4	ug/kg	398	31.4	1	01/24/18 15:00	01/26/18 15:40	101-55-3	
Butylbenzylphthalate	<51.9	ug/kg	398	51.9	1	01/24/18 15:00	01/26/18 15:40	85-68-7	
Carbazole	<32.6	ug/kg	398	32.6	1	01/24/18 15:00	01/26/18 15:40	86-74-8	
4-Chloro-3-methylphenol	<43.5	ug/kg	797	43.5	1	01/24/18 15:00	01/26/18 15:40	59-50-7	
4-Chloroaniline	<78.5	ug/kg	797	78.5	1	01/24/18 15:00	01/26/18 15:40	106-47-8	
bis(2-Chloroethoxy)methane	<31.4	ug/kg	398	31.4	1	01/24/18 15:00	01/26/18 15:40	111-91-1	
bis(2-Chloroethyl) ether	<31.4	ug/kg	398	31.4	1	01/24/18 15:00	01/26/18 15:40	111-44-4	
bis(2-Chloroisopropyl) ether	<31.4	ug/kg	398	31.4	1	01/24/18 15:00	01/26/18 15:40	39638-32-9	
2-Chloronaphthalene	<33.8	ug/kg	398	33.8	1	01/24/18 15:00	01/26/18 15:40	91-58-7	
2-Chlorophenol	<32.6	ug/kg	398	32.6	1	01/24/18 15:00	01/26/18 15:40	95-57-8	
4-Chlorophenylphenyl ether	<38.6	ug/kg	398	38.6	1	01/24/18 15:00	01/26/18 15:40	7005-72-3	
Chrysene	<33.8	ug/kg	398	33.8	1	01/24/18 15:00	01/26/18 15:40	218-01-9	
Dibenz(a,h)anthracene	<36.2	ug/kg	398	36.2	1	01/24/18 15:00	01/26/18 15:40	53-70-3	
Dibenzofuran	<36.2	ug/kg	398	36.2	1	01/24/18 15:00	01/26/18 15:40	132-64-9	
1,2-Dichlorobenzene	<30.2	ug/kg	398	30.2	1	01/24/18 15:00	01/26/18 15:40	95-50-1	
1,3-Dichlorobenzene	<33.8	ug/kg	398	33.8	1	01/24/18 15:00	01/26/18 15:40	541-73-1	
1,4-Dichlorobenzene	<35.0	ug/kg	398	35.0	1	01/24/18 15:00	01/26/18 15:40	106-46-7	
3,3'-Dichlorobenzidine	<136	ug/kg	797	136	1	01/24/18 15:00	01/26/18 15:40	91-94-1	
2,4-Dichlorophenol	<36.2	ug/kg	398	36.2	1	01/24/18 15:00	01/26/18 15:40	120-83-2	
Diethylphthalate	<37.4	ug/kg	398	37.4	1	01/24/18 15:00	01/26/18 15:40	84-66-2	
2,4-Dimethylphenol	<21.7	ug/kg	398	21.7	1	01/24/18 15:00	01/26/18 15:40	105-67-9	
Dimethylphthalate	<38.6	ug/kg	398	38.6	1	01/24/18 15:00	01/26/18 15:40	131-11-3	
Di-n-butylphthalate	<42.2	ug/kg	398	42.2	1	01/24/18 15:00	01/26/18 15:40	84-74-2	
4,6-Dinitro-2-methylphenol	<53.1	ug/kg	2020	53.1	1	01/24/18 15:00	01/26/18 15:40	534-52-1	
2,4-Dinitrophenol	<57.9	ug/kg	2020	57.9	1	01/24/18 15:00	01/26/18 15:40	51-28-5	
2,4-Dinitrotoluene	<33.8	ug/kg	398	33.8	1	01/24/18 15:00	01/26/18 15:40	121-14-2	
2,6-Dinitrotoluene	<41.0	ug/kg	398	41.0	1	01/24/18 15:00	01/26/18 15:40	606-20-2	
Di-n-octylphthalate	<47.1	ug/kg	398	47.1	1	01/24/18 15:00	01/26/18 15:40	117-84-0	
bis(2-Ethylhexyl)phthalate	<138	ug/kg	398	138	1	01/24/18 15:00	01/26/18 15:40	117-81-7	
Fluoranthene	56.4J	ug/kg	398	37.4	1	01/24/18 15:00	01/26/18 15:40	206-44-0	
Fluorene	<37.4	ug/kg	398	37.4	1	01/24/18 15:00	01/26/18 15:40	86-73-7	
Hexachloro-1,3-butadiene	<39.8	ug/kg	398	39.8	1	01/24/18 15:00	01/26/18 15:40	87-68-3	
Hexachlorobenzene	<38.6	ug/kg	398	38.6	1	01/24/18 15:00	01/26/18 15:40	118-74-1	
Hexachlorocyclopentadiene	<84.5	ug/kg	398	84.5	1	01/24/18 15:00	01/26/18 15:40	77-47-4	
Hexachloroethane	<30.2	ug/kg	398	30.2	1	01/24/18 15:00	01/26/18 15:40	67-72-1	
Indeno(1,2,3-cd)pyrene	<43.5	ug/kg	398	43.5	1	01/24/18 15:00	01/26/18 15:40	193-39-5	
Isophorone	<36.2	ug/kg	398	36.2	1	01/24/18 15:00	01/26/18 15:40	78-59-1	
2-Methylnaphthalene	<29.0	ug/kg	398	29.0	1	01/24/18 15:00	01/26/18 15:40	91-57-6	
2-Methylphenol(o-Cresol)	<37.4	ug/kg	398	37.4	1	01/24/18 15:00	01/26/18 15:40	95-48-7	
3&4-Methylphenol(m&p Cresol)	<43.5	ug/kg	398	43.5	1	01/24/18 15:00	01/26/18 15:40		
Naphthalene	<31.4	ug/kg	398	31.4	1	01/24/18 15:00	01/26/18 15:40	91-20-3	
2-Nitroaniline	<67.6	ug/kg	797	67.6	1	01/24/18 15:00	01/26/18 15:40	88-74-4	
3-Nitroaniline	<121	ug/kg	797	121	1	01/24/18 15:00	01/26/18 15:40	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 (0-1) Lab ID: 60262572005 Collected: 01/22/18 16:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<103	ug/kg	797	103	1	01/24/18 15:00	01/26/18 15:40	100-01-6	
Nitrobenzene	<37.4	ug/kg	398	37.4	1	01/24/18 15:00	01/26/18 15:40	98-95-3	
2-Nitrophenol	<55.5	ug/kg	398	55.5	1	01/24/18 15:00	01/26/18 15:40	88-75-5	
4-Nitrophenol	<62.8	ug/kg	2020	62.8	1	01/24/18 15:00	01/26/18 15:40	100-02-7	
N-Nitroso-di-n-propylamine	<39.8	ug/kg	398	39.8	1	01/24/18 15:00	01/26/18 15:40	621-64-7	
N-Nitrosodiphenylamine	<31.4	ug/kg	398	31.4	1	01/24/18 15:00	01/26/18 15:40	86-30-6	
Pentachlorophenol	<37.4	ug/kg	2020	37.4	1	01/24/18 15:00	01/26/18 15:40	87-86-5	
Phenanthrene	<37.4	ug/kg	398	37.4	1	01/24/18 15:00	01/26/18 15:40	85-01-8	
Phenol	<31.4	ug/kg	398	31.4	1	01/24/18 15:00	01/26/18 15:40	108-95-2	
Pyrene	50.3J	ug/kg	398	39.8	1	01/24/18 15:00	01/26/18 15:40	129-00-0	
Pyridine	<32.6	ug/kg	398	32.6	1	01/24/18 15:00	01/26/18 15:40	110-86-1	
1,2,4-Trichlorobenzene	<36.2	ug/kg	398	36.2	1	01/24/18 15:00	01/26/18 15:40	120-82-1	
2,4,5-Trichlorophenol	<36.2	ug/kg	398	36.2	1	01/24/18 15:00	01/26/18 15:40	95-95-4	
2,4,6-Trichlorophenol	<37.4	ug/kg	398	37.4	1	01/24/18 15:00	01/26/18 15:40	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	76	%	41-114		1	01/24/18 15:00	01/26/18 15:40	4165-60-0	
2-Fluorobiphenyl (S)	78	%	61-109		1	01/24/18 15:00	01/26/18 15:40	321-60-8	
Terphenyl-d14 (S)	82	%	48-120		1	01/24/18 15:00	01/26/18 15:40	1718-51-0	
Phenol-d6 (S)	76	%	48-102		1	01/24/18 15:00	01/26/18 15:40	13127-88-3	
2-Fluorophenol (S)	72	%	46-102		1	01/24/18 15:00	01/26/18 15:40	367-12-4	
2,4,6-Tribromophenol (S)	83	%	39-114		1	01/24/18 15:00	01/26/18 15:40	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	31.1	mg/kg	18.2	1.5	1	01/24/18 15:00	01/31/18 06:13		B
TPH-DRO	23.1	mg/kg	18.2	1.5	1	01/24/18 15:00	01/31/18 06:13		
Surrogates									
Nitrobenzene-d5 (S)	78	%	41-114		1	01/24/18 15:00	01/31/18 06:13	4165-60-0	
2-Fluorobiphenyl (S)	76	%	61-109		1	01/24/18 15:00	01/31/18 06:13	321-60-8	
Terphenyl-d14 (S)	73	%	48-120		1	01/24/18 15:00	01/31/18 06:13	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.24	mg/kg	0.48	0.24	1		01/31/18 13:45		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	<9.5	ug/kg	19.1	9.5	1		01/31/18 13:45	67-64-1	
Benzene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	71-43-2	
Bromobenzene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	108-86-1	
Bromochloromethane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	74-97-5	
Bromodichloromethane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	75-27-4	
Bromoform	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	75-25-2	
Bromomethane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	74-83-9	
2-Butanone (MEK)	<4.8	ug/kg	9.5	4.8	1		01/31/18 13:45	78-93-3	
n-Butylbenzene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	104-51-8	
sec-Butylbenzene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	135-98-8	
tert-Butylbenzene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 (0-1) Lab ID: 60262572005 Collected: 01/22/18 16:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	75-15-0	
Carbon tetrachloride	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	56-23-5	
Chlorobenzene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	108-90-7	
Chloroethane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	75-00-3	
Chloroform	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	67-66-3	
Chloromethane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	74-87-3	
2-Chlorotoluene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	95-49-8	
4-Chlorotoluene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	106-43-4	
1,2-Dibromo-3-chloropropane	<4.8	ug/kg	9.5	4.8	1		01/31/18 13:45	96-12-8	
Dibromochloromethane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	124-48-1	
1,2-Dibromoethane (EDB)	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	106-93-4	
Dibromomethane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	74-95-3	
1,2-Dichlorobenzene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	95-50-1	
1,3-Dichlorobenzene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	541-73-1	
1,4-Dichlorobenzene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	106-46-7	
Dichlorodifluoromethane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	75-71-8	
1,1-Dichloroethane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	75-34-3	
1,2-Dichloroethane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	107-06-2	
1,2-Dichloroethene (Total)	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	540-59-0	
1,1-Dichloroethene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	75-35-4	
cis-1,2-Dichloroethene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	156-59-2	
trans-1,2-Dichloroethene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	156-60-5	L2
1,2-Dichloropropane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	78-87-5	
1,3-Dichloropropane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	142-28-9	
2,2-Dichloropropane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	594-20-7	
1,1-Dichloropropene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	563-58-6	
cis-1,3-Dichloropropene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	10061-01-5	
trans-1,3-Dichloropropene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	10061-02-6	
Ethylbenzene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	100-41-4	
Hexachloro-1,3-butadiene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	87-68-3	
2-Hexanone	<9.5	ug/kg	19.1	9.5	1		01/31/18 13:45	591-78-6	
Isopropylbenzene (Cumene)	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	98-82-8	
p-Isopropyltoluene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	99-87-6	
Methylene chloride	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	75-09-2	
4-Methyl-2-pentanone (MIBK)	<4.8	ug/kg	9.5	4.8	1		01/31/18 13:45	108-10-1	
Methyl-tert-butyl ether	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	1634-04-4	
Naphthalene	<4.8	ug/kg	9.5	4.8	1		01/31/18 13:45	91-20-3	
n-Propylbenzene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	103-65-1	
Styrene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	100-42-5	
1,1,1,2-Tetrachloroethane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	630-20-6	
1,1,2,2-Tetrachloroethane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	79-34-5	
Tetrachloroethene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	127-18-4	
Toluene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	108-88-3	
1,2,3-Trichlorobenzene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	87-61-6	
1,2,4-Trichlorobenzene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 (0-1) **Lab ID: 60262572005** Collected: 01/22/18 16:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	71-55-6	
1,1,2-Trichloroethane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	79-00-5	
Trichloroethene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	79-01-6	
Trichlorofluoromethane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	75-69-4	
1,2,3-Trichloropropane	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	96-18-4	
1,2,4-Trimethylbenzene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	95-63-6	
1,3,5-Trimethylbenzene	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	108-67-8	
Vinyl chloride	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	75-01-4	
Xylene (Total)	<2.4	ug/kg	4.8	2.4	1		01/31/18 13:45	1330-20-7	
Surrogates									
Toluene-d8 (S)	99	%	78-122		1		01/31/18 13:45	2037-26-5	
4-Bromofluorobenzene (S)	103	%	69-133		1		01/31/18 13:45	460-00-4	
1,2-Dichloroethane-d4 (S)	114	%	80-123		1		01/31/18 13:45	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974									
Percent Moisture	17.7	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045									
pH at 25 Degrees C	9.3	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	388	mg/kg	120	59.9	10	02/04/18 07:00	02/05/18 18:12	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	104	mg/kg	12.1	6.0	10	02/05/18 16:00	02/06/18 00:55	14797-55-8	
Nitrite as N	<6.0	mg/kg	12.1	6.0	10	02/05/18 16:00	02/06/18 00:55	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 (3-5) Lab ID: 60262572006 Collected: 01/22/18 17:00 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.44	ug/kg	1.2	0.44	1	01/25/18 16:25	01/29/18 19:55	309-00-2	
alpha-BHC	<0.20	ug/kg	1.2	0.20	1	01/25/18 16:25	01/29/18 19:55	319-84-6	
beta-BHC	<0.66	ug/kg	2.1	0.66	1	01/25/18 16:25	01/29/18 19:55	319-85-7	
delta-BHC	<0.59	ug/kg	1.7	0.59	1	01/25/18 16:25	01/29/18 19:55	319-86-8	
gamma-BHC (Lindane)	<0.56	ug/kg	1.7	0.56	1	01/25/18 16:25	01/29/18 19:55	58-89-9	
Chlordane (Technical)	<35.0	ug/kg	187	35.0	1	01/25/18 16:25	01/29/18 19:55	57-74-9	
alpha-Chlordane	<0.50	ug/kg	2.1	0.50	1	01/25/18 16:25	01/29/18 19:55	5103-71-9	
gamma-Chlordane	<0.83	ug/kg	2.1	0.83	1	01/25/18 16:25	01/29/18 19:55	5103-74-2	
4,4'-DDD	<0.41	ug/kg	1.2	0.41	1	01/25/18 16:25	01/29/18 19:55	72-54-8	
4,4'-DDE	<0.39	ug/kg	1.2	0.39	1	01/25/18 16:25	01/29/18 19:55	72-55-9	
4,4'-DDT	<0.80	ug/kg	1.7	0.80	1	01/25/18 16:25	01/29/18 19:55	50-29-3	
Dieldrin	<0.54	ug/kg	1.7	0.54	1	01/25/18 16:25	01/29/18 19:55	60-57-1	
Endosulfan I	<0.58	ug/kg	1.7	0.58	1	01/25/18 16:25	01/29/18 19:55	959-98-8	
Endosulfan II	<0.40	ug/kg	1.2	0.40	1	01/25/18 16:25	01/29/18 19:55	33213-65-9	
Endosulfan sulfate	<0.57	ug/kg	1.7	0.57	1	01/25/18 16:25	01/29/18 19:55	1031-07-8	
Endrin	<0.58	ug/kg	2.1	0.58	1	01/25/18 16:25	01/29/18 19:55	72-20-8	
Endrin aldehyde	<0.58	ug/kg	1.7	0.58	1	01/25/18 16:25	01/29/18 19:55	7421-93-4	
Endrin ketone	<0.68	ug/kg	2.5	0.68	1	01/25/18 16:25	01/29/18 19:55	53494-70-5	
Heptachlor	<0.95	ug/kg	2.5	0.95	1	01/25/18 16:25	01/29/18 19:55	76-44-8	
Heptachlor epoxide	<2.5	ug/kg	6.2	2.5	1	01/25/18 16:25	01/29/18 19:55	1024-57-3	
Methoxychlor	<0.72	ug/kg	2.5	0.72	1	01/25/18 16:25	01/29/18 19:55	72-43-5	
Toxaphene	<64.5	ug/kg	187	64.5	1	01/25/18 16:25	01/29/18 19:55	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	75	%	70-130		1	01/25/18 16:25	01/29/18 19:55	877-09-8	
Decachlorobiphenyl (S)	72	%	70-130		1	01/25/18 16:25	01/29/18 19:55	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	02/01/18 00:08	22248-79-9	
Azinphos, methyl (Guthion)	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	02/01/18 00:08	86-50-0	
Bolstar	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	02/01/18 00:08	35400-43-2	
Chlorpyrifos	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	02/01/18 00:08	2921-88-2	
Coumaphos	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	02/01/18 00:08	56-72-4	
Diazinon	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	02/01/18 00:08	333-41-5	
Dichlorvos	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	02/01/18 00:08	62-73-7	
Dimethoate	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	02/01/18 00:08	60-51-5	
Disulfoton	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	02/01/18 00:08	298-04-4	
EPN (ENT)	<2.6	ug/kg	4.1	2.6	1	01/25/18 16:25	02/01/18 00:08	2104-64-5	
Ethoprop	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	02/01/18 00:08	13194-48-4	
Fensulfthion	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	02/01/18 00:08	115-90-2	
Fenthion	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	02/01/18 00:08	55-38-9	
Malathion	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	02/01/18 00:08	121-75-5	
Methyl parathion	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	02/01/18 00:08	298-00-0	
Mevinphos	<2.5	ug/kg	4.1	2.5	1	01/25/18 16:25	02/01/18 00:08	7786-34-7	
Parathion (Ethyl parathion)	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	02/01/18 00:08	56-38-2	
Phorate	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	02/01/18 00:08	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 (3-5) **Lab ID: 60262572006** Collected: 01/22/18 17:00 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	02/01/18 00:08	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	02/01/18 00:08	3689-24-5	
Tokuthion (Prothiofos)	<2.1	ug/kg	4.1	2.1	1	01/25/18 16:25	02/01/18 00:08	34643-46-4	
Trichloronate	<4.1	ug/kg	8.3	4.1	1	01/25/18 16:25	02/01/18 00:08	327-98-0	
Total Demeton	<3.4	ug/kg	4.1	3.4	1	01/25/18 16:25	02/01/18 00:08	8065-48-3	N2
Total Merphos	<4.1	ug/kg	16.6	4.1	1	01/25/18 16:25	02/01/18 00:08	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	83	%.	11-137		1	01/25/18 16:25	02/01/18 00:08	115-86-6	
Tributylphosphate (S)	116	%.	17-125		1	01/25/18 16:25	02/01/18 00:08	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 16:36	94-75-7	
Dalapon	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 16:36	75-99-0	
2,4-DB	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 16:36	94-82-6	
Dicamba	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 16:36	1918-00-9	
Dichloroprop	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 16:36	15165-67-0	
Dinoseb	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 16:36	88-85-7	
MCPA	<311	ug/kg	311	311	1	01/29/18 16:21	01/30/18 16:36	94-74-6	
MCPP	<311	ug/kg	311	311	1	01/29/18 16:21	01/30/18 16:36	7085-19-0	
2,4,5-T	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 16:36	93-76-5	
2,4,5-TP (Silvex)	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 16:36	93-72-1	
Surrogates									
2,4-DCAA (S)	7	%.	10-188		1	01/29/18 16:21	01/30/18 16:36	19719-28-9	S1
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	6.9	mg/kg	1.2	0.48	1	01/24/18 09:50	01/25/18 12:19	7440-38-2	
Barium	214	mg/kg	0.58	0.036	1	01/24/18 09:50	01/25/18 12:19	7440-39-3	
Cadmium	0.42J	mg/kg	0.58	0.043	1	01/24/18 09:50	01/25/18 12:19	7440-43-9	
Chromium	16.1	mg/kg	0.58	0.12	1	01/24/18 09:50	01/25/18 12:19	7440-47-3	
Lead	21.2	mg/kg	0.58	0.24	1	01/24/18 09:50	01/25/18 12:19	7439-92-1	
Selenium	0.95J	mg/kg	1.7	0.87	1	01/24/18 09:50	01/25/18 12:19	7782-49-2	
Silver	<0.19	mg/kg	0.82	0.19	1	01/24/18 09:50	01/25/18 12:19	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	2.7	mg/kg	0.30	0.040	5	01/25/18 09:26	01/25/18 12:39	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<43.5	ug/kg	410	43.5	1	01/24/18 15:00	01/26/18 16:01	83-32-9	
Acenaphthylene	<38.5	ug/kg	410	38.5	1	01/24/18 15:00	01/26/18 16:01	208-96-8	
Anthracene	<43.5	ug/kg	410	43.5	1	01/24/18 15:00	01/26/18 16:01	120-12-7	
Benzo(a)anthracene	<37.3	ug/kg	410	37.3	1	01/24/18 15:00	01/26/18 16:01	56-55-3	
Benzo(a)pyrene	<32.3	ug/kg	410	32.3	1	01/24/18 15:00	01/26/18 16:01	50-32-8	
Benzo(b)fluoranthene	<28.6	ug/kg	410	28.6	1	01/24/18 15:00	01/26/18 16:01	205-99-2	
Benzo(g,h,i)perylene	<39.8	ug/kg	410	39.8	1	01/24/18 15:00	01/26/18 16:01	191-24-2	
Benzo(k)fluoranthene	<48.5	ug/kg	410	48.5	1	01/24/18 15:00	01/26/18 16:01	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 (3-5) Lab ID: 60262572006 Collected: 01/22/18 17:00 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	206J	ug/kg	2080	38.5	1	01/24/18 15:00	01/26/18 16:01	65-85-0	
Benzyl alcohol	<128	ug/kg	820	128	1	01/24/18 15:00	01/26/18 16:01	100-51-6	
4-Bromophenylphenyl ether	<32.3	ug/kg	410	32.3	1	01/24/18 15:00	01/26/18 16:01	101-55-3	
Butylbenzylphthalate	<53.5	ug/kg	410	53.5	1	01/24/18 15:00	01/26/18 16:01	85-68-7	
Carbazole	<33.6	ug/kg	410	33.6	1	01/24/18 15:00	01/26/18 16:01	86-74-8	
4-Chloro-3-methylphenol	<44.8	ug/kg	820	44.8	1	01/24/18 15:00	01/26/18 16:01	59-50-7	
4-Chloroaniline	<80.8	ug/kg	820	80.8	1	01/24/18 15:00	01/26/18 16:01	106-47-8	
bis(2-Chloroethoxy)methane	<32.3	ug/kg	410	32.3	1	01/24/18 15:00	01/26/18 16:01	111-91-1	
bis(2-Chloroethyl) ether	<32.3	ug/kg	410	32.3	1	01/24/18 15:00	01/26/18 16:01	111-44-4	
bis(2-Chloroisopropyl) ether	<32.3	ug/kg	410	32.3	1	01/24/18 15:00	01/26/18 16:01	39638-32-9	
2-Chloronaphthalene	<34.8	ug/kg	410	34.8	1	01/24/18 15:00	01/26/18 16:01	91-58-7	
2-Chlorophenol	<33.6	ug/kg	410	33.6	1	01/24/18 15:00	01/26/18 16:01	95-57-8	
4-Chlorophenylphenyl ether	<39.8	ug/kg	410	39.8	1	01/24/18 15:00	01/26/18 16:01	7005-72-3	
Chrysene	<34.8	ug/kg	410	34.8	1	01/24/18 15:00	01/26/18 16:01	218-01-9	
Dibenz(a,h)anthracene	<37.3	ug/kg	410	37.3	1	01/24/18 15:00	01/26/18 16:01	53-70-3	
Dibenzofuran	<37.3	ug/kg	410	37.3	1	01/24/18 15:00	01/26/18 16:01	132-64-9	
1,2-Dichlorobenzene	<31.1	ug/kg	410	31.1	1	01/24/18 15:00	01/26/18 16:01	95-50-1	
1,3-Dichlorobenzene	<34.8	ug/kg	410	34.8	1	01/24/18 15:00	01/26/18 16:01	541-73-1	
1,4-Dichlorobenzene	<36.0	ug/kg	410	36.0	1	01/24/18 15:00	01/26/18 16:01	106-46-7	
3,3'-Dichlorobenzidine	<140	ug/kg	820	140	1	01/24/18 15:00	01/26/18 16:01	91-94-1	
2,4-Dichlorophenol	<37.3	ug/kg	410	37.3	1	01/24/18 15:00	01/26/18 16:01	120-83-2	
Diethylphthalate	<38.5	ug/kg	410	38.5	1	01/24/18 15:00	01/26/18 16:01	84-66-2	
2,4-Dimethylphenol	<22.4	ug/kg	410	22.4	1	01/24/18 15:00	01/26/18 16:01	105-67-9	
Dimethylphthalate	<39.8	ug/kg	410	39.8	1	01/24/18 15:00	01/26/18 16:01	131-11-3	
Di-n-butylphthalate	<43.5	ug/kg	410	43.5	1	01/24/18 15:00	01/26/18 16:01	84-74-2	
4,6-Dinitro-2-methylphenol	<54.7	ug/kg	2080	54.7	1	01/24/18 15:00	01/26/18 16:01	534-52-1	
2,4-Dinitrophenol	<59.7	ug/kg	2080	59.7	1	01/24/18 15:00	01/26/18 16:01	51-28-5	
2,4-Dinitrotoluene	<34.8	ug/kg	410	34.8	1	01/24/18 15:00	01/26/18 16:01	121-14-2	
2,6-Dinitrotoluene	<42.3	ug/kg	410	42.3	1	01/24/18 15:00	01/26/18 16:01	606-20-2	
Di-n-octylphthalate	<48.5	ug/kg	410	48.5	1	01/24/18 15:00	01/26/18 16:01	117-84-0	
bis(2-Ethylhexyl)phthalate	<142	ug/kg	410	142	1	01/24/18 15:00	01/26/18 16:01	117-81-7	
Fluoranthene	<38.5	ug/kg	410	38.5	1	01/24/18 15:00	01/26/18 16:01	206-44-0	
Fluorene	<38.5	ug/kg	410	38.5	1	01/24/18 15:00	01/26/18 16:01	86-73-7	
Hexachloro-1,3-butadiene	<41.0	ug/kg	410	41.0	1	01/24/18 15:00	01/26/18 16:01	87-68-3	
Hexachlorobenzene	<39.8	ug/kg	410	39.8	1	01/24/18 15:00	01/26/18 16:01	118-74-1	
Hexachlorocyclopentadiene	<87.0	ug/kg	410	87.0	1	01/24/18 15:00	01/26/18 16:01	77-47-4	
Hexachloroethane	<31.1	ug/kg	410	31.1	1	01/24/18 15:00	01/26/18 16:01	67-72-1	
Indeno(1,2,3-cd)pyrene	<44.8	ug/kg	410	44.8	1	01/24/18 15:00	01/26/18 16:01	193-39-5	
Isophorone	<37.3	ug/kg	410	37.3	1	01/24/18 15:00	01/26/18 16:01	78-59-1	
2-Methylnaphthalene	<29.8	ug/kg	410	29.8	1	01/24/18 15:00	01/26/18 16:01	91-57-6	
2-Methylphenol(o-Cresol)	<38.5	ug/kg	410	38.5	1	01/24/18 15:00	01/26/18 16:01	95-48-7	
3&4-Methylphenol(m&p Cresol)	<44.8	ug/kg	410	44.8	1	01/24/18 15:00	01/26/18 16:01		
Naphthalene	<32.3	ug/kg	410	32.3	1	01/24/18 15:00	01/26/18 16:01	91-20-3	
2-Nitroaniline	<69.6	ug/kg	820	69.6	1	01/24/18 15:00	01/26/18 16:01	88-74-4	
3-Nitroaniline	<124	ug/kg	820	124	1	01/24/18 15:00	01/26/18 16:01	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 (3-5) **Lab ID: 60262572006** Collected: 01/22/18 17:00 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<106	ug/kg	820	106	1	01/24/18 15:00	01/26/18 16:01	100-01-6	
Nitrobenzene	<38.5	ug/kg	410	38.5	1	01/24/18 15:00	01/26/18 16:01	98-95-3	
2-Nitrophenol	<57.2	ug/kg	410	57.2	1	01/24/18 15:00	01/26/18 16:01	88-75-5	
4-Nitrophenol	<64.6	ug/kg	2080	64.6	1	01/24/18 15:00	01/26/18 16:01	100-02-7	
N-Nitroso-di-n-propylamine	<41.0	ug/kg	410	41.0	1	01/24/18 15:00	01/26/18 16:01	621-64-7	
N-Nitrosodiphenylamine	<32.3	ug/kg	410	32.3	1	01/24/18 15:00	01/26/18 16:01	86-30-6	
Pentachlorophenol	<38.5	ug/kg	2080	38.5	1	01/24/18 15:00	01/26/18 16:01	87-86-5	
Phenanthrene	<38.5	ug/kg	410	38.5	1	01/24/18 15:00	01/26/18 16:01	85-01-8	
Phenol	<32.3	ug/kg	410	32.3	1	01/24/18 15:00	01/26/18 16:01	108-95-2	
Pyrene	<41.0	ug/kg	410	41.0	1	01/24/18 15:00	01/26/18 16:01	129-00-0	
Pyridine	<33.6	ug/kg	410	33.6	1	01/24/18 15:00	01/26/18 16:01	110-86-1	
1,2,4-Trichlorobenzene	<37.3	ug/kg	410	37.3	1	01/24/18 15:00	01/26/18 16:01	120-82-1	
2,4,5-Trichlorophenol	<37.3	ug/kg	410	37.3	1	01/24/18 15:00	01/26/18 16:01	95-95-4	
2,4,6-Trichlorophenol	<38.5	ug/kg	410	38.5	1	01/24/18 15:00	01/26/18 16:01	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	69	%	41-114		1	01/24/18 15:00	01/26/18 16:01	4165-60-0	
2-Fluorobiphenyl (S)	74	%	61-109		1	01/24/18 15:00	01/26/18 16:01	321-60-8	
Terphenyl-d14 (S)	79	%	48-120		1	01/24/18 15:00	01/26/18 16:01	1718-51-0	
Phenol-d6 (S)	71	%	48-102		1	01/24/18 15:00	01/26/18 16:01	13127-88-3	
2-Fluorophenol (S)	68	%	46-102		1	01/24/18 15:00	01/26/18 16:01	367-12-4	
2,4,6-Tribromophenol (S)	89	%	39-114		1	01/24/18 15:00	01/26/18 16:01	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	18.3	mg/kg	18.0	1.4	1	01/24/18 15:00	01/31/18 06:34		B
TPH-DRO	1.7J	mg/kg	18.0	1.4	1	01/24/18 15:00	01/31/18 06:34		
Surrogates									
Nitrobenzene-d5 (S)	87	%	41-114		1	01/24/18 15:00	01/31/18 06:34	4165-60-0	
2-Fluorobiphenyl (S)	86	%	61-109		1	01/24/18 15:00	01/31/18 06:34	321-60-8	
Terphenyl-d14 (S)	80	%	48-120		1	01/24/18 15:00	01/31/18 06:34	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.29	mg/kg	0.59	0.29	1		01/31/18 14:01		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	240	ug/kg	23.4	11.7	1		01/31/18 14:01	67-64-1	
Benzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	71-43-2	
Bromobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	108-86-1	
Bromochloromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	74-97-5	
Bromodichloromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	75-27-4	
Bromoform	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	75-25-2	
Bromomethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	74-83-9	
2-Butanone (MEK)	18.1	ug/kg	11.7	5.9	1		01/31/18 14:01	78-93-3	
n-Butylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	104-51-8	
sec-Butylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	135-98-8	
tert-Butylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 (3-5) Lab ID: 60262572006 Collected: 01/22/18 17:00 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	75-15-0	
Carbon tetrachloride	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	56-23-5	
Chlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	108-90-7	
Chloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	75-00-3	
Chloroform	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	67-66-3	
Chloromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	74-87-3	
2-Chlorotoluene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	95-49-8	
4-Chlorotoluene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	106-43-4	
1,2-Dibromo-3-chloropropane	<5.9	ug/kg	11.7	5.9	1		01/31/18 14:01	96-12-8	
Dibromochloromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	124-48-1	
1,2-Dibromoethane (EDB)	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	106-93-4	
Dibromomethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	74-95-3	
1,2-Dichlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	95-50-1	
1,3-Dichlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	541-73-1	
1,4-Dichlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	106-46-7	
Dichlorodifluoromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	75-71-8	
1,1-Dichloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	75-34-3	
1,2-Dichloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	107-06-2	
1,2-Dichloroethene (Total)	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	540-59-0	
1,1-Dichloroethene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	75-35-4	
cis-1,2-Dichloroethene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	156-59-2	
trans-1,2-Dichloroethene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	156-60-5	L2
1,2-Dichloropropane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	78-87-5	
1,3-Dichloropropane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	142-28-9	
2,2-Dichloropropane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	594-20-7	
1,1-Dichloropropene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	563-58-6	
cis-1,3-Dichloropropene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	10061-01-5	
trans-1,3-Dichloropropene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	10061-02-6	
Ethylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	100-41-4	
Hexachloro-1,3-butadiene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	87-68-3	
2-Hexanone	<11.7	ug/kg	23.4	11.7	1		01/31/18 14:01	591-78-6	
Isopropylbenzene (Cumene)	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	98-82-8	
p-Isopropyltoluene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	99-87-6	
Methylene chloride	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.9	ug/kg	11.7	5.9	1		01/31/18 14:01	108-10-1	
Methyl-tert-butyl ether	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	1634-04-4	
Naphthalene	<5.9	ug/kg	11.7	5.9	1		01/31/18 14:01	91-20-3	
n-Propylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	103-65-1	
Styrene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	100-42-5	
1,1,1,2-Tetrachloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	630-20-6	
1,1,2,2-Tetrachloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	79-34-5	
Tetrachloroethene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	127-18-4	
Toluene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	108-88-3	
1,2,3-Trichlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	87-61-6	
1,2,4-Trichlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 (3-5) **Lab ID: 60262572006** Collected: 01/22/18 17:00 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	71-55-6	
1,1,2-Trichloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	79-00-5	
Trichloroethene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	79-01-6	
Trichlorofluoromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	75-69-4	
1,2,3-Trichloropropane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	96-18-4	
1,2,4-Trimethylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	95-63-6	
1,3,5-Trimethylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	108-67-8	
Vinyl chloride	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	75-01-4	
Xylene (Total)	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:01	1330-20-7	
Surrogates									
Toluene-d8 (S)	99	%	78-122		1		01/31/18 14:01	2037-26-5	
4-Bromofluorobenzene (S)	106	%	69-133		1		01/31/18 14:01	460-00-4	
1,2-Dichloroethane-d4 (S)	110	%	80-123		1		01/31/18 14:01	17060-07-0	
Percent Moisture									
Analytical Method: ASTM D2974									
Percent Moisture	20.5	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil									
Analytical Method: EPA 9045									
pH at 25 Degrees C	9.0	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	1660	mg/kg	127	63.3	10	02/04/18 07:00	02/05/18 18:53	14808-79-8	
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	124	mg/kg	12.7	6.4	10	02/05/18 16:00	02/06/18 00:42	14797-55-8	
Nitrite as N	<6.4	mg/kg	12.7	6.4	10	02/05/18 16:00	02/06/18 00:42	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (12-14) Lab ID: 60262572007 Collected: 01/22/18 15:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.48	ug/kg	1.3	0.48	1	01/25/18 16:25	01/29/18 20:09	309-00-2	
alpha-BHC	<0.21	ug/kg	1.3	0.21	1	01/25/18 16:25	01/29/18 20:09	319-84-6	
beta-BHC	<0.71	ug/kg	2.2	0.71	1	01/25/18 16:25	01/29/18 20:09	319-85-7	
delta-BHC	<0.64	ug/kg	1.9	0.64	1	01/25/18 16:25	01/29/18 20:09	319-86-8	
gamma-BHC (Lindane)	<0.60	ug/kg	1.9	0.60	1	01/25/18 16:25	01/29/18 20:09	58-89-9	
Chlordane (Technical)	<37.8	ug/kg	202	37.8	1	01/25/18 16:25	01/29/18 20:09	57-74-9	
alpha-Chlordane	<0.53	ug/kg	2.2	0.53	1	01/25/18 16:25	01/29/18 20:09	5103-71-9	
gamma-Chlordane	<0.89	ug/kg	2.2	0.89	1	01/25/18 16:25	01/29/18 20:09	5103-74-2	
4,4'-DDD	<0.44	ug/kg	1.3	0.44	1	01/25/18 16:25	01/29/18 20:09	72-54-8	
4,4'-DDE	<0.42	ug/kg	1.3	0.42	1	01/25/18 16:25	01/29/18 20:09	72-55-9	
4,4'-DDT	<0.87	ug/kg	1.9	0.87	1	01/25/18 16:25	01/29/18 20:09	50-29-3	
Dieldrin	<0.58	ug/kg	1.9	0.58	1	01/25/18 16:25	01/29/18 20:09	60-57-1	
Endosulfan I	<0.62	ug/kg	1.9	0.62	1	01/25/18 16:25	01/29/18 20:09	959-98-8	
Endosulfan II	<0.43	ug/kg	1.3	0.43	1	01/25/18 16:25	01/29/18 20:09	33213-65-9	
Endosulfan sulfate	<0.62	ug/kg	1.9	0.62	1	01/25/18 16:25	01/29/18 20:09	1031-07-8	
Endrin	<0.62	ug/kg	2.2	0.62	1	01/25/18 16:25	01/29/18 20:09	72-20-8	
Endrin aldehyde	<0.62	ug/kg	1.9	0.62	1	01/25/18 16:25	01/29/18 20:09	7421-93-4	
Endrin ketone	<0.74	ug/kg	2.7	0.74	1	01/25/18 16:25	01/29/18 20:09	53494-70-5	
Heptachlor	<1.0	ug/kg	2.7	1.0	1	01/25/18 16:25	01/29/18 20:09	76-44-8	
Heptachlor epoxide	<2.7	ug/kg	6.7	2.7	1	01/25/18 16:25	01/29/18 20:09	1024-57-3	
Methoxychlor	<0.77	ug/kg	2.7	0.77	1	01/25/18 16:25	01/29/18 20:09	72-43-5	
Toxaphene	<69.7	ug/kg	202	69.7	1	01/25/18 16:25	01/29/18 20:09	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	79	%	70-130		1	01/25/18 16:25	01/29/18 20:09	877-09-8	
Decachlorobiphenyl (S)	81	%	70-130		1	01/25/18 16:25	01/29/18 20:09	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<4.5	ug/kg	8.9	4.5	1	01/25/18 16:25	02/01/18 21:06	22248-79-9	
Azinphos, methyl (Guthion)	<4.5	ug/kg	8.9	4.5	1	01/25/18 16:25	02/01/18 21:06	86-50-0	
Bolstar	<4.5	ug/kg	8.9	4.5	1	01/25/18 16:25	02/01/18 21:06	35400-43-2	
Chlorpyrifos	<4.5	ug/kg	8.9	4.5	1	01/25/18 16:25	02/01/18 21:06	2921-88-2	
Coumaphos	<4.5	ug/kg	8.9	4.5	1	01/25/18 16:25	02/01/18 21:06	56-72-4	
Diazinon	<4.5	ug/kg	8.9	4.5	1	01/25/18 16:25	02/01/18 21:06	333-41-5	
Dichlorvos	<2.2	ug/kg	4.5	2.2	1	01/25/18 16:25	02/01/18 21:06	62-73-7	
Dimethoate	<4.5	ug/kg	8.9	4.5	1	01/25/18 16:25	02/01/18 21:06	60-51-5	
Disulfoton	<2.2	ug/kg	4.5	2.2	1	01/25/18 16:25	02/01/18 21:06	298-04-4	
EPN (ENT)	<2.8	ug/kg	4.5	2.8	1	01/25/18 16:25	02/01/18 21:06	2104-64-5	
Ethoprop	<2.2	ug/kg	4.5	2.2	1	01/25/18 16:25	02/01/18 21:06	13194-48-4	
Fensulfthion	<4.5	ug/kg	8.9	4.5	1	01/25/18 16:25	02/01/18 21:06	115-90-2	
Fenthion	<2.2	ug/kg	4.5	2.2	1	01/25/18 16:25	02/01/18 21:06	55-38-9	
Malathion	<4.5	ug/kg	8.9	4.5	1	01/25/18 16:25	02/01/18 21:06	121-75-5	
Methyl parathion	<2.2	ug/kg	4.5	2.2	1	01/25/18 16:25	02/01/18 21:06	298-00-0	
Mevinphos	<2.6	ug/kg	4.5	2.6	1	01/25/18 16:25	02/01/18 21:06	7786-34-7	
Parathion (Ethyl parathion)	<4.5	ug/kg	8.9	4.5	1	01/25/18 16:25	02/01/18 21:06	56-38-2	
Phorate	<2.2	ug/kg	4.5	2.2	1	01/25/18 16:25	02/01/18 21:06	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (12-14) **Lab ID: 60262572007** Collected: 01/22/18 15:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<2.2	ug/kg	4.5	2.2	1	01/25/18 16:25	02/01/18 21:06	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<2.2	ug/kg	4.5	2.2	1	01/25/18 16:25	02/01/18 21:06	3689-24-5	
Tokuthion (Prothiofos)	<2.2	ug/kg	4.5	2.2	1	01/25/18 16:25	02/01/18 21:06	34643-46-4	
Trichloronate	<4.5	ug/kg	8.9	4.5	1	01/25/18 16:25	02/01/18 21:06	327-98-0	
Total Demeton	<3.7	ug/kg	4.5	3.7	1	01/25/18 16:25	02/01/18 21:06	8065-48-3	N2
Total Merphos	<4.5	ug/kg	17.9	4.5	1	01/25/18 16:25	02/01/18 21:06	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	89	%.	11-137		1	01/25/18 16:25	02/01/18 21:06	115-86-6	
Tributylphosphate (S)	117	%.	17-125		1	01/25/18 16:25	02/01/18 21:06	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<6.5	ug/kg	6.5	6.5	1	01/29/18 16:21	01/30/18 17:00	94-75-7	
Dalapon	<6.5	ug/kg	6.5	6.5	1	01/29/18 16:21	01/30/18 17:00	75-99-0	
2,4-DB	<6.5	ug/kg	6.5	6.5	1	01/29/18 16:21	01/30/18 17:00	94-82-6	
Dicamba	<6.5	ug/kg	6.5	6.5	1	01/29/18 16:21	01/30/18 17:00	1918-00-9	
Dichloroprop	<6.5	ug/kg	6.5	6.5	1	01/29/18 16:21	01/30/18 17:00	15165-67-0	
Dinoseb	<6.5	ug/kg	6.5	6.5	1	01/29/18 16:21	01/30/18 17:00	88-85-7	
MCPA	<645	ug/kg	645	645	1	01/29/18 16:21	01/30/18 17:00	94-74-6	
MCPP	<645	ug/kg	645	645	1	01/29/18 16:21	01/30/18 17:00	7085-19-0	
2,4,5-T	<6.5	ug/kg	6.5	6.5	1	01/29/18 16:21	01/30/18 17:00	93-76-5	
2,4,5-TP (Silvex)	<6.5	ug/kg	6.5	6.5	1	01/29/18 16:21	01/30/18 17:00	93-72-1	
Surrogates									
2,4-DCAA (S)	8	%.	10-188		1	01/29/18 16:21	01/30/18 17:00	19719-28-9	S1
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	8.6	mg/kg	1.2	0.48	1	01/24/18 09:50	01/25/18 12:21	7440-38-2	
Barium	169	mg/kg	0.59	0.036	1	01/24/18 09:50	01/25/18 12:21	7440-39-3	
Cadmium	0.44J	mg/kg	0.59	0.043	1	01/24/18 09:50	01/25/18 12:21	7440-43-9	
Chromium	17.0	mg/kg	0.59	0.12	1	01/24/18 09:50	01/25/18 12:21	7440-47-3	
Lead	11.6	mg/kg	0.59	0.24	1	01/24/18 09:50	01/25/18 12:21	7439-92-1	
Selenium	<0.88	mg/kg	1.8	0.88	1	01/24/18 09:50	01/25/18 12:21	7782-49-2	
Silver	<0.19	mg/kg	0.82	0.19	1	01/24/18 09:50	01/25/18 12:21	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.037J	mg/kg	0.051	0.0067	1	01/25/18 09:26	01/25/18 11:54	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<46.3	ug/kg	437	46.3	1	01/24/18 15:00	01/26/18 16:23	83-32-9	
Acenaphthylene	<41.0	ug/kg	437	41.0	1	01/24/18 15:00	01/26/18 16:23	208-96-8	
Anthracene	<46.3	ug/kg	437	46.3	1	01/24/18 15:00	01/26/18 16:23	120-12-7	
Benzo(a)anthracene	<39.7	ug/kg	437	39.7	1	01/24/18 15:00	01/26/18 16:23	56-55-3	
Benzo(a)pyrene	<34.4	ug/kg	437	34.4	1	01/24/18 15:00	01/26/18 16:23	50-32-8	
Benzo(b)fluoranthene	<30.4	ug/kg	437	30.4	1	01/24/18 15:00	01/26/18 16:23	205-99-2	
Benzo(g,h,i)perylene	<42.4	ug/kg	437	42.4	1	01/24/18 15:00	01/26/18 16:23	191-24-2	
Benzo(k)fluoranthene	<51.6	ug/kg	437	51.6	1	01/24/18 15:00	01/26/18 16:23	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (12-14) Lab ID: 60262572007 Collected: 01/22/18 15:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<41.0	ug/kg	2210	41.0	1	01/24/18 15:00	01/26/18 16:23	65-85-0	
Benzyl alcohol	<136	ug/kg	874	136	1	01/24/18 15:00	01/26/18 16:23	100-51-6	
4-Bromophenylphenyl ether	<34.4	ug/kg	437	34.4	1	01/24/18 15:00	01/26/18 16:23	101-55-3	
Butylbenzylphthalate	<56.9	ug/kg	437	56.9	1	01/24/18 15:00	01/26/18 16:23	85-68-7	
Carbazole	<35.7	ug/kg	437	35.7	1	01/24/18 15:00	01/26/18 16:23	86-74-8	
4-Chloro-3-methylphenol	<47.7	ug/kg	874	47.7	1	01/24/18 15:00	01/26/18 16:23	59-50-7	
4-Chloroaniline	<86.0	ug/kg	874	86.0	1	01/24/18 15:00	01/26/18 16:23	106-47-8	
bis(2-Chloroethoxy)methane	<34.4	ug/kg	437	34.4	1	01/24/18 15:00	01/26/18 16:23	111-91-1	
bis(2-Chloroethyl) ether	<34.4	ug/kg	437	34.4	1	01/24/18 15:00	01/26/18 16:23	111-44-4	
bis(2-Chloroisopropyl) ether	<34.4	ug/kg	437	34.4	1	01/24/18 15:00	01/26/18 16:23	39638-32-9	
2-Chloronaphthalene	<37.1	ug/kg	437	37.1	1	01/24/18 15:00	01/26/18 16:23	91-58-7	
2-Chlorophenol	<35.7	ug/kg	437	35.7	1	01/24/18 15:00	01/26/18 16:23	95-57-8	
4-Chlorophenylphenyl ether	<42.4	ug/kg	437	42.4	1	01/24/18 15:00	01/26/18 16:23	7005-72-3	
Chrysene	<37.1	ug/kg	437	37.1	1	01/24/18 15:00	01/26/18 16:23	218-01-9	
Dibenz(a,h)anthracene	<39.7	ug/kg	437	39.7	1	01/24/18 15:00	01/26/18 16:23	53-70-3	
Dibenzofuran	<39.7	ug/kg	437	39.7	1	01/24/18 15:00	01/26/18 16:23	132-64-9	
1,2-Dichlorobenzene	<33.1	ug/kg	437	33.1	1	01/24/18 15:00	01/26/18 16:23	95-50-1	
1,3-Dichlorobenzene	<37.1	ug/kg	437	37.1	1	01/24/18 15:00	01/26/18 16:23	541-73-1	
1,4-Dichlorobenzene	<38.4	ug/kg	437	38.4	1	01/24/18 15:00	01/26/18 16:23	106-46-7	
3,3'-Dichlorobenzidine	<150	ug/kg	874	150	1	01/24/18 15:00	01/26/18 16:23	91-94-1	
2,4-Dichlorophenol	<39.7	ug/kg	437	39.7	1	01/24/18 15:00	01/26/18 16:23	120-83-2	
Diethylphthalate	<41.0	ug/kg	437	41.0	1	01/24/18 15:00	01/26/18 16:23	84-66-2	
2,4-Dimethylphenol	<23.8	ug/kg	437	23.8	1	01/24/18 15:00	01/26/18 16:23	105-67-9	
Dimethylphthalate	<42.4	ug/kg	437	42.4	1	01/24/18 15:00	01/26/18 16:23	131-11-3	
Di-n-butylphthalate	<46.3	ug/kg	437	46.3	1	01/24/18 15:00	01/26/18 16:23	84-74-2	
4,6-Dinitro-2-methylphenol	<58.2	ug/kg	2210	58.2	1	01/24/18 15:00	01/26/18 16:23	534-52-1	
2,4-Dinitrophenol	<63.5	ug/kg	2210	63.5	1	01/24/18 15:00	01/26/18 16:23	51-28-5	
2,4-Dinitrotoluene	<37.1	ug/kg	437	37.1	1	01/24/18 15:00	01/26/18 16:23	121-14-2	
2,6-Dinitrotoluene	<45.0	ug/kg	437	45.0	1	01/24/18 15:00	01/26/18 16:23	606-20-2	
Di-n-octylphthalate	<51.6	ug/kg	437	51.6	1	01/24/18 15:00	01/26/18 16:23	117-84-0	
bis(2-Ethylhexyl)phthalate	<151	ug/kg	437	151	1	01/24/18 15:00	01/26/18 16:23	117-81-7	
Fluoranthene	<41.0	ug/kg	437	41.0	1	01/24/18 15:00	01/26/18 16:23	206-44-0	
Fluorene	<41.0	ug/kg	437	41.0	1	01/24/18 15:00	01/26/18 16:23	86-73-7	
Hexachloro-1,3-butadiene	<43.7	ug/kg	437	43.7	1	01/24/18 15:00	01/26/18 16:23	87-68-3	
Hexachlorobenzene	<42.4	ug/kg	437	42.4	1	01/24/18 15:00	01/26/18 16:23	118-74-1	
Hexachlorocyclopentadiene	<92.7	ug/kg	437	92.7	1	01/24/18 15:00	01/26/18 16:23	77-47-4	
Hexachloroethane	<33.1	ug/kg	437	33.1	1	01/24/18 15:00	01/26/18 16:23	67-72-1	
Indeno(1,2,3-cd)pyrene	<47.7	ug/kg	437	47.7	1	01/24/18 15:00	01/26/18 16:23	193-39-5	
Isophorone	<39.7	ug/kg	437	39.7	1	01/24/18 15:00	01/26/18 16:23	78-59-1	
2-Methylnaphthalene	<31.8	ug/kg	437	31.8	1	01/24/18 15:00	01/26/18 16:23	91-57-6	
2-Methylphenol(o-Cresol)	<41.0	ug/kg	437	41.0	1	01/24/18 15:00	01/26/18 16:23	95-48-7	
3&4-Methylphenol(m&p Cresol)	<47.7	ug/kg	437	47.7	1	01/24/18 15:00	01/26/18 16:23		
Naphthalene	<34.4	ug/kg	437	34.4	1	01/24/18 15:00	01/26/18 16:23	91-20-3	
2-Nitroaniline	<74.1	ug/kg	874	74.1	1	01/24/18 15:00	01/26/18 16:23	88-74-4	
3-Nitroaniline	<132	ug/kg	874	132	1	01/24/18 15:00	01/26/18 16:23	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (12-14) Lab ID: 60262572007 Collected: 01/22/18 15:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<113	ug/kg	874	113	1	01/24/18 15:00	01/26/18 16:23	100-01-6	
Nitrobenzene	<41.0	ug/kg	437	41.0	1	01/24/18 15:00	01/26/18 16:23	98-95-3	
2-Nitrophenol	<60.9	ug/kg	437	60.9	1	01/24/18 15:00	01/26/18 16:23	88-75-5	
4-Nitrophenol	<68.8	ug/kg	2210	68.8	1	01/24/18 15:00	01/26/18 16:23	100-02-7	
N-Nitroso-di-n-propylamine	<43.7	ug/kg	437	43.7	1	01/24/18 15:00	01/26/18 16:23	621-64-7	
N-Nitrosodiphenylamine	<34.4	ug/kg	437	34.4	1	01/24/18 15:00	01/26/18 16:23	86-30-6	
Pentachlorophenol	<41.0	ug/kg	2210	41.0	1	01/24/18 15:00	01/26/18 16:23	87-86-5	
Phenanthrene	<41.0	ug/kg	437	41.0	1	01/24/18 15:00	01/26/18 16:23	85-01-8	
Phenol	<34.4	ug/kg	437	34.4	1	01/24/18 15:00	01/26/18 16:23	108-95-2	
Pyrene	<43.7	ug/kg	437	43.7	1	01/24/18 15:00	01/26/18 16:23	129-00-0	
Pyridine	<35.7	ug/kg	437	35.7	1	01/24/18 15:00	01/26/18 16:23	110-86-1	
1,2,4-Trichlorobenzene	<39.7	ug/kg	437	39.7	1	01/24/18 15:00	01/26/18 16:23	120-82-1	
2,4,5-Trichlorophenol	<39.7	ug/kg	437	39.7	1	01/24/18 15:00	01/26/18 16:23	95-95-4	
2,4,6-Trichlorophenol	<41.0	ug/kg	437	41.0	1	01/24/18 15:00	01/26/18 16:23	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	72	%	41-114		1	01/24/18 15:00	01/26/18 16:23	4165-60-0	
2-Fluorobiphenyl (S)	74	%	61-109		1	01/24/18 15:00	01/26/18 16:23	321-60-8	
Terphenyl-d14 (S)	77	%	48-120		1	01/24/18 15:00	01/26/18 16:23	1718-51-0	
Phenol-d6 (S)	70	%	48-102		1	01/24/18 15:00	01/26/18 16:23	13127-88-3	
2-Fluorophenol (S)	67	%	46-102		1	01/24/18 15:00	01/26/18 16:23	367-12-4	
2,4,6-Tribromophenol (S)	79	%	39-114		1	01/24/18 15:00	01/26/18 16:23	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	27.1	mg/kg	19.8	1.6	1	01/24/18 15:00	01/31/18 06:55		B
TPH-DRO	134	mg/kg	19.8	1.6	1	01/24/18 15:00	01/31/18 06:55		
Surrogates									
Nitrobenzene-d5 (S)	83	%	41-114		1	01/24/18 15:00	01/31/18 06:55	4165-60-0	
2-Fluorobiphenyl (S)	75	%	61-109		1	01/24/18 15:00	01/31/18 06:55	321-60-8	
Terphenyl-d14 (S)	70	%	48-120		1	01/24/18 15:00	01/31/18 06:55	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	3.0	mg/kg	0.59	0.29	1		01/31/18 14:16		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	24.5	ug/kg	23.4	11.7	1		01/31/18 14:16	67-64-1	
Benzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	71-43-2	
Bromobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	108-86-1	
Bromochloromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	74-97-5	
Bromodichloromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	75-27-4	
Bromoform	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	75-25-2	
Bromomethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	74-83-9	
2-Butanone (MEK)	<5.9	ug/kg	11.7	5.9	1		01/31/18 14:16	78-93-3	
n-Butylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	104-51-8	
sec-Butylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	135-98-8	
tert-Butylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (12-14) Lab ID: 60262572007 Collected: 01/22/18 15:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	6.8	ug/kg	5.9	2.9	1		01/31/18 14:16	75-15-0	
Carbon tetrachloride	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	56-23-5	
Chlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	108-90-7	
Chloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	75-00-3	
Chloroform	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	67-66-3	
Chloromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	74-87-3	
2-Chlorotoluene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	95-49-8	
4-Chlorotoluene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	106-43-4	
1,2-Dibromo-3-chloropropane	<5.9	ug/kg	11.7	5.9	1		01/31/18 14:16	96-12-8	
Dibromochloromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	124-48-1	
1,2-Dibromoethane (EDB)	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	106-93-4	
Dibromomethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	74-95-3	
1,2-Dichlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	95-50-1	
1,3-Dichlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	541-73-1	
1,4-Dichlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	106-46-7	
Dichlorodifluoromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	75-71-8	
1,1-Dichloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	75-34-3	
1,2-Dichloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	107-06-2	
1,2-Dichloroethene (Total)	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	540-59-0	
1,1-Dichloroethene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	75-35-4	
cis-1,2-Dichloroethene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	156-59-2	
trans-1,2-Dichloroethene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	156-60-5	L2
1,2-Dichloropropane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	78-87-5	
1,3-Dichloropropane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	142-28-9	
2,2-Dichloropropane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	594-20-7	
1,1-Dichloropropene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	563-58-6	
cis-1,3-Dichloropropene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	10061-01-5	
trans-1,3-Dichloropropene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	10061-02-6	
Ethylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	100-41-4	
Hexachloro-1,3-butadiene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	87-68-3	
2-Hexanone	<11.7	ug/kg	23.4	11.7	1		01/31/18 14:16	591-78-6	
Isopropylbenzene (Cumene)	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	98-82-8	
p-Isopropyltoluene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	99-87-6	
Methylene chloride	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.9	ug/kg	11.7	5.9	1		01/31/18 14:16	108-10-1	
Methyl-tert-butyl ether	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	1634-04-4	
Naphthalene	<5.9	ug/kg	11.7	5.9	1		01/31/18 14:16	91-20-3	
n-Propylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	103-65-1	
Styrene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	100-42-5	
1,1,1,2-Tetrachloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	630-20-6	
1,1,2,2-Tetrachloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	79-34-5	
Tetrachloroethene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	127-18-4	
Toluene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	108-88-3	
1,2,3-Trichlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	87-61-6	
1,2,4-Trichlorobenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 (12-14) **Lab ID: 60262572007** Collected: 01/22/18 15:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	3.8J	ug/kg	5.9	2.9	1		01/31/18 14:16	71-55-6	
1,1,2-Trichloroethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	79-00-5	
Trichloroethene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	79-01-6	
Trichlorofluoromethane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	75-69-4	
1,2,3-Trichloropropane	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	96-18-4	
1,2,4-Trimethylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	95-63-6	
1,3,5-Trimethylbenzene	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	108-67-8	
Vinyl chloride	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	75-01-4	
Xylene (Total)	<2.9	ug/kg	5.9	2.9	1		01/31/18 14:16	1330-20-7	
Surrogates									
Toluene-d8 (S)	99	%	78-122		1		01/31/18 14:16	2037-26-5	
4-Bromofluorobenzene (S)	86	%	69-133		1		01/31/18 14:16	460-00-4	
1,2-Dichloroethane-d4 (S)	109	%	80-123		1		01/31/18 14:16	17060-07-0	
Percent Moisture									
Analytical Method: ASTM D2974									
Percent Moisture	26.3	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil									
Analytical Method: EPA 9045									
pH at 25 Degrees C	7.9	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	144	mg/kg	134	67.2	10	02/04/18 07:00	02/05/18 19:07	14808-79-8	
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	24.7	mg/kg	13.5	6.7	10	02/05/18 16:00	02/06/18 01:23	14797-55-8	
Nitrite as N	<6.7	mg/kg	13.5	6.7	10	02/05/18 16:00	02/06/18 01:23	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 **Lab ID: 60262572008** Collected: 01/22/18 14:40 Received: 01/23/18 12:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Aldrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 17:28	309-00-2	
alpha-BHC	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 17:28	319-84-6	
beta-BHC	<0.010	ug/L	0.010	0.010	1	01/26/18 12:10	02/05/18 17:28	319-85-7	
delta-BHC	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/05/18 17:28	319-86-8	
gamma-BHC (Lindane)	<0.0080	ug/L	0.010	0.0080	1	01/26/18 12:10	02/05/18 17:28	58-89-9	
Chlordane (Technical)	<0.090	ug/L	0.10	0.090	1	01/26/18 12:10	02/05/18 17:28	57-74-9	
alpha-Chlordane	<0.024	ug/L	0.10	0.024	1	01/26/18 12:10	02/05/18 17:28	5103-71-9	
gamma-Chlordane	<0.034	ug/L	0.10	0.034	1	01/26/18 12:10	02/05/18 17:28	5103-74-2	
4,4'-DDD	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/05/18 17:28	72-54-8	
4,4'-DDE	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 17:28	72-55-9	
4,4'-DDT	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 17:28	50-29-3	
Dieldrin	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 17:28	60-57-1	
Endosulfan I	<0.021	ug/L	0.10	0.021	1	01/26/18 12:10	02/05/18 17:28	959-98-8	
Endosulfan II	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/05/18 17:28	33213-65-9	
Endosulfan sulfate	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 17:28	1031-07-8	
Endrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 17:28	72-20-8	
Endrin aldehyde	<0.029	ug/L	0.10	0.029	1	01/26/18 12:10	02/05/18 17:28	7421-93-4	
Endrin ketone	<0.025	ug/L	0.10	0.025	1	01/26/18 12:10	02/05/18 17:28	53494-70-5	
Heptachlor	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/05/18 17:28	76-44-8	
Heptachlor epoxide	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 17:28	1024-57-3	
Methoxychlor	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 17:28	72-43-5	
Toxaphene	<0.61	ug/L	1.5	0.61	1	01/26/18 12:10	02/05/18 17:28	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	84	%	54-127		1	01/26/18 12:10	02/05/18 17:28	877-09-8	
Decachlorobiphenyl (S)	59	%	12-162		1	01/26/18 12:10	02/05/18 17:28	2051-24-3	
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Stirophos (Tetrachlorvinphos)	<0.072	ug/L	0.10	0.072	1	01/26/18 12:10	02/01/18 17:29	22248-79-9	
Azinphos, methyl (Guthion)	<0.093	ug/L	0.10	0.093	1	01/26/18 12:10	02/01/18 17:29	86-50-0	
Bolstar	<0.090	ug/L	0.10	0.090	1	01/26/18 12:10	02/01/18 17:29	35400-43-2	
Chlorpyrifos	<0.067	ug/L	0.10	0.067	1	01/26/18 12:10	02/01/18 17:29	2921-88-2	
Coumaphos	<0.092	ug/L	0.10	0.092	1	01/26/18 12:10	02/01/18 17:29	56-72-4	
Diazinon	<0.078	ug/L	0.10	0.078	1	01/26/18 12:10	02/01/18 17:29	333-41-5	
Dichlorvos	<0.073	ug/L	0.10	0.073	1	01/26/18 12:10	02/01/18 17:29	62-73-7	
Dimethoate	<0.083	ug/L	0.10	0.083	1	01/26/18 12:10	02/01/18 17:29	60-51-5	
Disulfoton	<0.071	ug/L	0.10	0.071	1	01/26/18 12:10	02/01/18 17:29	298-04-4	
EPN (ENT)	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 17:29	2104-64-5	
Ethoprop	<0.059	ug/L	0.10	0.059	1	01/26/18 12:10	02/01/18 17:29	13194-48-4	
Fensulfthion	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 17:29	115-90-2	
Fenthion	<0.088	ug/L	0.10	0.088	1	01/26/18 12:10	02/01/18 17:29	55-38-9	
Malathion	<0.086	ug/L	0.10	0.086	1	01/26/18 12:10	02/01/18 17:29	121-75-5	
Methyl parathion	<0.070	ug/L	0.10	0.070	1	01/26/18 12:10	02/01/18 17:29	298-00-0	
Mevinphos	<0.065	ug/L	0.10	0.065	1	01/26/18 12:10	02/01/18 17:29	7786-34-7	
Parathion (Ethyl parathion)	<0.060	ug/L	0.10	0.060	1	01/26/18 12:10	02/01/18 17:29	56-38-2	
Phorate	<0.064	ug/L	0.10	0.064	1	01/26/18 12:10	02/01/18 17:29	298-02-2	
Ronnel	<0.088	ug/L	0.10	0.088	1	01/26/18 12:10	02/01/18 17:29	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 Lab ID: 60262572008 Collected: 01/22/18 14:40 Received: 01/23/18 12:15 Matrix: Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Sulfotep (Thiodiphosphoric Ac	<0.061	ug/L	0.10	0.061	1	01/26/18 12:10	02/01/18 17:29	3689-24-5	
Tokuthion (Prothiofos)	<0.081	ug/L	0.10	0.081	1	01/26/18 12:10	02/01/18 17:29	34643-46-4	
Trichloronate	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 17:29	327-98-0	
Total Demeton	<0.083	ug/L	0.10	0.083	1	01/26/18 12:10	02/01/18 17:29	8065-48-3	
Total Merphos	<0.038	ug/L	0.10	0.038	1	01/26/18 12:10	02/01/18 17:29	150-50-5	
Surrogates									
Triphenylphosphate (S)	94	%	10-175		1	01/26/18 12:10	02/01/18 17:29	115-86-6	
Tributylphosphate (S)	137	%	20-150		1	01/26/18 12:10	02/01/18 17:29	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 8151									
2,4-D	2.0	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 12:34	94-75-7	
Dalapon	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 12:34	75-99-0	
2,4-DB	<0.34	ug/L	0.50	0.34	1	01/29/18 21:00	02/01/18 12:34	94-82-6	
Dicamba	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 12:34	1918-00-9	
Dichloroprop	2.0	ug/L	0.50	0.29	1	01/29/18 21:00	02/01/18 12:59	15165-67-0	
Dinoseb	<0.50	ug/L	0.50	0.50	1	01/29/18 21:00	02/01/18 12:34	88-85-7	
MCPA	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 12:34	94-74-6	
MCPP	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 12:34	7085-19-0	
2,4,5-T	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 12:34	93-76-5	
2,4,5-TP (Silvex)	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 12:34	93-72-1	
Surrogates									
2,4-DCAA (S)	127	%	47-166		1	01/29/18 21:00	02/01/18 12:34	19719-28-9	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic	36.2	ug/L	10.0	4.2	1	01/24/18 14:50	01/30/18 12:17	7440-38-2	
Barium	1200	ug/L	5.0	0.91	1	01/24/18 14:50	01/30/18 12:17	7440-39-3	
Cadmium	4.7J	ug/L	5.0	0.64	1	01/24/18 14:50	01/30/18 12:17	7440-43-9	
Chromium	39.9	ug/L	5.0	0.72	1	01/24/18 14:50	01/30/18 12:17	7440-47-3	
Lead	95.4	ug/L	5.0	2.4	1	01/24/18 14:50	01/30/18 12:17	7439-92-1	
Selenium	7.3J	ug/L	15.0	3.4	1	01/24/18 14:50	01/30/18 12:17	7782-49-2	
Silver	<1.9	ug/L	7.0	1.9	1	01/24/18 14:50	01/30/18 12:17	7440-22-4	
6010 MET ICP, Dissolved (LF) Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic, Dissolved	<4.2	ug/L	10.0	4.2	1	01/30/18 10:10	01/31/18 17:02	7440-38-2	
Barium, Dissolved	85.1	ug/L	5.0	0.91	1	01/30/18 10:10	01/31/18 17:02	7440-39-3	
Cadmium, Dissolved	<0.64	ug/L	5.0	0.64	1	01/30/18 10:10	01/31/18 17:02	7440-43-9	
Chromium, Dissolved	1.2J	ug/L	5.0	0.72	1	01/30/18 10:10	01/31/18 17:02	7440-47-3	
Lead, Dissolved	<2.4	ug/L	5.0	2.4	1	01/30/18 10:10	01/31/18 17:02	7439-92-1	
Selenium, Dissolved	6.2J	ug/L	15.0	3.4	1	01/30/18 10:10	01/31/18 17:02	7782-49-2	
Silver, Dissolved	<1.9	ug/L	7.0	1.9	1	01/30/18 10:10	01/31/18 17:02	7440-22-4	
7470 Mercury Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury	1.1	ug/L	0.20	0.046	1	02/08/18 11:51	02/08/18 15:04	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 **Lab ID: 60262572008** Collected: 01/22/18 14:40 Received: 01/23/18 12:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7470 Mercury, Dissolved (LF) Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury, Dissolved	<0.046	ug/L	0.20	0.046	1	02/08/18 15:58	02/09/18 10:46	7439-97-6	
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Acenaphthene	<0.34	ug/L	9.4	0.34	1	01/24/18 00:00	01/25/18 18:48	83-32-9	1e
Acenaphthylene	<0.36	ug/L	9.4	0.36	1	01/24/18 00:00	01/25/18 18:48	208-96-8	1e
Anthracene	<0.28	ug/L	9.4	0.28	1	01/24/18 00:00	01/25/18 18:48	120-12-7	1e
Benzo(a)anthracene	<0.27	ug/L	9.4	0.27	1	01/24/18 00:00	01/25/18 18:48	56-55-3	1e
Benzo(a)pyrene	<0.34	ug/L	9.4	0.34	1	01/24/18 00:00	01/25/18 18:48	50-32-8	1e
Benzo(b)fluoranthene	<0.33	ug/L	9.4	0.33	1	01/24/18 00:00	01/25/18 18:48	205-99-2	1e
Benzo(g,h,i)perylene	<0.38	ug/L	9.4	0.38	1	01/24/18 00:00	01/25/18 18:48	191-24-2	1e
Benzo(k)fluoranthene	<0.40	ug/L	9.4	0.40	1	01/24/18 00:00	01/25/18 18:48	207-08-9	1e
Benzoic acid	<2.4	ug/L	47.2	2.4	1	01/24/18 00:00	01/25/18 18:48	65-85-0	1e
Benzyl alcohol	<0.33	ug/L	18.9	0.33	1	01/24/18 00:00	01/25/18 18:48	100-51-6	1e
4-Bromophenylphenyl ether	<0.36	ug/L	9.4	0.36	1	01/24/18 00:00	01/25/18 18:48	101-55-3	1e
Butylbenzylphthalate	<0.38	ug/L	9.4	0.38	1	01/24/18 00:00	01/25/18 18:48	85-68-7	1e
Carbazole	<0.33	ug/L	9.4	0.33	1	01/24/18 00:00	01/25/18 18:48	86-74-8	1e
4-Chloro-3-methylphenol	<0.24	ug/L	18.9	0.24	1	01/24/18 00:00	01/25/18 18:48	59-50-7	1e
4-Chloroaniline	<0.49	ug/L	18.9	0.49	1	01/24/18 00:00	01/25/18 18:48	106-47-8	1e
bis(2-Chloroethoxy)methane	<4.7	ug/L	9.4	4.7	1	01/24/18 00:00	01/25/18 18:48	111-91-1	1e
bis(2-Chloroethyl) ether	<0.27	ug/L	9.4	0.27	1	01/24/18 00:00	01/25/18 18:48	111-44-4	1e
bis(2-Chloroisopropyl) ether	<0.27	ug/L	9.4	0.27	1	01/24/18 00:00	01/25/18 18:48	39638-32-9	1e
2-Chloronaphthalene	<0.33	ug/L	9.4	0.33	1	01/24/18 00:00	01/25/18 18:48	91-58-7	1e
2-Chlorophenol	<0.28	ug/L	9.4	0.28	1	01/24/18 00:00	01/25/18 18:48	95-57-8	1e
4-Chlorophenylphenyl ether	<0.28	ug/L	9.4	0.28	1	01/24/18 00:00	01/25/18 18:48	7005-72-3	1e
Chrysene	<0.34	ug/L	9.4	0.34	1	01/24/18 00:00	01/25/18 18:48	218-01-9	1e
Dibenz(a,h)anthracene	<0.42	ug/L	9.4	0.42	1	01/24/18 00:00	01/25/18 18:48	53-70-3	1e
Dibenzofuran	<0.37	ug/L	9.4	0.37	1	01/24/18 00:00	01/25/18 18:48	132-64-9	1e
1,2-Dichlorobenzene	<0.27	ug/L	9.4	0.27	1	01/24/18 00:00	01/25/18 18:48	95-50-1	1e
1,3-Dichlorobenzene	<0.51	ug/L	9.4	0.51	1	01/24/18 00:00	01/25/18 18:48	541-73-1	1e
1,4-Dichlorobenzene	<0.39	ug/L	9.4	0.39	1	01/24/18 00:00	01/25/18 18:48	106-46-7	1e
3,3'-Dichlorobenzidine	<0.37	ug/L	18.9	0.37	1	01/24/18 00:00	01/25/18 18:48	91-94-1	1e
2,4-Dichlorophenol	<0.49	ug/L	9.4	0.49	1	01/24/18 00:00	01/25/18 18:48	120-83-2	1e
Diethylphthalate	<0.42	ug/L	9.4	0.42	1	01/24/18 00:00	01/25/18 18:48	84-66-2	1e
2,4-Dimethylphenol	<0.57	ug/L	9.4	0.57	1	01/24/18 00:00	01/25/18 18:48	105-67-9	1e
Dimethylphthalate	<0.33	ug/L	9.4	0.33	1	01/24/18 00:00	01/25/18 18:48	131-11-3	1e
Di-n-butylphthalate	<0.37	ug/L	9.4	0.37	1	01/24/18 00:00	01/25/18 18:48	84-74-2	1e
4,6-Dinitro-2-methylphenol	<0.52	ug/L	47.2	0.52	1	01/24/18 00:00	01/25/18 18:48	534-52-1	1e
2,4-Dinitrophenol	<7.9	ug/L	47.2	7.9	1	01/24/18 00:00	01/25/18 18:48	51-28-5	1e
2,4-Dinitrotoluene	<0.31	ug/L	9.4	0.31	1	01/24/18 00:00	01/25/18 18:48	121-14-2	1e
2,6-Dinitrotoluene	<0.26	ug/L	9.4	0.26	1	01/24/18 00:00	01/25/18 18:48	606-20-2	1e
Di-n-octylphthalate	<0.47	ug/L	9.4	0.47	1	01/24/18 00:00	01/25/18 18:48	117-84-0	1e
bis(2-Ethylhexyl)phthalate	<0.58	ug/L	9.4	0.58	1	01/24/18 00:00	01/25/18 18:48	117-81-7	1e
Fluoranthene	<0.35	ug/L	9.4	0.35	1	01/24/18 00:00	01/25/18 18:48	206-44-0	1e
Fluorene	<0.32	ug/L	9.4	0.32	1	01/24/18 00:00	01/25/18 18:48	86-73-7	1e
Hexachloro-1,3-butadiene	<0.36	ug/L	9.4	0.36	1	01/24/18 00:00	01/25/18 18:48	87-68-3	1e
Hexachlorobenzene	<0.28	ug/L	9.4	0.28	1	01/24/18 00:00	01/25/18 18:48	118-74-1	1e

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 **Lab ID: 60262572008** Collected: 01/22/18 14:40 Received: 01/23/18 12:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Hexachlorocyclopentadiene	<0.33	ug/L	9.4	0.33	1	01/24/18 00:00	01/25/18 18:48	77-47-4	1e
Hexachloroethane	<0.27	ug/L	9.4	0.27	1	01/24/18 00:00	01/25/18 18:48	67-72-1	1e
Indeno(1,2,3-cd)pyrene	<0.30	ug/L	9.4	0.30	1	01/24/18 00:00	01/25/18 18:48	193-39-5	1e
Isophorone	<0.26	ug/L	9.4	0.26	1	01/24/18 00:00	01/25/18 18:48	78-59-1	1e
2-Methylnaphthalene	0.53J	ug/L	9.4	0.25	1	01/24/18 00:00	01/25/18 18:48	91-57-6	1e
2-Methylphenol(o-Cresol)	<0.26	ug/L	9.4	0.26	1	01/24/18 00:00	01/25/18 18:48	95-48-7	1e
3&4-Methylphenol(m&p Cresol)	<4.7	ug/L	9.4	4.7	1	01/24/18 00:00	01/25/18 18:48		1e
Naphthalene	<0.34	ug/L	9.4	0.34	1	01/24/18 00:00	01/25/18 18:48	91-20-3	1e
2-Nitroaniline	<0.40	ug/L	47.2	0.40	1	01/24/18 00:00	01/25/18 18:48	88-74-4	1e
3-Nitroaniline	<0.33	ug/L	47.2	0.33	1	01/24/18 00:00	01/25/18 18:48	99-09-2	1e
4-Nitroaniline	<0.33	ug/L	47.2	0.33	1	01/24/18 00:00	01/25/18 18:48	100-01-6	1e
Nitrobenzene	<0.28	ug/L	9.4	0.28	1	01/24/18 00:00	01/25/18 18:48	98-95-3	1e
2-Nitrophenol	<0.26	ug/L	9.4	0.26	1	01/24/18 00:00	01/25/18 18:48	88-75-5	1e
4-Nitrophenol	<0.29	ug/L	47.2	0.29	1	01/24/18 00:00	01/25/18 18:48	100-02-7	1e
N-Nitroso-di-n-propylamine	<0.25	ug/L	9.4	0.25	1	01/24/18 00:00	01/25/18 18:48	621-64-7	1e
N-Nitrosodiphenylamine	<0.38	ug/L	9.4	0.38	1	01/24/18 00:00	01/25/18 18:48	86-30-6	1e
Pentachlorophenol	<0.29	ug/L	47.2	0.29	1	01/24/18 00:00	01/25/18 18:48	87-86-5	1e
Phenanthrene	<0.32	ug/L	9.4	0.32	1	01/24/18 00:00	01/25/18 18:48	85-01-8	1e
Phenol	<4.7	ug/L	9.4	4.7	1	01/24/18 00:00	01/25/18 18:48	108-95-2	1e
Pyrene	<0.26	ug/L	9.4	0.26	1	01/24/18 00:00	01/25/18 18:48	129-00-0	1e
Pyridine	<0.29	ug/L	9.4	0.29	1	01/24/18 00:00	01/25/18 18:48	110-86-1	1e
1,2,4-Trichlorobenzene	<0.31	ug/L	9.4	0.31	1	01/24/18 00:00	01/25/18 18:48	120-82-1	1e
2,4,5-Trichlorophenol	<0.31	ug/L	47.2	0.31	1	01/24/18 00:00	01/25/18 18:48	95-95-4	1e
2,4,6-Trichlorophenol	<0.37	ug/L	9.4	0.37	1	01/24/18 00:00	01/25/18 18:48	88-06-2	1e
Surrogates									
Nitrobenzene-d5 (S)	42	%	33-99		1	01/24/18 00:00	01/25/18 18:48	4165-60-0	
2-Fluorobiphenyl (S)	44	%	30-103		1	01/24/18 00:00	01/25/18 18:48	321-60-8	
Terphenyl-d14 (S)	48	%	38-114		1	01/24/18 00:00	01/25/18 18:48	1718-51-0	
Phenol-d6 (S)	34	%	10-56		1	01/24/18 00:00	01/25/18 18:48	13127-88-3	
2-Fluorophenol (S)	42	%	10-68		1	01/24/18 00:00	01/25/18 18:48	367-12-4	
2,4,6-Tribromophenol (S)	49	%	21-124		1	01/24/18 00:00	01/25/18 18:48	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3510C									
TPH-ORO	<0.91	mg/L	0.91	0.91	1	01/24/18 15:00	01/27/18 01:00		1e
TPH-DRO	<0.91	mg/L	0.91	0.91	1	01/24/18 15:00	01/27/18 01:00		1e
Surrogates									
Nitrobenzene-d5 (S)	75	%	33-99		1	01/24/18 15:00	01/27/18 01:00	4165-60-0	
2-Fluorobiphenyl (S)	76	%	30-103		1	01/24/18 15:00	01/27/18 01:00	321-60-8	
Terphenyl-d14 (S)	68	%	38-114		1	01/24/18 15:00	01/27/18 01:00	1718-51-0	
8260 MSV Analytical Method: EPA 5030B/8260									
Acetone	<1.9	ug/L	10.0	1.9	1		01/25/18 13:41	67-64-1	
Benzene	<0.060	ug/L	1.0	0.060	1		01/25/18 13:41	71-43-2	
Bromobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 13:41	108-86-1	
Bromochloromethane	<0.15	ug/L	1.0	0.15	1		01/25/18 13:41	74-97-5	
Bromodichloromethane	<0.19	ug/L	1.0	0.19	1		01/25/18 13:41	75-27-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 Lab ID: 60262572008 Collected: 01/22/18 14:40 Received: 01/23/18 12:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260							
Bromoform	<0.070	ug/L	1.0	0.070	1		01/25/18 13:41	75-25-2	
Bromomethane	<0.16	ug/L	5.0	0.16	1		01/25/18 13:41	74-83-9	
2-Butanone (MEK)	<0.59	ug/L	10.0	0.59	1		01/25/18 13:41	78-93-3	
n-Butylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 13:41	104-51-8	
sec-Butylbenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 13:41	135-98-8	
tert-Butylbenzene	<0.34	ug/L	1.0	0.34	1		01/25/18 13:41	98-06-6	
Carbon disulfide	<0.12	ug/L	5.0	0.12	1		01/25/18 13:41	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	0.18	1		01/25/18 13:41	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	0.21	1		01/25/18 13:41	108-90-7	
Chloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 13:41	75-00-3	
Chloroform	<0.14	ug/L	1.0	0.14	1		01/25/18 13:41	67-66-3	
Chloromethane	<0.080	ug/L	1.0	0.080	1		01/25/18 13:41	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	0.12	1		01/25/18 13:41	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	0.14	1		01/25/18 13:41	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	0.59	1		01/25/18 13:41	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 13:41	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	0.17	1		01/25/18 13:41	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	0.18	1		01/25/18 13:41	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 13:41	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	0.070	1		01/25/18 13:41	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	0.060	1		01/25/18 13:41	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 13:41	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	0.050	1		01/25/18 13:41	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	0.12	1		01/25/18 13:41	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	0.28	1		01/25/18 13:41	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 13:41	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	0.080	1		01/25/18 13:41	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 13:41	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	0.16	1		01/25/18 13:41	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	0.17	1		01/25/18 13:41	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	0.19	1		01/25/18 13:41	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	0.090	1		01/25/18 13:41	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	0.14	1		01/25/18 13:41	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	0.12	1		01/25/18 13:41	10061-02-6	
Ethylbenzene	<0.18	ug/L	1.0	0.18	1		01/25/18 13:41	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		01/25/18 13:41	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1.2	1		01/25/18 13:41	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	0.070	1		01/25/18 13:41	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	0.10	1		01/25/18 13:41	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	0.15	1		01/25/18 13:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	0.42	1		01/25/18 13:41	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	0.060	1		01/25/18 13:41	1634-04-4	
Naphthalene	<0.50	ug/L	10.0	0.50	1		01/25/18 13:41	91-20-3	
n-Propylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 13:41	103-65-1	
Styrene	<0.12	ug/L	1.0	0.12	1		01/25/18 13:41	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 13:41	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-1 **Lab ID: 60262572008** Collected: 01/22/18 14:40 Received: 01/23/18 12:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 5030B/8260									
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 13:41	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	0.10	1		01/25/18 13:41	127-18-4	
Toluene	<0.17	ug/L	1.0	0.17	1		01/25/18 13:41	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	0.12	1		01/25/18 13:41	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 13:41	120-82-1	
1,1,1-Trichloroethane	0.15J	ug/L	1.0	0.11	1		01/25/18 13:41	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		01/25/18 13:41	79-00-5	
Trichloroethene	<0.17	ug/L	1.0	0.17	1		01/25/18 13:41	79-01-6	
Trichlorofluoromethane	<0.34	ug/L	1.0	0.34	1		01/25/18 13:41	75-69-4	
1,2,3-Trichloropropane	<0.19	ug/L	2.5	0.19	1		01/25/18 13:41	96-18-4	
1,2,4-Trimethylbenzene	<0.090	ug/L	1.0	0.090	1		01/25/18 13:41	95-63-6	
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 13:41	108-67-8	
Vinyl chloride	<0.13	ug/L	1.0	0.13	1		01/25/18 13:41	75-01-4	
Xylene (Total)	<0.42	ug/L	3.0	0.42	1		01/25/18 13:41	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	100	%	80-119		1		01/25/18 13:41	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	80-117		1		01/25/18 13:41	17060-07-0	
Toluene-d8 (S)	98	%	80-115		1		01/25/18 13:41	2037-26-5	
Preservation pH	1.0		0.10	0.10	1		01/25/18 13:41		
8260 MSV GRO and Oxygenates Analytical Method: EPA 8260									
TPH-GRO	<63.5	ug/L	500	63.5	1		01/25/18 17:12		
Surrogates									
Toluene-d8 (S)	103	%	80-115		1		01/25/18 17:12	2037-26-5	
4-Bromofluorobenzene (S)	102	%	80-119		1		01/25/18 17:12	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	87-117		1		01/25/18 17:12	17060-07-0	
4500H+ pH, Electrometric Analytical Method: SM 4500-H+B									
pH at 25 Degrees C	7.0	Std. Units	0.10	0.10	1		01/26/18 09:25		H6
353.2 Nitrogen, NO2/NO3 pres. Analytical Method: EPA 353.2									
Nitrogen, NO2 plus NO3	5.6	mg/L	0.20	0.10	2		01/26/18 11:13		
9056 IC Anions Analytical Method: EPA 9056									
Sulfate	127	mg/L	10.0	5.0	10		02/02/18 18:01	14808-79-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 **Lab ID: 60262572009** Collected: 01/22/18 16:20 Received: 01/23/18 12:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Aldrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 18:01	309-00-2	
alpha-BHC	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 18:01	319-84-6	
beta-BHC	<0.010	ug/L	0.010	0.010	1	01/26/18 12:10	02/05/18 18:01	319-85-7	
delta-BHC	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/05/18 18:01	319-86-8	
gamma-BHC (Lindane)	<0.0080	ug/L	0.010	0.0080	1	01/26/18 12:10	02/05/18 18:01	58-89-9	
Chlordane (Technical)	<0.090	ug/L	0.10	0.090	1	01/26/18 12:10	02/05/18 18:01	57-74-9	
alpha-Chlordane	<0.024	ug/L	0.10	0.024	1	01/26/18 12:10	02/05/18 18:01	5103-71-9	
gamma-Chlordane	<0.034	ug/L	0.10	0.034	1	01/26/18 12:10	02/05/18 18:01	5103-74-2	
4,4'-DDD	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/05/18 18:01	72-54-8	
4,4'-DDE	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 18:01	72-55-9	
4,4'-DDT	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 18:01	50-29-3	
Dieldrin	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 18:01	60-57-1	
Endosulfan I	<0.021	ug/L	0.10	0.021	1	01/26/18 12:10	02/05/18 18:01	959-98-8	
Endosulfan II	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/05/18 18:01	33213-65-9	
Endosulfan sulfate	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 18:01	1031-07-8	
Endrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 18:01	72-20-8	
Endrin aldehyde	<0.029	ug/L	0.10	0.029	1	01/26/18 12:10	02/05/18 18:01	7421-93-4	
Endrin ketone	<0.025	ug/L	0.10	0.025	1	01/26/18 12:10	02/05/18 18:01	53494-70-5	
Heptachlor	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/05/18 18:01	76-44-8	
Heptachlor epoxide	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 18:01	1024-57-3	
Methoxychlor	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 18:01	72-43-5	
Toxaphene	<0.61	ug/L	1.5	0.61	1	01/26/18 12:10	02/05/18 18:01	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	54-127		1	01/26/18 12:10	02/05/18 18:01	877-09-8	
Decachlorobiphenyl (S)	78	%	12-162		1	01/26/18 12:10	02/05/18 18:01	2051-24-3	
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Stirophos (Tetrachlorvinphos)	<0.36	ug/L	0.50	0.36	5	01/26/18 12:10	02/05/18 21:42	22248-79-9	
Azinphos, methyl (Guthion)	<0.46	ug/L	0.50	0.46	5	01/26/18 12:10	02/05/18 21:42	86-50-0	
Bolstar	<0.45	ug/L	0.50	0.45	5	01/26/18 12:10	02/05/18 21:42	35400-43-2	
Chlorpyrifos	<0.34	ug/L	0.50	0.34	5	01/26/18 12:10	02/05/18 21:42	2921-88-2	
Coumaphos	<0.46	ug/L	0.50	0.46	5	01/26/18 12:10	02/05/18 21:42	56-72-4	
Diazinon	<0.39	ug/L	0.50	0.39	5	01/26/18 12:10	02/05/18 21:42	333-41-5	
Dichlorvos	<0.36	ug/L	0.50	0.36	5	01/26/18 12:10	02/05/18 21:42	62-73-7	
Dimethoate	<0.42	ug/L	0.50	0.42	5	01/26/18 12:10	02/05/18 21:42	60-51-5	
Disulfoton	<0.36	ug/L	0.50	0.36	5	01/26/18 12:10	02/05/18 21:42	298-04-4	
EPN (ENT)	<0.44	ug/L	0.50	0.44	5	01/26/18 12:10	02/05/18 21:42	2104-64-5	
Ethoprop	<0.30	ug/L	0.50	0.30	5	01/26/18 12:10	02/05/18 21:42	13194-48-4	
Fensulfthion	<0.44	ug/L	0.50	0.44	5	01/26/18 12:10	02/05/18 21:42	115-90-2	
Fenthion	<0.44	ug/L	0.50	0.44	5	01/26/18 12:10	02/05/18 21:42	55-38-9	
Malathion	<0.43	ug/L	0.50	0.43	5	01/26/18 12:10	02/05/18 21:42	121-75-5	
Methyl parathion	<0.35	ug/L	0.50	0.35	5	01/26/18 12:10	02/05/18 21:42	298-00-0	
Mevinphos	<0.32	ug/L	0.50	0.32	5	01/26/18 12:10	02/05/18 21:42	7786-34-7	
Parathion (Ethyl parathion)	<0.30	ug/L	0.50	0.30	5	01/26/18 12:10	02/05/18 21:42	56-38-2	M3
Phorate	<0.32	ug/L	0.50	0.32	5	01/26/18 12:10	02/05/18 21:42	298-02-2	
Ronnel	<0.44	ug/L	0.50	0.44	5	01/26/18 12:10	02/05/18 21:42	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2									
Lab ID: 60262572009			Collected: 01/22/18 16:20		Received: 01/23/18 12:15		Matrix: Water		
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Sulfotep (Thiodiphosphoric Ac	<0.30	ug/L	0.50	0.30	5	01/26/18 12:10	02/05/18 21:42	3689-24-5	M1
Tokuthion (Prothiofos)	<0.40	ug/L	0.50	0.40	5	01/26/18 12:10	02/05/18 21:42	34643-46-4	
Trichloronate	<0.44	ug/L	0.50	0.44	5	01/26/18 12:10	02/05/18 21:42	327-98-0	
Total Demeton	<0.42	ug/L	0.50	0.42	5	01/26/18 12:10	02/05/18 21:42	8065-48-3	
Total Merphos	<0.19	ug/L	0.50	0.19	5	01/26/18 12:10	02/05/18 21:42	150-50-5	
Surrogates									
Triphenylphosphate (S)	147	%.	10-175		5	01/26/18 12:10	02/05/18 21:42	115-86-6	D3
Tributylphosphate (S)	116	%.	20-150		5	01/26/18 12:10	02/05/18 21:42	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 8151									
2,4-D	4.1	ug/L	1.0	0.50	2	01/29/18 21:00	02/01/18 19:12	94-75-7	
Dalapon	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 12:59	75-99-0	
2,4-DB	<0.34	ug/L	0.50	0.34	1	01/29/18 21:00	02/01/18 12:59	94-82-6	
Dicamba	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 12:59	1918-00-9	
Dichloroprop	4.2	ug/L	1.0	0.58	2	01/29/18 21:00	02/01/18 19:12	15165-67-0	
Dinoseb	<0.50	ug/L	0.50	0.50	1	01/29/18 21:00	02/01/18 12:59	88-85-7	
MCPA	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 12:59	94-74-6	
MCPP	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 12:59	7085-19-0	
2,4,5-T	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 12:59	93-76-5	
2,4,5-TP (Silvex)	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 12:59	93-72-1	
Surrogates									
2,4-DCAA (S)	101	%.	47-166		1	01/29/18 21:00	02/01/18 12:59	19719-28-9	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic	42.4	ug/L	10.0	4.2	1	01/24/18 14:50	01/30/18 12:19	7440-38-2	
Barium	2570	ug/L	5.0	0.91	1	01/24/18 14:50	01/30/18 12:19	7440-39-3	
Cadmium	6.3	ug/L	5.0	0.64	1	01/24/18 14:50	01/30/18 12:19	7440-43-9	
Chromium	76.6	ug/L	5.0	0.72	1	01/24/18 14:50	01/30/18 12:19	7440-47-3	
Lead	63.8	ug/L	5.0	2.4	1	01/24/18 14:50	01/30/18 12:19	7439-92-1	
Selenium	8.8J	ug/L	15.0	3.4	1	01/24/18 14:50	01/30/18 12:19	7782-49-2	
Silver	<1.9	ug/L	7.0	1.9	1	01/24/18 14:50	01/30/18 12:19	7440-22-4	
6010 MET ICP, Dissolved (LF) Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic, Dissolved	<4.2	ug/L	10.0	4.2	1	01/30/18 10:10	01/31/18 17:05	7440-38-2	
Barium, Dissolved	74.5	ug/L	5.0	0.91	1	01/30/18 10:10	01/31/18 17:05	7440-39-3	
Cadmium, Dissolved	<0.64	ug/L	5.0	0.64	1	01/30/18 10:10	01/31/18 17:05	7440-43-9	
Chromium, Dissolved	0.85J	ug/L	5.0	0.72	1	01/30/18 10:10	01/31/18 17:05	7440-47-3	
Lead, Dissolved	<2.4	ug/L	5.0	2.4	1	01/30/18 10:10	01/31/18 17:05	7439-92-1	
Selenium, Dissolved	6.9J	ug/L	15.0	3.4	1	01/30/18 10:10	01/31/18 17:05	7782-49-2	
Silver, Dissolved	<1.9	ug/L	7.0	1.9	1	01/30/18 10:10	01/31/18 17:05	7440-22-4	
7470 Mercury Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury	0.72	ug/L	0.20	0.046	1	02/08/18 11:51	02/08/18 15:07	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 **Lab ID: 60262572009** Collected: 01/22/18 16:20 Received: 01/23/18 12:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7470 Mercury, Dissolved (LF) Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury, Dissolved	<0.046	ug/L	0.20	0.046	1	02/08/18 15:58	02/09/18 10:52	7439-97-6	
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Acenaphthene	3.9J	ug/L	9.3	0.33	1	01/24/18 00:00	01/25/18 19:09	83-32-9	1e
Acenaphthylene	<0.35	ug/L	9.3	0.35	1	01/24/18 00:00	01/25/18 19:09	208-96-8	1e
Anthracene	<0.28	ug/L	9.3	0.28	1	01/24/18 00:00	01/25/18 19:09	120-12-7	1e
Benzo(a)anthracene	<0.27	ug/L	9.3	0.27	1	01/24/18 00:00	01/25/18 19:09	56-55-3	1e
Benzo(a)pyrene	<0.33	ug/L	9.3	0.33	1	01/24/18 00:00	01/25/18 19:09	50-32-8	1e
Benzo(b)fluoranthene	<0.32	ug/L	9.3	0.32	1	01/24/18 00:00	01/25/18 19:09	205-99-2	1e
Benzo(g,h,i)perylene	<0.37	ug/L	9.3	0.37	1	01/24/18 00:00	01/25/18 19:09	191-24-2	1e
Benzo(k)fluoranthene	<0.39	ug/L	9.3	0.39	1	01/24/18 00:00	01/25/18 19:09	207-08-9	1e
Benzoic acid	<2.3	ug/L	46.3	2.3	1	01/24/18 00:00	01/25/18 19:09	65-85-0	1e
Benzyl alcohol	<0.32	ug/L	18.5	0.32	1	01/24/18 00:00	01/25/18 19:09	100-51-6	1e
4-Bromophenylphenyl ether	<0.35	ug/L	9.3	0.35	1	01/24/18 00:00	01/25/18 19:09	101-55-3	1e
Butylbenzylphthalate	<0.37	ug/L	9.3	0.37	1	01/24/18 00:00	01/25/18 19:09	85-68-7	1e
Carbazole	<0.32	ug/L	9.3	0.32	1	01/24/18 00:00	01/25/18 19:09	86-74-8	1e
4-Chloro-3-methylphenol	<0.23	ug/L	18.5	0.23	1	01/24/18 00:00	01/25/18 19:09	59-50-7	1e
4-Chloroaniline	<0.48	ug/L	18.5	0.48	1	01/24/18 00:00	01/25/18 19:09	106-47-8	1e
bis(2-Chloroethoxy)methane	<4.6	ug/L	9.3	4.6	1	01/24/18 00:00	01/25/18 19:09	111-91-1	1e
bis(2-Chloroethyl) ether	<0.27	ug/L	9.3	0.27	1	01/24/18 00:00	01/25/18 19:09	111-44-4	1e
bis(2-Chloroisopropyl) ether	<0.27	ug/L	9.3	0.27	1	01/24/18 00:00	01/25/18 19:09	39638-32-9	1e
2-Chloronaphthalene	<0.32	ug/L	9.3	0.32	1	01/24/18 00:00	01/25/18 19:09	91-58-7	1e
2-Chlorophenol	<0.28	ug/L	9.3	0.28	1	01/24/18 00:00	01/25/18 19:09	95-57-8	1e
4-Chlorophenylphenyl ether	<0.28	ug/L	9.3	0.28	1	01/24/18 00:00	01/25/18 19:09	7005-72-3	1e
Chrysene	<0.33	ug/L	9.3	0.33	1	01/24/18 00:00	01/25/18 19:09	218-01-9	1e
Dibenz(a,h)anthracene	<0.42	ug/L	9.3	0.42	1	01/24/18 00:00	01/25/18 19:09	53-70-3	1e
Dibenzofuran	<0.36	ug/L	9.3	0.36	1	01/24/18 00:00	01/25/18 19:09	132-64-9	1e
1,2-Dichlorobenzene	<0.27	ug/L	9.3	0.27	1	01/24/18 00:00	01/25/18 19:09	95-50-1	1e
1,3-Dichlorobenzene	<0.50	ug/L	9.3	0.50	1	01/24/18 00:00	01/25/18 19:09	541-73-1	1e
1,4-Dichlorobenzene	<0.38	ug/L	9.3	0.38	1	01/24/18 00:00	01/25/18 19:09	106-46-7	1e
3,3'-Dichlorobenzidine	<0.36	ug/L	18.5	0.36	1	01/24/18 00:00	01/25/18 19:09	91-94-1	1e
2,4-Dichlorophenol	<0.48	ug/L	9.3	0.48	1	01/24/18 00:00	01/25/18 19:09	120-83-2	1e
Diethylphthalate	<0.42	ug/L	9.3	0.42	1	01/24/18 00:00	01/25/18 19:09	84-66-2	1e
2,4-Dimethylphenol	<0.56	ug/L	9.3	0.56	1	01/24/18 00:00	01/25/18 19:09	105-67-9	1e
Dimethylphthalate	<0.32	ug/L	9.3	0.32	1	01/24/18 00:00	01/25/18 19:09	131-11-3	1e
Di-n-butylphthalate	<0.36	ug/L	9.3	0.36	1	01/24/18 00:00	01/25/18 19:09	84-74-2	1e
4,6-Dinitro-2-methylphenol	<0.51	ug/L	46.3	0.51	1	01/24/18 00:00	01/25/18 19:09	534-52-1	1e
2,4-Dinitrophenol	<7.8	ug/L	46.3	7.8	1	01/24/18 00:00	01/25/18 19:09	51-28-5	1e
2,4-Dinitrotoluene	<0.31	ug/L	9.3	0.31	1	01/24/18 00:00	01/25/18 19:09	121-14-2	1e
2,6-Dinitrotoluene	<0.26	ug/L	9.3	0.26	1	01/24/18 00:00	01/25/18 19:09	606-20-2	1e
Di-n-octylphthalate	<0.46	ug/L	9.3	0.46	1	01/24/18 00:00	01/25/18 19:09	117-84-0	1e
bis(2-Ethylhexyl)phthalate	<0.57	ug/L	9.3	0.57	1	01/24/18 00:00	01/25/18 19:09	117-81-7	1e
Fluoranthene	<0.34	ug/L	9.3	0.34	1	01/24/18 00:00	01/25/18 19:09	206-44-0	1e
Fluorene	<0.31	ug/L	9.3	0.31	1	01/24/18 00:00	01/25/18 19:09	86-73-7	1e
Hexachloro-1,3-butadiene	<0.35	ug/L	9.3	0.35	1	01/24/18 00:00	01/25/18 19:09	87-68-3	1e
Hexachlorobenzene	<0.28	ug/L	9.3	0.28	1	01/24/18 00:00	01/25/18 19:09	118-74-1	1e

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 **Lab ID: 60262572009** Collected: 01/22/18 16:20 Received: 01/23/18 12:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Hexachlorocyclopentadiene	<0.32	ug/L	9.3	0.32	1	01/24/18 00:00	01/25/18 19:09	77-47-4	1e
Hexachloroethane	<0.27	ug/L	9.3	0.27	1	01/24/18 00:00	01/25/18 19:09	67-72-1	1e
Indeno(1,2,3-cd)pyrene	<0.30	ug/L	9.3	0.30	1	01/24/18 00:00	01/25/18 19:09	193-39-5	1e
Isophorone	<0.26	ug/L	9.3	0.26	1	01/24/18 00:00	01/25/18 19:09	78-59-1	1e
2-Methylnaphthalene	<0.24	ug/L	9.3	0.24	1	01/24/18 00:00	01/25/18 19:09	91-57-6	1e
2-Methylphenol(o-Cresol)	<0.26	ug/L	9.3	0.26	1	01/24/18 00:00	01/25/18 19:09	95-48-7	1e
3&4-Methylphenol(m&p Cresol)	<4.6	ug/L	9.3	4.6	1	01/24/18 00:00	01/25/18 19:09		1e
Naphthalene	<0.33	ug/L	9.3	0.33	1	01/24/18 00:00	01/25/18 19:09	91-20-3	1e
2-Nitroaniline	<0.39	ug/L	46.3	0.39	1	01/24/18 00:00	01/25/18 19:09	88-74-4	1e
3-Nitroaniline	<0.32	ug/L	46.3	0.32	1	01/24/18 00:00	01/25/18 19:09	99-09-2	1e
4-Nitroaniline	<0.32	ug/L	46.3	0.32	1	01/24/18 00:00	01/25/18 19:09	100-01-6	1e
Nitrobenzene	<0.28	ug/L	9.3	0.28	1	01/24/18 00:00	01/25/18 19:09	98-95-3	1e
2-Nitrophenol	<0.26	ug/L	9.3	0.26	1	01/24/18 00:00	01/25/18 19:09	88-75-5	1e
4-Nitrophenol	<0.29	ug/L	46.3	0.29	1	01/24/18 00:00	01/25/18 19:09	100-02-7	1e
N-Nitroso-di-n-propylamine	<0.25	ug/L	9.3	0.25	1	01/24/18 00:00	01/25/18 19:09	621-64-7	1e
N-Nitrosodiphenylamine	<0.37	ug/L	9.3	0.37	1	01/24/18 00:00	01/25/18 19:09	86-30-6	1e
Pentachlorophenol	<0.29	ug/L	46.3	0.29	1	01/24/18 00:00	01/25/18 19:09	87-86-5	1e
Phenanthrene	<0.31	ug/L	9.3	0.31	1	01/24/18 00:00	01/25/18 19:09	85-01-8	1e
Phenol	<4.6	ug/L	9.3	4.6	1	01/24/18 00:00	01/25/18 19:09	108-95-2	1e
Pyrene	<0.26	ug/L	9.3	0.26	1	01/24/18 00:00	01/25/18 19:09	129-00-0	1e
Pyridine	<0.29	ug/L	9.3	0.29	1	01/24/18 00:00	01/25/18 19:09	110-86-1	1e
1,2,4-Trichlorobenzene	<0.31	ug/L	9.3	0.31	1	01/24/18 00:00	01/25/18 19:09	120-82-1	1e
2,4,5-Trichlorophenol	<0.31	ug/L	46.3	0.31	1	01/24/18 00:00	01/25/18 19:09	95-95-4	1e
2,4,6-Trichlorophenol	<0.36	ug/L	9.3	0.36	1	01/24/18 00:00	01/25/18 19:09	88-06-2	1e
Surrogates									
Nitrobenzene-d5 (S)	70	%	33-99		1	01/24/18 00:00	01/25/18 19:09	4165-60-0	
2-Fluorobiphenyl (S)	70	%	30-103		1	01/24/18 00:00	01/25/18 19:09	321-60-8	
Terphenyl-d14 (S)	75	%	38-114		1	01/24/18 00:00	01/25/18 19:09	1718-51-0	
Phenol-d6 (S)	40	%	10-56		1	01/24/18 00:00	01/25/18 19:09	13127-88-3	
2-Fluorophenol (S)	52	%	10-68		1	01/24/18 00:00	01/25/18 19:09	367-12-4	
2,4,6-Tribromophenol (S)	82	%	21-124		1	01/24/18 00:00	01/25/18 19:09	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3510C									
TPH-ORO	2.4	mg/L	0.91	0.91	1	01/24/18 15:00	01/27/18 01:20		1e
TPH-DRO	75.4	mg/L	0.91	0.91	1	01/24/18 15:00	01/27/18 01:20		1e
Surrogates									
Nitrobenzene-d5 (S)	88	%	33-99		1	01/24/18 15:00	01/27/18 01:20	4165-60-0	
2-Fluorobiphenyl (S)	70	%	30-103		1	01/24/18 15:00	01/27/18 01:20	321-60-8	
Terphenyl-d14 (S)	52	%	38-114		1	01/24/18 15:00	01/27/18 01:20	1718-51-0	
8260 MSV Analytical Method: EPA 5030B/8260									
Acetone	<1.9	ug/L	10.0	1.9	1		01/25/18 15:33	67-64-1	
Benzene	<0.060	ug/L	1.0	0.060	1		01/25/18 15:33	71-43-2	
Bromobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:33	108-86-1	
Bromochloromethane	<0.15	ug/L	1.0	0.15	1		01/25/18 15:33	74-97-5	
Bromodichloromethane	<0.19	ug/L	1.0	0.19	1		01/25/18 15:33	75-27-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 Lab ID: 60262572009 Collected: 01/22/18 16:20 Received: 01/23/18 12:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260							
Bromoform	<0.070	ug/L	1.0	0.070	1		01/25/18 15:33	75-25-2	
Bromomethane	<0.16	ug/L	5.0	0.16	1		01/25/18 15:33	74-83-9	
2-Butanone (MEK)	<0.59	ug/L	10.0	0.59	1		01/25/18 15:33	78-93-3	
n-Butylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:33	104-51-8	
sec-Butylbenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 15:33	135-98-8	
tert-Butylbenzene	<0.34	ug/L	1.0	0.34	1		01/25/18 15:33	98-06-6	
Carbon disulfide	0.19J	ug/L	5.0	0.12	1		01/25/18 15:33	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	0.18	1		01/25/18 15:33	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	0.21	1		01/25/18 15:33	108-90-7	
Chloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 15:33	75-00-3	
Chloroform	<0.14	ug/L	1.0	0.14	1		01/25/18 15:33	67-66-3	
Chloromethane	<0.080	ug/L	1.0	0.080	1		01/25/18 15:33	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	0.12	1		01/25/18 15:33	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	0.14	1		01/25/18 15:33	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	0.59	1		01/25/18 15:33	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 15:33	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	0.17	1		01/25/18 15:33	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	0.18	1		01/25/18 15:33	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 15:33	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	0.070	1		01/25/18 15:33	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	0.060	1		01/25/18 15:33	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 15:33	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	0.050	1		01/25/18 15:33	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	0.12	1		01/25/18 15:33	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	0.28	1		01/25/18 15:33	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 15:33	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	0.080	1		01/25/18 15:33	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 15:33	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	0.16	1		01/25/18 15:33	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	0.17	1		01/25/18 15:33	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	0.19	1		01/25/18 15:33	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	0.090	1		01/25/18 15:33	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	0.14	1		01/25/18 15:33	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	0.12	1		01/25/18 15:33	10061-02-6	
Ethylbenzene	<0.18	ug/L	1.0	0.18	1		01/25/18 15:33	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		01/25/18 15:33	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1.2	1		01/25/18 15:33	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	0.070	1		01/25/18 15:33	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:33	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	0.15	1		01/25/18 15:33	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	0.42	1		01/25/18 15:33	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	0.060	1		01/25/18 15:33	1634-04-4	
Naphthalene	<0.50	ug/L	10.0	0.50	1		01/25/18 15:33	91-20-3	
n-Propylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:33	103-65-1	
Styrene	<0.12	ug/L	1.0	0.12	1		01/25/18 15:33	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 15:33	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-2 Lab ID: 60262572009 Collected: 01/22/18 16:20 Received: 01/23/18 12:15 Matrix: Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 5030B/8260									
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 15:33	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:33	127-18-4	
Toluene	<0.17	ug/L	1.0	0.17	1		01/25/18 15:33	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	0.12	1		01/25/18 15:33	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:33	120-82-1	
1,1,1-Trichloroethane	1.2	ug/L	1.0	0.11	1		01/25/18 15:33	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		01/25/18 15:33	79-00-5	
Trichloroethene	<0.17	ug/L	1.0	0.17	1		01/25/18 15:33	79-01-6	
Trichlorofluoromethane	<0.34	ug/L	1.0	0.34	1		01/25/18 15:33	75-69-4	
1,2,3-Trichloropropane	<0.19	ug/L	2.5	0.19	1		01/25/18 15:33	96-18-4	
1,2,4-Trimethylbenzene	<0.090	ug/L	1.0	0.090	1		01/25/18 15:33	95-63-6	
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:33	108-67-8	
Vinyl chloride	<0.13	ug/L	1.0	0.13	1		01/25/18 15:33	75-01-4	
Xylene (Total)	<0.42	ug/L	3.0	0.42	1		01/25/18 15:33	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	98	%	80-119		1		01/25/18 15:33	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	80-117		1		01/25/18 15:33	17060-07-0	
Toluene-d8 (S)	97	%	80-115		1		01/25/18 15:33	2037-26-5	
Preservation pH	1.0		0.10	0.10	1		01/25/18 15:33		
8260 MSV GRO and Oxygenates Analytical Method: EPA 8260									
TPH-GRO	<63.5	ug/L	500	63.5	1		01/25/18 17:28		
Surrogates									
Toluene-d8 (S)	103	%	80-115		1		01/25/18 17:28	2037-26-5	
4-Bromofluorobenzene (S)	103	%	80-119		1		01/25/18 17:28	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	87-117		1		01/25/18 17:28	17060-07-0	
4500H+ pH, Electrometric Analytical Method: SM 4500-H+B									
pH at 25 Degrees C	7.2	Std. Units	0.10	0.10	1		01/26/18 09:26		H6
353.2 Nitrogen, NO2/NO3 pres. Analytical Method: EPA 353.2									
Nitrogen, NO2 plus NO3	5.0	mg/L	0.20	0.10	2		01/26/18 11:14		
9056 IC Anions Analytical Method: EPA 9056									
Sulfate	108	mg/L	10.0	5.0	10		02/02/18 18:15	14808-79-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 **Lab ID: 60262572010** Collected: 01/22/18 17:20 Received: 01/23/18 12:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Aldrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 18:34	309-00-2	
alpha-BHC	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 18:34	319-84-6	
beta-BHC	<0.010	ug/L	0.010	0.010	1	01/26/18 12:10	02/05/18 18:34	319-85-7	
delta-BHC	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/05/18 18:34	319-86-8	
gamma-BHC (Lindane)	<0.0080	ug/L	0.010	0.0080	1	01/26/18 12:10	02/05/18 18:34	58-89-9	
Chlordane (Technical)	<0.090	ug/L	0.10	0.090	1	01/26/18 12:10	02/05/18 18:34	57-74-9	
alpha-Chlordane	<0.024	ug/L	0.10	0.024	1	01/26/18 12:10	02/05/18 18:34	5103-71-9	
gamma-Chlordane	<0.034	ug/L	0.10	0.034	1	01/26/18 12:10	02/05/18 18:34	5103-74-2	
4,4'-DDD	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/05/18 18:34	72-54-8	
4,4'-DDE	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 18:34	72-55-9	
4,4'-DDT	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 18:34	50-29-3	
Dieldrin	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 18:34	60-57-1	
Endosulfan I	<0.021	ug/L	0.10	0.021	1	01/26/18 12:10	02/05/18 18:34	959-98-8	
Endosulfan II	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/05/18 18:34	33213-65-9	
Endosulfan sulfate	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 18:34	1031-07-8	
Endrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 18:34	72-20-8	
Endrin aldehyde	<0.029	ug/L	0.10	0.029	1	01/26/18 12:10	02/05/18 18:34	7421-93-4	
Endrin ketone	<0.025	ug/L	0.10	0.025	1	01/26/18 12:10	02/05/18 18:34	53494-70-5	
Heptachlor	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/05/18 18:34	76-44-8	
Heptachlor epoxide	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 18:34	1024-57-3	
Methoxychlor	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 18:34	72-43-5	
Toxaphene	<0.61	ug/L	1.5	0.61	1	01/26/18 12:10	02/05/18 18:34	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	61	%	54-127		1	01/26/18 12:10	02/05/18 18:34	877-09-8	
Decachlorobiphenyl (S)	28	%	12-162		1	01/26/18 12:10	02/05/18 18:34	2051-24-3	
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Stirophos (Tetrachlorvinphos)	<0.072	ug/L	0.10	0.072	1	01/26/18 12:10	02/01/18 20:39	22248-79-9	
Azinphos, methyl (Guthion)	<0.093	ug/L	0.10	0.093	1	01/26/18 12:10	02/01/18 20:39	86-50-0	
Bolstar	<0.090	ug/L	0.10	0.090	1	01/26/18 12:10	02/01/18 20:39	35400-43-2	
Chlorpyrifos	<0.067	ug/L	0.10	0.067	1	01/26/18 12:10	02/01/18 20:39	2921-88-2	
Coumaphos	<0.092	ug/L	0.10	0.092	1	01/26/18 12:10	02/01/18 20:39	56-72-4	
Diazinon	<0.078	ug/L	0.10	0.078	1	01/26/18 12:10	02/01/18 20:39	333-41-5	
Dichlorvos	<0.073	ug/L	0.10	0.073	1	01/26/18 12:10	02/01/18 20:39	62-73-7	
Dimethoate	<0.083	ug/L	0.10	0.083	1	01/26/18 12:10	02/01/18 20:39	60-51-5	
Disulfoton	<0.071	ug/L	0.10	0.071	1	01/26/18 12:10	02/01/18 20:39	298-04-4	
EPN (ENT)	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 20:39	2104-64-5	
Ethoprop	<0.059	ug/L	0.10	0.059	1	01/26/18 12:10	02/01/18 20:39	13194-48-4	
Fensulfthion	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 20:39	115-90-2	
Fenthion	<0.088	ug/L	0.10	0.088	1	01/26/18 12:10	02/01/18 20:39	55-38-9	
Malathion	<0.086	ug/L	0.10	0.086	1	01/26/18 12:10	02/01/18 20:39	121-75-5	
Methyl parathion	<0.070	ug/L	0.10	0.070	1	01/26/18 12:10	02/01/18 20:39	298-00-0	
Mevinphos	<0.065	ug/L	0.10	0.065	1	01/26/18 12:10	02/01/18 20:39	7786-34-7	
Parathion (Ethyl parathion)	<0.060	ug/L	0.10	0.060	1	01/26/18 12:10	02/01/18 20:39	56-38-2	
Phorate	<0.064	ug/L	0.10	0.064	1	01/26/18 12:10	02/01/18 20:39	298-02-2	
Ronnel	<0.088	ug/L	0.10	0.088	1	01/26/18 12:10	02/01/18 20:39	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 **Lab ID: 60262572010** Collected: 01/22/18 17:20 Received: 01/23/18 12:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Sulfotep (Thiodiphosphoric Ac	<0.061	ug/L	0.10	0.061	1	01/26/18 12:10	02/01/18 20:39	3689-24-5	
Tokuthion (Prothiofos)	<0.081	ug/L	0.10	0.081	1	01/26/18 12:10	02/01/18 20:39	34643-46-4	
Trichloronate	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 20:39	327-98-0	
Total Demeton	<0.083	ug/L	0.10	0.083	1	01/26/18 12:10	02/01/18 20:39	8065-48-3	
Total Merphos	<0.038	ug/L	0.10	0.038	1	01/26/18 12:10	02/01/18 20:39	150-50-5	
Surrogates									
Triphenylphosphate (S)	88	%	10-175		1	01/26/18 12:10	02/01/18 20:39	115-86-6	
Tributylphosphate (S)	129	%	20-150		1	01/26/18 12:10	02/01/18 20:39	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 8151									
2,4-D	3.7	ug/L	1.0	0.50	2	01/29/18 21:00	02/01/18 19:37	94-75-7	M1
Dalapon	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 13:24	75-99-0	
2,4-DB	<0.34	ug/L	0.50	0.34	1	01/29/18 21:00	02/01/18 13:24	94-82-6	
Dicamba	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 13:24	1918-00-9	
Dichloroprop	4.0	ug/L	1.0	0.58	2	01/29/18 21:00	02/01/18 19:37	15165-67-0	M1
Dinoseb	<0.50	ug/L	0.50	0.50	1	01/29/18 21:00	02/01/18 13:24	88-85-7	
MCPA	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 13:24	94-74-6	
MCPP	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 13:24	7085-19-0	
2,4,5-T	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 13:24	93-76-5	
2,4,5-TP (Silvex)	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 13:24	93-72-1	
Surrogates									
2,4-DCAA (S)	116	%	47-166		1	01/29/18 21:00	02/01/18 13:24	19719-28-9	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic	119	ug/L	10.0	4.2	1	01/24/18 14:50	01/30/18 12:22	7440-38-2	
Barium	14600	ug/L	5.0	0.91	1	01/24/18 14:50	01/30/18 12:22	7440-39-3	
Cadmium	16.1	ug/L	5.0	0.64	1	01/24/18 14:50	01/30/18 12:22	7440-43-9	
Chromium	181	ug/L	5.0	0.72	1	01/24/18 14:50	01/30/18 12:22	7440-47-3	
Lead	401	ug/L	5.0	2.4	1	01/24/18 14:50	01/30/18 12:22	7439-92-1	
Selenium	13.6J	ug/L	15.0	3.4	1	01/24/18 14:50	01/30/18 12:22	7782-49-2	
Silver	2.4J	ug/L	7.0	1.9	1	01/24/18 14:50	01/30/18 12:22	7440-22-4	
6010 MET ICP, Dissolved (LF) Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic, Dissolved	<4.2	ug/L	10.0	4.2	1	01/30/18 10:10	01/31/18 17:07	7440-38-2	
Barium, Dissolved	64.5	ug/L	5.0	0.91	1	01/30/18 10:10	01/31/18 17:07	7440-39-3	
Cadmium, Dissolved	<0.64	ug/L	5.0	0.64	1	01/30/18 10:10	01/31/18 17:07	7440-43-9	
Chromium, Dissolved	0.80J	ug/L	5.0	0.72	1	01/30/18 10:10	01/31/18 17:07	7440-47-3	
Lead, Dissolved	<2.4	ug/L	5.0	2.4	1	01/30/18 10:10	01/31/18 17:07	7439-92-1	
Selenium, Dissolved	4.1J	ug/L	15.0	3.4	1	01/30/18 10:10	01/31/18 17:07	7782-49-2	
Silver, Dissolved	<1.9	ug/L	7.0	1.9	1	01/30/18 10:10	01/31/18 17:07	7440-22-4	
7470 Mercury Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury	31.6	ug/L	1.0	0.23	5	02/08/18 11:51	02/08/18 16:18	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 **Lab ID: 60262572010** Collected: 01/22/18 17:20 Received: 01/23/18 12:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7470 Mercury, Dissolved (LF) Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury, Dissolved	<0.046	ug/L	0.20	0.046	1	02/08/18 15:58	02/09/18 10:54	7439-97-6	
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Acenaphthene	<0.34	ug/L	9.4	0.34	1	01/24/18 00:00	01/25/18 19:31	83-32-9	1e
Acenaphthylene	<0.36	ug/L	9.4	0.36	1	01/24/18 00:00	01/25/18 19:31	208-96-8	1e
Anthracene	<0.28	ug/L	9.4	0.28	1	01/24/18 00:00	01/25/18 19:31	120-12-7	1e
Benzo(a)anthracene	<0.27	ug/L	9.4	0.27	1	01/24/18 00:00	01/25/18 19:31	56-55-3	1e
Benzo(a)pyrene	<0.34	ug/L	9.4	0.34	1	01/24/18 00:00	01/25/18 19:31	50-32-8	1e
Benzo(b)fluoranthene	<0.33	ug/L	9.4	0.33	1	01/24/18 00:00	01/25/18 19:31	205-99-2	1e
Benzo(g,h,i)perylene	<0.38	ug/L	9.4	0.38	1	01/24/18 00:00	01/25/18 19:31	191-24-2	1e
Benzo(k)fluoranthene	<0.40	ug/L	9.4	0.40	1	01/24/18 00:00	01/25/18 19:31	207-08-9	1e
Benzoic acid	9.7J	ug/L	47.2	2.4	1	01/24/18 00:00	01/25/18 19:31	65-85-0	1e
Benzyl alcohol	<0.33	ug/L	18.9	0.33	1	01/24/18 00:00	01/25/18 19:31	100-51-6	1e
4-Bromophenylphenyl ether	<0.36	ug/L	9.4	0.36	1	01/24/18 00:00	01/25/18 19:31	101-55-3	1e
Butylbenzylphthalate	<0.38	ug/L	9.4	0.38	1	01/24/18 00:00	01/25/18 19:31	85-68-7	1e
Carbazole	<0.33	ug/L	9.4	0.33	1	01/24/18 00:00	01/25/18 19:31	86-74-8	1e
4-Chloro-3-methylphenol	<0.24	ug/L	18.9	0.24	1	01/24/18 00:00	01/25/18 19:31	59-50-7	1e
4-Chloroaniline	<0.49	ug/L	18.9	0.49	1	01/24/18 00:00	01/25/18 19:31	106-47-8	1e
bis(2-Chloroethoxy)methane	<4.7	ug/L	9.4	4.7	1	01/24/18 00:00	01/25/18 19:31	111-91-1	1e
bis(2-Chloroethyl) ether	<0.27	ug/L	9.4	0.27	1	01/24/18 00:00	01/25/18 19:31	111-44-4	1e
bis(2-Chloroisopropyl) ether	<0.27	ug/L	9.4	0.27	1	01/24/18 00:00	01/25/18 19:31	39638-32-9	1e
2-Chloronaphthalene	<0.33	ug/L	9.4	0.33	1	01/24/18 00:00	01/25/18 19:31	91-58-7	1e
2-Chlorophenol	<0.28	ug/L	9.4	0.28	1	01/24/18 00:00	01/25/18 19:31	95-57-8	1e
4-Chlorophenylphenyl ether	<0.28	ug/L	9.4	0.28	1	01/24/18 00:00	01/25/18 19:31	7005-72-3	1e
Chrysene	<0.34	ug/L	9.4	0.34	1	01/24/18 00:00	01/25/18 19:31	218-01-9	1e
Dibenz(a,h)anthracene	<0.42	ug/L	9.4	0.42	1	01/24/18 00:00	01/25/18 19:31	53-70-3	1e
Dibenzofuran	<0.37	ug/L	9.4	0.37	1	01/24/18 00:00	01/25/18 19:31	132-64-9	1e
1,2-Dichlorobenzene	<0.27	ug/L	9.4	0.27	1	01/24/18 00:00	01/25/18 19:31	95-50-1	1e
1,3-Dichlorobenzene	<0.51	ug/L	9.4	0.51	1	01/24/18 00:00	01/25/18 19:31	541-73-1	1e
1,4-Dichlorobenzene	<0.39	ug/L	9.4	0.39	1	01/24/18 00:00	01/25/18 19:31	106-46-7	1e
3,3'-Dichlorobenzidine	<0.37	ug/L	18.9	0.37	1	01/24/18 00:00	01/25/18 19:31	91-94-1	1e
2,4-Dichlorophenol	<0.49	ug/L	9.4	0.49	1	01/24/18 00:00	01/25/18 19:31	120-83-2	1e
Diethylphthalate	<0.42	ug/L	9.4	0.42	1	01/24/18 00:00	01/25/18 19:31	84-66-2	1e
2,4-Dimethylphenol	<0.57	ug/L	9.4	0.57	1	01/24/18 00:00	01/25/18 19:31	105-67-9	1e
Dimethylphthalate	<0.33	ug/L	9.4	0.33	1	01/24/18 00:00	01/25/18 19:31	131-11-3	1e
Di-n-butylphthalate	<0.37	ug/L	9.4	0.37	1	01/24/18 00:00	01/25/18 19:31	84-74-2	1e
4,6-Dinitro-2-methylphenol	<0.52	ug/L	47.2	0.52	1	01/24/18 00:00	01/25/18 19:31	534-52-1	1e
2,4-Dinitrophenol	<7.9	ug/L	47.2	7.9	1	01/24/18 00:00	01/25/18 19:31	51-28-5	1e
2,4-Dinitrotoluene	<0.31	ug/L	9.4	0.31	1	01/24/18 00:00	01/25/18 19:31	121-14-2	1e
2,6-Dinitrotoluene	<0.26	ug/L	9.4	0.26	1	01/24/18 00:00	01/25/18 19:31	606-20-2	1e
Di-n-octylphthalate	<0.47	ug/L	9.4	0.47	1	01/24/18 00:00	01/25/18 19:31	117-84-0	1e
bis(2-Ethylhexyl)phthalate	<0.58	ug/L	9.4	0.58	1	01/24/18 00:00	01/25/18 19:31	117-81-7	1e
Fluoranthene	<0.35	ug/L	9.4	0.35	1	01/24/18 00:00	01/25/18 19:31	206-44-0	1e
Fluorene	<0.32	ug/L	9.4	0.32	1	01/24/18 00:00	01/25/18 19:31	86-73-7	1e
Hexachloro-1,3-butadiene	<0.36	ug/L	9.4	0.36	1	01/24/18 00:00	01/25/18 19:31	87-68-3	1e
Hexachlorobenzene	<0.28	ug/L	9.4	0.28	1	01/24/18 00:00	01/25/18 19:31	118-74-1	1e

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 Lab ID: 60262572010 Collected: 01/22/18 17:20 Received: 01/23/18 12:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Hexachlorocyclopentadiene	<0.33	ug/L	9.4	0.33	1	01/24/18 00:00	01/25/18 19:31	77-47-4	1e
Hexachloroethane	<0.27	ug/L	9.4	0.27	1	01/24/18 00:00	01/25/18 19:31	67-72-1	1e
Indeno(1,2,3-cd)pyrene	<0.30	ug/L	9.4	0.30	1	01/24/18 00:00	01/25/18 19:31	193-39-5	1e
Isophorone	<0.26	ug/L	9.4	0.26	1	01/24/18 00:00	01/25/18 19:31	78-59-1	1e
2-Methylnaphthalene	<0.25	ug/L	9.4	0.25	1	01/24/18 00:00	01/25/18 19:31	91-57-6	1e
2-Methylphenol(o-Cresol)	<0.26	ug/L	9.4	0.26	1	01/24/18 00:00	01/25/18 19:31	95-48-7	1e
3&4-Methylphenol(m&p Cresol)	<4.7	ug/L	9.4	4.7	1	01/24/18 00:00	01/25/18 19:31		1e
Naphthalene	<0.34	ug/L	9.4	0.34	1	01/24/18 00:00	01/25/18 19:31	91-20-3	1e
2-Nitroaniline	<0.40	ug/L	47.2	0.40	1	01/24/18 00:00	01/25/18 19:31	88-74-4	1e
3-Nitroaniline	<0.33	ug/L	47.2	0.33	1	01/24/18 00:00	01/25/18 19:31	99-09-2	1e
4-Nitroaniline	<0.33	ug/L	47.2	0.33	1	01/24/18 00:00	01/25/18 19:31	100-01-6	1e
Nitrobenzene	<0.28	ug/L	9.4	0.28	1	01/24/18 00:00	01/25/18 19:31	98-95-3	1e
2-Nitrophenol	<0.26	ug/L	9.4	0.26	1	01/24/18 00:00	01/25/18 19:31	88-75-5	1e
4-Nitrophenol	<0.29	ug/L	47.2	0.29	1	01/24/18 00:00	01/25/18 19:31	100-02-7	1e
N-Nitroso-di-n-propylamine	<0.25	ug/L	9.4	0.25	1	01/24/18 00:00	01/25/18 19:31	621-64-7	1e
N-Nitrosodiphenylamine	<0.38	ug/L	9.4	0.38	1	01/24/18 00:00	01/25/18 19:31	86-30-6	1e
Pentachlorophenol	<0.29	ug/L	47.2	0.29	1	01/24/18 00:00	01/25/18 19:31	87-86-5	1e
Phenanthrene	<0.32	ug/L	9.4	0.32	1	01/24/18 00:00	01/25/18 19:31	85-01-8	1e
Phenol	<4.7	ug/L	9.4	4.7	1	01/24/18 00:00	01/25/18 19:31	108-95-2	1e
Pyrene	<0.26	ug/L	9.4	0.26	1	01/24/18 00:00	01/25/18 19:31	129-00-0	1e
Pyridine	<0.29	ug/L	9.4	0.29	1	01/24/18 00:00	01/25/18 19:31	110-86-1	1e
1,2,4-Trichlorobenzene	<0.31	ug/L	9.4	0.31	1	01/24/18 00:00	01/25/18 19:31	120-82-1	1e
2,4,5-Trichlorophenol	<0.31	ug/L	47.2	0.31	1	01/24/18 00:00	01/25/18 19:31	95-95-4	1e
2,4,6-Trichlorophenol	<0.37	ug/L	9.4	0.37	1	01/24/18 00:00	01/25/18 19:31	88-06-2	1e
Surrogates									
Nitrobenzene-d5 (S)	48	%	33-99		1	01/24/18 00:00	01/25/18 19:31	4165-60-0	
2-Fluorobiphenyl (S)	49	%	30-103		1	01/24/18 00:00	01/25/18 19:31	321-60-8	
Terphenyl-d14 (S)	49	%	38-114		1	01/24/18 00:00	01/25/18 19:31	1718-51-0	
Phenol-d6 (S)	34	%	10-56		1	01/24/18 00:00	01/25/18 19:31	13127-88-3	
2-Fluorophenol (S)	43	%	10-68		1	01/24/18 00:00	01/25/18 19:31	367-12-4	
2,4,6-Tribromophenol (S)	56	%	21-124		1	01/24/18 00:00	01/25/18 19:31	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3510C									
TPH-ORO	<0.91	mg/L	0.91	0.91	1	01/24/18 15:00	01/27/18 01:40		1e
TPH-DRO	1.4	mg/L	0.91	0.91	1	01/24/18 15:00	01/27/18 01:40		1e
Surrogates									
Nitrobenzene-d5 (S)	74	%	33-99		1	01/24/18 15:00	01/27/18 01:40	4165-60-0	
2-Fluorobiphenyl (S)	76	%	30-103		1	01/24/18 15:00	01/27/18 01:40	321-60-8	
Terphenyl-d14 (S)	56	%	38-114		1	01/24/18 15:00	01/27/18 01:40	1718-51-0	
8260 MSV Analytical Method: EPA 5030B/8260									
Acetone	<1.9	ug/L	10.0	1.9	1		01/25/18 15:19	67-64-1	
Benzene	<0.060	ug/L	1.0	0.060	1		01/25/18 15:19	71-43-2	
Bromobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:19	108-86-1	
Bromochloromethane	<0.15	ug/L	1.0	0.15	1		01/25/18 15:19	74-97-5	
Bromodichloromethane	<0.19	ug/L	1.0	0.19	1		01/25/18 15:19	75-27-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 **Lab ID: 60262572010** Collected: 01/22/18 17:20 Received: 01/23/18 12:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 5030B/8260									
Bromoform	<0.070	ug/L	1.0	0.070	1		01/25/18 15:19	75-25-2	
Bromomethane	<0.16	ug/L	5.0	0.16	1		01/25/18 15:19	74-83-9	
2-Butanone (MEK)	<0.59	ug/L	10.0	0.59	1		01/25/18 15:19	78-93-3	
n-Butylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:19	104-51-8	
sec-Butylbenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 15:19	135-98-8	
tert-Butylbenzene	<0.34	ug/L	1.0	0.34	1		01/25/18 15:19	98-06-6	
Carbon disulfide	<0.12	ug/L	5.0	0.12	1		01/25/18 15:19	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	0.18	1		01/25/18 15:19	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	0.21	1		01/25/18 15:19	108-90-7	
Chloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 15:19	75-00-3	
Chloroform	<0.14	ug/L	1.0	0.14	1		01/25/18 15:19	67-66-3	
Chloromethane	<0.080	ug/L	1.0	0.080	1		01/25/18 15:19	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	0.12	1		01/25/18 15:19	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	0.14	1		01/25/18 15:19	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	0.59	1		01/25/18 15:19	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 15:19	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	0.17	1		01/25/18 15:19	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	0.18	1		01/25/18 15:19	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 15:19	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	0.070	1		01/25/18 15:19	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	0.060	1		01/25/18 15:19	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 15:19	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	0.050	1		01/25/18 15:19	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	0.12	1		01/25/18 15:19	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	0.28	1		01/25/18 15:19	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 15:19	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	0.080	1		01/25/18 15:19	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 15:19	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	0.16	1		01/25/18 15:19	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	0.17	1		01/25/18 15:19	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	0.19	1		01/25/18 15:19	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	0.090	1		01/25/18 15:19	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	0.14	1		01/25/18 15:19	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	0.12	1		01/25/18 15:19	10061-02-6	
Ethylbenzene	<0.18	ug/L	1.0	0.18	1		01/25/18 15:19	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		01/25/18 15:19	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1.2	1		01/25/18 15:19	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	0.070	1		01/25/18 15:19	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:19	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	0.15	1		01/25/18 15:19	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	0.42	1		01/25/18 15:19	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	0.060	1		01/25/18 15:19	1634-04-4	
Naphthalene	<0.50	ug/L	10.0	0.50	1		01/25/18 15:19	91-20-3	
n-Propylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:19	103-65-1	
Styrene	<0.12	ug/L	1.0	0.12	1		01/25/18 15:19	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 15:19	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: SB-3 **Lab ID: 60262572010** Collected: 01/22/18 17:20 Received: 01/23/18 12:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 5030B/8260									
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 15:19	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:19	127-18-4	
Toluene	<0.17	ug/L	1.0	0.17	1		01/25/18 15:19	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	0.12	1		01/25/18 15:19	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:19	120-82-1	
1,1,1-Trichloroethane	0.67J	ug/L	1.0	0.11	1		01/25/18 15:19	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		01/25/18 15:19	79-00-5	
Trichloroethene	<0.17	ug/L	1.0	0.17	1		01/25/18 15:19	79-01-6	
Trichlorofluoromethane	<0.34	ug/L	1.0	0.34	1		01/25/18 15:19	75-69-4	
1,2,3-Trichloropropane	<0.19	ug/L	2.5	0.19	1		01/25/18 15:19	96-18-4	
1,2,4-Trimethylbenzene	<0.090	ug/L	1.0	0.090	1		01/25/18 15:19	95-63-6	
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:19	108-67-8	
Vinyl chloride	<0.13	ug/L	1.0	0.13	1		01/25/18 15:19	75-01-4	
Xylene (Total)	<0.42	ug/L	3.0	0.42	1		01/25/18 15:19	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	100	%	80-119		1		01/25/18 15:19	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	80-117		1		01/25/18 15:19	17060-07-0	
Toluene-d8 (S)	99	%	80-115		1		01/25/18 15:19	2037-26-5	
Preservation pH	1.0		0.10	0.10	1		01/25/18 15:19		
8260 MSV GRO and Oxygenates Analytical Method: EPA 8260									
TPH-GRO	<63.5	ug/L	500	63.5	1		01/25/18 17:43		
Surrogates									
Toluene-d8 (S)	104	%	80-115		1		01/25/18 17:43	2037-26-5	
4-Bromofluorobenzene (S)	103	%	80-119		1		01/25/18 17:43	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	87-117		1		01/25/18 17:43	17060-07-0	
4500H+ pH, Electrometric Analytical Method: SM 4500-H+B									
pH at 25 Degrees C	7.3	Std. Units	0.10	0.10	1		01/26/18 09:28		H6
353.2 Nitrogen, NO2/NO3 pres. Analytical Method: EPA 353.2									
Nitrogen, NO2 plus NO3	6.0	mg/L	0.20	0.10	2		01/26/18 11:15		
9056 IC Anions Analytical Method: EPA 9056									
Sulfate	112	mg/L	10.0	5.0	10		02/02/18 18:29	14808-79-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: TRIP BLANK SOIL Lab ID: 60262572011 Collected: 01/22/18 13:50 Received: 01/23/18 12:15 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Acetone	<10.0	ug/kg	20.0	10.0	1		01/31/18 12:27	67-64-1	
Benzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	71-43-2	
Bromobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	108-86-1	
Bromochloromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	74-97-5	
Bromodichloromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	75-27-4	
Bromoform	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	75-25-2	
Bromomethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	74-83-9	
2-Butanone (MEK)	<5.0	ug/kg	10.0	5.0	1		01/31/18 12:27	78-93-3	
n-Butylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	104-51-8	
sec-Butylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	135-98-8	
tert-Butylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	98-06-6	
Carbon disulfide	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	75-15-0	
Carbon tetrachloride	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	56-23-5	
Chlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	108-90-7	
Chloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	75-00-3	
Chloroform	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	67-66-3	
Chloromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	74-87-3	
2-Chlorotoluene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	95-49-8	
4-Chlorotoluene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	106-43-4	
1,2-Dibromo-3-chloropropane	<5.0	ug/kg	10.0	5.0	1		01/31/18 12:27	96-12-8	
Dibromochloromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	124-48-1	
1,2-Dibromoethane (EDB)	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	106-93-4	
Dibromomethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	74-95-3	
1,2-Dichlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	95-50-1	
1,3-Dichlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	541-73-1	
1,4-Dichlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	106-46-7	
Dichlorodifluoromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	75-71-8	
1,1-Dichloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	75-34-3	
1,2-Dichloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	107-06-2	
1,2-Dichloroethene (Total)	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	540-59-0	
1,1-Dichloroethene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	75-35-4	
cis-1,2-Dichloroethene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	156-59-2	
trans-1,2-Dichloroethene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	156-60-5	L2
1,2-Dichloropropane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	78-87-5	
1,3-Dichloropropane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	142-28-9	
2,2-Dichloropropane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	594-20-7	
1,1-Dichloropropene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	563-58-6	
cis-1,3-Dichloropropene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	10061-01-5	
trans-1,3-Dichloropropene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	10061-02-6	
Ethylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	100-41-4	
Hexachloro-1,3-butadiene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	87-68-3	
2-Hexanone	<10.0	ug/kg	20.0	10.0	1		01/31/18 12:27	591-78-6	
Isopropylbenzene (Cumene)	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	98-82-8	
p-Isopropyltoluene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	99-87-6	
Methylene chloride	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Sample: TRIP BLANK SOIL **Lab ID:** 60262572011 **Collected:** 01/22/18 13:50 **Received:** 01/23/18 12:15 **Matrix:** Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
4-Methyl-2-pentanone (MIBK)	<5.0	ug/kg	10.0	5.0	1		01/31/18 12:27	108-10-1	
Methyl-tert-butyl ether	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	1634-04-4	
Naphthalene	<5.0	ug/kg	10.0	5.0	1		01/31/18 12:27	91-20-3	
n-Propylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	103-65-1	
Styrene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	100-42-5	
1,1,1,2-Tetrachloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	630-20-6	
1,1,2,2-Tetrachloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	79-34-5	
Tetrachloroethene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	127-18-4	
Toluene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	108-88-3	
1,2,3-Trichlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	87-61-6	
1,2,4-Trichlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	120-82-1	
1,1,1-Trichloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	71-55-6	
1,1,2-Trichloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	79-00-5	
Trichloroethene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	79-01-6	
Trichlorofluoromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	75-69-4	
1,2,3-Trichloropropane	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	96-18-4	
1,2,4-Trimethylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	95-63-6	
1,3,5-Trimethylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	108-67-8	
Vinyl chloride	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	75-01-4	
Xylene (Total)	<2.5	ug/kg	5.0	2.5	1		01/31/18 12:27	1330-20-7	
Surrogates									
Toluene-d8 (S)	102	%	78-122		1		01/31/18 12:27	2037-26-5	
4-Bromofluorobenzene (S)	104	%	69-133		1		01/31/18 12:27	460-00-4	
1,2-Dichloroethane-d4 (S)	103	%	80-123		1		01/31/18 12:27	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch: 513439

Analysis Method: EPA 7470

QC Batch Method: EPA 7470

Analysis Description: 7470 Mercury

Associated Lab Samples: 60262572008, 60262572009, 60262572010

METHOD BLANK: 2101718

Matrix: Water

Associated Lab Samples: 60262572008, 60262572009, 60262572010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	ug/L	<0.046	0.20	0.046	02/08/18 15:00	

LABORATORY CONTROL SAMPLE: 2101719

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	5	4.9	99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2101720 2101721

Parameter	Units	60263480001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	ug/L	ND	5	5	4.6	4.8	92	96	75-125	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch: 513471

Analysis Method: EPA 7470

QC Batch Method: EPA 7470

Analysis Description: 7470 Mercury ,Dissolved

Associated Lab Samples: 60262572008, 60262572009, 60262572010

METHOD BLANK: 2101839

Matrix: Water

Associated Lab Samples: 60262572008, 60262572009, 60262572010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury, Dissolved	ug/L	<0.046	0.20	0.046	02/09/18 10:41	

LABORATORY CONTROL SAMPLE: 2101840

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury, Dissolved	ug/L	5	4.6	91	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2101841 2101842

Parameter	Units	60262644016 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury, Dissolved	ug/L	<0.046	5	5	5.3	5.0	106	100	75-125	6	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch: 511728

Analysis Method: EPA 7471

QC Batch Method: EPA 7471

Analysis Description: 7471 Mercury

Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007

METHOD BLANK: 2095315

Matrix: Solid

Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.0066	0.050	0.0066	01/25/18 11:25	

LABORATORY CONTROL SAMPLE: 2095316

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	.5	0.49	98	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2095317 2095318

Parameter	Units	60262572001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	0.31	.58	.53	1.1	1.1	141	142	75-125	8	20	M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch:	511567	Analysis Method:	EPA 6010
QC Batch Method:	EPA 3050	Analysis Description:	6010 MET
Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007			

METHOD BLANK:	2094751	Matrix:	Solid
Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007			

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	mg/kg	<0.41	1.0	0.41	01/25/18 11:52	
Barium	mg/kg	<0.031	0.50	0.031	01/25/18 11:52	
Cadmium	mg/kg	<0.037	0.50	0.037	01/25/18 11:52	
Chromium	mg/kg	<0.10	0.50	0.10	01/25/18 11:52	
Lead	mg/kg	<0.21	0.50	0.21	01/25/18 11:52	
Selenium	mg/kg	<0.75	1.5	0.75	01/25/18 11:52	
Silver	mg/kg	<0.17	0.70	0.17	01/25/18 11:52	

LABORATORY CONTROL SAMPLE: 2094752

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	100	92.7	93	80-120	
Barium	mg/kg	100	96.9	97	80-120	
Cadmium	mg/kg	100	95.3	95	80-120	
Chromium	mg/kg	100	94.2	94	80-120	
Lead	mg/kg	100	95.9	96	80-120	
Selenium	mg/kg	100	95.3	95	80-120	
Silver	mg/kg	50	47.6	95	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2094753 2094754

Parameter	Units	60262572001		MS		MSD		MS		MSD		% Rec		Max	
		Result	Spike Conc.	Spike Conc.	Result	Result	Result	% Rec	% Rec	% Rec	% Rec	Limits	RPD	RPD	Qual
Arsenic	mg/kg	7.3	113	117	113	117	113	94	94	75-125	3	20			
Barium	mg/kg	280	113	117	456	386	156	91	91	75-125	17	20	M1		
Cadmium	mg/kg	0.84	113	117	106	111	93	95	95	75-125	5	20			
Chromium	mg/kg	15.4	113	117	120	123	93	92	92	75-125	2	20			
Lead	mg/kg	89.1	113	117	192	190	91	86	86	75-125	1	20			
Selenium	mg/kg	<0.91	113	117	103	108	90	92	92	75-125	5	20			
Silver	mg/kg	<0.20	56.5	58.6	53.3	56.4	94	96	96	75-125	6	20			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch: 513613 Analysis Method: EPA 6010
QC Batch Method: EPA 3010 Analysis Description: 6010 MET
Associated Lab Samples: 60262572008, 60262572009, 60262572010

METHOD BLANK: 2102354 Matrix: Water

Associated Lab Samples: 60262572008, 60262572009, 60262572010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	ug/L	<4.2	10.0	4.2	01/30/18 12:01	
Barium	ug/L	<0.91	5.0	0.91	01/30/18 12:01	
Cadmium	ug/L	<0.64	5.0	0.64	01/30/18 12:01	
Chromium	ug/L	<0.72	5.0	0.72	01/30/18 12:01	
Lead	ug/L	<2.4	5.0	2.4	01/30/18 12:01	
Selenium	ug/L	<3.4	15.0	3.4	01/30/18 12:01	
Silver	ug/L	<1.9	7.0	1.9	01/30/18 12:01	

LABORATORY CONTROL SAMPLE: 2102355

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	1000	951	95	80-120	
Barium	ug/L	1000	973	97	80-120	
Cadmium	ug/L	1000	982	98	80-120	
Chromium	ug/L	1000	982	98	80-120	
Lead	ug/L	1000	990	99	80-120	
Selenium	ug/L	1000	979	98	80-120	
Silver	ug/L	500	496	99	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch: 513463 Analysis Method: EPA 6010
QC Batch Method: EPA 3010 Analysis Description: 6010 MET Dissolved
Associated Lab Samples: 60262572008, 60262572009, 60262572010

METHOD BLANK: 2101805 Matrix: Water

Associated Lab Samples: 60262572008, 60262572009, 60262572010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic, Dissolved	ug/L	<4.2	10.0	4.2	01/31/18 17:00	
Barium, Dissolved	ug/L	<0.91	5.0	0.91	01/31/18 17:00	
Cadmium, Dissolved	ug/L	<0.64	5.0	0.64	01/31/18 17:00	
Chromium, Dissolved	ug/L	<0.72	5.0	0.72	01/31/18 17:00	
Lead, Dissolved	ug/L	<2.4	5.0	2.4	01/31/18 17:00	
Selenium, Dissolved	ug/L	<3.4	15.0	3.4	01/31/18 17:00	
Silver, Dissolved	ug/L	<1.9	7.0	1.9	01/31/18 17:00	

LABORATORY CONTROL SAMPLE: 2101806

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic, Dissolved	ug/L	1000	956	96	80-120	
Barium, Dissolved	ug/L	1000	991	99	80-120	
Cadmium, Dissolved	ug/L	1000	988	99	80-120	
Chromium, Dissolved	ug/L	1000	1020	102	80-120	
Lead, Dissolved	ug/L	1000	1030	103	80-120	
Selenium, Dissolved	ug/L	1000	1010	101	80-120	
Silver, Dissolved	ug/L	500	494	99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2101807 2101808

Parameter	Units	60262644015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Arsenic, Dissolved	ug/L	<4.2	1000	1000	985	974	98	97	75-125	1	20	
Barium, Dissolved	ug/L	70.2	1000	1000	1050	1030	98	96	75-125	1	20	
Cadmium, Dissolved	ug/L	<0.64	1000	1000	988	976	99	98	75-125	1	20	
Chromium, Dissolved	ug/L	1.4J	1000	1000	996	986	99	98	75-125	1	20	
Lead, Dissolved	ug/L	<2.4	1000	1000	966	961	97	96	75-125	0	20	
Selenium, Dissolved	ug/L	4.5J	1000	1000	1020	1010	101	100	75-125	1	20	
Silver, Dissolved	ug/L	<1.9	500	500	493	487	99	97	75-125	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch:	511774	Analysis Method:	EPA 5035A/8260
QC Batch Method:	EPA 5035A/8260	Analysis Description:	8260 MSV GRO and Oxygenates
Associated Lab Samples:	60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007		

METHOD BLANK:	2095493	Matrix:	Solid
Associated Lab Samples:	60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH-GRO	mg/kg	<0.25	0.50	0.25	01/31/18 12:11	

LABORATORY CONTROL SAMPLE: 2095494

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	mg/kg	4	4.4	111	61-140	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch: 511785

Analysis Method: EPA 5030B/8260

QC Batch Method: EPA 5030B/8260

Analysis Description: 8260 MSV Water 10 mL Purge

Associated Lab Samples: 60262572008, 60262572009, 60262572010

METHOD BLANK: 2095520

Matrix: Water

Associated Lab Samples: 60262572008, 60262572009, 60262572010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.15	1.0	0.15	01/25/18 11:21	
1,1,1-Trichloroethane	ug/L	<0.11	1.0	0.11	01/25/18 11:21	
1,1,2,2-Tetrachloroethane	ug/L	<0.15	1.0	0.15	01/25/18 11:21	
1,1,2-Trichloroethane	ug/L	<0.20	1.0	0.20	01/25/18 11:21	
1,1-Dichloroethane	ug/L	<0.050	1.0	0.050	01/25/18 11:21	
1,1-Dichloroethene	ug/L	<0.20	1.0	0.20	01/25/18 11:21	
1,1-Dichloropropene	ug/L	<0.090	1.0	0.090	01/25/18 11:21	
1,2,3-Trichlorobenzene	ug/L	<0.12	1.0	0.12	01/25/18 11:21	
1,2,3-Trichloropropane	ug/L	<0.19	2.5	0.19	01/25/18 11:21	
1,2,4-Trichlorobenzene	ug/L	<0.10	1.0	0.10	01/25/18 11:21	
1,2,4-Trimethylbenzene	ug/L	0.11J	1.0	0.090	01/25/18 11:21	
1,2-Dibromo-3-chloropropane	ug/L	<0.59	2.5	0.59	01/25/18 11:21	
1,2-Dibromoethane (EDB)	ug/L	<0.17	1.0	0.17	01/25/18 11:21	
1,2-Dichlorobenzene	ug/L	<0.050	1.0	0.050	01/25/18 11:21	
1,2-Dichloroethane	ug/L	<0.12	1.0	0.12	01/25/18 11:21	
1,2-Dichloroethene (Total)	ug/L	<0.28	1.0	0.28	01/25/18 11:21	
1,2-Dichloropropane	ug/L	<0.16	1.0	0.16	01/25/18 11:21	
1,3,5-Trimethylbenzene	ug/L	<0.10	1.0	0.10	01/25/18 11:21	
1,3-Dichlorobenzene	ug/L	<0.070	1.0	0.070	01/25/18 11:21	
1,3-Dichloropropane	ug/L	<0.17	1.0	0.17	01/25/18 11:21	
1,4-Dichlorobenzene	ug/L	<0.060	1.0	0.060	01/25/18 11:21	
2,2-Dichloropropane	ug/L	<0.19	1.0	0.19	01/25/18 11:21	
2-Butanone (MEK)	ug/L	<0.59	10.0	0.59	01/25/18 11:21	
2-Chlorotoluene	ug/L	<0.12	1.0	0.12	01/25/18 11:21	
2-Hexanone	ug/L	<1.2	10.0	1.2	01/25/18 11:21	
4-Chlorotoluene	ug/L	<0.14	1.0	0.14	01/25/18 11:21	
4-Methyl-2-pentanone (MIBK)	ug/L	<0.42	10.0	0.42	01/25/18 11:21	
Acetone	ug/L	<1.9	10.0	1.9	01/25/18 11:21	
Benzene	ug/L	<0.060	1.0	0.060	01/25/18 11:21	
Bromobenzene	ug/L	<0.10	1.0	0.10	01/25/18 11:21	
Bromochloromethane	ug/L	<0.15	1.0	0.15	01/25/18 11:21	
Bromodichloromethane	ug/L	<0.19	1.0	0.19	01/25/18 11:21	
Bromoform	ug/L	<0.070	1.0	0.070	01/25/18 11:21	
Bromomethane	ug/L	<0.16	5.0	0.16	01/25/18 11:21	
Carbon disulfide	ug/L	<0.12	5.0	0.12	01/25/18 11:21	
Carbon tetrachloride	ug/L	<0.18	1.0	0.18	01/25/18 11:21	
Chlorobenzene	ug/L	<0.21	1.0	0.21	01/25/18 11:21	
Chloroethane	ug/L	<0.15	1.0	0.15	01/25/18 11:21	
Chloroform	ug/L	<0.14	1.0	0.14	01/25/18 11:21	
Chloromethane	ug/L	<0.080	1.0	0.080	01/25/18 11:21	
cis-1,2-Dichloroethene	ug/L	<0.080	1.0	0.080	01/25/18 11:21	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

METHOD BLANK: 2095520

Matrix: Water

Associated Lab Samples: 60262572008, 60262572009, 60262572010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
cis-1,3-Dichloropropene	ug/L	<0.14	1.0	0.14	01/25/18 11:21	
Dibromochloromethane	ug/L	<0.21	1.0	0.21	01/25/18 11:21	
Dibromomethane	ug/L	<0.18	1.0	0.18	01/25/18 11:21	
Dichlorodifluoromethane	ug/L	<0.21	1.0	0.21	01/25/18 11:21	
Ethylbenzene	ug/L	<0.18	1.0	0.18	01/25/18 11:21	
Hexachloro-1,3-butadiene	ug/L	<0.18	1.0	0.18	01/25/18 11:21	
Isopropylbenzene (Cumene)	ug/L	<0.070	1.0	0.070	01/25/18 11:21	
Methyl-tert-butyl ether	ug/L	<0.060	1.0	0.060	01/25/18 11:21	
Methylene chloride	ug/L	<0.15	1.0	0.15	01/25/18 11:21	
n-Butylbenzene	ug/L	<0.10	1.0	0.10	01/25/18 11:21	
n-Propylbenzene	ug/L	<0.10	1.0	0.10	01/25/18 11:21	
Naphthalene	ug/L	<0.50	10.0	0.50	01/25/18 11:21	
p-Isopropyltoluene	ug/L	<0.10	1.0	0.10	01/25/18 11:21	
sec-Butylbenzene	ug/L	<0.050	1.0	0.050	01/25/18 11:21	
Styrene	ug/L	<0.12	1.0	0.12	01/25/18 11:21	
tert-Butylbenzene	ug/L	<0.34	1.0	0.34	01/25/18 11:21	
Tetrachloroethene	ug/L	<0.10	1.0	0.10	01/25/18 11:21	
Toluene	ug/L	<0.17	1.0	0.17	01/25/18 11:21	
trans-1,2-Dichloroethene	ug/L	<0.20	1.0	0.20	01/25/18 11:21	
trans-1,3-Dichloropropene	ug/L	<0.12	1.0	0.12	01/25/18 11:21	
Trichloroethene	ug/L	<0.17	1.0	0.17	01/25/18 11:21	
Trichlorofluoromethane	ug/L	<0.34	1.0	0.34	01/25/18 11:21	
Vinyl chloride	ug/L	<0.13	1.0	0.13	01/25/18 11:21	
Xylene (Total)	ug/L	<0.42	3.0	0.42	01/25/18 11:21	
1,2-Dichloroethane-d4 (S)	%	100	80-117		01/25/18 11:21	
4-Bromofluorobenzene (S)	%	101	80-119		01/25/18 11:21	
Toluene-d8 (S)	%	99	80-115		01/25/18 11:21	

LABORATORY CONTROL SAMPLE: 2095521

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	20.0	100	86-115	
1,1,1-Trichloroethane	ug/L	20	20.4	102	87-122	
1,1,2,2-Tetrachloroethane	ug/L	20	21.2	106	74-121	
1,1,2-Trichloroethane	ug/L	20	20.3	101	83-119	
1,1-Dichloroethane	ug/L	20	20.7	104	85-128	
1,1-Dichloroethene	ug/L	20	18.9	95	85-123	
1,1-Dichloropropene	ug/L	20	21.1	106	87-124	
1,2,3-Trichlorobenzene	ug/L	20	21.3	107	74-122	
1,2,3-Trichloropropane	ug/L	20	21.1	105	76-125	
1,2,4-Trichlorobenzene	ug/L	20	20.3	102	80-120	
1,2,4-Trimethylbenzene	ug/L	20	19.4	97	83-121	
1,2-Dibromo-3-chloropropane	ug/L	20	23.3	117	64-132	
1,2-Dibromoethane (EDB)	ug/L	20	20.8	104	84-118	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

LABORATORY CONTROL SAMPLE: 2095521

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	20	19.9	99	83-118	
1,2-Dichloroethane	ug/L	20	21.2	106	77-120	
1,2-Dichloroethene (Total)	ug/L	40	42.2	106	85-120	
1,2-Dichloropropane	ug/L	20	21.3	106	81-126	
1,3,5-Trimethylbenzene	ug/L	20	20.0	100	82-120	
1,3-Dichlorobenzene	ug/L	20	20.2	101	84-118	
1,3-Dichloropropane	ug/L	20	19.1	96	79-132	
1,4-Dichlorobenzene	ug/L	20	19.5	97	83-118	
2,2-Dichloropropane	ug/L	20	21.9	110	64-129	
2-Butanone (MEK)	ug/L	100	115	115	65-134	
2-Chlorotoluene	ug/L	20	19.9	100	85-115	
2-Hexanone	ug/L	100	112	112	68-132	
4-Chlorotoluene	ug/L	20	19.3	97	85-118	
4-Methyl-2-pentanone (MIBK)	ug/L	100	115	115	66-139	
Acetone	ug/L	100	107	107	62-142	
Benzene	ug/L	20	21.0	105	81-118	
Bromobenzene	ug/L	20	20.8	104	82-116	
Bromochloromethane	ug/L	20	19.5	97	82-129	
Bromodichloromethane	ug/L	20	21.3	106	85-123	
Bromoform	ug/L	20	19.7	99	83-123	
Bromomethane	ug/L	20	17.2	86	39-149	
Carbon disulfide	ug/L	20	17.2	86	85-124	
Carbon tetrachloride	ug/L	20	21.2	106	85-126	
Chlorobenzene	ug/L	20	20.1	100	87-118	
Chloroethane	ug/L	20	16.2	81	73-134	
Chloroform	ug/L	20	20.6	103	85-119	
Chloromethane	ug/L	20	19.7	99	20-174	
cis-1,2-Dichloroethene	ug/L	20	20.9	104	84-121	
cis-1,3-Dichloropropene	ug/L	20	22.1	110	80-124	
Dibromochloromethane	ug/L	20	20.8	104	83-122	
Dibromomethane	ug/L	20	20.5	103	82-125	
Dichlorodifluoromethane	ug/L	20	17.3	86	67-149	
Ethylbenzene	ug/L	20	20.1	100	80-118	
Hexachloro-1,3-butadiene	ug/L	20	19.5	97	75-117	
Isopropylbenzene (Cumene)	ug/L	20	20.3	102	89-120	
Methyl-tert-butyl ether	ug/L	20	22.0	110	82-119	
Methylene chloride	ug/L	20	20.3	101	81-126	
n-Butylbenzene	ug/L	20	20.1	100	80-116	
n-Propylbenzene	ug/L	20	20.1	100	83-119	
Naphthalene	ug/L	20	22.6	113	71-121	
p-Isopropyltoluene	ug/L	20	19.1	96	82-117	
sec-Butylbenzene	ug/L	20	20.8	104	81-113	
Styrene	ug/L	20	21.1	105	85-120	
tert-Butylbenzene	ug/L	20	20.0	100	85-116	
Tetrachloroethene	ug/L	20	19.0	95	87-120	
Toluene	ug/L	20	20.0	100	82-118	
trans-1,2-Dichloroethene	ug/L	20	21.3	107	83-121	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

LABORATORY CONTROL SAMPLE: 2095521

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
trans-1,3-Dichloropropene	ug/L	20	20.4	102	80-122	
Trichloroethene	ug/L	20	20.7	103	82-120	
Trichlorofluoromethane	ug/L	20	20.2	101	86-133	
Vinyl chloride	ug/L	20	20.8	104	74-147	
Xylene (Total)	ug/L	60	60.3	100	81-120	
1,2-Dichloroethane-d4 (S)	%			103	80-117	
4-Bromofluorobenzene (S)	%			101	80-119	
Toluene-d8 (S)	%			96	80-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch:	511832	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV MO GRO Oxygenates
Associated Lab Samples:	60262572008, 60262572009, 60262572010		

METHOD BLANK: 2095688 Matrix: Water

Associated Lab Samples: 60262572008, 60262572009, 60262572010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH-GRO	ug/L	<63.5	500	63.5	01/25/18 13:24	
1,2-Dichloroethane-d4 (S)	%	96	87-117		01/25/18 13:24	
4-Bromofluorobenzene (S)	%	104	80-119		01/25/18 13:24	
Toluene-d8 (S)	%	103	80-115		01/25/18 13:24	

LABORATORY CONTROL SAMPLE: 2095689

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	ug/L	4000	4420	111	77-146	
1,2-Dichloroethane-d4 (S)	%			95	87-117	
4-Bromofluorobenzene (S)	%			96	80-119	
Toluene-d8 (S)	%			102	80-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch:	511857	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV 5035A Volatile Organics
Associated Lab Samples:	60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007, 60262572011		

METHOD BLANK: 2095754

Matrix: Solid

Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007, 60262572011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,1,1-Trichloroethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,1,2,2-Tetrachloroethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,1,2-Trichloroethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,1-Dichloroethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,1-Dichloroethene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,1-Dichloropropene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2,3-Trichlorobenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2,3-Trichloropropane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2,4-Trichlorobenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2,4-Trimethylbenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2-Dibromo-3-chloropropane	ug/kg	<5.0	10.0	5.0	01/31/18 12:11	
1,2-Dibromoethane (EDB)	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2-Dichlorobenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2-Dichloroethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2-Dichloroethene (Total)	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2-Dichloropropane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,3,5-Trimethylbenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,3-Dichlorobenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,3-Dichloropropane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,4-Dichlorobenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
2,2-Dichloropropane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
2-Butanone (MEK)	ug/kg	<5.0	10.0	5.0	01/31/18 12:11	
2-Chlorotoluene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
2-Hexanone	ug/kg	<10.0	20.0	10.0	01/31/18 12:11	
4-Chlorotoluene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
4-Methyl-2-pentanone (MIBK)	ug/kg	<5.0	10.0	5.0	01/31/18 12:11	
Acetone	ug/kg	<10.0	20.0	10.0	01/31/18 12:11	
Benzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Bromobenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Bromochloromethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Bromodichloromethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Bromoform	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Bromomethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Carbon disulfide	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Carbon tetrachloride	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Chlorobenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Chloroethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Chloroform	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Chloromethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

METHOD BLANK: 2095754

Matrix: Solid

Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007, 60262572011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
cis-1,3-Dichloropropene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Dibromochloromethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Dibromomethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Dichlorodifluoromethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Ethylbenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Hexachloro-1,3-butadiene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Isopropylbenzene (Cumene)	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Methyl-tert-butyl ether	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Methylene chloride	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
n-Butylbenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
n-Propylbenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Naphthalene	ug/kg	<5.0	10.0	5.0	01/31/18 12:11	
p-Isopropyltoluene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
sec-Butylbenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Styrene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
tert-Butylbenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Tetrachloroethene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Toluene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
trans-1,2-Dichloroethene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
trans-1,3-Dichloropropene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Trichloroethene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Trichlorofluoromethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Vinyl chloride	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Xylene (Total)	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2-Dichloroethane-d4 (S)	%	107	80-123		01/31/18 12:11	
4-Bromofluorobenzene (S)	%	105	69-133		01/31/18 12:11	
Toluene-d8 (S)	%	104	78-122		01/31/18 12:11	

LABORATORY CONTROL SAMPLE: 2095755

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	100	113	113	79-131	
1,1,1-Trichloroethane	ug/kg	100	111	111	75-138	
1,1,2,2-Tetrachloroethane	ug/kg	100	103	103	71-127	
1,1,2-Trichloroethane	ug/kg	100	102	102	77-118	
1,1-Dichloroethane	ug/kg	100	111	111	79-127	
1,1-Dichloroethene	ug/kg	100	116	116	66-135	
1,1-Dichloropropene	ug/kg	100	113	113	69-143	
1,2,3-Trichlorobenzene	ug/kg	100	111	111	78-122	
1,2,3-Trichloropropane	ug/kg	100	92.5	93	74-119	
1,2,4-Trichlorobenzene	ug/kg	100	107	107	71-129	
1,2,4-Trimethylbenzene	ug/kg	100	104	104	73-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

LABORATORY CONTROL SAMPLE: 2095755

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dibromo-3-chloropropane	ug/kg	100	96.8	97	72-139	
1,2-Dibromoethane (EDB)	ug/kg	100	95.2	95	81-121	
1,2-Dichlorobenzene	ug/kg	100	104	104	74-123	
1,2-Dichloroethane	ug/kg	100	114	114	77-117	
1,2-Dichloroethene (Total)	ug/kg	200	174	87	77-127	
1,2-Dichloropropane	ug/kg	100	110	110	70-126	
1,3,5-Trimethylbenzene	ug/kg	100	111	111	74-131	
1,3-Dichlorobenzene	ug/kg	100	110	110	75-124	
1,3-Dichloropropane	ug/kg	100	98.0	98	80-121	
1,4-Dichlorobenzene	ug/kg	100	102	102	74-125	
2,2-Dichloropropane	ug/kg	100	117	117	70-146	
2-Butanone (MEK)	ug/kg	500	510	102	66-121	
2-Chlorotoluene	ug/kg	100	106	106	75-127	
2-Hexanone	ug/kg	500	515	103	67-124	
4-Chlorotoluene	ug/kg	100	107	107	70-130	
4-Methyl-2-pentanone (MIBK)	ug/kg	500	519	104	70-120	
Acetone	ug/kg	500	650	130	60-134	
Benzene	ug/kg	100	110	110	77-122	
Bromobenzene	ug/kg	100	104	104	79-121	
Bromochloromethane	ug/kg	100	100	100	74-123	
Bromodichloromethane	ug/kg	100	116	116	80-133	
Bromoform	ug/kg	100	100	100	76-150	
Bromomethane	ug/kg	100	83.7	84	24-174	
Carbon disulfide	ug/kg	100	113	113	59-145	
Carbon tetrachloride	ug/kg	100	123	123	73-150	
Chlorobenzene	ug/kg	100	108	108	76-123	
Chloroethane	ug/kg	100	86.0	86	34-164	
Chloroform	ug/kg	100	108	108	80-122	
Chloromethane	ug/kg	100	90.6	91	10-170	
cis-1,2-Dichloroethene	ug/kg	100	110	110	81-121	
cis-1,3-Dichloropropene	ug/kg	100	112	112	71-137	
Dibromochloromethane	ug/kg	100	113	113	78-137	
Dibromomethane	ug/kg	100	108	108	82-119	
Dichlorodifluoromethane	ug/kg	100	123	123	10-186	
Ethylbenzene	ug/kg	100	115	115	74-126	
Hexachloro-1,3-butadiene	ug/kg	100	113	113	68-146	
Isopropylbenzene (Cumene)	ug/kg	100	116	116	75-133	
Methyl-tert-butyl ether	ug/kg	100	76.6	77	74-120	
Methylene chloride	ug/kg	100	114	114	64-138	
n-Butylbenzene	ug/kg	100	111	111	70-140	
n-Propylbenzene	ug/kg	100	110	110	72-134	
Naphthalene	ug/kg	100	105	105	73-117	
p-Isopropyltoluene	ug/kg	100	105	105	72-135	
sec-Butylbenzene	ug/kg	100	116	116	72-132	
Styrene	ug/kg	100	121	121	77-127	
tert-Butylbenzene	ug/kg	100	107	107	74-133	
Tetrachloroethene	ug/kg	100	113	113	75-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

LABORATORY CONTROL SAMPLE: 2095755

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/kg	100	113	113	73-122	
trans-1,2-Dichloroethene	ug/kg	100	63.9	64	71-134	L2
trans-1,3-Dichloropropene	ug/kg	100	106	106	72-142	
Trichloroethene	ug/kg	100	112	112	73-127	
Trichlorofluoromethane	ug/kg	100	121	121	55-155	
Vinyl chloride	ug/kg	100	118	118	36-162	
Xylene (Total)	ug/kg	300	330	110	75-123	
1,2-Dichloroethane-d4 (S)	%			104	80-123	
4-Bromofluorobenzene (S)	%			97	69-133	
Toluene-d8 (S)	%			102	78-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch:	91279	Analysis Method:	EPA 8081
QC Batch Method:	EPA 3546	Analysis Description:	8081 GCS Pesticides
Associated Lab Samples:	60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007		

METHOD BLANK: 404437

Matrix: Solid

Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	ug/kg	<0.33	1.0	0.33	01/29/18 17:45	
4,4'-DDE	ug/kg	<0.31	1.0	0.31	01/29/18 17:45	
4,4'-DDT	ug/kg	<0.65	1.4	0.65	01/29/18 17:45	
Aldrin	ug/kg	<0.35	1.0	0.35	01/29/18 17:45	
alpha-BHC	ug/kg	<0.16	1.0	0.16	01/29/18 17:45	
alpha-Chlordane	ug/kg	<0.40	1.7	0.40	01/29/18 17:45	
beta-BHC	ug/kg	<0.53	1.7	0.53	01/29/18 17:45	
Chlordane (Technical)	ug/kg	<28.1	150	28.1	01/29/18 17:45	
delta-BHC	ug/kg	<0.48	1.4	0.48	01/29/18 17:45	
Dieldrin	ug/kg	<0.43	1.4	0.43	01/29/18 17:45	
Endosulfan I	ug/kg	<0.46	1.4	0.46	01/29/18 17:45	
Endosulfan II	ug/kg	<0.32	1.0	0.32	01/29/18 17:45	
Endosulfan sulfate	ug/kg	<0.46	1.4	0.46	01/29/18 17:45	
Endrin	ug/kg	<0.46	1.7	0.46	01/29/18 17:45	
Endrin aldehyde	ug/kg	<0.46	1.4	0.46	01/29/18 17:45	
Endrin ketone	ug/kg	<0.55	2.0	0.55	01/29/18 17:45	
gamma-BHC (Lindane)	ug/kg	<0.45	1.4	0.45	01/29/18 17:45	
gamma-Chlordane	ug/kg	<0.66	1.7	0.66	01/29/18 17:45	
Heptachlor	ug/kg	<0.76	2.0	0.76	01/29/18 17:45	
Heptachlor epoxide	ug/kg	<2.0	5.0	2.0	01/29/18 17:45	
Methoxychlor	ug/kg	<0.57	2.0	0.57	01/29/18 17:45	
Toxaphene	ug/kg	<51.8	150	51.8	01/29/18 17:45	
Decachlorobiphenyl (S)	%.	62	70-130		01/29/18 17:45	S0
Tetrachloro-m-xylene (S)	%.	79	70-130		01/29/18 17:45	

LABORATORY CONTROL SAMPLE: 404438

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	ug/kg	33.3	35.5	107	70-130	
4,4'-DDE	ug/kg	33.3	39.0	117	70-130	
4,4'-DDT	ug/kg	33.3	34.8	104	70-130	
Aldrin	ug/kg	33.3	32.3	97	70-130	
alpha-BHC	ug/kg	33.3	36.1	108	70-130	
alpha-Chlordane	ug/kg	33.3	36.4	109	70-130	
beta-BHC	ug/kg	33.3	37.3	112	70-130	
delta-BHC	ug/kg	33.3	36.9	111	70-130	
Dieldrin	ug/kg	33.3	31.5	95	70-130	
Endosulfan I	ug/kg	33.3	30.0	90	70-130	
Endosulfan II	ug/kg	33.3	32.1	96	70-130	
Endosulfan sulfate	ug/kg	33.3	29.6	89	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

LABORATORY CONTROL SAMPLE: 404438

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endrin	ug/kg	33.3	34.1	102	70-130	
Endrin aldehyde	ug/kg	33.3	33.8	101	70-130	
Endrin ketone	ug/kg	33.3	30.9	93	70-130	
gamma-BHC (Lindane)	ug/kg	33.3	37.0	111	70-130	
gamma-Chlordane	ug/kg	33.3	32.0	96	70-130	
Heptachlor	ug/kg	33.3	32.9	99	70-130	
Heptachlor epoxide	ug/kg	33.3	31.5	95	70-130	
Methoxychlor	ug/kg	33.3	36.5	110	70-130	
Decachlorobiphenyl (S)	%.			64	70-130	S0
Tetrachloro-m-xylene (S)	%.			83	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 404439 404440

Parameter	Units	60262572001		MS		MSD		MS		MSD		% Rec		Max		Qual
		Result	Conc.	Spike Conc.	Conc.	Result	Conc.	% Rec	% Rec	% Rec	% Rec	Limits	RPD	RPD	RPD	
4,4'-DDD	ug/kg	<0.63	63.5	64.1	62.6	60.2	99	94	70-130	4	40					
4,4'-DDE	ug/kg	<0.60	63.5	64.1	68.3	66.7	108	104	70-130	2	40					
4,4'-DDT	ug/kg	<1.2	63.5	64.1	60.8	60.2	96	94	70-130	1	40					
Aldrin	ug/kg	<0.68	63.5	64.1	58.9	58.5	93	91	70-130	1	40					
alpha-BHC	ug/kg	<0.30	63.5	64.1	67.1	67.2	106	105	70-130	0	40					
alpha-Chlordane	ug/kg	<0.76	63.5	64.1	61.5	59.2	97	92	70-130	4	40					
beta-BHC	ug/kg	<1.0	63.5	64.1	69.7	93.9	110	146	70-130	30	40	M1				
delta-BHC	ug/kg	<0.92	63.5	64.1	69.9	72.2	110	113	70-130	3	40					
Dieldrin	ug/kg	<0.83	63.5	64.1	54.4	53.0	86	83	70-130	2	40					
Endosulfan I	ug/kg	<0.89	63.5	64.1	51.7	51.1	81	80	70-130	1	40					
Endosulfan II	ug/kg	<0.62	63.5	64.1	55.8	55.5	88	87	70-130	1	40					
Endosulfan sulfate	ug/kg	<0.88	63.5	64.1	49.7	47.7	78	74	70-130	4	40					
Endrin	ug/kg	<0.89	63.5	64.1	60.7	65.2	96	102	70-130	7	40					
Endrin aldehyde	ug/kg	<0.89	63.5	64.1	55.1	55.3	87	86	70-130	0	40					
Endrin ketone	ug/kg	<1.1	63.5	64.1	56.5	60.6	89	95	70-130	7	40					
gamma-BHC (Lindane)	ug/kg	<0.86	63.5	64.1	68.3	70.5	108	110	70-130	3	40					
gamma-Chlordane	ug/kg	<1.3	63.5	64.1	55.4	54.5	87	85	70-130	2	40					
Heptachlor	ug/kg	<1.5	63.5	64.1	60.5	60.7	95	95	70-130	0	40					
Heptachlor epoxide	ug/kg	<3.8	63.5	64.1	56.9	57.6	90	90	70-130	1	40					
Methoxychlor	ug/kg	<1.1	63.5	64.1	61.6	57.7	97	90	70-130	7	40					
Decachlorobiphenyl (S)	%.						88	95	70-130							
Tetrachloro-m-xylene (S)	%.						80	81	70-130							

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch: 91344 Analysis Method: EPA 8081
QC Batch Method: EPA 3510 Analysis Description: 8081 GCS Pesticides
Associated Lab Samples: 60262572008, 60262572009, 60262572010

METHOD BLANK: 404959 Matrix: Water

Associated Lab Samples: 60262572008, 60262572009, 60262572010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	ug/L	<0.0050	0.010	0.0050	02/05/18 15:49	
4,4'-DDE	ug/L	<0.0070	0.010	0.0070	02/05/18 15:49	
4,4'-DDT	ug/L	<0.0070	0.010	0.0070	02/05/18 15:49	
Aldrin	ug/L	<0.0070	0.010	0.0070	02/05/18 15:49	
alpha-BHC	ug/L	<0.0060	0.010	0.0060	02/05/18 15:49	
alpha-Chlordane	ug/L	<0.024	0.10	0.024	02/05/18 15:49	
beta-BHC	ug/L	<0.010	0.010	0.010	02/05/18 15:49	
Chlordane (Technical)	ug/L	<0.090	0.10	0.090	02/05/18 15:49	
delta-BHC	ug/L	<0.0090	0.010	0.0090	02/05/18 15:49	
Dieldrin	ug/L	<0.0060	0.010	0.0060	02/05/18 15:49	
Endosulfan I	ug/L	<0.021	0.10	0.021	02/05/18 15:49	
Endosulfan II	ug/L	<0.0090	0.010	0.0090	02/05/18 15:49	
Endosulfan sulfate	ug/L	<0.0070	0.010	0.0070	02/05/18 15:49	
Endrin	ug/L	<0.0070	0.010	0.0070	02/05/18 15:49	
Endrin aldehyde	ug/L	<0.029	0.10	0.029	02/05/18 15:49	
Endrin ketone	ug/L	<0.025	0.10	0.025	02/05/18 15:49	
gamma-BHC (Lindane)	ug/L	<0.0080	0.010	0.0080	02/05/18 15:49	
gamma-Chlordane	ug/L	<0.034	0.10	0.034	02/05/18 15:49	
Heptachlor	ug/L	<0.0050	0.010	0.0050	02/05/18 15:49	
Heptachlor epoxide	ug/L	<0.0070	0.010	0.0070	02/05/18 15:49	
Methoxychlor	ug/L	<0.0060	0.010	0.0060	02/05/18 15:49	
Toxaphene	ug/L	<0.61	1.5	0.61	02/05/18 15:49	
Decachlorobiphenyl (S)	%	69	12-162		02/05/18 15:49	
Tetrachloro-m-xylene (S)	%	89	54-127		02/05/18 15:49	

LABORATORY CONTROL SAMPLE: 404960

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	ug/L	1	1.2	116	68-149	
4,4'-DDE	ug/L	1	1.1	110	70-135	
4,4'-DDT	ug/L	1	1.3	130	30-174	
Aldrin	ug/L	1	1.0	102	60-137	
alpha-BHC	ug/L	1	1.1	109	73-136	
alpha-Chlordane	ug/L	1	1.3	125	24-176	
beta-BHC	ug/L	1	1.2	117	50-174	
delta-BHC	ug/L	1	1.1	113	18-200	
Dieldrin	ug/L	1	1.0	104	62-148	
Endosulfan I	ug/L	1	0.97	97	38-171	
Endosulfan II	ug/L	1	1.1	112	36-178	
Endosulfan sulfate	ug/L	1	1.3	128	64-131	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

LABORATORY CONTROL SAMPLE: 404960

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endrin	ug/L	1	1.1	108	56-152	
Endrin aldehyde	ug/L	1	1.3	125	52-162	
Endrin ketone	ug/L	1	1.3	131	22-187	
gamma-BHC (Lindane)	ug/L	1	1.1	108	70-135	
gamma-Chlordane	ug/L	1	1.0	103	52-155	
Heptachlor	ug/L	1	1.2	125	59-139	
Heptachlor epoxide	ug/L	1	1.1	112	65-138	
Methoxychlor	ug/L	1	1.4	144	39-160	
Decachlorobiphenyl (S)	%.			129	12-162	
Tetrachloro-m-xylene (S)	%.			98	54-127	

MATRIX SPIKE SAMPLE: 404963

Parameter	Units	60262572008 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	ug/L	<0.0050	1	1.2	116	24-177	
4,4'-DDE	ug/L	<0.0070	1	1.0	103	22-161	
4,4'-DDT	ug/L	<0.0070	1	1.1	113	10-180	
Aldrin	ug/L	<0.0070	1	0.94	94	10-156	
alpha-BHC	ug/L	<0.0060	1	1.1	106	71-143	
alpha-Chlordane	ug/L	<0.024	1	1.2	124	15-174	
beta-BHC	ug/L	<0.010	1	1.2	120	72-149	
delta-BHC	ug/L	<0.0090	1	1.2	116	44-151	
Dieldrin	ug/L	<0.0060	1	1.0	105	33-166	
Endosulfan I	ug/L	<0.021	1	0.98	98	27-167	
Endosulfan II	ug/L	<0.0090	1	1.1	113	37-173	
Endosulfan sulfate	ug/L	<0.0070	1	1.3	132	33-167	
Endrin	ug/L	<0.0070	1	1.1	111	39-173	
Endrin aldehyde	ug/L	<0.029	1	1.2	121	14-180	
Endrin ketone	ug/L	<0.025	1	1.3	133	29-180	
gamma-BHC (Lindane)	ug/L	<0.0080	1	0.97	97	69-139	
gamma-Chlordane	ug/L	<0.034	1	1.0	104	20-166	
Heptachlor	ug/L	<0.0050	1	1.3	127	48-141	
Heptachlor epoxide	ug/L	<0.0070	1	1.1	115	28-164	
Methoxychlor	ug/L	<0.0060	1	1.4	136	20-178	
Decachlorobiphenyl (S)	%.				54	12-162	
Tetrachloro-m-xylene (S)	%.				89	54-127	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch:	91281	Analysis Method:	EPA 8141A
QC Batch Method:	EPA 3546	Analysis Description:	Organophos Pests in soil by 8141
Associated Lab Samples:	60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007		

METHOD BLANK: 404450

Matrix: Solid

Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Azinphos, methyl (Guthion)	ug/kg	<3.3	6.7	3.3	01/31/18 17:47	
Bolstar	ug/kg	<3.3	6.7	3.3	01/31/18 17:47	
Chlorpyrifos	ug/kg	<3.3	6.7	3.3	01/31/18 17:47	
Coumaphos	ug/kg	<3.3	6.7	3.3	01/31/18 17:47	
Diazinon	ug/kg	<3.3	6.7	3.3	01/31/18 17:47	
Dichlorvos	ug/kg	<1.7	3.3	1.7	01/31/18 17:47	
Dimethoate	ug/kg	<3.3	6.7	3.3	01/31/18 17:47	
Disulfoton	ug/kg	<1.7	3.3	1.7	01/31/18 17:47	
EPN (ENT)	ug/kg	<2.1	3.3	2.1	01/31/18 17:47	
Ethoprop	ug/kg	<1.7	3.3	1.7	01/31/18 17:47	
Fensulfothion	ug/kg	<3.3	6.7	3.3	01/31/18 17:47	
Fenthion	ug/kg	<1.7	3.3	1.7	01/31/18 17:47	
Malathion	ug/kg	<3.3	6.7	3.3	01/31/18 17:47	
Methyl parathion	ug/kg	<1.7	3.3	1.7	01/31/18 17:47	
Mevinphos	ug/kg	<2.0	3.3	2.0	01/31/18 17:47	
Parathion (Ethyl parathion)	ug/kg	<3.3	6.7	3.3	01/31/18 17:47	
Phorate	ug/kg	<1.7	3.3	1.7	01/31/18 17:47	
Ronnel	ug/kg	<1.7	3.3	1.7	01/31/18 17:47	
Stirophos (Tetrachlorvinphos)	ug/kg	<3.3	6.7	3.3	01/31/18 17:47	
Sulfotep (Thiodiphosphoric Ac	ug/kg	<1.7	3.3	1.7	01/31/18 17:47	
Tokuthion (Prothiofos)	ug/kg	<1.7	3.3	1.7	01/31/18 17:47	
Total Demeton	ug/kg	<2.7	3.3	2.7	01/31/18 17:47	N2
Total Merphos	ug/kg	<3.3	13.3	3.3	01/31/18 17:47	N2
Trichloronate	ug/kg	<3.3	6.7	3.3	01/31/18 17:47	
Tributylphosphate (S)	%	125	17-125		01/31/18 17:47	
Triphenylphosphate (S)	%	93	11-137		01/31/18 17:47	

LABORATORY CONTROL SAMPLE: 404451

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Azinphos, methyl (Guthion)	ug/kg	8.3	7.5	91	45-142	
Bolstar	ug/kg	8.3	6.6	80	58-97	
Chlorpyrifos	ug/kg	8.3	5.8	70	58-97	
Coumaphos	ug/kg	8.3	8.1	97	59-123	
Diazinon	ug/kg	8.3	6.4	77	51-100	
Dichlorvos	ug/kg	8.3	6.4	77	40-117	
Dimethoate	ug/kg	8.3	6.3	76	32-130	
Disulfoton	ug/kg	8.3	5.7	69	32-108	
EPN (ENT)	ug/kg	8.3	7.1	85	51-117	
Ethoprop	ug/kg	8.3	6.7	80	49-108	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

LABORATORY CONTROL SAMPLE: 404451

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Fensulfothion	ug/kg	8.3	8.1	98	47-148	
Fenthion	ug/kg	8.3	6.8	82	58-111	
Malathion	ug/kg	8.3	6.7	81	55-112	
Methyl parathion	ug/kg	8.3	6.5	79	49-113	
Mevinphos	ug/kg	8.3	6.4	77	43-121	
Parathion (Ethyl parathion)	ug/kg	8.3	6.3	75	50-114	
Phorate	ug/kg	8.3	6.2	75	42-108	
Ronnel	ug/kg	8.3	6.2	75	54-106	
Stirophos (Tetrachlorvinphos)	ug/kg	8.3	6.9	83	54-115	
Sulfotep (Thiodiphosphoric Ac	ug/kg	8.3	6.8	82	46-108	
Tokuthion (Prothiofos)	ug/kg	8.3	6.8	82	59-104	
Total Demeton	ug/kg	8.3	5.8	70	32-106	N2
Total Merphos	ug/kg	8.3	5.2	63	10-144	N2
Trichloronate	ug/kg	8.3	6.4	77	59-100	
Tributylphosphate (S)	%			88	17-125	
Triphenylphosphate (S)	%			75	11-137	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 404452 404453

Parameter	Units	60262572002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Azinphos, methyl (Guthion)	ug/kg	<4.1	10.4	10.4	7.9	3.5J	77	34	20-146		40	
Bolstar	ug/kg	<4.1	10.4	10.4	8.8	3.9J	85	37	13-120		40	
Chlorpyrifos	ug/kg	<4.1	10.4	10.4	8.5	4.2	82	41	10-147	67	40	R1
Coumaphos	ug/kg	<4.1	10.4	10.4	8.4	3.1J	81	30	28-126		40	
Diazinon	ug/kg	192	10.4	10.4	135	84.1	-553	-1040	10-136	47	40	M1,R1
Dichlorvos	ug/kg	<2.1	10.4	10.4	8.2	4.0	80	39	10-135	69	40	R1
Dimethoate	ug/kg	<4.1	10.4	10.4	6.4	2.5J	62	24	10-133		40	
Disulfoton	ug/kg	<2.1	10.4	10.4	8.4	3.4	81	33	10-130	85	40	R1
EPN (ENT)	ug/kg	<2.6	10.4	10.4	7.9	3.7	76	36	10-133	72	40	R1
Ethoprop	ug/kg	<2.1	10.4	10.4	9.3	4.2	90	41	15-119	75	40	R1
Fensulfothion	ug/kg	<4.1	10.4	10.4	7.5	2.5J	73	25	16-143		40	
Fenthion	ug/kg	<2.1	10.4	10.4	9.3	4.0	90	38	14-133	80	40	R1
Malathion	ug/kg	<4.1	10.4	10.4	9.1	5.0	88	49	31-112	58	40	R1
Methyl parathion	ug/kg	<2.1	10.4	10.4	8.5	4.0	82	39	10-147	72	40	R1
Mevinphos	ug/kg	<2.4	10.4	10.4	7.1	3.4	69	33	10-136	70	40	R1
Parathion (Ethyl parathion)	ug/kg	<4.1	10.4	10.4	7.8	4.6	75	45	10-142	51	40	R1
Phorate	ug/kg	<2.1	10.4	10.4	8.2	3.7	79	36	10-130	76	40	R1
Ronnel	ug/kg	<2.1	10.4	10.4	8.1	4.2	78	40	13-125	64	40	R1
Stirophos (Tetrachlorvinphos)	ug/kg	<4.1	10.4	10.4	8.9	4.4	87	42	16-136	68	40	R1
Sulfotep (Thiodiphosphoric Ac	ug/kg	<2.1	10.4	10.4	8.3	3.8	80	37	10-122	73	40	R1
Tokuthion (Prothiofos)	ug/kg	<2.1	10.4	10.4	9.2	4.0	89	39	10-125	78	40	R1
Total Demeton	ug/kg	<3.4	10.4	10.4	8.5	4.3	82	42	10-119	65	40	N2,R1
Total Merphos	ug/kg	<4.1	10.4	10.4	7.2J	3.9J	70	37	10-122		40	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 404452 404453												
Parameter	Units	60262572002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Trichloronate	ug/kg	<4.1	10.4	10.4	8.6	4.2	83	40	13-120	70	40	R1
Tributylphosphate (S)	%.						70	34	17-125			
Triphenylphosphate (S)	%.						72	32	11-137			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch: 91347 Analysis Method: EPA 8141A
QC Batch Method: EPA 3510 Analysis Description: 8141 GCS, O/P Pesticides
Associated Lab Samples: 60262572008, 60262572009, 60262572010

METHOD BLANK: 404969 Matrix: Water

Associated Lab Samples: 60262572008, 60262572009, 60262572010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Azinphos, methyl (Guthion)	ug/L	<0.093	0.10	0.093	02/01/18 15:40	
Bolstar	ug/L	<0.090	0.10	0.090	02/01/18 15:40	
Chlorpyrifos	ug/L	<0.067	0.10	0.067	02/01/18 15:40	
Coumaphos	ug/L	<0.092	0.10	0.092	02/01/18 15:40	
Diazinon	ug/L	<0.078	0.10	0.078	02/01/18 15:40	
Dichlorvos	ug/L	<0.073	0.10	0.073	02/01/18 15:40	
Dimethoate	ug/L	<0.083	0.10	0.083	02/01/18 15:40	
Disulfoton	ug/L	<0.071	0.10	0.071	02/01/18 15:40	
EPN (ENT)	ug/L	<0.087	0.10	0.087	02/01/18 15:40	
Ethoprop	ug/L	<0.059	0.10	0.059	02/01/18 15:40	
Fensulfothion	ug/L	<0.087	0.10	0.087	02/01/18 15:40	
Fenthion	ug/L	<0.088	0.10	0.088	02/01/18 15:40	
Malathion	ug/L	<0.086	0.10	0.086	02/01/18 15:40	
Methyl parathion	ug/L	<0.070	0.10	0.070	02/01/18 15:40	
Mevinphos	ug/L	<0.065	0.10	0.065	02/01/18 15:40	
Parathion (Ethyl parathion)	ug/L	<0.060	0.10	0.060	02/01/18 15:40	
Phorate	ug/L	<0.064	0.10	0.064	02/01/18 15:40	
Ronnel	ug/L	<0.088	0.10	0.088	02/01/18 15:40	
Stirophos (Tetrachlorvinphos)	ug/L	<0.072	0.10	0.072	02/01/18 15:40	
Sulfotep (Thiodiphosphoric Ac	ug/L	<0.061	0.10	0.061	02/01/18 15:40	
Tokuthion (Prothiofos)	ug/L	<0.081	0.10	0.081	02/01/18 15:40	
Total Demeton	ug/L	<0.083	0.10	0.083	02/01/18 15:40	
Total Merphos	ug/L	<0.038	0.10	0.038	02/01/18 15:40	
Trichloronate	ug/L	<0.087	0.10	0.087	02/01/18 15:40	
Tributylphosphate (S)	%	124	20-150		02/01/18 15:40	
Triphenylphosphate (S)	%	86	10-175		02/01/18 15:40	

LABORATORY CONTROL SAMPLE: 404970

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Azinphos, methyl (Guthion)	ug/L	.25	0.21	83	32-136	
Bolstar	ug/L	.25	0.19	75	45-115	
Chlorpyrifos	ug/L	.25	0.18	72	44-113	
Coumaphos	ug/L	.25	0.23	91	42-135	
Diazinon	ug/L	.25	0.19	78	35-117	
Dichlorvos	ug/L	.25	0.18	70	24-129	
Dimethoate	ug/L	.25	0.17	68	43-120	
Disulfoton	ug/L	.25	0.18	74	34-111	
EPN (ENT)	ug/L	.25	0.20	80	34-133	
Ethoprop	ug/L	.25	0.17	69	42-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

LABORATORY CONTROL SAMPLE: 404970

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Fensulfothion	ug/L	.25	0.22	88	37-153	
Fenthion	ug/L	.25	0.21	82	43-128	
Malathion	ug/L	.25	0.20	81	42-125	
Methyl parathion	ug/L	.25	0.19	78	41-127	
Mevinphos	ug/L	.25	0.20	78	16-142	
Parathion (Ethyl parathion)	ug/L	.25	0.18	73	42-118	
Phorate	ug/L	.25	0.20	78	42-122	
Ronnel	ug/L	.25	0.19	75	45-116	
Stirophos (Tetrachlorvinphos)	ug/L	.25	0.20	81	40-131	
Sulfotep (Thiodiphosphoric Ac	ug/L	.25	0.19	78	42-111	
Tokuthion (Prothiofos)	ug/L	.25	0.20	80	42-118	
Total Demeton	ug/L	.25	0.17	69	19-126	
Total Merphos	ug/L	.25	0.19	77	10-143	
Trichloronate	ug/L	.25	0.19	76	43-116	
Tributylphosphate (S)	%			157	20-150	S1
Triphenylphosphate (S)	%			139	10-175	

MATRIX SPIKE SAMPLE: 404971

Parameter	Units	60262572009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Azinphos, methyl (Guthion)	ug/L	<0.46	.25	0.28	112	40-140	
Bolstar	ug/L	<0.45	.25	0.21	84	40-140	
Chlorpyrifos	ug/L	<0.34	.25	0.35	138	40-140	
Coumaphos	ug/L	<0.46	.25	0.20	79	40-140	
Diazinon	ug/L	<0.39	.25	0.28	110	40-140	
Dichlorvos	ug/L	<0.36	.25	0.19	78	40-140	
Dimethoate	ug/L	<0.42	.25	0.23	92	40-140	
Disulfoton	ug/L	<0.36	.25	0.19	75	10-140	
EPN (ENT)	ug/L	<0.44	.25	0.23	92	40-140	
Ethoprop	ug/L	<0.30	.25	0.20	79	40-140	
Fensulfothion	ug/L	<0.44	.25	0.22	90	40-140	
Fenthion	ug/L	<0.44	.25	0.12	49	40-140	
Malathion	ug/L	<0.43	.25	0.17	67	40-140	
Methyl parathion	ug/L	<0.35	.25	0.24	96	40-140	
Mevinphos	ug/L	<0.32	.25	0.18	71	40-140	
Parathion (Ethyl parathion)	ug/L	<0.30	.25	1.4	546	40-140	M3
Phorate	ug/L	<0.32	.25	0.30	121	40-140	
Ronnel	ug/L	<0.44	.25	0.26	102	40-140	
Stirophos (Tetrachlorvinphos)	ug/L	<0.36	.25	0.23	92	40-140	
Sulfotep (Thiodiphosphoric Ac	ug/L	<0.30	.25	0.21	85	40-140	
Tokuthion (Prothiofos)	ug/L	<0.40	.25	0.19	77	40-140	
Total Demeton	ug/L	<0.42	.25	0.23	92	10-140	
Total Merphos	ug/L	<0.19	.25	0.16	64	10-140	
Trichloronate	ug/L	<0.44	.25	0.95	379	40-140	M1
Tributylphosphate (S)	%				71	20-150	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

MATRIX SPIKE SAMPLE:		404971					
Parameter	Units	60262572009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Triphenylphosphate (S)	%.				84	10-175	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch:	91432	Analysis Method:	EPA 8151
QC Batch Method:	EPA 3546	Analysis Description:	8151 GCS Herbicides
Associated Lab Samples:	60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007		

METHOD BLANK: 405362

Matrix: Solid

Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
2,4,5-T	ug/kg	<1.7	1.7	1.7	01/30/18 11:39	
2,4,5-TP (Silvex)	ug/kg	<1.7	1.7	1.7	01/30/18 11:39	
2,4-D	ug/kg	<1.7	1.7	1.7	01/30/18 11:39	
2,4-DB	ug/kg	<1.7	1.7	1.7	01/30/18 11:39	
Dalapon	ug/kg	<1.7	1.7	1.7	01/30/18 11:39	
Dicamba	ug/kg	<1.7	1.7	1.7	01/30/18 11:39	
Dichloroprop	ug/kg	<1.7	1.7	1.7	01/30/18 11:39	
Dinoseb	ug/kg	<1.7	1.7	1.7	01/30/18 11:39	
MCPA	ug/kg	<165	165	165	01/30/18 11:39	
MCPP	ug/kg	<165	165	165	01/30/18 11:39	
2,4-DCAA (S)	%	87	10-188		01/30/18 11:39	

LABORATORY CONTROL SAMPLE: 405363

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4,5-T	ug/kg	66.4	53.7	81	61-151	
2,4,5-TP (Silvex)	ug/kg	66.4	52.9	80	58-135	
2,4-D	ug/kg	66.4	47.4	71	15-155	
2,4-DB	ug/kg	66.4	36.4	55	26-159	
Dalapon	ug/kg	66.4	17.5	26	10-172	
Dicamba	ug/kg	66.4	54.8	82	55-111	
Dichloroprop	ug/kg	66.4	57.2	86	28-167	
Dinoseb	ug/kg	66.4	50.6	76	28-200	
MCPA	ug/kg	6640	6390	96	26-131	
MCPP	ug/kg	6640	6420	97	10-158	
2,4-DCAA (S)	%			62	10-188	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 405364

405365

Parameter	Units	60262572001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
2,4,5-T	ug/kg	<3.2	127	127	31.3	60.5	25	47	10-146	64	40	R1
2,4,5-TP (Silvex)	ug/kg	<3.2	127	127	75.9	70.8	60	56	10-139	7	40	
2,4-D	ug/kg	<3.2	127	127	22.7	41.9	18	33	10-166	60	40	R1
2,4-DB	ug/kg	<3.2	127	127	37.7	35.8	30	28	10-200	5	40	
Dalapon	ug/kg	<3.2	127	127	11.2	25.5	9	20	10-154	78	40	M1,R1
Dicamba	ug/kg	<3.2	127	127	30.7	67.6	24	53	10-140	75	40	R1
Dichloroprop	ug/kg	<3.2	127	127	49.6	54.7	39	43	10-194	10	40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 405364 405365												
Parameter	Units	60262572001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Dinoseb	ug/kg	<3.2	127	127	39.1	110	31	86	10-200	95	40	R1
MCPA	ug/kg	<320	12700	12700	4080	3870	32	30	10-200	5	40	
MCP	ug/kg	<320	12700	12700	5820	8840	46	69	10-175	41	40	R1
2,4-DCAA (S)	%.						12	13	10-188			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch: 91466

Analysis Method: EPA 8151

QC Batch Method: EPA 8151

Analysis Description: 8151A GCS Herbicides

Associated Lab Samples: 60262572008, 60262572009, 60262572010

METHOD BLANK: 405532

Matrix: Water

Associated Lab Samples: 60262572008, 60262572009, 60262572010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
2,4,5-T	ug/L	<0.25	0.50	0.25	02/01/18 11:19	
2,4,5-TP (Silvex)	ug/L	<0.25	0.50	0.25	02/01/18 11:19	
2,4-D	ug/L	<0.25	0.50	0.25	02/01/18 11:19	
2,4-DB	ug/L	<0.34	0.50	0.34	02/01/18 11:19	
Dalapon	ug/L	<0.25	0.50	0.25	02/01/18 11:19	
Dicamba	ug/L	<0.25	0.50	0.25	02/01/18 11:19	
Dichloroprop	ug/L	<0.29	0.50	0.29	02/01/18 11:19	
Dinoseb	ug/L	<0.50	0.50	0.50	02/01/18 11:19	
MCPA	ug/L	<20.0	20.0	20.0	02/01/18 11:19	
MCP	ug/L	<20.0	20.0	20.0	02/01/18 11:19	
2,4-DCAA (S)	%	116	47-166		02/01/18 11:19	

LABORATORY CONTROL SAMPLE: 405533

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4,5-T	ug/L	2	2.1	105	61-151	
2,4,5-TP (Silvex)	ug/L	2	2.0	99	58-135	
2,4-D	ug/L	2	2.0	99	52-152	
2,4-DB	ug/L	2	2.4	118	50-156	
Dalapon	ug/L	2	1.0	51	10-167	
Dicamba	ug/L	2	1.8	89	49-128	
Dichloroprop	ug/L	2	1.7	85	59-143	
Dinoseb	ug/L	2	2.5	126	33-200	
MCPA	ug/L	200	160	80	45-148	
MCP	ug/L	200	214	107	63-149	
2,4-DCAA (S)	%			114	47-166	

MATRIX SPIKE SAMPLE: 405534

Parameter	Units	60262572010 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
2,4,5-T	ug/L	<0.25	2	2.1	104	65-153	
2,4,5-TP (Silvex)	ug/L	<0.25	2	1.9	95	10-179	
2,4-D	ug/L	3.7	2	3.9	7	10-200	M1
2,4-DB	ug/L	<0.34	2	2.3	113	68-171	
Dalapon	ug/L	<0.25	2	0.91	46	10-156	
Dicamba	ug/L	<0.25	2	1.8	88	68-151	
Dichloroprop	ug/L	4.0	2	3.6	-23	85-151	M1
Dinoseb	ug/L	<0.50	2	2.7	133	83-152	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

MATRIX SPIKE SAMPLE:		405534					
Parameter	Units	60262572010 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
MCPA	ug/L	<20.0	200	160	80	54-160	
MCP	ug/L	<20.0	200	230	115	10-200	
2,4-DCAA (S)	%				119	47-166	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch: 511576

Analysis Method: EPA 8270

QC Batch Method: EPA 3546

Analysis Description: 8270 Solid MSSV Microwave

Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007

METHOD BLANK: 2094771

Matrix: Solid

Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	<29.9	329	29.9	01/25/18 14:27	
1,2-Dichlorobenzene	ug/kg	<25.0	329	25.0	01/25/18 14:27	
1,3-Dichlorobenzene	ug/kg	<27.9	329	27.9	01/25/18 14:27	
1,4-Dichlorobenzene	ug/kg	<28.9	329	28.9	01/25/18 14:27	
2,4,5-Trichlorophenol	ug/kg	<29.9	329	29.9	01/25/18 14:27	
2,4,6-Trichlorophenol	ug/kg	<30.9	329	30.9	01/25/18 14:27	
2,4-Dichlorophenol	ug/kg	<29.9	329	29.9	01/25/18 14:27	
2,4-Dimethylphenol	ug/kg	<18.0	329	18.0	01/25/18 14:27	
2,4-Dinitrophenol	ug/kg	<47.9	1670	47.9	01/25/18 14:27	
2,4-Dinitrotoluene	ug/kg	<27.9	329	27.9	01/25/18 14:27	
2,6-Dinitrotoluene	ug/kg	<33.9	329	33.9	01/25/18 14:27	
2-Chloronaphthalene	ug/kg	<27.9	329	27.9	01/25/18 14:27	
2-Chlorophenol	ug/kg	<26.9	329	26.9	01/25/18 14:27	
2-Methylnaphthalene	ug/kg	<24.0	329	24.0	01/25/18 14:27	
2-Methylphenol(o-Cresol)	ug/kg	<30.9	329	30.9	01/25/18 14:27	
2-Nitroaniline	ug/kg	<55.9	659	55.9	01/25/18 14:27	
2-Nitrophenol	ug/kg	<45.9	329	45.9	01/25/18 14:27	
3&4-Methylphenol(m&p Cresol)	ug/kg	<35.9	329	35.9	01/25/18 14:27	
3,3'-Dichlorobenzidine	ug/kg	<113	659	113	01/25/18 14:27	
3-Nitroaniline	ug/kg	<99.8	659	99.8	01/25/18 14:27	
4,6-Dinitro-2-methylphenol	ug/kg	<43.9	1670	43.9	01/25/18 14:27	
4-Bromophenylphenyl ether	ug/kg	<25.9	329	25.9	01/25/18 14:27	
4-Chloro-3-methylphenol	ug/kg	<35.9	659	35.9	01/25/18 14:27	
4-Chloroaniline	ug/kg	<64.9	659	64.9	01/25/18 14:27	
4-Chlorophenylphenyl ether	ug/kg	<31.9	329	31.9	01/25/18 14:27	
4-Nitroaniline	ug/kg	<84.8	659	84.8	01/25/18 14:27	
4-Nitrophenol	ug/kg	<51.9	1670	51.9	01/25/18 14:27	
Acenaphthene	ug/kg	<34.9	329	34.9	01/25/18 14:27	
Acenaphthylene	ug/kg	<30.9	329	30.9	01/25/18 14:27	
Anthracene	ug/kg	<34.9	329	34.9	01/25/18 14:27	
Benzo(a)anthracene	ug/kg	<29.9	329	29.9	01/25/18 14:27	
Benzo(a)pyrene	ug/kg	<25.9	329	25.9	01/25/18 14:27	
Benzo(b)fluoranthene	ug/kg	<23.0	329	23.0	01/25/18 14:27	
Benzo(g,h,i)perylene	ug/kg	<31.9	329	31.9	01/25/18 14:27	
Benzo(k)fluoranthene	ug/kg	<38.9	329	38.9	01/25/18 14:27	
Benzoic acid	ug/kg	<30.9	1670	30.9	01/25/18 14:27	
Benzyl alcohol	ug/kg	<103	659	103	01/25/18 14:27	
bis(2-Chloroethoxy)methane	ug/kg	<25.9	329	25.9	01/25/18 14:27	
bis(2-Chloroethyl) ether	ug/kg	<25.9	329	25.9	01/25/18 14:27	
bis(2-Chloroisopropyl) ether	ug/kg	<25.9	329	25.9	01/25/18 14:27	
bis(2-Ethylhexyl)phthalate	ug/kg	<114	329	114	01/25/18 14:27	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

METHOD BLANK: 2094771

Matrix: Solid

Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Butylbenzylphthalate	ug/kg	<42.9	329	42.9	01/25/18 14:27	
Carbazole	ug/kg	<26.9	329	26.9	01/25/18 14:27	
Chrysene	ug/kg	<27.9	329	27.9	01/25/18 14:27	
Di-n-butylphthalate	ug/kg	<34.9	329	34.9	01/25/18 14:27	
Di-n-octylphthalate	ug/kg	<38.9	329	38.9	01/25/18 14:27	
Dibenz(a,h)anthracene	ug/kg	<29.9	329	29.9	01/25/18 14:27	
Dibenzofuran	ug/kg	<29.9	329	29.9	01/25/18 14:27	
Diethylphthalate	ug/kg	<30.9	329	30.9	01/25/18 14:27	
Dimethylphthalate	ug/kg	<31.9	329	31.9	01/25/18 14:27	
Fluoranthene	ug/kg	<30.9	329	30.9	01/25/18 14:27	
Fluorene	ug/kg	<30.9	329	30.9	01/25/18 14:27	
Hexachloro-1,3-butadiene	ug/kg	<32.9	329	32.9	01/25/18 14:27	
Hexachlorobenzene	ug/kg	<31.9	329	31.9	01/25/18 14:27	
Hexachlorocyclopentadiene	ug/kg	<69.9	329	69.9	01/25/18 14:27	
Hexachloroethane	ug/kg	<25.0	329	25.0	01/25/18 14:27	
Indeno(1,2,3-cd)pyrene	ug/kg	<35.9	329	35.9	01/25/18 14:27	
Isophorone	ug/kg	<29.9	329	29.9	01/25/18 14:27	
N-Nitroso-di-n-propylamine	ug/kg	<32.9	329	32.9	01/25/18 14:27	
N-Nitrosodiphenylamine	ug/kg	<25.9	329	25.9	01/25/18 14:27	
Naphthalene	ug/kg	<25.9	329	25.9	01/25/18 14:27	
Nitrobenzene	ug/kg	<30.9	329	30.9	01/25/18 14:27	
Pentachlorophenol	ug/kg	<30.9	1670	30.9	01/25/18 14:27	
Phenanthrene	ug/kg	<30.9	329	30.9	01/25/18 14:27	
Phenol	ug/kg	<25.9	329	25.9	01/25/18 14:27	
Pyrene	ug/kg	<32.9	329	32.9	01/25/18 14:27	
Pyridine	ug/kg	<26.9	329	26.9	01/25/18 14:27	
2,4,6-Tribromophenol (S)	%	87	39-114		01/25/18 14:27	
2-Fluorobiphenyl (S)	%	77	61-109		01/25/18 14:27	
2-Fluorophenol (S)	%	77	46-102		01/25/18 14:27	
Nitrobenzene-d5 (S)	%	75	41-114		01/25/18 14:27	
Phenol-d6 (S)	%	77	48-102		01/25/18 14:27	
Terphenyl-d14 (S)	%	80	48-120		01/25/18 14:27	

LABORATORY CONTROL SAMPLE: 2094772

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	1660	1360	81	55-105	
1,2-Dichlorobenzene	ug/kg	1660	1300	78	55-100	
1,3-Dichlorobenzene	ug/kg	1660	1270	76	53-100	
1,4-Dichlorobenzene	ug/kg	1660	1280	77	54-100	
2,4,5-Trichlorophenol	ug/kg	1660	1430	86	55-113	
2,4,6-Trichlorophenol	ug/kg	1660	1380	83	56-111	
2,4-Dichlorophenol	ug/kg	1660	1400	84	58-108	
2,4-Dimethylphenol	ug/kg	1660	1320	80	54-107	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

LABORATORY CONTROL SAMPLE: 2094772

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrophenol	ug/kg	1660	1160J	70	11-133	
2,4-Dinitrotoluene	ug/kg	1660	1450	87	57-114	
2,6-Dinitrotoluene	ug/kg	1660	1440	86	56-113	
2-Chloronaphthalene	ug/kg	1660	1330	80	54-107	
2-Chlorophenol	ug/kg	1660	1320	79	57-104	
2-Methylnaphthalene	ug/kg	1660	1320	79	57-105	
2-Methylphenol(o-Cresol)	ug/kg	1660	1310	79	57-104	
2-Nitroaniline	ug/kg	1660	1370	82	46-124	
2-Nitrophenol	ug/kg	1660	1370	82	51-113	
3&4-Methylphenol(m&p Cresol)	ug/kg	1660	1330	80	57-105	
3,3'-Dichlorobenzidine	ug/kg	1660	1160	70	3-152	
3-Nitroaniline	ug/kg	1660	1070	64	29-122	
4,6-Dinitro-2-methylphenol	ug/kg	1660	1300J	78	22-125	
4-Bromophenylphenyl ether	ug/kg	1660	1380	83	57-110	
4-Chloro-3-methylphenol	ug/kg	1660	1380	83	61-108	
4-Chloroaniline	ug/kg	1660	818	49	10-112	
4-Chlorophenylphenyl ether	ug/kg	1660	1380	83	57-109	
4-Nitroaniline	ug/kg	1660	1370	82	47-117	
4-Nitrophenol	ug/kg	1660	1350J	81	53-118	
Acenaphthene	ug/kg	1660	1340	81	56-108	
Acenaphthylene	ug/kg	1660	1360	82	56-107	
Anthracene	ug/kg	1660	1400	84	58-111	
Benzo(a)anthracene	ug/kg	1660	1370	82	58-111	
Benzo(a)pyrene	ug/kg	1660	1390	83	58-109	
Benzo(b)fluoranthene	ug/kg	1660	1400	84	58-113	
Benzo(g,h,i)perylene	ug/kg	1660	1340	81	54-108	
Benzo(k)fluoranthene	ug/kg	1660	1380	83	56-111	
Benzoic acid	ug/kg	1660	768J	46	10-105	
Benzyl alcohol	ug/kg	1660	1350	81	58-106	
bis(2-Chloroethoxy)methane	ug/kg	1660	1300	78	56-104	
bis(2-Chloroethyl) ether	ug/kg	1660	1290	77	53-103	
bis(2-Chloroisopropyl) ether	ug/kg	1660	1200	72	55-102	
bis(2-Ethylhexyl)phthalate	ug/kg	1660	1370	83	58-117	
Butylbenzylphthalate	ug/kg	1660	1370	82	58-115	
Carbazole	ug/kg	1660	1380	83	58-112	
Chrysene	ug/kg	1660	1370	82	57-112	
Di-n-butylphthalate	ug/kg	1660	1400	84	61-112	
Di-n-octylphthalate	ug/kg	1660	1400	84	55-122	
Dibenz(a,h)anthracene	ug/kg	1660	1380	83	54-111	
Dibenzofuran	ug/kg	1660	1370	83	55-109	
Diethylphthalate	ug/kg	1660	1360	82	59-108	
Dimethylphthalate	ug/kg	1660	1370	82	58-106	
Fluoranthene	ug/kg	1660	1430	86	62-110	
Fluorene	ug/kg	1660	1400	84	57-109	
Hexachloro-1,3-butadiene	ug/kg	1660	1360	82	56-103	
Hexachlorobenzene	ug/kg	1660	1420	85	56-111	
Hexachlorocyclopentadiene	ug/kg	3330	1640	49	22-62	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

LABORATORY CONTROL SAMPLE: 2094772

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Hexachloroethane	ug/kg	1660	1250	75	54-99	
Indeno(1,2,3-cd)pyrene	ug/kg	1660	1340	81	54-109	
Isophorone	ug/kg	1660	1270	76	57-100	
N-Nitroso-di-n-propylamine	ug/kg	1660	1250	75	57-98	
N-Nitrosodiphenylamine	ug/kg	1660	1420	85	58-109	
Naphthalene	ug/kg	1660	1320	79	56-104	
Nitrobenzene	ug/kg	1660	1310	79	57-104	
Pentachlorophenol	ug/kg	1660	1440J	86	46-118	
Phenanthrene	ug/kg	1660	1390	83	57-111	
Phenol	ug/kg	1660	1290	77	55-105	
Pyrene	ug/kg	1660	1350	81	58-112	
Pyridine	ug/kg	1660	941	57	41-71	
2,4,6-Tribromophenol (S)	%			92	39-114	
2-Fluorobiphenyl (S)	%			79	61-109	
2-Fluorophenol (S)	%			80	46-102	
Nitrobenzene-d5 (S)	%			76	41-114	
Phenol-d6 (S)	%			80	48-102	
Terphenyl-d14 (S)	%			83	48-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2094773

2094774

Parameter	Units	60262572001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,2,4-Trichlorobenzene	ug/kg	<38.1	2140	2100	1700	1720	79	82	49-100	1	26	
1,2-Dichlorobenzene	ug/kg	<31.8	2140	2100	1570	1610	73	77	48-98	2	26	
1,3-Dichlorobenzene	ug/kg	<35.6	2140	2100	1530	1540	71	73	48-95	1	26	
1,4-Dichlorobenzene	ug/kg	<36.9	2140	2100	1540	1580	72	75	48-96	2	26	
2,4,5-Trichlorophenol	ug/kg	<38.1	2140	2100	1810	1750	84	83	51-111	3	27	
2,4,6-Trichlorophenol	ug/kg	<39.4	2140	2100	1580	1640	74	78	44-112	3	29	
2,4-Dichlorophenol	ug/kg	<38.1	2140	2100	1780	1760	83	84	51-105	1	27	
2,4-Dimethylphenol	ug/kg	<22.9	2140	2100	1420	1440	67	68	18-118	1	34	
2,4-Dinitrophenol	ug/kg	<61.0	2140	2100	541J	483J	25	23	10-131		12	
2,4-Dinitrotoluene	ug/kg	<35.6	2140	2100	1850	1760	87	84	25-132	5	27	
2,6-Dinitrotoluene	ug/kg	<43.2	2140	2100	1870	1770	87	84	31-125	5	27	
2-Chloronaphthalene	ug/kg	<35.6	2140	2100	1760	1690	82	80	47-106	4	29	
2-Chlorophenol	ug/kg	<34.3	2140	2100	1600	1590	75	76	47-103	1	28	
2-Methylnaphthalene	ug/kg	460	2140	2100	1960	1940	70	71	48-105	1	29	
2-Methylphenol(o-Cresol)	ug/kg	<39.4	2140	2100	1590	1580	74	76	40-105	0	28	
2-Nitroaniline	ug/kg	<71.2	2140	2100	1860	1750	87	83	38-130	6	27	
2-Nitrophenol	ug/kg	<58.5	2140	2100	1500	1700	70	81	22-129	12	29	
3&4-Methylphenol(m&p Cresol)	ug/kg	<45.8	2140	2100	1640	1590	77	76	37-110	3	27	
3,3'-Dichlorobenzidine	ug/kg	<144	2140	2100	349J	430J	16	20	10-138		38	
3-Nitroaniline	ug/kg	<127	2140	2100	804J	804J	38	38	23-126		32	
4,6-Dinitro-2-methylphenol	ug/kg	<55.9	2140	2100	745J	657J	35	31	10-139		67	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2094773 2094774											
Parameter	Units	60262572001		MS	MSD	MS		MSD	% Rec	Max	Qual
		Result	Conc.	Spike	Spike	Result	Result	% Rec	% Rec	Limits RPD	
4-Bromophenylphenyl ether	ug/kg	<33.1	2140	2100	1910	1790	89	86	51-108	6 28	
4-Chloro-3-methylphenol	ug/kg	<45.8	2140	2100	1870	1770	87	85	50-108	5 30	
4-Chloroaniline	ug/kg	<82.6	2140	2100	749J	697J	35	33	17-91	32	
4-Chlorophenylphenyl ether	ug/kg	<40.7	2140	2100	1860	1730	87	83	48-107	7 27	
4-Nitroaniline	ug/kg	<108	2140	2100	1000	997	47	48	20-122	0 28	
4-Nitrophenol	ug/kg	<66.1	2140	2100	1510J	1530J	71	73	47-113	26	
Acenaphthene	ug/kg	470	2140	2100	1830	1830	64	65	43-112	0 27	
Acenaphthylene	ug/kg	67.1J	2140	2100	1750	1710	78	78	45-108	2 27	
Anthracene	ug/kg	380J	2140	2100	1890	1850	71	70	39-118	2 27	
Benzo(a)anthracene	ug/kg	244J	2140	2100	2070	1890	86	79	43-112	9 29	
Benzo(a)pyrene	ug/kg	142J	2140	2100	2110	1810	92	80	39-112	15 30	
Benzo(b)fluoranthene	ug/kg	326J	2140	2100	2350	2050	95	82	41-114	14 33	
Benzo(g,h,i)perylene	ug/kg	75.7J	2140	2100	2020	1700	91	77	30-111	17 31	
Benzo(k)fluoranthene	ug/kg	<49.6	2140	2100	1850	1630	87	78	33-120	13 28	
Benzoic acid	ug/kg	<39.4	2140	2100	357J	375J	17	18	10-126	17	
Benzyl alcohol	ug/kg	<131	2140	2100	1740	1700	81	81	50-109	2 27	
bis(2-Chloroethoxy)methane	ug/kg	<33.1	2140	2100	1610	1590	75	76	48-101	1 27	
bis(2-Chloroethyl) ether	ug/kg	<33.1	2140	2100	2670	2260	125	108	47-102	17 26 M1	
bis(2-Chloroisopropyl) ether	ug/kg	<33.1	2140	2100	1460	1460	68	69	44-103	0 25	
bis(2-Ethylhexyl)phthalate	ug/kg	<145	2140	2100	2120	1950	99	93	41-132	8 25	
Butylbenzylphthalate	ug/kg	<54.7	2140	2100	1990	1880	93	90	42-133	6 26	
Carbazole	ug/kg	206J	2140	2100	1740	1580	72	65	45-110	10 25	
Chrysene	ug/kg	255J	2140	2100	2090	1900	85	78	45-110	10 29	
Di-n-butylphthalate	ug/kg	<44.5	2140	2100	1890	1760	88	84	49-115	7 27	
Di-n-octylphthalate	ug/kg	<49.6	2140	2100	2080	1880	97	90	41-138	10 25	
Dibenz(a,h)anthracene	ug/kg	<38.1	2140	2100	1940	1740	91	83	39-110	11 29	
Dibenzofuran	ug/kg	271J	2140	2100	1790	1770	71	71	47-107	1 27	
Diethylphthalate	ug/kg	<39.4	2140	2100	1800	1660	84	79	48-108	8 26	
Dimethylphthalate	ug/kg	<40.7	2140	2100	1760	1670	82	80	47-106	5 26	
Fluoranthene	ug/kg	1120	2140	2100	2240	2230	53	53	34-121	1 34	
Fluorene	ug/kg	442	2140	2100	1880	1880	67	68	42-112	0 28	
Hexachloro-1,3-butadiene	ug/kg	<42.0	2140	2100	1710	1720	80	82	48-100	0 27	
Hexachlorobenzene	ug/kg	<40.7	2140	2100	1900	1780	89	85	47-107	7 27	
Hexachlorocyclopentadiene	ug/kg	<89.0	4290	4200	706	579	17	14	10-68	20 36	
Hexachloroethane	ug/kg	<31.8	2140	2100	1420	1440	66	69	37-101	1 29	
Indeno(1,2,3-cd)pyrene	ug/kg	79.0J	2140	2100	2040	1730	91	78	32-113	16 29	
Isophorone	ug/kg	<38.1	2140	2100	1570	1530	74	73	47-99	3 27	
N-Nitroso-di-n-propylamine	ug/kg	<42.0	2140	2100	1560	1550	73	74	45-105	1 27	
N-Nitrosodiphenylamine	ug/kg	<33.1	2140	2100	1760	1680	82	80	43-110	5 28	
Naphthalene	ug/kg	520	2140	2100	1760	1870	58	64	46-106	6 28	
Nitrobenzene	ug/kg	<39.4	2140	2100	1630	1610	76	77	45-105	1 29	
Pentachlorophenol	ug/kg	<39.4	2140	2100	1210J	1240J	57	59	27-124	18	
Phenanthrene	ug/kg	1690	2140	2100	2150	2340	22	31	49-110	8 26 M1	
Phenol	ug/kg	<33.1	2140	2100	1590	1520	74	72	45-103	5 27	
Pyrene	ug/kg	834	2140	2100	2210	2160	64	63	47-117	2 30	
Pyridine	ug/kg	<34.3	2140	2100	883	959	41	46	10-85	8 28	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2094773 2094774											
Parameter	Units	60262572001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
2,4,6-Tribromophenol (S)	%						78	77	39-114		
2-Fluorobiphenyl (S)	%						77	75	61-109		
2-Fluorophenol (S)	%						66	69	46-102		
Nitrobenzene-d5 (S)	%						72	73	41-114		
Phenol-d6 (S)	%						74	76	48-102		
Terphenyl-d14 (S)	%						92	89	48-120		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch: 511654

Analysis Method: EPA 8270

QC Batch Method: EPA 3510

Analysis Description: 8270 Water MSSV, RV

Associated Lab Samples: 60262572008, 60262572009, 60262572010

METHOD BLANK: 2095025

Matrix: Water

Associated Lab Samples: 60262572008, 60262572009, 60262572010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/L	<0.33	10.0	0.33	01/25/18 18:04	
1,2-Dichlorobenzene	ug/L	<0.29	10.0	0.29	01/25/18 18:04	
1,3-Dichlorobenzene	ug/L	<0.54	10.0	0.54	01/25/18 18:04	
1,4-Dichlorobenzene	ug/L	<0.41	10.0	0.41	01/25/18 18:04	
2,4,5-Trichlorophenol	ug/L	<0.33	50.0	0.33	01/25/18 18:04	
2,4,6-Trichlorophenol	ug/L	<0.39	10.0	0.39	01/25/18 18:04	
2,4-Dichlorophenol	ug/L	<0.52	10.0	0.52	01/25/18 18:04	
2,4-Dimethylphenol	ug/L	<0.60	10.0	0.60	01/25/18 18:04	
2,4-Dinitrophenol	ug/L	<8.4	50.0	8.4	01/25/18 18:04	
2,4-Dinitrotoluene	ug/L	<0.33	10.0	0.33	01/25/18 18:04	
2,6-Dinitrotoluene	ug/L	<0.28	10.0	0.28	01/25/18 18:04	
2-Chloronaphthalene	ug/L	<0.35	10.0	0.35	01/25/18 18:04	
2-Chlorophenol	ug/L	<0.30	10.0	0.30	01/25/18 18:04	
2-Methylnaphthalene	ug/L	<0.26	10.0	0.26	01/25/18 18:04	
2-Methylphenol(o-Cresol)	ug/L	<0.28	10.0	0.28	01/25/18 18:04	
2-Nitroaniline	ug/L	<0.42	50.0	0.42	01/25/18 18:04	
2-Nitrophenol	ug/L	<0.28	10.0	0.28	01/25/18 18:04	
3&4-Methylphenol(m&p Cresol)	ug/L	<5.0	10.0	5.0	01/25/18 18:04	
3,3'-Dichlorobenzidine	ug/L	<0.39	20.0	0.39	01/25/18 18:04	
3-Nitroaniline	ug/L	<0.35	50.0	0.35	01/25/18 18:04	
4,6-Dinitro-2-methylphenol	ug/L	<0.55	50.0	0.55	01/25/18 18:04	
4-Bromophenylphenyl ether	ug/L	<0.38	10.0	0.38	01/25/18 18:04	
4-Chloro-3-methylphenol	ug/L	<0.25	20.0	0.25	01/25/18 18:04	
4-Chloroaniline	ug/L	<0.52	20.0	0.52	01/25/18 18:04	
4-Chlorophenylphenyl ether	ug/L	<0.30	10.0	0.30	01/25/18 18:04	
4-Nitroaniline	ug/L	<0.35	50.0	0.35	01/25/18 18:04	
4-Nitrophenol	ug/L	<0.31	50.0	0.31	01/25/18 18:04	
Acenaphthene	ug/L	<0.36	10.0	0.36	01/25/18 18:04	
Acenaphthylene	ug/L	<0.38	10.0	0.38	01/25/18 18:04	
Anthracene	ug/L	<0.30	10.0	0.30	01/25/18 18:04	
Benzo(a)anthracene	ug/L	<0.29	10.0	0.29	01/25/18 18:04	
Benzo(a)pyrene	ug/L	<0.36	10.0	0.36	01/25/18 18:04	
Benzo(b)fluoranthene	ug/L	<0.35	10.0	0.35	01/25/18 18:04	
Benzo(g,h,i)perylene	ug/L	<0.40	10.0	0.40	01/25/18 18:04	
Benzo(k)fluoranthene	ug/L	<0.42	10.0	0.42	01/25/18 18:04	
Benzoic acid	ug/L	<2.5	50.0	2.5	01/25/18 18:04	
Benzyl alcohol	ug/L	<0.35	20.0	0.35	01/25/18 18:04	
bis(2-Chloroethoxy)methane	ug/L	<5.0	10.0	5.0	01/25/18 18:04	
bis(2-Chloroethyl) ether	ug/L	<0.29	10.0	0.29	01/25/18 18:04	
bis(2-Chloroisopropyl) ether	ug/L	<0.29	10.0	0.29	01/25/18 18:04	
bis(2-Ethylhexyl)phthalate	ug/L	<0.62	10.0	0.62	01/25/18 18:04	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

METHOD BLANK: 2095025

Matrix: Water

Associated Lab Samples: 60262572008, 60262572009, 60262572010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Butylbenzylphthalate	ug/L	<0.40	10.0	0.40	01/25/18 18:04	
Carbazole	ug/L	<0.35	10.0	0.35	01/25/18 18:04	
Chrysene	ug/L	<0.36	10.0	0.36	01/25/18 18:04	
Di-n-butylphthalate	ug/L	<0.39	10.0	0.39	01/25/18 18:04	
Di-n-octylphthalate	ug/L	<0.50	10.0	0.50	01/25/18 18:04	
Dibenz(a,h)anthracene	ug/L	<0.45	10.0	0.45	01/25/18 18:04	
Dibenzofuran	ug/L	<0.39	10.0	0.39	01/25/18 18:04	
Diethylphthalate	ug/L	<0.45	10.0	0.45	01/25/18 18:04	
Dimethylphthalate	ug/L	<0.35	10.0	0.35	01/25/18 18:04	
Fluoranthene	ug/L	<0.37	10.0	0.37	01/25/18 18:04	
Fluorene	ug/L	<0.34	10.0	0.34	01/25/18 18:04	
Hexachloro-1,3-butadiene	ug/L	<0.38	10.0	0.38	01/25/18 18:04	
Hexachlorobenzene	ug/L	<0.30	10.0	0.30	01/25/18 18:04	
Hexachlorocyclopentadiene	ug/L	<0.35	10.0	0.35	01/25/18 18:04	
Hexachloroethane	ug/L	<0.29	10.0	0.29	01/25/18 18:04	
Indeno(1,2,3-cd)pyrene	ug/L	<0.32	10.0	0.32	01/25/18 18:04	
Isophorone	ug/L	<0.28	10.0	0.28	01/25/18 18:04	
N-Nitroso-di-n-propylamine	ug/L	<0.27	10.0	0.27	01/25/18 18:04	
N-Nitrosodiphenylamine	ug/L	<0.40	10.0	0.40	01/25/18 18:04	
Naphthalene	ug/L	<0.36	10.0	0.36	01/25/18 18:04	
Nitrobenzene	ug/L	<0.30	10.0	0.30	01/25/18 18:04	
Pentachlorophenol	ug/L	<0.31	50.0	0.31	01/25/18 18:04	
Phenanthrene	ug/L	<0.34	10.0	0.34	01/25/18 18:04	
Phenol	ug/L	<5.0	10.0	5.0	01/25/18 18:04	
Pyrene	ug/L	<0.28	10.0	0.28	01/25/18 18:04	
Pyridine	ug/L	<0.31	10.0	0.31	01/25/18 18:04	
2,4,6-Tribromophenol (S)	%	87	21-124		01/25/18 18:04	
2-Fluorobiphenyl (S)	%	78	30-103		01/25/18 18:04	
2-Fluorophenol (S)	%	43	10-68		01/25/18 18:04	
Nitrobenzene-d5 (S)	%	77	33-99		01/25/18 18:04	
Phenol-d6 (S)	%	27	10-56		01/25/18 18:04	
Terphenyl-d14 (S)	%	86	38-114		01/25/18 18:04	

LABORATORY CONTROL SAMPLE: 2095026

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	100	75.6	76	27-115	
1,2-Dichlorobenzene	ug/L	100	72.7	73	27-111	
1,3-Dichlorobenzene	ug/L	100	71.2	71	26-109	
1,4-Dichlorobenzene	ug/L	100	71.8	72	26-109	
2,4,5-Trichlorophenol	ug/L	100	77.4	77	30-128	
2,4,6-Trichlorophenol	ug/L	100	78.9	79	29-128	
2,4-Dichlorophenol	ug/L	100	74.8	75	29-121	
2,4-Dimethylphenol	ug/L	100	70.9	71	29-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

LABORATORY CONTROL SAMPLE: 2095026

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrophenol	ug/L	100	70.0	70	19-142	
2,4-Dinitrotoluene	ug/L	100	81.1	81	31-135	
2,6-Dinitrotoluene	ug/L	100	79.1	79	31-132	
2-Chloronaphthalene	ug/L	100	75.9	76	29-122	
2-Chlorophenol	ug/L	100	67.6	68	26-111	
2-Methylnaphthalene	ug/L	100	73.4	73	30-121	
2-Methylphenol(o-Cresol)	ug/L	100	60.7	61	26-100	
2-Nitroaniline	ug/L	100	76.6	77	30-132	
2-Nitrophenol	ug/L	100	79.2	79	27-128	
3&4-Methylphenol(m&p Cresol)	ug/L	100	54.0	54	22-95	
3,3'-Dichlorobenzidine	ug/L	100	93.7	94	18-189	
3-Nitroaniline	ug/L	100	79.8	80	31-149	
4,6-Dinitro-2-methylphenol	ug/L	100	80.6	81	25-141	
4-Bromophenylphenyl ether	ug/L	100	79.3	79	30-131	
4-Chloro-3-methylphenol	ug/L	100	73.6	74	29-124	
4-Chloroaniline	ug/L	100	74.7	75	26-142	
4-Chlorophenylphenyl ether	ug/L	100	79.1	79	31-127	
4-Nitroaniline	ug/L	100	82.5	82	29-136	
4-Nitrophenol	ug/L	100	27.6J	28	10-60	
Acenaphthene	ug/L	100	75.6	76	30-127	
Acenaphthylene	ug/L	100	76.6	77	29-126	
Anthracene	ug/L	100	79.4	79	32-131	
Benzo(a)anthracene	ug/L	100	78.6	79	32-131	
Benzo(a)pyrene	ug/L	100	80.0	80	30-131	
Benzo(b)fluoranthene	ug/L	100	80.9	81	31-134	
Benzo(g,h,i)perylene	ug/L	100	77.8	78	29-133	
Benzo(k)fluoranthene	ug/L	100	79.6	80	30-133	
Benzoic acid	ug/L	100	13.6J	14	10-64	
Benzyl alcohol	ug/L	100	57.1	57	19-106	
bis(2-Chloroethoxy)methane	ug/L	100	73.0	73	29-122	
bis(2-Chloroethyl) ether	ug/L	100	73.2	73	25-122	
bis(2-Chloroisopropyl) ether	ug/L	100	68.5	69	26-121	
bis(2-Ethylhexyl)phthalate	ug/L	100	76.2	76	34-139	
Butylbenzylphthalate	ug/L	100	77.6	78	30-142	
Carbazole	ug/L	100	79.5	79	31-133	
Chrysene	ug/L	100	78.9	79	32-133	
Di-n-butylphthalate	ug/L	100	80.1	80	35-135	
Di-n-octylphthalate	ug/L	100	79.5	79	31-139	
Dibenz(a,h)anthracene	ug/L	100	78.6	79	30-133	
Dibenzofuran	ug/L	100	76.9	77	30-126	
Diethylphthalate	ug/L	100	77.0	77	34-129	
Dimethylphthalate	ug/L	100	77.0	77	34-127	
Fluoranthene	ug/L	100	81.0	81	32-134	
Fluorene	ug/L	100	78.0	78	31-128	
Hexachloro-1,3-butadiene	ug/L	100	74.2	74	25-112	
Hexachlorobenzene	ug/L	100	83.5	83	30-130	
Hexachlorocyclopentadiene	ug/L	200	79.8	40	10-61	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

LABORATORY CONTROL SAMPLE: 2095026

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Hexachloroethane	ug/L	100	67.6	68	24-107	
Indeno(1,2,3-cd)pyrene	ug/L	100	76.9	77	30-131	
Isophorone	ug/L	100	72.4	72	29-125	
N-Nitroso-di-n-propylamine	ug/L	100	71.8	72	29-123	
N-Nitrosodiphenylamine	ug/L	100	78.4	78	31-129	
Naphthalene	ug/L	100	73.7	74	30-118	
Nitrobenzene	ug/L	100	73.7	74	28-123	
Pentachlorophenol	ug/L	100	78.6	79	27-136	
Phenanthrene	ug/L	100	78.9	79	32-130	
Phenol	ug/L	100	29.5	30	10-61	
Pyrene	ug/L	100	76.6	77	32-132	
Pyridine	ug/L	100	28.7	29	10-66	
2,4,6-Tribromophenol (S)	%			85	21-124	
2-Fluorobiphenyl (S)	%			74	30-103	
2-Fluorophenol (S)	%			40	10-68	
Nitrobenzene-d5 (S)	%			71	33-99	
Phenol-d6 (S)	%			26	10-56	
Terphenyl-d14 (S)	%			79	38-114	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch:	511638	Analysis Method:	EPA 8270
QC Batch Method:	EPA 3546	Analysis Description:	8270 MSSV TPH ORO
Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007			

METHOD BLANK:	2094920	Matrix:	Solid
Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007			

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH-DRO	mg/kg	<1.2	14.6	1.2	01/31/18 05:09	
TPH-ORO	mg/kg	4.3J	14.6	1.2	01/31/18 05:09	
2-Fluorobiphenyl (S)	%	85	61-109		01/31/18 05:09	
Nitrobenzene-d5 (S)	%	86	41-114		01/31/18 05:09	
Terphenyl-d14 (S)	%	86	48-120		01/31/18 05:09	

LABORATORY CONTROL SAMPLE: 2094921

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-DRO	mg/kg	324	244	75	56-129	
2-Fluorobiphenyl (S)	%			92	61-109	
Nitrobenzene-d5 (S)	%			81	41-114	
Terphenyl-d14 (S)	%			92	48-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2094922 2094923

Parameter	Units	60262572001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
TPH-DRO	mg/kg	65.6	420	426	643	624	138	131	17-150	3	26
2-Fluorobiphenyl (S)	%						84	85	61-109		
Nitrobenzene-d5 (S)	%						87	86	41-114		
Terphenyl-d14 (S)	%						72	80	48-120		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch: 511572

Analysis Method: EPA 8270

QC Batch Method: EPA 3510C

Analysis Description: 8270 MSSV TPH ORO

Associated Lab Samples: 60262572008, 60262572009, 60262572010

METHOD BLANK: 2094760

Matrix: Water

Associated Lab Samples: 60262572008, 60262572009, 60262572010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH-DRO	mg/L	<1.0	1.0	1.0	01/26/18 11:53	
TPH-ORO	mg/L	<1.0	1.0	1.0	01/26/18 11:53	
2-Fluorobiphenyl (S)	%	112	30-103		01/26/18 11:53	S3
Nitrobenzene-d5 (S)	%	86	33-99		01/26/18 11:53	
Terphenyl-d14 (S)	%	77	38-114		01/26/18 11:53	

LABORATORY CONTROL SAMPLE: 2094761

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-DRO	mg/L	100	69.8	70	37-133	
2-Fluorobiphenyl (S)	%			88	30-103	
Nitrobenzene-d5 (S)	%			100	33-99	S0
Terphenyl-d14 (S)	%			87	38-114	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch:	512469	Analysis Method:	ASTM D2974
QC Batch Method:	ASTM D2974	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007		

METHOD BLANK:	2098146	Matrix:	Solid
Associated Lab Samples:	60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Percent Moisture	%	<0.50	0.50	0.50	01/31/18 00:00	

SAMPLE DUPLICATE: 2098147

Parameter	Units	60262572001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	22.3	21.2	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch: 511811 Analysis Method: SM 4500-H+B

QC Batch Method: SM 4500-H+B Analysis Description: 4500H+B pH

Associated Lab Samples: 60262572008, 60262572009, 60262572010

SAMPLE DUPLICATE: 2095618

Parameter	Units	60260936001 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.7	7.7	0	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch:	512182	Analysis Method:	EPA 9045
QC Batch Method:	EPA 9045	Analysis Description:	9045 pH
Associated Lab Samples:	60262572001		

SAMPLE DUPLICATE: 2097161

Parameter	Units	60262224001 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	6.8	6.8	0	3	H3

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch:	512294	Analysis Method:	EPA 9045
QC Batch Method:	EPA 9045	Analysis Description:	9045 pH
Associated Lab Samples: 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007			

SAMPLE DUPLICATE: 2097532

Parameter	Units	60262572002 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.6	7.5	0	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch: 511900 Analysis Method: EPA 353.2
QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved
Associated Lab Samples: 60262572008, 60262572009, 60262572010

METHOD BLANK: 2095970 Matrix: Water

Associated Lab Samples: 60262572008, 60262572009, 60262572010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.050	0.10	0.050	01/26/18 10:57	

LABORATORY CONTROL SAMPLE: 2095971

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2	2.0	101	90-110	

MATRIX SPIKE SAMPLE: 2095972

Parameter	Units	60262522002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	8.6	10	18.2	96	90-110	

MATRIX SPIKE SAMPLE: 2095974

Parameter	Units	60262516065 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	574	400	913	85	90-110	M1

SAMPLE DUPLICATE: 2095973

Parameter	Units	60262516057 Result	Dup Result	RPD	Max RPD	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	28.8	28.1	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch:	512959	Analysis Method:	EPA 9056
QC Batch Method:	EPA 9056	Analysis Description:	9056 IC Anions
Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007			

METHOD BLANK:	2100107	Matrix:	Solid
Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005, 60262572006, 60262572007			

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	mg/kg	<50.0	100	50.0	02/05/18 16:34	

LABORATORY CONTROL SAMPLE: 2100108

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/kg	500	514	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100110 2100111

Parameter	Units	60262653001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/kg	35200	2080	2080	40400	40700	249	260	80-120	1	15	M1

SAMPLE DUPLICATE: 2100109

Parameter	Units	60262572001 Result	Dup Result	RPD	Max RPD	Qualifiers
Sulfate	mg/kg	403	403	0	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch: 513009 Analysis Method: EPA 9056
QC Batch Method: EPA 9056 Analysis Description: 9056 IC Anions
Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005

METHOD BLANK: 2100256 Matrix: Solid
Associated Lab Samples: 60262572001, 60262572002, 60262572003, 60262572004, 60262572005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrate as N	mg/kg	<5.0	10.0	5.0	02/05/18 18:26	
Nitrite as N	mg/kg	<5.0	10.0	5.0	02/05/18 18:26	

LABORATORY CONTROL SAMPLE: 2100257

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrate as N	mg/kg	200	198	99	80-120	
Nitrite as N	mg/kg	200	199	100	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100258 2100259

Parameter	Units	60262516041 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrate as N	mg/kg	ND	248	248	267	267	104	104	80-120	0	15	
Nitrite as N	mg/kg	ND	248	248	264	265	106	107	80-120	0	15	

SAMPLE DUPLICATE: 2100260

Parameter	Units	60262516042 Result	Dup Result	RPD	Max RPD	Qualifiers
Nitrate as N	mg/kg	ND	11.6J		15	
Nitrite as N	mg/kg	ND	<6.1		15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch: 513010

Analysis Method: EPA 9056

QC Batch Method: EPA 9056

Analysis Description: 9056 IC Anions

Associated Lab Samples: 60262572006, 60262572007

METHOD BLANK: 2100261

Matrix: Solid

Associated Lab Samples: 60262572006, 60262572007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrate as N	mg/kg	<5.0	10.0	5.0	02/06/18 00:14	
Nitrite as N	mg/kg	<5.0	10.0	5.0	02/06/18 00:14	

LABORATORY CONTROL SAMPLE: 2100262

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrate as N	mg/kg	200	194	97	80-120	
Nitrite as N	mg/kg	200	192	96	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100263 2100264

Parameter	Units	60262572006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrate as N	mg/kg	124	255	255	392	386	105	103	80-120	1	15	
Nitrite as N	mg/kg	<6.4	255	255	265	256	104	100	80-120	3	15	

SAMPLE DUPLICATE: 2100265

Parameter	Units	60262572007 Result	Dup Result	RPD	Max RPD	Qualifiers
Nitrate as N	mg/kg	24.7	24.3	2	15	
Nitrite as N	mg/kg	<6.7	<6.7		15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

QC Batch: 512697

Analysis Method: EPA 9056

QC Batch Method: EPA 9056

Analysis Description: 9056 IC Anions

Associated Lab Samples: 60262572008, 60262572009, 60262572010

METHOD BLANK: 2098829

Matrix: Water

Associated Lab Samples: 60262572008, 60262572009, 60262572010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	mg/L	<0.50	1.0	0.50	02/02/18 13:37	

LABORATORY CONTROL SAMPLE: 2098830

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	5	5.1	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2098831 2098832

Parameter	Units	60262735006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	60.1	250	250	308	317	99	103	80-120	3	15	

SAMPLE DUPLICATE: 2098833

Parameter	Units	60262736009 Result	Dup Result	RPD	Max RPD	Qualifiers
Sulfate	mg/L		277	4	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-D Pace Analytical Services - Dallas

PASI-K Pace Analytical Services - Kansas City

BATCH QUALIFIERS

Batch: 511572

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 511654

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 511774

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 511785

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 511832

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 511857

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1e A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

B Analyte was detected in the associated method blank.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

ANALYTE QUALIFIERS

D3	Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
H1	Analysis conducted outside the EPA method holding time.
H3	Sample was received or analysis requested beyond the recognized method holding time.
H6	Analysis initiated outside of the 15 minute EPA required holding time.
L2	Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
M3	Matrix spike recovery was outside laboratory control limits due to matrix interferences.
N2	The lab does not hold NELAC/TNI accreditation for this parameter.
R1	RPD value was outside control limits.
S0	Surrogate recovery outside laboratory control limits.
S1	Surrogate recovery outside laboratory control limits (confirmed by re-analysis).
S3	Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated sample.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262572001	SB-1 (0-1)	EPA 3546	91279	EPA 8081	91461
60262572002	SB-1 (3-5)	EPA 3546	91279	EPA 8081	91461
60262572003	SB-2 (0-1)	EPA 3546	91279	EPA 8081	91461
60262572004	SB-2 (3-5)	EPA 3546	91279	EPA 8081	91461
60262572005	SB-3 (0-1)	EPA 3546	91279	EPA 8081	91461
60262572006	SB-3 (3-5)	EPA 3546	91279	EPA 8081	91461
60262572007	SB-2 (12-14)	EPA 3546	91279	EPA 8081	91461
60262572008	SB-1	EPA 3510	91344	EPA 8081	91861
60262572009	SB-2	EPA 3510	91344	EPA 8081	91861
60262572010	SB-3	EPA 3510	91344	EPA 8081	91861
60262572001	SB-1 (0-1)	EPA 3546	91281	EPA 8141A	91532
60262572002	SB-1 (3-5)	EPA 3546	91281	EPA 8141A	91532
60262572003	SB-2 (0-1)	EPA 3546	91281	EPA 8141A	91532
60262572004	SB-2 (3-5)	EPA 3546	91281	EPA 8141A	91532
60262572005	SB-3 (0-1)	EPA 3546	91281	EPA 8141A	91532
60262572006	SB-3 (3-5)	EPA 3546	91281	EPA 8141A	91532
60262572007	SB-2 (12-14)	EPA 3546	91281	EPA 8141A	91532
60262572008	SB-1	EPA 3510	91347	EPA 8141A	91684
60262572009	SB-2	EPA 3510	91347	EPA 8141A	91684
60262572010	SB-3	EPA 3510	91347	EPA 8141A	91684
60262572001	SB-1 (0-1)	EPA 3546	91432	EPA 8151	91492
60262572002	SB-1 (3-5)	EPA 3546	91432	EPA 8151	91492
60262572003	SB-2 (0-1)	EPA 3546	91432	EPA 8151	91492
60262572004	SB-2 (3-5)	EPA 3546	91432	EPA 8151	91492
60262572005	SB-3 (0-1)	EPA 3546	91432	EPA 8151	91492
60262572006	SB-3 (3-5)	EPA 3546	91432	EPA 8151	91492
60262572007	SB-2 (12-14)	EPA 3546	91432	EPA 8151	91492
60262572008	SB-1	EPA 8151	91466	EPA 8151	91671
60262572009	SB-2	EPA 8151	91466	EPA 8151	91671
60262572010	SB-3	EPA 8151	91466	EPA 8151	91671
60262572001	SB-1 (0-1)	EPA 3050	511567	EPA 6010	511705
60262572002	SB-1 (3-5)	EPA 3050	511567	EPA 6010	511705
60262572003	SB-2 (0-1)	EPA 3050	511567	EPA 6010	511705
60262572004	SB-2 (3-5)	EPA 3050	511567	EPA 6010	511705
60262572005	SB-3 (0-1)	EPA 3050	511567	EPA 6010	511705
60262572006	SB-3 (3-5)	EPA 3050	511567	EPA 6010	511705
60262572007	SB-2 (12-14)	EPA 3050	511567	EPA 6010	511705
60262572008	SB-1	EPA 3010	513613	EPA 6010	513614
60262572009	SB-2	EPA 3010	513613	EPA 6010	513614
60262572010	SB-3	EPA 3010	513613	EPA 6010	513614
60262572008	SB-1	EPA 3010	513463	EPA 6010	513595
60262572009	SB-2	EPA 3010	513463	EPA 6010	513595
60262572010	SB-3	EPA 3010	513463	EPA 6010	513595
60262572008	SB-1	EPA 7470	513439	EPA 7470	513467

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262572009	SB-2	EPA 7470	513439	EPA 7470	513467
60262572010	SB-3	EPA 7470	513439	EPA 7470	513467
60262572008	SB-1	EPA 7470	513471	EPA 7470	513506
60262572009	SB-2	EPA 7470	513471	EPA 7470	513506
60262572010	SB-3	EPA 7470	513471	EPA 7470	513506
60262572001	SB-1 (0-1)	EPA 7471	511728	EPA 7471	511777
60262572002	SB-1 (3-5)	EPA 7471	511728	EPA 7471	511777
60262572003	SB-2 (0-1)	EPA 7471	511728	EPA 7471	511777
60262572004	SB-2 (3-5)	EPA 7471	511728	EPA 7471	511777
60262572005	SB-3 (0-1)	EPA 7471	511728	EPA 7471	511777
60262572006	SB-3 (3-5)	EPA 7471	511728	EPA 7471	511777
60262572007	SB-2 (12-14)	EPA 7471	511728	EPA 7471	511777
60262572001	SB-1 (0-1)	EPA 3546	511576	EPA 8270	511821
60262572002	SB-1 (3-5)	EPA 3546	511576	EPA 8270	511821
60262572003	SB-2 (0-1)	EPA 3546	511576	EPA 8270	511821
60262572004	SB-2 (3-5)	EPA 3546	511576	EPA 8270	511821
60262572005	SB-3 (0-1)	EPA 3546	511576	EPA 8270	511821
60262572006	SB-3 (3-5)	EPA 3546	511576	EPA 8270	511821
60262572007	SB-2 (12-14)	EPA 3546	511576	EPA 8270	511821
60262572008	SB-1	EPA 3510	511654	EPA 8270	511825
60262572009	SB-2	EPA 3510	511654	EPA 8270	511825
60262572010	SB-3	EPA 3510	511654	EPA 8270	511825
60262572001	SB-1 (0-1)	EPA 3546	511638	EPA 8270	512014
60262572002	SB-1 (3-5)	EPA 3546	511638	EPA 8270	512014
60262572003	SB-2 (0-1)	EPA 3546	511638	EPA 8270	512014
60262572004	SB-2 (3-5)	EPA 3546	511638	EPA 8270	512014
60262572005	SB-3 (0-1)	EPA 3546	511638	EPA 8270	512014
60262572006	SB-3 (3-5)	EPA 3546	511638	EPA 8270	512014
60262572007	SB-2 (12-14)	EPA 3546	511638	EPA 8270	512014
60262572008	SB-1	EPA 3510C	511572	EPA 8270	511973
60262572009	SB-2	EPA 3510C	511572	EPA 8270	511973
60262572010	SB-3	EPA 3510C	511572	EPA 8270	511973
60262572001	SB-1 (0-1)	EPA 5035A/8260	511774		
60262572002	SB-1 (3-5)	EPA 5035A/8260	511774		
60262572003	SB-2 (0-1)	EPA 5035A/8260	511774		
60262572004	SB-2 (3-5)	EPA 5035A/8260	511774		
60262572005	SB-3 (0-1)	EPA 5035A/8260	511774		
60262572006	SB-3 (3-5)	EPA 5035A/8260	511774		
60262572007	SB-2 (12-14)	EPA 5035A/8260	511774		
60262572008	SB-1	EPA 5030B/8260	511785		
60262572009	SB-2	EPA 5030B/8260	511785		
60262572010	SB-3	EPA 5030B/8260	511785		
60262572008	SB-1	EPA 8260	511832		
60262572009	SB-2	EPA 8260	511832		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262572010	SB-3	EPA 8260	511832		
60262572001	SB-1 (0-1)	EPA 8260	511857		
60262572002	SB-1 (3-5)	EPA 8260	511857		
60262572003	SB-2 (0-1)	EPA 8260	511857		
60262572004	SB-2 (3-5)	EPA 8260	511857		
60262572005	SB-3 (0-1)	EPA 8260	511857		
60262572006	SB-3 (3-5)	EPA 8260	511857		
60262572007	SB-2 (12-14)	EPA 8260	511857		
60262572011	TRIP BLANK SOIL	EPA 8260	511857		
60262572001	SB-1 (0-1)	ASTM D2974	512469		
60262572002	SB-1 (3-5)	ASTM D2974	512469		
60262572003	SB-2 (0-1)	ASTM D2974	512469		
60262572004	SB-2 (3-5)	ASTM D2974	512469		
60262572005	SB-3 (0-1)	ASTM D2974	512469		
60262572006	SB-3 (3-5)	ASTM D2974	512469		
60262572007	SB-2 (12-14)	ASTM D2974	512469		
60262572008	SB-1	SM 4500-H+B	511811		
60262572009	SB-2	SM 4500-H+B	511811		
60262572010	SB-3	SM 4500-H+B	511811		
60262572001	SB-1 (0-1)	EPA 9045	512182		
60262572002	SB-1 (3-5)	EPA 9045	512294		
60262572003	SB-2 (0-1)	EPA 9045	512294		
60262572004	SB-2 (3-5)	EPA 9045	512294		
60262572005	SB-3 (0-1)	EPA 9045	512294		
60262572006	SB-3 (3-5)	EPA 9045	512294		
60262572007	SB-2 (12-14)	EPA 9045	512294		
60262572008	SB-1	EPA 353.2	511900		
60262572009	SB-2	EPA 353.2	511900		
60262572010	SB-3	EPA 353.2	511900		
60262572001	SB-1 (0-1)	EPA 9056	512959	EPA 9056	512960
60262572002	SB-1 (3-5)	EPA 9056	512959	EPA 9056	512960
60262572003	SB-2 (0-1)	EPA 9056	512959	EPA 9056	512960
60262572004	SB-2 (3-5)	EPA 9056	512959	EPA 9056	512960
60262572005	SB-3 (0-1)	EPA 9056	512959	EPA 9056	512960
60262572006	SB-3 (3-5)	EPA 9056	512959	EPA 9056	512960
60262572007	SB-2 (12-14)	EPA 9056	512959	EPA 9056	512960
60262572001	SB-1 (0-1)	EPA 9056	513009	EPA 9056	513102
60262572002	SB-1 (3-5)	EPA 9056	513009	EPA 9056	513102
60262572003	SB-2 (0-1)	EPA 9056	513009	EPA 9056	513102
60262572004	SB-2 (3-5)	EPA 9056	513009	EPA 9056	513102
60262572005	SB-3 (0-1)	EPA 9056	513009	EPA 9056	513102
60262572006	SB-3 (3-5)	EPA 9056	513010	EPA 9056	513101
60262572007	SB-2 (12-14)	EPA 9056	513010	EPA 9056	513101
60262572008	SB-1	EPA 9056	512697		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Mead Hansen Building Site 1/22

Pace Project No.: 60262572

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262572009	SB-2	EPA 9056	512697		
60262572010	SB-3	EPA 9056	512697		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Sample Condition Upon Receipt

WO#: 60262572



Client Name:

Tetra Tech

Courier: FedEx ☐ UPS ☐ VIA ☐ Clay ☒ PEX ☐ ECI ☐ Pace ☐ Xroads ☐ Client ☐ Other ☐

Tracking #:

Pace Shipping Label Used? Yes ☐ No ☐

Custody Seal on Cooler/Box Present: Yes ☒ No ☐ Seals intact: Yes ☒ No ☐

Packing Material: Bubble Wrap ☐ Bubble Bags ☒ Foam ☒ None ☐ Other ☐

Thermometer Used: T-266 / T-239 Type of Ice: Wet ☒ Blue ☐ None ☐

Cooler Temperature (°C): As-read 7.0 2.0 4.0 Corr. Factor CF 0.0 CF +0.2 Corrected 7.0 2.0 4.0

Date and initials of person examining contents: JB 1/23

Temperature should be above freezing to 6°C

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Extra sample - SB-2 (12-14) 1/22/18 1550
Chain of Custody relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	(6) 669m (2) 669m (4) 669m
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	All samples collected 1/22
Short Hold Time analyses (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Rush Turn Around Time requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Sufficient volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Correct containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Unpreserved 5035A / TX1005/1006 soils frozen in 48hrs?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Sample labels match COC: Date / time / ID / analyses	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples contain multiple phases? Matrix: SL wt	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers requiring pH preservation in compliance? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH>9 Sulfide, NaOH>10 Cyanide) (Exceptions: VOA, Micro, O&G, KS TPH, OK-DRO)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Cyanide water sample checks:	<input checked="" type="checkbox"/> N/A	
Lead acetate strip turns dark? (Record only)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Potassium iodide test strip turns blue/purple? (Preserve)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Trip Blank present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Headspace in VOA vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Samples from USDA Regulated Area: State: MO	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Additional labels attached to 5035A / TX1005 vials in the field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	

Client Notification/ Resolution:

Copy COC to Client? Y / N

Field Data Required? Y / N

Person Contacted: John Simpson Date/Time: 1/23/18 14:30

Comments/ Resolution: SB-2 (12-14) Sample received not on COC. Per client request full suite on sample.

Project Manager Review:

Signature

Date: 1/23/18


CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



Section A Required Client Information: Company: Tetra Tech EMI Address: 415 Oak Kansas City, MO 64106 Email To: Emily.Fisher@tetratech.com Phone: (816) 412-1755 Fax: Requested Due Date/TAT: Standard		Section B Required Project Information: Report To: John Simpson Copy To: John Simpson Purchase Order No.: 1146252 Project Name: Mead Hansen Building Site Project Number:		Section C Invoice Information: Attention: Accounts Payable Company Name: Tetra Tech, Inc. Address: 415 Oak St. Kansas City, MO 64106 P.O. Quote Reference: Pace Project Manager: File# Profile #: 970		REGULATORY AGENCY <input type="checkbox"/> NPDES <input type="checkbox"/> GROUND WATER <input type="checkbox"/> DRINKING WATER <input type="checkbox"/> UST <input type="checkbox"/> RCRA <input type="checkbox"/> OTHER Site Location: MO STATE:	
--	--	--	--	---	--	---	--

ITEM #	Section D Required Client Information		Valid Matrix Codes												MATRIX CODE (see valid codes to left)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives							Y/N	Requested Analysis Filtered (Y/N)												Pace Project No./ Lab I.D.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
			CODE													COMPOSITE START	COMPOSITE END/GRAB	DATE	TIME			DATE	TIME	DATE	TIME	DATE	TIME	DATE		TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE		TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE

	Document Name: Sample Condition Upon Receipt	Document Revised: 09-26-17 Page 1 of 1
	Document No.: F-DAL-C-001-rev.07	Issuing Authority: Pace Dallas Quality Office

Sample Condition Upon Receipt

☒ Dallas ☐ Ft Worth

WO#: 7580994



Client Name: Pace-KS Project Work order: _____

Courier: FedEX ☐ UPS ☐ USPS ☐ Client ☐ LSO ☐ PACE ☐ Other: _____

Tracking #: 4122 4942

Custody Seal on Cooler/Box: Yes ☐ No ☐ Seals Intact: Yes ☒ No ☐ NA ☐

Packing Material: Bubble Wrap ☐ Bubble Bags ☒ Foam ☐ None ☐ Other ☐

Thermometer Used: IR- CS1 Type of Ice: Wet ☒ Blue ☐ None ☐ Sample Received on ice, cooling process has begun ☒

Cooler Temp °C: 22 (Recorded) -0.5 (Correction Factor) 1.7 (Actual) ☐ (Thermal preservation not required)

Temp should be above freezing to 6°C

Chain of Custody Present	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	1
Chain of Custody filled out	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	2
Chain of Custody relinquished	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	3
Sampler name & signature on COC	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	4
Sample received within HT	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	5
Short HT analyses (<72 hrs)	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	6
Rush TAT requested	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	7
Sufficient Volume received	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	8
Correct Container used	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	9
Pace Container used	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	
Container Intact	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	10
Unpreserved 5035A soil frozen within 48 hrs	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	11
Filtered volume received for Dissolved tests	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	12
Sample labels match COC	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	13
Include date/time/ID/analyses Matrix: <u>solid / water</u>		
All containers needing preservation have been checked and found to be in Compliance with EPA recommendation (includes residual chlorine checks)	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	14a. pH Strip Lot #: _____ Original pH: pH<2 <input type="checkbox"/> pH>9 <input type="checkbox"/> pH>12 <input type="checkbox"/> Neutral <input type="checkbox"/> Lot# of Iodine strip: _____ Lot# of Lead Acetate strip: _____
Exception: VOA, coliform, O&G	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Do containers require preservation at the lab	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	14b. Preservation: _____ Lot# and adjusted pH: pH<2 <input type="checkbox"/> pH>9 <input type="checkbox"/> pH>12
Are soil samples (volatiles) received in Bulk <input type="checkbox"/> Terracore <input type="checkbox"/> EnCore <input type="checkbox"/> NA <input checked="" type="checkbox"/>		15.
Trip Blank present	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	16.
Trip Blank Custody Seals Intact	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	
Pace Trip Blank Lot# (if purchased):		
Headspace in VOA (>6mm)	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	17.
Project sampled in USDA Regulated Area:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	18. List State <u>MO</u>

Triage Person: AS Date: 12/1/18 Login Person: mm Date: 1-25-18 Labeling Person: mm Date: 1-25-18

Client Notification/Resolution/Comments:

Person Contacted: _____ Date: _____

Comments/Resolution: _____

Project Manager Review: [Signature]

Chain of Custody



Workorder: 60262572

Workorder Name: Mead Hansen Building Site

Owner Received Date: 1/23/2018 Results Requested By: 2/6/2018

[illegible]

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.

This chain of custody is considered complete as is since this information is available in the owner laboratory.

Tetra Tech, Inc.
DATA VALIDATION REPORT
LEVEL II

Site: Mead Hansen Building Site

Laboratory: Pace Analytical (Lenexa, Kansas)

Data Reviewer: Harry Ellis, Tetra Tech, Inc. (Tetra Tech)

Review Date: February 26, 2018

Sample Delivery Group (SDG): 60262644


Sample Numbers: SB-4 (0-1), SB-4 (3-5), SB-5 (0-1), SB-5 (3-5), SB-6 (0-1), SB-6 (3-5), SB-7 (0-1), SB-7 (3-5), SB-8 (0-1), SB-8 (3-5), SB-9 (0-1), SB-9 (3-5), SB-4, SB-5, SB-6, SB-7, SB-8, and SB-9

Matrix / Number of Samples: Twelve Soil Samples, Six Groundwater Samples, and No Blank Samples

The data were qualified according to the U.S. Environmental Protection Agency (EPA) Region 7 documents entitled "Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review", dated January 2017, and "Contract Laboratory Program National Functional Guidelines for Superfund Inorganic Methods Data Review", also dated January 2017. In addition, the Tetra Tech document "Review of Data Packages from Subcontracted Laboratories" (February 2002) was used along with other criteria specified in the applicable methods.

The review was intended to identify problems and quality control (QC) deficiencies that were readily apparent from the summary data package. The following sections discuss any problems or deficiencies that were found, and data qualifications applied because of non-compliant QC. The data review was limited to the available field and laboratory QC information submitted with the project-specific data package.

I, Harry Ellis, certify that all data validation criteria outlined in the above-referenced documents were assessed, and any qualifications made to the data accorded with those documents.



26 February 2018

Certified by Harry Ellis, Chemist

Date

DATA VALIDATION QUALIFIERS

- U** — The analyte was not detected above the reported sample quantitation limit.
- J** — The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- UJ** — The analyte was not detected above the reported sample quantitation limit, which is estimated.
- R** — The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet QC criteria. Presence or absence of the analyte cannot be verified.

DATA ASSESSMENT

Sample delivery group (SDG) 602626442 included twelve (12) environmental soil samples, six (6) environmental groundwater samples, and no (0) quality control (QC) samples. Samples were analyzed for volatile organic compounds (VOC) by EPA SW-846 Method 8260, semivolatile organic compounds (SVOC) by EPA SW-846 Method 8270, total petroleum hydrocarbons (TPH) as gasoline range organics (GRO), diesel range organics (DRO, and oil range organics (ORO) by EPA SW-846 Methods 8260 and 8270, organochlorine pesticides by EPA SW-846 Method 8081, organophosphate pesticides by EPA SW-846 Method 8141,, organochlorine herbicides by EPA SW-846 Method 8051A, total and dissolved metals by EPA SW-846 Methods 6010 and 7471 and EPA Water Methods 200.7 and 245.1, pH by EPA SW-846 Method 9045 and Standard Method 4500-H, and inorganic anions by EPA SW-846 Method 9056 and EPA Water Method 353.2. All samples did not receive all analyses. The following summarizes the data validation that was performed.

VOLATILE ORGANIC COMPOUND ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding time of 14 days from sample collection to analysis. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

No MS/MSD analyses were performed due to insufficient sample volume. No qualifications were applied for these data gaps.

III. Blanks

The laboratory (method) blanks and trip blanks yielded no detectable concentrations of analytes, so no qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

All surrogate recoveries were within their QC limits. No qualifications were applied.

VI. Comments

Some detected concentrations were less than their reporting limits (“RL”). These low-concentration results were qualified as estimated (flagged “J”).

VII. Overall Assessment of Data

Overall data quality is acceptable, with no qualifications applied. All data are usable as reported for their intended purposes.

SEMIVOLATILE ORGANIC COMPOUND ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding time of 14 days from sample collection to extraction and 40 days to analysis. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

MS/MSD analyses performed on samples from other packages were not evaluated. The soil MS analysis performed on sample SB-4 (0-1) yielded a recovery below QC limits for 3,3'-dichlorobenzidine, while the MSD analysis yielded a low, but acceptable recovery. The average recovery was below limits, so the nondetected result for 3,3'-dichlorobenzidine in that sample were qualified as estimated, possibly biased low, and flagged "UJ".

There was insufficient sample for aqueous MS/MSD analyses. No qualifications were applied for these data gaps.

III. Blanks

The laboratory (method) blank yielded no detectable analyte concentrations. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

Almost all surrogate recoveries were within QC limits. The one exception was a slightly low recovery (44 percent, versus limits of 46 to 102 percent) for one acidic surrogate. No qualifications were applied for only one surrogate recovery outside limits..

VI. Comments

Some detected concentrations were less than their RLs. These low-concentration results were qualified as estimated (flagged "J").

VII. Overall Assessment of Data

Overall data quality is acceptable, with no significant qualifications applied. All data are usable as qualified for their intended purposes.

TOTAL PETROLEUM HYDROCARBON ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

Due to insufficient sample volume, the only MS/MSD analyses were for DRO/ORO in soil. Results were fully satisfactory. No qualifications were applied for the data gaps.

III. Blanks

The soil laboratory (method) blank yielded a low concentration of ORO. Some field samples yielded much higher concentrations and were not qualified. Soil ORO results less than their reporting limits (samples SB-5 (3-5) and SB-8 (3-5)) were qualified as laboratory artifacts and flagged "U". Soil ORO results above their reporting limit but less than 10 times the blank concentration (samples SB-5 (0-1), sb-6 (3-5), and SB-7 (3-5)) were qualified as estimated, possibly biased high, and flagged "J".

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

All QC samples and almost all field sample surrogate recoveries were within QC limits. The exception was the slightly low recovery 57 percent versus limits of 61 to 109 percent) for one surrogate in sample SB-7 (3-5). No qualifications were applied for this minor irregularity.

VI. Comments

Some detected concentrations (including all for silver) were less than their RLs. These low-concentration results were qualified as estimated (flagged "J").

VII. Overall Assessment of Data

Overall data quality is acceptable, with no major qualifications applied. All data are usable as qualified for their intended purposes.

ORGANOCHLORINE PESTICIDES ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

The MS/MSD results from a sample from another data package was not evaluated here. Most other MS/MSD results were within limits. However, the soil analyses performed on sample SB-4 (0-1) yielded endosulfan I and endosulfan sulfate recoveries ranging from 66 to 69 percent, versus limits of 70 to 130 percent. The nondetected results for endosulfan I and endosulfan sulfate in that sample were qualified as estimated and flagged "UJ".

III. Blanks

The laboratory (method) blanks yielded no detectable analytes. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

Most surrogate recoveries from field samples were within QC limits. One soil sample and two laboratory QC samples (a blank and an LCS) yielded recoveries of the second surrogate ranging from 61 to 64 percent, slightly below the laboratory limits for soil samples of 70 to 130 percent. These recoveries were well within the NFG limits of 30 to 150 percent recovery, so no qualifications were applied.

VI. Comments

Some detected concentrations (including all for silver) were less than their RLs. These low-concentration results were qualified as estimated (flagged "J").

VII. Overall Assessment of Data

Overall data quality is acceptable, with no significant qualifications applied. All data are usable as qualified for their intended purposes.

ORGANOPHOSPHATE PESTICIDES ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

The MS/MSD analyses performed on samples from other packages and sites were not evaluated. The MS/MSD analyses performed on these samples yielded acceptable results, so no qualifications were applied.

III. Blanks

The laboratory (method) blanks yielded no detectable analytes. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

Most surrogate recoveries were within QC limits. Samples SB-5 (3-5) and SB-6 (0-1) yielded slightly high recoveries for the first (of two) surrogates. No analytes were detected in those samples so no qualifications were applied.

VI. Comments

None.

VII. Overall Assessment of Data

Overall data quality is acceptable, with no qualifications applied. All data are usable as reported for their intended purposes.

ORGANOCHLORINE HERBICIDES ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

The soil MS/MSD analyses performed on samples from other packages and sites were not evaluated. All results from those performed on these samples were acceptable so no qualifications were applied.

III. Blanks

The laboratory (method) blanks yielded no detectable analytes. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

Most surrogate recoveries were within QC limits, although most soil surrogate recoveries ranged from 10 to 14 percent, at the bottom of the acceptable range of 10 to 188 percent. However, the surrogate recovery from sample SB-6 (0-1) was only 7 percent, so the nondetected results for that sample were qualified as estimated, possibly biased low, and flagged “UJ”. The recoveries from the MS/MSD analyses performed on sample SB-8 (3-5) were 5 and 6 percent, respectively, although the unspiked sample recovery was 12 percent. The spiked analytes recoveries were within their acceptance ranges, although near the lower ends. Since those results were within limits, no further qualifications were applied.

VI. Comments

Few analytes were detected in these samples. .

VII. Overall Assessment of Data

Overall data quality is acceptable, with few qualifications applied. All data are usable as qualified for their intended purposes.

METALS ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times of 28 days (for mercury) and 6 months (for all other metals) from sample collection to analysis. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

MS/MSD analyses performed on samples from another data package were not evaluated. In the soil MS/MSD analyses performed on sample SB-4 (3-5), recoveries of barium, cadmium, and lead were well below the QC limits of 75 to 125 percent, indicating matrix interference. Therefore the results for barium, cadmium, and lead in that sample were qualified as estimated, possibly biased low, and flagged “J”.

III. Blanks

No analytes were detected in the laboratory blanks. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Comments

Some detected concentrations (including all for silver) were less than their RLs. These low-concentration results were qualified as estimated (flagged “J”).

VI. Overall Assessment of Data

Overall data quality is acceptable, with few qualifications applied. All data are usable as qualified for their intended purposes.

IONS ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The holding time for pH analyses is “as soon as possible”, generally interpreted as within 15 minutes of sampling (for water) or of preparation (for soil). The pH analyses were performed three days after sampling, so the water results were qualified as estimated and flagged “J”. All other holding time requirements were met so no further qualifications were applied.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

MS/MSD analyses performed on samples from other sites were not evaluated. Those performed on these samples, and the laboratory duplicate analyses performed on these samples, yielded fully acceptable results, so no qualifications were applied.

III. Blanks

No analytes were detected in the laboratory blanks. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Comments

Some detected concentrations were less than their RLs. These low-concentration results were qualified as estimated (flagged “J”). All sulfate analyses and most nitrogen species analyses were performed at various dilutions to minimize matrix interference. Therefore some nondetected results are not fully comparable.

VI. Overall Assessment of Data

Overall data quality is acceptable, with no significant qualifications applied. All data are usable as qualified for their intended purposes.

February 12, 2018

Emily Fisher
TETRA TECH EMI
415 Oak
Kansas City, MO 64106

RE: Project: Mead Hansen Building Site 1/23
Pace Project No.: 60262644

Dear Emily Fisher:

Enclosed are the analytical results for sample(s) received by the laboratory on January 24, 2018. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jeffrey Shopper
jeff.shopper@pacelabs.com
1(913)563-1408
Project Manager

Enclosures

cc: John Simpson, TETRA TECH EMI



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Kansas Certification IDs

9608 Loiret Boulevard, Lenexa, KS 66219

WY STR Certification #: 2456.01

Arkansas Certification #: 17-016-0

Illinois Certification #: 200030

Iowa Certification #: 118

Kansas/NELAP Certification #: E-10116

Louisiana Certification #: 03055

Nevada Certification #: KS000212018-1

Oklahoma Certification #: 9205/9935

Texas Certification #: T104704407

Utah Certification #: KS00021

Kansas Field Laboratory Accreditation: # E-92587

Missouri Certification: 10070

Dallas Certification IDs:

400 West Bethany Dr Suite 190, Allen, TX 75013

EPA# TX00074

Florida Certification #: E871118

Texas Certification #: T104704232

Kansas Certification #: E-10388

Arkansas Certification #: 88-0647

Oklahoma Certification #: 8727

Louisiana Certification #: 30686

Iowa Certification #: 408

Florida Certification #: E871118

Nevada Certification #: TX00074

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60262644001	SB-4 (0-1)	Solid	01/23/18 08:50	01/24/18 13:05
60262644002	SB-4 (3-5)	Solid	01/23/18 09:00	01/24/18 13:05
60262644003	SB-5 (0-1)	Solid	01/23/18 10:20	01/24/18 13:05
60262644004	SB-5 (3-5)	Solid	01/23/18 10:30	01/24/18 13:05
60262644005	SB-6 (0-1)	Solid	01/23/18 12:30	01/24/18 13:05
60262644006	SB-6 (3-5)	Solid	01/23/18 12:40	01/24/18 13:05
60262644007	SB-7 (0-1)	Solid	01/23/18 13:40	01/24/18 13:05
60262644008	SB-7 (3-5)	Solid	01/23/18 13:50	01/24/18 13:05
60262644009	SB-8 (0-1)	Solid	01/23/18 15:00	01/24/18 13:05
60262644010	SB-8 (3-5)	Solid	01/23/18 15:10	01/24/18 13:05
60262644011	SB-9 (0-3)	Solid	01/23/18 16:00	01/24/18 13:05
60262644012	SB-9 (3-5)	Solid	01/23/18 16:15	01/24/18 13:05
60262644013	SB-4	Water	01/23/18 09:50	01/24/18 13:05
60262644014	SB-5	Water	01/23/18 10:50	01/24/18 13:05
60262644015	SB-6	Water	01/23/18 13:00	01/24/18 13:05
60262644016	SB-7	Water	01/23/18 14:00	01/24/18 13:05
60262644017	SB-8	Water	01/23/18 15:30	01/24/18 13:05
60262644018	SB-9	Water	01/23/18 16:30	01/24/18 13:05

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262644001	SB-4 (0-1)	EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
60262644002	SB-4 (3-5)	EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
60262644003	SB-5 (0-1)	EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262644004	SB-5 (3-5)	EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
60262644005	SB-6 (0-1)	EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
60262644006	SB-6 (3-5)	EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262644007	SB-7 (0-1)	ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
60262644008	SB-7 (3-5)	EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
60262644009	SB-8 (0-1)	EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262644010	SB-8 (3-5)	EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
60262644011	SB-9 (3-5)	ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
60262644012	SB-9 (3-5)	EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262644013	SB-4	EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K
		EPA 7470	SMW	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
		EPA 8260	JTK	4	PASI-K
		SM 4500-H+B	MJK	1	PASI-K
60262644014	SB-5	EPA 353.2	RAD	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K
		EPA 7470	SMW	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
		EPA 8260	JTK	4	PASI-K
		SM 4500-H+B	MJK	1	PASI-K
60262644015	SB-6	EPA 353.2	RAD	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 8081	MS1	24	PASI-D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262644016	SB-7	EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K
		EPA 7470	SMW	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
		EPA 8260	JTK	4	PASI-K
		SM 4500-H+B	MJK	1	PASI-K
		EPA 353.2	RAD	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K
		EPA 7470	SMW	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
		EPA 8260	JTK	4	PASI-K
		SM 4500-H+B	MJK	1	PASI-K
		EPA 353.2	RAD	1	PASI-K
		EPA 9056	OL	1	PASI-K
60262644017	SB-8	EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K
		EPA 7470	SMW	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262644018	SB-9	EPA 8260	JTK	4	PASI-K
		SM 4500-H+B	MJK	1	PASI-K
		EPA 353.2	RAD	1	PASI-K
		EPA 9056	OL	1	PASI-K
		EPA 8081	BMA	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K
		EPA 7470	SMW	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
		EPA 8260	JTK	4	PASI-K
		SM 4500-H+B	MJK	1	PASI-K
		EPA 353.2	RAD	1	PASI-K
		EPA 9056	LDB	1	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8081

Description: 8081 GCS Pesticides

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

18 samples were analyzed for EPA 8081. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

The samples were prepared in accordance with EPA 3510 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 91324

S0: Surrogate recovery outside laboratory control limits.

- BLANK (Lab ID: 404871)
 - Decachlorobiphenyl (S)
- LCS (Lab ID: 404872)
 - Decachlorobiphenyl (S)
- SB-4 (0-1) (Lab ID: 60262644001)
 - Decachlorobiphenyl (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 91324

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262644001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 404873)
 - Endosulfan I
 - Endosulfan sulfate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8081

Description: 8081 GCS Pesticides

Client: TETRA TECH EMI

Date: February 12, 2018

QC Batch: 91324

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262644001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MSD (Lab ID: 404874)
 - Endosulfan I
 - Endosulfan sulfate

QC Batch: 91580

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262738001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 405975)
 - Dieldrin
 - Endosulfan I
 - Endosulfan sulfate
 - Endrin ketone
- MSD (Lab ID: 405976)
 - Endosulfan I
 - Endosulfan sulfate
 - Endrin ketone

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8141A

Description: 8141 O/P Pesticides Microwave

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

12 samples were analyzed for EPA 8141A. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 91325

S3: Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated sample.

- SB-5 (3-5) (Lab ID: 60262644004)
 - Tributylphosphate (S)
- SB-6 (0-1) (Lab ID: 60262644005)
 - Tributylphosphate (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: 91325

N2: The lab does not hold NELAC/TNI accreditation for this parameter.

- BLANK (Lab ID: 404876)
 - Total Demeton
 - Total Merphos

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8141A

Description: 8141 O/P Pesticides Microwave

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 91325

N2: The lab does not hold NELAC/TNI accreditation for this parameter.

- LCS (Lab ID: 404877)
 - Total Demeton
 - Total Merphos
- MS (Lab ID: 404878)
 - Total Demeton
 - Total Merphos
- MSD (Lab ID: 404879)
 - Total Demeton
 - Total Merphos
- SB-4 (0-1) (Lab ID: 60262644001)
 - Total Demeton
 - Total Merphos
- SB-4 (3-5) (Lab ID: 60262644002)
 - Total Demeton
 - Total Merphos
- SB-5 (0-1) (Lab ID: 60262644003)
 - Total Demeton
 - Total Merphos
- SB-5 (3-5) (Lab ID: 60262644004)
 - Total Demeton
 - Total Merphos
- SB-6 (0-1) (Lab ID: 60262644005)
 - Total Demeton
 - Total Merphos
- SB-6 (3-5) (Lab ID: 60262644006)
 - Total Demeton
 - Total Merphos
- SB-7 (0-1) (Lab ID: 60262644007)
 - Total Demeton
 - Total Merphos
- SB-7 (3-5) (Lab ID: 60262644008)
 - Total Demeton
 - Total Merphos
- SB-8 (0-1) (Lab ID: 60262644009)
 - Total Demeton
 - Total Merphos
- SB-8 (3-5) (Lab ID: 60262644010)
 - Total Demeton
 - Total Merphos

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8141A

Description: 8141 O/P Pesticides Microwave

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 91581

N2: The lab does not hold NELAC/TNI accreditation for this parameter.

- BLANK (Lab ID: 405989)
 - Total Demeton
 - Total Merphos
- LCS (Lab ID: 405990)
 - Total Demeton
 - Total Merphos
- MS (Lab ID: 405991)
 - Total Demeton
 - Total Merphos
- MSD (Lab ID: 405992)
 - Total Demeton
 - Total Merphos
- SB-9 (0-3) (Lab ID: 60262644011)
 - Total Demeton
 - Total Merphos
- SB-9 (3-5) (Lab ID: 60262644012)
 - Total Demeton
 - Total Merphos

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8141A

Description: 8141 GCS, O/P Pesticides

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

6 samples were analyzed for EPA 8141A. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 91347

S1: Surrogate recovery outside laboratory control limits (confirmed by re-analysis).

- LCS (Lab ID: 404970)
- Tributylphosphate (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 91347

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262572009

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 404971)
- Trichloronate

M3: Matrix spike recovery was outside laboratory control limits due to matrix interferences.

- MS (Lab ID: 404971)
- Parathion (Ethyl parathion)

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8151

Description: 8151 Chlorinated Herbicides

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

18 samples were analyzed for EPA 8151. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 8151 with any exceptions noted below.

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

QC Batch: 91432

CH: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

- SB-4 (3-5) (Lab ID: 60262644002)
 - Dinoseb
- SB-5 (0-1) (Lab ID: 60262644003)
 - Dinoseb
- SB-5 (3-5) (Lab ID: 60262644004)
 - Dinoseb
- SB-6 (0-1) (Lab ID: 60262644005)
 - Dinoseb
- SB-6 (3-5) (Lab ID: 60262644006)
 - Dinoseb
- SB-7 (3-5) (Lab ID: 60262644008)
 - Dinoseb
- SB-8 (0-1) (Lab ID: 60262644009)
 - Dinoseb

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 91432

S1: Surrogate recovery outside laboratory control limits (confirmed by re-analysis).

- SB-6 (0-1) (Lab ID: 60262644005)
 - 2,4-DCAA (S)
- SB-7 (3-5) (Lab ID: 60262644008)
 - 2,4-DCAA (S)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8151

Description: 8151 Chlorinated Herbicides

Client: TETRA TECH EMI

Date: February 12, 2018

QC Batch: 91433

S0: Surrogate recovery outside laboratory control limits.

- MS (Lab ID: 405368)
 - 2,4-DCAA (S)
- MSD (Lab ID: 405369)
 - 2,4-DCAA (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 91432

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262572001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 405364)
 - Dalapon

R1: RPD value was outside control limits.

- MSD (Lab ID: 405365)
 - 2,4,5-T
 - 2,4-D
 - Dalapon
 - Dicamba
 - Dinoseb
 - MCPP

QC Batch: 91466

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262572010

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 405534)
 - 2,4-D
 - Dichloroprop

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23
Pace Project No.: 60262644

Method: EPA 6010
Description: 6010 MET ICP Red. Interference
Client: TETRA TECH EMI
Date: February 12, 2018

General Information:

12 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3050 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 512324

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262644002

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2097589)
 - Barium
 - Cadmium
 - Lead
- MSD (Lab ID: 2097590)
 - Barium
 - Cadmium
 - Lead

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 6010

Description: 6010 MET ICP

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

6 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 6010

Description: 6010 MET ICP, Dissolved (LF)

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

6 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 7470

Description: 7470 Mercury

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

6 samples were analyzed for EPA 7470. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7470 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 7470

Description: 7470 Mercury, Dissolved (LF)

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

6 samples were analyzed for EPA 7470. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7470 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 7471

Description: 7471 Mercury

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

12 samples were analyzed for EPA 7471. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7471 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511728

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262572001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2095317)
 - Mercury
- MSD (Lab ID: 2095318)
 - Mercury

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8270

Description: 8270 MSSV Semivolatiles

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

12 samples were analyzed for EPA 8270. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 512424

S0: Surrogate recovery outside laboratory control limits.

- SB-7 (0-1) (Lab ID: 60262644007)
- 2-Fluorophenol (S)

S2: Surrogate recovery outside laboratory control limits due to matrix interferences (confirmed by similar results from sample re-analysis).

- MS (Lab ID: 2097906)
 - 2-Fluorobiphenyl (S)
- MSD (Lab ID: 2097907)
 - 2-Fluorobiphenyl (S)
 - 2-Fluorophenol (S)
 - Nitrobenzene-d5 (S)
 - Phenol-d6 (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8270

Description: 8270 MSSV Semivolatiles

Client: TETRA TECH EMI

Date: February 12, 2018

QC Batch: 511743

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262644001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2095381)
 - 3,3'-Dichlorobenzidine

QC Batch: 512424

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262831016

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2097906)
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 2,4-Dichlorophenol
 - 2,4-Dinitrophenol
 - 3,3'-Dichlorobenzidine
 - 4,6-Dinitro-2-methylphenol
 - 4-Chloro-3-methylphenol
 - Benzyl alcohol
 - Hexachlorocyclopentadiene
 - Isophorone
 - bis(2-Chloroethoxy)methane
- MSD (Lab ID: 2097907)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 2,4,5-Trichlorophenol
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol
 - 2,4-Dinitrophenol
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylnaphthalene
 - 3,3'-Dichlorobenzidine
 - 4,6-Dinitro-2-methylphenol
 - 4-Bromophenylphenyl ether
 - 4-Chloro-3-methylphenol
 - 4-Chlorophenylphenyl ether
 - Acenaphthene
 - Acenaphthylene
 - Benzyl alcohol
 - Carbazole
 - Dibenzofuran
 - Diethylphthalate
 - Dimethylphthalate
 - Hexachloro-1,3-butadiene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8270

Description: 8270 MSSV Semivolatiles

Client: TETRA TECH EMI

Date: February 12, 2018

QC Batch: 512424

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262831016

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- Hexachlorobenzene
- Hexachlorocyclopentadiene
- Hexachloroethane
- Isophorone
- N-Nitroso-di-n-propylamine
- Naphthalene
- Nitrobenzene
- Phenanthrene
- Phenol
- bis(2-Chloroethoxy)methane
- bis(2-Chloroethyl) ether
- bis(2-Chloroisopropyl) ether

Additional Comments:

Analyte Comments:

QC Batch: 512424

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- MS (Lab ID: 2097906)
 - Nitrobenzene-d5 (S)
- MSD (Lab ID: 2097907)
 - Nitrobenzene-d5 (S)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

6 samples were analyzed for EPA 8270. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511741

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

Analyte Comments:

QC Batch: 511741

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-4 (Lab ID: 60262644013)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 511741

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-4 (Lab ID: 60262644013)
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol
 - 2,4-Dimethylphenol
 - 2,4-Dinitrophenol
 - 2,4-Dinitrotoluene
 - 2,4,5-Trichlorophenol
 - 2,6-Dinitrotoluene
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylphenol(o-Cresol)
 - 2-Methylnaphthalene
 - 2-Nitroaniline
 - 2-Nitrophenol
 - 3,3'-Dichlorobenzidine
 - 3&4-Methylphenol(m&p Cresol)
 - 3-Nitroaniline
 - 4,6-Dinitro-2-methylphenol
 - 4-Bromophenylphenyl ether
 - 4-Chloro-3-methylphenol
 - 4-Chloroaniline
 - 4-Chlorophenylphenyl ether
 - 4-Nitroaniline
 - 4-Nitrophenol
 - Acenaphthene
 - Acenaphthylene
 - Anthracene
 - Butylbenzylphthalate
 - Benzoic acid
 - Benzyl alcohol
 - Benzo(k)fluoranthene
 - Benzo(g,h,i)perylene
 - Benzo(a)anthracene
 - Benzo(b)fluoranthene
 - Benzo(a)pyrene
 - bis(2-Chloroethoxy)methane
 - bis(2-Chloroethyl) ether
 - bis(2-Chloroisopropyl) ether
 - bis(2-Ethylhexyl)phthalate
 - Carbazole
 - Chrysene
 - Dibenz(a,h)anthracene
 - Dibenzofuran

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 511741

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-4 (Lab ID: 60262644013)
 - Dimethylphthalate
 - Di-n-butylphthalate
 - Di-n-octylphthalate
 - Diethylphthalate
 - Fluorene
 - Fluoranthene
 - Hexachloro-1,3-butadiene
 - Hexachlorobenzene
 - Hexachlorocyclopentadiene
 - Hexachloroethane
 - Indeno(1,2,3-cd)pyrene
 - Isophorone
 - Naphthalene
 - N-Nitroso-di-n-propylamine
 - Nitrobenzene
 - N-Nitrosodiphenylamine
 - Phenol
 - Phenanthrene
 - Pentachlorophenol
 - Pyrene
 - Pyridine
- SB-5 (Lab ID: 60262644014)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol
 - 2,4-Dimethylphenol
 - 2,4-Dinitrophenol
 - 2,4-Dinitrotoluene
 - 2,4,5-Trichlorophenol
 - 2,6-Dinitrotoluene
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylphenol(o-Cresol)
 - 2-Methylnaphthalene
 - 2-Nitroaniline
 - 2-Nitrophenol
 - 3,3'-Dichlorobenzidine
 - 3&4-Methylphenol(m&p Cresol)
 - 3-Nitroaniline

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 511741

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-5 (Lab ID: 60262644014)
 - 4,6-Dinitro-2-methylphenol
 - 4-Bromophenylphenyl ether
 - 4-Chloro-3-methylphenol
 - 4-Chloroaniline
 - 4-Chlorophenylphenyl ether
 - 4-Nitroaniline
 - 4-Nitrophenol
 - Acenaphthene
 - Acenaphthylene
 - Anthracene
 - Butylbenzylphthalate
 - Benzoic acid
 - Benzyl alcohol
 - Benzo(k)fluoranthene
 - Benzo(g,h,i)perylene
 - Benzo(a)anthracene
 - Benzo(b)fluoranthene
 - Benzo(a)pyrene
 - bis(2-Chloroethoxy)methane
 - bis(2-Chloroethyl) ether
 - bis(2-Chloroisopropyl) ether
 - bis(2-Ethylhexyl)phthalate
 - Carbazole
 - Chrysene
 - Dibenzo(a,h)anthracene
 - Dibenzofuran
 - Dimethylphthalate
 - Di-n-butylphthalate
 - Di-n-octylphthalate
 - Diethylphthalate
 - Fluorene
 - Fluoranthene
 - Hexachloro-1,3-butadiene
 - Hexachlorobenzene
 - Hexachlorocyclopentadiene
 - Hexachloroethane
 - Indeno(1,2,3-cd)pyrene
 - Isophorone
 - Naphthalene
 - N-Nitroso-di-n-propylamine
 - Nitrobenzene
 - N-Nitrosodiphenylamine

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 511741

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-5 (Lab ID: 60262644014)
 - Phenol
 - Phenanthrene
 - Pentachlorophenol
 - Pyrene
 - Pyridine
- SB-6 (Lab ID: 60262644015)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol
 - 2,4-Dimethylphenol
 - 2,4-Dinitrophenol
 - 2,4-Dinitrotoluene
 - 2,4,5-Trichlorophenol
 - 2,6-Dinitrotoluene
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylphenol(o-Cresol)
 - 2-Methylnaphthalene
 - 2-Nitroaniline
 - 2-Nitrophenol
 - 3,3'-Dichlorobenzidine
 - 3&4-Methylphenol(m&p Cresol)
 - 3-Nitroaniline
 - 4,6-Dinitro-2-methylphenol
 - 4-Bromophenylphenyl ether
 - 4-Chloro-3-methylphenol
 - 4-Chloroaniline
 - 4-Chlorophenylphenyl ether
 - 4-Nitroaniline
 - 4-Nitrophenol
 - Acenaphthene
 - Acenaphthylene
 - Anthracene
 - Butylbenzylphthalate
 - Benzoic acid
 - Benzyl alcohol
 - Benzo(k)fluoranthene
 - Benzo(g,h,i)perylene
 - Benzo(a)anthracene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 511741

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-6 (Lab ID: 60262644015)
 - Benzo(b)fluoranthene
 - Benzo(a)pyrene
 - bis(2-Chloroethoxy)methane
 - bis(2-Chloroethyl) ether
 - bis(2-Chloroisopropyl) ether
 - bis(2-Ethylhexyl)phthalate
 - Carbazole
 - Chrysene
 - Dibenz(a,h)anthracene
 - Dibenzofuran
 - Dimethylphthalate
 - Di-n-butylphthalate
 - Di-n-octylphthalate
 - Diethylphthalate
 - Fluorene
 - Fluoranthene
 - Hexachloro-1,3-butadiene
 - Hexachlorobenzene
 - Hexachlorocyclopentadiene
 - Hexachloroethane
 - Indeno(1,2,3-cd)pyrene
 - Isophorone
 - Naphthalene
 - N-Nitroso-di-n-propylamine
 - Nitrobenzene
 - N-Nitrosodiphenylamine
 - Phenol
 - Phenanthrene
 - Pentachlorophenol
 - Pyrene
 - Pyridine
- SB-7 (Lab ID: 60262644016)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol
 - 2,4-Dimethylphenol
 - 2,4-Dinitrophenol
 - 2,4-Dinitrotoluene
 - 2,4,5-Trichlorophenol

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 511741

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-7 (Lab ID: 60262644016)
 - 2,6-Dinitrotoluene
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylphenol(o-Cresol)
 - 2-Methylnaphthalene
 - 2-Nitroaniline
 - 2-Nitrophenol
 - 3,3'-Dichlorobenzidine
 - 3&4-Methylphenol(m&p Cresol)
 - 3-Nitroaniline
 - 4,6-Dinitro-2-methylphenol
 - 4-Bromophenylphenyl ether
 - 4-Chloro-3-methylphenol
 - 4-Chloroaniline
 - 4-Chlorophenylphenyl ether
 - 4-Nitroaniline
 - 4-Nitrophenol
 - Acenaphthene
 - Acenaphthylene
 - Anthracene
 - Butylbenzylphthalate
 - Benzoic acid
 - Benzyl alcohol
 - Benzo(k)fluoranthene
 - Benzo(g,h,i)perylene
 - Benzo(a)anthracene
 - Benzo(b)fluoranthene
 - Benzo(a)pyrene
 - bis(2-Chloroethoxy)methane
 - bis(2-Chloroethyl) ether
 - bis(2-Chloroisopropyl) ether
 - bis(2-Ethylhexyl)phthalate
 - Carbazole
 - Chrysene
 - Dibenz(a,h)anthracene
 - Dibenzofuran
 - Dimethylphthalate
 - Di-n-butylphthalate
 - Di-n-octylphthalate
 - Diethylphthalate
 - Fluorene
 - Fluoranthene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 511741

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-7 (Lab ID: 60262644016)
 - Hexachloro-1,3-butadiene
 - Hexachlorobenzene
 - Hexachlorocyclopentadiene
 - Hexachloroethane
 - Indeno(1,2,3-cd)pyrene
 - Isophorone
 - Naphthalene
 - N-Nitroso-di-n-propylamine
 - Nitrobenzene
 - N-Nitrosodiphenylamine
 - Phenol
 - Phenanthrene
 - Pentachlorophenol
 - Pyrene
 - Pyridine
- SB-8 (Lab ID: 60262644017)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol
 - 2,4-Dimethylphenol
 - 2,4-Dinitrophenol
 - 2,4-Dinitrotoluene
 - 2,4,5-Trichlorophenol
 - 2,6-Dinitrotoluene
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylphenol(o-Cresol)
 - 2-Methylnaphthalene
 - 2-Nitroaniline
 - 2-Nitrophenol
 - 3,3'-Dichlorobenzidine
 - 3&4-Methylphenol(m&p Cresol)
 - 3-Nitroaniline
 - 4,6-Dinitro-2-methylphenol
 - 4-Bromophenylphenyl ether
 - 4-Chloro-3-methylphenol
 - 4-Chloroaniline
 - 4-Chlorophenylphenyl ether
 - 4-Nitroaniline

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 511741

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-8 (Lab ID: 60262644017)
 - 4-Nitrophenol
 - Acenaphthene
 - Acenaphthylene
 - Anthracene
 - Butylbenzylphthalate
 - Benzoic acid
 - Benzyl alcohol
 - Benzo(k)fluoranthene
 - Benzo(g,h,i)perylene
 - Benzo(a)anthracene
 - Benzo(b)fluoranthene
 - Benzo(a)pyrene
 - bis(2-Chloroethoxy)methane
 - bis(2-Chloroethyl) ether
 - bis(2-Chloroisopropyl) ether
 - bis(2-Ethylhexyl)phthalate
 - Carbazole
 - Chrysene
 - Dibenzo(a,h)anthracene
 - Dibenzofuran
 - Dimethylphthalate
 - Di-n-butylphthalate
 - Di-n-octylphthalate
 - Diethylphthalate
 - Fluorene
 - Fluoranthene
 - Hexachloro-1,3-butadiene
 - Hexachlorobenzene
 - Hexachlorocyclopentadiene
 - Hexachloroethane
 - Indeno(1,2,3-cd)pyrene
 - Isophorone
 - Naphthalene
 - N-Nitroso-di-n-propylamine
 - Nitrobenzene
 - N-Nitrosodiphenylamine
 - Phenol
 - Phenanthrene
 - Pentachlorophenol
 - Pyrene
 - Pyridine

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 511741

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-9 (Lab ID: 60262644018)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol
 - 2,4-Dimethylphenol
 - 2,4-Dinitrophenol
 - 2,4-Dinitrotoluene
 - 2,4,5-Trichlorophenol
 - 2,6-Dinitrotoluene
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylphenol(o-Cresol)
 - 2-Methylnaphthalene
 - 2-Nitroaniline
 - 2-Nitrophenol
 - 3,3'-Dichlorobenzidine
 - 3&4-Methylphenol(m&p Cresol)
 - 3-Nitroaniline
 - 4,6-Dinitro-2-methylphenol
 - 4-Bromophenylphenyl ether
 - 4-Chloro-3-methylphenol
 - 4-Chloroaniline
 - 4-Chlorophenylphenyl ether
 - 4-Nitroaniline
 - 4-Nitrophenol
 - Acenaphthene
 - Acenaphthylene
 - Anthracene
 - Butylbenzylphthalate
 - Benzoic acid
 - Benzyl alcohol
 - Benzo(k)fluoranthene
 - Benzo(g,h,i)perylene
 - Benzo(a)anthracene
 - Benzo(b)fluoranthene
 - Benzo(a)pyrene
 - bis(2-Chloroethoxy)methane
 - bis(2-Chloroethyl) ether
 - bis(2-Chloroisopropyl) ether
 - bis(2-Ethylhexyl)phthalate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 511741

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-9 (Lab ID: 60262644018)
 - Carbazole
 - Chrysene
 - Dibenzo(a,h)anthracene
 - Dibenzofuran
 - Dimethylphthalate
 - Di-n-butylphthalate
 - Di-n-octylphthalate
 - Diethylphthalate
 - Fluorene
 - Fluoranthene
 - Hexachloro-1,3-butadiene
 - Hexachlorobenzene
 - Hexachlorocyclopentadiene
 - Hexachloroethane
 - Indeno(1,2,3-cd)pyrene
 - Isophorone
 - Naphthalene
 - N-Nitroso-di-n-propylamine
 - Nitrobenzene
 - N-Nitrosodiphenylamine
 - Phenol
 - Phenanthrene
 - Pentachlorophenol
 - Pyrene
 - Pyridine

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8270

Description: 8270 MSSV DRO/ORO

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

18 samples were analyzed for EPA 8270. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510C with any exceptions noted below.

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 511744

S0: Surrogate recovery outside laboratory control limits.

- SB-7 (3-5) (Lab ID: 60262644008)
- 2-Fluorobiphenyl (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

QC Batch: 511744

B: Analyte was detected in the associated method blank.

- BLANK for HBN 511744 [OEXT/630 (Lab ID: 2095388)
- TPH-ORO

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511740

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8270

Description: 8270 MSSV DRO/ORO

Client: TETRA TECH EMI

Date: February 12, 2018

Additional Comments:

Analyte Comments:

QC Batch: 511740

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-4 (Lab ID: 60262644013)
 - TPH-DRO
 - TPH-ORO
- SB-5 (Lab ID: 60262644014)
 - TPH-DRO
 - TPH-ORO
- SB-6 (Lab ID: 60262644015)
 - TPH-DRO
 - TPH-ORO
- SB-7 (Lab ID: 60262644016)
 - TPH-DRO
 - TPH-ORO
- SB-8 (Lab ID: 60262644017)
 - TPH-DRO
 - TPH-ORO
- SB-9 (Lab ID: 60262644018)
 - TPH-DRO
 - TPH-ORO

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 5035A/8260

Description: 8260 MSV GRO and Oxygenates

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

12 samples were analyzed for EPA 5035A/8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511774

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 5030B/8260

Description: 8260 MSV

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

6 samples were analyzed for EPA 5030B/8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511785

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8260

Description: 8260 MSV GRO and Oxygenates

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

6 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511875

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

QC Batch: 512008

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 8260

Description: 8260 MSV 5035A VOA

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

12 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: 511857

L2: Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.

- LCS (Lab ID: 2095755)
- trans-1,2-Dichloroethene

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511857

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: SM 4500-H+B

Description: 4500H+ pH, Electrometric

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

6 samples were analyzed for SM 4500-H+B. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

H6: Analysis initiated outside of the 15 minute EPA required holding time.

- SB-4 (Lab ID: 60262644013)
- SB-5 (Lab ID: 60262644014)
- SB-6 (Lab ID: 60262644015)
- SB-7 (Lab ID: 60262644016)
- SB-8 (Lab ID: 60262644017)
- SB-9 (Lab ID: 60262644018)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 9045

Description: 9045 pH Soil

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

12 samples were analyzed for EPA 9045. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23
Pace Project No.: 60262644

Method: EPA 353.2
Description: 353.2 Nitrogen, NO₂/NO₃ pres.
Client: TETRA TECH EMI
Date: February 12, 2018

General Information:

6 samples were analyzed for EPA 353.2. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511806

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262597001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2095588)
- Nitrogen, NO₂ plus NO₃

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Method: EPA 9056

Description: 9056 IC Anions

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

18 samples were analyzed for EPA 9056. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 9056 with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 (0-1) Lab ID: 60262644001 Collected: 01/23/18 08:50 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.44	ug/kg	1.3	0.44	1	01/29/18 08:55	01/29/18 12:54	309-00-2	
alpha-BHC	<0.20	ug/kg	1.3	0.20	1	01/29/18 08:55	01/29/18 12:54	319-84-6	
beta-BHC	<0.66	ug/kg	2.1	0.66	1	01/29/18 08:55	01/29/18 12:54	319-85-7	
delta-BHC	<0.60	ug/kg	1.8	0.60	1	01/29/18 08:55	01/29/18 12:54	319-86-8	
gamma-BHC (Lindane)	<0.56	ug/kg	1.8	0.56	1	01/29/18 08:55	01/29/18 12:54	58-89-9	
Chlordane (Technical)	<35.2	ug/kg	188	35.2	1	01/29/18 08:55	01/29/18 12:54	57-74-9	
alpha-Chlordane	<0.50	ug/kg	2.1	0.50	1	01/29/18 08:55	01/29/18 12:54	5103-71-9	
gamma-Chlordane	<0.83	ug/kg	2.1	0.83	1	01/29/18 08:55	01/29/18 12:54	5103-74-2	
4,4'-DDD	<0.41	ug/kg	1.3	0.41	1	01/29/18 08:55	01/29/18 12:54	72-54-8	
4,4'-DDE	0.93J	ug/kg	1.3	0.39	1	01/29/18 08:55	01/29/18 12:54	72-55-9	
4,4'-DDT	<0.81	ug/kg	1.8	0.81	1	01/29/18 08:55	01/29/18 12:54	50-29-3	
Dieldrin	<0.54	ug/kg	1.8	0.54	1	01/29/18 08:55	01/29/18 12:54	60-57-1	
Endosulfan I	<0.58	ug/kg	1.8	0.58	1	01/29/18 08:55	01/29/18 12:54	959-98-8	M1
Endosulfan II	<0.40	ug/kg	1.3	0.40	1	01/29/18 08:55	01/29/18 12:54	33213-65-9	
Endosulfan sulfate	<0.58	ug/kg	1.8	0.58	1	01/29/18 08:55	01/29/18 12:54	1031-07-8	M1
Endrin	<0.58	ug/kg	2.1	0.58	1	01/29/18 08:55	01/29/18 12:54	72-20-8	
Endrin aldehyde	<0.58	ug/kg	1.8	0.58	1	01/29/18 08:55	01/29/18 12:54	7421-93-4	
Endrin ketone	<0.69	ug/kg	2.5	0.69	1	01/29/18 08:55	01/29/18 12:54	53494-70-5	
Heptachlor	<0.95	ug/kg	2.5	0.95	1	01/29/18 08:55	01/29/18 12:54	76-44-8	
Heptachlor epoxide	<2.5	ug/kg	6.3	2.5	1	01/29/18 08:55	01/29/18 12:54	1024-57-3	
Methoxychlor	<0.72	ug/kg	2.5	0.72	1	01/29/18 08:55	01/29/18 12:54	72-43-5	
Toxaphene	<64.8	ug/kg	188	64.8	1	01/29/18 08:55	01/29/18 12:54	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	85	%.	70-130		1	01/29/18 08:55	01/29/18 12:54	877-09-8	
Decachlorobiphenyl (S)	64	%.	70-130		1	01/29/18 08:55	01/29/18 12:54	2051-24-3	S0
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 22:28	22248-79-9	
Azinphos, methyl (Guthion)	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 22:28	86-50-0	
Bolstar	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 22:28	35400-43-2	
Chlorpyrifos	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 22:28	2921-88-2	
Coumaphos	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 22:28	56-72-4	
Diazinon	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 22:28	333-41-5	
Dichlorvos	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 22:28	62-73-7	
Dimethoate	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 22:28	60-51-5	
Disulfoton	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 22:28	298-04-4	
EPN (ENT)	<2.7	ug/kg	4.2	2.7	1	01/29/18 08:55	02/01/18 22:28	2104-64-5	
Ethoprop	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 22:28	13194-48-4	
Fensulfthion	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 22:28	115-90-2	
Fenthion	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 22:28	55-38-9	
Malathion	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 22:28	121-75-5	
Methyl parathion	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 22:28	298-00-0	
Mevinphos	<2.5	ug/kg	4.2	2.5	1	01/29/18 08:55	02/01/18 22:28	7786-34-7	
Parathion (Ethyl parathion)	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 22:28	56-38-2	
Phorate	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 22:28	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 (0-1) Lab ID: 60262644001 Collected: 01/23/18 08:50 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 22:28	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 22:28	3689-24-5	
Tokuthion (Prothiofos)	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 22:28	34643-46-4	
Trichloronate	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 22:28	327-98-0	
Total Demeton	<3.4	ug/kg	4.2	3.4	1	01/29/18 08:55	02/01/18 22:28	8065-48-3	N2
Total Merphos	<4.2	ug/kg	16.7	4.2	1	01/29/18 08:55	02/01/18 22:28	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	90	%.	11-137		1	01/29/18 08:55	02/01/18 22:28	115-86-6	
Tributylphosphate (S)	119	%.	17-125		1	01/29/18 08:55	02/01/18 22:28	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 18:14	94-75-7	
Dalapon	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 18:14	75-99-0	
2,4-DB	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 18:14	94-82-6	
Dicamba	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 18:14	1918-00-9	
Dichloroprop	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 18:14	15165-67-0	
Dinoseb	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 18:14	88-85-7	
MCPA	<301	ug/kg	301	301	1	01/29/18 16:21	01/30/18 18:14	94-74-6	
MCPP	<301	ug/kg	301	301	1	01/29/18 16:21	01/30/18 18:14	7085-19-0	
2,4,5-T	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 18:14	93-76-5	
2,4,5-TP (Silvex)	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 18:14	93-72-1	
Surrogates									
2,4-DCAA (S)	12	%.	10-188		1	01/29/18 16:21	01/30/18 18:14	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	20.1	mg/kg	1.2	0.50	1	01/30/18 14:45	02/01/18 17:10	7440-38-2	
Barium	271	mg/kg	0.60	0.037	1	01/30/18 14:45	02/01/18 17:10	7440-39-3	
Cadmium	13.0	mg/kg	0.60	0.045	1	01/30/18 14:45	02/01/18 17:10	7440-43-9	
Chromium	16.8	mg/kg	0.60	0.12	1	01/30/18 14:45	02/01/18 17:10	7440-47-3	
Lead	480	mg/kg	0.60	0.25	1	01/30/18 14:45	02/01/18 17:10	7439-92-1	
Selenium	1.2J	mg/kg	1.8	0.90	1	01/30/18 14:45	02/01/18 17:10	7782-49-2	
Silver	<0.20	mg/kg	0.85	0.20	1	01/30/18 14:45	02/01/18 17:10	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.80	mg/kg	0.055	0.0073	1	01/25/18 09:26	01/25/18 11:56	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<43.1	ug/kg	406	43.1	1	01/25/18 15:00	01/29/18 18:14	83-32-9	
Acenaphthylene	<38.2	ug/kg	406	38.2	1	01/25/18 15:00	01/29/18 18:14	208-96-8	
Anthracene	69.2J	ug/kg	406	43.1	1	01/25/18 15:00	01/29/18 18:14	120-12-7	
Benzo(a)anthracene	299J	ug/kg	406	36.9	1	01/25/18 15:00	01/29/18 18:14	56-55-3	
Benzo(a)pyrene	380J	ug/kg	406	32.0	1	01/25/18 15:00	01/29/18 18:14	50-32-8	
Benzo(b)fluoranthene	521	ug/kg	406	28.3	1	01/25/18 15:00	01/29/18 18:14	205-99-2	
Benzo(g,h,i)perylene	335J	ug/kg	406	39.4	1	01/25/18 15:00	01/29/18 18:14	191-24-2	
Benzo(k)fluoranthene	197J	ug/kg	406	48.0	1	01/25/18 15:00	01/29/18 18:14	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 (0-1) Lab ID: 60262644001 Collected: 01/23/18 08:50 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<38.2	ug/kg	2060	38.2	1	01/25/18 15:00	01/29/18 18:14	65-85-0	
Benzyl alcohol	<127	ug/kg	813	127	1	01/25/18 15:00	01/29/18 18:14	100-51-6	
4-Bromophenylphenyl ether	<32.0	ug/kg	406	32.0	1	01/25/18 15:00	01/29/18 18:14	101-55-3	
Butylbenzylphthalate	<53.0	ug/kg	406	53.0	1	01/25/18 15:00	01/29/18 18:14	85-68-7	
Carbazole	<33.3	ug/kg	406	33.3	1	01/25/18 15:00	01/29/18 18:14	86-74-8	
4-Chloro-3-methylphenol	<44.3	ug/kg	813	44.3	1	01/25/18 15:00	01/29/18 18:14	59-50-7	
4-Chloroaniline	<80.0	ug/kg	813	80.0	1	01/25/18 15:00	01/29/18 18:14	106-47-8	
bis(2-Chloroethoxy)methane	<32.0	ug/kg	406	32.0	1	01/25/18 15:00	01/29/18 18:14	111-91-1	
bis(2-Chloroethyl) ether	<32.0	ug/kg	406	32.0	1	01/25/18 15:00	01/29/18 18:14	111-44-4	
bis(2-Chloroisopropyl) ether	<32.0	ug/kg	406	32.0	1	01/25/18 15:00	01/29/18 18:14	39638-32-9	
2-Chloronaphthalene	<34.5	ug/kg	406	34.5	1	01/25/18 15:00	01/29/18 18:14	91-58-7	
2-Chlorophenol	<33.3	ug/kg	406	33.3	1	01/25/18 15:00	01/29/18 18:14	95-57-8	
4-Chlorophenylphenyl ether	<39.4	ug/kg	406	39.4	1	01/25/18 15:00	01/29/18 18:14	7005-72-3	
Chrysene	336J	ug/kg	406	34.5	1	01/25/18 15:00	01/29/18 18:14	218-01-9	
Dibenz(a,h)anthracene	93.6J	ug/kg	406	36.9	1	01/25/18 15:00	01/29/18 18:14	53-70-3	
Dibenzofuran	<36.9	ug/kg	406	36.9	1	01/25/18 15:00	01/29/18 18:14	132-64-9	
1,2-Dichlorobenzene	<30.8	ug/kg	406	30.8	1	01/25/18 15:00	01/29/18 18:14	95-50-1	
1,3-Dichlorobenzene	<34.5	ug/kg	406	34.5	1	01/25/18 15:00	01/29/18 18:14	541-73-1	
1,4-Dichlorobenzene	<35.7	ug/kg	406	35.7	1	01/25/18 15:00	01/29/18 18:14	106-46-7	
3,3'-Dichlorobenzidine	<139	ug/kg	813	139	1	01/25/18 15:00	01/29/18 18:14	91-94-1	M1
2,4-Dichlorophenol	<36.9	ug/kg	406	36.9	1	01/25/18 15:00	01/29/18 18:14	120-83-2	
Diethylphthalate	<38.2	ug/kg	406	38.2	1	01/25/18 15:00	01/29/18 18:14	84-66-2	
2,4-Dimethylphenol	<22.2	ug/kg	406	22.2	1	01/25/18 15:00	01/29/18 18:14	105-67-9	
Dimethylphthalate	<39.4	ug/kg	406	39.4	1	01/25/18 15:00	01/29/18 18:14	131-11-3	
Di-n-butylphthalate	<43.1	ug/kg	406	43.1	1	01/25/18 15:00	01/29/18 18:14	84-74-2	
4,6-Dinitro-2-methylphenol	<54.2	ug/kg	2060	54.2	1	01/25/18 15:00	01/29/18 18:14	534-52-1	
2,4-Dinitrophenol	<59.1	ug/kg	2060	59.1	1	01/25/18 15:00	01/29/18 18:14	51-28-5	
2,4-Dinitrotoluene	<34.5	ug/kg	406	34.5	1	01/25/18 15:00	01/29/18 18:14	121-14-2	
2,6-Dinitrotoluene	<41.9	ug/kg	406	41.9	1	01/25/18 15:00	01/29/18 18:14	606-20-2	
Di-n-octylphthalate	<48.0	ug/kg	406	48.0	1	01/25/18 15:00	01/29/18 18:14	117-84-0	
bis(2-Ethylhexyl)phthalate	<140	ug/kg	406	140	1	01/25/18 15:00	01/29/18 18:14	117-81-7	
Fluoranthene	539	ug/kg	406	38.2	1	01/25/18 15:00	01/29/18 18:14	206-44-0	
Fluorene	<38.2	ug/kg	406	38.2	1	01/25/18 15:00	01/29/18 18:14	86-73-7	
Hexachloro-1,3-butadiene	<40.6	ug/kg	406	40.6	1	01/25/18 15:00	01/29/18 18:14	87-68-3	
Hexachlorobenzene	<39.4	ug/kg	406	39.4	1	01/25/18 15:00	01/29/18 18:14	118-74-1	
Hexachlorocyclopentadiene	<86.2	ug/kg	406	86.2	1	01/25/18 15:00	01/29/18 18:14	77-47-4	
Hexachloroethane	<30.8	ug/kg	406	30.8	1	01/25/18 15:00	01/29/18 18:14	67-72-1	
Indeno(1,2,3-cd)pyrene	287J	ug/kg	406	44.3	1	01/25/18 15:00	01/29/18 18:14	193-39-5	
Isophorone	<36.9	ug/kg	406	36.9	1	01/25/18 15:00	01/29/18 18:14	78-59-1	
2-Methylnaphthalene	41.2J	ug/kg	406	29.6	1	01/25/18 15:00	01/29/18 18:14	91-57-6	
2-Methylphenol(o-Cresol)	<38.2	ug/kg	406	38.2	1	01/25/18 15:00	01/29/18 18:14	95-48-7	
3&4-Methylphenol(m&p Cresol)	<44.3	ug/kg	406	44.3	1	01/25/18 15:00	01/29/18 18:14		
Naphthalene	43.0J	ug/kg	406	32.0	1	01/25/18 15:00	01/29/18 18:14	91-20-3	
2-Nitroaniline	<69.0	ug/kg	813	69.0	1	01/25/18 15:00	01/29/18 18:14	88-74-4	
3-Nitroaniline	<123	ug/kg	813	123	1	01/25/18 15:00	01/29/18 18:14	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 (0-1) Lab ID: 60262644001 Collected: 01/23/18 08:50 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<105	ug/kg	813	105	1	01/25/18 15:00	01/29/18 18:14	100-01-6	
Nitrobenzene	<38.2	ug/kg	406	38.2	1	01/25/18 15:00	01/29/18 18:14	98-95-3	
2-Nitrophenol	<56.6	ug/kg	406	56.6	1	01/25/18 15:00	01/29/18 18:14	88-75-5	
4-Nitrophenol	<64.0	ug/kg	2060	64.0	1	01/25/18 15:00	01/29/18 18:14	100-02-7	
N-Nitroso-di-n-propylamine	<40.6	ug/kg	406	40.6	1	01/25/18 15:00	01/29/18 18:14	621-64-7	
N-Nitrosodiphenylamine	<32.0	ug/kg	406	32.0	1	01/25/18 15:00	01/29/18 18:14	86-30-6	
Pentachlorophenol	<38.2	ug/kg	2060	38.2	1	01/25/18 15:00	01/29/18 18:14	87-86-5	
Phenanthrene	256J	ug/kg	406	38.2	1	01/25/18 15:00	01/29/18 18:14	85-01-8	
Phenol	<32.0	ug/kg	406	32.0	1	01/25/18 15:00	01/29/18 18:14	108-95-2	
Pyrene	465	ug/kg	406	40.6	1	01/25/18 15:00	01/29/18 18:14	129-00-0	
Pyridine	<33.3	ug/kg	406	33.3	1	01/25/18 15:00	01/29/18 18:14	110-86-1	
1,2,4-Trichlorobenzene	<36.9	ug/kg	406	36.9	1	01/25/18 15:00	01/29/18 18:14	120-82-1	
2,4,5-Trichlorophenol	<36.9	ug/kg	406	36.9	1	01/25/18 15:00	01/29/18 18:14	95-95-4	
2,4,6-Trichlorophenol	<38.2	ug/kg	406	38.2	1	01/25/18 15:00	01/29/18 18:14	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	74	%	41-114		1	01/25/18 15:00	01/29/18 18:14	4165-60-0	
2-Fluorobiphenyl (S)	81	%	61-109		1	01/25/18 15:00	01/29/18 18:14	321-60-8	
Terphenyl-d14 (S)	87	%	48-120		1	01/25/18 15:00	01/29/18 18:14	1718-51-0	
Phenol-d6 (S)	74	%	48-102		1	01/25/18 15:00	01/29/18 18:14	13127-88-3	
2-Fluorophenol (S)	70	%	46-102		1	01/25/18 15:00	01/29/18 18:14	367-12-4	
2,4,6-Tribromophenol (S)	92	%	39-114		1	01/25/18 15:00	01/29/18 18:14	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	114	mg/kg	18.7	1.5	1	01/25/18 15:00	01/27/18 13:52		
TPH-DRO	46.9	mg/kg	18.7	1.5	1	01/25/18 15:00	01/27/18 13:52		
Surrogates									
Nitrobenzene-d5 (S)	86	%	41-114		1	01/25/18 15:00	01/27/18 13:52	4165-60-0	
2-Fluorobiphenyl (S)	78	%	61-109		1	01/25/18 15:00	01/27/18 13:52	321-60-8	
Terphenyl-d14 (S)	72	%	48-120		1	01/25/18 15:00	01/27/18 13:52	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.29	mg/kg	0.58	0.29	1		01/31/18 14:32		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	21.9J	ug/kg	23.1	11.6	1		01/31/18 14:32	67-64-1	
Benzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	71-43-2	
Bromobenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	108-86-1	
Bromochloromethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	74-97-5	
Bromodichloromethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	75-27-4	
Bromoform	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	75-25-2	
Bromomethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	74-83-9	
2-Butanone (MEK)	<5.8	ug/kg	11.6	5.8	1		01/31/18 14:32	78-93-3	
n-Butylbenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	104-51-8	
sec-Butylbenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	135-98-8	
tert-Butylbenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 (0-1) Lab ID: 60262644001 Collected: 01/23/18 08:50 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	75-15-0	
Carbon tetrachloride	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	56-23-5	
Chlorobenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	108-90-7	
Chloroethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	75-00-3	
Chloroform	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	67-66-3	
Chloromethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	74-87-3	
2-Chlorotoluene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	95-49-8	
4-Chlorotoluene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	106-43-4	
1,2-Dibromo-3-chloropropane	<5.8	ug/kg	11.6	5.8	1		01/31/18 14:32	96-12-8	
Dibromochloromethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	124-48-1	
1,2-Dibromoethane (EDB)	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	106-93-4	
Dibromomethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	74-95-3	
1,2-Dichlorobenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	95-50-1	
1,3-Dichlorobenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	541-73-1	
1,4-Dichlorobenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	106-46-7	
Dichlorodifluoromethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	75-71-8	
1,1-Dichloroethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	75-34-3	
1,2-Dichloroethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	107-06-2	
1,2-Dichloroethene (Total)	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	540-59-0	
1,1-Dichloroethene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	75-35-4	
cis-1,2-Dichloroethene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	156-59-2	
trans-1,2-Dichloroethene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	156-60-5	L2
1,2-Dichloropropane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	78-87-5	
1,3-Dichloropropane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	142-28-9	
2,2-Dichloropropane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	594-20-7	
1,1-Dichloropropene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	563-58-6	
cis-1,3-Dichloropropene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	10061-01-5	
trans-1,3-Dichloropropene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	10061-02-6	
Ethylbenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	100-41-4	
Hexachloro-1,3-butadiene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	87-68-3	
2-Hexanone	<11.6	ug/kg	23.1	11.6	1		01/31/18 14:32	591-78-6	
Isopropylbenzene (Cumene)	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	98-82-8	
p-Isopropyltoluene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	99-87-6	
Methylene chloride	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.8	ug/kg	11.6	5.8	1		01/31/18 14:32	108-10-1	
Methyl-tert-butyl ether	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	1634-04-4	
Naphthalene	<5.8	ug/kg	11.6	5.8	1		01/31/18 14:32	91-20-3	
n-Propylbenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	103-65-1	
Styrene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	100-42-5	
1,1,1,2-Tetrachloroethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	630-20-6	
1,1,2,2-Tetrachloroethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	79-34-5	
Tetrachloroethene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	127-18-4	
Toluene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	108-88-3	
1,2,3-Trichlorobenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	87-61-6	
1,2,4-Trichlorobenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 (0-1) **Lab ID: 60262644001** Collected: 01/23/18 08:50 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	71-55-6	
1,1,2-Trichloroethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	79-00-5	
Trichloroethene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	79-01-6	
Trichlorofluoromethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	75-69-4	
1,2,3-Trichloropropane	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	96-18-4	
1,2,4-Trimethylbenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	95-63-6	
1,3,5-Trimethylbenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	108-67-8	
Vinyl chloride	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	75-01-4	
Xylene (Total)	<2.9	ug/kg	5.8	2.9	1		01/31/18 14:32	1330-20-7	
Surrogates									
Toluene-d8 (S)	102	%	78-122		1		01/31/18 14:32	2037-26-5	
4-Bromofluorobenzene (S)	107	%	69-133		1		01/31/18 14:32	460-00-4	
1,2-Dichloroethane-d4 (S)	123	%	80-123		1		01/31/18 14:32	17060-07-0	
Percent Moisture									
Analytical Method: ASTM D2974									
Percent Moisture	20.4	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil									
Analytical Method: EPA 9045									
pH at 25 Degrees C	9.7	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	2210	mg/kg	124	61.9	10	02/05/18 08:00	02/06/18 01:51	14808-79-8	
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	14.8	mg/kg	12.4	6.2	10	02/05/18 16:00	02/06/18 01:51	14797-55-8	
Nitrite as N	<6.2	mg/kg	12.4	6.2	10	02/05/18 16:00	02/06/18 01:51	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 (3-5) Lab ID: 60262644002 Collected: 01/23/18 09:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.44	ug/kg	1.2	0.44	1	01/29/18 08:55	01/30/18 17:13	309-00-2	
alpha-BHC	<0.20	ug/kg	1.2	0.20	1	01/29/18 08:55	01/30/18 17:13	319-84-6	
beta-BHC	<0.66	ug/kg	2.1	0.66	1	01/29/18 08:55	01/30/18 17:13	319-85-7	
delta-BHC	<0.60	ug/kg	1.7	0.60	1	01/29/18 08:55	01/30/18 17:13	319-86-8	
gamma-BHC (Lindane)	<0.56	ug/kg	1.7	0.56	1	01/29/18 08:55	01/30/18 17:13	58-89-9	
Chlordane (Technical)	<35.0	ug/kg	187	35.0	1	01/29/18 08:55	01/30/18 17:13	57-74-9	
alpha-Chlordane	<0.50	ug/kg	2.1	0.50	1	01/29/18 08:55	01/30/18 17:13	5103-71-9	
gamma-Chlordane	<0.83	ug/kg	2.1	0.83	1	01/29/18 08:55	01/30/18 17:13	5103-74-2	
4,4'-DDD	<0.41	ug/kg	1.2	0.41	1	01/29/18 08:55	01/30/18 17:13	72-54-8	
4,4'-DDE	<0.39	ug/kg	1.2	0.39	1	01/29/18 08:55	01/30/18 17:13	72-55-9	
4,4'-DDT	<0.80	ug/kg	1.7	0.80	1	01/29/18 08:55	01/30/18 17:13	50-29-3	
Dieldrin	<0.54	ug/kg	1.7	0.54	1	01/29/18 08:55	01/30/18 17:13	60-57-1	
Endosulfan I	<0.58	ug/kg	1.7	0.58	1	01/29/18 08:55	01/30/18 17:13	959-98-8	
Endosulfan II	<0.40	ug/kg	1.2	0.40	1	01/29/18 08:55	01/30/18 17:13	33213-65-9	
Endosulfan sulfate	<0.57	ug/kg	1.7	0.57	1	01/29/18 08:55	01/30/18 17:13	1031-07-8	
Endrin	<0.58	ug/kg	2.1	0.58	1	01/29/18 08:55	01/30/18 17:13	72-20-8	
Endrin aldehyde	<0.58	ug/kg	1.7	0.58	1	01/29/18 08:55	01/30/18 17:13	7421-93-4	
Endrin ketone	<0.69	ug/kg	2.5	0.69	1	01/29/18 08:55	01/30/18 17:13	53494-70-5	
Heptachlor	<0.95	ug/kg	2.5	0.95	1	01/29/18 08:55	01/30/18 17:13	76-44-8	
Heptachlor epoxide	<2.5	ug/kg	6.2	2.5	1	01/29/18 08:55	01/30/18 17:13	1024-57-3	
Methoxychlor	<0.72	ug/kg	2.5	0.72	1	01/29/18 08:55	01/30/18 17:13	72-43-5	
Toxaphene	<64.6	ug/kg	187	64.6	1	01/29/18 08:55	01/30/18 17:13	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	86	%	70-130		1	01/29/18 08:55	01/30/18 17:13	877-09-8	
Decachlorobiphenyl (S)	82	%	70-130		1	01/29/18 08:55	01/30/18 17:13	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<4.1	ug/kg	8.3	4.1	1	01/29/18 08:55	02/01/18 22:55	22248-79-9	
Azinphos, methyl (Guthion)	<4.1	ug/kg	8.3	4.1	1	01/29/18 08:55	02/01/18 22:55	86-50-0	
Bolstar	<4.1	ug/kg	8.3	4.1	1	01/29/18 08:55	02/01/18 22:55	35400-43-2	
Chlorpyrifos	<4.1	ug/kg	8.3	4.1	1	01/29/18 08:55	02/01/18 22:55	2921-88-2	
Coumaphos	<4.1	ug/kg	8.3	4.1	1	01/29/18 08:55	02/01/18 22:55	56-72-4	
Diazinon	<4.1	ug/kg	8.3	4.1	1	01/29/18 08:55	02/01/18 22:55	333-41-5	
Dichlorvos	<2.1	ug/kg	4.1	2.1	1	01/29/18 08:55	02/01/18 22:55	62-73-7	
Dimethoate	<4.1	ug/kg	8.3	4.1	1	01/29/18 08:55	02/01/18 22:55	60-51-5	
Disulfoton	<2.1	ug/kg	4.1	2.1	1	01/29/18 08:55	02/01/18 22:55	298-04-4	
EPN (ENT)	<2.6	ug/kg	4.1	2.6	1	01/29/18 08:55	02/01/18 22:55	2104-64-5	
Ethoprop	<2.1	ug/kg	4.1	2.1	1	01/29/18 08:55	02/01/18 22:55	13194-48-4	
Fensulfthion	<4.1	ug/kg	8.3	4.1	1	01/29/18 08:55	02/01/18 22:55	115-90-2	
Fenthion	<2.1	ug/kg	4.1	2.1	1	01/29/18 08:55	02/01/18 22:55	55-38-9	
Malathion	<4.1	ug/kg	8.3	4.1	1	01/29/18 08:55	02/01/18 22:55	121-75-5	
Methyl parathion	<2.1	ug/kg	4.1	2.1	1	01/29/18 08:55	02/01/18 22:55	298-00-0	
Mevinphos	<2.5	ug/kg	4.1	2.5	1	01/29/18 08:55	02/01/18 22:55	7786-34-7	
Parathion (Ethyl parathion)	<4.1	ug/kg	8.3	4.1	1	01/29/18 08:55	02/01/18 22:55	56-38-2	
Phorate	<2.1	ug/kg	4.1	2.1	1	01/29/18 08:55	02/01/18 22:55	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 (3-5) **Lab ID: 60262644002** Collected: 01/23/18 09:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<2.1	ug/kg	4.1	2.1	1	01/29/18 08:55	02/01/18 22:55	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<2.1	ug/kg	4.1	2.1	1	01/29/18 08:55	02/01/18 22:55	3689-24-5	
Tokuthion (Prothiofos)	<2.1	ug/kg	4.1	2.1	1	01/29/18 08:55	02/01/18 22:55	34643-46-4	
Trichloronate	<4.1	ug/kg	8.3	4.1	1	01/29/18 08:55	02/01/18 22:55	327-98-0	
Total Demeton	<3.4	ug/kg	4.1	3.4	1	01/29/18 08:55	02/01/18 22:55	8065-48-3	N2
Total Merphos	<4.1	ug/kg	16.6	4.1	1	01/29/18 08:55	02/01/18 22:55	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	92	%.	11-137		1	01/29/18 08:55	02/01/18 22:55	115-86-6	
Tributylphosphate (S)	116	%.	17-125		1	01/29/18 08:55	02/01/18 22:55	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	19.9	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 22:23	94-75-7	
Dalapon	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 22:23	75-99-0	
2,4-DB	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 22:23	94-82-6	
Dicamba	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 22:23	1918-00-9	
Dichloroprop	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 22:23	15165-67-0	
Dinoseb	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 22:23	88-85-7	CH
MCPA	<302	ug/kg	302	302	1	01/29/18 16:21	01/31/18 22:23	94-74-6	
MCPP	<302	ug/kg	302	302	1	01/29/18 16:21	01/31/18 22:23	7085-19-0	
2,4,5-T	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 22:23	93-76-5	
2,4,5-TP (Silvex)	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 22:23	93-72-1	
Surrogates									
2,4-DCAA (S)	12	%.	10-188		1	01/29/18 16:21	01/31/18 22:23	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	17.7	mg/kg	1.2	0.48	1	01/30/18 14:45	02/01/18 17:17	7440-38-2	
Barium	333	mg/kg	0.58	0.036	1	01/30/18 14:45	02/01/18 17:17	7440-39-3	M1
Cadmium	29.0	mg/kg	0.58	0.043	1	01/30/18 14:45	02/01/18 17:17	7440-43-9	M1
Chromium	25.7	mg/kg	0.58	0.12	1	01/30/18 14:45	02/01/18 17:17	7440-47-3	
Lead	250	mg/kg	0.58	0.24	1	01/30/18 14:45	02/01/18 17:17	7439-92-1	M1
Selenium	2.3	mg/kg	1.7	0.87	1	01/30/18 14:45	02/01/18 17:17	7782-49-2	
Silver	<0.19	mg/kg	0.81	0.19	1	01/30/18 14:45	02/01/18 17:17	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.59	mg/kg	0.061	0.0080	1	01/25/18 09:26	01/25/18 11:58	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<43.4	ug/kg	410	43.4	1	01/25/18 15:00	01/29/18 18:36	83-32-9	
Acenaphthylene	<38.5	ug/kg	410	38.5	1	01/25/18 15:00	01/29/18 18:36	208-96-8	
Anthracene	<43.4	ug/kg	410	43.4	1	01/25/18 15:00	01/29/18 18:36	120-12-7	
Benzo(a)anthracene	170J	ug/kg	410	37.2	1	01/25/18 15:00	01/29/18 18:36	56-55-3	
Benzo(a)pyrene	272J	ug/kg	410	32.3	1	01/25/18 15:00	01/29/18 18:36	50-32-8	
Benzo(b)fluoranthene	410	ug/kg	410	28.5	1	01/25/18 15:00	01/29/18 18:36	205-99-2	
Benzo(g,h,i)perylene	222J	ug/kg	410	39.7	1	01/25/18 15:00	01/29/18 18:36	191-24-2	
Benzo(k)fluoranthene	130J	ug/kg	410	48.4	1	01/25/18 15:00	01/29/18 18:36	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 (3-5) Lab ID: 60262644002 Collected: 01/23/18 09:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<38.5	ug/kg	2070	38.5	1	01/25/18 15:00	01/29/18 18:36	65-85-0	
Benzyl alcohol	<128	ug/kg	819	128	1	01/25/18 15:00	01/29/18 18:36	100-51-6	
4-Bromophenylphenyl ether	<32.3	ug/kg	410	32.3	1	01/25/18 15:00	01/29/18 18:36	101-55-3	
Butylbenzylphthalate	<53.4	ug/kg	410	53.4	1	01/25/18 15:00	01/29/18 18:36	85-68-7	
Carbazole	<33.5	ug/kg	410	33.5	1	01/25/18 15:00	01/29/18 18:36	86-74-8	
4-Chloro-3-methylphenol	<44.7	ug/kg	819	44.7	1	01/25/18 15:00	01/29/18 18:36	59-50-7	
4-Chloroaniline	<80.7	ug/kg	819	80.7	1	01/25/18 15:00	01/29/18 18:36	106-47-8	
bis(2-Chloroethoxy)methane	<32.3	ug/kg	410	32.3	1	01/25/18 15:00	01/29/18 18:36	111-91-1	
bis(2-Chloroethyl) ether	<32.3	ug/kg	410	32.3	1	01/25/18 15:00	01/29/18 18:36	111-44-4	
bis(2-Chloroisopropyl) ether	<32.3	ug/kg	410	32.3	1	01/25/18 15:00	01/29/18 18:36	39638-32-9	
2-Chloronaphthalene	<34.7	ug/kg	410	34.7	1	01/25/18 15:00	01/29/18 18:36	91-58-7	
2-Chlorophenol	<33.5	ug/kg	410	33.5	1	01/25/18 15:00	01/29/18 18:36	95-57-8	
4-Chlorophenylphenyl ether	<39.7	ug/kg	410	39.7	1	01/25/18 15:00	01/29/18 18:36	7005-72-3	
Chrysene	208J	ug/kg	410	34.7	1	01/25/18 15:00	01/29/18 18:36	218-01-9	
Dibenz(a,h)anthracene	76.0J	ug/kg	410	37.2	1	01/25/18 15:00	01/29/18 18:36	53-70-3	
Dibenzofuran	<37.2	ug/kg	410	37.2	1	01/25/18 15:00	01/29/18 18:36	132-64-9	
1,2-Dichlorobenzene	<31.0	ug/kg	410	31.0	1	01/25/18 15:00	01/29/18 18:36	95-50-1	
1,3-Dichlorobenzene	<34.7	ug/kg	410	34.7	1	01/25/18 15:00	01/29/18 18:36	541-73-1	
1,4-Dichlorobenzene	<36.0	ug/kg	410	36.0	1	01/25/18 15:00	01/29/18 18:36	106-46-7	
3,3'-Dichlorobenzidine	<140	ug/kg	819	140	1	01/25/18 15:00	01/29/18 18:36	91-94-1	
2,4-Dichlorophenol	<37.2	ug/kg	410	37.2	1	01/25/18 15:00	01/29/18 18:36	120-83-2	
Diethylphthalate	<38.5	ug/kg	410	38.5	1	01/25/18 15:00	01/29/18 18:36	84-66-2	
2,4-Dimethylphenol	<22.3	ug/kg	410	22.3	1	01/25/18 15:00	01/29/18 18:36	105-67-9	
Dimethylphthalate	<39.7	ug/kg	410	39.7	1	01/25/18 15:00	01/29/18 18:36	131-11-3	
Di-n-butylphthalate	<43.4	ug/kg	410	43.4	1	01/25/18 15:00	01/29/18 18:36	84-74-2	
4,6-Dinitro-2-methylphenol	<54.6	ug/kg	2070	54.6	1	01/25/18 15:00	01/29/18 18:36	534-52-1	
2,4-Dinitrophenol	<59.6	ug/kg	2070	59.6	1	01/25/18 15:00	01/29/18 18:36	51-28-5	
2,4-Dinitrotoluene	<34.7	ug/kg	410	34.7	1	01/25/18 15:00	01/29/18 18:36	121-14-2	
2,6-Dinitrotoluene	<42.2	ug/kg	410	42.2	1	01/25/18 15:00	01/29/18 18:36	606-20-2	
Di-n-octylphthalate	<48.4	ug/kg	410	48.4	1	01/25/18 15:00	01/29/18 18:36	117-84-0	
bis(2-Ethylhexyl)phthalate	<141	ug/kg	410	141	1	01/25/18 15:00	01/29/18 18:36	117-81-7	
Fluoranthene	196J	ug/kg	410	38.5	1	01/25/18 15:00	01/29/18 18:36	206-44-0	
Fluorene	<38.5	ug/kg	410	38.5	1	01/25/18 15:00	01/29/18 18:36	86-73-7	
Hexachloro-1,3-butadiene	<41.0	ug/kg	410	41.0	1	01/25/18 15:00	01/29/18 18:36	87-68-3	
Hexachlorobenzene	<39.7	ug/kg	410	39.7	1	01/25/18 15:00	01/29/18 18:36	118-74-1	
Hexachlorocyclopentadiene	<86.9	ug/kg	410	86.9	1	01/25/18 15:00	01/29/18 18:36	77-47-4	
Hexachloroethane	<31.0	ug/kg	410	31.0	1	01/25/18 15:00	01/29/18 18:36	67-72-1	
Indeno(1,2,3-cd)pyrene	212J	ug/kg	410	44.7	1	01/25/18 15:00	01/29/18 18:36	193-39-5	
Isophorone	<37.2	ug/kg	410	37.2	1	01/25/18 15:00	01/29/18 18:36	78-59-1	
2-Methylnaphthalene	<29.8	ug/kg	410	29.8	1	01/25/18 15:00	01/29/18 18:36	91-57-6	
2-Methylphenol(o-Cresol)	<38.5	ug/kg	410	38.5	1	01/25/18 15:00	01/29/18 18:36	95-48-7	
3&4-Methylphenol(m&p Cresol)	<44.7	ug/kg	410	44.7	1	01/25/18 15:00	01/29/18 18:36		
Naphthalene	43.5J	ug/kg	410	32.3	1	01/25/18 15:00	01/29/18 18:36	91-20-3	
2-Nitroaniline	<69.5	ug/kg	819	69.5	1	01/25/18 15:00	01/29/18 18:36	88-74-4	
3-Nitroaniline	<124	ug/kg	819	124	1	01/25/18 15:00	01/29/18 18:36	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 (3-5) **Lab ID: 60262644002** Collected: 01/23/18 09:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<105	ug/kg	819	105	1	01/25/18 15:00	01/29/18 18:36	100-01-6	
Nitrobenzene	<38.5	ug/kg	410	38.5	1	01/25/18 15:00	01/29/18 18:36	98-95-3	
2-Nitrophenol	<57.1	ug/kg	410	57.1	1	01/25/18 15:00	01/29/18 18:36	88-75-5	
4-Nitrophenol	<64.5	ug/kg	2070	64.5	1	01/25/18 15:00	01/29/18 18:36	100-02-7	
N-Nitroso-di-n-propylamine	<41.0	ug/kg	410	41.0	1	01/25/18 15:00	01/29/18 18:36	621-64-7	
N-Nitrosodiphenylamine	<32.3	ug/kg	410	32.3	1	01/25/18 15:00	01/29/18 18:36	86-30-6	
Pentachlorophenol	<38.5	ug/kg	2070	38.5	1	01/25/18 15:00	01/29/18 18:36	87-86-5	
Phenanthrene	120J	ug/kg	410	38.5	1	01/25/18 15:00	01/29/18 18:36	85-01-8	
Phenol	<32.3	ug/kg	410	32.3	1	01/25/18 15:00	01/29/18 18:36	108-95-2	
Pyrene	182J	ug/kg	410	41.0	1	01/25/18 15:00	01/29/18 18:36	129-00-0	
Pyridine	<33.5	ug/kg	410	33.5	1	01/25/18 15:00	01/29/18 18:36	110-86-1	
1,2,4-Trichlorobenzene	<37.2	ug/kg	410	37.2	1	01/25/18 15:00	01/29/18 18:36	120-82-1	
2,4,5-Trichlorophenol	<37.2	ug/kg	410	37.2	1	01/25/18 15:00	01/29/18 18:36	95-95-4	
2,4,6-Trichlorophenol	<38.5	ug/kg	410	38.5	1	01/25/18 15:00	01/29/18 18:36	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	70	%	41-114		1	01/25/18 15:00	01/29/18 18:36	4165-60-0	
2-Fluorobiphenyl (S)	74	%	61-109		1	01/25/18 15:00	01/29/18 18:36	321-60-8	
Terphenyl-d14 (S)	78	%	48-120		1	01/25/18 15:00	01/29/18 18:36	1718-51-0	
Phenol-d6 (S)	69	%	48-102		1	01/25/18 15:00	01/29/18 18:36	13127-88-3	
2-Fluorophenol (S)	67	%	46-102		1	01/25/18 15:00	01/29/18 18:36	367-12-4	
2,4,6-Tribromophenol (S)	88	%	39-114		1	01/25/18 15:00	01/29/18 18:36	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	40.3	mg/kg	18.7	1.5	1	01/25/18 15:00	01/27/18 14:13		
TPH-DRO	16.4J	mg/kg	18.7	1.5	1	01/25/18 15:00	01/27/18 14:13		
Surrogates									
Nitrobenzene-d5 (S)	82	%	41-114		1	01/25/18 15:00	01/27/18 14:13	4165-60-0	
2-Fluorobiphenyl (S)	63	%	61-109		1	01/25/18 15:00	01/27/18 14:13	321-60-8	
Terphenyl-d14 (S)	78	%	48-120		1	01/25/18 15:00	01/27/18 14:13	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.28	mg/kg	0.56	0.28	1		01/31/18 14:48		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	47.0	ug/kg	22.2	11.1	1		01/31/18 14:48	67-64-1	
Benzene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	71-43-2	
Bromobenzene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	108-86-1	
Bromochloromethane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	74-97-5	
Bromodichloromethane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	75-27-4	
Bromoform	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	75-25-2	
Bromomethane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	74-83-9	
2-Butanone (MEK)	<5.6	ug/kg	11.1	5.6	1		01/31/18 14:48	78-93-3	
n-Butylbenzene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	104-51-8	
sec-Butylbenzene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	135-98-8	
tert-Butylbenzene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 (3-5) Lab ID: 60262644002 Collected: 01/23/18 09:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	75-15-0	
Carbon tetrachloride	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	56-23-5	
Chlorobenzene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	108-90-7	
Chloroethane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	75-00-3	
Chloroform	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	67-66-3	
Chloromethane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	74-87-3	
2-Chlorotoluene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	95-49-8	
4-Chlorotoluene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	106-43-4	
1,2-Dibromo-3-chloropropane	<5.6	ug/kg	11.1	5.6	1		01/31/18 14:48	96-12-8	
Dibromochloromethane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	124-48-1	
1,2-Dibromoethane (EDB)	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	106-93-4	
Dibromomethane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	74-95-3	
1,2-Dichlorobenzene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	95-50-1	
1,3-Dichlorobenzene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	541-73-1	
1,4-Dichlorobenzene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	106-46-7	
Dichlorodifluoromethane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	75-71-8	
1,1-Dichloroethane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	75-34-3	
1,2-Dichloroethane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	107-06-2	
1,2-Dichloroethene (Total)	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	540-59-0	
1,1-Dichloroethene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	75-35-4	
cis-1,2-Dichloroethene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	156-59-2	
trans-1,2-Dichloroethene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	156-60-5	L2
1,2-Dichloropropane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	78-87-5	
1,3-Dichloropropane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	142-28-9	
2,2-Dichloropropane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	594-20-7	
1,1-Dichloropropene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	563-58-6	
cis-1,3-Dichloropropene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	10061-01-5	
trans-1,3-Dichloropropene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	10061-02-6	
Ethylbenzene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	100-41-4	
Hexachloro-1,3-butadiene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	87-68-3	
2-Hexanone	<11.1	ug/kg	22.2	11.1	1		01/31/18 14:48	591-78-6	
Isopropylbenzene (Cumene)	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	98-82-8	
p-Isopropyltoluene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	99-87-6	
Methylene chloride	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.6	ug/kg	11.1	5.6	1		01/31/18 14:48	108-10-1	
Methyl-tert-butyl ether	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	1634-04-4	
Naphthalene	<5.6	ug/kg	11.1	5.6	1		01/31/18 14:48	91-20-3	
n-Propylbenzene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	103-65-1	
Styrene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	100-42-5	
1,1,1,2-Tetrachloroethane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	630-20-6	
1,1,2,2-Tetrachloroethane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	79-34-5	
Tetrachloroethene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	127-18-4	
Toluene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	108-88-3	
1,2,3-Trichlorobenzene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	87-61-6	
1,2,4-Trichlorobenzene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 (3-5) **Lab ID: 60262644002** Collected: 01/23/18 09:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	71-55-6	
1,1,2-Trichloroethane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	79-00-5	
Trichloroethene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	79-01-6	
Trichlorofluoromethane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	75-69-4	
1,2,3-Trichloropropane	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	96-18-4	
1,2,4-Trimethylbenzene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	95-63-6	
1,3,5-Trimethylbenzene	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	108-67-8	
Vinyl chloride	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	75-01-4	
Xylene (Total)	<2.8	ug/kg	5.6	2.8	1		01/31/18 14:48	1330-20-7	
Surrogates									
Toluene-d8 (S)	101	%	78-122		1		01/31/18 14:48	2037-26-5	
4-Bromofluorobenzene (S)	107	%	69-133		1		01/31/18 14:48	460-00-4	
1,2-Dichloroethane-d4 (S)	115	%	80-123		1		01/31/18 14:48	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974									
Percent Moisture	20.0	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045									
pH at 25 Degrees C	9.5	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	425	mg/kg	125	62.3	10	02/05/18 08:00	02/06/18 02:05	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	17.9	mg/kg	12.5	6.2	10	02/05/18 16:00	02/06/18 02:05	14797-55-8	
Nitrite as N	<6.2	mg/kg	12.5	6.2	10	02/05/18 16:00	02/06/18 02:05	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5 (0-1) Lab ID: 60262644003 Collected: 01/23/18 10:20 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.44	ug/kg	1.3	0.44	1	01/29/18 08:55	01/29/18 20:38	309-00-2	
alpha-BHC	<0.20	ug/kg	1.3	0.20	1	01/29/18 08:55	01/29/18 20:38	319-84-6	
beta-BHC	<0.66	ug/kg	2.1	0.66	1	01/29/18 08:55	01/29/18 20:38	319-85-7	
delta-BHC	<0.60	ug/kg	1.8	0.60	1	01/29/18 08:55	01/29/18 20:38	319-86-8	
gamma-BHC (Lindane)	<0.56	ug/kg	1.8	0.56	1	01/29/18 08:55	01/29/18 20:38	58-89-9	
Chlordane (Technical)	<35.2	ug/kg	188	35.2	1	01/29/18 08:55	01/29/18 20:38	57-74-9	
alpha-Chlordane	<0.50	ug/kg	2.1	0.50	1	01/29/18 08:55	01/29/18 20:38	5103-71-9	
gamma-Chlordane	<0.83	ug/kg	2.1	0.83	1	01/29/18 08:55	01/29/18 20:38	5103-74-2	
4,4'-DDD	<0.41	ug/kg	1.3	0.41	1	01/29/18 08:55	01/29/18 20:38	72-54-8	
4,4'-DDE	<0.39	ug/kg	1.3	0.39	1	01/29/18 08:55	01/29/18 20:38	72-55-9	
4,4'-DDT	<0.81	ug/kg	1.8	0.81	1	01/29/18 08:55	01/29/18 20:38	50-29-3	
Dieldrin	<0.54	ug/kg	1.8	0.54	1	01/29/18 08:55	01/29/18 20:38	60-57-1	
Endosulfan I	<0.58	ug/kg	1.8	0.58	1	01/29/18 08:55	01/29/18 20:38	959-98-8	
Endosulfan II	<0.40	ug/kg	1.3	0.40	1	01/29/18 08:55	01/29/18 20:38	33213-65-9	
Endosulfan sulfate	<0.58	ug/kg	1.8	0.58	1	01/29/18 08:55	01/29/18 20:38	1031-07-8	
Endrin	<0.58	ug/kg	2.1	0.58	1	01/29/18 08:55	01/29/18 20:38	72-20-8	
Endrin aldehyde	<0.58	ug/kg	1.8	0.58	1	01/29/18 08:55	01/29/18 20:38	7421-93-4	
Endrin ketone	<0.69	ug/kg	2.5	0.69	1	01/29/18 08:55	01/29/18 20:38	53494-70-5	
Heptachlor	<0.95	ug/kg	2.5	0.95	1	01/29/18 08:55	01/29/18 20:38	76-44-8	
Heptachlor epoxide	<2.5	ug/kg	6.3	2.5	1	01/29/18 08:55	01/29/18 20:38	1024-57-3	
Methoxychlor	<0.72	ug/kg	2.5	0.72	1	01/29/18 08:55	01/29/18 20:38	72-43-5	
Toxaphene	<64.9	ug/kg	188	64.9	1	01/29/18 08:55	01/29/18 20:38	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	81	%.	70-130		1	01/29/18 08:55	01/29/18 20:38	877-09-8	
Decachlorobiphenyl (S)	75	%.	70-130		1	01/29/18 08:55	01/29/18 20:38	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 23:22	22248-79-9	
Azinphos, methyl (Guthion)	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 23:22	86-50-0	
Bolstar	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 23:22	35400-43-2	
Chlorpyrifos	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 23:22	2921-88-2	
Coumaphos	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 23:22	56-72-4	
Diazinon	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 23:22	333-41-5	
Dichlorvos	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 23:22	62-73-7	
Dimethoate	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 23:22	60-51-5	
Disulfoton	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 23:22	298-04-4	
EPN (ENT)	<2.7	ug/kg	4.2	2.7	1	01/29/18 08:55	02/01/18 23:22	2104-64-5	
Ethoprop	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 23:22	13194-48-4	
Fensulfthion	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 23:22	115-90-2	
Fenthion	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 23:22	55-38-9	
Malathion	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 23:22	121-75-5	
Methyl parathion	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 23:22	298-00-0	
Mevinphos	<2.5	ug/kg	4.2	2.5	1	01/29/18 08:55	02/01/18 23:22	7786-34-7	
Parathion (Ethyl parathion)	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 23:22	56-38-2	
Phorate	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 23:22	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5 (0-1) Lab ID: 60262644003 Collected: 01/23/18 10:20 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 23:22	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 23:22	3689-24-5	
Tokuthion (Prothiofos)	<2.1	ug/kg	4.2	2.1	1	01/29/18 08:55	02/01/18 23:22	34643-46-4	
Trichloronate	<4.2	ug/kg	8.3	4.2	1	01/29/18 08:55	02/01/18 23:22	327-98-0	
Total Demeton	<3.4	ug/kg	4.2	3.4	1	01/29/18 08:55	02/01/18 23:22	8065-48-3	N2
Total Merphos	<4.2	ug/kg	16.7	4.2	1	01/29/18 08:55	02/01/18 23:22	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	98	%.	11-137		1	01/29/18 08:55	02/01/18 23:22	115-86-6	
Tributylphosphate (S)	114	%.	17-125		1	01/29/18 08:55	02/01/18 23:22	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 14:53	94-75-7	
Dalapon	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 14:53	75-99-0	
2,4-DB	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 14:53	94-82-6	
Dicamba	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 14:53	1918-00-9	
Dichloroprop	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 14:53	15165-67-0	
Dinoseb	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 14:53	88-85-7	CH
MCPA	<310	ug/kg	310	310	1	01/29/18 16:21	01/31/18 14:53	94-74-6	
MCP	<310	ug/kg	310	310	1	01/29/18 16:21	01/31/18 14:53	7085-19-0	
2,4,5-T	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 14:53	93-76-5	
2,4,5-TP (Silvex)	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 14:53	93-72-1	
Surrogates									
2,4-DCAA (S)	10	%.	10-188		1	01/29/18 16:21	01/31/18 14:53	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	8.2	mg/kg	1.2	0.48	1	01/30/18 14:45	02/01/18 17:24	7440-38-2	
Barium	4650	mg/kg	0.58	0.036	1	01/30/18 14:45	02/01/18 17:24	7440-39-3	
Cadmium	2.9	mg/kg	0.58	0.043	1	01/30/18 14:45	02/01/18 17:24	7440-43-9	
Chromium	15.0	mg/kg	0.58	0.12	1	01/30/18 14:45	02/01/18 17:24	7440-47-3	
Lead	146	mg/kg	0.58	0.24	1	01/30/18 14:45	02/01/18 17:24	7439-92-1	
Selenium	<0.87	mg/kg	1.7	0.87	1	01/30/18 14:45	02/01/18 17:24	7782-49-2	
Silver	<0.19	mg/kg	0.81	0.19	1	01/30/18 14:45	02/01/18 17:24	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.16	mg/kg	0.061	0.0080	1	01/25/18 09:26	01/25/18 12:01	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<43.3	ug/kg	409	43.3	1	01/25/18 15:00	01/29/18 18:57	83-32-9	
Acenaphthylene	<38.4	ug/kg	409	38.4	1	01/25/18 15:00	01/29/18 18:57	208-96-8	
Anthracene	<43.3	ug/kg	409	43.3	1	01/25/18 15:00	01/29/18 18:57	120-12-7	
Benzo(a)anthracene	<37.1	ug/kg	409	37.1	1	01/25/18 15:00	01/29/18 18:57	56-55-3	
Benzo(a)pyrene	<32.2	ug/kg	409	32.2	1	01/25/18 15:00	01/29/18 18:57	50-32-8	
Benzo(b)fluoranthene	42.4J	ug/kg	409	28.5	1	01/25/18 15:00	01/29/18 18:57	205-99-2	
Benzo(g,h,i)perylene	<39.6	ug/kg	409	39.6	1	01/25/18 15:00	01/29/18 18:57	191-24-2	
Benzo(k)fluoranthene	<48.3	ug/kg	409	48.3	1	01/25/18 15:00	01/29/18 18:57	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5 (0-1) Lab ID: 60262644003 Collected: 01/23/18 10:20 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<38.4	ug/kg	2070	38.4	1	01/25/18 15:00	01/29/18 18:57	65-85-0	
Benzyl alcohol	<128	ug/kg	817	128	1	01/25/18 15:00	01/29/18 18:57	100-51-6	
4-Bromophenylphenyl ether	<32.2	ug/kg	409	32.2	1	01/25/18 15:00	01/29/18 18:57	101-55-3	
Butylbenzylphthalate	<53.2	ug/kg	409	53.2	1	01/25/18 15:00	01/29/18 18:57	85-68-7	
Carbazole	<33.4	ug/kg	409	33.4	1	01/25/18 15:00	01/29/18 18:57	86-74-8	
4-Chloro-3-methylphenol	<44.6	ug/kg	817	44.6	1	01/25/18 15:00	01/29/18 18:57	59-50-7	
4-Chloroaniline	<80.5	ug/kg	817	80.5	1	01/25/18 15:00	01/29/18 18:57	106-47-8	
bis(2-Chloroethoxy)methane	<32.2	ug/kg	409	32.2	1	01/25/18 15:00	01/29/18 18:57	111-91-1	
bis(2-Chloroethyl) ether	<32.2	ug/kg	409	32.2	1	01/25/18 15:00	01/29/18 18:57	111-44-4	
bis(2-Chloroisopropyl) ether	<32.2	ug/kg	409	32.2	1	01/25/18 15:00	01/29/18 18:57	39638-32-9	
2-Chloronaphthalene	<34.7	ug/kg	409	34.7	1	01/25/18 15:00	01/29/18 18:57	91-58-7	
2-Chlorophenol	<33.4	ug/kg	409	33.4	1	01/25/18 15:00	01/29/18 18:57	95-57-8	
4-Chlorophenylphenyl ether	<39.6	ug/kg	409	39.6	1	01/25/18 15:00	01/29/18 18:57	7005-72-3	
Chrysene	<34.7	ug/kg	409	34.7	1	01/25/18 15:00	01/29/18 18:57	218-01-9	
Dibenz(a,h)anthracene	<37.1	ug/kg	409	37.1	1	01/25/18 15:00	01/29/18 18:57	53-70-3	
Dibenzofuran	<37.1	ug/kg	409	37.1	1	01/25/18 15:00	01/29/18 18:57	132-64-9	
1,2-Dichlorobenzene	<31.0	ug/kg	409	31.0	1	01/25/18 15:00	01/29/18 18:57	95-50-1	
1,3-Dichlorobenzene	<34.7	ug/kg	409	34.7	1	01/25/18 15:00	01/29/18 18:57	541-73-1	
1,4-Dichlorobenzene	<35.9	ug/kg	409	35.9	1	01/25/18 15:00	01/29/18 18:57	106-46-7	
3,3'-Dichlorobenzidine	<140	ug/kg	817	140	1	01/25/18 15:00	01/29/18 18:57	91-94-1	
2,4-Dichlorophenol	<37.1	ug/kg	409	37.1	1	01/25/18 15:00	01/29/18 18:57	120-83-2	
Diethylphthalate	<38.4	ug/kg	409	38.4	1	01/25/18 15:00	01/29/18 18:57	84-66-2	
2,4-Dimethylphenol	<22.3	ug/kg	409	22.3	1	01/25/18 15:00	01/29/18 18:57	105-67-9	
Dimethylphthalate	<39.6	ug/kg	409	39.6	1	01/25/18 15:00	01/29/18 18:57	131-11-3	
Di-n-butylphthalate	<43.3	ug/kg	409	43.3	1	01/25/18 15:00	01/29/18 18:57	84-74-2	
4,6-Dinitro-2-methylphenol	<54.5	ug/kg	2070	54.5	1	01/25/18 15:00	01/29/18 18:57	534-52-1	
2,4-Dinitrophenol	<59.4	ug/kg	2070	59.4	1	01/25/18 15:00	01/29/18 18:57	51-28-5	
2,4-Dinitrotoluene	<34.7	ug/kg	409	34.7	1	01/25/18 15:00	01/29/18 18:57	121-14-2	
2,6-Dinitrotoluene	<42.1	ug/kg	409	42.1	1	01/25/18 15:00	01/29/18 18:57	606-20-2	
Di-n-octylphthalate	<48.3	ug/kg	409	48.3	1	01/25/18 15:00	01/29/18 18:57	117-84-0	
bis(2-Ethylhexyl)phthalate	<141	ug/kg	409	141	1	01/25/18 15:00	01/29/18 18:57	117-81-7	
Fluoranthene	<38.4	ug/kg	409	38.4	1	01/25/18 15:00	01/29/18 18:57	206-44-0	
Fluorene	<38.4	ug/kg	409	38.4	1	01/25/18 15:00	01/29/18 18:57	86-73-7	
Hexachloro-1,3-butadiene	<40.9	ug/kg	409	40.9	1	01/25/18 15:00	01/29/18 18:57	87-68-3	
Hexachlorobenzene	<39.6	ug/kg	409	39.6	1	01/25/18 15:00	01/29/18 18:57	118-74-1	
Hexachlorocyclopentadiene	<86.7	ug/kg	409	86.7	1	01/25/18 15:00	01/29/18 18:57	77-47-4	
Hexachloroethane	<31.0	ug/kg	409	31.0	1	01/25/18 15:00	01/29/18 18:57	67-72-1	
Indeno(1,2,3-cd)pyrene	<44.6	ug/kg	409	44.6	1	01/25/18 15:00	01/29/18 18:57	193-39-5	
Isophorone	<37.1	ug/kg	409	37.1	1	01/25/18 15:00	01/29/18 18:57	78-59-1	
2-Methylnaphthalene	<29.7	ug/kg	409	29.7	1	01/25/18 15:00	01/29/18 18:57	91-57-6	
2-Methylphenol(o-Cresol)	<38.4	ug/kg	409	38.4	1	01/25/18 15:00	01/29/18 18:57	95-48-7	
3&4-Methylphenol(m&p Cresol)	<44.6	ug/kg	409	44.6	1	01/25/18 15:00	01/29/18 18:57		
Naphthalene	<32.2	ug/kg	409	32.2	1	01/25/18 15:00	01/29/18 18:57	91-20-3	
2-Nitroaniline	<69.3	ug/kg	817	69.3	1	01/25/18 15:00	01/29/18 18:57	88-74-4	
3-Nitroaniline	<124	ug/kg	817	124	1	01/25/18 15:00	01/29/18 18:57	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5 (0-1) **Lab ID: 60262644003** Collected: 01/23/18 10:20 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<105	ug/kg	817	105	1	01/25/18 15:00	01/29/18 18:57	100-01-6	
Nitrobenzene	<38.4	ug/kg	409	38.4	1	01/25/18 15:00	01/29/18 18:57	98-95-3	
2-Nitrophenol	<57.0	ug/kg	409	57.0	1	01/25/18 15:00	01/29/18 18:57	88-75-5	
4-Nitrophenol	<64.4	ug/kg	2070	64.4	1	01/25/18 15:00	01/29/18 18:57	100-02-7	
N-Nitroso-di-n-propylamine	<40.9	ug/kg	409	40.9	1	01/25/18 15:00	01/29/18 18:57	621-64-7	
N-Nitrosodiphenylamine	<32.2	ug/kg	409	32.2	1	01/25/18 15:00	01/29/18 18:57	86-30-6	
Pentachlorophenol	<38.4	ug/kg	2070	38.4	1	01/25/18 15:00	01/29/18 18:57	87-86-5	
Phenanthrene	<38.4	ug/kg	409	38.4	1	01/25/18 15:00	01/29/18 18:57	85-01-8	
Phenol	<32.2	ug/kg	409	32.2	1	01/25/18 15:00	01/29/18 18:57	108-95-2	
Pyrene	<40.9	ug/kg	409	40.9	1	01/25/18 15:00	01/29/18 18:57	129-00-0	
Pyridine	<33.4	ug/kg	409	33.4	1	01/25/18 15:00	01/29/18 18:57	110-86-1	
1,2,4-Trichlorobenzene	<37.1	ug/kg	409	37.1	1	01/25/18 15:00	01/29/18 18:57	120-82-1	
2,4,5-Trichlorophenol	<37.1	ug/kg	409	37.1	1	01/25/18 15:00	01/29/18 18:57	95-95-4	
2,4,6-Trichlorophenol	<38.4	ug/kg	409	38.4	1	01/25/18 15:00	01/29/18 18:57	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	70	%	41-114		1	01/25/18 15:00	01/29/18 18:57	4165-60-0	
2-Fluorobiphenyl (S)	74	%	61-109		1	01/25/18 15:00	01/29/18 18:57	321-60-8	
Terphenyl-d14 (S)	77	%	48-120		1	01/25/18 15:00	01/29/18 18:57	1718-51-0	
Phenol-d6 (S)	70	%	48-102		1	01/25/18 15:00	01/29/18 18:57	13127-88-3	
2-Fluorophenol (S)	66	%	46-102		1	01/25/18 15:00	01/29/18 18:57	367-12-4	
2,4,6-Tribromophenol (S)	77	%	39-114		1	01/25/18 15:00	01/29/18 18:57	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	27.2	mg/kg	18.3	1.5	1	01/25/18 15:00	01/27/18 14:33		B
TPH-DRO	7.0J	mg/kg	18.3	1.5	1	01/25/18 15:00	01/27/18 14:33		
Surrogates									
Nitrobenzene-d5 (S)	91	%	41-114		1	01/25/18 15:00	01/27/18 14:33	4165-60-0	
2-Fluorobiphenyl (S)	79	%	61-109		1	01/25/18 15:00	01/27/18 14:33	321-60-8	
Terphenyl-d14 (S)	69	%	48-120		1	01/25/18 15:00	01/27/18 14:33	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.31	mg/kg	0.62	0.31	1		01/31/18 15:03		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	<12.3	ug/kg	24.6	12.3	1		01/31/18 15:03	67-64-1	
Benzene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	71-43-2	
Bromobenzene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	108-86-1	
Bromochloromethane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	74-97-5	
Bromodichloromethane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	75-27-4	
Bromoform	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	75-25-2	
Bromomethane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	74-83-9	
2-Butanone (MEK)	<6.2	ug/kg	12.3	6.2	1		01/31/18 15:03	78-93-3	
n-Butylbenzene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	104-51-8	
sec-Butylbenzene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	135-98-8	
tert-Butylbenzene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5 (0-1) Lab ID: 60262644003 Collected: 01/23/18 10:20 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	75-15-0	
Carbon tetrachloride	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	56-23-5	
Chlorobenzene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	108-90-7	
Chloroethane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	75-00-3	
Chloroform	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	67-66-3	
Chloromethane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	74-87-3	
2-Chlorotoluene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	95-49-8	
4-Chlorotoluene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	106-43-4	
1,2-Dibromo-3-chloropropane	<6.2	ug/kg	12.3	6.2	1		01/31/18 15:03	96-12-8	
Dibromochloromethane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	124-48-1	
1,2-Dibromoethane (EDB)	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	106-93-4	
Dibromomethane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	74-95-3	
1,2-Dichlorobenzene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	95-50-1	
1,3-Dichlorobenzene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	541-73-1	
1,4-Dichlorobenzene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	106-46-7	
Dichlorodifluoromethane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	75-71-8	
1,1-Dichloroethane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	75-34-3	
1,2-Dichloroethane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	107-06-2	
1,2-Dichloroethene (Total)	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	540-59-0	
1,1-Dichloroethene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	75-35-4	
cis-1,2-Dichloroethene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	156-59-2	
trans-1,2-Dichloroethene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	156-60-5	L2
1,2-Dichloropropane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	78-87-5	
1,3-Dichloropropane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	142-28-9	
2,2-Dichloropropane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	594-20-7	
1,1-Dichloropropene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	563-58-6	
cis-1,3-Dichloropropene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	10061-01-5	
trans-1,3-Dichloropropene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	10061-02-6	
Ethylbenzene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	100-41-4	
Hexachloro-1,3-butadiene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	87-68-3	
2-Hexanone	<12.3	ug/kg	24.6	12.3	1		01/31/18 15:03	591-78-6	
Isopropylbenzene (Cumene)	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	98-82-8	
p-Isopropyltoluene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	99-87-6	
Methylene chloride	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	75-09-2	
4-Methyl-2-pentanone (MIBK)	<6.2	ug/kg	12.3	6.2	1		01/31/18 15:03	108-10-1	
Methyl-tert-butyl ether	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	1634-04-4	
Naphthalene	<6.2	ug/kg	12.3	6.2	1		01/31/18 15:03	91-20-3	
n-Propylbenzene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	103-65-1	
Styrene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	100-42-5	
1,1,1,2-Tetrachloroethane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	630-20-6	
1,1,2,2-Tetrachloroethane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	79-34-5	
Tetrachloroethene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	127-18-4	
Toluene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	108-88-3	
1,2,3-Trichlorobenzene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	87-61-6	
1,2,4-Trichlorobenzene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5 (0-1) **Lab ID: 60262644003** Collected: 01/23/18 10:20 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	71-55-6	
1,1,2-Trichloroethane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	79-00-5	
Trichloroethene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	79-01-6	
Trichlorofluoromethane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	75-69-4	
1,2,3-Trichloropropane	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	96-18-4	
1,2,4-Trimethylbenzene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	95-63-6	
1,3,5-Trimethylbenzene	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	108-67-8	
Vinyl chloride	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	75-01-4	
Xylene (Total)	<3.1	ug/kg	6.2	3.1	1		01/31/18 15:03	1330-20-7	
Surrogates									
Toluene-d8 (S)	98	%	78-122		1		01/31/18 15:03	2037-26-5	
4-Bromofluorobenzene (S)	103	%	69-133		1		01/31/18 15:03	460-00-4	
1,2-Dichloroethane-d4 (S)	113	%	80-123		1		01/31/18 15:03	17060-07-0	
Percent Moisture									
Analytical Method: ASTM D2974									
Percent Moisture	20.1	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil									
Analytical Method: EPA 9045									
pH at 25 Degrees C	9.6	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	1310	mg/kg	126	62.8	10	02/05/18 08:00	02/06/18 02:19	14808-79-8	
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	25.4	mg/kg	12.6	6.3	10	02/05/18 16:00	02/06/18 02:19	14797-55-8	
Nitrite as N	<6.3	mg/kg	12.6	6.3	10	02/05/18 16:00	02/06/18 02:19	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5 (3-5) Lab ID: 60262644004 Collected: 01/23/18 10:30 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.68	ug/kg	1.9	0.68	1	01/29/18 08:55	01/29/18 20:53	309-00-2	
alpha-BHC	<0.30	ug/kg	1.9	0.30	1	01/29/18 08:55	01/29/18 20:53	319-84-6	
beta-BHC	<1.0	ug/kg	3.2	1.0	1	01/29/18 08:55	01/29/18 20:53	319-85-7	
delta-BHC	<0.92	ug/kg	2.7	0.92	1	01/29/18 08:55	01/29/18 20:53	319-86-8	
gamma-BHC (Lindane)	<0.87	ug/kg	2.7	0.87	1	01/29/18 08:55	01/29/18 20:53	58-89-9	
Chlordane (Technical)	<54.2	ug/kg	289	54.2	1	01/29/18 08:55	01/29/18 20:53	57-74-9	
alpha-Chlordane	<0.77	ug/kg	3.2	0.77	1	01/29/18 08:55	01/29/18 20:53	5103-71-9	
gamma-Chlordane	<1.3	ug/kg	3.2	1.3	1	01/29/18 08:55	01/29/18 20:53	5103-74-2	
4,4'-DDD	<0.63	ug/kg	1.9	0.63	1	01/29/18 08:55	01/29/18 20:53	72-54-8	
4,4'-DDE	<0.60	ug/kg	1.9	0.60	1	01/29/18 08:55	01/29/18 20:53	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.7	1.2	1	01/29/18 08:55	01/29/18 20:53	50-29-3	
Dieldrin	<0.84	ug/kg	2.7	0.84	1	01/29/18 08:55	01/29/18 20:53	60-57-1	
Endosulfan I	<0.89	ug/kg	2.7	0.89	1	01/29/18 08:55	01/29/18 20:53	959-98-8	
Endosulfan II	<0.62	ug/kg	1.9	0.62	1	01/29/18 08:55	01/29/18 20:53	33213-65-9	
Endosulfan sulfate	<0.89	ug/kg	2.7	0.89	1	01/29/18 08:55	01/29/18 20:53	1031-07-8	
Endrin	<0.89	ug/kg	3.2	0.89	1	01/29/18 08:55	01/29/18 20:53	72-20-8	
Endrin aldehyde	<0.89	ug/kg	2.7	0.89	1	01/29/18 08:55	01/29/18 20:53	7421-93-4	
Endrin ketone	<1.1	ug/kg	3.9	1.1	1	01/29/18 08:55	01/29/18 20:53	53494-70-5	
Heptachlor	<1.5	ug/kg	3.9	1.5	1	01/29/18 08:55	01/29/18 20:53	76-44-8	
Heptachlor epoxide	<3.9	ug/kg	9.6	3.9	1	01/29/18 08:55	01/29/18 20:53	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.9	1.1	1	01/29/18 08:55	01/29/18 20:53	72-43-5	
Toxaphene	<100	ug/kg	289	100	1	01/29/18 08:55	01/29/18 20:53	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	70-130		1	01/29/18 08:55	01/29/18 20:53	877-09-8	
Decachlorobiphenyl (S)	81	%	70-130		1	01/29/18 08:55	01/29/18 20:53	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/01/18 23:50	22248-79-9	
Azinphos, methyl (Guthion)	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/01/18 23:50	86-50-0	
Bolstar	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/01/18 23:50	35400-43-2	
Chlorpyrifos	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/01/18 23:50	2921-88-2	
Coumaphos	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/01/18 23:50	56-72-4	
Diazinon	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/01/18 23:50	333-41-5	
Dichlorvos	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/01/18 23:50	62-73-7	
Dimethoate	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/01/18 23:50	60-51-5	
Disulfoton	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/01/18 23:50	298-04-4	
EPN (ENT)	<4.1	ug/kg	6.4	4.1	1	01/29/18 08:55	02/01/18 23:50	2104-64-5	
Ethoprop	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/01/18 23:50	13194-48-4	
Fensulfthion	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/01/18 23:50	115-90-2	
Fenthion	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/01/18 23:50	55-38-9	
Malathion	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/01/18 23:50	121-75-5	
Methyl parathion	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/01/18 23:50	298-00-0	
Mevinphos	<3.8	ug/kg	6.4	3.8	1	01/29/18 08:55	02/01/18 23:50	7786-34-7	
Parathion (Ethyl parathion)	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/01/18 23:50	56-38-2	
Phorate	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/01/18 23:50	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5 (3-5) **Lab ID: 60262644004** Collected: 01/23/18 10:30 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/01/18 23:50	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/01/18 23:50	3689-24-5	
Tokuthion (Prothiofos)	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/01/18 23:50	34643-46-4	
Trichloronate	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/01/18 23:50	327-98-0	
Total Demeton	<5.3	ug/kg	6.4	5.3	1	01/29/18 08:55	02/01/18 23:50	8065-48-3	N2
Total Merphos	<6.4	ug/kg	25.7	6.4	1	01/29/18 08:55	02/01/18 23:50	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	94	%.	11-137		1	01/29/18 08:55	02/01/18 23:50	115-86-6	
Tributylphosphate (S)	145	%.	17-125		1	01/29/18 08:55	02/01/18 23:50	126-73-8	S3
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 15:19	94-75-7	
Dalapon	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 15:19	75-99-0	
2,4-DB	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 15:19	94-82-6	
Dicamba	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 15:19	1918-00-9	
Dichloroprop	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 15:19	15165-67-0	
Dinoseb	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 15:19	88-85-7	CH
MCPA	<314	ug/kg	314	314	1	01/29/18 16:21	01/31/18 15:19	94-74-6	
MCP	<314	ug/kg	314	314	1	01/29/18 16:21	01/31/18 15:19	7085-19-0	
2,4,5-T	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 15:19	93-76-5	
2,4,5-TP (Silvex)	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 15:19	93-72-1	
Surrogates									
2,4-DCAA (S)	12	%.	10-188		1	01/29/18 16:21	01/31/18 00:02	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	6.5	mg/kg	1.1	0.46	1	01/30/18 14:45	02/01/18 17:26	7440-38-2	
Barium	231	mg/kg	0.56	0.035	1	01/30/18 14:45	02/01/18 17:26	7440-39-3	
Cadmium	0.25J	mg/kg	0.56	0.041	1	01/30/18 14:45	02/01/18 17:26	7440-43-9	
Chromium	17.8	mg/kg	0.56	0.11	1	01/30/18 14:45	02/01/18 17:26	7440-47-3	
Lead	20.2	mg/kg	0.56	0.23	1	01/30/18 14:45	02/01/18 17:26	7439-92-1	
Selenium	<0.84	mg/kg	1.7	0.84	1	01/30/18 14:45	02/01/18 17:26	7782-49-2	
Silver	<0.19	mg/kg	0.78	0.19	1	01/30/18 14:45	02/01/18 17:26	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.35	mg/kg	0.059	0.0078	1	01/25/18 09:26	01/25/18 12:03	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<45.1	ug/kg	425	45.1	1	01/25/18 15:00	01/29/18 19:19	83-32-9	
Acenaphthylene	<39.9	ug/kg	425	39.9	1	01/25/18 15:00	01/29/18 19:19	208-96-8	
Anthracene	<45.1	ug/kg	425	45.1	1	01/25/18 15:00	01/29/18 19:19	120-12-7	
Benzo(a)anthracene	<38.7	ug/kg	425	38.7	1	01/25/18 15:00	01/29/18 19:19	56-55-3	
Benzo(a)pyrene	<33.5	ug/kg	425	33.5	1	01/25/18 15:00	01/29/18 19:19	50-32-8	
Benzo(b)fluoranthene	<29.6	ug/kg	425	29.6	1	01/25/18 15:00	01/29/18 19:19	205-99-2	
Benzo(g,h,i)perylene	<41.2	ug/kg	425	41.2	1	01/25/18 15:00	01/29/18 19:19	191-24-2	
Benzo(k)fluoranthene	<50.2	ug/kg	425	50.2	1	01/25/18 15:00	01/29/18 19:19	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5 (3-5) Lab ID: 60262644004 Collected: 01/23/18 10:30 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<39.9	ug/kg	2150	39.9	1	01/25/18 15:00	01/29/18 19:19	65-85-0	
Benzyl alcohol	<133	ug/kg	850	133	1	01/25/18 15:00	01/29/18 19:19	100-51-6	
4-Bromophenylphenyl ether	<33.5	ug/kg	425	33.5	1	01/25/18 15:00	01/29/18 19:19	101-55-3	
Butylbenzylphthalate	<55.4	ug/kg	425	55.4	1	01/25/18 15:00	01/29/18 19:19	85-68-7	
Carbazole	<34.8	ug/kg	425	34.8	1	01/25/18 15:00	01/29/18 19:19	86-74-8	
4-Chloro-3-methylphenol	<46.4	ug/kg	850	46.4	1	01/25/18 15:00	01/29/18 19:19	59-50-7	
4-Chloroaniline	<83.7	ug/kg	850	83.7	1	01/25/18 15:00	01/29/18 19:19	106-47-8	
bis(2-Chloroethoxy)methane	<33.5	ug/kg	425	33.5	1	01/25/18 15:00	01/29/18 19:19	111-91-1	
bis(2-Chloroethyl) ether	<33.5	ug/kg	425	33.5	1	01/25/18 15:00	01/29/18 19:19	111-44-4	
bis(2-Chloroisopropyl) ether	<33.5	ug/kg	425	33.5	1	01/25/18 15:00	01/29/18 19:19	39638-32-9	
2-Chloronaphthalene	<36.1	ug/kg	425	36.1	1	01/25/18 15:00	01/29/18 19:19	91-58-7	
2-Chlorophenol	<34.8	ug/kg	425	34.8	1	01/25/18 15:00	01/29/18 19:19	95-57-8	
4-Chlorophenylphenyl ether	<41.2	ug/kg	425	41.2	1	01/25/18 15:00	01/29/18 19:19	7005-72-3	
Chrysene	<36.1	ug/kg	425	36.1	1	01/25/18 15:00	01/29/18 19:19	218-01-9	
Dibenz(a,h)anthracene	<38.7	ug/kg	425	38.7	1	01/25/18 15:00	01/29/18 19:19	53-70-3	
Dibenzofuran	<38.7	ug/kg	425	38.7	1	01/25/18 15:00	01/29/18 19:19	132-64-9	
1,2-Dichlorobenzene	<32.2	ug/kg	425	32.2	1	01/25/18 15:00	01/29/18 19:19	95-50-1	
1,3-Dichlorobenzene	<36.1	ug/kg	425	36.1	1	01/25/18 15:00	01/29/18 19:19	541-73-1	
1,4-Dichlorobenzene	<37.4	ug/kg	425	37.4	1	01/25/18 15:00	01/29/18 19:19	106-46-7	
3,3'-Dichlorobenzidine	<146	ug/kg	850	146	1	01/25/18 15:00	01/29/18 19:19	91-94-1	
2,4-Dichlorophenol	<38.7	ug/kg	425	38.7	1	01/25/18 15:00	01/29/18 19:19	120-83-2	
Diethylphthalate	<39.9	ug/kg	425	39.9	1	01/25/18 15:00	01/29/18 19:19	84-66-2	
2,4-Dimethylphenol	<23.2	ug/kg	425	23.2	1	01/25/18 15:00	01/29/18 19:19	105-67-9	
Dimethylphthalate	<41.2	ug/kg	425	41.2	1	01/25/18 15:00	01/29/18 19:19	131-11-3	
Di-n-butylphthalate	<45.1	ug/kg	425	45.1	1	01/25/18 15:00	01/29/18 19:19	84-74-2	
4,6-Dinitro-2-methylphenol	<56.7	ug/kg	2150	56.7	1	01/25/18 15:00	01/29/18 19:19	534-52-1	
2,4-Dinitrophenol	<61.8	ug/kg	2150	61.8	1	01/25/18 15:00	01/29/18 19:19	51-28-5	
2,4-Dinitrotoluene	<36.1	ug/kg	425	36.1	1	01/25/18 15:00	01/29/18 19:19	121-14-2	
2,6-Dinitrotoluene	<43.8	ug/kg	425	43.8	1	01/25/18 15:00	01/29/18 19:19	606-20-2	
Di-n-octylphthalate	<50.2	ug/kg	425	50.2	1	01/25/18 15:00	01/29/18 19:19	117-84-0	
bis(2-Ethylhexyl)phthalate	<147	ug/kg	425	147	1	01/25/18 15:00	01/29/18 19:19	117-81-7	
Fluoranthene	<39.9	ug/kg	425	39.9	1	01/25/18 15:00	01/29/18 19:19	206-44-0	
Fluorene	<39.9	ug/kg	425	39.9	1	01/25/18 15:00	01/29/18 19:19	86-73-7	
Hexachloro-1,3-butadiene	<42.5	ug/kg	425	42.5	1	01/25/18 15:00	01/29/18 19:19	87-68-3	
Hexachlorobenzene	<41.2	ug/kg	425	41.2	1	01/25/18 15:00	01/29/18 19:19	118-74-1	
Hexachlorocyclopentadiene	<90.2	ug/kg	425	90.2	1	01/25/18 15:00	01/29/18 19:19	77-47-4	
Hexachloroethane	<32.2	ug/kg	425	32.2	1	01/25/18 15:00	01/29/18 19:19	67-72-1	
Indeno(1,2,3-cd)pyrene	<46.4	ug/kg	425	46.4	1	01/25/18 15:00	01/29/18 19:19	193-39-5	
Isophorone	<38.7	ug/kg	425	38.7	1	01/25/18 15:00	01/29/18 19:19	78-59-1	
2-Methylnaphthalene	<30.9	ug/kg	425	30.9	1	01/25/18 15:00	01/29/18 19:19	91-57-6	
2-Methylphenol(o-Cresol)	<39.9	ug/kg	425	39.9	1	01/25/18 15:00	01/29/18 19:19	95-48-7	
3&4-Methylphenol(m&p Cresol)	<46.4	ug/kg	425	46.4	1	01/25/18 15:00	01/29/18 19:19		
Naphthalene	<33.5	ug/kg	425	33.5	1	01/25/18 15:00	01/29/18 19:19	91-20-3	
2-Nitroaniline	<72.2	ug/kg	850	72.2	1	01/25/18 15:00	01/29/18 19:19	88-74-4	
3-Nitroaniline	<129	ug/kg	850	129	1	01/25/18 15:00	01/29/18 19:19	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5 (3-5) **Lab ID: 60262644004** Collected: 01/23/18 10:30 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<110	ug/kg	850	110	1	01/25/18 15:00	01/29/18 19:19	100-01-6	
Nitrobenzene	<39.9	ug/kg	425	39.9	1	01/25/18 15:00	01/29/18 19:19	98-95-3	
2-Nitrophenol	<59.3	ug/kg	425	59.3	1	01/25/18 15:00	01/29/18 19:19	88-75-5	
4-Nitrophenol	<67.0	ug/kg	2150	67.0	1	01/25/18 15:00	01/29/18 19:19	100-02-7	
N-Nitroso-di-n-propylamine	<42.5	ug/kg	425	42.5	1	01/25/18 15:00	01/29/18 19:19	621-64-7	
N-Nitrosodiphenylamine	<33.5	ug/kg	425	33.5	1	01/25/18 15:00	01/29/18 19:19	86-30-6	
Pentachlorophenol	<39.9	ug/kg	2150	39.9	1	01/25/18 15:00	01/29/18 19:19	87-86-5	
Phenanthrene	<39.9	ug/kg	425	39.9	1	01/25/18 15:00	01/29/18 19:19	85-01-8	
Phenol	<33.5	ug/kg	425	33.5	1	01/25/18 15:00	01/29/18 19:19	108-95-2	
Pyrene	<42.5	ug/kg	425	42.5	1	01/25/18 15:00	01/29/18 19:19	129-00-0	
Pyridine	<34.8	ug/kg	425	34.8	1	01/25/18 15:00	01/29/18 19:19	110-86-1	
1,2,4-Trichlorobenzene	<38.7	ug/kg	425	38.7	1	01/25/18 15:00	01/29/18 19:19	120-82-1	
2,4,5-Trichlorophenol	<38.7	ug/kg	425	38.7	1	01/25/18 15:00	01/29/18 19:19	95-95-4	
2,4,6-Trichlorophenol	<39.9	ug/kg	425	39.9	1	01/25/18 15:00	01/29/18 19:19	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	67	%	41-114		1	01/25/18 15:00	01/29/18 19:19	4165-60-0	
2-Fluorobiphenyl (S)	70	%	61-109		1	01/25/18 15:00	01/29/18 19:19	321-60-8	
Terphenyl-d14 (S)	73	%	48-120		1	01/25/18 15:00	01/29/18 19:19	1718-51-0	
Phenol-d6 (S)	67	%	48-102		1	01/25/18 15:00	01/29/18 19:19	13127-88-3	
2-Fluorophenol (S)	64	%	46-102		1	01/25/18 15:00	01/29/18 19:19	367-12-4	
2,4,6-Tribromophenol (S)	60	%	39-114		1	01/25/18 15:00	01/29/18 19:19	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	18.9J	mg/kg	19.3	1.5	1	01/25/18 15:00	01/27/18 14:54		B
TPH-DRO	5.7J	mg/kg	19.3	1.5	1	01/25/18 15:00	01/27/18 14:54		
Surrogates									
Nitrobenzene-d5 (S)	111	%	41-114		1	01/25/18 15:00	01/27/18 14:54	4165-60-0	
2-Fluorobiphenyl (S)	109	%	61-109		1	01/25/18 15:00	01/27/18 14:54	321-60-8	
Terphenyl-d14 (S)	76	%	48-120		1	01/25/18 15:00	01/27/18 14:54	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.33	mg/kg	0.67	0.33	1		01/31/18 15:19		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	<13.4	ug/kg	26.7	13.4	1		01/31/18 15:19	67-64-1	
Benzene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	71-43-2	
Bromobenzene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	108-86-1	
Bromochloromethane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	74-97-5	
Bromodichloromethane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	75-27-4	
Bromoform	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	75-25-2	
Bromomethane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	74-83-9	
2-Butanone (MEK)	<6.7	ug/kg	13.4	6.7	1		01/31/18 15:19	78-93-3	
n-Butylbenzene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	104-51-8	
sec-Butylbenzene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	135-98-8	
tert-Butylbenzene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5 (3-5) Lab ID: 60262644004 Collected: 01/23/18 10:30 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	75-15-0	
Carbon tetrachloride	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	56-23-5	
Chlorobenzene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	108-90-7	
Chloroethane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	75-00-3	
Chloroform	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	67-66-3	
Chloromethane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	74-87-3	
2-Chlorotoluene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	95-49-8	
4-Chlorotoluene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	106-43-4	
1,2-Dibromo-3-chloropropane	<6.7	ug/kg	13.4	6.7	1		01/31/18 15:19	96-12-8	
Dibromochloromethane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	124-48-1	
1,2-Dibromoethane (EDB)	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	106-93-4	
Dibromomethane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	74-95-3	
1,2-Dichlorobenzene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	95-50-1	
1,3-Dichlorobenzene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	541-73-1	
1,4-Dichlorobenzene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	106-46-7	
Dichlorodifluoromethane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	75-71-8	
1,1-Dichloroethane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	75-34-3	
1,2-Dichloroethane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	107-06-2	
1,2-Dichloroethene (Total)	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	540-59-0	
1,1-Dichloroethene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	75-35-4	
cis-1,2-Dichloroethene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	156-59-2	
trans-1,2-Dichloroethene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	156-60-5	L2
1,2-Dichloropropane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	78-87-5	
1,3-Dichloropropane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	142-28-9	
2,2-Dichloropropane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	594-20-7	
1,1-Dichloropropene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	563-58-6	
cis-1,3-Dichloropropene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	10061-01-5	
trans-1,3-Dichloropropene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	10061-02-6	
Ethylbenzene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	100-41-4	
Hexachloro-1,3-butadiene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	87-68-3	
2-Hexanone	<13.4	ug/kg	26.7	13.4	1		01/31/18 15:19	591-78-6	
Isopropylbenzene (Cumene)	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	98-82-8	
p-Isopropyltoluene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	99-87-6	
Methylene chloride	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	75-09-2	
4-Methyl-2-pentanone (MIBK)	<6.7	ug/kg	13.4	6.7	1		01/31/18 15:19	108-10-1	
Methyl-tert-butyl ether	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	1634-04-4	
Naphthalene	<6.7	ug/kg	13.4	6.7	1		01/31/18 15:19	91-20-3	
n-Propylbenzene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	103-65-1	
Styrene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	100-42-5	
1,1,1,2-Tetrachloroethane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	630-20-6	
1,1,2,2-Tetrachloroethane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	79-34-5	
Tetrachloroethene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	127-18-4	
Toluene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	108-88-3	
1,2,3-Trichlorobenzene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	87-61-6	
1,2,4-Trichlorobenzene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5 (3-5) **Lab ID: 60262644004** Collected: 01/23/18 10:30 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	71-55-6	
1,1,2-Trichloroethane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	79-00-5	
Trichloroethene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	79-01-6	
Trichlorofluoromethane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	75-69-4	
1,2,3-Trichloropropane	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	96-18-4	
1,2,4-Trimethylbenzene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	95-63-6	
1,3,5-Trimethylbenzene	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	108-67-8	
Vinyl chloride	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	75-01-4	
Xylene (Total)	<3.3	ug/kg	6.7	3.3	1		01/31/18 15:19	1330-20-7	
Surrogates									
Toluene-d8 (S)	101	%	78-122		1		01/31/18 15:19	2037-26-5	
4-Bromofluorobenzene (S)	106	%	69-133		1		01/31/18 15:19	460-00-4	
1,2-Dichloroethane-d4 (S)	116	%	80-123		1		01/31/18 15:19	17060-07-0	
Percent Moisture									
Analytical Method: ASTM D2974									
Percent Moisture	22.8	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil									
Analytical Method: EPA 9045									
pH at 25 Degrees C	7.8	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	987	mg/kg	131	65.5	10	02/05/18 08:00	02/06/18 03:01	14808-79-8	
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	31.4	mg/kg	13.1	6.5	10	02/05/18 16:00	02/06/18 03:01	14797-55-8	
Nitrite as N	<6.5	mg/kg	13.1	6.5	10	02/05/18 16:00	02/06/18 03:01	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 (0-1) Lab ID: 60262644005 Collected: 01/23/18 12:30 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.53	ug/kg	1.5	0.53	1	01/29/18 08:55	01/30/18 15:46	309-00-2	
alpha-BHC	<0.24	ug/kg	1.5	0.24	1	01/29/18 08:55	01/30/18 15:46	319-84-6	
beta-BHC	<0.79	ug/kg	2.5	0.79	1	01/29/18 08:55	01/30/18 15:46	319-85-7	
delta-BHC	<0.72	ug/kg	2.1	0.72	1	01/29/18 08:55	01/30/18 15:46	319-86-8	
gamma-BHC (Lindane)	<0.67	ug/kg	2.1	0.67	1	01/29/18 08:55	01/30/18 15:46	58-89-9	
Chlordane (Technical)	<42.3	ug/kg	225	42.3	1	01/29/18 08:55	01/30/18 15:46	57-74-9	
alpha-Chlordane	<0.60	ug/kg	2.5	0.60	1	01/29/18 08:55	01/30/18 15:46	5103-71-9	
gamma-Chlordane	<1.0	ug/kg	2.5	1.0	1	01/29/18 08:55	01/30/18 15:46	5103-74-2	
4,4'-DDD	<0.49	ug/kg	1.5	0.49	1	01/29/18 08:55	01/30/18 15:46	72-54-8	
4,4'-DDE	<0.47	ug/kg	1.5	0.47	1	01/29/18 08:55	01/30/18 15:46	72-55-9	
4,4'-DDT	<0.97	ug/kg	2.1	0.97	1	01/29/18 08:55	01/30/18 15:46	50-29-3	
Dieldrin	<0.65	ug/kg	2.1	0.65	1	01/29/18 08:55	01/30/18 15:46	60-57-1	
Endosulfan I	<0.70	ug/kg	2.1	0.70	1	01/29/18 08:55	01/30/18 15:46	959-98-8	
Endosulfan II	<0.48	ug/kg	1.5	0.48	1	01/29/18 08:55	01/30/18 15:46	33213-65-9	
Endosulfan sulfate	<0.69	ug/kg	2.1	0.69	1	01/29/18 08:55	01/30/18 15:46	1031-07-8	
Endrin	<0.70	ug/kg	2.5	0.70	1	01/29/18 08:55	01/30/18 15:46	72-20-8	
Endrin aldehyde	<0.70	ug/kg	2.1	0.70	1	01/29/18 08:55	01/30/18 15:46	7421-93-4	
Endrin ketone	<0.83	ug/kg	3.0	0.83	1	01/29/18 08:55	01/30/18 15:46	53494-70-5	
Heptachlor	<1.1	ug/kg	3.0	1.1	1	01/29/18 08:55	01/30/18 15:46	76-44-8	
Heptachlor epoxide	<3.0	ug/kg	7.5	3.0	1	01/29/18 08:55	01/30/18 15:46	1024-57-3	
Methoxychlor	<0.86	ug/kg	3.0	0.86	1	01/29/18 08:55	01/30/18 15:46	72-43-5	
Toxaphene	<77.9	ug/kg	225	77.9	1	01/29/18 08:55	01/30/18 15:46	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	84	%.	70-130		1	01/29/18 08:55	01/30/18 15:46	877-09-8	
Decachlorobiphenyl (S)	74	%.	70-130		1	01/29/18 08:55	01/30/18 15:46	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<5.0	ug/kg	10.0	5.0	1	01/29/18 08:55	02/02/18 21:32	22248-79-9	
Azinphos, methyl (Guthion)	<5.0	ug/kg	10.0	5.0	1	01/29/18 08:55	02/02/18 21:32	86-50-0	
Bolstar	<5.0	ug/kg	10.0	5.0	1	01/29/18 08:55	02/02/18 21:32	35400-43-2	
Chlorpyrifos	<5.0	ug/kg	10.0	5.0	1	01/29/18 08:55	02/02/18 21:32	2921-88-2	
Coumaphos	<5.0	ug/kg	10.0	5.0	1	01/29/18 08:55	02/02/18 21:32	56-72-4	
Diazinon	<5.0	ug/kg	10.0	5.0	1	01/29/18 08:55	02/02/18 21:32	333-41-5	
Dichlorvos	<2.5	ug/kg	5.0	2.5	1	01/29/18 08:55	02/02/18 21:32	62-73-7	
Dimethoate	<5.0	ug/kg	10.0	5.0	1	01/29/18 08:55	02/02/18 21:32	60-51-5	
Disulfoton	<2.5	ug/kg	5.0	2.5	1	01/29/18 08:55	02/02/18 21:32	298-04-4	
EPN (ENT)	<3.2	ug/kg	5.0	3.2	1	01/29/18 08:55	02/02/18 21:32	2104-64-5	
Ethoprop	<2.5	ug/kg	5.0	2.5	1	01/29/18 08:55	02/02/18 21:32	13194-48-4	
Fensulfthion	<5.0	ug/kg	10.0	5.0	1	01/29/18 08:55	02/02/18 21:32	115-90-2	
Fenthion	<2.5	ug/kg	5.0	2.5	1	01/29/18 08:55	02/02/18 21:32	55-38-9	
Malathion	<5.0	ug/kg	10.0	5.0	1	01/29/18 08:55	02/02/18 21:32	121-75-5	
Methyl parathion	<2.5	ug/kg	5.0	2.5	1	01/29/18 08:55	02/02/18 21:32	298-00-0	
Mevinphos	<3.0	ug/kg	5.0	3.0	1	01/29/18 08:55	02/02/18 21:32	7786-34-7	
Parathion (Ethyl parathion)	<5.0	ug/kg	10.0	5.0	1	01/29/18 08:55	02/02/18 21:32	56-38-2	
Phorate	<2.5	ug/kg	5.0	2.5	1	01/29/18 08:55	02/02/18 21:32	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 (0-1) **Lab ID: 60262644005** Collected: 01/23/18 12:30 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<2.5	ug/kg	5.0	2.5	1	01/29/18 08:55	02/02/18 21:32	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<2.5	ug/kg	5.0	2.5	1	01/29/18 08:55	02/02/18 21:32	3689-24-5	
Tokuthion (Prothiofos)	<2.5	ug/kg	5.0	2.5	1	01/29/18 08:55	02/02/18 21:32	34643-46-4	
Trichloronate	<5.0	ug/kg	10.0	5.0	1	01/29/18 08:55	02/02/18 21:32	327-98-0	
Total Demeton	<4.1	ug/kg	5.0	4.1	1	01/29/18 08:55	02/02/18 21:32	8065-48-3	N2
Total Merphos	<5.0	ug/kg	20.0	5.0	1	01/29/18 08:55	02/02/18 21:32	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	92	%.	11-137		1	01/29/18 08:55	02/02/18 21:32	115-86-6	
Tributylphosphate (S)	126	%.	17-125		1	01/29/18 08:55	02/02/18 21:32	126-73-8	S3
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 15:44	94-75-7	
Dalapon	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 15:44	75-99-0	
2,4-DB	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 15:44	94-82-6	
Dicamba	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 15:44	1918-00-9	
Dichloroprop	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 15:44	15165-67-0	
Dinoseb	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 15:44	88-85-7	CH
MCPA	<299	ug/kg	299	299	1	01/29/18 16:21	01/31/18 15:44	94-74-6	
MCP	<299	ug/kg	299	299	1	01/29/18 16:21	01/31/18 15:44	7085-19-0	
2,4,5-T	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 15:44	93-76-5	
2,4,5-TP (Silvex)	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 15:44	93-72-1	
Surrogates									
2,4-DCAA (S)	7	%.	10-188		1	01/29/18 16:21	01/31/18 15:44	19719-28-9	S1
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	7.5	mg/kg	1.1	0.45	1	01/30/18 14:45	02/01/18 17:28	7440-38-2	
Barium	229	mg/kg	0.55	0.034	1	01/30/18 14:45	02/01/18 17:28	7440-39-3	
Cadmium	1.2	mg/kg	0.55	0.041	1	01/30/18 14:45	02/01/18 17:28	7440-43-9	
Chromium	16.0	mg/kg	0.55	0.11	1	01/30/18 14:45	02/01/18 17:28	7440-47-3	
Lead	81.9	mg/kg	0.55	0.23	1	01/30/18 14:45	02/01/18 17:28	7439-92-1	
Selenium	<0.82	mg/kg	1.6	0.82	1	01/30/18 14:45	02/01/18 17:28	7782-49-2	
Silver	<0.18	mg/kg	0.77	0.18	1	01/30/18 14:45	02/01/18 17:28	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.35	mg/kg	0.048	0.0063	1	01/25/18 09:26	01/25/18 12:06	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<41.6	ug/kg	392	41.6	1	01/25/18 15:00	01/29/18 19:40	83-32-9	
Acenaphthylene	<36.8	ug/kg	392	36.8	1	01/25/18 15:00	01/29/18 19:40	208-96-8	
Anthracene	<41.6	ug/kg	392	41.6	1	01/25/18 15:00	01/29/18 19:40	120-12-7	
Benzo(a)anthracene	<35.6	ug/kg	392	35.6	1	01/25/18 15:00	01/29/18 19:40	56-55-3	
Benzo(a)pyrene	<30.9	ug/kg	392	30.9	1	01/25/18 15:00	01/29/18 19:40	50-32-8	
Benzo(b)fluoranthene	47.0J	ug/kg	392	27.3	1	01/25/18 15:00	01/29/18 19:40	205-99-2	
Benzo(g,h,i)perylene	<38.0	ug/kg	392	38.0	1	01/25/18 15:00	01/29/18 19:40	191-24-2	
Benzo(k)fluoranthene	<46.3	ug/kg	392	46.3	1	01/25/18 15:00	01/29/18 19:40	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 (0-1) Lab ID: 60262644005 Collected: 01/23/18 12:30 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<36.8	ug/kg	1980	36.8	1	01/25/18 15:00	01/29/18 19:40	65-85-0	
Benzyl alcohol	<122	ug/kg	784	122	1	01/25/18 15:00	01/29/18 19:40	100-51-6	
4-Bromophenylphenyl ether	<30.9	ug/kg	392	30.9	1	01/25/18 15:00	01/29/18 19:40	101-55-3	
Butylbenzylphthalate	<51.1	ug/kg	392	51.1	1	01/25/18 15:00	01/29/18 19:40	85-68-7	
Carbazole	<32.1	ug/kg	392	32.1	1	01/25/18 15:00	01/29/18 19:40	86-74-8	
4-Chloro-3-methylphenol	<42.8	ug/kg	784	42.8	1	01/25/18 15:00	01/29/18 19:40	59-50-7	
4-Chloroaniline	<77.2	ug/kg	784	77.2	1	01/25/18 15:00	01/29/18 19:40	106-47-8	
bis(2-Chloroethoxy)methane	<30.9	ug/kg	392	30.9	1	01/25/18 15:00	01/29/18 19:40	111-91-1	
bis(2-Chloroethyl) ether	<30.9	ug/kg	392	30.9	1	01/25/18 15:00	01/29/18 19:40	111-44-4	
bis(2-Chloroisopropyl) ether	<30.9	ug/kg	392	30.9	1	01/25/18 15:00	01/29/18 19:40	39638-32-9	
2-Chloronaphthalene	<33.3	ug/kg	392	33.3	1	01/25/18 15:00	01/29/18 19:40	91-58-7	
2-Chlorophenol	<32.1	ug/kg	392	32.1	1	01/25/18 15:00	01/29/18 19:40	95-57-8	
4-Chlorophenylphenyl ether	<38.0	ug/kg	392	38.0	1	01/25/18 15:00	01/29/18 19:40	7005-72-3	
Chrysene	<33.3	ug/kg	392	33.3	1	01/25/18 15:00	01/29/18 19:40	218-01-9	
Dibenz(a,h)anthracene	<35.6	ug/kg	392	35.6	1	01/25/18 15:00	01/29/18 19:40	53-70-3	
Dibenzofuran	<35.6	ug/kg	392	35.6	1	01/25/18 15:00	01/29/18 19:40	132-64-9	
1,2-Dichlorobenzene	<29.7	ug/kg	392	29.7	1	01/25/18 15:00	01/29/18 19:40	95-50-1	
1,3-Dichlorobenzene	<33.3	ug/kg	392	33.3	1	01/25/18 15:00	01/29/18 19:40	541-73-1	
1,4-Dichlorobenzene	<34.4	ug/kg	392	34.4	1	01/25/18 15:00	01/29/18 19:40	106-46-7	
3,3'-Dichlorobenzidine	<134	ug/kg	784	134	1	01/25/18 15:00	01/29/18 19:40	91-94-1	
2,4-Dichlorophenol	<35.6	ug/kg	392	35.6	1	01/25/18 15:00	01/29/18 19:40	120-83-2	
Diethylphthalate	<36.8	ug/kg	392	36.8	1	01/25/18 15:00	01/29/18 19:40	84-66-2	
2,4-Dimethylphenol	<21.4	ug/kg	392	21.4	1	01/25/18 15:00	01/29/18 19:40	105-67-9	
Dimethylphthalate	<38.0	ug/kg	392	38.0	1	01/25/18 15:00	01/29/18 19:40	131-11-3	
Di-n-butylphthalate	<41.6	ug/kg	392	41.6	1	01/25/18 15:00	01/29/18 19:40	84-74-2	
4,6-Dinitro-2-methylphenol	<52.3	ug/kg	1980	52.3	1	01/25/18 15:00	01/29/18 19:40	534-52-1	
2,4-Dinitrophenol	<57.0	ug/kg	1980	57.0	1	01/25/18 15:00	01/29/18 19:40	51-28-5	
2,4-Dinitrotoluene	<33.3	ug/kg	392	33.3	1	01/25/18 15:00	01/29/18 19:40	121-14-2	
2,6-Dinitrotoluene	<40.4	ug/kg	392	40.4	1	01/25/18 15:00	01/29/18 19:40	606-20-2	
Di-n-octylphthalate	<46.3	ug/kg	392	46.3	1	01/25/18 15:00	01/29/18 19:40	117-84-0	
bis(2-Ethylhexyl)phthalate	<135	ug/kg	392	135	1	01/25/18 15:00	01/29/18 19:40	117-81-7	
Fluoranthene	<36.8	ug/kg	392	36.8	1	01/25/18 15:00	01/29/18 19:40	206-44-0	
Fluorene	<36.8	ug/kg	392	36.8	1	01/25/18 15:00	01/29/18 19:40	86-73-7	
Hexachloro-1,3-butadiene	<39.2	ug/kg	392	39.2	1	01/25/18 15:00	01/29/18 19:40	87-68-3	
Hexachlorobenzene	<38.0	ug/kg	392	38.0	1	01/25/18 15:00	01/29/18 19:40	118-74-1	
Hexachlorocyclopentadiene	<83.1	ug/kg	392	83.1	1	01/25/18 15:00	01/29/18 19:40	77-47-4	
Hexachloroethane	<29.7	ug/kg	392	29.7	1	01/25/18 15:00	01/29/18 19:40	67-72-1	
Indeno(1,2,3-cd)pyrene	<42.8	ug/kg	392	42.8	1	01/25/18 15:00	01/29/18 19:40	193-39-5	
Isophorone	<35.6	ug/kg	392	35.6	1	01/25/18 15:00	01/29/18 19:40	78-59-1	
2-Methylnaphthalene	<28.5	ug/kg	392	28.5	1	01/25/18 15:00	01/29/18 19:40	91-57-6	
2-Methylphenol(o-Cresol)	<36.8	ug/kg	392	36.8	1	01/25/18 15:00	01/29/18 19:40	95-48-7	
3&4-Methylphenol(m&p Cresol)	<42.8	ug/kg	392	42.8	1	01/25/18 15:00	01/29/18 19:40		
Naphthalene	<30.9	ug/kg	392	30.9	1	01/25/18 15:00	01/29/18 19:40	91-20-3	
2-Nitroaniline	<66.5	ug/kg	784	66.5	1	01/25/18 15:00	01/29/18 19:40	88-74-4	
3-Nitroaniline	<119	ug/kg	784	119	1	01/25/18 15:00	01/29/18 19:40	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 (0-1) Lab ID: 60262644005 Collected: 01/23/18 12:30 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<101	ug/kg	784	101	1	01/25/18 15:00	01/29/18 19:40	100-01-6	
Nitrobenzene	<36.8	ug/kg	392	36.8	1	01/25/18 15:00	01/29/18 19:40	98-95-3	
2-Nitrophenol	<54.6	ug/kg	392	54.6	1	01/25/18 15:00	01/29/18 19:40	88-75-5	
4-Nitrophenol	<61.8	ug/kg	1980	61.8	1	01/25/18 15:00	01/29/18 19:40	100-02-7	
N-Nitroso-di-n-propylamine	<39.2	ug/kg	392	39.2	1	01/25/18 15:00	01/29/18 19:40	621-64-7	
N-Nitrosodiphenylamine	<30.9	ug/kg	392	30.9	1	01/25/18 15:00	01/29/18 19:40	86-30-6	
Pentachlorophenol	<36.8	ug/kg	1980	36.8	1	01/25/18 15:00	01/29/18 19:40	87-86-5	
Phenanthrene	<36.8	ug/kg	392	36.8	1	01/25/18 15:00	01/29/18 19:40	85-01-8	
Phenol	<30.9	ug/kg	392	30.9	1	01/25/18 15:00	01/29/18 19:40	108-95-2	
Pyrene	<39.2	ug/kg	392	39.2	1	01/25/18 15:00	01/29/18 19:40	129-00-0	
Pyridine	<32.1	ug/kg	392	32.1	1	01/25/18 15:00	01/29/18 19:40	110-86-1	
1,2,4-Trichlorobenzene	<35.6	ug/kg	392	35.6	1	01/25/18 15:00	01/29/18 19:40	120-82-1	
2,4,5-Trichlorophenol	<35.6	ug/kg	392	35.6	1	01/25/18 15:00	01/29/18 19:40	95-95-4	
2,4,6-Trichlorophenol	<36.8	ug/kg	392	36.8	1	01/25/18 15:00	01/29/18 19:40	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	74	%	41-114		1	01/25/18 15:00	01/29/18 19:40	4165-60-0	
2-Fluorobiphenyl (S)	78	%	61-109		1	01/25/18 15:00	01/29/18 19:40	321-60-8	
Terphenyl-d14 (S)	82	%	48-120		1	01/25/18 15:00	01/29/18 19:40	1718-51-0	
Phenol-d6 (S)	75	%	48-102		1	01/25/18 15:00	01/29/18 19:40	13127-88-3	
2-Fluorophenol (S)	67	%	46-102		1	01/25/18 15:00	01/29/18 19:40	367-12-4	
2,4,6-Tribromophenol (S)	58	%	39-114		1	01/25/18 15:00	01/29/18 19:40	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	48.7	mg/kg	18.0	1.4	1	01/25/18 15:00	01/27/18 15:14		
TPH-DRO	26.4	mg/kg	18.0	1.4	1	01/25/18 15:00	01/27/18 15:14		
Surrogates									
Nitrobenzene-d5 (S)	71	%	41-114		1	01/25/18 15:00	01/27/18 15:14	4165-60-0	
2-Fluorobiphenyl (S)	85	%	61-109		1	01/25/18 15:00	01/27/18 15:14	321-60-8	
Terphenyl-d14 (S)	77	%	48-120		1	01/25/18 15:00	01/27/18 15:14	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.63	mg/kg	1.3	0.63	1		01/31/18 15:34		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	62.8	ug/kg	50.4	25.2	1		01/31/18 15:34	67-64-1	
Benzene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	71-43-2	
Bromobenzene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	108-86-1	
Bromochloromethane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	74-97-5	
Bromodichloromethane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	75-27-4	
Bromoform	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	75-25-2	
Bromomethane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	74-83-9	
2-Butanone (MEK)	<12.6	ug/kg	25.2	12.6	1		01/31/18 15:34	78-93-3	
n-Butylbenzene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	104-51-8	
sec-Butylbenzene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	135-98-8	
tert-Butylbenzene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 (0-1) Lab ID: 60262644005 Collected: 01/23/18 12:30 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	75-15-0	
Carbon tetrachloride	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	56-23-5	
Chlorobenzene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	108-90-7	
Chloroethane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	75-00-3	
Chloroform	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	67-66-3	
Chloromethane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	74-87-3	
2-Chlorotoluene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	95-49-8	
4-Chlorotoluene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	106-43-4	
1,2-Dibromo-3-chloropropane	<12.6	ug/kg	25.2	12.6	1		01/31/18 15:34	96-12-8	
Dibromochloromethane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	124-48-1	
1,2-Dibromoethane (EDB)	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	106-93-4	
Dibromomethane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	74-95-3	
1,2-Dichlorobenzene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	95-50-1	
1,3-Dichlorobenzene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	541-73-1	
1,4-Dichlorobenzene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	106-46-7	
Dichlorodifluoromethane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	75-71-8	
1,1-Dichloroethane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	75-34-3	
1,2-Dichloroethane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	107-06-2	
1,2-Dichloroethene (Total)	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	540-59-0	
1,1-Dichloroethene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	75-35-4	
cis-1,2-Dichloroethene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	156-59-2	
trans-1,2-Dichloroethene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	156-60-5	L2
1,2-Dichloropropane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	78-87-5	
1,3-Dichloropropane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	142-28-9	
2,2-Dichloropropane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	594-20-7	
1,1-Dichloropropene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	563-58-6	
cis-1,3-Dichloropropene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	10061-01-5	
trans-1,3-Dichloropropene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	10061-02-6	
Ethylbenzene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	100-41-4	
Hexachloro-1,3-butadiene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	87-68-3	
2-Hexanone	<25.2	ug/kg	50.4	25.2	1		01/31/18 15:34	591-78-6	
Isopropylbenzene (Cumene)	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	98-82-8	
p-Isopropyltoluene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	99-87-6	
Methylene chloride	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	75-09-2	
4-Methyl-2-pentanone (MIBK)	<12.6	ug/kg	25.2	12.6	1		01/31/18 15:34	108-10-1	
Methyl-tert-butyl ether	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	1634-04-4	
Naphthalene	<12.6	ug/kg	25.2	12.6	1		01/31/18 15:34	91-20-3	
n-Propylbenzene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	103-65-1	
Styrene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	100-42-5	
1,1,1,2-Tetrachloroethane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	630-20-6	
1,1,2,2-Tetrachloroethane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	79-34-5	
Tetrachloroethene	9.2J	ug/kg	12.6	6.3	1		01/31/18 15:34	127-18-4	
Toluene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	108-88-3	
1,2,3-Trichlorobenzene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	87-61-6	
1,2,4-Trichlorobenzene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 (0-1) **Lab ID: 60262644005** Collected: 01/23/18 12:30 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	71-55-6	
1,1,2-Trichloroethane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	79-00-5	
Trichloroethene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	79-01-6	
Trichlorofluoromethane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	75-69-4	
1,2,3-Trichloropropane	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	96-18-4	
1,2,4-Trimethylbenzene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	95-63-6	
1,3,5-Trimethylbenzene	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	108-67-8	
Vinyl chloride	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	75-01-4	
Xylene (Total)	<6.3	ug/kg	12.6	6.3	1		01/31/18 15:34	1330-20-7	
Surrogates									
Toluene-d8 (S)	97	%	78-122		1		01/31/18 15:34	2037-26-5	
4-Bromofluorobenzene (S)	105	%	69-133		1		01/31/18 15:34	460-00-4	
1,2-Dichloroethane-d4 (S)	123	%	80-123		1		01/31/18 15:34	17060-07-0	
Percent Moisture									
Analytical Method: ASTM D2974									
Percent Moisture	17.3	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil									
Analytical Method: EPA 9045									
pH at 25 Degrees C	9.2	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	84.0J	mg/kg	122	60.8	10	02/05/18 08:00	02/06/18 03:15	14808-79-8	
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	<6.1	mg/kg	12.2	6.1	10	02/05/18 16:00	02/06/18 03:15	14797-55-8	
Nitrite as N	<6.1	mg/kg	12.2	6.1	10	02/05/18 16:00	02/06/18 03:15	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 (3-5) Lab ID: 60262644006 Collected: 01/23/18 12:40 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.68	ug/kg	1.9	0.68	1	01/29/18 08:55	01/30/18 16:00	309-00-2	
alpha-BHC	<0.30	ug/kg	1.9	0.30	1	01/29/18 08:55	01/30/18 16:00	319-84-6	
beta-BHC	<1.0	ug/kg	3.2	1.0	1	01/29/18 08:55	01/30/18 16:00	319-85-7	
delta-BHC	<0.92	ug/kg	2.7	0.92	1	01/29/18 08:55	01/30/18 16:00	319-86-8	
gamma-BHC (Lindane)	<0.86	ug/kg	2.7	0.86	1	01/29/18 08:55	01/30/18 16:00	58-89-9	
Chlordane (Technical)	<53.9	ug/kg	287	53.9	1	01/29/18 08:55	01/30/18 16:00	57-74-9	
alpha-Chlordane	<0.76	ug/kg	3.2	0.76	1	01/29/18 08:55	01/30/18 16:00	5103-71-9	
gamma-Chlordane	<1.3	ug/kg	3.2	1.3	1	01/29/18 08:55	01/30/18 16:00	5103-74-2	
4,4'-DDD	<0.62	ug/kg	1.9	0.62	1	01/29/18 08:55	01/30/18 16:00	72-54-8	
4,4'-DDE	<0.60	ug/kg	1.9	0.60	1	01/29/18 08:55	01/30/18 16:00	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.7	1.2	1	01/29/18 08:55	01/30/18 16:00	50-29-3	
Dieldrin	<0.83	ug/kg	2.7	0.83	1	01/29/18 08:55	01/30/18 16:00	60-57-1	
Endosulfan I	<0.89	ug/kg	2.7	0.89	1	01/29/18 08:55	01/30/18 16:00	959-98-8	
Endosulfan II	<0.62	ug/kg	1.9	0.62	1	01/29/18 08:55	01/30/18 16:00	33213-65-9	
Endosulfan sulfate	<0.88	ug/kg	2.7	0.88	1	01/29/18 08:55	01/30/18 16:00	1031-07-8	
Endrin	<0.89	ug/kg	3.2	0.89	1	01/29/18 08:55	01/30/18 16:00	72-20-8	
Endrin aldehyde	<0.89	ug/kg	2.7	0.89	1	01/29/18 08:55	01/30/18 16:00	7421-93-4	
Endrin ketone	<1.1	ug/kg	3.8	1.1	1	01/29/18 08:55	01/30/18 16:00	53494-70-5	
Heptachlor	<1.5	ug/kg	3.8	1.5	1	01/29/18 08:55	01/30/18 16:00	76-44-8	
Heptachlor epoxide	<3.8	ug/kg	9.6	3.8	1	01/29/18 08:55	01/30/18 16:00	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.8	1.1	1	01/29/18 08:55	01/30/18 16:00	72-43-5	
Toxaphene	<99.4	ug/kg	287	99.4	1	01/29/18 08:55	01/30/18 16:00	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	83	%	70-130		1	01/29/18 08:55	01/30/18 16:00	877-09-8	
Decachlorobiphenyl (S)	74	%	70-130		1	01/29/18 08:55	01/30/18 16:00	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/02/18 22:00	22248-79-9	
Azinphos, methyl (Guthion)	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/02/18 22:00	86-50-0	
Bolstar	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/02/18 22:00	35400-43-2	
Chlorpyrifos	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/02/18 22:00	2921-88-2	
Coumaphos	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/02/18 22:00	56-72-4	
Diazinon	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/02/18 22:00	333-41-5	
Dichlorvos	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/02/18 22:00	62-73-7	
Dimethoate	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/02/18 22:00	60-51-5	
Disulfoton	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/02/18 22:00	298-04-4	
EPN (ENT)	<4.1	ug/kg	6.4	4.1	1	01/29/18 08:55	02/02/18 22:00	2104-64-5	
Ethoprop	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/02/18 22:00	13194-48-4	
Fensulfthion	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/02/18 22:00	115-90-2	
Fenthion	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/02/18 22:00	55-38-9	
Malathion	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/02/18 22:00	121-75-5	
Methyl parathion	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/02/18 22:00	298-00-0	
Mevinphos	<3.8	ug/kg	6.4	3.8	1	01/29/18 08:55	02/02/18 22:00	7786-34-7	
Parathion (Ethyl parathion)	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/02/18 22:00	56-38-2	
Phorate	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/02/18 22:00	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 (3-5) Lab ID: 60262644006 Collected: 01/23/18 12:40 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/02/18 22:00	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/02/18 22:00	3689-24-5	
Tokuthion (Prothiofos)	<3.2	ug/kg	6.4	3.2	1	01/29/18 08:55	02/02/18 22:00	34643-46-4	
Trichloronate	<6.4	ug/kg	12.8	6.4	1	01/29/18 08:55	02/02/18 22:00	327-98-0	
Total Demeton	<5.2	ug/kg	6.4	5.2	1	01/29/18 08:55	02/02/18 22:00	8065-48-3	N2
Total Merphos	<6.4	ug/kg	25.5	6.4	1	01/29/18 08:55	02/02/18 22:00	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	87	%.	11-137		1	01/29/18 08:55	02/02/18 22:00	115-86-6	
Tributylphosphate (S)	111	%.	17-125		1	01/29/18 08:55	02/02/18 22:00	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.2	ug/kg	3.2	3.2	1	01/29/18 16:21	01/31/18 16:09	94-75-7	
Dalapon	<3.2	ug/kg	3.2	3.2	1	01/29/18 16:21	01/31/18 16:09	75-99-0	
2,4-DB	<3.2	ug/kg	3.2	3.2	1	01/29/18 16:21	01/31/18 16:09	94-82-6	
Dicamba	<3.2	ug/kg	3.2	3.2	1	01/29/18 16:21	01/31/18 16:09	1918-00-9	
Dichloroprop	<3.2	ug/kg	3.2	3.2	1	01/29/18 16:21	01/31/18 16:09	15165-67-0	
Dinoseb	<3.2	ug/kg	3.2	3.2	1	01/29/18 16:21	01/31/18 16:09	88-85-7	CH
MCPA	<316	ug/kg	316	316	1	01/29/18 16:21	01/31/18 16:09	94-74-6	
MCP	<316	ug/kg	316	316	1	01/29/18 16:21	01/31/18 16:09	7085-19-0	
2,4,5-T	<3.2	ug/kg	3.2	3.2	1	01/29/18 16:21	01/31/18 16:09	93-76-5	
2,4,5-TP (Silvex)	<3.2	ug/kg	3.2	3.2	1	01/29/18 16:21	01/31/18 16:09	93-72-1	
Surrogates									
2,4-DCAA (S)	31	%.	10-188		1	01/29/18 16:21	01/31/18 16:09	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	5.4	mg/kg	1.1	0.47	1	01/30/18 14:45	02/01/18 17:31	7440-38-2	
Barium	212	mg/kg	0.57	0.035	1	01/30/18 14:45	02/01/18 17:31	7440-39-3	
Cadmium	0.26J	mg/kg	0.57	0.042	1	01/30/18 14:45	02/01/18 17:31	7440-43-9	
Chromium	15.9	mg/kg	0.57	0.11	1	01/30/18 14:45	02/01/18 17:31	7440-47-3	
Lead	16.1	mg/kg	0.57	0.24	1	01/30/18 14:45	02/01/18 17:31	7439-92-1	
Selenium	<0.85	mg/kg	1.7	0.85	1	01/30/18 14:45	02/01/18 17:31	7782-49-2	
Silver	<0.19	mg/kg	0.79	0.19	1	01/30/18 14:45	02/01/18 17:31	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.035J	mg/kg	0.054	0.0071	1	01/25/18 09:26	01/25/18 12:08	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<44.2	ug/kg	416	44.2	1	01/25/18 15:00	01/29/18 20:02	83-32-9	
Acenaphthylene	<39.1	ug/kg	416	39.1	1	01/25/18 15:00	01/29/18 20:02	208-96-8	
Anthracene	<44.2	ug/kg	416	44.2	1	01/25/18 15:00	01/29/18 20:02	120-12-7	
Benzo(a)anthracene	<37.9	ug/kg	416	37.9	1	01/25/18 15:00	01/29/18 20:02	56-55-3	
Benzo(a)pyrene	<32.8	ug/kg	416	32.8	1	01/25/18 15:00	01/29/18 20:02	50-32-8	
Benzo(b)fluoranthene	<29.0	ug/kg	416	29.0	1	01/25/18 15:00	01/29/18 20:02	205-99-2	
Benzo(g,h,i)perylene	<40.4	ug/kg	416	40.4	1	01/25/18 15:00	01/29/18 20:02	191-24-2	
Benzo(k)fluoranthene	<49.2	ug/kg	416	49.2	1	01/25/18 15:00	01/29/18 20:02	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 (3-5) Lab ID: 60262644006 Collected: 01/23/18 12:40 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<39.1	ug/kg	2110	39.1	1	01/25/18 15:00	01/29/18 20:02	65-85-0	
Benzyl alcohol	<130	ug/kg	833	130	1	01/25/18 15:00	01/29/18 20:02	100-51-6	
4-Bromophenylphenyl ether	<32.8	ug/kg	416	32.8	1	01/25/18 15:00	01/29/18 20:02	101-55-3	
Butylbenzylphthalate	<54.3	ug/kg	416	54.3	1	01/25/18 15:00	01/29/18 20:02	85-68-7	
Carbazole	<34.1	ug/kg	416	34.1	1	01/25/18 15:00	01/29/18 20:02	86-74-8	
4-Chloro-3-methylphenol	<45.4	ug/kg	833	45.4	1	01/25/18 15:00	01/29/18 20:02	59-50-7	
4-Chloroaniline	<82.0	ug/kg	833	82.0	1	01/25/18 15:00	01/29/18 20:02	106-47-8	
bis(2-Chloroethoxy)methane	<32.8	ug/kg	416	32.8	1	01/25/18 15:00	01/29/18 20:02	111-91-1	
bis(2-Chloroethyl) ether	<32.8	ug/kg	416	32.8	1	01/25/18 15:00	01/29/18 20:02	111-44-4	
bis(2-Chloroisopropyl) ether	<32.8	ug/kg	416	32.8	1	01/25/18 15:00	01/29/18 20:02	39638-32-9	
2-Chloronaphthalene	<35.3	ug/kg	416	35.3	1	01/25/18 15:00	01/29/18 20:02	91-58-7	
2-Chlorophenol	<34.1	ug/kg	416	34.1	1	01/25/18 15:00	01/29/18 20:02	95-57-8	
4-Chlorophenylphenyl ether	<40.4	ug/kg	416	40.4	1	01/25/18 15:00	01/29/18 20:02	7005-72-3	
Chrysene	<35.3	ug/kg	416	35.3	1	01/25/18 15:00	01/29/18 20:02	218-01-9	
Dibenz(a,h)anthracene	<37.9	ug/kg	416	37.9	1	01/25/18 15:00	01/29/18 20:02	53-70-3	
Dibenzofuran	<37.9	ug/kg	416	37.9	1	01/25/18 15:00	01/29/18 20:02	132-64-9	
1,2-Dichlorobenzene	<31.5	ug/kg	416	31.5	1	01/25/18 15:00	01/29/18 20:02	95-50-1	
1,3-Dichlorobenzene	<35.3	ug/kg	416	35.3	1	01/25/18 15:00	01/29/18 20:02	541-73-1	
1,4-Dichlorobenzene	<36.6	ug/kg	416	36.6	1	01/25/18 15:00	01/29/18 20:02	106-46-7	
3,3'-Dichlorobenzidine	<143	ug/kg	833	143	1	01/25/18 15:00	01/29/18 20:02	91-94-1	
2,4-Dichlorophenol	<37.9	ug/kg	416	37.9	1	01/25/18 15:00	01/29/18 20:02	120-83-2	
Diethylphthalate	<39.1	ug/kg	416	39.1	1	01/25/18 15:00	01/29/18 20:02	84-66-2	
2,4-Dimethylphenol	<22.7	ug/kg	416	22.7	1	01/25/18 15:00	01/29/18 20:02	105-67-9	
Dimethylphthalate	<40.4	ug/kg	416	40.4	1	01/25/18 15:00	01/29/18 20:02	131-11-3	
Di-n-butylphthalate	<44.2	ug/kg	416	44.2	1	01/25/18 15:00	01/29/18 20:02	84-74-2	
4,6-Dinitro-2-methylphenol	<55.5	ug/kg	2110	55.5	1	01/25/18 15:00	01/29/18 20:02	534-52-1	
2,4-Dinitrophenol	<60.6	ug/kg	2110	60.6	1	01/25/18 15:00	01/29/18 20:02	51-28-5	
2,4-Dinitrotoluene	<35.3	ug/kg	416	35.3	1	01/25/18 15:00	01/29/18 20:02	121-14-2	
2,6-Dinitrotoluene	<42.9	ug/kg	416	42.9	1	01/25/18 15:00	01/29/18 20:02	606-20-2	
Di-n-octylphthalate	<49.2	ug/kg	416	49.2	1	01/25/18 15:00	01/29/18 20:02	117-84-0	
bis(2-Ethylhexyl)phthalate	<144	ug/kg	416	144	1	01/25/18 15:00	01/29/18 20:02	117-81-7	
Fluoranthene	<39.1	ug/kg	416	39.1	1	01/25/18 15:00	01/29/18 20:02	206-44-0	
Fluorene	<39.1	ug/kg	416	39.1	1	01/25/18 15:00	01/29/18 20:02	86-73-7	
Hexachloro-1,3-butadiene	<41.6	ug/kg	416	41.6	1	01/25/18 15:00	01/29/18 20:02	87-68-3	
Hexachlorobenzene	<40.4	ug/kg	416	40.4	1	01/25/18 15:00	01/29/18 20:02	118-74-1	
Hexachlorocyclopentadiene	<88.3	ug/kg	416	88.3	1	01/25/18 15:00	01/29/18 20:02	77-47-4	
Hexachloroethane	<31.5	ug/kg	416	31.5	1	01/25/18 15:00	01/29/18 20:02	67-72-1	
Indeno(1,2,3-cd)pyrene	<45.4	ug/kg	416	45.4	1	01/25/18 15:00	01/29/18 20:02	193-39-5	
Isophorone	<37.9	ug/kg	416	37.9	1	01/25/18 15:00	01/29/18 20:02	78-59-1	
2-Methylnaphthalene	<30.3	ug/kg	416	30.3	1	01/25/18 15:00	01/29/18 20:02	91-57-6	
2-Methylphenol(o-Cresol)	<39.1	ug/kg	416	39.1	1	01/25/18 15:00	01/29/18 20:02	95-48-7	
3&4-Methylphenol(m&p Cresol)	<45.4	ug/kg	416	45.4	1	01/25/18 15:00	01/29/18 20:02		
Naphthalene	<32.8	ug/kg	416	32.8	1	01/25/18 15:00	01/29/18 20:02	91-20-3	
2-Nitroaniline	<70.7	ug/kg	833	70.7	1	01/25/18 15:00	01/29/18 20:02	88-74-4	
3-Nitroaniline	<126	ug/kg	833	126	1	01/25/18 15:00	01/29/18 20:02	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 (3-5) **Lab ID: 60262644006** Collected: 01/23/18 12:40 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<107	ug/kg	833	107	1	01/25/18 15:00	01/29/18 20:02	100-01-6	
Nitrobenzene	<39.1	ug/kg	416	39.1	1	01/25/18 15:00	01/29/18 20:02	98-95-3	
2-Nitrophenol	<58.0	ug/kg	416	58.0	1	01/25/18 15:00	01/29/18 20:02	88-75-5	
4-Nitrophenol	<65.6	ug/kg	2110	65.6	1	01/25/18 15:00	01/29/18 20:02	100-02-7	
N-Nitroso-di-n-propylamine	<41.6	ug/kg	416	41.6	1	01/25/18 15:00	01/29/18 20:02	621-64-7	
N-Nitrosodiphenylamine	<32.8	ug/kg	416	32.8	1	01/25/18 15:00	01/29/18 20:02	86-30-6	
Pentachlorophenol	<39.1	ug/kg	2110	39.1	1	01/25/18 15:00	01/29/18 20:02	87-86-5	
Phenanthrene	<39.1	ug/kg	416	39.1	1	01/25/18 15:00	01/29/18 20:02	85-01-8	
Phenol	<32.8	ug/kg	416	32.8	1	01/25/18 15:00	01/29/18 20:02	108-95-2	
Pyrene	<41.6	ug/kg	416	41.6	1	01/25/18 15:00	01/29/18 20:02	129-00-0	
Pyridine	<34.1	ug/kg	416	34.1	1	01/25/18 15:00	01/29/18 20:02	110-86-1	
1,2,4-Trichlorobenzene	<37.9	ug/kg	416	37.9	1	01/25/18 15:00	01/29/18 20:02	120-82-1	
2,4,5-Trichlorophenol	<37.9	ug/kg	416	37.9	1	01/25/18 15:00	01/29/18 20:02	95-95-4	
2,4,6-Trichlorophenol	<39.1	ug/kg	416	39.1	1	01/25/18 15:00	01/29/18 20:02	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	64	%	41-114		1	01/25/18 15:00	01/29/18 20:02	4165-60-0	
2-Fluorobiphenyl (S)	69	%	61-109		1	01/25/18 15:00	01/29/18 20:02	321-60-8	
Terphenyl-d14 (S)	78	%	48-120		1	01/25/18 15:00	01/29/18 20:02	1718-51-0	
Phenol-d6 (S)	65	%	48-102		1	01/25/18 15:00	01/29/18 20:02	13127-88-3	
2-Fluorophenol (S)	59	%	46-102		1	01/25/18 15:00	01/29/18 20:02	367-12-4	
2,4,6-Tribromophenol (S)	69	%	39-114		1	01/25/18 15:00	01/29/18 20:02	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	21.1	mg/kg	19.1	1.5	1	01/25/18 15:00	01/27/18 15:35		B
TPH-DRO	12.9J	mg/kg	19.1	1.5	1	01/25/18 15:00	01/27/18 15:35		
Surrogates									
Nitrobenzene-d5 (S)	68	%	41-114		1	01/25/18 15:00	01/27/18 15:35	4165-60-0	
2-Fluorobiphenyl (S)	69	%	61-109		1	01/25/18 15:00	01/27/18 15:35	321-60-8	
Terphenyl-d14 (S)	70	%	48-120		1	01/25/18 15:00	01/27/18 15:35	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.29	mg/kg	0.58	0.29	1		01/31/18 15:50		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	28.1	ug/kg	23.2	11.6	1		01/31/18 15:50	67-64-1	
Benzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	71-43-2	
Bromobenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	108-86-1	
Bromochloromethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	74-97-5	
Bromodichloromethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	75-27-4	
Bromoform	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	75-25-2	
Bromomethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	74-83-9	
2-Butanone (MEK)	<5.8	ug/kg	11.6	5.8	1		01/31/18 15:50	78-93-3	
n-Butylbenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	104-51-8	
sec-Butylbenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	135-98-8	
tert-Butylbenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 (3-5) Lab ID: 60262644006 Collected: 01/23/18 12:40 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	75-15-0	
Carbon tetrachloride	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	56-23-5	
Chlorobenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	108-90-7	
Chloroethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	75-00-3	
Chloroform	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	67-66-3	
Chloromethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	74-87-3	
2-Chlorotoluene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	95-49-8	
4-Chlorotoluene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	106-43-4	
1,2-Dibromo-3-chloropropane	<5.8	ug/kg	11.6	5.8	1		01/31/18 15:50	96-12-8	
Dibromochloromethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	124-48-1	
1,2-Dibromoethane (EDB)	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	106-93-4	
Dibromomethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	74-95-3	
1,2-Dichlorobenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	95-50-1	
1,3-Dichlorobenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	541-73-1	
1,4-Dichlorobenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	106-46-7	
Dichlorodifluoromethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	75-71-8	
1,1-Dichloroethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	75-34-3	
1,2-Dichloroethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	107-06-2	
1,2-Dichloroethene (Total)	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	540-59-0	
1,1-Dichloroethene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	75-35-4	
cis-1,2-Dichloroethene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	156-59-2	
trans-1,2-Dichloroethene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	156-60-5	L2
1,2-Dichloropropane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	78-87-5	
1,3-Dichloropropane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	142-28-9	
2,2-Dichloropropane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	594-20-7	
1,1-Dichloropropene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	563-58-6	
cis-1,3-Dichloropropene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	10061-01-5	
trans-1,3-Dichloropropene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	10061-02-6	
Ethylbenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	100-41-4	
Hexachloro-1,3-butadiene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	87-68-3	
2-Hexanone	<11.6	ug/kg	23.2	11.6	1		01/31/18 15:50	591-78-6	
Isopropylbenzene (Cumene)	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	98-82-8	
p-Isopropyltoluene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	99-87-6	
Methylene chloride	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.8	ug/kg	11.6	5.8	1		01/31/18 15:50	108-10-1	
Methyl-tert-butyl ether	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	1634-04-4	
Naphthalene	<5.8	ug/kg	11.6	5.8	1		01/31/18 15:50	91-20-3	
n-Propylbenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	103-65-1	
Styrene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	100-42-5	
1,1,1,2-Tetrachloroethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	630-20-6	
1,1,2,2-Tetrachloroethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	79-34-5	
Tetrachloroethene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	127-18-4	
Toluene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	108-88-3	
1,2,3-Trichlorobenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	87-61-6	
1,2,4-Trichlorobenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 (3-5) **Lab ID: 60262644006** Collected: 01/23/18 12:40 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	71-55-6	
1,1,2-Trichloroethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	79-00-5	
Trichloroethene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	79-01-6	
Trichlorofluoromethane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	75-69-4	
1,2,3-Trichloropropane	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	96-18-4	
1,2,4-Trimethylbenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	95-63-6	
1,3,5-Trimethylbenzene	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	108-67-8	
Vinyl chloride	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	75-01-4	
Xylene (Total)	<2.9	ug/kg	5.8	2.9	1		01/31/18 15:50	1330-20-7	
Surrogates									
Toluene-d8 (S)	99	%	78-122		1		01/31/18 15:50	2037-26-5	
4-Bromofluorobenzene (S)	103	%	69-133		1		01/31/18 15:50	460-00-4	
1,2-Dichloroethane-d4 (S)	122	%	80-123		1		01/31/18 15:50	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974									
Percent Moisture	22.6	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045									
pH at 25 Degrees C	8.8	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	112J	mg/kg	130	65.0	10	02/05/18 08:00	02/06/18 03:28	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	19.6	mg/kg	13.0	6.5	10	02/05/18 16:00	02/06/18 03:28	14797-55-8	
Nitrite as N	<6.5	mg/kg	13.0	6.5	10	02/05/18 16:00	02/06/18 03:28	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-7 (0-1) Lab ID: 60262644007 Collected: 01/23/18 13:40 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.67	ug/kg	1.9	0.67	1	01/29/18 08:55	01/30/18 16:15	309-00-2	
alpha-BHC	<0.30	ug/kg	1.9	0.30	1	01/29/18 08:55	01/30/18 16:15	319-84-6	
beta-BHC	<1.0	ug/kg	3.2	1.0	1	01/29/18 08:55	01/30/18 16:15	319-85-7	
delta-BHC	<0.91	ug/kg	2.7	0.91	1	01/29/18 08:55	01/30/18 16:15	319-86-8	
gamma-BHC (Lindane)	<0.85	ug/kg	2.7	0.85	1	01/29/18 08:55	01/30/18 16:15	58-89-9	
Chlordane (Technical)	<53.3	ug/kg	284	53.3	1	01/29/18 08:55	01/30/18 16:15	57-74-9	
alpha-Chlordane	<0.75	ug/kg	3.2	0.75	1	01/29/18 08:55	01/30/18 16:15	5103-71-9	
gamma-Chlordane	<1.3	ug/kg	3.2	1.3	1	01/29/18 08:55	01/30/18 16:15	5103-74-2	
4,4'-DDD	<0.62	ug/kg	1.9	0.62	1	01/29/18 08:55	01/30/18 16:15	72-54-8	
4,4'-DDE	<0.59	ug/kg	1.9	0.59	1	01/29/18 08:55	01/30/18 16:15	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.7	1.2	1	01/29/18 08:55	01/30/18 16:15	50-29-3	
Dieldrin	<0.82	ug/kg	2.7	0.82	1	01/29/18 08:55	01/30/18 16:15	60-57-1	
Endosulfan I	<0.88	ug/kg	2.7	0.88	1	01/29/18 08:55	01/30/18 16:15	959-98-8	
Endosulfan II	<0.61	ug/kg	1.9	0.61	1	01/29/18 08:55	01/30/18 16:15	33213-65-9	
Endosulfan sulfate	<0.87	ug/kg	2.7	0.87	1	01/29/18 08:55	01/30/18 16:15	1031-07-8	
Endrin	<0.88	ug/kg	3.2	0.88	1	01/29/18 08:55	01/30/18 16:15	72-20-8	
Endrin aldehyde	<0.88	ug/kg	2.7	0.88	1	01/29/18 08:55	01/30/18 16:15	7421-93-4	
Endrin ketone	<1.0	ug/kg	3.8	1.0	1	01/29/18 08:55	01/30/18 16:15	53494-70-5	
Heptachlor	<1.4	ug/kg	3.8	1.4	1	01/29/18 08:55	01/30/18 16:15	76-44-8	
Heptachlor epoxide	<3.8	ug/kg	9.5	3.8	1	01/29/18 08:55	01/30/18 16:15	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.8	1.1	1	01/29/18 08:55	01/30/18 16:15	72-43-5	
Toxaphene	<98.2	ug/kg	284	98.2	1	01/29/18 08:55	01/30/18 16:15	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	80	%	70-130		1	01/29/18 08:55	01/30/18 16:15	877-09-8	
Decachlorobiphenyl (S)	77	%	70-130		1	01/29/18 08:55	01/30/18 16:15	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:27	22248-79-9	
Azinphos, methyl (Guthion)	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:27	86-50-0	
Bolstar	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:27	35400-43-2	
Chlorpyrifos	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:27	2921-88-2	
Coumaphos	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:27	56-72-4	
Diazinon	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:27	333-41-5	
Dichlorvos	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:27	62-73-7	
Dimethoate	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:27	60-51-5	
Disulfoton	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:27	298-04-4	
EPN (ENT)	<4.0	ug/kg	6.3	4.0	1	01/29/18 08:55	02/02/18 22:27	2104-64-5	
Ethoprop	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:27	13194-48-4	
Fensulfthion	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:27	115-90-2	
Fenthion	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:27	55-38-9	
Malathion	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:27	121-75-5	
Methyl parathion	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:27	298-00-0	
Mevinphos	<3.7	ug/kg	6.3	3.7	1	01/29/18 08:55	02/02/18 22:27	7786-34-7	
Parathion (Ethyl parathion)	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:27	56-38-2	
Phorate	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:27	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-7 (0-1) Lab ID: 60262644007 Collected: 01/23/18 13:40 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:27	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:27	3689-24-5	
Tokuthion (Prothiofos)	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:27	34643-46-4	
Trichloronate	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:27	327-98-0	
Total Demeton	<5.2	ug/kg	6.3	5.2	1	01/29/18 08:55	02/02/18 22:27	8065-48-3	N2
Total Merphos	<6.3	ug/kg	25.2	6.3	1	01/29/18 08:55	02/02/18 22:27	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	90	%.	11-137		1	01/29/18 08:55	02/02/18 22:27	115-86-6	
Tributylphosphate (S)	113	%.	17-125		1	01/29/18 08:55	02/02/18 22:27	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 20:43	94-75-7	
Dalapon	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 20:43	75-99-0	
2,4-DB	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 20:43	94-82-6	
Dicamba	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 20:43	1918-00-9	
Dichloroprop	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 20:43	15165-67-0	
Dinoseb	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 20:43	88-85-7	
MCPA	<311	ug/kg	311	311	1	01/29/18 16:21	01/30/18 20:43	94-74-6	
MCPP	<311	ug/kg	311	311	1	01/29/18 16:21	01/30/18 20:43	7085-19-0	
2,4,5-T	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 20:43	93-76-5	
2,4,5-TP (Silvex)	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 20:43	93-72-1	
Surrogates									
2,4-DCAA (S)	14	%.	10-188		1	01/29/18 16:21	01/30/18 20:43	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	5.2	mg/kg	1.2	0.48	1	01/30/18 14:45	02/01/18 17:33	7440-38-2	
Barium	423	mg/kg	0.59	0.036	1	01/30/18 14:45	02/01/18 17:33	7440-39-3	
Cadmium	0.32J	mg/kg	0.59	0.043	1	01/30/18 14:45	02/01/18 17:33	7440-43-9	
Chromium	15.0	mg/kg	0.59	0.12	1	01/30/18 14:45	02/01/18 17:33	7440-47-3	
Lead	101	mg/kg	0.59	0.24	1	01/30/18 14:45	02/01/18 17:33	7439-92-1	
Selenium	<0.88	mg/kg	1.8	0.88	1	01/30/18 14:45	02/01/18 17:33	7782-49-2	
Silver	<0.19	mg/kg	0.82	0.19	1	01/30/18 14:45	02/01/18 17:33	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.097	mg/kg	0.054	0.0072	1	01/25/18 09:26	01/25/18 12:10	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<43.4	ug/kg	409	43.4	1	01/30/18 15:00	01/31/18 17:26	83-32-9	
Acenaphthylene	<38.4	ug/kg	409	38.4	1	01/30/18 15:00	01/31/18 17:26	208-96-8	
Anthracene	<43.4	ug/kg	409	43.4	1	01/30/18 15:00	01/31/18 17:26	120-12-7	
Benzo(a)anthracene	<37.2	ug/kg	409	37.2	1	01/30/18 15:00	01/31/18 17:26	56-55-3	
Benzo(a)pyrene	<32.2	ug/kg	409	32.2	1	01/30/18 15:00	01/31/18 17:26	50-32-8	
Benzo(b)fluoranthene	<28.5	ug/kg	409	28.5	1	01/30/18 15:00	01/31/18 17:26	205-99-2	
Benzo(g,h,i)perylene	<39.7	ug/kg	409	39.7	1	01/30/18 15:00	01/31/18 17:26	191-24-2	
Benzo(k)fluoranthene	<48.4	ug/kg	409	48.4	1	01/30/18 15:00	01/31/18 17:26	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-7 (0-1) Lab ID: 60262644007 Collected: 01/23/18 13:40 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<38.4	ug/kg	2070	38.4	1	01/30/18 15:00	01/31/18 17:26	65-85-0	
Benzyl alcohol	<128	ug/kg	818	128	1	01/30/18 15:00	01/31/18 17:26	100-51-6	
4-Bromophenylphenyl ether	<32.2	ug/kg	409	32.2	1	01/30/18 15:00	01/31/18 17:26	101-55-3	
Butylbenzylphthalate	<53.3	ug/kg	409	53.3	1	01/30/18 15:00	01/31/18 17:26	85-68-7	
Carbazole	<33.5	ug/kg	409	33.5	1	01/30/18 15:00	01/31/18 17:26	86-74-8	
4-Chloro-3-methylphenol	<44.6	ug/kg	818	44.6	1	01/30/18 15:00	01/31/18 17:26	59-50-7	
4-Chloroaniline	<80.6	ug/kg	818	80.6	1	01/30/18 15:00	01/31/18 17:26	106-47-8	
bis(2-Chloroethoxy)methane	<32.2	ug/kg	409	32.2	1	01/30/18 15:00	01/31/18 17:26	111-91-1	
bis(2-Chloroethyl) ether	<32.2	ug/kg	409	32.2	1	01/30/18 15:00	01/31/18 17:26	111-44-4	
bis(2-Chloroisopropyl) ether	<32.2	ug/kg	409	32.2	1	01/30/18 15:00	01/31/18 17:26	39638-32-9	
2-Chloronaphthalene	<34.7	ug/kg	409	34.7	1	01/30/18 15:00	01/31/18 17:26	91-58-7	
2-Chlorophenol	<33.5	ug/kg	409	33.5	1	01/30/18 15:00	01/31/18 17:26	95-57-8	
4-Chlorophenylphenyl ether	<39.7	ug/kg	409	39.7	1	01/30/18 15:00	01/31/18 17:26	7005-72-3	
Chrysene	<34.7	ug/kg	409	34.7	1	01/30/18 15:00	01/31/18 17:26	218-01-9	
Dibenz(a,h)anthracene	<37.2	ug/kg	409	37.2	1	01/30/18 15:00	01/31/18 17:26	53-70-3	
Dibenzofuran	<37.2	ug/kg	409	37.2	1	01/30/18 15:00	01/31/18 17:26	132-64-9	
1,2-Dichlorobenzene	<31.0	ug/kg	409	31.0	1	01/30/18 15:00	01/31/18 17:26	95-50-1	
1,3-Dichlorobenzene	<34.7	ug/kg	409	34.7	1	01/30/18 15:00	01/31/18 17:26	541-73-1	
1,4-Dichlorobenzene	<36.0	ug/kg	409	36.0	1	01/30/18 15:00	01/31/18 17:26	106-46-7	
3,3'-Dichlorobenzidine	<140	ug/kg	818	140	1	01/30/18 15:00	01/31/18 17:26	91-94-1	
2,4-Dichlorophenol	<37.2	ug/kg	409	37.2	1	01/30/18 15:00	01/31/18 17:26	120-83-2	
Diethylphthalate	<38.4	ug/kg	409	38.4	1	01/30/18 15:00	01/31/18 17:26	84-66-2	
2,4-Dimethylphenol	<22.3	ug/kg	409	22.3	1	01/30/18 15:00	01/31/18 17:26	105-67-9	
Dimethylphthalate	<39.7	ug/kg	409	39.7	1	01/30/18 15:00	01/31/18 17:26	131-11-3	
Di-n-butylphthalate	<43.4	ug/kg	409	43.4	1	01/30/18 15:00	01/31/18 17:26	84-74-2	
4,6-Dinitro-2-methylphenol	<54.6	ug/kg	2070	54.6	1	01/30/18 15:00	01/31/18 17:26	534-52-1	
2,4-Dinitrophenol	<59.5	ug/kg	2070	59.5	1	01/30/18 15:00	01/31/18 17:26	51-28-5	
2,4-Dinitrotoluene	<34.7	ug/kg	409	34.7	1	01/30/18 15:00	01/31/18 17:26	121-14-2	
2,6-Dinitrotoluene	<42.2	ug/kg	409	42.2	1	01/30/18 15:00	01/31/18 17:26	606-20-2	
Di-n-octylphthalate	<48.4	ug/kg	409	48.4	1	01/30/18 15:00	01/31/18 17:26	117-84-0	
bis(2-Ethylhexyl)phthalate	<141	ug/kg	409	141	1	01/30/18 15:00	01/31/18 17:26	117-81-7	
Fluoranthene	50.5J	ug/kg	409	38.4	1	01/30/18 15:00	01/31/18 17:26	206-44-0	
Fluorene	<38.4	ug/kg	409	38.4	1	01/30/18 15:00	01/31/18 17:26	86-73-7	
Hexachloro-1,3-butadiene	<40.9	ug/kg	409	40.9	1	01/30/18 15:00	01/31/18 17:26	87-68-3	
Hexachlorobenzene	<39.7	ug/kg	409	39.7	1	01/30/18 15:00	01/31/18 17:26	118-74-1	
Hexachlorocyclopentadiene	<86.8	ug/kg	409	86.8	1	01/30/18 15:00	01/31/18 17:26	77-47-4	
Hexachloroethane	<31.0	ug/kg	409	31.0	1	01/30/18 15:00	01/31/18 17:26	67-72-1	
Indeno(1,2,3-cd)pyrene	<44.6	ug/kg	409	44.6	1	01/30/18 15:00	01/31/18 17:26	193-39-5	
Isophorone	<37.2	ug/kg	409	37.2	1	01/30/18 15:00	01/31/18 17:26	78-59-1	
2-Methylnaphthalene	<29.8	ug/kg	409	29.8	1	01/30/18 15:00	01/31/18 17:26	91-57-6	
2-Methylphenol(o-Cresol)	<38.4	ug/kg	409	38.4	1	01/30/18 15:00	01/31/18 17:26	95-48-7	
3&4-Methylphenol(m&p Cresol)	<44.6	ug/kg	409	44.6	1	01/30/18 15:00	01/31/18 17:26		
Naphthalene	<32.2	ug/kg	409	32.2	1	01/30/18 15:00	01/31/18 17:26	91-20-3	
2-Nitroaniline	<69.4	ug/kg	818	69.4	1	01/30/18 15:00	01/31/18 17:26	88-74-4	
3-Nitroaniline	<124	ug/kg	818	124	1	01/30/18 15:00	01/31/18 17:26	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: **SB-7 (0-1)** Lab ID: **60262644007** Collected: 01/23/18 13:40 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<105	ug/kg	818	105	1	01/30/18 15:00	01/31/18 17:26	100-01-6	
Nitrobenzene	<38.4	ug/kg	409	38.4	1	01/30/18 15:00	01/31/18 17:26	98-95-3	
2-Nitrophenol	<57.0	ug/kg	409	57.0	1	01/30/18 15:00	01/31/18 17:26	88-75-5	
4-Nitrophenol	<64.5	ug/kg	2070	64.5	1	01/30/18 15:00	01/31/18 17:26	100-02-7	
N-Nitroso-di-n-propylamine	<40.9	ug/kg	409	40.9	1	01/30/18 15:00	01/31/18 17:26	621-64-7	
N-Nitrosodiphenylamine	<32.2	ug/kg	409	32.2	1	01/30/18 15:00	01/31/18 17:26	86-30-6	
Pentachlorophenol	<38.4	ug/kg	2070	38.4	1	01/30/18 15:00	01/31/18 17:26	87-86-5	
Phenanthrene	<38.4	ug/kg	409	38.4	1	01/30/18 15:00	01/31/18 17:26	85-01-8	
Phenol	<32.2	ug/kg	409	32.2	1	01/30/18 15:00	01/31/18 17:26	108-95-2	
Pyrene	41.8J	ug/kg	409	40.9	1	01/30/18 15:00	01/31/18 17:26	129-00-0	
Pyridine	<33.5	ug/kg	409	33.5	1	01/30/18 15:00	01/31/18 17:26	110-86-1	
1,2,4-Trichlorobenzene	<37.2	ug/kg	409	37.2	1	01/30/18 15:00	01/31/18 17:26	120-82-1	
2,4,5-Trichlorophenol	<37.2	ug/kg	409	37.2	1	01/30/18 15:00	01/31/18 17:26	95-95-4	
2,4,6-Trichlorophenol	<38.4	ug/kg	409	38.4	1	01/30/18 15:00	01/31/18 17:26	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	78	%	41-114		1	01/30/18 15:00	01/31/18 17:26	4165-60-0	
2-Fluorobiphenyl (S)	80	%	61-109		1	01/30/18 15:00	01/31/18 17:26	321-60-8	
Terphenyl-d14 (S)	82	%	48-120		1	01/30/18 15:00	01/31/18 17:26	1718-51-0	
Phenol-d6 (S)	74	%	48-102		1	01/30/18 15:00	01/31/18 17:26	13127-88-3	
2-Fluorophenol (S)	44	%	46-102		1	01/30/18 15:00	01/31/18 17:26	367-12-4	S0
2,4,6-Tribromophenol (S)	40	%	39-114		1	01/30/18 15:00	01/31/18 17:26	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	56.6	mg/kg	18.7	1.5	1	01/25/18 15:00	01/27/18 15:55		
TPH-DRO	13.7J	mg/kg	18.7	1.5	1	01/25/18 15:00	01/27/18 15:55		
Surrogates									
Nitrobenzene-d5 (S)	110	%	41-114		1	01/25/18 15:00	01/27/18 15:55	4165-60-0	
2-Fluorobiphenyl (S)	78	%	61-109		1	01/25/18 15:00	01/27/18 15:55	321-60-8	
Terphenyl-d14 (S)	79	%	48-120		1	01/25/18 15:00	01/27/18 15:55	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.45	mg/kg	0.91	0.45	1		01/31/18 16:06		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	<18.1	ug/kg	36.2	18.1	1		01/31/18 16:06	67-64-1	
Benzene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	71-43-2	
Bromobenzene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	108-86-1	
Bromochloromethane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	74-97-5	
Bromodichloromethane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	75-27-4	
Bromoform	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	75-25-2	
Bromomethane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	74-83-9	
2-Butanone (MEK)	<9.1	ug/kg	18.1	9.1	1		01/31/18 16:06	78-93-3	
n-Butylbenzene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	104-51-8	
sec-Butylbenzene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	135-98-8	
tert-Butylbenzene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-7 (0-1) Lab ID: 60262644007 Collected: 01/23/18 13:40 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	75-15-0	
Carbon tetrachloride	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	56-23-5	
Chlorobenzene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	108-90-7	
Chloroethane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	75-00-3	
Chloroform	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	67-66-3	
Chloromethane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	74-87-3	
2-Chlorotoluene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	95-49-8	
4-Chlorotoluene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	106-43-4	
1,2-Dibromo-3-chloropropane	<9.1	ug/kg	18.1	9.1	1		01/31/18 16:06	96-12-8	
Dibromochloromethane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	124-48-1	
1,2-Dibromoethane (EDB)	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	106-93-4	
Dibromomethane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	74-95-3	
1,2-Dichlorobenzene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	95-50-1	
1,3-Dichlorobenzene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	541-73-1	
1,4-Dichlorobenzene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	106-46-7	
Dichlorodifluoromethane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	75-71-8	
1,1-Dichloroethane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	75-34-3	
1,2-Dichloroethane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	107-06-2	
1,2-Dichloroethene (Total)	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	540-59-0	
1,1-Dichloroethene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	75-35-4	
cis-1,2-Dichloroethene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	156-59-2	
trans-1,2-Dichloroethene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	156-60-5	L2
1,2-Dichloropropane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	78-87-5	
1,3-Dichloropropane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	142-28-9	
2,2-Dichloropropane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	594-20-7	
1,1-Dichloropropene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	563-58-6	
cis-1,3-Dichloropropene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	10061-01-5	
trans-1,3-Dichloropropene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	10061-02-6	
Ethylbenzene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	100-41-4	
Hexachloro-1,3-butadiene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	87-68-3	
2-Hexanone	<18.1	ug/kg	36.2	18.1	1		01/31/18 16:06	591-78-6	
Isopropylbenzene (Cumene)	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	98-82-8	
p-Isopropyltoluene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	99-87-6	
Methylene chloride	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	<9.1	ug/kg	18.1	9.1	1		01/31/18 16:06	108-10-1	
Methyl-tert-butyl ether	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	1634-04-4	
Naphthalene	<9.1	ug/kg	18.1	9.1	1		01/31/18 16:06	91-20-3	
n-Propylbenzene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	103-65-1	
Styrene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	100-42-5	
1,1,1,2-Tetrachloroethane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	630-20-6	
1,1,2,2-Tetrachloroethane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	79-34-5	
Tetrachloroethene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	127-18-4	
Toluene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	108-88-3	
1,2,3-Trichlorobenzene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	87-61-6	
1,2,4-Trichlorobenzene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-7 (0-1) **Lab ID: 60262644007** Collected: 01/23/18 13:40 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	71-55-6	
1,1,2-Trichloroethane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	79-00-5	
Trichloroethene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	79-01-6	
Trichlorofluoromethane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	75-69-4	
1,2,3-Trichloropropane	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	96-18-4	
1,2,4-Trimethylbenzene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	95-63-6	
1,3,5-Trimethylbenzene	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	108-67-8	
Vinyl chloride	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	75-01-4	
Xylene (Total)	<4.5	ug/kg	9.1	4.5	1		01/31/18 16:06	1330-20-7	
Surrogates									
Toluene-d8 (S)	98	%	78-122		1		01/31/18 16:06	2037-26-5	
4-Bromofluorobenzene (S)	102	%	69-133		1		01/31/18 16:06	460-00-4	
1,2-Dichloroethane-d4 (S)	121	%	80-123		1		01/31/18 16:06	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974									
Percent Moisture	21.1	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045									
pH at 25 Degrees C	10.2	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	301	mg/kg	129	64.7	10	02/05/18 08:00	02/06/18 03:42	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	91.8	mg/kg	12.9	6.5	10	02/05/18 16:00	02/06/18 03:42	14797-55-8	
Nitrite as N	<6.5	mg/kg	12.9	6.5	10	02/05/18 16:00	02/06/18 03:42	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-7 (3-5) Lab ID: 60262644008 Collected: 01/23/18 13:50 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.67	ug/kg	1.9	0.67	1	01/29/18 08:55	01/30/18 16:29	309-00-2	
alpha-BHC	<0.30	ug/kg	1.9	0.30	1	01/29/18 08:55	01/30/18 16:29	319-84-6	
beta-BHC	<1.0	ug/kg	3.1	1.0	1	01/29/18 08:55	01/30/18 16:29	319-85-7	
delta-BHC	<0.90	ug/kg	2.6	0.90	1	01/29/18 08:55	01/30/18 16:29	319-86-8	
gamma-BHC (Lindane)	<0.85	ug/kg	2.6	0.85	1	01/29/18 08:55	01/30/18 16:29	58-89-9	
Chlordane (Technical)	<53.0	ug/kg	283	53.0	1	01/29/18 08:55	01/30/18 16:29	57-74-9	
alpha-Chlordane	<0.75	ug/kg	3.1	0.75	1	01/29/18 08:55	01/30/18 16:29	5103-71-9	
gamma-Chlordane	<1.3	ug/kg	3.1	1.3	1	01/29/18 08:55	01/30/18 16:29	5103-74-2	
4,4'-DDD	<0.62	ug/kg	1.9	0.62	1	01/29/18 08:55	01/30/18 16:29	72-54-8	
4,4'-DDE	<0.59	ug/kg	1.9	0.59	1	01/29/18 08:55	01/30/18 16:29	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.6	1.2	1	01/29/18 08:55	01/30/18 16:29	50-29-3	
Dieldrin	<0.82	ug/kg	2.6	0.82	1	01/29/18 08:55	01/30/18 16:29	60-57-1	
Endosulfan I	<0.87	ug/kg	2.6	0.87	1	01/29/18 08:55	01/30/18 16:29	959-98-8	
Endosulfan II	<0.61	ug/kg	1.9	0.61	1	01/29/18 08:55	01/30/18 16:29	33213-65-9	
Endosulfan sulfate	<0.87	ug/kg	2.6	0.87	1	01/29/18 08:55	01/30/18 16:29	1031-07-8	
Endrin	<0.87	ug/kg	3.1	0.87	1	01/29/18 08:55	01/30/18 16:29	72-20-8	
Endrin aldehyde	<0.87	ug/kg	2.6	0.87	1	01/29/18 08:55	01/30/18 16:29	7421-93-4	
Endrin ketone	<1.0	ug/kg	3.8	1.0	1	01/29/18 08:55	01/30/18 16:29	53494-70-5	
Heptachlor	<1.4	ug/kg	3.8	1.4	1	01/29/18 08:55	01/30/18 16:29	76-44-8	
Heptachlor epoxide	<3.8	ug/kg	9.4	3.8	1	01/29/18 08:55	01/30/18 16:29	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.8	1.1	1	01/29/18 08:55	01/30/18 16:29	72-43-5	
Toxaphene	<97.8	ug/kg	283	97.8	1	01/29/18 08:55	01/30/18 16:29	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	80	%.	70-130		1	01/29/18 08:55	01/30/18 16:29	877-09-8	
Decachlorobiphenyl (S)	76	%.	70-130		1	01/29/18 08:55	01/30/18 16:29	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:54	22248-79-9	
Azinphos, methyl (Guthion)	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:54	86-50-0	
Bolstar	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:54	35400-43-2	
Chlorpyrifos	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:54	2921-88-2	
Coumaphos	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:54	56-72-4	
Diazinon	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:54	333-41-5	
Dichlorvos	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:54	62-73-7	
Dimethoate	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:54	60-51-5	
Disulfoton	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:54	298-04-4	
EPN (ENT)	<4.0	ug/kg	6.3	4.0	1	01/29/18 08:55	02/02/18 22:54	2104-64-5	
Ethoprop	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:54	13194-48-4	
Fensulfthion	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:54	115-90-2	
Fenthion	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:54	55-38-9	
Malathion	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:54	121-75-5	
Methyl parathion	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:54	298-00-0	
Mevinphos	<3.7	ug/kg	6.3	3.7	1	01/29/18 08:55	02/02/18 22:54	7786-34-7	
Parathion (Ethyl parathion)	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:54	56-38-2	
Phorate	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:54	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-7 (3-5) **Lab ID: 60262644008** Collected: 01/23/18 13:50 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:54	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:54	3689-24-5	
Tokuthion (Prothiofos)	<3.1	ug/kg	6.3	3.1	1	01/29/18 08:55	02/02/18 22:54	34643-46-4	
Trichloronate	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/02/18 22:54	327-98-0	
Total Demeton	<5.2	ug/kg	6.3	5.2	1	01/29/18 08:55	02/02/18 22:54	8065-48-3	N2
Total Merphos	<6.3	ug/kg	25.1	6.3	1	01/29/18 08:55	02/02/18 22:54	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	88	%.	11-137		1	01/29/18 08:55	02/02/18 22:54	115-86-6	
Tributylphosphate (S)	112	%.	17-125		1	01/29/18 08:55	02/02/18 22:54	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 16:59	94-75-7	
Dalapon	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 16:59	75-99-0	
2,4-DB	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 16:59	94-82-6	
Dicamba	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 16:59	1918-00-9	
Dichloroprop	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 16:59	15165-67-0	
Dinoseb	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 16:59	88-85-7	CH
MCPA	<307	ug/kg	307	307	1	01/29/18 16:21	01/31/18 16:59	94-74-6	
MCP	<307	ug/kg	307	307	1	01/29/18 16:21	01/31/18 16:59	7085-19-0	
2,4,5-T	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 16:59	93-76-5	
2,4,5-TP (Silvex)	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/31/18 16:59	93-72-1	
Surrogates									
2,4-DCAA (S)	7	%.	10-188		1	01/29/18 16:21	01/31/18 16:59	19719-28-9	S1
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	5.5	mg/kg	1.3	0.52	1	01/30/18 14:45	02/01/18 17:35	7440-38-2	
Barium	414	mg/kg	0.63	0.039	1	01/30/18 14:45	02/01/18 17:35	7440-39-3	
Cadmium	0.33J	mg/kg	0.63	0.047	1	01/30/18 14:45	02/01/18 17:35	7440-43-9	
Chromium	15.7	mg/kg	0.63	0.13	1	01/30/18 14:45	02/01/18 17:35	7440-47-3	
Lead	93.8	mg/kg	0.63	0.26	1	01/30/18 14:45	02/01/18 17:35	7439-92-1	
Selenium	<0.94	mg/kg	1.9	0.94	1	01/30/18 14:45	02/01/18 17:35	7782-49-2	
Silver	<0.21	mg/kg	0.88	0.21	1	01/30/18 14:45	02/01/18 17:35	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.014J	mg/kg	0.053	0.0069	1	01/25/18 09:26	01/25/18 12:12	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<43.8	ug/kg	413	43.8	1	01/25/18 15:00	01/29/18 20:45	83-32-9	
Acenaphthylene	<38.8	ug/kg	413	38.8	1	01/25/18 15:00	01/29/18 20:45	208-96-8	
Anthracene	<43.8	ug/kg	413	43.8	1	01/25/18 15:00	01/29/18 20:45	120-12-7	
Benzo(a)anthracene	<37.5	ug/kg	413	37.5	1	01/25/18 15:00	01/29/18 20:45	56-55-3	
Benzo(a)pyrene	<32.5	ug/kg	413	32.5	1	01/25/18 15:00	01/29/18 20:45	50-32-8	
Benzo(b)fluoranthene	<28.8	ug/kg	413	28.8	1	01/25/18 15:00	01/29/18 20:45	205-99-2	
Benzo(g,h,i)perylene	<40.0	ug/kg	413	40.0	1	01/25/18 15:00	01/29/18 20:45	191-24-2	
Benzo(k)fluoranthene	<48.8	ug/kg	413	48.8	1	01/25/18 15:00	01/29/18 20:45	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-7 (3-5) Lab ID: 60262644008 Collected: 01/23/18 13:50 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<38.8	ug/kg	2090	38.8	1	01/25/18 15:00	01/29/18 20:45	65-85-0	
Benzyl alcohol	<129	ug/kg	825	129	1	01/25/18 15:00	01/29/18 20:45	100-51-6	
4-Bromophenylphenyl ether	<32.5	ug/kg	413	32.5	1	01/25/18 15:00	01/29/18 20:45	101-55-3	
Butylbenzylphthalate	<53.8	ug/kg	413	53.8	1	01/25/18 15:00	01/29/18 20:45	85-68-7	
Carbazole	<33.8	ug/kg	413	33.8	1	01/25/18 15:00	01/29/18 20:45	86-74-8	
4-Chloro-3-methylphenol	<45.0	ug/kg	825	45.0	1	01/25/18 15:00	01/29/18 20:45	59-50-7	
4-Chloroaniline	<81.3	ug/kg	825	81.3	1	01/25/18 15:00	01/29/18 20:45	106-47-8	
bis(2-Chloroethoxy)methane	<32.5	ug/kg	413	32.5	1	01/25/18 15:00	01/29/18 20:45	111-91-1	
bis(2-Chloroethyl) ether	<32.5	ug/kg	413	32.5	1	01/25/18 15:00	01/29/18 20:45	111-44-4	
bis(2-Chloroisopropyl) ether	<32.5	ug/kg	413	32.5	1	01/25/18 15:00	01/29/18 20:45	39638-32-9	
2-Chloronaphthalene	<35.0	ug/kg	413	35.0	1	01/25/18 15:00	01/29/18 20:45	91-58-7	
2-Chlorophenol	<33.8	ug/kg	413	33.8	1	01/25/18 15:00	01/29/18 20:45	95-57-8	
4-Chlorophenylphenyl ether	<40.0	ug/kg	413	40.0	1	01/25/18 15:00	01/29/18 20:45	7005-72-3	
Chrysene	<35.0	ug/kg	413	35.0	1	01/25/18 15:00	01/29/18 20:45	218-01-9	
Dibenz(a,h)anthracene	<37.5	ug/kg	413	37.5	1	01/25/18 15:00	01/29/18 20:45	53-70-3	
Dibenzofuran	<37.5	ug/kg	413	37.5	1	01/25/18 15:00	01/29/18 20:45	132-64-9	
1,2-Dichlorobenzene	<31.3	ug/kg	413	31.3	1	01/25/18 15:00	01/29/18 20:45	95-50-1	
1,3-Dichlorobenzene	<35.0	ug/kg	413	35.0	1	01/25/18 15:00	01/29/18 20:45	541-73-1	
1,4-Dichlorobenzene	<36.3	ug/kg	413	36.3	1	01/25/18 15:00	01/29/18 20:45	106-46-7	
3,3'-Dichlorobenzidine	<141	ug/kg	825	141	1	01/25/18 15:00	01/29/18 20:45	91-94-1	
2,4-Dichlorophenol	<37.5	ug/kg	413	37.5	1	01/25/18 15:00	01/29/18 20:45	120-83-2	
Diethylphthalate	<38.8	ug/kg	413	38.8	1	01/25/18 15:00	01/29/18 20:45	84-66-2	
2,4-Dimethylphenol	<22.5	ug/kg	413	22.5	1	01/25/18 15:00	01/29/18 20:45	105-67-9	
Dimethylphthalate	<40.0	ug/kg	413	40.0	1	01/25/18 15:00	01/29/18 20:45	131-11-3	
Di-n-butylphthalate	<43.8	ug/kg	413	43.8	1	01/25/18 15:00	01/29/18 20:45	84-74-2	
4,6-Dinitro-2-methylphenol	<55.0	ug/kg	2090	55.0	1	01/25/18 15:00	01/29/18 20:45	534-52-1	
2,4-Dinitrophenol	<60.0	ug/kg	2090	60.0	1	01/25/18 15:00	01/29/18 20:45	51-28-5	
2,4-Dinitrotoluene	<35.0	ug/kg	413	35.0	1	01/25/18 15:00	01/29/18 20:45	121-14-2	
2,6-Dinitrotoluene	<42.5	ug/kg	413	42.5	1	01/25/18 15:00	01/29/18 20:45	606-20-2	
Di-n-octylphthalate	<48.8	ug/kg	413	48.8	1	01/25/18 15:00	01/29/18 20:45	117-84-0	
bis(2-Ethylhexyl)phthalate	<143	ug/kg	413	143	1	01/25/18 15:00	01/29/18 20:45	117-81-7	
Fluoranthene	<38.8	ug/kg	413	38.8	1	01/25/18 15:00	01/29/18 20:45	206-44-0	
Fluorene	<38.8	ug/kg	413	38.8	1	01/25/18 15:00	01/29/18 20:45	86-73-7	
Hexachloro-1,3-butadiene	<41.3	ug/kg	413	41.3	1	01/25/18 15:00	01/29/18 20:45	87-68-3	
Hexachlorobenzene	<40.0	ug/kg	413	40.0	1	01/25/18 15:00	01/29/18 20:45	118-74-1	
Hexachlorocyclopentadiene	<87.5	ug/kg	413	87.5	1	01/25/18 15:00	01/29/18 20:45	77-47-4	
Hexachloroethane	<31.3	ug/kg	413	31.3	1	01/25/18 15:00	01/29/18 20:45	67-72-1	
Indeno(1,2,3-cd)pyrene	<45.0	ug/kg	413	45.0	1	01/25/18 15:00	01/29/18 20:45	193-39-5	
Isophorone	<37.5	ug/kg	413	37.5	1	01/25/18 15:00	01/29/18 20:45	78-59-1	
2-Methylnaphthalene	<30.0	ug/kg	413	30.0	1	01/25/18 15:00	01/29/18 20:45	91-57-6	
2-Methylphenol(o-Cresol)	<38.8	ug/kg	413	38.8	1	01/25/18 15:00	01/29/18 20:45	95-48-7	
3&4-Methylphenol(m&p Cresol)	<45.0	ug/kg	413	45.0	1	01/25/18 15:00	01/29/18 20:45		
Naphthalene	<32.5	ug/kg	413	32.5	1	01/25/18 15:00	01/29/18 20:45	91-20-3	
2-Nitroaniline	<70.0	ug/kg	825	70.0	1	01/25/18 15:00	01/29/18 20:45	88-74-4	
3-Nitroaniline	<125	ug/kg	825	125	1	01/25/18 15:00	01/29/18 20:45	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-7 (3-5) Lab ID: 60262644008 Collected: 01/23/18 13:50 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<106	ug/kg	825	106	1	01/25/18 15:00	01/29/18 20:45	100-01-6	
Nitrobenzene	<38.8	ug/kg	413	38.8	1	01/25/18 15:00	01/29/18 20:45	98-95-3	
2-Nitrophenol	<57.5	ug/kg	413	57.5	1	01/25/18 15:00	01/29/18 20:45	88-75-5	
4-Nitrophenol	<65.0	ug/kg	2090	65.0	1	01/25/18 15:00	01/29/18 20:45	100-02-7	
N-Nitroso-di-n-propylamine	<41.3	ug/kg	413	41.3	1	01/25/18 15:00	01/29/18 20:45	621-64-7	
N-Nitrosodiphenylamine	<32.5	ug/kg	413	32.5	1	01/25/18 15:00	01/29/18 20:45	86-30-6	
Pentachlorophenol	<38.8	ug/kg	2090	38.8	1	01/25/18 15:00	01/29/18 20:45	87-86-5	
Phenanthrene	<38.8	ug/kg	413	38.8	1	01/25/18 15:00	01/29/18 20:45	85-01-8	
Phenol	<32.5	ug/kg	413	32.5	1	01/25/18 15:00	01/29/18 20:45	108-95-2	
Pyrene	<41.3	ug/kg	413	41.3	1	01/25/18 15:00	01/29/18 20:45	129-00-0	
Pyridine	<33.8	ug/kg	413	33.8	1	01/25/18 15:00	01/29/18 20:45	110-86-1	
1,2,4-Trichlorobenzene	<37.5	ug/kg	413	37.5	1	01/25/18 15:00	01/29/18 20:45	120-82-1	
2,4,5-Trichlorophenol	<37.5	ug/kg	413	37.5	1	01/25/18 15:00	01/29/18 20:45	95-95-4	
2,4,6-Trichlorophenol	<38.8	ug/kg	413	38.8	1	01/25/18 15:00	01/29/18 20:45	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	69	%	41-114		1	01/25/18 15:00	01/29/18 20:45	4165-60-0	
2-Fluorobiphenyl (S)	74	%	61-109		1	01/25/18 15:00	01/29/18 20:45	321-60-8	
Terphenyl-d14 (S)	77	%	48-120		1	01/25/18 15:00	01/29/18 20:45	1718-51-0	
Phenol-d6 (S)	70	%	48-102		1	01/25/18 15:00	01/29/18 20:45	13127-88-3	
2-Fluorophenol (S)	67	%	46-102		1	01/25/18 15:00	01/29/18 20:45	367-12-4	
2,4,6-Tribromophenol (S)	89	%	39-114		1	01/25/18 15:00	01/29/18 20:45	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	19.2	mg/kg	18.8	1.5	1	01/25/18 15:00	01/27/18 16:57		B
TPH-DRO	3.9J	mg/kg	18.8	1.5	1	01/25/18 15:00	01/27/18 16:57		
Surrogates									
Nitrobenzene-d5 (S)	110	%	41-114		1	01/25/18 15:00	01/27/18 16:57	4165-60-0	
2-Fluorobiphenyl (S)	57	%	61-109		1	01/25/18 15:00	01/27/18 16:57	321-60-8	S0
Terphenyl-d14 (S)	61	%	48-120		1	01/25/18 15:00	01/27/18 16:57	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.67	mg/kg	1.3	0.67	1		01/31/18 16:21		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	<26.8	ug/kg	53.6	26.8	1		01/31/18 16:21	67-64-1	
Benzene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	71-43-2	
Bromobenzene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	108-86-1	
Bromochloromethane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	74-97-5	
Bromodichloromethane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	75-27-4	
Bromoform	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	75-25-2	
Bromomethane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	74-83-9	
2-Butanone (MEK)	<13.4	ug/kg	26.8	13.4	1		01/31/18 16:21	78-93-3	
n-Butylbenzene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	104-51-8	
sec-Butylbenzene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	135-98-8	
tert-Butylbenzene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-7 (3-5) Lab ID: 60262644008 Collected: 01/23/18 13:50 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	75-15-0	
Carbon tetrachloride	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	56-23-5	
Chlorobenzene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	108-90-7	
Chloroethane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	75-00-3	
Chloroform	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	67-66-3	
Chloromethane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	74-87-3	
2-Chlorotoluene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	95-49-8	
4-Chlorotoluene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	106-43-4	
1,2-Dibromo-3-chloropropane	<13.4	ug/kg	26.8	13.4	1		01/31/18 16:21	96-12-8	
Dibromochloromethane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	124-48-1	
1,2-Dibromoethane (EDB)	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	106-93-4	
Dibromomethane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	74-95-3	
1,2-Dichlorobenzene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	95-50-1	
1,3-Dichlorobenzene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	541-73-1	
1,4-Dichlorobenzene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	106-46-7	
Dichlorodifluoromethane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	75-71-8	
1,1-Dichloroethane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	75-34-3	
1,2-Dichloroethane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	107-06-2	
1,2-Dichloroethene (Total)	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	540-59-0	
1,1-Dichloroethene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	75-35-4	
cis-1,2-Dichloroethene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	156-59-2	
trans-1,2-Dichloroethene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	156-60-5	L2
1,2-Dichloropropane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	78-87-5	
1,3-Dichloropropane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	142-28-9	
2,2-Dichloropropane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	594-20-7	
1,1-Dichloropropene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	563-58-6	
cis-1,3-Dichloropropene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	10061-01-5	
trans-1,3-Dichloropropene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	10061-02-6	
Ethylbenzene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	100-41-4	
Hexachloro-1,3-butadiene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	87-68-3	
2-Hexanone	<26.8	ug/kg	53.6	26.8	1		01/31/18 16:21	591-78-6	
Isopropylbenzene (Cumene)	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	98-82-8	
p-Isopropyltoluene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	99-87-6	
Methylene chloride	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	75-09-2	
4-Methyl-2-pentanone (MIBK)	<13.4	ug/kg	26.8	13.4	1		01/31/18 16:21	108-10-1	
Methyl-tert-butyl ether	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	1634-04-4	
Naphthalene	<13.4	ug/kg	26.8	13.4	1		01/31/18 16:21	91-20-3	
n-Propylbenzene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	103-65-1	
Styrene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	100-42-5	
1,1,1,2-Tetrachloroethane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	630-20-6	
1,1,2,2-Tetrachloroethane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	79-34-5	
Tetrachloroethene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	127-18-4	
Toluene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	108-88-3	
1,2,3-Trichlorobenzene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	87-61-6	
1,2,4-Trichlorobenzene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-7 (3-5) **Lab ID: 60262644008** Collected: 01/23/18 13:50 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	71-55-6	
1,1,2-Trichloroethane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	79-00-5	
Trichloroethene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	79-01-6	
Trichlorofluoromethane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	75-69-4	
1,2,3-Trichloropropane	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	96-18-4	
1,2,4-Trimethylbenzene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	95-63-6	
1,3,5-Trimethylbenzene	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	108-67-8	
Vinyl chloride	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	75-01-4	
Xylene (Total)	<6.7	ug/kg	13.4	6.7	1		01/31/18 16:21	1330-20-7	
Surrogates									
Toluene-d8 (S)	98	%	78-122		1		01/31/18 16:21	2037-26-5	
4-Bromofluorobenzene (S)	104	%	69-133		1		01/31/18 16:21	460-00-4	
1,2-Dichloroethane-d4 (S)	120	%	80-123		1		01/31/18 16:21	17060-07-0	
Percent Moisture									
Analytical Method: ASTM D2974									
Percent Moisture	20.7	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil									
Analytical Method: EPA 9045									
pH at 25 Degrees C	9.0	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	382	mg/kg	126	62.8	10	02/05/18 08:00	02/06/18 03:56	14808-79-8	
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	115	mg/kg	12.6	6.3	10	02/05/18 16:00	02/06/18 03:56	14797-55-8	
Nitrite as N	<6.3	mg/kg	12.6	6.3	10	02/05/18 16:00	02/06/18 03:56	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 (0-1) Lab ID: 60262644009 Collected: 01/23/18 15:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.65	ug/kg	1.8	0.65	1	01/29/18 08:55	01/30/18 16:44	309-00-2	
alpha-BHC	<0.29	ug/kg	1.8	0.29	1	01/29/18 08:55	01/30/18 16:44	319-84-6	
beta-BHC	<0.96	ug/kg	3.0	0.96	1	01/29/18 08:55	01/30/18 16:44	319-85-7	
delta-BHC	<0.87	ug/kg	2.6	0.87	1	01/29/18 08:55	01/30/18 16:44	319-86-8	
gamma-BHC (Lindane)	<0.82	ug/kg	2.6	0.82	1	01/29/18 08:55	01/30/18 16:44	58-89-9	
Chlordane (Technical)	<51.3	ug/kg	274	51.3	1	01/29/18 08:55	01/30/18 16:44	57-74-9	
alpha-Chlordane	<0.73	ug/kg	3.0	0.73	1	01/29/18 08:55	01/30/18 16:44	5103-71-9	
gamma-Chlordane	<1.2	ug/kg	3.0	1.2	1	01/29/18 08:55	01/30/18 16:44	5103-74-2	
4,4'-DDD	<0.60	ug/kg	1.8	0.60	1	01/29/18 08:55	01/30/18 16:44	72-54-8	
4,4'-DDE	<0.57	ug/kg	1.8	0.57	1	01/29/18 08:55	01/30/18 16:44	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.6	1.2	1	01/29/18 08:55	01/30/18 16:44	50-29-3	
Dieldrin	<0.79	ug/kg	2.6	0.79	1	01/29/18 08:55	01/30/18 16:44	60-57-1	
Endosulfan I	<0.85	ug/kg	2.6	0.85	1	01/29/18 08:55	01/30/18 16:44	959-98-8	
Endosulfan II	<0.59	ug/kg	1.8	0.59	1	01/29/18 08:55	01/30/18 16:44	33213-65-9	
Endosulfan sulfate	<0.84	ug/kg	2.6	0.84	1	01/29/18 08:55	01/30/18 16:44	1031-07-8	
Endrin	<0.85	ug/kg	3.0	0.85	1	01/29/18 08:55	01/30/18 16:44	72-20-8	
Endrin aldehyde	<0.85	ug/kg	2.6	0.85	1	01/29/18 08:55	01/30/18 16:44	7421-93-4	
Endrin ketone	<1.0	ug/kg	3.7	1.0	1	01/29/18 08:55	01/30/18 16:44	53494-70-5	
Heptachlor	<1.4	ug/kg	3.7	1.4	1	01/29/18 08:55	01/30/18 16:44	76-44-8	
Heptachlor epoxide	<3.6	ug/kg	9.1	3.6	1	01/29/18 08:55	01/30/18 16:44	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.7	1.1	1	01/29/18 08:55	01/30/18 16:44	72-43-5	
Toxaphene	<94.7	ug/kg	274	94.7	1	01/29/18 08:55	01/30/18 16:44	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	81	%	70-130		1	01/29/18 08:55	01/30/18 16:44	877-09-8	
Decachlorobiphenyl (S)	73	%	70-130		1	01/29/18 08:55	01/30/18 16:44	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<6.1	ug/kg	12.2	6.1	1	01/29/18 08:55	02/02/18 23:21	22248-79-9	
Azinphos, methyl (Guthion)	<6.1	ug/kg	12.2	6.1	1	01/29/18 08:55	02/02/18 23:21	86-50-0	
Bolstar	<6.1	ug/kg	12.2	6.1	1	01/29/18 08:55	02/02/18 23:21	35400-43-2	
Chlorpyrifos	<6.1	ug/kg	12.2	6.1	1	01/29/18 08:55	02/02/18 23:21	2921-88-2	
Coumaphos	<6.1	ug/kg	12.2	6.1	1	01/29/18 08:55	02/02/18 23:21	56-72-4	
Diazinon	<6.1	ug/kg	12.2	6.1	1	01/29/18 08:55	02/02/18 23:21	333-41-5	
Dichlorvos	<3.0	ug/kg	6.1	3.0	1	01/29/18 08:55	02/02/18 23:21	62-73-7	
Dimethoate	<6.1	ug/kg	12.2	6.1	1	01/29/18 08:55	02/02/18 23:21	60-51-5	
Disulfoton	<3.0	ug/kg	6.1	3.0	1	01/29/18 08:55	02/02/18 23:21	298-04-4	
EPN (ENT)	<3.9	ug/kg	6.1	3.9	1	01/29/18 08:55	02/02/18 23:21	2104-64-5	
Ethoprop	<3.0	ug/kg	6.1	3.0	1	01/29/18 08:55	02/02/18 23:21	13194-48-4	
Fensulfthion	<6.1	ug/kg	12.2	6.1	1	01/29/18 08:55	02/02/18 23:21	115-90-2	
Fenthion	<3.0	ug/kg	6.1	3.0	1	01/29/18 08:55	02/02/18 23:21	55-38-9	
Malathion	<6.1	ug/kg	12.2	6.1	1	01/29/18 08:55	02/02/18 23:21	121-75-5	
Methyl parathion	<3.0	ug/kg	6.1	3.0	1	01/29/18 08:55	02/02/18 23:21	298-00-0	
Mevinphos	<3.6	ug/kg	6.1	3.6	1	01/29/18 08:55	02/02/18 23:21	7786-34-7	
Parathion (Ethyl parathion)	<6.1	ug/kg	12.2	6.1	1	01/29/18 08:55	02/02/18 23:21	56-38-2	
Phorate	<3.0	ug/kg	6.1	3.0	1	01/29/18 08:55	02/02/18 23:21	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 (0-1) **Lab ID: 60262644009** Collected: 01/23/18 15:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<3.0	ug/kg	6.1	3.0	1	01/29/18 08:55	02/02/18 23:21	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<3.0	ug/kg	6.1	3.0	1	01/29/18 08:55	02/02/18 23:21	3689-24-5	
Tokuthion (Prothiofos)	<3.0	ug/kg	6.1	3.0	1	01/29/18 08:55	02/02/18 23:21	34643-46-4	
Trichloronate	<6.1	ug/kg	12.2	6.1	1	01/29/18 08:55	02/02/18 23:21	327-98-0	
Total Demeton	<5.0	ug/kg	6.1	5.0	1	01/29/18 08:55	02/02/18 23:21	8065-48-3	N2
Total Merphos	<6.1	ug/kg	24.3	6.1	1	01/29/18 08:55	02/02/18 23:21	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	99	%.	11-137		1	01/29/18 08:55	02/02/18 23:21	115-86-6	
Tributylphosphate (S)	119	%.	17-125		1	01/29/18 08:55	02/02/18 23:21	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 17:24	94-75-7	
Dalapon	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 17:24	75-99-0	
2,4-DB	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 17:24	94-82-6	
Dicamba	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 17:24	1918-00-9	
Dichloroprop	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 17:24	15165-67-0	
Dinoseb	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 17:24	88-85-7	CH
MCPA	<303	ug/kg	303	303	1	01/29/18 16:21	01/31/18 17:24	94-74-6	
MCP	<303	ug/kg	303	303	1	01/29/18 16:21	01/31/18 17:24	7085-19-0	
2,4,5-T	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 17:24	93-76-5	
2,4,5-TP (Silvex)	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/31/18 17:24	93-72-1	
Surrogates									
2,4-DCAA (S)	11	%.	10-188		1	01/29/18 16:21	01/31/18 17:24	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	7.1	mg/kg	1.2	0.51	1	01/30/18 14:45	02/01/18 17:38	7440-38-2	
Barium	208	mg/kg	0.61	0.038	1	01/30/18 14:45	02/01/18 17:38	7440-39-3	
Cadmium	1.8	mg/kg	0.61	0.045	1	01/30/18 14:45	02/01/18 17:38	7440-43-9	
Chromium	16.1	mg/kg	0.61	0.12	1	01/30/18 14:45	02/01/18 17:38	7440-47-3	
Lead	42.8	mg/kg	0.61	0.26	1	01/30/18 14:45	02/01/18 17:38	7439-92-1	
Selenium	<0.92	mg/kg	1.8	0.92	1	01/30/18 14:45	02/01/18 17:38	7782-49-2	
Silver	<0.20	mg/kg	0.86	0.20	1	01/30/18 14:45	02/01/18 17:38	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.057	mg/kg	0.050	0.0066	1	01/25/18 09:26	01/25/18 12:19	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<42.9	ug/kg	404	42.9	1	01/25/18 15:00	01/29/18 21:07	83-32-9	
Acenaphthylene	<38.0	ug/kg	404	38.0	1	01/25/18 15:00	01/29/18 21:07	208-96-8	
Anthracene	<42.9	ug/kg	404	42.9	1	01/25/18 15:00	01/29/18 21:07	120-12-7	
Benzo(a)anthracene	<36.8	ug/kg	404	36.8	1	01/25/18 15:00	01/29/18 21:07	56-55-3	
Benzo(a)pyrene	<31.9	ug/kg	404	31.9	1	01/25/18 15:00	01/29/18 21:07	50-32-8	
Benzo(b)fluoranthene	<28.2	ug/kg	404	28.2	1	01/25/18 15:00	01/29/18 21:07	205-99-2	
Benzo(g,h,i)perylene	<39.2	ug/kg	404	39.2	1	01/25/18 15:00	01/29/18 21:07	191-24-2	
Benzo(k)fluoranthene	<47.8	ug/kg	404	47.8	1	01/25/18 15:00	01/29/18 21:07	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 (0-1) Lab ID: 60262644009 Collected: 01/23/18 15:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<38.0	ug/kg	2050	38.0	1	01/25/18 15:00	01/29/18 21:07	65-85-0	
Benzyl alcohol	<126	ug/kg	809	126	1	01/25/18 15:00	01/29/18 21:07	100-51-6	
4-Bromophenylphenyl ether	<31.9	ug/kg	404	31.9	1	01/25/18 15:00	01/29/18 21:07	101-55-3	
Butylbenzylphthalate	<52.7	ug/kg	404	52.7	1	01/25/18 15:00	01/29/18 21:07	85-68-7	
Carbazole	<33.1	ug/kg	404	33.1	1	01/25/18 15:00	01/29/18 21:07	86-74-8	
4-Chloro-3-methylphenol	<44.1	ug/kg	809	44.1	1	01/25/18 15:00	01/29/18 21:07	59-50-7	
4-Chloroaniline	<79.6	ug/kg	809	79.6	1	01/25/18 15:00	01/29/18 21:07	106-47-8	
bis(2-Chloroethoxy)methane	<31.9	ug/kg	404	31.9	1	01/25/18 15:00	01/29/18 21:07	111-91-1	
bis(2-Chloroethyl) ether	<31.9	ug/kg	404	31.9	1	01/25/18 15:00	01/29/18 21:07	111-44-4	
bis(2-Chloroisopropyl) ether	<31.9	ug/kg	404	31.9	1	01/25/18 15:00	01/29/18 21:07	39638-32-9	
2-Chloronaphthalene	<34.3	ug/kg	404	34.3	1	01/25/18 15:00	01/29/18 21:07	91-58-7	
2-Chlorophenol	<33.1	ug/kg	404	33.1	1	01/25/18 15:00	01/29/18 21:07	95-57-8	
4-Chlorophenylphenyl ether	<39.2	ug/kg	404	39.2	1	01/25/18 15:00	01/29/18 21:07	7005-72-3	
Chrysene	<34.3	ug/kg	404	34.3	1	01/25/18 15:00	01/29/18 21:07	218-01-9	
Dibenz(a,h)anthracene	<36.8	ug/kg	404	36.8	1	01/25/18 15:00	01/29/18 21:07	53-70-3	
Dibenzofuran	<36.8	ug/kg	404	36.8	1	01/25/18 15:00	01/29/18 21:07	132-64-9	
1,2-Dichlorobenzene	<30.6	ug/kg	404	30.6	1	01/25/18 15:00	01/29/18 21:07	95-50-1	
1,3-Dichlorobenzene	<34.3	ug/kg	404	34.3	1	01/25/18 15:00	01/29/18 21:07	541-73-1	
1,4-Dichlorobenzene	<35.5	ug/kg	404	35.5	1	01/25/18 15:00	01/29/18 21:07	106-46-7	
3,3'-Dichlorobenzidine	<138	ug/kg	809	138	1	01/25/18 15:00	01/29/18 21:07	91-94-1	
2,4-Dichlorophenol	<36.8	ug/kg	404	36.8	1	01/25/18 15:00	01/29/18 21:07	120-83-2	
Diethylphthalate	<38.0	ug/kg	404	38.0	1	01/25/18 15:00	01/29/18 21:07	84-66-2	
2,4-Dimethylphenol	<22.1	ug/kg	404	22.1	1	01/25/18 15:00	01/29/18 21:07	105-67-9	
Dimethylphthalate	<39.2	ug/kg	404	39.2	1	01/25/18 15:00	01/29/18 21:07	131-11-3	
Di-n-butylphthalate	<42.9	ug/kg	404	42.9	1	01/25/18 15:00	01/29/18 21:07	84-74-2	
4,6-Dinitro-2-methylphenol	<53.9	ug/kg	2050	53.9	1	01/25/18 15:00	01/29/18 21:07	534-52-1	
2,4-Dinitrophenol	<58.8	ug/kg	2050	58.8	1	01/25/18 15:00	01/29/18 21:07	51-28-5	
2,4-Dinitrotoluene	<34.3	ug/kg	404	34.3	1	01/25/18 15:00	01/29/18 21:07	121-14-2	
2,6-Dinitrotoluene	<41.7	ug/kg	404	41.7	1	01/25/18 15:00	01/29/18 21:07	606-20-2	
Di-n-octylphthalate	<47.8	ug/kg	404	47.8	1	01/25/18 15:00	01/29/18 21:07	117-84-0	
bis(2-Ethylhexyl)phthalate	<140	ug/kg	404	140	1	01/25/18 15:00	01/29/18 21:07	117-81-7	
Fluoranthene	<38.0	ug/kg	404	38.0	1	01/25/18 15:00	01/29/18 21:07	206-44-0	
Fluorene	<38.0	ug/kg	404	38.0	1	01/25/18 15:00	01/29/18 21:07	86-73-7	
Hexachloro-1,3-butadiene	<40.4	ug/kg	404	40.4	1	01/25/18 15:00	01/29/18 21:07	87-68-3	
Hexachlorobenzene	<39.2	ug/kg	404	39.2	1	01/25/18 15:00	01/29/18 21:07	118-74-1	
Hexachlorocyclopentadiene	<85.8	ug/kg	404	85.8	1	01/25/18 15:00	01/29/18 21:07	77-47-4	
Hexachloroethane	<30.6	ug/kg	404	30.6	1	01/25/18 15:00	01/29/18 21:07	67-72-1	
Indeno(1,2,3-cd)pyrene	<44.1	ug/kg	404	44.1	1	01/25/18 15:00	01/29/18 21:07	193-39-5	
Isophorone	<36.8	ug/kg	404	36.8	1	01/25/18 15:00	01/29/18 21:07	78-59-1	
2-Methylnaphthalene	<29.4	ug/kg	404	29.4	1	01/25/18 15:00	01/29/18 21:07	91-57-6	
2-Methylphenol(o-Cresol)	<38.0	ug/kg	404	38.0	1	01/25/18 15:00	01/29/18 21:07	95-48-7	
3&4-Methylphenol(m&p Cresol)	<44.1	ug/kg	404	44.1	1	01/25/18 15:00	01/29/18 21:07		
Naphthalene	<31.9	ug/kg	404	31.9	1	01/25/18 15:00	01/29/18 21:07	91-20-3	
2-Nitroaniline	<68.6	ug/kg	809	68.6	1	01/25/18 15:00	01/29/18 21:07	88-74-4	
3-Nitroaniline	<123	ug/kg	809	123	1	01/25/18 15:00	01/29/18 21:07	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 (0-1) **Lab ID: 60262644009** Collected: 01/23/18 15:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<104	ug/kg	809	104	1	01/25/18 15:00	01/29/18 21:07	100-01-6	
Nitrobenzene	<38.0	ug/kg	404	38.0	1	01/25/18 15:00	01/29/18 21:07	98-95-3	
2-Nitrophenol	<56.4	ug/kg	404	56.4	1	01/25/18 15:00	01/29/18 21:07	88-75-5	
4-Nitrophenol	<63.7	ug/kg	2050	63.7	1	01/25/18 15:00	01/29/18 21:07	100-02-7	
N-Nitroso-di-n-propylamine	<40.4	ug/kg	404	40.4	1	01/25/18 15:00	01/29/18 21:07	621-64-7	
N-Nitrosodiphenylamine	<31.9	ug/kg	404	31.9	1	01/25/18 15:00	01/29/18 21:07	86-30-6	
Pentachlorophenol	<38.0	ug/kg	2050	38.0	1	01/25/18 15:00	01/29/18 21:07	87-86-5	
Phenanthrene	<38.0	ug/kg	404	38.0	1	01/25/18 15:00	01/29/18 21:07	85-01-8	
Phenol	<31.9	ug/kg	404	31.9	1	01/25/18 15:00	01/29/18 21:07	108-95-2	
Pyrene	<40.4	ug/kg	404	40.4	1	01/25/18 15:00	01/29/18 21:07	129-00-0	
Pyridine	<33.1	ug/kg	404	33.1	1	01/25/18 15:00	01/29/18 21:07	110-86-1	
1,2,4-Trichlorobenzene	<36.8	ug/kg	404	36.8	1	01/25/18 15:00	01/29/18 21:07	120-82-1	
2,4,5-Trichlorophenol	<36.8	ug/kg	404	36.8	1	01/25/18 15:00	01/29/18 21:07	95-95-4	
2,4,6-Trichlorophenol	<38.0	ug/kg	404	38.0	1	01/25/18 15:00	01/29/18 21:07	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	70	%	41-114		1	01/25/18 15:00	01/29/18 21:07	4165-60-0	
2-Fluorobiphenyl (S)	75	%	61-109		1	01/25/18 15:00	01/29/18 21:07	321-60-8	
Terphenyl-d14 (S)	80	%	48-120		1	01/25/18 15:00	01/29/18 21:07	1718-51-0	
Phenol-d6 (S)	72	%	48-102		1	01/25/18 15:00	01/29/18 21:07	13127-88-3	
2-Fluorophenol (S)	62	%	46-102		1	01/25/18 15:00	01/29/18 21:07	367-12-4	
2,4,6-Tribromophenol (S)	64	%	39-114		1	01/25/18 15:00	01/29/18 21:07	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	50.1	mg/kg	18.2	1.5	1	01/25/18 15:00	01/27/18 17:18		
TPH-DRO	16.7J	mg/kg	18.2	1.5	1	01/25/18 15:00	01/27/18 17:18		
Surrogates									
Nitrobenzene-d5 (S)	99	%	41-114		1	01/25/18 15:00	01/27/18 17:18	4165-60-0	
2-Fluorobiphenyl (S)	85	%	61-109		1	01/25/18 15:00	01/27/18 17:18	321-60-8	
Terphenyl-d14 (S)	81	%	48-120		1	01/25/18 15:00	01/27/18 17:18	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.25	mg/kg	0.50	0.25	1		01/31/18 16:37		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	47.1	ug/kg	19.8	9.9	1		01/31/18 16:37	67-64-1	
Benzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	71-43-2	
Bromobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	108-86-1	
Bromochloromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	74-97-5	
Bromodichloromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	75-27-4	
Bromoform	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	75-25-2	
Bromomethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	74-83-9	
2-Butanone (MEK)	<5.0	ug/kg	9.9	5.0	1		01/31/18 16:37	78-93-3	
n-Butylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	104-51-8	
sec-Butylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	135-98-8	
tert-Butylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 (0-1) Lab ID: 60262644009 Collected: 01/23/18 15:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	75-15-0	
Carbon tetrachloride	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	56-23-5	
Chlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	108-90-7	
Chloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	75-00-3	
Chloroform	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	67-66-3	
Chloromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	74-87-3	
2-Chlorotoluene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	95-49-8	
4-Chlorotoluene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	106-43-4	
1,2-Dibromo-3-chloropropane	<5.0	ug/kg	9.9	5.0	1		01/31/18 16:37	96-12-8	
Dibromochloromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	124-48-1	
1,2-Dibromoethane (EDB)	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	106-93-4	
Dibromomethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	74-95-3	
1,2-Dichlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	95-50-1	
1,3-Dichlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	541-73-1	
1,4-Dichlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	106-46-7	
Dichlorodifluoromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	75-71-8	
1,1-Dichloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	75-34-3	
1,2-Dichloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	107-06-2	
1,2-Dichloroethene (Total)	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	540-59-0	
1,1-Dichloroethene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	75-35-4	
cis-1,2-Dichloroethene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	156-59-2	
trans-1,2-Dichloroethene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	156-60-5	L2
1,2-Dichloropropane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	78-87-5	
1,3-Dichloropropane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	142-28-9	
2,2-Dichloropropane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	594-20-7	
1,1-Dichloropropene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	563-58-6	
cis-1,3-Dichloropropene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	10061-01-5	
trans-1,3-Dichloropropene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	10061-02-6	
Ethylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	100-41-4	
Hexachloro-1,3-butadiene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	87-68-3	
2-Hexanone	<9.9	ug/kg	19.8	9.9	1		01/31/18 16:37	591-78-6	
Isopropylbenzene (Cumene)	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	98-82-8	
p-Isopropyltoluene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	99-87-6	
Methylene chloride	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/kg	9.9	5.0	1		01/31/18 16:37	108-10-1	
Methyl-tert-butyl ether	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	1634-04-4	
Naphthalene	<5.0	ug/kg	9.9	5.0	1		01/31/18 16:37	91-20-3	
n-Propylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	103-65-1	
Styrene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	100-42-5	
1,1,1,2-Tetrachloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	630-20-6	
1,1,2,2-Tetrachloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	79-34-5	
Tetrachloroethene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	127-18-4	
Toluene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	108-88-3	
1,2,3-Trichlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	87-61-6	
1,2,4-Trichlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 (0-1) **Lab ID: 60262644009** Collected: 01/23/18 15:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260									
1,1,1-Trichloroethane	15.1	ug/kg	5.0	2.5	1		01/31/18 16:37	71-55-6	
1,1,2-Trichloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	79-00-5	
Trichloroethene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	79-01-6	
Trichlorofluoromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	75-69-4	
1,2,3-Trichloropropane	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	96-18-4	
1,2,4-Trimethylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	95-63-6	
1,3,5-Trimethylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	108-67-8	
Vinyl chloride	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	75-01-4	
Xylene (Total)	<2.5	ug/kg	5.0	2.5	1		01/31/18 16:37	1330-20-7	
Surrogates									
Toluene-d8 (S)	99	%	78-122		1		01/31/18 16:37	2037-26-5	
4-Bromofluorobenzene (S)	104	%	69-133		1		01/31/18 16:37	460-00-4	
1,2-Dichloroethane-d4 (S)	117	%	80-123		1		01/31/18 16:37	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974									
Percent Moisture	18.7	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045									
pH at 25 Degrees C	9.7	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	65.5J	mg/kg	121	60.3	10	02/05/18 08:00	02/06/18 04:10	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	<6.0	mg/kg	12.1	6.0	10	02/05/18 16:00	02/06/18 04:10	14797-55-8	
Nitrite as N	<6.0	mg/kg	12.1	6.0	10	02/05/18 16:00	02/06/18 04:10	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 (3-5) Lab ID: 60262644010 Collected: 01/23/18 15:10 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.67	ug/kg	1.9	0.67	1	01/29/18 08:55	01/30/18 16:58	309-00-2	
alpha-BHC	<0.30	ug/kg	1.9	0.30	1	01/29/18 08:55	01/30/18 16:58	319-84-6	
beta-BHC	<1.0	ug/kg	3.2	1.0	1	01/29/18 08:55	01/30/18 16:58	319-85-7	
delta-BHC	<0.91	ug/kg	2.7	0.91	1	01/29/18 08:55	01/30/18 16:58	319-86-8	
gamma-BHC (Lindane)	<0.85	ug/kg	2.7	0.85	1	01/29/18 08:55	01/30/18 16:58	58-89-9	
Chlordane (Technical)	<53.4	ug/kg	285	53.4	1	01/29/18 08:55	01/30/18 16:58	57-74-9	
alpha-Chlordane	<0.76	ug/kg	3.2	0.76	1	01/29/18 08:55	01/30/18 16:58	5103-71-9	
gamma-Chlordane	<1.3	ug/kg	3.2	1.3	1	01/29/18 08:55	01/30/18 16:58	5103-74-2	
4,4'-DDD	<0.62	ug/kg	1.9	0.62	1	01/29/18 08:55	01/30/18 16:58	72-54-8	
4,4'-DDE	<0.59	ug/kg	1.9	0.59	1	01/29/18 08:55	01/30/18 16:58	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.7	1.2	1	01/29/18 08:55	01/30/18 16:58	50-29-3	
Dieldrin	<0.82	ug/kg	2.7	0.82	1	01/29/18 08:55	01/30/18 16:58	60-57-1	
Endosulfan I	<0.88	ug/kg	2.7	0.88	1	01/29/18 08:55	01/30/18 16:58	959-98-8	
Endosulfan II	<0.61	ug/kg	1.9	0.61	1	01/29/18 08:55	01/30/18 16:58	33213-65-9	
Endosulfan sulfate	<0.87	ug/kg	2.7	0.87	1	01/29/18 08:55	01/30/18 16:58	1031-07-8	
Endrin	<0.88	ug/kg	3.2	0.88	1	01/29/18 08:55	01/30/18 16:58	72-20-8	
Endrin aldehyde	<0.88	ug/kg	2.7	0.88	1	01/29/18 08:55	01/30/18 16:58	7421-93-4	
Endrin ketone	<1.0	ug/kg	3.8	1.0	1	01/29/18 08:55	01/30/18 16:58	53494-70-5	
Heptachlor	<1.4	ug/kg	3.8	1.4	1	01/29/18 08:55	01/30/18 16:58	76-44-8	
Heptachlor epoxide	<3.8	ug/kg	9.5	3.8	1	01/29/18 08:55	01/30/18 16:58	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.8	1.1	1	01/29/18 08:55	01/30/18 16:58	72-43-5	
Toxaphene	<98.5	ug/kg	285	98.5	1	01/29/18 08:55	01/30/18 16:58	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	81	%	70-130		1	01/29/18 08:55	01/30/18 16:58	877-09-8	
Decachlorobiphenyl (S)	73	%	70-130		1	01/29/18 08:55	01/30/18 16:58	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/06/18 14:08	22248-79-9	
Azinphos, methyl (Guthion)	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/06/18 14:08	86-50-0	
Bolstar	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/06/18 14:08	35400-43-2	
Chlorpyrifos	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/06/18 14:08	2921-88-2	
Coumaphos	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/06/18 14:08	56-72-4	
Diazinon	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/06/18 14:08	333-41-5	
Dichlorvos	<3.2	ug/kg	6.3	3.2	1	01/29/18 08:55	02/06/18 14:08	62-73-7	
Dimethoate	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/06/18 14:08	60-51-5	
Disulfoton	<3.2	ug/kg	6.3	3.2	1	01/29/18 08:55	02/06/18 14:08	298-04-4	
EPN (ENT)	<4.0	ug/kg	6.3	4.0	1	01/29/18 08:55	02/06/18 14:08	2104-64-5	
Ethoprop	<3.2	ug/kg	6.3	3.2	1	01/29/18 08:55	02/06/18 14:08	13194-48-4	
Fensulfthion	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/06/18 14:08	115-90-2	
Fenthion	<3.2	ug/kg	6.3	3.2	1	01/29/18 08:55	02/06/18 14:08	55-38-9	
Malathion	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/06/18 14:08	121-75-5	
Methyl parathion	<3.2	ug/kg	6.3	3.2	1	01/29/18 08:55	02/06/18 14:08	298-00-0	
Mevinphos	<3.7	ug/kg	6.3	3.7	1	01/29/18 08:55	02/06/18 14:08	7786-34-7	
Parathion (Ethyl parathion)	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/06/18 14:08	56-38-2	
Phorate	<3.2	ug/kg	6.3	3.2	1	01/29/18 08:55	02/06/18 14:08	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 (3-5) **Lab ID: 60262644010** Collected: 01/23/18 15:10 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<3.2	ug/kg	6.3	3.2	1	01/29/18 08:55	02/06/18 14:08	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<3.2	ug/kg	6.3	3.2	1	01/29/18 08:55	02/06/18 14:08	3689-24-5	
Tokuthion (Prothiofos)	<3.2	ug/kg	6.3	3.2	1	01/29/18 08:55	02/06/18 14:08	34643-46-4	
Trichloronate	<6.3	ug/kg	12.6	6.3	1	01/29/18 08:55	02/06/18 14:08	327-98-0	
Total Demeton	<5.2	ug/kg	6.3	5.2	1	01/29/18 08:55	02/06/18 14:08	8065-48-3	N2
Total Merphos	<6.3	ug/kg	25.3	6.3	1	01/29/18 08:55	02/06/18 14:08	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	91	%.	11-137		1	01/29/18 08:55	02/06/18 14:08	115-86-6	
Tributylphosphate (S)	122	%.	17-125		1	01/29/18 08:55	02/06/18 14:08	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 12:28	94-75-7	
Dalapon	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 12:28	75-99-0	
2,4-DB	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 12:28	94-82-6	
Dicamba	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 12:28	1918-00-9	
Dichloroprop	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 12:28	15165-67-0	
Dinoseb	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 12:28	88-85-7	
MCPA	<309	ug/kg	309	309	1	01/29/18 16:21	01/30/18 12:28	94-74-6	
MCPP	<309	ug/kg	309	309	1	01/29/18 16:21	01/30/18 12:28	7085-19-0	
2,4,5-T	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 12:28	93-76-5	
2,4,5-TP (Silvex)	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 12:28	93-72-1	
Surrogates									
2,4-DCAA (S)	12	%.	10-188		1	01/29/18 16:21	01/30/18 12:28	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	5.8	mg/kg	1.1	0.45	1	01/30/18 14:45	02/01/18 17:44	7440-38-2	
Barium	145	mg/kg	0.55	0.034	1	01/30/18 14:45	02/01/18 17:44	7440-39-3	
Cadmium	0.19J	mg/kg	0.55	0.041	1	01/30/18 14:45	02/01/18 17:44	7440-43-9	
Chromium	16.6	mg/kg	0.55	0.11	1	01/30/18 14:45	02/01/18 17:44	7440-47-3	
Lead	9.4	mg/kg	0.55	0.23	1	01/30/18 14:45	02/01/18 17:44	7439-92-1	
Selenium	<0.82	mg/kg	1.6	0.82	1	01/30/18 14:45	02/01/18 17:44	7782-49-2	
Silver	<0.18	mg/kg	0.77	0.18	1	01/30/18 14:45	02/01/18 17:44	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.017J	mg/kg	0.058	0.0076	1	01/25/18 09:26	01/25/18 12:21	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<43.8	ug/kg	413	43.8	1	01/25/18 15:00	01/29/18 21:29	83-32-9	
Acenaphthylene	<38.8	ug/kg	413	38.8	1	01/25/18 15:00	01/29/18 21:29	208-96-8	
Anthracene	<43.8	ug/kg	413	43.8	1	01/25/18 15:00	01/29/18 21:29	120-12-7	
Benzo(a)anthracene	<37.5	ug/kg	413	37.5	1	01/25/18 15:00	01/29/18 21:29	56-55-3	
Benzo(a)pyrene	<32.5	ug/kg	413	32.5	1	01/25/18 15:00	01/29/18 21:29	50-32-8	
Benzo(b)fluoranthene	<28.8	ug/kg	413	28.8	1	01/25/18 15:00	01/29/18 21:29	205-99-2	
Benzo(g,h,i)perylene	<40.0	ug/kg	413	40.0	1	01/25/18 15:00	01/29/18 21:29	191-24-2	
Benzo(k)fluoranthene	<48.8	ug/kg	413	48.8	1	01/25/18 15:00	01/29/18 21:29	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 (3-5) Lab ID: 60262644010 Collected: 01/23/18 15:10 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<38.8	ug/kg	2090	38.8	1	01/25/18 15:00	01/29/18 21:29	65-85-0	
Benzyl alcohol	<129	ug/kg	826	129	1	01/25/18 15:00	01/29/18 21:29	100-51-6	
4-Bromophenylphenyl ether	<32.5	ug/kg	413	32.5	1	01/25/18 15:00	01/29/18 21:29	101-55-3	
Butylbenzylphthalate	<53.8	ug/kg	413	53.8	1	01/25/18 15:00	01/29/18 21:29	85-68-7	
Carbazole	<33.8	ug/kg	413	33.8	1	01/25/18 15:00	01/29/18 21:29	86-74-8	
4-Chloro-3-methylphenol	<45.1	ug/kg	826	45.1	1	01/25/18 15:00	01/29/18 21:29	59-50-7	
4-Chloroaniline	<81.3	ug/kg	826	81.3	1	01/25/18 15:00	01/29/18 21:29	106-47-8	
bis(2-Chloroethoxy)methane	<32.5	ug/kg	413	32.5	1	01/25/18 15:00	01/29/18 21:29	111-91-1	
bis(2-Chloroethyl) ether	<32.5	ug/kg	413	32.5	1	01/25/18 15:00	01/29/18 21:29	111-44-4	
bis(2-Chloroisopropyl) ether	<32.5	ug/kg	413	32.5	1	01/25/18 15:00	01/29/18 21:29	39638-32-9	
2-Chloronaphthalene	<35.0	ug/kg	413	35.0	1	01/25/18 15:00	01/29/18 21:29	91-58-7	
2-Chlorophenol	<33.8	ug/kg	413	33.8	1	01/25/18 15:00	01/29/18 21:29	95-57-8	
4-Chlorophenylphenyl ether	<40.0	ug/kg	413	40.0	1	01/25/18 15:00	01/29/18 21:29	7005-72-3	
Chrysene	<35.0	ug/kg	413	35.0	1	01/25/18 15:00	01/29/18 21:29	218-01-9	
Dibenz(a,h)anthracene	<37.5	ug/kg	413	37.5	1	01/25/18 15:00	01/29/18 21:29	53-70-3	
Dibenzofuran	<37.5	ug/kg	413	37.5	1	01/25/18 15:00	01/29/18 21:29	132-64-9	
1,2-Dichlorobenzene	<31.3	ug/kg	413	31.3	1	01/25/18 15:00	01/29/18 21:29	95-50-1	
1,3-Dichlorobenzene	<35.0	ug/kg	413	35.0	1	01/25/18 15:00	01/29/18 21:29	541-73-1	
1,4-Dichlorobenzene	<36.3	ug/kg	413	36.3	1	01/25/18 15:00	01/29/18 21:29	106-46-7	
3,3'-Dichlorobenzidine	<141	ug/kg	826	141	1	01/25/18 15:00	01/29/18 21:29	91-94-1	
2,4-Dichlorophenol	<37.5	ug/kg	413	37.5	1	01/25/18 15:00	01/29/18 21:29	120-83-2	
Diethylphthalate	<38.8	ug/kg	413	38.8	1	01/25/18 15:00	01/29/18 21:29	84-66-2	
2,4-Dimethylphenol	<22.5	ug/kg	413	22.5	1	01/25/18 15:00	01/29/18 21:29	105-67-9	
Dimethylphthalate	<40.0	ug/kg	413	40.0	1	01/25/18 15:00	01/29/18 21:29	131-11-3	
Di-n-butylphthalate	<43.8	ug/kg	413	43.8	1	01/25/18 15:00	01/29/18 21:29	84-74-2	
4,6-Dinitro-2-methylphenol	<55.1	ug/kg	2090	55.1	1	01/25/18 15:00	01/29/18 21:29	534-52-1	
2,4-Dinitrophenol	<60.1	ug/kg	2090	60.1	1	01/25/18 15:00	01/29/18 21:29	51-28-5	
2,4-Dinitrotoluene	<35.0	ug/kg	413	35.0	1	01/25/18 15:00	01/29/18 21:29	121-14-2	
2,6-Dinitrotoluene	<42.5	ug/kg	413	42.5	1	01/25/18 15:00	01/29/18 21:29	606-20-2	
Di-n-octylphthalate	<48.8	ug/kg	413	48.8	1	01/25/18 15:00	01/29/18 21:29	117-84-0	
bis(2-Ethylhexyl)phthalate	<143	ug/kg	413	143	1	01/25/18 15:00	01/29/18 21:29	117-81-7	
Fluoranthene	<38.8	ug/kg	413	38.8	1	01/25/18 15:00	01/29/18 21:29	206-44-0	
Fluorene	<38.8	ug/kg	413	38.8	1	01/25/18 15:00	01/29/18 21:29	86-73-7	
Hexachloro-1,3-butadiene	<41.3	ug/kg	413	41.3	1	01/25/18 15:00	01/29/18 21:29	87-68-3	
Hexachlorobenzene	<40.0	ug/kg	413	40.0	1	01/25/18 15:00	01/29/18 21:29	118-74-1	
Hexachlorocyclopentadiene	<87.6	ug/kg	413	87.6	1	01/25/18 15:00	01/29/18 21:29	77-47-4	
Hexachloroethane	<31.3	ug/kg	413	31.3	1	01/25/18 15:00	01/29/18 21:29	67-72-1	
Indeno(1,2,3-cd)pyrene	<45.1	ug/kg	413	45.1	1	01/25/18 15:00	01/29/18 21:29	193-39-5	
Isophorone	<37.5	ug/kg	413	37.5	1	01/25/18 15:00	01/29/18 21:29	78-59-1	
2-Methylnaphthalene	<30.0	ug/kg	413	30.0	1	01/25/18 15:00	01/29/18 21:29	91-57-6	
2-Methylphenol(o-Cresol)	<38.8	ug/kg	413	38.8	1	01/25/18 15:00	01/29/18 21:29	95-48-7	
3&4-Methylphenol(m&p Cresol)	<45.1	ug/kg	413	45.1	1	01/25/18 15:00	01/29/18 21:29		
Naphthalene	<32.5	ug/kg	413	32.5	1	01/25/18 15:00	01/29/18 21:29	91-20-3	
2-Nitroaniline	<70.1	ug/kg	826	70.1	1	01/25/18 15:00	01/29/18 21:29	88-74-4	
3-Nitroaniline	<125	ug/kg	826	125	1	01/25/18 15:00	01/29/18 21:29	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 (3-5) **Lab ID: 60262644010** Collected: 01/23/18 15:10 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<106	ug/kg	826	106	1	01/25/18 15:00	01/29/18 21:29	100-01-6	
Nitrobenzene	<38.8	ug/kg	413	38.8	1	01/25/18 15:00	01/29/18 21:29	98-95-3	
2-Nitrophenol	<57.6	ug/kg	413	57.6	1	01/25/18 15:00	01/29/18 21:29	88-75-5	
4-Nitrophenol	<65.1	ug/kg	2090	65.1	1	01/25/18 15:00	01/29/18 21:29	100-02-7	
N-Nitroso-di-n-propylamine	<41.3	ug/kg	413	41.3	1	01/25/18 15:00	01/29/18 21:29	621-64-7	
N-Nitrosodiphenylamine	<32.5	ug/kg	413	32.5	1	01/25/18 15:00	01/29/18 21:29	86-30-6	
Pentachlorophenol	<38.8	ug/kg	2090	38.8	1	01/25/18 15:00	01/29/18 21:29	87-86-5	
Phenanthrene	<38.8	ug/kg	413	38.8	1	01/25/18 15:00	01/29/18 21:29	85-01-8	
Phenol	<32.5	ug/kg	413	32.5	1	01/25/18 15:00	01/29/18 21:29	108-95-2	
Pyrene	<41.3	ug/kg	413	41.3	1	01/25/18 15:00	01/29/18 21:29	129-00-0	
Pyridine	<33.8	ug/kg	413	33.8	1	01/25/18 15:00	01/29/18 21:29	110-86-1	
1,2,4-Trichlorobenzene	<37.5	ug/kg	413	37.5	1	01/25/18 15:00	01/29/18 21:29	120-82-1	
2,4,5-Trichlorophenol	<37.5	ug/kg	413	37.5	1	01/25/18 15:00	01/29/18 21:29	95-95-4	
2,4,6-Trichlorophenol	<38.8	ug/kg	413	38.8	1	01/25/18 15:00	01/29/18 21:29	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	70	%	41-114		1	01/25/18 15:00	01/29/18 21:29	4165-60-0	
2-Fluorobiphenyl (S)	75	%	61-109		1	01/25/18 15:00	01/29/18 21:29	321-60-8	
Terphenyl-d14 (S)	78	%	48-120		1	01/25/18 15:00	01/29/18 21:29	1718-51-0	
Phenol-d6 (S)	70	%	48-102		1	01/25/18 15:00	01/29/18 21:29	13127-88-3	
2-Fluorophenol (S)	69	%	46-102		1	01/25/18 15:00	01/29/18 21:29	367-12-4	
2,4,6-Tribromophenol (S)	93	%	39-114		1	01/25/18 15:00	01/29/18 21:29	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	15.0J	mg/kg	18.9	1.5	1	01/25/18 15:00	01/30/18 21:51		B
TPH-DRO	2.3J	mg/kg	18.9	1.5	1	01/25/18 15:00	01/30/18 21:51		
Surrogates									
Nitrobenzene-d5 (S)	82	%	41-114		1	01/25/18 15:00	01/30/18 21:51	4165-60-0	
2-Fluorobiphenyl (S)	79	%	61-109		1	01/25/18 15:00	01/30/18 21:51	321-60-8	
Terphenyl-d14 (S)	80	%	48-120		1	01/25/18 15:00	01/30/18 21:51	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.33	mg/kg	0.65	0.33	1		01/31/18 16:53		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	<13.0	ug/kg	26.0	13.0	1		01/31/18 16:53	67-64-1	
Benzene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	71-43-2	
Bromobenzene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	108-86-1	
Bromochloromethane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	74-97-5	
Bromodichloromethane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	75-27-4	
Bromoform	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	75-25-2	
Bromomethane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	74-83-9	
2-Butanone (MEK)	<6.5	ug/kg	13.0	6.5	1		01/31/18 16:53	78-93-3	
n-Butylbenzene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	104-51-8	
sec-Butylbenzene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	135-98-8	
tert-Butylbenzene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 (3-5) Lab ID: 60262644010 Collected: 01/23/18 15:10 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	75-15-0	
Carbon tetrachloride	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	56-23-5	
Chlorobenzene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	108-90-7	
Chloroethane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	75-00-3	
Chloroform	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	67-66-3	
Chloromethane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	74-87-3	
2-Chlorotoluene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	95-49-8	
4-Chlorotoluene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	106-43-4	
1,2-Dibromo-3-chloropropane	<6.5	ug/kg	13.0	6.5	1		01/31/18 16:53	96-12-8	
Dibromochloromethane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	124-48-1	
1,2-Dibromoethane (EDB)	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	106-93-4	
Dibromomethane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	74-95-3	
1,2-Dichlorobenzene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	95-50-1	
1,3-Dichlorobenzene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	541-73-1	
1,4-Dichlorobenzene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	106-46-7	
Dichlorodifluoromethane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	75-71-8	
1,1-Dichloroethane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	75-34-3	
1,2-Dichloroethane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	107-06-2	
1,2-Dichloroethene (Total)	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	540-59-0	
1,1-Dichloroethene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	75-35-4	
cis-1,2-Dichloroethene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	156-59-2	
trans-1,2-Dichloroethene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	156-60-5	L2
1,2-Dichloropropane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	78-87-5	
1,3-Dichloropropane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	142-28-9	
2,2-Dichloropropane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	594-20-7	
1,1-Dichloropropene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	563-58-6	
cis-1,3-Dichloropropene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	10061-01-5	
trans-1,3-Dichloropropene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	10061-02-6	
Ethylbenzene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	100-41-4	
Hexachloro-1,3-butadiene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	87-68-3	
2-Hexanone	<13.0	ug/kg	26.0	13.0	1		01/31/18 16:53	591-78-6	
Isopropylbenzene (Cumene)	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	98-82-8	
p-Isopropyltoluene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	99-87-6	
Methylene chloride	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	75-09-2	
4-Methyl-2-pentanone (MIBK)	<6.5	ug/kg	13.0	6.5	1		01/31/18 16:53	108-10-1	
Methyl-tert-butyl ether	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	1634-04-4	
Naphthalene	<6.5	ug/kg	13.0	6.5	1		01/31/18 16:53	91-20-3	
n-Propylbenzene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	103-65-1	
Styrene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	100-42-5	
1,1,1,2-Tetrachloroethane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	630-20-6	
1,1,2,2-Tetrachloroethane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	79-34-5	
Tetrachloroethene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	127-18-4	
Toluene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	108-88-3	
1,2,3-Trichlorobenzene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	87-61-6	
1,2,4-Trichlorobenzene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 (3-5) **Lab ID: 60262644010** Collected: 01/23/18 15:10 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	71-55-6	
1,1,2-Trichloroethane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	79-00-5	
Trichloroethene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	79-01-6	
Trichlorofluoromethane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	75-69-4	
1,2,3-Trichloropropane	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	96-18-4	
1,2,4-Trimethylbenzene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	95-63-6	
1,3,5-Trimethylbenzene	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	108-67-8	
Vinyl chloride	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	75-01-4	
Xylene (Total)	<3.3	ug/kg	6.5	3.3	1		01/31/18 16:53	1330-20-7	
Surrogates									
Toluene-d8 (S)	100	%	78-122		1		01/31/18 16:53	2037-26-5	
4-Bromofluorobenzene (S)	102	%	69-133		1		01/31/18 16:53	460-00-4	
1,2-Dichloroethane-d4 (S)	114	%	80-123		1		01/31/18 16:53	17060-07-0	
Percent Moisture									
Analytical Method: ASTM D2974									
Percent Moisture	21.6	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil									
Analytical Method: EPA 9045									
pH at 25 Degrees C	9.1	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	86.9J	mg/kg	125	62.6	10	02/05/18 08:00	02/06/18 04:24	14808-79-8	
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	<6.3	mg/kg	12.5	6.3	10	02/05/18 16:00	02/06/18 04:24	14797-55-8	
Nitrite as N	<6.3	mg/kg	12.5	6.3	10	02/05/18 16:00	02/06/18 04:24	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-9 (0-3) Lab ID: 60262644011 Collected: 01/23/18 16:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.64	ug/kg	1.8	0.64	1	02/02/18 13:00	02/05/18 19:22	309-00-2	
alpha-BHC	<0.29	ug/kg	1.8	0.29	1	02/02/18 13:00	02/05/18 19:22	319-84-6	
beta-BHC	<0.95	ug/kg	3.0	0.95	1	02/02/18 13:00	02/05/18 19:22	319-85-7	
delta-BHC	<0.86	ug/kg	2.5	0.86	1	02/02/18 13:00	02/05/18 19:22	319-86-8	
gamma-BHC (Lindane)	2.0J	ug/kg	2.5	0.81	1	02/02/18 13:00	02/05/18 19:22	58-89-9	
Chlordane (Technical)	<50.8	ug/kg	271	50.8	1	02/02/18 13:00	02/05/18 19:22	57-74-9	
alpha-Chlordane	<0.72	ug/kg	3.0	0.72	1	02/02/18 13:00	02/05/18 19:22	5103-71-9	
gamma-Chlordane	<1.2	ug/kg	3.0	1.2	1	02/02/18 13:00	02/05/18 19:22	5103-74-2	
4,4'-DDD	<0.59	ug/kg	1.8	0.59	1	02/02/18 13:00	02/05/18 19:22	72-54-8	
4,4'-DDE	<0.57	ug/kg	1.8	0.57	1	02/02/18 13:00	02/05/18 19:22	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.5	1.2	1	02/02/18 13:00	02/05/18 19:22	50-29-3	
Dieldrin	<0.78	ug/kg	2.5	0.78	1	02/02/18 13:00	02/05/18 19:22	60-57-1	
Endosulfan I	<0.84	ug/kg	2.5	0.84	1	02/02/18 13:00	02/05/18 19:22	959-98-8	
Endosulfan II	<0.58	ug/kg	1.8	0.58	1	02/02/18 13:00	02/05/18 19:22	33213-65-9	
Endosulfan sulfate	<0.83	ug/kg	2.5	0.83	1	02/02/18 13:00	02/05/18 19:22	1031-07-8	
Endrin	<0.84	ug/kg	3.0	0.84	1	02/02/18 13:00	02/05/18 19:22	72-20-8	
Endrin aldehyde	<0.84	ug/kg	2.5	0.84	1	02/02/18 13:00	02/05/18 19:22	7421-93-4	
Endrin ketone	<0.99	ug/kg	3.6	0.99	1	02/02/18 13:00	02/05/18 19:22	53494-70-5	
Heptachlor	<1.4	ug/kg	3.6	1.4	1	02/02/18 13:00	02/05/18 19:22	76-44-8	
Heptachlor epoxide	<3.6	ug/kg	9.0	3.6	1	02/02/18 13:00	02/05/18 19:22	1024-57-3	
Methoxychlor	<1.0	ug/kg	3.6	1.0	1	02/02/18 13:00	02/05/18 19:22	72-43-5	
Toxaphene	<93.7	ug/kg	271	93.7	1	02/02/18 13:00	02/05/18 19:22	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	73	%	70-130		1	02/02/18 13:00	02/05/18 19:22	877-09-8	
Decachlorobiphenyl (S)	84	%	70-130		1	02/02/18 13:00	02/05/18 19:22	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<6.0	ug/kg	12.0	6.0	1	02/02/18 13:00	02/05/18 22:09	22248-79-9	
Azinphos, methyl (Guthion)	<6.0	ug/kg	12.0	6.0	1	02/02/18 13:00	02/05/18 22:09	86-50-0	
Bolstar	<6.0	ug/kg	12.0	6.0	1	02/02/18 13:00	02/05/18 22:09	35400-43-2	
Chlorpyrifos	<6.0	ug/kg	12.0	6.0	1	02/02/18 13:00	02/05/18 22:09	2921-88-2	
Coumaphos	<6.0	ug/kg	12.0	6.0	1	02/02/18 13:00	02/05/18 22:09	56-72-4	
Diazinon	<6.0	ug/kg	12.0	6.0	1	02/02/18 13:00	02/05/18 22:09	333-41-5	
Dichlorvos	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 22:09	62-73-7	
Dimethoate	<6.0	ug/kg	12.0	6.0	1	02/02/18 13:00	02/05/18 22:09	60-51-5	
Disulfoton	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 22:09	298-04-4	
EPN (ENT)	<3.8	ug/kg	6.0	3.8	1	02/02/18 13:00	02/05/18 22:09	2104-64-5	
Ethoprop	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 22:09	13194-48-4	
Fensulfthion	<6.0	ug/kg	12.0	6.0	1	02/02/18 13:00	02/05/18 22:09	115-90-2	
Fenthion	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 22:09	55-38-9	
Malathion	<6.0	ug/kg	12.0	6.0	1	02/02/18 13:00	02/05/18 22:09	121-75-5	
Methyl parathion	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 22:09	298-00-0	
Mevinphos	<3.6	ug/kg	6.0	3.6	1	02/02/18 13:00	02/05/18 22:09	7786-34-7	
Parathion (Ethyl parathion)	<6.0	ug/kg	12.0	6.0	1	02/02/18 13:00	02/05/18 22:09	56-38-2	
Phorate	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 22:09	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-9 (0-3) **Lab ID: 60262644011** Collected: 01/23/18 16:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 22:09	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 22:09	3689-24-5	
Tokuthion (Prothiofos)	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 22:09	34643-46-4	
Trichloronate	<6.0	ug/kg	12.0	6.0	1	02/02/18 13:00	02/05/18 22:09	327-98-0	
Total Demeton	<4.9	ug/kg	6.0	4.9	1	02/02/18 13:00	02/05/18 22:09	8065-48-3	N2
Total Merphos	<6.0	ug/kg	24.1	6.0	1	02/02/18 13:00	02/05/18 22:09	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	98	%.	11-137		1	02/02/18 13:00	02/05/18 22:09	115-86-6	
Tributylphosphate (S)	111	%.	17-125		1	02/02/18 13:00	02/05/18 22:09	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 17:25	94-75-7	
Dalapon	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 17:25	75-99-0	
2,4-DB	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 17:25	94-82-6	
Dicamba	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 17:25	1918-00-9	
Dichloroprop	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 17:25	15165-67-0	
Dinoseb	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 17:25	88-85-7	
MCPA	<300	ug/kg	300	300	1	01/29/18 16:21	01/30/18 17:25	94-74-6	
MCP	<300	ug/kg	300	300	1	01/29/18 16:21	01/30/18 17:25	7085-19-0	
2,4,5-T	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 17:25	93-76-5	
2,4,5-TP (Silvex)	<3.0	ug/kg	3.0	3.0	1	01/29/18 16:21	01/30/18 17:25	93-72-1	
Surrogates									
2,4-DCAA (S)	11	%.	10-188		1	01/29/18 16:21	01/30/18 17:50	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	9.6	mg/kg	1.1	0.46	1	01/30/18 14:45	02/01/18 17:47	7440-38-2	
Barium	196	mg/kg	0.55	0.034	1	01/30/18 14:45	02/01/18 17:47	7440-39-3	
Cadmium	3.2	mg/kg	0.55	0.041	1	01/30/18 14:45	02/01/18 17:47	7440-43-9	
Chromium	15.6	mg/kg	0.55	0.11	1	01/30/18 14:45	02/01/18 17:47	7440-47-3	
Lead	194	mg/kg	0.55	0.23	1	01/30/18 14:45	02/01/18 17:47	7439-92-1	
Selenium	<0.82	mg/kg	1.7	0.82	1	01/30/18 14:45	02/01/18 17:47	7782-49-2	
Silver	<0.18	mg/kg	0.77	0.18	1	01/30/18 14:45	02/01/18 17:47	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.069	mg/kg	0.047	0.0062	1	01/25/18 09:26	01/25/18 12:23	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<42.1	ug/kg	397	42.1	1	01/25/18 15:00	01/30/18 17:32	83-32-9	
Acenaphthylene	<37.3	ug/kg	397	37.3	1	01/25/18 15:00	01/30/18 17:32	208-96-8	
Anthracene	<42.1	ug/kg	397	42.1	1	01/25/18 15:00	01/30/18 17:32	120-12-7	
Benzo(a)anthracene	69.4J	ug/kg	397	36.1	1	01/25/18 15:00	01/30/18 17:32	56-55-3	
Benzo(a)pyrene	62.8J	ug/kg	397	31.3	1	01/25/18 15:00	01/30/18 17:32	50-32-8	
Benzo(b)fluoranthene	114J	ug/kg	397	27.7	1	01/25/18 15:00	01/30/18 17:32	205-99-2	
Benzo(g,h,i)perylene	<38.5	ug/kg	397	38.5	1	01/25/18 15:00	01/30/18 17:32	191-24-2	
Benzo(k)fluoranthene	<47.0	ug/kg	397	47.0	1	01/25/18 15:00	01/30/18 17:32	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: **SB-9 (0-3)** Lab ID: **60262644011** Collected: 01/23/18 16:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<37.3	ug/kg	2010	37.3	1	01/25/18 15:00	01/30/18 17:32	65-85-0	
Benzyl alcohol	<124	ug/kg	795	124	1	01/25/18 15:00	01/30/18 17:32	100-51-6	
4-Bromophenylphenyl ether	<31.3	ug/kg	397	31.3	1	01/25/18 15:00	01/30/18 17:32	101-55-3	
Butylbenzylphthalate	<51.8	ug/kg	397	51.8	1	01/25/18 15:00	01/30/18 17:32	85-68-7	
Carbazole	<32.5	ug/kg	397	32.5	1	01/25/18 15:00	01/30/18 17:32	86-74-8	
4-Chloro-3-methylphenol	<43.4	ug/kg	795	43.4	1	01/25/18 15:00	01/30/18 17:32	59-50-7	
4-Chloroaniline	<78.3	ug/kg	795	78.3	1	01/25/18 15:00	01/30/18 17:32	106-47-8	
bis(2-Chloroethoxy)methane	<31.3	ug/kg	397	31.3	1	01/25/18 15:00	01/30/18 17:32	111-91-1	
bis(2-Chloroethyl) ether	<31.3	ug/kg	397	31.3	1	01/25/18 15:00	01/30/18 17:32	111-44-4	
bis(2-Chloroisopropyl) ether	<31.3	ug/kg	397	31.3	1	01/25/18 15:00	01/30/18 17:32	39638-32-9	
2-Chloronaphthalene	<33.7	ug/kg	397	33.7	1	01/25/18 15:00	01/30/18 17:32	91-58-7	
2-Chlorophenol	<32.5	ug/kg	397	32.5	1	01/25/18 15:00	01/30/18 17:32	95-57-8	
4-Chlorophenylphenyl ether	<38.5	ug/kg	397	38.5	1	01/25/18 15:00	01/30/18 17:32	7005-72-3	
Chrysene	70.7J	ug/kg	397	33.7	1	01/25/18 15:00	01/30/18 17:32	218-01-9	
Dibenz(a,h)anthracene	<36.1	ug/kg	397	36.1	1	01/25/18 15:00	01/30/18 17:32	53-70-3	
Dibenzofuran	<36.1	ug/kg	397	36.1	1	01/25/18 15:00	01/30/18 17:32	132-64-9	
1,2-Dichlorobenzene	<30.1	ug/kg	397	30.1	1	01/25/18 15:00	01/30/18 17:32	95-50-1	
1,3-Dichlorobenzene	<33.7	ug/kg	397	33.7	1	01/25/18 15:00	01/30/18 17:32	541-73-1	
1,4-Dichlorobenzene	<34.9	ug/kg	397	34.9	1	01/25/18 15:00	01/30/18 17:32	106-46-7	
3,3'-Dichlorobenzidine	<136	ug/kg	795	136	1	01/25/18 15:00	01/30/18 17:32	91-94-1	
2,4-Dichlorophenol	<36.1	ug/kg	397	36.1	1	01/25/18 15:00	01/30/18 17:32	120-83-2	
Diethylphthalate	<37.3	ug/kg	397	37.3	1	01/25/18 15:00	01/30/18 17:32	84-66-2	
2,4-Dimethylphenol	<21.7	ug/kg	397	21.7	1	01/25/18 15:00	01/30/18 17:32	105-67-9	
Dimethylphthalate	<38.5	ug/kg	397	38.5	1	01/25/18 15:00	01/30/18 17:32	131-11-3	
Di-n-butylphthalate	<42.1	ug/kg	397	42.1	1	01/25/18 15:00	01/30/18 17:32	84-74-2	
4,6-Dinitro-2-methylphenol	<53.0	ug/kg	2010	53.0	1	01/25/18 15:00	01/30/18 17:32	534-52-1	
2,4-Dinitrophenol	<57.8	ug/kg	2010	57.8	1	01/25/18 15:00	01/30/18 17:32	51-28-5	
2,4-Dinitrotoluene	<33.7	ug/kg	397	33.7	1	01/25/18 15:00	01/30/18 17:32	121-14-2	
2,6-Dinitrotoluene	<40.9	ug/kg	397	40.9	1	01/25/18 15:00	01/30/18 17:32	606-20-2	
Di-n-octylphthalate	<47.0	ug/kg	397	47.0	1	01/25/18 15:00	01/30/18 17:32	117-84-0	
bis(2-Ethylhexyl)phthalate	<137	ug/kg	397	137	1	01/25/18 15:00	01/30/18 17:32	117-81-7	
Fluoranthene	136J	ug/kg	397	37.3	1	01/25/18 15:00	01/30/18 17:32	206-44-0	
Fluorene	<37.3	ug/kg	397	37.3	1	01/25/18 15:00	01/30/18 17:32	86-73-7	
Hexachloro-1,3-butadiene	<39.7	ug/kg	397	39.7	1	01/25/18 15:00	01/30/18 17:32	87-68-3	
Hexachlorobenzene	<38.5	ug/kg	397	38.5	1	01/25/18 15:00	01/30/18 17:32	118-74-1	
Hexachlorocyclopentadiene	<84.3	ug/kg	397	84.3	1	01/25/18 15:00	01/30/18 17:32	77-47-4	
Hexachloroethane	<30.1	ug/kg	397	30.1	1	01/25/18 15:00	01/30/18 17:32	67-72-1	
Indeno(1,2,3-cd)pyrene	<43.4	ug/kg	397	43.4	1	01/25/18 15:00	01/30/18 17:32	193-39-5	
Isophorone	<36.1	ug/kg	397	36.1	1	01/25/18 15:00	01/30/18 17:32	78-59-1	
2-Methylnaphthalene	<28.9	ug/kg	397	28.9	1	01/25/18 15:00	01/30/18 17:32	91-57-6	
2-Methylphenol(o-Cresol)	<37.3	ug/kg	397	37.3	1	01/25/18 15:00	01/30/18 17:32	95-48-7	
3&4-Methylphenol(m&p Cresol)	<43.4	ug/kg	397	43.4	1	01/25/18 15:00	01/30/18 17:32		
Naphthalene	<31.3	ug/kg	397	31.3	1	01/25/18 15:00	01/30/18 17:32	91-20-3	
2-Nitroaniline	<67.4	ug/kg	795	67.4	1	01/25/18 15:00	01/30/18 17:32	88-74-4	
3-Nitroaniline	<120	ug/kg	795	120	1	01/25/18 15:00	01/30/18 17:32	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: **SB-9 (0-3)** Lab ID: **60262644011** Collected: 01/23/18 16:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<102	ug/kg	795	102	1	01/25/18 15:00	01/30/18 17:32	100-01-6	
Nitrobenzene	<37.3	ug/kg	397	37.3	1	01/25/18 15:00	01/30/18 17:32	98-95-3	
2-Nitrophenol	<55.4	ug/kg	397	55.4	1	01/25/18 15:00	01/30/18 17:32	88-75-5	
4-Nitrophenol	<62.6	ug/kg	2010	62.6	1	01/25/18 15:00	01/30/18 17:32	100-02-7	
N-Nitroso-di-n-propylamine	<39.7	ug/kg	397	39.7	1	01/25/18 15:00	01/30/18 17:32	621-64-7	
N-Nitrosodiphenylamine	<31.3	ug/kg	397	31.3	1	01/25/18 15:00	01/30/18 17:32	86-30-6	
Pentachlorophenol	<37.3	ug/kg	2010	37.3	1	01/25/18 15:00	01/30/18 17:32	87-86-5	
Phenanthrene	69.1J	ug/kg	397	37.3	1	01/25/18 15:00	01/30/18 17:32	85-01-8	
Phenol	<31.3	ug/kg	397	31.3	1	01/25/18 15:00	01/30/18 17:32	108-95-2	
Pyrene	122J	ug/kg	397	39.7	1	01/25/18 15:00	01/30/18 17:32	129-00-0	
Pyridine	<32.5	ug/kg	397	32.5	1	01/25/18 15:00	01/30/18 17:32	110-86-1	
1,2,4-Trichlorobenzene	<36.1	ug/kg	397	36.1	1	01/25/18 15:00	01/30/18 17:32	120-82-1	
2,4,5-Trichlorophenol	<36.1	ug/kg	397	36.1	1	01/25/18 15:00	01/30/18 17:32	95-95-4	
2,4,6-Trichlorophenol	<37.3	ug/kg	397	37.3	1	01/25/18 15:00	01/30/18 17:32	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	82	%	41-114		1	01/25/18 15:00	01/30/18 17:32	4165-60-0	
2-Fluorobiphenyl (S)	87	%	61-109		1	01/25/18 15:00	01/30/18 17:32	321-60-8	
Terphenyl-d14 (S)	88	%	48-120		1	01/25/18 15:00	01/30/18 17:32	1718-51-0	
Phenol-d6 (S)	87	%	48-102		1	01/25/18 15:00	01/30/18 17:32	13127-88-3	
2-Fluorophenol (S)	84	%	46-102		1	01/25/18 15:00	01/30/18 17:32	367-12-4	
2,4,6-Tribromophenol (S)	93	%	39-114		1	01/25/18 15:00	01/30/18 17:32	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	97.0	mg/kg	18.1	1.5	1	01/25/18 15:00	01/27/18 17:59		
TPH-DRO	20.6	mg/kg	18.1	1.5	1	01/25/18 15:00	01/27/18 17:59		
Surrogates									
Nitrobenzene-d5 (S)	80	%	41-114		1	01/25/18 15:00	01/27/18 17:59	4165-60-0	
2-Fluorobiphenyl (S)	79	%	61-109		1	01/25/18 15:00	01/27/18 17:59	321-60-8	
Terphenyl-d14 (S)	75	%	48-120		1	01/25/18 15:00	01/27/18 17:59	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.25	mg/kg	0.50	0.25	1		01/31/18 17:08		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	11.1J	ug/kg	20.0	10.0	1		01/31/18 17:08	67-64-1	
Benzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	71-43-2	
Bromobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	108-86-1	
Bromochloromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	74-97-5	
Bromodichloromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	75-27-4	
Bromoform	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	75-25-2	
Bromomethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	74-83-9	
2-Butanone (MEK)	<5.0	ug/kg	10.0	5.0	1		01/31/18 17:08	78-93-3	
n-Butylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	104-51-8	
sec-Butylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	135-98-8	
tert-Butylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-9 (0-3) Lab ID: 60262644011 Collected: 01/23/18 16:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	75-15-0	
Carbon tetrachloride	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	56-23-5	
Chlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	108-90-7	
Chloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	75-00-3	
Chloroform	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	67-66-3	
Chloromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	74-87-3	
2-Chlorotoluene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	95-49-8	
4-Chlorotoluene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	106-43-4	
1,2-Dibromo-3-chloropropane	<5.0	ug/kg	10.0	5.0	1		01/31/18 17:08	96-12-8	
Dibromochloromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	124-48-1	
1,2-Dibromoethane (EDB)	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	106-93-4	
Dibromomethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	74-95-3	
1,2-Dichlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	95-50-1	
1,3-Dichlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	541-73-1	
1,4-Dichlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	106-46-7	
Dichlorodifluoromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	75-71-8	
1,1-Dichloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	75-34-3	
1,2-Dichloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	107-06-2	
1,2-Dichloroethene (Total)	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	540-59-0	
1,1-Dichloroethene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	75-35-4	
cis-1,2-Dichloroethene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	156-59-2	
trans-1,2-Dichloroethene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	156-60-5	L2
1,2-Dichloropropane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	78-87-5	
1,3-Dichloropropane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	142-28-9	
2,2-Dichloropropane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	594-20-7	
1,1-Dichloropropene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	563-58-6	
cis-1,3-Dichloropropene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	10061-01-5	
trans-1,3-Dichloropropene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	10061-02-6	
Ethylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	100-41-4	
Hexachloro-1,3-butadiene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	87-68-3	
2-Hexanone	<10.0	ug/kg	20.0	10.0	1		01/31/18 17:08	591-78-6	
Isopropylbenzene (Cumene)	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	98-82-8	
p-Isopropyltoluene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	99-87-6	
Methylene chloride	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/kg	10.0	5.0	1		01/31/18 17:08	108-10-1	
Methyl-tert-butyl ether	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	1634-04-4	
Naphthalene	<5.0	ug/kg	10.0	5.0	1		01/31/18 17:08	91-20-3	
n-Propylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	103-65-1	
Styrene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	100-42-5	
1,1,1,2-Tetrachloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	630-20-6	
1,1,2,2-Tetrachloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	79-34-5	
Tetrachloroethene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	127-18-4	
Toluene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	108-88-3	
1,2,3-Trichlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	87-61-6	
1,2,4-Trichlorobenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-9 (0-3) **Lab ID: 60262644011** Collected: 01/23/18 16:00 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	71-55-6	
1,1,2-Trichloroethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	79-00-5	
Trichloroethene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	79-01-6	
Trichlorofluoromethane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	75-69-4	
1,2,3-Trichloropropane	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	96-18-4	
1,2,4-Trimethylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	95-63-6	
1,3,5-Trimethylbenzene	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	108-67-8	
Vinyl chloride	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	75-01-4	
Xylene (Total)	<2.5	ug/kg	5.0	2.5	1		01/31/18 17:08	1330-20-7	
Surrogates									
Toluene-d8 (S)	99	%	78-122		1		01/31/18 17:08	2037-26-5	
4-Bromofluorobenzene (S)	105	%	69-133		1		01/31/18 17:08	460-00-4	
1,2-Dichloroethane-d4 (S)	111	%	80-123		1		01/31/18 17:08	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974									
Percent Moisture	17.5	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045									
pH at 25 Degrees C	9.2	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	70.8J	mg/kg	121	60.3	10	02/05/18 08:00	02/06/18 04:38	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	<6.0	mg/kg	12.1	6.0	10	02/05/18 16:00	02/06/18 04:38	14797-55-8	
Nitrite as N	<6.0	mg/kg	12.1	6.0	10	02/05/18 16:00	02/06/18 04:38	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-9 (3-5) Lab ID: 60262644012 Collected: 01/23/18 16:15 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.66	ug/kg	1.9	0.66	1	02/02/18 13:00	02/05/18 19:36	309-00-2	
alpha-BHC	<0.29	ug/kg	1.9	0.29	1	02/02/18 13:00	02/05/18 19:36	319-84-6	
beta-BHC	<0.98	ug/kg	3.1	0.98	1	02/02/18 13:00	02/05/18 19:36	319-85-7	
delta-BHC	<0.89	ug/kg	2.6	0.89	1	02/02/18 13:00	02/05/18 19:36	319-86-8	
gamma-BHC (Lindane)	<0.83	ug/kg	2.6	0.83	1	02/02/18 13:00	02/05/18 19:36	58-89-9	
Chlordane (Technical)	<52.1	ug/kg	278	52.1	1	02/02/18 13:00	02/05/18 19:36	57-74-9	
alpha-Chlordane	<0.74	ug/kg	3.1	0.74	1	02/02/18 13:00	02/05/18 19:36	5103-71-9	
gamma-Chlordane	<1.2	ug/kg	3.1	1.2	1	02/02/18 13:00	02/05/18 19:36	5103-74-2	
4,4'-DDD	<0.60	ug/kg	1.9	0.60	1	02/02/18 13:00	02/05/18 19:36	72-54-8	
4,4'-DDE	<0.58	ug/kg	1.9	0.58	1	02/02/18 13:00	02/05/18 19:36	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.6	1.2	1	02/02/18 13:00	02/05/18 19:36	50-29-3	
Dieldrin	<0.80	ug/kg	2.6	0.80	1	02/02/18 13:00	02/05/18 19:36	60-57-1	
Endosulfan I	<0.86	ug/kg	2.6	0.86	1	02/02/18 13:00	02/05/18 19:36	959-98-8	
Endosulfan II	<0.60	ug/kg	1.9	0.60	1	02/02/18 13:00	02/05/18 19:36	33213-65-9	
Endosulfan sulfate	<0.85	ug/kg	2.6	0.85	1	02/02/18 13:00	02/05/18 19:36	1031-07-8	
Endrin	<0.86	ug/kg	3.1	0.86	1	02/02/18 13:00	02/05/18 19:36	72-20-8	
Endrin aldehyde	<0.86	ug/kg	2.6	0.86	1	02/02/18 13:00	02/05/18 19:36	7421-93-4	
Endrin ketone	<1.0	ug/kg	3.7	1.0	1	02/02/18 13:00	02/05/18 19:36	53494-70-5	
Heptachlor	<1.4	ug/kg	3.7	1.4	1	02/02/18 13:00	02/05/18 19:36	76-44-8	
Heptachlor epoxide	<3.7	ug/kg	9.3	3.7	1	02/02/18 13:00	02/05/18 19:36	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.7	1.1	1	02/02/18 13:00	02/05/18 19:36	72-43-5	
Toxaphene	<96.1	ug/kg	278	96.1	1	02/02/18 13:00	02/05/18 19:36	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	70	%.	70-130		1	02/02/18 13:00	02/05/18 19:36	877-09-8	
Decachlorobiphenyl (S)	80	%.	70-130		1	02/02/18 13:00	02/05/18 19:36	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 22:36	22248-79-9	
Azinphos, methyl (Guthion)	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 22:36	86-50-0	
Bolstar	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 22:36	35400-43-2	
Chlorpyrifos	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 22:36	2921-88-2	
Coumaphos	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 22:36	56-72-4	
Diazinon	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 22:36	333-41-5	
Dichlorvos	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 22:36	62-73-7	
Dimethoate	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 22:36	60-51-5	
Disulfoton	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 22:36	298-04-4	
EPN (ENT)	<3.9	ug/kg	6.2	3.9	1	02/02/18 13:00	02/05/18 22:36	2104-64-5	
Ethoprop	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 22:36	13194-48-4	
Fensulfthion	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 22:36	115-90-2	
Fenthion	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 22:36	55-38-9	
Malathion	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 22:36	121-75-5	
Methyl parathion	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 22:36	298-00-0	
Mevinphos	<3.7	ug/kg	6.2	3.7	1	02/02/18 13:00	02/05/18 22:36	7786-34-7	
Parathion (Ethyl parathion)	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 22:36	56-38-2	
Phorate	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 22:36	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-9 (3-5) **Lab ID: 60262644012** Collected: 01/23/18 16:15 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 22:36	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 22:36	3689-24-5	
Tokuthion (Prothiofos)	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 22:36	34643-46-4	
Trichloronate	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 22:36	327-98-0	
Total Demeton	<5.1	ug/kg	6.2	5.1	1	02/02/18 13:00	02/05/18 22:36	8065-48-3	N2
Total Merphos	<6.2	ug/kg	24.7	6.2	1	02/02/18 13:00	02/05/18 22:36	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	100	%.	11-137		1	02/02/18 13:00	02/05/18 22:36	115-86-6	
Tributylphosphate (S)	113	%.	17-125		1	02/02/18 13:00	02/05/18 22:36	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 17:50	94-75-7	
Dalapon	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 17:50	75-99-0	
2,4-DB	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 17:50	94-82-6	
Dicamba	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 17:50	1918-00-9	
Dichloroprop	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 17:50	15165-67-0	
Dinoseb	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 17:50	88-85-7	
MCPA	<312	ug/kg	312	312	1	01/29/18 16:21	01/30/18 17:50	94-74-6	
MCP	<312	ug/kg	312	312	1	01/29/18 16:21	01/30/18 17:50	7085-19-0	
2,4,5-T	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 17:50	93-76-5	
2,4,5-TP (Silvex)	<3.1	ug/kg	3.1	3.1	1	01/29/18 16:21	01/30/18 17:50	93-72-1	
Surrogates									
2,4-DCAA (S)	10	%.	10-188		1	01/29/18 16:21	01/30/18 17:50	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	5.7	mg/kg	1.1	0.46	1	01/30/18 14:45	02/01/18 17:49	7440-38-2	
Barium	169	mg/kg	0.56	0.035	1	01/30/18 14:45	02/01/18 17:49	7440-39-3	
Cadmium	0.17J	mg/kg	0.56	0.042	1	01/30/18 14:45	02/01/18 17:49	7440-43-9	
Chromium	16.4	mg/kg	0.56	0.11	1	01/30/18 14:45	02/01/18 17:49	7440-47-3	
Lead	9.9	mg/kg	0.56	0.23	1	01/30/18 14:45	02/01/18 17:49	7439-92-1	
Selenium	<0.84	mg/kg	1.7	0.84	1	01/30/18 14:45	02/01/18 17:49	7782-49-2	
Silver	<0.19	mg/kg	0.79	0.19	1	01/30/18 14:45	02/01/18 17:49	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.027J	mg/kg	0.059	0.0078	1	01/25/18 09:26	01/25/18 12:26	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<43.1	ug/kg	406	43.1	1	01/25/18 15:00	01/30/18 17:54	83-32-9	
Acenaphthylene	<38.1	ug/kg	406	38.1	1	01/25/18 15:00	01/30/18 17:54	208-96-8	
Anthracene	<43.1	ug/kg	406	43.1	1	01/25/18 15:00	01/30/18 17:54	120-12-7	
Benzo(a)anthracene	<36.9	ug/kg	406	36.9	1	01/25/18 15:00	01/30/18 17:54	56-55-3	
Benzo(a)pyrene	<32.0	ug/kg	406	32.0	1	01/25/18 15:00	01/30/18 17:54	50-32-8	
Benzo(b)fluoranthene	<28.3	ug/kg	406	28.3	1	01/25/18 15:00	01/30/18 17:54	205-99-2	
Benzo(g,h,i)perylene	<39.4	ug/kg	406	39.4	1	01/25/18 15:00	01/30/18 17:54	191-24-2	
Benzo(k)fluoranthene	<48.0	ug/kg	406	48.0	1	01/25/18 15:00	01/30/18 17:54	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-9 (3-5) Lab ID: 60262644012 Collected: 01/23/18 16:15 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<38.1	ug/kg	2050	38.1	1	01/25/18 15:00	01/30/18 17:54	65-85-0	
Benzyl alcohol	<127	ug/kg	812	127	1	01/25/18 15:00	01/30/18 17:54	100-51-6	
4-Bromophenylphenyl ether	<32.0	ug/kg	406	32.0	1	01/25/18 15:00	01/30/18 17:54	101-55-3	
Butylbenzylphthalate	<52.9	ug/kg	406	52.9	1	01/25/18 15:00	01/30/18 17:54	85-68-7	
Carbazole	<33.2	ug/kg	406	33.2	1	01/25/18 15:00	01/30/18 17:54	86-74-8	
4-Chloro-3-methylphenol	<44.3	ug/kg	812	44.3	1	01/25/18 15:00	01/30/18 17:54	59-50-7	
4-Chloroaniline	<80.0	ug/kg	812	80.0	1	01/25/18 15:00	01/30/18 17:54	106-47-8	
bis(2-Chloroethoxy)methane	<32.0	ug/kg	406	32.0	1	01/25/18 15:00	01/30/18 17:54	111-91-1	
bis(2-Chloroethyl) ether	<32.0	ug/kg	406	32.0	1	01/25/18 15:00	01/30/18 17:54	111-44-4	
bis(2-Chloroisopropyl) ether	<32.0	ug/kg	406	32.0	1	01/25/18 15:00	01/30/18 17:54	39638-32-9	
2-Chloronaphthalene	<34.4	ug/kg	406	34.4	1	01/25/18 15:00	01/30/18 17:54	91-58-7	
2-Chlorophenol	<33.2	ug/kg	406	33.2	1	01/25/18 15:00	01/30/18 17:54	95-57-8	
4-Chlorophenylphenyl ether	<39.4	ug/kg	406	39.4	1	01/25/18 15:00	01/30/18 17:54	7005-72-3	
Chrysene	<34.4	ug/kg	406	34.4	1	01/25/18 15:00	01/30/18 17:54	218-01-9	
Dibenz(a,h)anthracene	<36.9	ug/kg	406	36.9	1	01/25/18 15:00	01/30/18 17:54	53-70-3	
Dibenzofuran	<36.9	ug/kg	406	36.9	1	01/25/18 15:00	01/30/18 17:54	132-64-9	
1,2-Dichlorobenzene	<30.8	ug/kg	406	30.8	1	01/25/18 15:00	01/30/18 17:54	95-50-1	
1,3-Dichlorobenzene	<34.4	ug/kg	406	34.4	1	01/25/18 15:00	01/30/18 17:54	541-73-1	
1,4-Dichlorobenzene	<35.7	ug/kg	406	35.7	1	01/25/18 15:00	01/30/18 17:54	106-46-7	
3,3'-Dichlorobenzidine	<139	ug/kg	812	139	1	01/25/18 15:00	01/30/18 17:54	91-94-1	
2,4-Dichlorophenol	<36.9	ug/kg	406	36.9	1	01/25/18 15:00	01/30/18 17:54	120-83-2	
Diethylphthalate	<38.1	ug/kg	406	38.1	1	01/25/18 15:00	01/30/18 17:54	84-66-2	
2,4-Dimethylphenol	<22.1	ug/kg	406	22.1	1	01/25/18 15:00	01/30/18 17:54	105-67-9	
Dimethylphthalate	<39.4	ug/kg	406	39.4	1	01/25/18 15:00	01/30/18 17:54	131-11-3	
Di-n-butylphthalate	<43.1	ug/kg	406	43.1	1	01/25/18 15:00	01/30/18 17:54	84-74-2	
4,6-Dinitro-2-methylphenol	<54.1	ug/kg	2050	54.1	1	01/25/18 15:00	01/30/18 17:54	534-52-1	
2,4-Dinitrophenol	<59.1	ug/kg	2050	59.1	1	01/25/18 15:00	01/30/18 17:54	51-28-5	
2,4-Dinitrotoluene	<34.4	ug/kg	406	34.4	1	01/25/18 15:00	01/30/18 17:54	121-14-2	
2,6-Dinitrotoluene	<41.8	ug/kg	406	41.8	1	01/25/18 15:00	01/30/18 17:54	606-20-2	
Di-n-octylphthalate	<48.0	ug/kg	406	48.0	1	01/25/18 15:00	01/30/18 17:54	117-84-0	
bis(2-Ethylhexyl)phthalate	<140	ug/kg	406	140	1	01/25/18 15:00	01/30/18 17:54	117-81-7	
Fluoranthene	<38.1	ug/kg	406	38.1	1	01/25/18 15:00	01/30/18 17:54	206-44-0	
Fluorene	<38.1	ug/kg	406	38.1	1	01/25/18 15:00	01/30/18 17:54	86-73-7	
Hexachloro-1,3-butadiene	<40.6	ug/kg	406	40.6	1	01/25/18 15:00	01/30/18 17:54	87-68-3	
Hexachlorobenzene	<39.4	ug/kg	406	39.4	1	01/25/18 15:00	01/30/18 17:54	118-74-1	
Hexachlorocyclopentadiene	<86.1	ug/kg	406	86.1	1	01/25/18 15:00	01/30/18 17:54	77-47-4	
Hexachloroethane	<30.8	ug/kg	406	30.8	1	01/25/18 15:00	01/30/18 17:54	67-72-1	
Indeno(1,2,3-cd)pyrene	<44.3	ug/kg	406	44.3	1	01/25/18 15:00	01/30/18 17:54	193-39-5	
Isophorone	<36.9	ug/kg	406	36.9	1	01/25/18 15:00	01/30/18 17:54	78-59-1	
2-Methylnaphthalene	<29.5	ug/kg	406	29.5	1	01/25/18 15:00	01/30/18 17:54	91-57-6	
2-Methylphenol(o-Cresol)	<38.1	ug/kg	406	38.1	1	01/25/18 15:00	01/30/18 17:54	95-48-7	
3&4-Methylphenol(m&p Cresol)	<44.3	ug/kg	406	44.3	1	01/25/18 15:00	01/30/18 17:54		
Naphthalene	<32.0	ug/kg	406	32.0	1	01/25/18 15:00	01/30/18 17:54	91-20-3	
2-Nitroaniline	<68.9	ug/kg	812	68.9	1	01/25/18 15:00	01/30/18 17:54	88-74-4	
3-Nitroaniline	<123	ug/kg	812	123	1	01/25/18 15:00	01/30/18 17:54	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-9 (3-5) Lab ID: 60262644012 Collected: 01/23/18 16:15 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<105	ug/kg	812	105	1	01/25/18 15:00	01/30/18 17:54	100-01-6	
Nitrobenzene	<38.1	ug/kg	406	38.1	1	01/25/18 15:00	01/30/18 17:54	98-95-3	
2-Nitrophenol	<56.6	ug/kg	406	56.6	1	01/25/18 15:00	01/30/18 17:54	88-75-5	
4-Nitrophenol	<64.0	ug/kg	2050	64.0	1	01/25/18 15:00	01/30/18 17:54	100-02-7	
N-Nitroso-di-n-propylamine	<40.6	ug/kg	406	40.6	1	01/25/18 15:00	01/30/18 17:54	621-64-7	
N-Nitrosodiphenylamine	<32.0	ug/kg	406	32.0	1	01/25/18 15:00	01/30/18 17:54	86-30-6	
Pentachlorophenol	<38.1	ug/kg	2050	38.1	1	01/25/18 15:00	01/30/18 17:54	87-86-5	
Phenanthrene	<38.1	ug/kg	406	38.1	1	01/25/18 15:00	01/30/18 17:54	85-01-8	
Phenol	<32.0	ug/kg	406	32.0	1	01/25/18 15:00	01/30/18 17:54	108-95-2	
Pyrene	<40.6	ug/kg	406	40.6	1	01/25/18 15:00	01/30/18 17:54	129-00-0	
Pyridine	<33.2	ug/kg	406	33.2	1	01/25/18 15:00	01/30/18 17:54	110-86-1	
1,2,4-Trichlorobenzene	<36.9	ug/kg	406	36.9	1	01/25/18 15:00	01/30/18 17:54	120-82-1	
2,4,5-Trichlorophenol	<36.9	ug/kg	406	36.9	1	01/25/18 15:00	01/30/18 17:54	95-95-4	
2,4,6-Trichlorophenol	<38.1	ug/kg	406	38.1	1	01/25/18 15:00	01/30/18 17:54	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	80	%	41-114		1	01/25/18 15:00	01/30/18 17:54	4165-60-0	
2-Fluorobiphenyl (S)	85	%	61-109		1	01/25/18 15:00	01/30/18 17:54	321-60-8	
Terphenyl-d14 (S)	86	%	48-120		1	01/25/18 15:00	01/30/18 17:54	1718-51-0	
Phenol-d6 (S)	85	%	48-102		1	01/25/18 15:00	01/30/18 17:54	13127-88-3	
2-Fluorophenol (S)	83	%	46-102		1	01/25/18 15:00	01/30/18 17:54	367-12-4	
2,4,6-Tribromophenol (S)	90	%	39-114		1	01/25/18 15:00	01/30/18 17:54	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	18.6J	mg/kg	18.7	1.5	1	01/25/18 15:00	01/27/18 18:20		B
TPH-DRO	4.0J	mg/kg	18.7	1.5	1	01/25/18 15:00	01/27/18 18:20		
Surrogates									
Nitrobenzene-d5 (S)	112	%	41-114		1	01/25/18 15:00	01/27/18 18:20	4165-60-0	
2-Fluorobiphenyl (S)	69	%	61-109		1	01/25/18 15:00	01/27/18 18:20	321-60-8	
Terphenyl-d14 (S)	70	%	48-120		1	01/25/18 15:00	01/27/18 18:20	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.29	mg/kg	0.57	0.29	1		01/31/18 17:24		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	<11.5	ug/kg	23.0	11.5	1		01/31/18 17:24	67-64-1	
Benzene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	71-43-2	
Bromobenzene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	108-86-1	
Bromochloromethane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	74-97-5	
Bromodichloromethane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	75-27-4	
Bromoform	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	75-25-2	
Bromomethane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	74-83-9	
2-Butanone (MEK)	<5.7	ug/kg	11.5	5.7	1		01/31/18 17:24	78-93-3	
n-Butylbenzene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	104-51-8	
sec-Butylbenzene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	135-98-8	
tert-Butylbenzene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-9 (3-5) Lab ID: 60262644012 Collected: 01/23/18 16:15 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	75-15-0	
Carbon tetrachloride	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	56-23-5	
Chlorobenzene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	108-90-7	
Chloroethane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	75-00-3	
Chloroform	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	67-66-3	
Chloromethane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	74-87-3	
2-Chlorotoluene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	95-49-8	
4-Chlorotoluene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	106-43-4	
1,2-Dibromo-3-chloropropane	<5.7	ug/kg	11.5	5.7	1		01/31/18 17:24	96-12-8	
Dibromochloromethane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	124-48-1	
1,2-Dibromoethane (EDB)	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	106-93-4	
Dibromomethane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	74-95-3	
1,2-Dichlorobenzene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	95-50-1	
1,3-Dichlorobenzene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	541-73-1	
1,4-Dichlorobenzene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	106-46-7	
Dichlorodifluoromethane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	75-71-8	
1,1-Dichloroethane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	75-34-3	
1,2-Dichloroethane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	107-06-2	
1,2-Dichloroethene (Total)	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	540-59-0	
1,1-Dichloroethene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	75-35-4	
cis-1,2-Dichloroethene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	156-59-2	
trans-1,2-Dichloroethene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	156-60-5	L2
1,2-Dichloropropane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	78-87-5	
1,3-Dichloropropane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	142-28-9	
2,2-Dichloropropane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	594-20-7	
1,1-Dichloropropene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	563-58-6	
cis-1,3-Dichloropropene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	10061-01-5	
trans-1,3-Dichloropropene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	10061-02-6	
Ethylbenzene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	100-41-4	
Hexachloro-1,3-butadiene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	87-68-3	
2-Hexanone	<11.5	ug/kg	23.0	11.5	1		01/31/18 17:24	591-78-6	
Isopropylbenzene (Cumene)	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	98-82-8	
p-Isopropyltoluene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	99-87-6	
Methylene chloride	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.7	ug/kg	11.5	5.7	1		01/31/18 17:24	108-10-1	
Methyl-tert-butyl ether	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	1634-04-4	
Naphthalene	<5.7	ug/kg	11.5	5.7	1		01/31/18 17:24	91-20-3	
n-Propylbenzene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	103-65-1	
Styrene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	100-42-5	
1,1,1,2-Tetrachloroethane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	630-20-6	
1,1,2,2-Tetrachloroethane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	79-34-5	
Tetrachloroethene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	127-18-4	
Toluene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	108-88-3	
1,2,3-Trichlorobenzene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	87-61-6	
1,2,4-Trichlorobenzene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-9 (3-5) **Lab ID: 60262644012** Collected: 01/23/18 16:15 Received: 01/24/18 13:05 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	71-55-6	
1,1,2-Trichloroethane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	79-00-5	
Trichloroethene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	79-01-6	
Trichlorofluoromethane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	75-69-4	
1,2,3-Trichloropropane	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	96-18-4	
1,2,4-Trimethylbenzene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	95-63-6	
1,3,5-Trimethylbenzene	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	108-67-8	
Vinyl chloride	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	75-01-4	
Xylene (Total)	<2.9	ug/kg	5.7	2.9	1		01/31/18 17:24	1330-20-7	
Surrogates									
Toluene-d8 (S)	100	%	78-122		1		01/31/18 17:24	2037-26-5	
4-Bromofluorobenzene (S)	102	%	69-133		1		01/31/18 17:24	460-00-4	
1,2-Dichloroethane-d4 (S)	111	%	80-123		1		01/31/18 17:24	17060-07-0	
Percent Moisture									
Analytical Method: ASTM D2974									
Percent Moisture	20.5	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil									
Analytical Method: EPA 9045									
pH at 25 Degrees C	8.9	Std. Units	0.10	0.10	1		01/30/18 10:40		
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	74.7J	mg/kg	127	63.3	10	02/05/18 08:00	02/06/18 04:52	14808-79-8	
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	<6.3	mg/kg	12.7	6.3	10	02/05/18 16:00	02/06/18 04:52	14797-55-8	
Nitrite as N	<6.3	mg/kg	12.7	6.3	10	02/05/18 16:00	02/06/18 04:52	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 Lab ID: 60262644013 Collected: 01/23/18 09:50 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Aldrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 19:07	309-00-2	
alpha-BHC	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 19:07	319-84-6	
beta-BHC	<0.010	ug/L	0.010	0.010	1	01/26/18 12:10	02/05/18 19:07	319-85-7	
delta-BHC	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/05/18 19:07	319-86-8	
gamma-BHC (Lindane)	<0.0080	ug/L	0.010	0.0080	1	01/26/18 12:10	02/05/18 19:07	58-89-9	
Chlordane (Technical)	<0.090	ug/L	0.10	0.090	1	01/26/18 12:10	02/05/18 19:07	57-74-9	
alpha-Chlordane	<0.024	ug/L	0.10	0.024	1	01/26/18 12:10	02/05/18 19:07	5103-71-9	
gamma-Chlordane	<0.034	ug/L	0.10	0.034	1	01/26/18 12:10	02/05/18 19:07	5103-74-2	
4,4'-DDD	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/05/18 19:07	72-54-8	
4,4'-DDE	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 19:07	72-55-9	
4,4'-DDT	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 19:07	50-29-3	
Dieldrin	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 19:07	60-57-1	
Endosulfan I	<0.021	ug/L	0.10	0.021	1	01/26/18 12:10	02/05/18 19:07	959-98-8	
Endosulfan II	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/05/18 19:07	33213-65-9	
Endosulfan sulfate	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 19:07	1031-07-8	
Endrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 19:07	72-20-8	
Endrin aldehyde	<0.029	ug/L	0.10	0.029	1	01/26/18 12:10	02/05/18 19:07	7421-93-4	
Endrin ketone	<0.025	ug/L	0.10	0.025	1	01/26/18 12:10	02/05/18 19:07	53494-70-5	
Heptachlor	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/05/18 19:07	76-44-8	
Heptachlor epoxide	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 19:07	1024-57-3	
Methoxychlor	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 19:07	72-43-5	
Toxaphene	<0.61	ug/L	1.5	0.61	1	01/26/18 12:10	02/05/18 19:07	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	80	%.	54-127		1	01/26/18 12:10	02/05/18 19:07	877-09-8	
Decachlorobiphenyl (S)	54	%.	12-162		1	01/26/18 12:10	02/05/18 19:07	2051-24-3	
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Stirophos (Tetrachlorvinphos)	<0.072	ug/L	0.10	0.072	1	01/26/18 12:10	02/01/18 17:56	22248-79-9	
Azinphos, methyl (Guthion)	<0.093	ug/L	0.10	0.093	1	01/26/18 12:10	02/01/18 17:56	86-50-0	
Bolstar	<0.090	ug/L	0.10	0.090	1	01/26/18 12:10	02/01/18 17:56	35400-43-2	
Chlorpyrifos	<0.067	ug/L	0.10	0.067	1	01/26/18 12:10	02/01/18 17:56	2921-88-2	
Coumaphos	<0.092	ug/L	0.10	0.092	1	01/26/18 12:10	02/01/18 17:56	56-72-4	
Diazinon	<0.078	ug/L	0.10	0.078	1	01/26/18 12:10	02/01/18 17:56	333-41-5	
Dichlorvos	<0.073	ug/L	0.10	0.073	1	01/26/18 12:10	02/01/18 17:56	62-73-7	
Dimethoate	<0.083	ug/L	0.10	0.083	1	01/26/18 12:10	02/01/18 17:56	60-51-5	
Disulfoton	<0.071	ug/L	0.10	0.071	1	01/26/18 12:10	02/01/18 17:56	298-04-4	
EPN (ENT)	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 17:56	2104-64-5	
Ethoprop	<0.059	ug/L	0.10	0.059	1	01/26/18 12:10	02/01/18 17:56	13194-48-4	
Fensulfthion	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 17:56	115-90-2	
Fenthion	<0.088	ug/L	0.10	0.088	1	01/26/18 12:10	02/01/18 17:56	55-38-9	
Malathion	<0.086	ug/L	0.10	0.086	1	01/26/18 12:10	02/01/18 17:56	121-75-5	
Methyl parathion	<0.070	ug/L	0.10	0.070	1	01/26/18 12:10	02/01/18 17:56	298-00-0	
Mevinphos	<0.065	ug/L	0.10	0.065	1	01/26/18 12:10	02/01/18 17:56	7786-34-7	
Parathion (Ethyl parathion)	<0.060	ug/L	0.10	0.060	1	01/26/18 12:10	02/01/18 17:56	56-38-2	
Phorate	<0.064	ug/L	0.10	0.064	1	01/26/18 12:10	02/01/18 17:56	298-02-2	
Ronnel	<0.088	ug/L	0.10	0.088	1	01/26/18 12:10	02/01/18 17:56	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 **Lab ID: 60262644013** Collected: 01/23/18 09:50 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Sulfotep (Thiodiphosphoric Ac	<0.061	ug/L	0.10	0.061	1	01/26/18 12:10	02/01/18 17:56	3689-24-5	
Tokuthion (Prothiofos)	<0.081	ug/L	0.10	0.081	1	01/26/18 12:10	02/01/18 17:56	34643-46-4	
Trichloronate	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 17:56	327-98-0	
Total Demeton	<0.083	ug/L	0.10	0.083	1	01/26/18 12:10	02/01/18 17:56	8065-48-3	
Total Merphos	<0.038	ug/L	0.10	0.038	1	01/26/18 12:10	02/01/18 17:56	150-50-5	
Surrogates									
Triphenylphosphate (S)	98	%.	10-175		1	01/26/18 12:10	02/01/18 17:56	115-86-6	
Tributylphosphate (S)	115	%.	20-150		1	01/26/18 12:10	02/01/18 17:56	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 8151									
2,4-D	8.0	ug/L	2.5	1.2	5	01/29/18 21:00	02/01/18 20:27	94-75-7	
Dalapon	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 13:49	75-99-0	
2,4-DB	<0.34	ug/L	0.50	0.34	1	01/29/18 21:00	02/01/18 13:49	94-82-6	
Dicamba	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 13:49	1918-00-9	
Dichloroprop	6.0	ug/L	2.5	1.4	5	01/29/18 21:00	02/01/18 20:27	15165-67-0	
Dinoseb	<0.50	ug/L	0.50	0.50	1	01/29/18 21:00	02/01/18 13:49	88-85-7	
MCPA	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 13:49	94-74-6	
MCPP	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 13:49	7085-19-0	
2,4,5-T	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 13:49	93-76-5	
2,4,5-TP (Silvex)	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 13:49	93-72-1	
Surrogates									
2,4-DCAA (S)	117	%.	47-166		1	01/29/18 21:00	02/01/18 13:49	19719-28-9	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic	72.9	ug/L	10.0	4.2	1	01/30/18 11:15	02/01/18 15:00	7440-38-2	
Barium	4310	ug/L	5.0	0.91	1	01/30/18 11:15	02/01/18 15:00	7440-39-3	
Cadmium	6.4	ug/L	5.0	0.64	1	01/30/18 11:15	02/01/18 15:00	7440-43-9	
Chromium	129	ug/L	5.0	0.72	1	01/30/18 11:15	02/01/18 15:00	7440-47-3	
Lead	109	ug/L	5.0	2.4	1	01/30/18 11:15	02/01/18 15:00	7439-92-1	
Selenium	6.2J	ug/L	15.0	3.4	1	01/30/18 11:15	02/01/18 15:00	7782-49-2	
Silver	<1.9	ug/L	7.0	1.9	1	01/30/18 11:15	02/01/18 15:00	7440-22-4	
6010 MET ICP, Dissolved (LF) Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic, Dissolved	<4.2	ug/L	10.0	4.2	1	01/30/18 10:10	01/31/18 17:09	7440-38-2	
Barium, Dissolved	76.0	ug/L	5.0	0.91	1	01/30/18 10:10	01/31/18 17:09	7440-39-3	
Cadmium, Dissolved	0.71J	ug/L	5.0	0.64	1	01/30/18 10:10	01/31/18 17:09	7440-43-9	
Chromium, Dissolved	0.84J	ug/L	5.0	0.72	1	01/30/18 10:10	01/31/18 17:09	7440-47-3	
Lead, Dissolved	<2.4	ug/L	5.0	2.4	1	01/30/18 10:10	01/31/18 17:09	7439-92-1	
Selenium, Dissolved	6.7J	ug/L	15.0	3.4	1	01/30/18 10:10	01/31/18 17:09	7782-49-2	
Silver, Dissolved	<1.9	ug/L	7.0	1.9	1	01/30/18 10:10	01/31/18 17:09	7440-22-4	
7470 Mercury Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury	0.25	ug/L	0.20	0.046	1	02/08/18 11:51	02/08/18 15:16	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 **Lab ID: 60262644013** Collected: 01/23/18 09:50 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7470 Mercury, Dissolved (LF) Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury, Dissolved	<0.046	ug/L	0.20	0.046	1	02/08/18 15:58	02/09/18 10:57	7439-97-6	
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Acenaphthene	<0.34	ug/L	9.4	0.34	1	01/25/18 00:00	01/26/18 17:50	83-32-9	1e
Acenaphthylene	<0.36	ug/L	9.4	0.36	1	01/25/18 00:00	01/26/18 17:50	208-96-8	1e
Anthracene	<0.28	ug/L	9.4	0.28	1	01/25/18 00:00	01/26/18 17:50	120-12-7	1e
Benzo(a)anthracene	<0.27	ug/L	9.4	0.27	1	01/25/18 00:00	01/26/18 17:50	56-55-3	1e
Benzo(a)pyrene	<0.34	ug/L	9.4	0.34	1	01/25/18 00:00	01/26/18 17:50	50-32-8	1e
Benzo(b)fluoranthene	<0.33	ug/L	9.4	0.33	1	01/25/18 00:00	01/26/18 17:50	205-99-2	1e
Benzo(g,h,i)perylene	<0.38	ug/L	9.4	0.38	1	01/25/18 00:00	01/26/18 17:50	191-24-2	1e
Benzo(k)fluoranthene	<0.40	ug/L	9.4	0.40	1	01/25/18 00:00	01/26/18 17:50	207-08-9	1e
Benzoic acid	9.5J	ug/L	47.2	2.4	1	01/25/18 00:00	01/26/18 17:50	65-85-0	1e
Benzyl alcohol	<0.33	ug/L	18.9	0.33	1	01/25/18 00:00	01/26/18 17:50	100-51-6	1e
4-Bromophenylphenyl ether	<0.36	ug/L	9.4	0.36	1	01/25/18 00:00	01/26/18 17:50	101-55-3	1e
Butylbenzylphthalate	<0.38	ug/L	9.4	0.38	1	01/25/18 00:00	01/26/18 17:50	85-68-7	1e
Carbazole	<0.33	ug/L	9.4	0.33	1	01/25/18 00:00	01/26/18 17:50	86-74-8	1e
4-Chloro-3-methylphenol	<0.24	ug/L	18.9	0.24	1	01/25/18 00:00	01/26/18 17:50	59-50-7	1e
4-Chloroaniline	<0.49	ug/L	18.9	0.49	1	01/25/18 00:00	01/26/18 17:50	106-47-8	1e
bis(2-Chloroethoxy)methane	<4.7	ug/L	9.4	4.7	1	01/25/18 00:00	01/26/18 17:50	111-91-1	1e
bis(2-Chloroethyl) ether	<0.27	ug/L	9.4	0.27	1	01/25/18 00:00	01/26/18 17:50	111-44-4	1e
bis(2-Chloroisopropyl) ether	<0.27	ug/L	9.4	0.27	1	01/25/18 00:00	01/26/18 17:50	39638-32-9	1e
2-Chloronaphthalene	<0.33	ug/L	9.4	0.33	1	01/25/18 00:00	01/26/18 17:50	91-58-7	1e
2-Chlorophenol	<0.28	ug/L	9.4	0.28	1	01/25/18 00:00	01/26/18 17:50	95-57-8	1e
4-Chlorophenylphenyl ether	<0.28	ug/L	9.4	0.28	1	01/25/18 00:00	01/26/18 17:50	7005-72-3	1e
Chrysene	<0.34	ug/L	9.4	0.34	1	01/25/18 00:00	01/26/18 17:50	218-01-9	1e
Dibenz(a,h)anthracene	<0.42	ug/L	9.4	0.42	1	01/25/18 00:00	01/26/18 17:50	53-70-3	1e
Dibenzofuran	<0.37	ug/L	9.4	0.37	1	01/25/18 00:00	01/26/18 17:50	132-64-9	1e
1,2-Dichlorobenzene	<0.27	ug/L	9.4	0.27	1	01/25/18 00:00	01/26/18 17:50	95-50-1	1e
1,3-Dichlorobenzene	<0.51	ug/L	9.4	0.51	1	01/25/18 00:00	01/26/18 17:50	541-73-1	1e
1,4-Dichlorobenzene	<0.39	ug/L	9.4	0.39	1	01/25/18 00:00	01/26/18 17:50	106-46-7	1e
3,3'-Dichlorobenzidine	<0.37	ug/L	18.9	0.37	1	01/25/18 00:00	01/26/18 17:50	91-94-1	1e
2,4-Dichlorophenol	<0.49	ug/L	9.4	0.49	1	01/25/18 00:00	01/26/18 17:50	120-83-2	1e
Diethylphthalate	<0.42	ug/L	9.4	0.42	1	01/25/18 00:00	01/26/18 17:50	84-66-2	1e
2,4-Dimethylphenol	<0.57	ug/L	9.4	0.57	1	01/25/18 00:00	01/26/18 17:50	105-67-9	1e
Dimethylphthalate	<0.33	ug/L	9.4	0.33	1	01/25/18 00:00	01/26/18 17:50	131-11-3	1e
Di-n-butylphthalate	<0.37	ug/L	9.4	0.37	1	01/25/18 00:00	01/26/18 17:50	84-74-2	1e
4,6-Dinitro-2-methylphenol	<0.52	ug/L	47.2	0.52	1	01/25/18 00:00	01/26/18 17:50	534-52-1	1e
2,4-Dinitrophenol	<7.9	ug/L	47.2	7.9	1	01/25/18 00:00	01/26/18 17:50	51-28-5	1e
2,4-Dinitrotoluene	<0.31	ug/L	9.4	0.31	1	01/25/18 00:00	01/26/18 17:50	121-14-2	1e
2,6-Dinitrotoluene	<0.26	ug/L	9.4	0.26	1	01/25/18 00:00	01/26/18 17:50	606-20-2	1e
Di-n-octylphthalate	<0.47	ug/L	9.4	0.47	1	01/25/18 00:00	01/26/18 17:50	117-84-0	1e
bis(2-Ethylhexyl)phthalate	<0.58	ug/L	9.4	0.58	1	01/25/18 00:00	01/26/18 17:50	117-81-7	1e
Fluoranthene	<0.35	ug/L	9.4	0.35	1	01/25/18 00:00	01/26/18 17:50	206-44-0	1e
Fluorene	<0.32	ug/L	9.4	0.32	1	01/25/18 00:00	01/26/18 17:50	86-73-7	1e
Hexachloro-1,3-butadiene	<0.36	ug/L	9.4	0.36	1	01/25/18 00:00	01/26/18 17:50	87-68-3	1e
Hexachlorobenzene	<0.28	ug/L	9.4	0.28	1	01/25/18 00:00	01/26/18 17:50	118-74-1	1e

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 Lab ID: 60262644013 Collected: 01/23/18 09:50 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Hexachlorocyclopentadiene	<0.33	ug/L	9.4	0.33	1	01/25/18 00:00	01/26/18 17:50	77-47-4	1e
Hexachloroethane	<0.27	ug/L	9.4	0.27	1	01/25/18 00:00	01/26/18 17:50	67-72-1	1e
Indeno(1,2,3-cd)pyrene	<0.30	ug/L	9.4	0.30	1	01/25/18 00:00	01/26/18 17:50	193-39-5	1e
Isophorone	<0.26	ug/L	9.4	0.26	1	01/25/18 00:00	01/26/18 17:50	78-59-1	1e
2-Methylnaphthalene	<0.25	ug/L	9.4	0.25	1	01/25/18 00:00	01/26/18 17:50	91-57-6	1e
2-Methylphenol(o-Cresol)	<0.26	ug/L	9.4	0.26	1	01/25/18 00:00	01/26/18 17:50	95-48-7	1e
3&4-Methylphenol(m&p Cresol)	<4.7	ug/L	9.4	4.7	1	01/25/18 00:00	01/26/18 17:50		1e
Naphthalene	<0.34	ug/L	9.4	0.34	1	01/25/18 00:00	01/26/18 17:50	91-20-3	1e
2-Nitroaniline	<0.40	ug/L	47.2	0.40	1	01/25/18 00:00	01/26/18 17:50	88-74-4	1e
3-Nitroaniline	<0.33	ug/L	47.2	0.33	1	01/25/18 00:00	01/26/18 17:50	99-09-2	1e
4-Nitroaniline	<0.33	ug/L	47.2	0.33	1	01/25/18 00:00	01/26/18 17:50	100-01-6	1e
Nitrobenzene	<0.28	ug/L	9.4	0.28	1	01/25/18 00:00	01/26/18 17:50	98-95-3	1e
2-Nitrophenol	<0.26	ug/L	9.4	0.26	1	01/25/18 00:00	01/26/18 17:50	88-75-5	1e
4-Nitrophenol	<0.29	ug/L	47.2	0.29	1	01/25/18 00:00	01/26/18 17:50	100-02-7	1e
N-Nitroso-di-n-propylamine	<0.25	ug/L	9.4	0.25	1	01/25/18 00:00	01/26/18 17:50	621-64-7	1e
N-Nitrosodiphenylamine	<0.38	ug/L	9.4	0.38	1	01/25/18 00:00	01/26/18 17:50	86-30-6	1e
Pentachlorophenol	<0.29	ug/L	47.2	0.29	1	01/25/18 00:00	01/26/18 17:50	87-86-5	1e
Phenanthrene	<0.32	ug/L	9.4	0.32	1	01/25/18 00:00	01/26/18 17:50	85-01-8	1e
Phenol	<4.7	ug/L	9.4	4.7	1	01/25/18 00:00	01/26/18 17:50	108-95-2	1e
Pyrene	<0.26	ug/L	9.4	0.26	1	01/25/18 00:00	01/26/18 17:50	129-00-0	1e
Pyridine	<0.29	ug/L	9.4	0.29	1	01/25/18 00:00	01/26/18 17:50	110-86-1	1e
1,2,4-Trichlorobenzene	<0.31	ug/L	9.4	0.31	1	01/25/18 00:00	01/26/18 17:50	120-82-1	1e
2,4,5-Trichlorophenol	<0.31	ug/L	47.2	0.31	1	01/25/18 00:00	01/26/18 17:50	95-95-4	1e
2,4,6-Trichlorophenol	<0.37	ug/L	9.4	0.37	1	01/25/18 00:00	01/26/18 17:50	88-06-2	1e
Surrogates									
Nitrobenzene-d5 (S)	64	%	33-99		1	01/25/18 00:00	01/26/18 17:50	4165-60-0	
2-Fluorobiphenyl (S)	65	%	30-103		1	01/25/18 00:00	01/26/18 17:50	321-60-8	
Terphenyl-d14 (S)	67	%	38-114		1	01/25/18 00:00	01/26/18 17:50	1718-51-0	
Phenol-d6 (S)	42	%	10-56		1	01/25/18 00:00	01/26/18 17:50	13127-88-3	
2-Fluorophenol (S)	52	%	10-68		1	01/25/18 00:00	01/26/18 17:50	367-12-4	
2,4,6-Tribromophenol (S)	85	%	21-124		1	01/25/18 00:00	01/26/18 17:50	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3510C									
TPH-ORO	0.97	mg/L	0.91	0.91	1	01/25/18 15:00	01/30/18 17:57		1e,B
TPH-DRO	<0.91	mg/L	0.91	0.91	1	01/25/18 15:00	01/30/18 17:57		1e
Surrogates									
Nitrobenzene-d5 (S)	77	%	33-99		1	01/25/18 15:00	01/30/18 17:57	4165-60-0	
2-Fluorobiphenyl (S)	80	%	30-103		1	01/25/18 15:00	01/30/18 17:57	321-60-8	
Terphenyl-d14 (S)	82	%	38-114		1	01/25/18 15:00	01/30/18 17:57	1718-51-0	
8260 MSV Analytical Method: EPA 5030B/8260									
Acetone	<1.9	ug/L	10.0	1.9	1		01/25/18 13:55	67-64-1	
Benzene	<0.060	ug/L	1.0	0.060	1		01/25/18 13:55	71-43-2	
Bromobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 13:55	108-86-1	
Bromochloromethane	<0.15	ug/L	1.0	0.15	1		01/25/18 13:55	74-97-5	
Bromodichloromethane	<0.19	ug/L	1.0	0.19	1		01/25/18 13:55	75-27-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 Lab ID: 60262644013 Collected: 01/23/18 09:50 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260							
Bromoform	<0.070	ug/L	1.0	0.070	1		01/25/18 13:55	75-25-2	
Bromomethane	<0.16	ug/L	5.0	0.16	1		01/25/18 13:55	74-83-9	
2-Butanone (MEK)	<0.59	ug/L	10.0	0.59	1		01/25/18 13:55	78-93-3	
n-Butylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 13:55	104-51-8	
sec-Butylbenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 13:55	135-98-8	
tert-Butylbenzene	<0.34	ug/L	1.0	0.34	1		01/25/18 13:55	98-06-6	
Carbon disulfide	<0.12	ug/L	5.0	0.12	1		01/25/18 13:55	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	0.18	1		01/25/18 13:55	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	0.21	1		01/25/18 13:55	108-90-7	
Chloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 13:55	75-00-3	
Chloroform	<0.14	ug/L	1.0	0.14	1		01/25/18 13:55	67-66-3	
Chloromethane	<0.080	ug/L	1.0	0.080	1		01/25/18 13:55	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	0.12	1		01/25/18 13:55	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	0.14	1		01/25/18 13:55	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	0.59	1		01/25/18 13:55	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 13:55	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	0.17	1		01/25/18 13:55	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	0.18	1		01/25/18 13:55	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 13:55	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	0.070	1		01/25/18 13:55	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	0.060	1		01/25/18 13:55	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 13:55	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	0.050	1		01/25/18 13:55	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	0.12	1		01/25/18 13:55	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	0.28	1		01/25/18 13:55	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 13:55	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	0.080	1		01/25/18 13:55	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 13:55	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	0.16	1		01/25/18 13:55	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	0.17	1		01/25/18 13:55	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	0.19	1		01/25/18 13:55	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	0.090	1		01/25/18 13:55	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	0.14	1		01/25/18 13:55	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	0.12	1		01/25/18 13:55	10061-02-6	
Ethylbenzene	<0.18	ug/L	1.0	0.18	1		01/25/18 13:55	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		01/25/18 13:55	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1.2	1		01/25/18 13:55	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	0.070	1		01/25/18 13:55	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	0.10	1		01/25/18 13:55	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	0.15	1		01/25/18 13:55	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	0.42	1		01/25/18 13:55	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	0.060	1		01/25/18 13:55	1634-04-4	
Naphthalene	<0.50	ug/L	10.0	0.50	1		01/25/18 13:55	91-20-3	
n-Propylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 13:55	103-65-1	
Styrene	<0.12	ug/L	1.0	0.12	1		01/25/18 13:55	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 13:55	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-4 Lab ID: 60262644013 Collected: 01/23/18 09:50 Received: 01/24/18 13:05 Matrix: Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 5030B/8260									
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 13:55	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	0.10	1		01/25/18 13:55	127-18-4	
Toluene	<0.17	ug/L	1.0	0.17	1		01/25/18 13:55	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	0.12	1		01/25/18 13:55	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 13:55	120-82-1	
1,1,1-Trichloroethane	0.15J	ug/L	1.0	0.11	1		01/25/18 13:55	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		01/25/18 13:55	79-00-5	
Trichloroethene	<0.17	ug/L	1.0	0.17	1		01/25/18 13:55	79-01-6	
Trichlorofluoromethane	<0.34	ug/L	1.0	0.34	1		01/25/18 13:55	75-69-4	
1,2,3-Trichloropropane	<0.19	ug/L	2.5	0.19	1		01/25/18 13:55	96-18-4	
1,2,4-Trimethylbenzene	<0.090	ug/L	1.0	0.090	1		01/25/18 13:55	95-63-6	
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 13:55	108-67-8	
Vinyl chloride	<0.13	ug/L	1.0	0.13	1		01/25/18 13:55	75-01-4	
Xylene (Total)	<0.42	ug/L	3.0	0.42	1		01/25/18 13:55	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	98	%	80-119		1		01/25/18 13:55	460-00-4	
1,2-Dichloroethane-d4 (S)	106	%	80-117		1		01/25/18 13:55	17060-07-0	
Toluene-d8 (S)	97	%	80-115		1		01/25/18 13:55	2037-26-5	
Preservation pH	1.0		0.10	0.10	1		01/25/18 13:55		
8260 MSV GRO and Oxygenates Analytical Method: EPA 8260									
TPH-GRO	<63.5	ug/L	500	63.5	1		01/25/18 22:46		
Surrogates									
Toluene-d8 (S)	104	%	80-115		1		01/25/18 22:46	2037-26-5	
4-Bromofluorobenzene (S)	104	%	80-119		1		01/25/18 22:46	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	87-117		1		01/25/18 22:46	17060-07-0	
4500H+ pH, Electrometric Analytical Method: SM 4500-H+B									
pH at 25 Degrees C	7.0	Std. Units	0.10	0.10	1		01/26/18 09:30		H6
353.2 Nitrogen, NO2/NO3 pres. Analytical Method: EPA 353.2									
Nitrogen, NO2 plus NO3	4.9	mg/L	0.20	0.10	2		01/25/18 13:29		
9056 IC Anions Analytical Method: EPA 9056									
Sulfate	120	mg/L	10.0	5.0	10		02/02/18 19:38	14808-79-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5 Lab ID: 60262644014 Collected: 01/23/18 10:50 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Aldrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 19:40	309-00-2	
alpha-BHC	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 19:40	319-84-6	
beta-BHC	<0.010	ug/L	0.010	0.010	1	01/26/18 12:10	02/05/18 19:40	319-85-7	
delta-BHC	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/05/18 19:40	319-86-8	
gamma-BHC (Lindane)	<0.0080	ug/L	0.010	0.0080	1	01/26/18 12:10	02/05/18 19:40	58-89-9	
Chlordane (Technical)	<0.090	ug/L	0.10	0.090	1	01/26/18 12:10	02/05/18 19:40	57-74-9	
alpha-Chlordane	<0.024	ug/L	0.10	0.024	1	01/26/18 12:10	02/05/18 19:40	5103-71-9	
gamma-Chlordane	<0.034	ug/L	0.10	0.034	1	01/26/18 12:10	02/05/18 19:40	5103-74-2	
4,4'-DDD	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/05/18 19:40	72-54-8	
4,4'-DDE	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 19:40	72-55-9	
4,4'-DDT	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 19:40	50-29-3	
Dieldrin	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 19:40	60-57-1	
Endosulfan I	<0.021	ug/L	0.10	0.021	1	01/26/18 12:10	02/05/18 19:40	959-98-8	
Endosulfan II	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/05/18 19:40	33213-65-9	
Endosulfan sulfate	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 19:40	1031-07-8	
Endrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 19:40	72-20-8	
Endrin aldehyde	<0.029	ug/L	0.10	0.029	1	01/26/18 12:10	02/05/18 19:40	7421-93-4	
Endrin ketone	<0.025	ug/L	0.10	0.025	1	01/26/18 12:10	02/05/18 19:40	53494-70-5	
Heptachlor	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/05/18 19:40	76-44-8	
Heptachlor epoxide	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 19:40	1024-57-3	
Methoxychlor	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 19:40	72-43-5	
Toxaphene	<0.61	ug/L	1.5	0.61	1	01/26/18 12:10	02/05/18 19:40	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	83	%	54-127		1	01/26/18 12:10	02/05/18 19:40	877-09-8	
Decachlorobiphenyl (S)	57	%	12-162		1	01/26/18 12:10	02/05/18 19:40	2051-24-3	
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Stirophos (Tetrachlorvinphos)	<0.072	ug/L	0.10	0.072	1	01/26/18 12:10	02/01/18 18:23	22248-79-9	
Azinphos, methyl (Guthion)	<0.093	ug/L	0.10	0.093	1	01/26/18 12:10	02/01/18 18:23	86-50-0	
Bolstar	<0.090	ug/L	0.10	0.090	1	01/26/18 12:10	02/01/18 18:23	35400-43-2	
Chlorpyrifos	<0.067	ug/L	0.10	0.067	1	01/26/18 12:10	02/01/18 18:23	2921-88-2	
Coumaphos	<0.092	ug/L	0.10	0.092	1	01/26/18 12:10	02/01/18 18:23	56-72-4	
Diazinon	<0.078	ug/L	0.10	0.078	1	01/26/18 12:10	02/01/18 18:23	333-41-5	
Dichlorvos	<0.073	ug/L	0.10	0.073	1	01/26/18 12:10	02/01/18 18:23	62-73-7	
Dimethoate	<0.083	ug/L	0.10	0.083	1	01/26/18 12:10	02/01/18 18:23	60-51-5	
Disulfoton	<0.071	ug/L	0.10	0.071	1	01/26/18 12:10	02/01/18 18:23	298-04-4	
EPN (ENT)	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 18:23	2104-64-5	
Ethoprop	<0.059	ug/L	0.10	0.059	1	01/26/18 12:10	02/01/18 18:23	13194-48-4	
Fensulfthion	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 18:23	115-90-2	
Fenthion	<0.088	ug/L	0.10	0.088	1	01/26/18 12:10	02/01/18 18:23	55-38-9	
Malathion	<0.086	ug/L	0.10	0.086	1	01/26/18 12:10	02/01/18 18:23	121-75-5	
Methyl parathion	<0.070	ug/L	0.10	0.070	1	01/26/18 12:10	02/01/18 18:23	298-00-0	
Mevinphos	<0.065	ug/L	0.10	0.065	1	01/26/18 12:10	02/01/18 18:23	7786-34-7	
Parathion (Ethyl parathion)	<0.060	ug/L	0.10	0.060	1	01/26/18 12:10	02/01/18 18:23	56-38-2	
Phorate	<0.064	ug/L	0.10	0.064	1	01/26/18 12:10	02/01/18 18:23	298-02-2	
Ronnel	<0.088	ug/L	0.10	0.088	1	01/26/18 12:10	02/01/18 18:23	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5 Lab ID: 60262644014 Collected: 01/23/18 10:50 Received: 01/24/18 13:05 Matrix: Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Sulfotep (Thiodiphosphoric Ac	<0.061	ug/L	0.10	0.061	1	01/26/18 12:10	02/01/18 18:23	3689-24-5	
Tokuthion (Prothiofos)	<0.081	ug/L	0.10	0.081	1	01/26/18 12:10	02/01/18 18:23	34643-46-4	
Trichloronate	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 18:23	327-98-0	
Total Demeton	<0.083	ug/L	0.10	0.083	1	01/26/18 12:10	02/01/18 18:23	8065-48-3	
Total Merphos	<0.038	ug/L	0.10	0.038	1	01/26/18 12:10	02/01/18 18:23	150-50-5	
Surrogates									
Triphenylphosphate (S)	98	%	10-175		1	01/26/18 12:10	02/01/18 18:23	115-86-6	
Tributylphosphate (S)	124	%	20-150		1	01/26/18 12:10	02/01/18 18:23	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 8151									
2,4-D	8.9	ug/L	2.5	1.3	5	01/29/18 21:00	02/01/18 20:51	94-75-7	
Dalapon	<0.25	ug/L	0.51	0.25	1	01/29/18 21:00	02/01/18 14:14	75-99-0	
2,4-DB	<0.34	ug/L	0.51	0.34	1	01/29/18 21:00	02/01/18 14:14	94-82-6	
Dicamba	0.92	ug/L	0.51	0.25	1	01/29/18 21:00	02/01/18 14:14	1918-00-9	
Dichloroprop	7.6	ug/L	2.5	1.5	5	01/29/18 21:00	02/01/18 20:51	15165-67-0	
Dinoseb	<0.51	ug/L	0.51	0.51	1	01/29/18 21:00	02/01/18 14:14	88-85-7	
MCPA	<20.2	ug/L	20.2	20.2	1	01/29/18 21:00	02/01/18 14:14	94-74-6	
MCPP	<20.2	ug/L	20.2	20.2	1	01/29/18 21:00	02/01/18 14:14	7085-19-0	
2,4,5-T	<0.25	ug/L	0.51	0.25	1	01/29/18 21:00	02/01/18 14:14	93-76-5	
2,4,5-TP (Silvex)	<0.25	ug/L	0.51	0.25	1	01/29/18 21:00	02/01/18 14:14	93-72-1	
Surrogates									
2,4-DCAA (S)	111	%	47-166		1	01/29/18 21:00	02/01/18 14:14	19719-28-9	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic	24.7	ug/L	10.0	4.2	1	01/30/18 11:15	02/01/18 15:03	7440-38-2	
Barium	797	ug/L	5.0	0.91	1	01/30/18 11:15	02/01/18 15:03	7440-39-3	
Cadmium	1.6J	ug/L	5.0	0.64	1	01/30/18 11:15	02/01/18 15:03	7440-43-9	
Chromium	59.1	ug/L	5.0	0.72	1	01/30/18 11:15	02/01/18 15:03	7440-47-3	
Lead	37.9	ug/L	5.0	2.4	1	01/30/18 11:15	02/01/18 15:03	7439-92-1	
Selenium	<3.4	ug/L	15.0	3.4	1	01/30/18 11:15	02/01/18 15:03	7782-49-2	
Silver	<1.9	ug/L	7.0	1.9	1	01/30/18 11:15	02/01/18 15:03	7440-22-4	
6010 MET ICP, Dissolved (LF) Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic, Dissolved	<4.2	ug/L	10.0	4.2	1	01/30/18 10:10	01/31/18 17:16	7440-38-2	
Barium, Dissolved	78.4	ug/L	5.0	0.91	1	01/30/18 10:10	01/31/18 17:16	7440-39-3	
Cadmium, Dissolved	<0.64	ug/L	5.0	0.64	1	01/30/18 10:10	01/31/18 17:16	7440-43-9	
Chromium, Dissolved	1.1J	ug/L	5.0	0.72	1	01/30/18 10:10	01/31/18 17:16	7440-47-3	
Lead, Dissolved	<2.4	ug/L	5.0	2.4	1	01/30/18 10:10	01/31/18 17:16	7439-92-1	
Selenium, Dissolved	4.5J	ug/L	15.0	3.4	1	01/30/18 10:10	01/31/18 17:16	7782-49-2	
Silver, Dissolved	<1.9	ug/L	7.0	1.9	1	01/30/18 10:10	01/31/18 17:16	7440-22-4	
7470 Mercury Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury	0.11J	ug/L	0.20	0.046	1	02/08/18 11:51	02/08/18 15:18	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5 Lab ID: 60262644014 Collected: 01/23/18 10:50 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7470 Mercury, Dissolved (LF) Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury, Dissolved	<0.046	ug/L	0.20	0.046	1	02/08/18 15:58	02/09/18 10:59	7439-97-6	
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Acenaphthene	<0.33	ug/L	9.3	0.33	1	01/25/18 00:00	01/26/18 18:11	83-32-9	1e
Acenaphthylene	<0.35	ug/L	9.3	0.35	1	01/25/18 00:00	01/26/18 18:11	208-96-8	1e
Anthracene	<0.28	ug/L	9.3	0.28	1	01/25/18 00:00	01/26/18 18:11	120-12-7	1e
Benzo(a)anthracene	<0.27	ug/L	9.3	0.27	1	01/25/18 00:00	01/26/18 18:11	56-55-3	1e
Benzo(a)pyrene	<0.33	ug/L	9.3	0.33	1	01/25/18 00:00	01/26/18 18:11	50-32-8	1e
Benzo(b)fluoranthene	<0.32	ug/L	9.3	0.32	1	01/25/18 00:00	01/26/18 18:11	205-99-2	1e
Benzo(g,h,i)perylene	<0.37	ug/L	9.3	0.37	1	01/25/18 00:00	01/26/18 18:11	191-24-2	1e
Benzo(k)fluoranthene	<0.39	ug/L	9.3	0.39	1	01/25/18 00:00	01/26/18 18:11	207-08-9	1e
Benzoic acid	9.6J	ug/L	46.3	2.3	1	01/25/18 00:00	01/26/18 18:11	65-85-0	1e
Benzyl alcohol	<0.32	ug/L	18.5	0.32	1	01/25/18 00:00	01/26/18 18:11	100-51-6	1e
4-Bromophenylphenyl ether	<0.35	ug/L	9.3	0.35	1	01/25/18 00:00	01/26/18 18:11	101-55-3	1e
Butylbenzylphthalate	<0.37	ug/L	9.3	0.37	1	01/25/18 00:00	01/26/18 18:11	85-68-7	1e
Carbazole	<0.32	ug/L	9.3	0.32	1	01/25/18 00:00	01/26/18 18:11	86-74-8	1e
4-Chloro-3-methylphenol	<0.23	ug/L	18.5	0.23	1	01/25/18 00:00	01/26/18 18:11	59-50-7	1e
4-Chloroaniline	<0.48	ug/L	18.5	0.48	1	01/25/18 00:00	01/26/18 18:11	106-47-8	1e
bis(2-Chloroethoxy)methane	<4.6	ug/L	9.3	4.6	1	01/25/18 00:00	01/26/18 18:11	111-91-1	1e
bis(2-Chloroethyl) ether	<0.27	ug/L	9.3	0.27	1	01/25/18 00:00	01/26/18 18:11	111-44-4	1e
bis(2-Chloroisopropyl) ether	<0.27	ug/L	9.3	0.27	1	01/25/18 00:00	01/26/18 18:11	39638-32-9	1e
2-Chloronaphthalene	<0.32	ug/L	9.3	0.32	1	01/25/18 00:00	01/26/18 18:11	91-58-7	1e
2-Chlorophenol	<0.28	ug/L	9.3	0.28	1	01/25/18 00:00	01/26/18 18:11	95-57-8	1e
4-Chlorophenylphenyl ether	<0.28	ug/L	9.3	0.28	1	01/25/18 00:00	01/26/18 18:11	7005-72-3	1e
Chrysene	<0.33	ug/L	9.3	0.33	1	01/25/18 00:00	01/26/18 18:11	218-01-9	1e
Dibenz(a,h)anthracene	<0.42	ug/L	9.3	0.42	1	01/25/18 00:00	01/26/18 18:11	53-70-3	1e
Dibenzofuran	<0.36	ug/L	9.3	0.36	1	01/25/18 00:00	01/26/18 18:11	132-64-9	1e
1,2-Dichlorobenzene	<0.27	ug/L	9.3	0.27	1	01/25/18 00:00	01/26/18 18:11	95-50-1	1e
1,3-Dichlorobenzene	<0.50	ug/L	9.3	0.50	1	01/25/18 00:00	01/26/18 18:11	541-73-1	1e
1,4-Dichlorobenzene	<0.38	ug/L	9.3	0.38	1	01/25/18 00:00	01/26/18 18:11	106-46-7	1e
3,3'-Dichlorobenzidine	<0.36	ug/L	18.5	0.36	1	01/25/18 00:00	01/26/18 18:11	91-94-1	1e
2,4-Dichlorophenol	<0.48	ug/L	9.3	0.48	1	01/25/18 00:00	01/26/18 18:11	120-83-2	1e
Diethylphthalate	<0.42	ug/L	9.3	0.42	1	01/25/18 00:00	01/26/18 18:11	84-66-2	1e
2,4-Dimethylphenol	<0.56	ug/L	9.3	0.56	1	01/25/18 00:00	01/26/18 18:11	105-67-9	1e
Dimethylphthalate	<0.32	ug/L	9.3	0.32	1	01/25/18 00:00	01/26/18 18:11	131-11-3	1e
Di-n-butylphthalate	<0.36	ug/L	9.3	0.36	1	01/25/18 00:00	01/26/18 18:11	84-74-2	1e
4,6-Dinitro-2-methylphenol	<0.51	ug/L	46.3	0.51	1	01/25/18 00:00	01/26/18 18:11	534-52-1	1e
2,4-Dinitrophenol	<7.8	ug/L	46.3	7.8	1	01/25/18 00:00	01/26/18 18:11	51-28-5	1e
2,4-Dinitrotoluene	<0.31	ug/L	9.3	0.31	1	01/25/18 00:00	01/26/18 18:11	121-14-2	1e
2,6-Dinitrotoluene	<0.26	ug/L	9.3	0.26	1	01/25/18 00:00	01/26/18 18:11	606-20-2	1e
Di-n-octylphthalate	<0.46	ug/L	9.3	0.46	1	01/25/18 00:00	01/26/18 18:11	117-84-0	1e
bis(2-Ethylhexyl)phthalate	<0.57	ug/L	9.3	0.57	1	01/25/18 00:00	01/26/18 18:11	117-81-7	1e
Fluoranthene	<0.34	ug/L	9.3	0.34	1	01/25/18 00:00	01/26/18 18:11	206-44-0	1e
Fluorene	<0.31	ug/L	9.3	0.31	1	01/25/18 00:00	01/26/18 18:11	86-73-7	1e
Hexachloro-1,3-butadiene	<0.35	ug/L	9.3	0.35	1	01/25/18 00:00	01/26/18 18:11	87-68-3	1e
Hexachlorobenzene	<0.28	ug/L	9.3	0.28	1	01/25/18 00:00	01/26/18 18:11	118-74-1	1e

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5 Lab ID: 60262644014 Collected: 01/23/18 10:50 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Hexachlorocyclopentadiene	<0.32	ug/L	9.3	0.32	1	01/25/18 00:00	01/26/18 18:11	77-47-4	1e
Hexachloroethane	<0.27	ug/L	9.3	0.27	1	01/25/18 00:00	01/26/18 18:11	67-72-1	1e
Indeno(1,2,3-cd)pyrene	<0.30	ug/L	9.3	0.30	1	01/25/18 00:00	01/26/18 18:11	193-39-5	1e
Isophorone	<0.26	ug/L	9.3	0.26	1	01/25/18 00:00	01/26/18 18:11	78-59-1	1e
2-Methylnaphthalene	<0.24	ug/L	9.3	0.24	1	01/25/18 00:00	01/26/18 18:11	91-57-6	1e
2-Methylphenol(o-Cresol)	<0.26	ug/L	9.3	0.26	1	01/25/18 00:00	01/26/18 18:11	95-48-7	1e
3&4-Methylphenol(m&p Cresol)	<4.6	ug/L	9.3	4.6	1	01/25/18 00:00	01/26/18 18:11		1e
Naphthalene	<0.33	ug/L	9.3	0.33	1	01/25/18 00:00	01/26/18 18:11	91-20-3	1e
2-Nitroaniline	<0.39	ug/L	46.3	0.39	1	01/25/18 00:00	01/26/18 18:11	88-74-4	1e
3-Nitroaniline	<0.32	ug/L	46.3	0.32	1	01/25/18 00:00	01/26/18 18:11	99-09-2	1e
4-Nitroaniline	<0.32	ug/L	46.3	0.32	1	01/25/18 00:00	01/26/18 18:11	100-01-6	1e
Nitrobenzene	<0.28	ug/L	9.3	0.28	1	01/25/18 00:00	01/26/18 18:11	98-95-3	1e
2-Nitrophenol	<0.26	ug/L	9.3	0.26	1	01/25/18 00:00	01/26/18 18:11	88-75-5	1e
4-Nitrophenol	<0.29	ug/L	46.3	0.29	1	01/25/18 00:00	01/26/18 18:11	100-02-7	1e
N-Nitroso-di-n-propylamine	<0.25	ug/L	9.3	0.25	1	01/25/18 00:00	01/26/18 18:11	621-64-7	1e
N-Nitrosodiphenylamine	<0.37	ug/L	9.3	0.37	1	01/25/18 00:00	01/26/18 18:11	86-30-6	1e
Pentachlorophenol	<0.29	ug/L	46.3	0.29	1	01/25/18 00:00	01/26/18 18:11	87-86-5	1e
Phenanthrene	<0.31	ug/L	9.3	0.31	1	01/25/18 00:00	01/26/18 18:11	85-01-8	1e
Phenol	<4.6	ug/L	9.3	4.6	1	01/25/18 00:00	01/26/18 18:11	108-95-2	1e
Pyrene	<0.26	ug/L	9.3	0.26	1	01/25/18 00:00	01/26/18 18:11	129-00-0	1e
Pyridine	<0.29	ug/L	9.3	0.29	1	01/25/18 00:00	01/26/18 18:11	110-86-1	1e
1,2,4-Trichlorobenzene	<0.31	ug/L	9.3	0.31	1	01/25/18 00:00	01/26/18 18:11	120-82-1	1e
2,4,5-Trichlorophenol	<0.31	ug/L	46.3	0.31	1	01/25/18 00:00	01/26/18 18:11	95-95-4	1e
2,4,6-Trichlorophenol	<0.36	ug/L	9.3	0.36	1	01/25/18 00:00	01/26/18 18:11	88-06-2	1e
Surrogates									
Nitrobenzene-d5 (S)	67	%	33-99		1	01/25/18 00:00	01/26/18 18:11	4165-60-0	
2-Fluorobiphenyl (S)	66	%	30-103		1	01/25/18 00:00	01/26/18 18:11	321-60-8	
Terphenyl-d14 (S)	71	%	38-114		1	01/25/18 00:00	01/26/18 18:11	1718-51-0	
Phenol-d6 (S)	42	%	10-56		1	01/25/18 00:00	01/26/18 18:11	13127-88-3	
2-Fluorophenol (S)	54	%	10-68		1	01/25/18 00:00	01/26/18 18:11	367-12-4	
2,4,6-Tribromophenol (S)	85	%	21-124		1	01/25/18 00:00	01/26/18 18:11	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3510C									
TPH-ORO	1.7	mg/L	0.96	0.96	1	01/25/18 15:00	01/30/18 18:18		1e,B
TPH-DRO	<0.96	mg/L	0.96	0.96	1	01/25/18 15:00	01/30/18 18:18		1e
Surrogates									
Nitrobenzene-d5 (S)	74	%	33-99		1	01/25/18 15:00	01/30/18 18:18	4165-60-0	
2-Fluorobiphenyl (S)	79	%	30-103		1	01/25/18 15:00	01/30/18 18:18	321-60-8	
Terphenyl-d14 (S)	93	%	38-114		1	01/25/18 15:00	01/30/18 18:18	1718-51-0	
8260 MSV Analytical Method: EPA 5030B/8260									
Acetone	<1.9	ug/L	10.0	1.9	1		01/25/18 14:09	67-64-1	
Benzene	<0.060	ug/L	1.0	0.060	1		01/25/18 14:09	71-43-2	
Bromobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:09	108-86-1	
Bromochloromethane	<0.15	ug/L	1.0	0.15	1		01/25/18 14:09	74-97-5	
Bromodichloromethane	<0.19	ug/L	1.0	0.19	1		01/25/18 14:09	75-27-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5 Lab ID: 60262644014 Collected: 01/23/18 10:50 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260							
Bromoform	<0.070	ug/L	1.0	0.070	1		01/25/18 14:09	75-25-2	
Bromomethane	<0.16	ug/L	5.0	0.16	1		01/25/18 14:09	74-83-9	
2-Butanone (MEK)	<0.59	ug/L	10.0	0.59	1		01/25/18 14:09	78-93-3	
n-Butylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:09	104-51-8	
sec-Butylbenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 14:09	135-98-8	
tert-Butylbenzene	<0.34	ug/L	1.0	0.34	1		01/25/18 14:09	98-06-6	
Carbon disulfide	<0.12	ug/L	5.0	0.12	1		01/25/18 14:09	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	0.18	1		01/25/18 14:09	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	0.21	1		01/25/18 14:09	108-90-7	
Chloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 14:09	75-00-3	
Chloroform	<0.14	ug/L	1.0	0.14	1		01/25/18 14:09	67-66-3	
Chloromethane	<0.080	ug/L	1.0	0.080	1		01/25/18 14:09	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	0.12	1		01/25/18 14:09	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	0.14	1		01/25/18 14:09	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	0.59	1		01/25/18 14:09	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 14:09	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	0.17	1		01/25/18 14:09	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	0.18	1		01/25/18 14:09	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 14:09	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	0.070	1		01/25/18 14:09	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	0.060	1		01/25/18 14:09	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 14:09	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	0.050	1		01/25/18 14:09	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	0.12	1		01/25/18 14:09	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	0.28	1		01/25/18 14:09	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 14:09	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	0.080	1		01/25/18 14:09	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 14:09	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	0.16	1		01/25/18 14:09	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	0.17	1		01/25/18 14:09	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	0.19	1		01/25/18 14:09	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	0.090	1		01/25/18 14:09	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	0.14	1		01/25/18 14:09	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	0.12	1		01/25/18 14:09	10061-02-6	
Ethylbenzene	<0.18	ug/L	1.0	0.18	1		01/25/18 14:09	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		01/25/18 14:09	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1.2	1		01/25/18 14:09	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	0.070	1		01/25/18 14:09	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:09	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	0.15	1		01/25/18 14:09	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	0.42	1		01/25/18 14:09	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	0.060	1		01/25/18 14:09	1634-04-4	
Naphthalene	<0.50	ug/L	10.0	0.50	1		01/25/18 14:09	91-20-3	
n-Propylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:09	103-65-1	
Styrene	<0.12	ug/L	1.0	0.12	1		01/25/18 14:09	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 14:09	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-5		Lab ID: 60262644014		Collected: 01/23/18 10:50		Received: 01/24/18 13:05		Matrix: Water	
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 5030B/8260									
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 14:09	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:09	127-18-4	
Toluene	<0.17	ug/L	1.0	0.17	1		01/25/18 14:09	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	0.12	1		01/25/18 14:09	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:09	120-82-1	
1,1,1-Trichloroethane	<0.11	ug/L	1.0	0.11	1		01/25/18 14:09	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		01/25/18 14:09	79-00-5	
Trichloroethene	<0.17	ug/L	1.0	0.17	1		01/25/18 14:09	79-01-6	
Trichlorofluoromethane	<0.34	ug/L	1.0	0.34	1		01/25/18 14:09	75-69-4	
1,2,3-Trichloropropane	<0.19	ug/L	2.5	0.19	1		01/25/18 14:09	96-18-4	
1,2,4-Trimethylbenzene	<0.090	ug/L	1.0	0.090	1		01/25/18 14:09	95-63-6	
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:09	108-67-8	
Vinyl chloride	<0.13	ug/L	1.0	0.13	1		01/25/18 14:09	75-01-4	
Xylene (Total)	<0.42	ug/L	3.0	0.42	1		01/25/18 14:09	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	98	%	80-119		1		01/25/18 14:09	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	80-117		1		01/25/18 14:09	17060-07-0	
Toluene-d8 (S)	96	%	80-115		1		01/25/18 14:09	2037-26-5	
Preservation pH	1.0		0.10	0.10	1		01/25/18 14:09		
8260 MSV GRO and Oxygenates Analytical Method: EPA 8260									
TPH-GRO	<63.5	ug/L	500	63.5	1		01/25/18 23:01		
Surrogates									
Toluene-d8 (S)	104	%	80-115		1		01/25/18 23:01	2037-26-5	
4-Bromofluorobenzene (S)	103	%	80-119		1		01/25/18 23:01	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	87-117		1		01/25/18 23:01	17060-07-0	
4500H+ pH, Electrometric Analytical Method: SM 4500-H+B									
pH at 25 Degrees C	7.1	Std. Units	0.10	0.10	1		01/26/18 09:33		H6
353.2 Nitrogen, NO2/NO3 pres. Analytical Method: EPA 353.2									
Nitrogen, NO2 plus NO3	4.4	mg/L	0.20	0.10	2		01/25/18 13:30		
9056 IC Anions Analytical Method: EPA 9056									
Sulfate	119	mg/L	10.0	5.0	10		02/02/18 19:52	14808-79-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 Lab ID: 60262644015 Collected: 01/23/18 13:00 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Aldrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 20:13	309-00-2	
alpha-BHC	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 20:13	319-84-6	
beta-BHC	<0.010	ug/L	0.010	0.010	1	01/26/18 12:10	02/05/18 20:13	319-85-7	
delta-BHC	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/05/18 20:13	319-86-8	
gamma-BHC (Lindane)	<0.0080	ug/L	0.010	0.0080	1	01/26/18 12:10	02/05/18 20:13	58-89-9	
Chlordane (Technical)	<0.090	ug/L	0.10	0.090	1	01/26/18 12:10	02/05/18 20:13	57-74-9	
alpha-Chlordane	<0.024	ug/L	0.10	0.024	1	01/26/18 12:10	02/05/18 20:13	5103-71-9	
gamma-Chlordane	<0.034	ug/L	0.10	0.034	1	01/26/18 12:10	02/05/18 20:13	5103-74-2	
4,4'-DDD	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/05/18 20:13	72-54-8	
4,4'-DDE	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 20:13	72-55-9	
4,4'-DDT	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 20:13	50-29-3	
Dieldrin	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 20:13	60-57-1	
Endosulfan I	<0.021	ug/L	0.10	0.021	1	01/26/18 12:10	02/05/18 20:13	959-98-8	
Endosulfan II	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/05/18 20:13	33213-65-9	
Endosulfan sulfate	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 20:13	1031-07-8	
Endrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 20:13	72-20-8	
Endrin aldehyde	<0.029	ug/L	0.10	0.029	1	01/26/18 12:10	02/05/18 20:13	7421-93-4	
Endrin ketone	<0.025	ug/L	0.10	0.025	1	01/26/18 12:10	02/05/18 20:13	53494-70-5	
Heptachlor	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/05/18 20:13	76-44-8	
Heptachlor epoxide	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 20:13	1024-57-3	
Methoxychlor	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 20:13	72-43-5	
Toxaphene	<0.61	ug/L	1.5	0.61	1	01/26/18 12:10	02/05/18 20:13	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	75	%.	54-127		1	01/26/18 12:10	02/05/18 20:13	877-09-8	
Decachlorobiphenyl (S)	37	%.	12-162		1	01/26/18 12:10	02/05/18 20:13	2051-24-3	
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Stirophos (Tetrachlorvinphos)	<0.072	ug/L	0.10	0.072	1	01/26/18 12:10	02/01/18 18:50	22248-79-9	
Azinphos, methyl (Guthion)	<0.093	ug/L	0.10	0.093	1	01/26/18 12:10	02/01/18 18:50	86-50-0	
Bolstar	<0.090	ug/L	0.10	0.090	1	01/26/18 12:10	02/01/18 18:50	35400-43-2	
Chlorpyrifos	<0.067	ug/L	0.10	0.067	1	01/26/18 12:10	02/01/18 18:50	2921-88-2	
Coumaphos	<0.092	ug/L	0.10	0.092	1	01/26/18 12:10	02/01/18 18:50	56-72-4	
Diazinon	<0.078	ug/L	0.10	0.078	1	01/26/18 12:10	02/01/18 18:50	333-41-5	
Dichlorvos	<0.073	ug/L	0.10	0.073	1	01/26/18 12:10	02/01/18 18:50	62-73-7	
Dimethoate	<0.083	ug/L	0.10	0.083	1	01/26/18 12:10	02/01/18 18:50	60-51-5	
Disulfoton	<0.071	ug/L	0.10	0.071	1	01/26/18 12:10	02/01/18 18:50	298-04-4	
EPN (ENT)	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 18:50	2104-64-5	
Ethoprop	<0.059	ug/L	0.10	0.059	1	01/26/18 12:10	02/01/18 18:50	13194-48-4	
Fensulfthion	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 18:50	115-90-2	
Fenthion	<0.088	ug/L	0.10	0.088	1	01/26/18 12:10	02/01/18 18:50	55-38-9	
Malathion	<0.086	ug/L	0.10	0.086	1	01/26/18 12:10	02/01/18 18:50	121-75-5	
Methyl parathion	<0.070	ug/L	0.10	0.070	1	01/26/18 12:10	02/01/18 18:50	298-00-0	
Mevinphos	<0.065	ug/L	0.10	0.065	1	01/26/18 12:10	02/01/18 18:50	7786-34-7	
Parathion (Ethyl parathion)	<0.060	ug/L	0.10	0.060	1	01/26/18 12:10	02/01/18 18:50	56-38-2	
Phorate	<0.064	ug/L	0.10	0.064	1	01/26/18 12:10	02/01/18 18:50	298-02-2	
Ronnel	<0.088	ug/L	0.10	0.088	1	01/26/18 12:10	02/01/18 18:50	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 Lab ID: 60262644015 Collected: 01/23/18 13:00 Received: 01/24/18 13:05 Matrix: Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Sulfotep (Thiodiphosphoric Ac	<0.061	ug/L	0.10	0.061	1	01/26/18 12:10	02/01/18 18:50	3689-24-5	
Tokuthion (Prothiofos)	<0.081	ug/L	0.10	0.081	1	01/26/18 12:10	02/01/18 18:50	34643-46-4	
Trichloronate	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 18:50	327-98-0	
Total Demeton	<0.083	ug/L	0.10	0.083	1	01/26/18 12:10	02/01/18 18:50	8065-48-3	
Total Merphos	<0.038	ug/L	0.10	0.038	1	01/26/18 12:10	02/01/18 18:50	150-50-5	
Surrogates									
Triphenylphosphate (S)	79	%.	10-175		1	01/26/18 12:10	02/01/18 18:50	115-86-6	
Tributylphosphate (S)	121	%.	20-150		1	01/26/18 12:10	02/01/18 18:50	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 8151									
2,4-D	1.5	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 14:39	94-75-7	
Dalapon	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 14:39	75-99-0	
2,4-DB	<0.34	ug/L	0.50	0.34	1	01/29/18 21:00	02/01/18 14:39	94-82-6	
Dicamba	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 14:39	1918-00-9	
Dichloroprop	1.5	ug/L	0.50	0.29	1	01/29/18 21:00	02/01/18 14:39	15165-67-0	
Dinoseb	<0.50	ug/L	0.50	0.50	1	01/29/18 21:00	02/01/18 14:39	88-85-7	
MCPA	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 14:39	94-74-6	
MCPP	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 14:39	7085-19-0	
2,4,5-T	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 14:39	93-76-5	
2,4,5-TP (Silvex)	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 14:39	93-72-1	
Surrogates									
2,4-DCAA (S)	126	%.	47-166		1	01/29/18 21:00	02/01/18 14:39	19719-28-9	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic	55.7	ug/L	10.0	4.2	1	01/30/18 11:15	02/01/18 15:05	7440-38-2	
Barium	4080	ug/L	5.0	0.91	1	01/30/18 11:15	02/01/18 15:05	7440-39-3	
Cadmium	6.8	ug/L	5.0	0.64	1	01/30/18 11:15	02/01/18 15:05	7440-43-9	
Chromium	151	ug/L	5.0	0.72	1	01/30/18 11:15	02/01/18 15:05	7440-47-3	
Lead	137	ug/L	5.0	2.4	1	01/30/18 11:15	02/01/18 15:05	7439-92-1	
Selenium	5.5J	ug/L	15.0	3.4	1	01/30/18 11:15	02/01/18 15:05	7782-49-2	
Silver	<1.9	ug/L	7.0	1.9	1	01/30/18 11:15	02/01/18 15:05	7440-22-4	
6010 MET ICP, Dissolved (LF) Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic, Dissolved	<4.2	ug/L	10.0	4.2	1	01/30/18 10:10	01/31/18 17:18	7440-38-2	
Barium, Dissolved	70.2	ug/L	5.0	0.91	1	01/30/18 10:10	01/31/18 17:18	7440-39-3	
Cadmium, Dissolved	<0.64	ug/L	5.0	0.64	1	01/30/18 10:10	01/31/18 17:18	7440-43-9	
Chromium, Dissolved	1.4J	ug/L	5.0	0.72	1	01/30/18 10:10	01/31/18 17:18	7440-47-3	
Lead, Dissolved	<2.4	ug/L	5.0	2.4	1	01/30/18 10:10	01/31/18 17:18	7439-92-1	
Selenium, Dissolved	4.5J	ug/L	15.0	3.4	1	01/30/18 10:10	01/31/18 17:18	7782-49-2	
Silver, Dissolved	<1.9	ug/L	7.0	1.9	1	01/30/18 10:10	01/31/18 17:18	7440-22-4	
7470 Mercury Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury	1.1	ug/L	0.20	0.046	1	02/08/18 11:51	02/08/18 15:20	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 **Lab ID: 60262644015** Collected: 01/23/18 13:00 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7470 Mercury, Dissolved (LF) Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury, Dissolved	<0.046	ug/L	0.20	0.046	1	02/08/18 15:58	02/09/18 11:01	7439-97-6	
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Acenaphthene	<0.36	ug/L	10.0	0.36	1	01/25/18 00:00	01/26/18 18:33	83-32-9	1e
Acenaphthylene	<0.38	ug/L	10.0	0.38	1	01/25/18 00:00	01/26/18 18:33	208-96-8	1e
Anthracene	<0.30	ug/L	10.0	0.30	1	01/25/18 00:00	01/26/18 18:33	120-12-7	1e
Benzo(a)anthracene	<0.29	ug/L	10.0	0.29	1	01/25/18 00:00	01/26/18 18:33	56-55-3	1e
Benzo(a)pyrene	<0.36	ug/L	10.0	0.36	1	01/25/18 00:00	01/26/18 18:33	50-32-8	1e
Benzo(b)fluoranthene	<0.35	ug/L	10.0	0.35	1	01/25/18 00:00	01/26/18 18:33	205-99-2	1e
Benzo(g,h,i)perylene	<0.40	ug/L	10.0	0.40	1	01/25/18 00:00	01/26/18 18:33	191-24-2	1e
Benzo(k)fluoranthene	<0.42	ug/L	10.0	0.42	1	01/25/18 00:00	01/26/18 18:33	207-08-9	1e
Benzoic acid	10.2J	ug/L	50.0	2.5	1	01/25/18 00:00	01/26/18 18:33	65-85-0	1e
Benzyl alcohol	<0.35	ug/L	20.0	0.35	1	01/25/18 00:00	01/26/18 18:33	100-51-6	1e
4-Bromophenylphenyl ether	<0.38	ug/L	10.0	0.38	1	01/25/18 00:00	01/26/18 18:33	101-55-3	1e
Butylbenzylphthalate	<0.40	ug/L	10.0	0.40	1	01/25/18 00:00	01/26/18 18:33	85-68-7	1e
Carbazole	<0.35	ug/L	10.0	0.35	1	01/25/18 00:00	01/26/18 18:33	86-74-8	1e
4-Chloro-3-methylphenol	<0.25	ug/L	20.0	0.25	1	01/25/18 00:00	01/26/18 18:33	59-50-7	1e
4-Chloroaniline	<0.52	ug/L	20.0	0.52	1	01/25/18 00:00	01/26/18 18:33	106-47-8	1e
bis(2-Chloroethoxy)methane	<5.0	ug/L	10.0	5.0	1	01/25/18 00:00	01/26/18 18:33	111-91-1	1e
bis(2-Chloroethyl) ether	<0.29	ug/L	10.0	0.29	1	01/25/18 00:00	01/26/18 18:33	111-44-4	1e
bis(2-Chloroisopropyl) ether	<0.29	ug/L	10.0	0.29	1	01/25/18 00:00	01/26/18 18:33	39638-32-9	1e
2-Chloronaphthalene	<0.35	ug/L	10.0	0.35	1	01/25/18 00:00	01/26/18 18:33	91-58-7	1e
2-Chlorophenol	<0.30	ug/L	10.0	0.30	1	01/25/18 00:00	01/26/18 18:33	95-57-8	1e
4-Chlorophenylphenyl ether	<0.30	ug/L	10.0	0.30	1	01/25/18 00:00	01/26/18 18:33	7005-72-3	1e
Chrysene	<0.36	ug/L	10.0	0.36	1	01/25/18 00:00	01/26/18 18:33	218-01-9	1e
Dibenz(a,h)anthracene	<0.45	ug/L	10.0	0.45	1	01/25/18 00:00	01/26/18 18:33	53-70-3	1e
Dibenzofuran	<0.39	ug/L	10.0	0.39	1	01/25/18 00:00	01/26/18 18:33	132-64-9	1e
1,2-Dichlorobenzene	<0.29	ug/L	10.0	0.29	1	01/25/18 00:00	01/26/18 18:33	95-50-1	1e
1,3-Dichlorobenzene	<0.54	ug/L	10.0	0.54	1	01/25/18 00:00	01/26/18 18:33	541-73-1	1e
1,4-Dichlorobenzene	<0.41	ug/L	10.0	0.41	1	01/25/18 00:00	01/26/18 18:33	106-46-7	1e
3,3'-Dichlorobenzidine	<0.39	ug/L	20.0	0.39	1	01/25/18 00:00	01/26/18 18:33	91-94-1	1e
2,4-Dichlorophenol	<0.52	ug/L	10.0	0.52	1	01/25/18 00:00	01/26/18 18:33	120-83-2	1e
Diethylphthalate	<0.45	ug/L	10.0	0.45	1	01/25/18 00:00	01/26/18 18:33	84-66-2	1e
2,4-Dimethylphenol	<0.60	ug/L	10.0	0.60	1	01/25/18 00:00	01/26/18 18:33	105-67-9	1e
Dimethylphthalate	<0.35	ug/L	10.0	0.35	1	01/25/18 00:00	01/26/18 18:33	131-11-3	1e
Di-n-butylphthalate	<0.39	ug/L	10.0	0.39	1	01/25/18 00:00	01/26/18 18:33	84-74-2	1e
4,6-Dinitro-2-methylphenol	<0.55	ug/L	50.0	0.55	1	01/25/18 00:00	01/26/18 18:33	534-52-1	1e
2,4-Dinitrophenol	<8.4	ug/L	50.0	8.4	1	01/25/18 00:00	01/26/18 18:33	51-28-5	1e
2,4-Dinitrotoluene	<0.33	ug/L	10.0	0.33	1	01/25/18 00:00	01/26/18 18:33	121-14-2	1e
2,6-Dinitrotoluene	<0.28	ug/L	10.0	0.28	1	01/25/18 00:00	01/26/18 18:33	606-20-2	1e
Di-n-octylphthalate	<0.50	ug/L	10.0	0.50	1	01/25/18 00:00	01/26/18 18:33	117-84-0	1e
bis(2-Ethylhexyl)phthalate	<0.62	ug/L	10.0	0.62	1	01/25/18 00:00	01/26/18 18:33	117-81-7	1e
Fluoranthene	<0.37	ug/L	10.0	0.37	1	01/25/18 00:00	01/26/18 18:33	206-44-0	1e
Fluorene	<0.34	ug/L	10.0	0.34	1	01/25/18 00:00	01/26/18 18:33	86-73-7	1e
Hexachloro-1,3-butadiene	<0.38	ug/L	10.0	0.38	1	01/25/18 00:00	01/26/18 18:33	87-68-3	1e
Hexachlorobenzene	<0.30	ug/L	10.0	0.30	1	01/25/18 00:00	01/26/18 18:33	118-74-1	1e

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 Lab ID: 60262644015 Collected: 01/23/18 13:00 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Hexachlorocyclopentadiene	<0.35	ug/L	10.0	0.35	1	01/25/18 00:00	01/26/18 18:33	77-47-4	1e
Hexachloroethane	<0.29	ug/L	10.0	0.29	1	01/25/18 00:00	01/26/18 18:33	67-72-1	1e
Indeno(1,2,3-cd)pyrene	<0.32	ug/L	10.0	0.32	1	01/25/18 00:00	01/26/18 18:33	193-39-5	1e
Isophorone	<0.28	ug/L	10.0	0.28	1	01/25/18 00:00	01/26/18 18:33	78-59-1	1e
2-Methylnaphthalene	<0.26	ug/L	10.0	0.26	1	01/25/18 00:00	01/26/18 18:33	91-57-6	1e
2-Methylphenol(o-Cresol)	<0.28	ug/L	10.0	0.28	1	01/25/18 00:00	01/26/18 18:33	95-48-7	1e
3&4-Methylphenol(m&p Cresol)	<5.0	ug/L	10.0	5.0	1	01/25/18 00:00	01/26/18 18:33		1e
Naphthalene	<0.36	ug/L	10.0	0.36	1	01/25/18 00:00	01/26/18 18:33	91-20-3	1e
2-Nitroaniline	<0.42	ug/L	50.0	0.42	1	01/25/18 00:00	01/26/18 18:33	88-74-4	1e
3-Nitroaniline	<0.35	ug/L	50.0	0.35	1	01/25/18 00:00	01/26/18 18:33	99-09-2	1e
4-Nitroaniline	<0.35	ug/L	50.0	0.35	1	01/25/18 00:00	01/26/18 18:33	100-01-6	1e
Nitrobenzene	<0.30	ug/L	10.0	0.30	1	01/25/18 00:00	01/26/18 18:33	98-95-3	1e
2-Nitrophenol	<0.28	ug/L	10.0	0.28	1	01/25/18 00:00	01/26/18 18:33	88-75-5	1e
4-Nitrophenol	<0.31	ug/L	50.0	0.31	1	01/25/18 00:00	01/26/18 18:33	100-02-7	1e
N-Nitroso-di-n-propylamine	<0.27	ug/L	10.0	0.27	1	01/25/18 00:00	01/26/18 18:33	621-64-7	1e
N-Nitrosodiphenylamine	<0.40	ug/L	10.0	0.40	1	01/25/18 00:00	01/26/18 18:33	86-30-6	1e
Pentachlorophenol	<0.31	ug/L	50.0	0.31	1	01/25/18 00:00	01/26/18 18:33	87-86-5	1e
Phenanthrene	<0.34	ug/L	10.0	0.34	1	01/25/18 00:00	01/26/18 18:33	85-01-8	1e
Phenol	<5.0	ug/L	10.0	5.0	1	01/25/18 00:00	01/26/18 18:33	108-95-2	1e
Pyrene	<0.28	ug/L	10.0	0.28	1	01/25/18 00:00	01/26/18 18:33	129-00-0	1e
Pyridine	<0.31	ug/L	10.0	0.31	1	01/25/18 00:00	01/26/18 18:33	110-86-1	1e
1,2,4-Trichlorobenzene	<0.33	ug/L	10.0	0.33	1	01/25/18 00:00	01/26/18 18:33	120-82-1	1e
2,4,5-Trichlorophenol	<0.33	ug/L	50.0	0.33	1	01/25/18 00:00	01/26/18 18:33	95-95-4	1e
2,4,6-Trichlorophenol	<0.39	ug/L	10.0	0.39	1	01/25/18 00:00	01/26/18 18:33	88-06-2	1e
Surrogates									
Nitrobenzene-d5 (S)	64	%	33-99		1	01/25/18 00:00	01/26/18 18:33	4165-60-0	
2-Fluorobiphenyl (S)	65	%	30-103		1	01/25/18 00:00	01/26/18 18:33	321-60-8	
Terphenyl-d14 (S)	64	%	38-114		1	01/25/18 00:00	01/26/18 18:33	1718-51-0	
Phenol-d6 (S)	41	%	10-56		1	01/25/18 00:00	01/26/18 18:33	13127-88-3	
2-Fluorophenol (S)	52	%	10-68		1	01/25/18 00:00	01/26/18 18:33	367-12-4	
2,4,6-Tribromophenol (S)	83	%	21-124		1	01/25/18 00:00	01/26/18 18:33	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3510C									
TPH-ORO	1.3	mg/L	0.91	0.91	1	01/25/18 15:00	01/30/18 18:39		1e,B
TPH-DRO	<0.91	mg/L	0.91	0.91	1	01/25/18 15:00	01/30/18 18:39		1e
Surrogates									
Nitrobenzene-d5 (S)	75	%	33-99		1	01/25/18 15:00	01/30/18 18:39	4165-60-0	
2-Fluorobiphenyl (S)	76	%	30-103		1	01/25/18 15:00	01/30/18 18:39	321-60-8	
Terphenyl-d14 (S)	75	%	38-114		1	01/25/18 15:00	01/30/18 18:39	1718-51-0	
8260 MSV Analytical Method: EPA 5030B/8260									
Acetone	<1.9	ug/L	10.0	1.9	1		01/25/18 14:23	67-64-1	
Benzene	<0.060	ug/L	1.0	0.060	1		01/25/18 14:23	71-43-2	
Bromobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:23	108-86-1	
Bromochloromethane	<0.15	ug/L	1.0	0.15	1		01/25/18 14:23	74-97-5	
Bromodichloromethane	<0.19	ug/L	1.0	0.19	1		01/25/18 14:23	75-27-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 Lab ID: 60262644015 Collected: 01/23/18 13:00 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260							
Bromoform	<0.070	ug/L	1.0	0.070	1		01/25/18 14:23	75-25-2	
Bromomethane	<0.16	ug/L	5.0	0.16	1		01/25/18 14:23	74-83-9	
2-Butanone (MEK)	<0.59	ug/L	10.0	0.59	1		01/25/18 14:23	78-93-3	
n-Butylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:23	104-51-8	
sec-Butylbenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 14:23	135-98-8	
tert-Butylbenzene	<0.34	ug/L	1.0	0.34	1		01/25/18 14:23	98-06-6	
Carbon disulfide	<0.12	ug/L	5.0	0.12	1		01/25/18 14:23	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	0.18	1		01/25/18 14:23	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	0.21	1		01/25/18 14:23	108-90-7	
Chloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 14:23	75-00-3	
Chloroform	<0.14	ug/L	1.0	0.14	1		01/25/18 14:23	67-66-3	
Chloromethane	<0.080	ug/L	1.0	0.080	1		01/25/18 14:23	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	0.12	1		01/25/18 14:23	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	0.14	1		01/25/18 14:23	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	0.59	1		01/25/18 14:23	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 14:23	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	0.17	1		01/25/18 14:23	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	0.18	1		01/25/18 14:23	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 14:23	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	0.070	1		01/25/18 14:23	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	0.060	1		01/25/18 14:23	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 14:23	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	0.050	1		01/25/18 14:23	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	0.12	1		01/25/18 14:23	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	0.28	1		01/25/18 14:23	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 14:23	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	0.080	1		01/25/18 14:23	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 14:23	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	0.16	1		01/25/18 14:23	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	0.17	1		01/25/18 14:23	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	0.19	1		01/25/18 14:23	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	0.090	1		01/25/18 14:23	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	0.14	1		01/25/18 14:23	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	0.12	1		01/25/18 14:23	10061-02-6	
Ethylbenzene	<0.18	ug/L	1.0	0.18	1		01/25/18 14:23	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		01/25/18 14:23	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1.2	1		01/25/18 14:23	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	0.070	1		01/25/18 14:23	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:23	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	0.15	1		01/25/18 14:23	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	0.42	1		01/25/18 14:23	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	0.060	1		01/25/18 14:23	1634-04-4	
Naphthalene	<0.50	ug/L	10.0	0.50	1		01/25/18 14:23	91-20-3	
n-Propylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:23	103-65-1	
Styrene	<0.12	ug/L	1.0	0.12	1		01/25/18 14:23	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 14:23	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-6 Lab ID: 60262644015 Collected: 01/23/18 13:00 Received: 01/24/18 13:05 Matrix: Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 5030B/8260									
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 14:23	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:23	127-18-4	
Toluene	<0.17	ug/L	1.0	0.17	1		01/25/18 14:23	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	0.12	1		01/25/18 14:23	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:23	120-82-1	
1,1,1-Trichloroethane	0.72J	ug/L	1.0	0.11	1		01/25/18 14:23	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		01/25/18 14:23	79-00-5	
Trichloroethene	<0.17	ug/L	1.0	0.17	1		01/25/18 14:23	79-01-6	
Trichlorofluoromethane	<0.34	ug/L	1.0	0.34	1		01/25/18 14:23	75-69-4	
1,2,3-Trichloropropane	<0.19	ug/L	2.5	0.19	1		01/25/18 14:23	96-18-4	
1,2,4-Trimethylbenzene	<0.090	ug/L	1.0	0.090	1		01/25/18 14:23	95-63-6	
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:23	108-67-8	
Vinyl chloride	<0.13	ug/L	1.0	0.13	1		01/25/18 14:23	75-01-4	
Xylene (Total)	<0.42	ug/L	3.0	0.42	1		01/25/18 14:23	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	102	%	80-119		1		01/25/18 14:23	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	80-117		1		01/25/18 14:23	17060-07-0	
Toluene-d8 (S)	94	%	80-115		1		01/25/18 14:23	2037-26-5	
Preservation pH	1.0		0.10	0.10	1		01/25/18 14:23		
8260 MSV GRO and Oxygenates Analytical Method: EPA 8260									
TPH-GRO	<63.5	ug/L	500	63.5	1		01/25/18 23:16		
Surrogates									
Toluene-d8 (S)	104	%	80-115		1		01/25/18 23:16	2037-26-5	
4-Bromofluorobenzene (S)	104	%	80-119		1		01/25/18 23:16	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	87-117		1		01/25/18 23:16	17060-07-0	
4500H+ pH, Electrometric Analytical Method: SM 4500-H+B									
pH at 25 Degrees C	7.4	Std. Units	0.10	0.10	1		01/31/18 11:24		H6
353.2 Nitrogen, NO2/NO3 pres. Analytical Method: EPA 353.2									
Nitrogen, NO2 plus NO3	5.6	mg/L	0.20	0.10	2		01/25/18 13:31		
9056 IC Anions Analytical Method: EPA 9056									
Sulfate	113	mg/L	10.0	5.0	10		02/02/18 20:06	14808-79-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-7 Lab ID: 60262644016 Collected: 01/23/18 14:00 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Aldrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 20:46	309-00-2	
alpha-BHC	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 20:46	319-84-6	
beta-BHC	<0.010	ug/L	0.010	0.010	1	01/26/18 12:10	02/05/18 20:46	319-85-7	
delta-BHC	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/05/18 20:46	319-86-8	
gamma-BHC (Lindane)	<0.0080	ug/L	0.010	0.0080	1	01/26/18 12:10	02/05/18 20:46	58-89-9	
Chlordane (Technical)	<0.090	ug/L	0.10	0.090	1	01/26/18 12:10	02/05/18 20:46	57-74-9	
alpha-Chlordane	<0.024	ug/L	0.10	0.024	1	01/26/18 12:10	02/05/18 20:46	5103-71-9	
gamma-Chlordane	<0.034	ug/L	0.10	0.034	1	01/26/18 12:10	02/05/18 20:46	5103-74-2	
4,4'-DDD	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/05/18 20:46	72-54-8	
4,4'-DDE	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 20:46	72-55-9	
4,4'-DDT	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 20:46	50-29-3	
Dieldrin	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 20:46	60-57-1	
Endosulfan I	<0.021	ug/L	0.10	0.021	1	01/26/18 12:10	02/05/18 20:46	959-98-8	
Endosulfan II	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/05/18 20:46	33213-65-9	
Endosulfan sulfate	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 20:46	1031-07-8	
Endrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 20:46	72-20-8	
Endrin aldehyde	<0.029	ug/L	0.10	0.029	1	01/26/18 12:10	02/05/18 20:46	7421-93-4	
Endrin ketone	<0.025	ug/L	0.10	0.025	1	01/26/18 12:10	02/05/18 20:46	53494-70-5	
Heptachlor	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/05/18 20:46	76-44-8	
Heptachlor epoxide	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 20:46	1024-57-3	
Methoxychlor	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 20:46	72-43-5	
Toxaphene	<0.61	ug/L	1.5	0.61	1	01/26/18 12:10	02/05/18 20:46	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	81	%	54-127		1	01/26/18 12:10	02/05/18 20:46	877-09-8	
Decachlorobiphenyl (S)	46	%	12-162		1	01/26/18 12:10	02/05/18 20:46	2051-24-3	
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Stirophos (Tetrachlorvinphos)	<0.072	ug/L	0.10	0.072	1	01/26/18 12:10	02/01/18 19:18	22248-79-9	
Azinphos, methyl (Guthion)	<0.093	ug/L	0.10	0.093	1	01/26/18 12:10	02/01/18 19:18	86-50-0	
Bolstar	<0.090	ug/L	0.10	0.090	1	01/26/18 12:10	02/01/18 19:18	35400-43-2	
Chlorpyrifos	<0.067	ug/L	0.10	0.067	1	01/26/18 12:10	02/01/18 19:18	2921-88-2	
Coumaphos	<0.092	ug/L	0.10	0.092	1	01/26/18 12:10	02/01/18 19:18	56-72-4	
Diazinon	<0.078	ug/L	0.10	0.078	1	01/26/18 12:10	02/01/18 19:18	333-41-5	
Dichlorvos	<0.073	ug/L	0.10	0.073	1	01/26/18 12:10	02/01/18 19:18	62-73-7	
Dimethoate	<0.083	ug/L	0.10	0.083	1	01/26/18 12:10	02/01/18 19:18	60-51-5	
Disulfoton	<0.071	ug/L	0.10	0.071	1	01/26/18 12:10	02/01/18 19:18	298-04-4	
EPN (ENT)	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 19:18	2104-64-5	
Ethoprop	<0.059	ug/L	0.10	0.059	1	01/26/18 12:10	02/01/18 19:18	13194-48-4	
Fensulfthion	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 19:18	115-90-2	
Fenthion	<0.088	ug/L	0.10	0.088	1	01/26/18 12:10	02/01/18 19:18	55-38-9	
Malathion	<0.086	ug/L	0.10	0.086	1	01/26/18 12:10	02/01/18 19:18	121-75-5	
Methyl parathion	<0.070	ug/L	0.10	0.070	1	01/26/18 12:10	02/01/18 19:18	298-00-0	
Mevinphos	<0.065	ug/L	0.10	0.065	1	01/26/18 12:10	02/01/18 19:18	7786-34-7	
Parathion (Ethyl parathion)	<0.060	ug/L	0.10	0.060	1	01/26/18 12:10	02/01/18 19:18	56-38-2	
Phorate	<0.064	ug/L	0.10	0.064	1	01/26/18 12:10	02/01/18 19:18	298-02-2	
Ronnel	<0.088	ug/L	0.10	0.088	1	01/26/18 12:10	02/01/18 19:18	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-7 Lab ID: 60262644016 Collected: 01/23/18 14:00 Received: 01/24/18 13:05 Matrix: Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Sulfotep (Thiodiphosphoric Ac	<0.061	ug/L	0.10	0.061	1	01/26/18 12:10	02/01/18 19:18	3689-24-5	
Tokuthion (Prothiofos)	<0.081	ug/L	0.10	0.081	1	01/26/18 12:10	02/01/18 19:18	34643-46-4	
Trichloronate	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 19:18	327-98-0	
Total Demeton	<0.083	ug/L	0.10	0.083	1	01/26/18 12:10	02/01/18 19:18	8065-48-3	
Total Merphos	<0.038	ug/L	0.10	0.038	1	01/26/18 12:10	02/01/18 19:18	150-50-5	
Surrogates									
Triphenylphosphate (S)	105	%	10-175		1	01/26/18 12:10	02/01/18 19:18	115-86-6	
Tributylphosphate (S)	113	%	20-150		1	01/26/18 12:10	02/01/18 19:18	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 8151									
2,4-D	0.43J	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 15:04	94-75-7	
Dalapon	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 15:04	75-99-0	
2,4-DB	<0.34	ug/L	0.50	0.34	1	01/29/18 21:00	02/01/18 15:04	94-82-6	
Dicamba	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 15:04	1918-00-9	
Dichloroprop	0.30J	ug/L	0.50	0.29	1	01/29/18 21:00	02/01/18 15:29	15165-67-0	
Dinoseb	<0.50	ug/L	0.50	0.50	1	01/29/18 21:00	02/01/18 15:04	88-85-7	
MCPA	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 15:04	94-74-6	
MCPP	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 15:04	7085-19-0	
2,4,5-T	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 15:04	93-76-5	
2,4,5-TP (Silvex)	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 15:04	93-72-1	
Surrogates									
2,4-DCAA (S)	122	%	47-166		1	01/29/18 21:00	02/01/18 15:04	19719-28-9	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic	63.9	ug/L	10.0	4.2	1	01/30/18 11:15	02/01/18 15:08	7440-38-2	
Barium	10900	ug/L	5.0	0.91	1	01/30/18 11:15	02/01/18 15:08	7440-39-3	
Cadmium	5.0J	ug/L	5.0	0.64	1	01/30/18 11:15	02/01/18 15:08	7440-43-9	
Chromium	145	ug/L	5.0	0.72	1	01/30/18 11:15	02/01/18 15:08	7440-47-3	
Lead	145	ug/L	5.0	2.4	1	01/30/18 11:15	02/01/18 15:08	7439-92-1	
Selenium	5.2J	ug/L	15.0	3.4	1	01/30/18 11:15	02/01/18 15:08	7782-49-2	
Silver	<1.9	ug/L	7.0	1.9	1	01/30/18 11:15	02/01/18 15:08	7440-22-4	
6010 MET ICP, Dissolved (LF) Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic, Dissolved	<4.2	ug/L	10.0	4.2	1	01/30/18 10:10	01/31/18 17:25	7440-38-2	
Barium, Dissolved	71.0	ug/L	5.0	0.91	1	01/30/18 10:10	01/31/18 17:25	7440-39-3	
Cadmium, Dissolved	<0.64	ug/L	5.0	0.64	1	01/30/18 10:10	01/31/18 17:25	7440-43-9	
Chromium, Dissolved	1.1J	ug/L	5.0	0.72	1	01/30/18 10:10	01/31/18 17:25	7440-47-3	
Lead, Dissolved	<2.4	ug/L	5.0	2.4	1	01/30/18 10:10	01/31/18 17:25	7439-92-1	
Selenium, Dissolved	6.2J	ug/L	15.0	3.4	1	01/30/18 10:10	01/31/18 17:25	7782-49-2	
Silver, Dissolved	<1.9	ug/L	7.0	1.9	1	01/30/18 10:10	01/31/18 17:25	7440-22-4	
7470 Mercury Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury	0.72	ug/L	0.20	0.046	1	02/08/18 11:51	02/08/18 15:22	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-7 **Lab ID: 60262644016** Collected: 01/23/18 14:00 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7470 Mercury, Dissolved (LF) Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury, Dissolved	<0.046	ug/L	0.20	0.046	1	02/08/18 15:58	02/09/18 11:08	7439-97-6	
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Acenaphthene	<0.34	ug/L	9.4	0.34	1	01/25/18 00:00	01/26/18 18:55	83-32-9	1e
Acenaphthylene	<0.36	ug/L	9.4	0.36	1	01/25/18 00:00	01/26/18 18:55	208-96-8	1e
Anthracene	<0.28	ug/L	9.4	0.28	1	01/25/18 00:00	01/26/18 18:55	120-12-7	1e
Benzo(a)anthracene	<0.27	ug/L	9.4	0.27	1	01/25/18 00:00	01/26/18 18:55	56-55-3	1e
Benzo(a)pyrene	<0.34	ug/L	9.4	0.34	1	01/25/18 00:00	01/26/18 18:55	50-32-8	1e
Benzo(b)fluoranthene	<0.33	ug/L	9.4	0.33	1	01/25/18 00:00	01/26/18 18:55	205-99-2	1e
Benzo(g,h,i)perylene	<0.38	ug/L	9.4	0.38	1	01/25/18 00:00	01/26/18 18:55	191-24-2	1e
Benzo(k)fluoranthene	<0.40	ug/L	9.4	0.40	1	01/25/18 00:00	01/26/18 18:55	207-08-9	1e
Benzoic acid	10.2J	ug/L	47.2	2.4	1	01/25/18 00:00	01/26/18 18:55	65-85-0	1e
Benzyl alcohol	<0.33	ug/L	18.9	0.33	1	01/25/18 00:00	01/26/18 18:55	100-51-6	1e
4-Bromophenylphenyl ether	<0.36	ug/L	9.4	0.36	1	01/25/18 00:00	01/26/18 18:55	101-55-3	1e
Butylbenzylphthalate	<0.38	ug/L	9.4	0.38	1	01/25/18 00:00	01/26/18 18:55	85-68-7	1e
Carbazole	<0.33	ug/L	9.4	0.33	1	01/25/18 00:00	01/26/18 18:55	86-74-8	1e
4-Chloro-3-methylphenol	<0.24	ug/L	18.9	0.24	1	01/25/18 00:00	01/26/18 18:55	59-50-7	1e
4-Chloroaniline	<0.49	ug/L	18.9	0.49	1	01/25/18 00:00	01/26/18 18:55	106-47-8	1e
bis(2-Chloroethoxy)methane	<4.7	ug/L	9.4	4.7	1	01/25/18 00:00	01/26/18 18:55	111-91-1	1e
bis(2-Chloroethyl) ether	<0.27	ug/L	9.4	0.27	1	01/25/18 00:00	01/26/18 18:55	111-44-4	1e
bis(2-Chloroisopropyl) ether	<0.27	ug/L	9.4	0.27	1	01/25/18 00:00	01/26/18 18:55	39638-32-9	1e
2-Chloronaphthalene	<0.33	ug/L	9.4	0.33	1	01/25/18 00:00	01/26/18 18:55	91-58-7	1e
2-Chlorophenol	<0.28	ug/L	9.4	0.28	1	01/25/18 00:00	01/26/18 18:55	95-57-8	1e
4-Chlorophenylphenyl ether	<0.28	ug/L	9.4	0.28	1	01/25/18 00:00	01/26/18 18:55	7005-72-3	1e
Chrysene	<0.34	ug/L	9.4	0.34	1	01/25/18 00:00	01/26/18 18:55	218-01-9	1e
Dibenz(a,h)anthracene	<0.42	ug/L	9.4	0.42	1	01/25/18 00:00	01/26/18 18:55	53-70-3	1e
Dibenzofuran	<0.37	ug/L	9.4	0.37	1	01/25/18 00:00	01/26/18 18:55	132-64-9	1e
1,2-Dichlorobenzene	<0.27	ug/L	9.4	0.27	1	01/25/18 00:00	01/26/18 18:55	95-50-1	1e
1,3-Dichlorobenzene	<0.51	ug/L	9.4	0.51	1	01/25/18 00:00	01/26/18 18:55	541-73-1	1e
1,4-Dichlorobenzene	<0.39	ug/L	9.4	0.39	1	01/25/18 00:00	01/26/18 18:55	106-46-7	1e
3,3'-Dichlorobenzidine	<0.37	ug/L	18.9	0.37	1	01/25/18 00:00	01/26/18 18:55	91-94-1	1e
2,4-Dichlorophenol	<0.49	ug/L	9.4	0.49	1	01/25/18 00:00	01/26/18 18:55	120-83-2	1e
Diethylphthalate	<0.42	ug/L	9.4	0.42	1	01/25/18 00:00	01/26/18 18:55	84-66-2	1e
2,4-Dimethylphenol	<0.57	ug/L	9.4	0.57	1	01/25/18 00:00	01/26/18 18:55	105-67-9	1e
Dimethylphthalate	<0.33	ug/L	9.4	0.33	1	01/25/18 00:00	01/26/18 18:55	131-11-3	1e
Di-n-butylphthalate	<0.37	ug/L	9.4	0.37	1	01/25/18 00:00	01/26/18 18:55	84-74-2	1e
4,6-Dinitro-2-methylphenol	<0.52	ug/L	47.2	0.52	1	01/25/18 00:00	01/26/18 18:55	534-52-1	1e
2,4-Dinitrophenol	<7.9	ug/L	47.2	7.9	1	01/25/18 00:00	01/26/18 18:55	51-28-5	1e
2,4-Dinitrotoluene	<0.31	ug/L	9.4	0.31	1	01/25/18 00:00	01/26/18 18:55	121-14-2	1e
2,6-Dinitrotoluene	<0.26	ug/L	9.4	0.26	1	01/25/18 00:00	01/26/18 18:55	606-20-2	1e
Di-n-octylphthalate	<0.47	ug/L	9.4	0.47	1	01/25/18 00:00	01/26/18 18:55	117-84-0	1e
bis(2-Ethylhexyl)phthalate	<0.58	ug/L	9.4	0.58	1	01/25/18 00:00	01/26/18 18:55	117-81-7	1e
Fluoranthene	<0.35	ug/L	9.4	0.35	1	01/25/18 00:00	01/26/18 18:55	206-44-0	1e
Fluorene	<0.32	ug/L	9.4	0.32	1	01/25/18 00:00	01/26/18 18:55	86-73-7	1e
Hexachloro-1,3-butadiene	<0.36	ug/L	9.4	0.36	1	01/25/18 00:00	01/26/18 18:55	87-68-3	1e
Hexachlorobenzene	<0.28	ug/L	9.4	0.28	1	01/25/18 00:00	01/26/18 18:55	118-74-1	1e

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-7 **Lab ID: 60262644016** Collected: 01/23/18 14:00 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Hexachlorocyclopentadiene	<0.33	ug/L	9.4	0.33	1	01/25/18 00:00	01/26/18 18:55	77-47-4	1e
Hexachloroethane	<0.27	ug/L	9.4	0.27	1	01/25/18 00:00	01/26/18 18:55	67-72-1	1e
Indeno(1,2,3-cd)pyrene	<0.30	ug/L	9.4	0.30	1	01/25/18 00:00	01/26/18 18:55	193-39-5	1e
Isophorone	<0.26	ug/L	9.4	0.26	1	01/25/18 00:00	01/26/18 18:55	78-59-1	1e
2-Methylnaphthalene	<0.25	ug/L	9.4	0.25	1	01/25/18 00:00	01/26/18 18:55	91-57-6	1e
2-Methylphenol(o-Cresol)	<0.26	ug/L	9.4	0.26	1	01/25/18 00:00	01/26/18 18:55	95-48-7	1e
3&4-Methylphenol(m&p Cresol)	<4.7	ug/L	9.4	4.7	1	01/25/18 00:00	01/26/18 18:55		1e
Naphthalene	<0.34	ug/L	9.4	0.34	1	01/25/18 00:00	01/26/18 18:55	91-20-3	1e
2-Nitroaniline	<0.40	ug/L	47.2	0.40	1	01/25/18 00:00	01/26/18 18:55	88-74-4	1e
3-Nitroaniline	<0.33	ug/L	47.2	0.33	1	01/25/18 00:00	01/26/18 18:55	99-09-2	1e
4-Nitroaniline	<0.33	ug/L	47.2	0.33	1	01/25/18 00:00	01/26/18 18:55	100-01-6	1e
Nitrobenzene	<0.28	ug/L	9.4	0.28	1	01/25/18 00:00	01/26/18 18:55	98-95-3	1e
2-Nitrophenol	<0.26	ug/L	9.4	0.26	1	01/25/18 00:00	01/26/18 18:55	88-75-5	1e
4-Nitrophenol	<0.29	ug/L	47.2	0.29	1	01/25/18 00:00	01/26/18 18:55	100-02-7	1e
N-Nitroso-di-n-propylamine	<0.25	ug/L	9.4	0.25	1	01/25/18 00:00	01/26/18 18:55	621-64-7	1e
N-Nitrosodiphenylamine	<0.38	ug/L	9.4	0.38	1	01/25/18 00:00	01/26/18 18:55	86-30-6	1e
Pentachlorophenol	<0.29	ug/L	47.2	0.29	1	01/25/18 00:00	01/26/18 18:55	87-86-5	1e
Phenanthrene	<0.32	ug/L	9.4	0.32	1	01/25/18 00:00	01/26/18 18:55	85-01-8	1e
Phenol	<4.7	ug/L	9.4	4.7	1	01/25/18 00:00	01/26/18 18:55	108-95-2	1e
Pyrene	<0.26	ug/L	9.4	0.26	1	01/25/18 00:00	01/26/18 18:55	129-00-0	1e
Pyridine	<0.29	ug/L	9.4	0.29	1	01/25/18 00:00	01/26/18 18:55	110-86-1	1e
1,2,4-Trichlorobenzene	<0.31	ug/L	9.4	0.31	1	01/25/18 00:00	01/26/18 18:55	120-82-1	1e
2,4,5-Trichlorophenol	<0.31	ug/L	47.2	0.31	1	01/25/18 00:00	01/26/18 18:55	95-95-4	1e
2,4,6-Trichlorophenol	<0.37	ug/L	9.4	0.37	1	01/25/18 00:00	01/26/18 18:55	88-06-2	1e
Surrogates									
Nitrobenzene-d5 (S)	34	%	33-99		1	01/25/18 00:00	01/26/18 18:55	4165-60-0	
2-Fluorobiphenyl (S)	37	%	30-103		1	01/25/18 00:00	01/26/18 18:55	321-60-8	
Terphenyl-d14 (S)	38	%	38-114		1	01/25/18 00:00	01/26/18 18:55	1718-51-0	
Phenol-d6 (S)	26	%	10-56		1	01/25/18 00:00	01/26/18 18:55	13127-88-3	
2-Fluorophenol (S)	30	%	10-68		1	01/25/18 00:00	01/26/18 18:55	367-12-4	
2,4,6-Tribromophenol (S)	44	%	21-124		1	01/25/18 00:00	01/26/18 18:55	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3510C									
TPH-ORO	1.0	mg/L	0.96	0.96	1	01/25/18 15:00	01/30/18 19:01		1e,B
TPH-DRO	<0.96	mg/L	0.96	0.96	1	01/25/18 15:00	01/30/18 19:01		1e
Surrogates									
Nitrobenzene-d5 (S)	75	%	33-99		1	01/25/18 15:00	01/30/18 19:01	4165-60-0	
2-Fluorobiphenyl (S)	78	%	30-103		1	01/25/18 15:00	01/30/18 19:01	321-60-8	
Terphenyl-d14 (S)	82	%	38-114		1	01/25/18 15:00	01/30/18 19:01	1718-51-0	
8260 MSV Analytical Method: EPA 5030B/8260									
Acetone	<1.9	ug/L	10.0	1.9	1		01/25/18 14:37	67-64-1	
Benzene	<0.060	ug/L	1.0	0.060	1		01/25/18 14:37	71-43-2	
Bromobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:37	108-86-1	
Bromochloromethane	<0.15	ug/L	1.0	0.15	1		01/25/18 14:37	74-97-5	
Bromodichloromethane	<0.19	ug/L	1.0	0.19	1		01/25/18 14:37	75-27-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-7 **Lab ID: 60262644016** Collected: 01/23/18 14:00 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260							
Bromoform	<0.070	ug/L	1.0	0.070	1		01/25/18 14:37	75-25-2	
Bromomethane	<0.16	ug/L	5.0	0.16	1		01/25/18 14:37	74-83-9	
2-Butanone (MEK)	<0.59	ug/L	10.0	0.59	1		01/25/18 14:37	78-93-3	
n-Butylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:37	104-51-8	
sec-Butylbenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 14:37	135-98-8	
tert-Butylbenzene	<0.34	ug/L	1.0	0.34	1		01/25/18 14:37	98-06-6	
Carbon disulfide	<0.12	ug/L	5.0	0.12	1		01/25/18 14:37	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	0.18	1		01/25/18 14:37	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	0.21	1		01/25/18 14:37	108-90-7	
Chloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 14:37	75-00-3	
Chloroform	<0.14	ug/L	1.0	0.14	1		01/25/18 14:37	67-66-3	
Chloromethane	<0.080	ug/L	1.0	0.080	1		01/25/18 14:37	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	0.12	1		01/25/18 14:37	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	0.14	1		01/25/18 14:37	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	0.59	1		01/25/18 14:37	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 14:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	0.17	1		01/25/18 14:37	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	0.18	1		01/25/18 14:37	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 14:37	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	0.070	1		01/25/18 14:37	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	0.060	1		01/25/18 14:37	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 14:37	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	0.050	1		01/25/18 14:37	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	0.12	1		01/25/18 14:37	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	0.28	1		01/25/18 14:37	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 14:37	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	0.080	1		01/25/18 14:37	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 14:37	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	0.16	1		01/25/18 14:37	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	0.17	1		01/25/18 14:37	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	0.19	1		01/25/18 14:37	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	0.090	1		01/25/18 14:37	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	0.14	1		01/25/18 14:37	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	0.12	1		01/25/18 14:37	10061-02-6	
Ethylbenzene	<0.18	ug/L	1.0	0.18	1		01/25/18 14:37	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		01/25/18 14:37	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1.2	1		01/25/18 14:37	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	0.070	1		01/25/18 14:37	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:37	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	0.15	1		01/25/18 14:37	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	0.42	1		01/25/18 14:37	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	0.060	1		01/25/18 14:37	1634-04-4	
Naphthalene	<0.50	ug/L	10.0	0.50	1		01/25/18 14:37	91-20-3	
n-Propylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:37	103-65-1	
Styrene	<0.12	ug/L	1.0	0.12	1		01/25/18 14:37	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 14:37	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-7 Lab ID: 60262644016 Collected: 01/23/18 14:00 Received: 01/24/18 13:05 Matrix: Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 5030B/8260									
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 14:37	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:37	127-18-4	
Toluene	<0.17	ug/L	1.0	0.17	1		01/25/18 14:37	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	0.12	1		01/25/18 14:37	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:37	120-82-1	
1,1,1-Trichloroethane	<0.11	ug/L	1.0	0.11	1		01/25/18 14:37	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		01/25/18 14:37	79-00-5	
Trichloroethene	<0.17	ug/L	1.0	0.17	1		01/25/18 14:37	79-01-6	
Trichlorofluoromethane	<0.34	ug/L	1.0	0.34	1		01/25/18 14:37	75-69-4	
1,2,3-Trichloropropane	<0.19	ug/L	2.5	0.19	1		01/25/18 14:37	96-18-4	
1,2,4-Trimethylbenzene	<0.090	ug/L	1.0	0.090	1		01/25/18 14:37	95-63-6	
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:37	108-67-8	
Vinyl chloride	<0.13	ug/L	1.0	0.13	1		01/25/18 14:37	75-01-4	
Xylene (Total)	<0.42	ug/L	3.0	0.42	1		01/25/18 14:37	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	99	%	80-119		1		01/25/18 14:37	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	80-117		1		01/25/18 14:37	17060-07-0	
Toluene-d8 (S)	98	%	80-115		1		01/25/18 14:37	2037-26-5	
Preservation pH	1.0		0.10	0.10	1		01/25/18 14:37		
8260 MSV GRO and Oxygenates Analytical Method: EPA 8260									
TPH-GRO	<63.5	ug/L	500	63.5	1		01/25/18 23:31		
Surrogates									
Toluene-d8 (S)	104	%	80-115		1		01/25/18 23:31	2037-26-5	
4-Bromofluorobenzene (S)	105	%	80-119		1		01/25/18 23:31	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	87-117		1		01/25/18 23:31	17060-07-0	
4500H+ pH, Electrometric Analytical Method: SM 4500-H+B									
pH at 25 Degrees C	7.0	Std. Units	0.10	0.10	1		01/31/18 11:26		H6
353.2 Nitrogen, NO2/NO3 pres. Analytical Method: EPA 353.2									
Nitrogen, NO2 plus NO3	4.3	mg/L	0.20	0.10	2		01/25/18 13:32		
9056 IC Anions Analytical Method: EPA 9056									
Sulfate	107	mg/L	10.0	5.0	10		02/06/18 12:09	14808-79-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 **Lab ID: 60262644017** Collected: 01/23/18 15:30 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Aldrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 21:19	309-00-2	
alpha-BHC	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 21:19	319-84-6	
beta-BHC	<0.010	ug/L	0.010	0.010	1	01/26/18 12:10	02/05/18 21:19	319-85-7	
delta-BHC	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/05/18 21:19	319-86-8	
gamma-BHC (Lindane)	<0.0080	ug/L	0.010	0.0080	1	01/26/18 12:10	02/05/18 21:19	58-89-9	
Chlordane (Technical)	<0.090	ug/L	0.10	0.090	1	01/26/18 12:10	02/05/18 21:19	57-74-9	
alpha-Chlordane	<0.024	ug/L	0.10	0.024	1	01/26/18 12:10	02/05/18 21:19	5103-71-9	
gamma-Chlordane	<0.034	ug/L	0.10	0.034	1	01/26/18 12:10	02/05/18 21:19	5103-74-2	
4,4'-DDD	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/05/18 21:19	72-54-8	
4,4'-DDE	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 21:19	72-55-9	
4,4'-DDT	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 21:19	50-29-3	
Dieldrin	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 21:19	60-57-1	
Endosulfan I	<0.021	ug/L	0.10	0.021	1	01/26/18 12:10	02/05/18 21:19	959-98-8	
Endosulfan II	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/05/18 21:19	33213-65-9	
Endosulfan sulfate	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 21:19	1031-07-8	
Endrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 21:19	72-20-8	
Endrin aldehyde	<0.029	ug/L	0.10	0.029	1	01/26/18 12:10	02/05/18 21:19	7421-93-4	
Endrin ketone	<0.025	ug/L	0.10	0.025	1	01/26/18 12:10	02/05/18 21:19	53494-70-5	
Heptachlor	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/05/18 21:19	76-44-8	
Heptachlor epoxide	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/05/18 21:19	1024-57-3	
Methoxychlor	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/05/18 21:19	72-43-5	
Toxaphene	<0.61	ug/L	1.5	0.61	1	01/26/18 12:10	02/05/18 21:19	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	86	%	54-127		1	01/26/18 12:10	02/05/18 21:19	877-09-8	
Decachlorobiphenyl (S)	56	%	12-162		1	01/26/18 12:10	02/05/18 21:19	2051-24-3	
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Stirophos (Tetrachlorvinphos)	<0.072	ug/L	0.10	0.072	1	01/26/18 12:10	02/01/18 19:45	22248-79-9	
Azinphos, methyl (Guthion)	<0.093	ug/L	0.10	0.093	1	01/26/18 12:10	02/01/18 19:45	86-50-0	
Bolstar	<0.090	ug/L	0.10	0.090	1	01/26/18 12:10	02/01/18 19:45	35400-43-2	
Chlorpyrifos	<0.067	ug/L	0.10	0.067	1	01/26/18 12:10	02/01/18 19:45	2921-88-2	
Coumaphos	<0.092	ug/L	0.10	0.092	1	01/26/18 12:10	02/01/18 19:45	56-72-4	
Diazinon	<0.078	ug/L	0.10	0.078	1	01/26/18 12:10	02/01/18 19:45	333-41-5	
Dichlorvos	<0.073	ug/L	0.10	0.073	1	01/26/18 12:10	02/01/18 19:45	62-73-7	
Dimethoate	<0.083	ug/L	0.10	0.083	1	01/26/18 12:10	02/01/18 19:45	60-51-5	
Disulfoton	<0.071	ug/L	0.10	0.071	1	01/26/18 12:10	02/01/18 19:45	298-04-4	
EPN (ENT)	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 19:45	2104-64-5	
Ethoprop	<0.059	ug/L	0.10	0.059	1	01/26/18 12:10	02/01/18 19:45	13194-48-4	
Fensulfthion	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 19:45	115-90-2	
Fenthion	<0.088	ug/L	0.10	0.088	1	01/26/18 12:10	02/01/18 19:45	55-38-9	
Malathion	<0.086	ug/L	0.10	0.086	1	01/26/18 12:10	02/01/18 19:45	121-75-5	
Methyl parathion	<0.070	ug/L	0.10	0.070	1	01/26/18 12:10	02/01/18 19:45	298-00-0	
Mevinphos	<0.065	ug/L	0.10	0.065	1	01/26/18 12:10	02/01/18 19:45	7786-34-7	
Parathion (Ethyl parathion)	<0.060	ug/L	0.10	0.060	1	01/26/18 12:10	02/01/18 19:45	56-38-2	
Phorate	<0.064	ug/L	0.10	0.064	1	01/26/18 12:10	02/01/18 19:45	298-02-2	
Ronnel	<0.088	ug/L	0.10	0.088	1	01/26/18 12:10	02/01/18 19:45	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 Lab ID: 60262644017 Collected: 01/23/18 15:30 Received: 01/24/18 13:05 Matrix: Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Sulfotep (Thiodiphosphoric Ac	<0.061	ug/L	0.10	0.061	1	01/26/18 12:10	02/01/18 19:45	3689-24-5	
Tokuthion (Prothiofos)	<0.081	ug/L	0.10	0.081	1	01/26/18 12:10	02/01/18 19:45	34643-46-4	
Trichloronate	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 19:45	327-98-0	
Total Demeton	<0.083	ug/L	0.10	0.083	1	01/26/18 12:10	02/01/18 19:45	8065-48-3	
Total Merphos	<0.038	ug/L	0.10	0.038	1	01/26/18 12:10	02/01/18 19:45	150-50-5	
Surrogates									
Triphenylphosphate (S)	74	%	10-175		1	01/26/18 12:10	02/01/18 19:45	115-86-6	
Tributylphosphate (S)	116	%	20-150		1	01/26/18 12:10	02/01/18 19:45	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 8151									
2,4-D	0.59	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 15:29	94-75-7	
Dalapon	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 15:29	75-99-0	
2,4-DB	<0.34	ug/L	0.50	0.34	1	01/29/18 21:00	02/01/18 15:29	94-82-6	
Dicamba	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 15:29	1918-00-9	
Dichloroprop	0.40J	ug/L	0.50	0.29	1	01/29/18 21:00	02/01/18 15:54	15165-67-0	
Dinoseb	<0.50	ug/L	0.50	0.50	1	01/29/18 21:00	02/01/18 15:29	88-85-7	
MCPA	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 15:29	94-74-6	
MCPP	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 15:29	7085-19-0	
2,4,5-T	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 15:29	93-76-5	
2,4,5-TP (Silvex)	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 15:29	93-72-1	
Surrogates									
2,4-DCAA (S)	108	%	47-166		1	01/29/18 21:00	02/01/18 15:29	19719-28-9	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic	30.4	ug/L	10.0	4.2	1	01/30/18 11:15	02/01/18 15:10	7440-38-2	
Barium	1760	ug/L	5.0	0.91	1	01/30/18 11:15	02/01/18 15:10	7440-39-3	
Cadmium	1.8J	ug/L	5.0	0.64	1	01/30/18 11:15	02/01/18 15:10	7440-43-9	
Chromium	108	ug/L	5.0	0.72	1	01/30/18 11:15	02/01/18 15:10	7440-47-3	
Lead	57.4	ug/L	5.0	2.4	1	01/30/18 11:15	02/01/18 15:10	7439-92-1	
Selenium	<3.4	ug/L	15.0	3.4	1	01/30/18 11:15	02/01/18 15:10	7782-49-2	
Silver	<1.9	ug/L	7.0	1.9	1	01/30/18 11:15	02/01/18 15:10	7440-22-4	
6010 MET ICP, Dissolved (LF) Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic, Dissolved	<4.2	ug/L	10.0	4.2	1	01/30/18 10:10	01/31/18 17:27	7440-38-2	
Barium, Dissolved	130	ug/L	5.0	0.91	1	01/30/18 10:10	01/31/18 17:27	7440-39-3	
Cadmium, Dissolved	<0.64	ug/L	5.0	0.64	1	01/30/18 10:10	01/31/18 17:27	7440-43-9	
Chromium, Dissolved	1.5J	ug/L	5.0	0.72	1	01/30/18 10:10	01/31/18 17:27	7440-47-3	
Lead, Dissolved	<2.4	ug/L	5.0	2.4	1	01/30/18 10:10	01/31/18 17:27	7439-92-1	
Selenium, Dissolved	<3.4	ug/L	15.0	3.4	1	01/30/18 10:10	01/31/18 17:27	7782-49-2	
Silver, Dissolved	<1.9	ug/L	7.0	1.9	1	01/30/18 10:10	01/31/18 17:27	7440-22-4	
7470 Mercury Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury	0.11J	ug/L	0.20	0.046	1	02/08/18 11:51	02/08/18 15:24	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 **Lab ID: 60262644017** Collected: 01/23/18 15:30 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7470 Mercury, Dissolved (LF) Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury, Dissolved	<0.046	ug/L	0.20	0.046	1	02/08/18 15:58	02/09/18 11:10	7439-97-6	
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Acenaphthene	<0.34	ug/L	9.4	0.34	1	01/25/18 00:00	01/26/18 19:17	83-32-9	1e
Acenaphthylene	<0.36	ug/L	9.4	0.36	1	01/25/18 00:00	01/26/18 19:17	208-96-8	1e
Anthracene	<0.28	ug/L	9.4	0.28	1	01/25/18 00:00	01/26/18 19:17	120-12-7	1e
Benzo(a)anthracene	<0.27	ug/L	9.4	0.27	1	01/25/18 00:00	01/26/18 19:17	56-55-3	1e
Benzo(a)pyrene	<0.34	ug/L	9.4	0.34	1	01/25/18 00:00	01/26/18 19:17	50-32-8	1e
Benzo(b)fluoranthene	<0.33	ug/L	9.4	0.33	1	01/25/18 00:00	01/26/18 19:17	205-99-2	1e
Benzo(g,h,i)perylene	<0.38	ug/L	9.4	0.38	1	01/25/18 00:00	01/26/18 19:17	191-24-2	1e
Benzo(k)fluoranthene	<0.40	ug/L	9.4	0.40	1	01/25/18 00:00	01/26/18 19:17	207-08-9	1e
Benzoic acid	9.4J	ug/L	47.2	2.4	1	01/25/18 00:00	01/26/18 19:17	65-85-0	1e
Benzyl alcohol	<0.33	ug/L	18.9	0.33	1	01/25/18 00:00	01/26/18 19:17	100-51-6	1e
4-Bromophenylphenyl ether	<0.36	ug/L	9.4	0.36	1	01/25/18 00:00	01/26/18 19:17	101-55-3	1e
Butylbenzylphthalate	<0.38	ug/L	9.4	0.38	1	01/25/18 00:00	01/26/18 19:17	85-68-7	1e
Carbazole	<0.33	ug/L	9.4	0.33	1	01/25/18 00:00	01/26/18 19:17	86-74-8	1e
4-Chloro-3-methylphenol	<0.24	ug/L	18.9	0.24	1	01/25/18 00:00	01/26/18 19:17	59-50-7	1e
4-Chloroaniline	<0.49	ug/L	18.9	0.49	1	01/25/18 00:00	01/26/18 19:17	106-47-8	1e
bis(2-Chloroethoxy)methane	<4.7	ug/L	9.4	4.7	1	01/25/18 00:00	01/26/18 19:17	111-91-1	1e
bis(2-Chloroethyl) ether	<0.27	ug/L	9.4	0.27	1	01/25/18 00:00	01/26/18 19:17	111-44-4	1e
bis(2-Chloroisopropyl) ether	<0.27	ug/L	9.4	0.27	1	01/25/18 00:00	01/26/18 19:17	39638-32-9	1e
2-Chloronaphthalene	<0.33	ug/L	9.4	0.33	1	01/25/18 00:00	01/26/18 19:17	91-58-7	1e
2-Chlorophenol	<0.28	ug/L	9.4	0.28	1	01/25/18 00:00	01/26/18 19:17	95-57-8	1e
4-Chlorophenylphenyl ether	<0.28	ug/L	9.4	0.28	1	01/25/18 00:00	01/26/18 19:17	7005-72-3	1e
Chrysene	<0.34	ug/L	9.4	0.34	1	01/25/18 00:00	01/26/18 19:17	218-01-9	1e
Dibenz(a,h)anthracene	<0.42	ug/L	9.4	0.42	1	01/25/18 00:00	01/26/18 19:17	53-70-3	1e
Dibenzofuran	<0.37	ug/L	9.4	0.37	1	01/25/18 00:00	01/26/18 19:17	132-64-9	1e
1,2-Dichlorobenzene	<0.27	ug/L	9.4	0.27	1	01/25/18 00:00	01/26/18 19:17	95-50-1	1e
1,3-Dichlorobenzene	<0.51	ug/L	9.4	0.51	1	01/25/18 00:00	01/26/18 19:17	541-73-1	1e
1,4-Dichlorobenzene	<0.39	ug/L	9.4	0.39	1	01/25/18 00:00	01/26/18 19:17	106-46-7	1e
3,3'-Dichlorobenzidine	<0.37	ug/L	18.9	0.37	1	01/25/18 00:00	01/26/18 19:17	91-94-1	1e
2,4-Dichlorophenol	<0.49	ug/L	9.4	0.49	1	01/25/18 00:00	01/26/18 19:17	120-83-2	1e
Diethylphthalate	<0.42	ug/L	9.4	0.42	1	01/25/18 00:00	01/26/18 19:17	84-66-2	1e
2,4-Dimethylphenol	<0.57	ug/L	9.4	0.57	1	01/25/18 00:00	01/26/18 19:17	105-67-9	1e
Dimethylphthalate	<0.33	ug/L	9.4	0.33	1	01/25/18 00:00	01/26/18 19:17	131-11-3	1e
Di-n-butylphthalate	<0.37	ug/L	9.4	0.37	1	01/25/18 00:00	01/26/18 19:17	84-74-2	1e
4,6-Dinitro-2-methylphenol	<0.52	ug/L	47.2	0.52	1	01/25/18 00:00	01/26/18 19:17	534-52-1	1e
2,4-Dinitrophenol	<7.9	ug/L	47.2	7.9	1	01/25/18 00:00	01/26/18 19:17	51-28-5	1e
2,4-Dinitrotoluene	<0.31	ug/L	9.4	0.31	1	01/25/18 00:00	01/26/18 19:17	121-14-2	1e
2,6-Dinitrotoluene	<0.26	ug/L	9.4	0.26	1	01/25/18 00:00	01/26/18 19:17	606-20-2	1e
Di-n-octylphthalate	<0.47	ug/L	9.4	0.47	1	01/25/18 00:00	01/26/18 19:17	117-84-0	1e
bis(2-Ethylhexyl)phthalate	<0.58	ug/L	9.4	0.58	1	01/25/18 00:00	01/26/18 19:17	117-81-7	1e
Fluoranthene	0.74J	ug/L	9.4	0.35	1	01/25/18 00:00	01/26/18 19:17	206-44-0	1e
Fluorene	<0.32	ug/L	9.4	0.32	1	01/25/18 00:00	01/26/18 19:17	86-73-7	1e
Hexachloro-1,3-butadiene	<0.36	ug/L	9.4	0.36	1	01/25/18 00:00	01/26/18 19:17	87-68-3	1e
Hexachlorobenzene	<0.28	ug/L	9.4	0.28	1	01/25/18 00:00	01/26/18 19:17	118-74-1	1e

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 Lab ID: 60262644017 Collected: 01/23/18 15:30 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Hexachlorocyclopentadiene	<0.33	ug/L	9.4	0.33	1	01/25/18 00:00	01/26/18 19:17	77-47-4	1e
Hexachloroethane	<0.27	ug/L	9.4	0.27	1	01/25/18 00:00	01/26/18 19:17	67-72-1	1e
Indeno(1,2,3-cd)pyrene	<0.30	ug/L	9.4	0.30	1	01/25/18 00:00	01/26/18 19:17	193-39-5	1e
Isophorone	<0.26	ug/L	9.4	0.26	1	01/25/18 00:00	01/26/18 19:17	78-59-1	1e
2-Methylnaphthalene	<0.25	ug/L	9.4	0.25	1	01/25/18 00:00	01/26/18 19:17	91-57-6	1e
2-Methylphenol(o-Cresol)	<0.26	ug/L	9.4	0.26	1	01/25/18 00:00	01/26/18 19:17	95-48-7	1e
3&4-Methylphenol(m&p Cresol)	<4.7	ug/L	9.4	4.7	1	01/25/18 00:00	01/26/18 19:17		1e
Naphthalene	<0.34	ug/L	9.4	0.34	1	01/25/18 00:00	01/26/18 19:17	91-20-3	1e
2-Nitroaniline	<0.40	ug/L	47.2	0.40	1	01/25/18 00:00	01/26/18 19:17	88-74-4	1e
3-Nitroaniline	<0.33	ug/L	47.2	0.33	1	01/25/18 00:00	01/26/18 19:17	99-09-2	1e
4-Nitroaniline	<0.33	ug/L	47.2	0.33	1	01/25/18 00:00	01/26/18 19:17	100-01-6	1e
Nitrobenzene	<0.28	ug/L	9.4	0.28	1	01/25/18 00:00	01/26/18 19:17	98-95-3	1e
2-Nitrophenol	<0.26	ug/L	9.4	0.26	1	01/25/18 00:00	01/26/18 19:17	88-75-5	1e
4-Nitrophenol	<0.29	ug/L	47.2	0.29	1	01/25/18 00:00	01/26/18 19:17	100-02-7	1e
N-Nitroso-di-n-propylamine	<0.25	ug/L	9.4	0.25	1	01/25/18 00:00	01/26/18 19:17	621-64-7	1e
N-Nitrosodiphenylamine	<0.38	ug/L	9.4	0.38	1	01/25/18 00:00	01/26/18 19:17	86-30-6	1e
Pentachlorophenol	<0.29	ug/L	47.2	0.29	1	01/25/18 00:00	01/26/18 19:17	87-86-5	1e
Phenanthrene	1.3J	ug/L	9.4	0.32	1	01/25/18 00:00	01/26/18 19:17	85-01-8	1e
Phenol	<4.7	ug/L	9.4	4.7	1	01/25/18 00:00	01/26/18 19:17	108-95-2	1e
Pyrene	<0.26	ug/L	9.4	0.26	1	01/25/18 00:00	01/26/18 19:17	129-00-0	1e
Pyridine	<0.29	ug/L	9.4	0.29	1	01/25/18 00:00	01/26/18 19:17	110-86-1	1e
1,2,4-Trichlorobenzene	<0.31	ug/L	9.4	0.31	1	01/25/18 00:00	01/26/18 19:17	120-82-1	1e
2,4,5-Trichlorophenol	<0.31	ug/L	47.2	0.31	1	01/25/18 00:00	01/26/18 19:17	95-95-4	1e
2,4,6-Trichlorophenol	<0.37	ug/L	9.4	0.37	1	01/25/18 00:00	01/26/18 19:17	88-06-2	1e
Surrogates									
Nitrobenzene-d5 (S)	64	%	33-99		1	01/25/18 00:00	01/26/18 19:17	4165-60-0	
2-Fluorobiphenyl (S)	67	%	30-103		1	01/25/18 00:00	01/26/18 19:17	321-60-8	
Terphenyl-d14 (S)	64	%	38-114		1	01/25/18 00:00	01/26/18 19:17	1718-51-0	
Phenol-d6 (S)	37	%	10-56		1	01/25/18 00:00	01/26/18 19:17	13127-88-3	
2-Fluorophenol (S)	48	%	10-68		1	01/25/18 00:00	01/26/18 19:17	367-12-4	
2,4,6-Tribromophenol (S)	85	%	21-124		1	01/25/18 00:00	01/26/18 19:17	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3510C									
TPH-ORO	<0.96	mg/L	0.96	0.96	1	01/25/18 15:00	01/30/18 19:22		1e
TPH-DRO	<0.96	mg/L	0.96	0.96	1	01/25/18 15:00	01/30/18 19:22		1e
Surrogates									
Nitrobenzene-d5 (S)	70	%	33-99		1	01/25/18 15:00	01/30/18 19:22	4165-60-0	
2-Fluorobiphenyl (S)	74	%	30-103		1	01/25/18 15:00	01/30/18 19:22	321-60-8	
Terphenyl-d14 (S)	80	%	38-114		1	01/25/18 15:00	01/30/18 19:22	1718-51-0	
8260 MSV Analytical Method: EPA 5030B/8260									
Acetone	<1.9	ug/L	10.0	1.9	1		01/25/18 14:51	67-64-1	
Benzene	<0.060	ug/L	1.0	0.060	1		01/25/18 14:51	71-43-2	
Bromobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:51	108-86-1	
Bromochloromethane	<0.15	ug/L	1.0	0.15	1		01/25/18 14:51	74-97-5	
Bromodichloromethane	<0.19	ug/L	1.0	0.19	1		01/25/18 14:51	75-27-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 Lab ID: 60262644017 Collected: 01/23/18 15:30 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260							
Bromoform	<0.070	ug/L	1.0	0.070	1		01/25/18 14:51	75-25-2	
Bromomethane	<0.16	ug/L	5.0	0.16	1		01/25/18 14:51	74-83-9	
2-Butanone (MEK)	<0.59	ug/L	10.0	0.59	1		01/25/18 14:51	78-93-3	
n-Butylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:51	104-51-8	
sec-Butylbenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 14:51	135-98-8	
tert-Butylbenzene	<0.34	ug/L	1.0	0.34	1		01/25/18 14:51	98-06-6	
Carbon disulfide	<0.12	ug/L	5.0	0.12	1		01/25/18 14:51	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	0.18	1		01/25/18 14:51	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	0.21	1		01/25/18 14:51	108-90-7	
Chloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 14:51	75-00-3	
Chloroform	<0.14	ug/L	1.0	0.14	1		01/25/18 14:51	67-66-3	
Chloromethane	<0.080	ug/L	1.0	0.080	1		01/25/18 14:51	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	0.12	1		01/25/18 14:51	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	0.14	1		01/25/18 14:51	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	0.59	1		01/25/18 14:51	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 14:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	0.17	1		01/25/18 14:51	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	0.18	1		01/25/18 14:51	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 14:51	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	0.070	1		01/25/18 14:51	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	0.060	1		01/25/18 14:51	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 14:51	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	0.050	1		01/25/18 14:51	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	0.12	1		01/25/18 14:51	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	0.28	1		01/25/18 14:51	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 14:51	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	0.080	1		01/25/18 14:51	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 14:51	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	0.16	1		01/25/18 14:51	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	0.17	1		01/25/18 14:51	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	0.19	1		01/25/18 14:51	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	0.090	1		01/25/18 14:51	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	0.14	1		01/25/18 14:51	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	0.12	1		01/25/18 14:51	10061-02-6	
Ethylbenzene	<0.18	ug/L	1.0	0.18	1		01/25/18 14:51	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		01/25/18 14:51	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1.2	1		01/25/18 14:51	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	0.070	1		01/25/18 14:51	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:51	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	0.15	1		01/25/18 14:51	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	0.42	1		01/25/18 14:51	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	0.060	1		01/25/18 14:51	1634-04-4	
Naphthalene	<0.50	ug/L	10.0	0.50	1		01/25/18 14:51	91-20-3	
n-Propylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:51	103-65-1	
Styrene	<0.12	ug/L	1.0	0.12	1		01/25/18 14:51	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 14:51	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-8 Lab ID: 60262644017 Collected: 01/23/18 15:30 Received: 01/24/18 13:05 Matrix: Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 5030B/8260									
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 14:51	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:51	127-18-4	
Toluene	<0.17	ug/L	1.0	0.17	1		01/25/18 14:51	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	0.12	1		01/25/18 14:51	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:51	120-82-1	
1,1,1-Trichloroethane	0.43J	ug/L	1.0	0.11	1		01/25/18 14:51	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		01/25/18 14:51	79-00-5	
Trichloroethene	<0.17	ug/L	1.0	0.17	1		01/25/18 14:51	79-01-6	
Trichlorofluoromethane	<0.34	ug/L	1.0	0.34	1		01/25/18 14:51	75-69-4	
1,2,3-Trichloropropane	<0.19	ug/L	2.5	0.19	1		01/25/18 14:51	96-18-4	
1,2,4-Trimethylbenzene	<0.090	ug/L	1.0	0.090	1		01/25/18 14:51	95-63-6	
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 14:51	108-67-8	
Vinyl chloride	<0.13	ug/L	1.0	0.13	1		01/25/18 14:51	75-01-4	
Xylene (Total)	<0.42	ug/L	3.0	0.42	1		01/25/18 14:51	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	103	%	80-119		1		01/25/18 14:51	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	80-117		1		01/25/18 14:51	17060-07-0	
Toluene-d8 (S)	98	%	80-115		1		01/25/18 14:51	2037-26-5	
Preservation pH	1.0		0.10	0.10	1		01/25/18 14:51		
8260 MSV GRO and Oxygenates Analytical Method: EPA 8260									
TPH-GRO	<63.5	ug/L	500	63.5	1		01/25/18 23:46		
Surrogates									
Toluene-d8 (S)	105	%	80-115		1		01/25/18 23:46	2037-26-5	
4-Bromofluorobenzene (S)	105	%	80-119		1		01/25/18 23:46	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	87-117		1		01/25/18 23:46	17060-07-0	
4500H+ pH, Electrometric Analytical Method: SM 4500-H+B									
pH at 25 Degrees C	7.1	Std. Units	0.10	0.10	1		01/31/18 11:33		H6
353.2 Nitrogen, NO2/NO3 pres. Analytical Method: EPA 353.2									
Nitrogen, NO2 plus NO3	2.9	mg/L	0.20	0.10	2		01/25/18 13:32		
9056 IC Anions Analytical Method: EPA 9056									
Sulfate	49.9	mg/L	5.0	2.5	5		02/04/18 22:36	14808-79-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-9 Lab ID: 60262644018 Collected: 01/23/18 16:30 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Aldrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/06/18 17:11	309-00-2	
alpha-BHC	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/06/18 17:11	319-84-6	
beta-BHC	<0.010	ug/L	0.010	0.010	1	01/26/18 12:10	02/06/18 17:11	319-85-7	
delta-BHC	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/06/18 17:11	319-86-8	
gamma-BHC (Lindane)	<0.0080	ug/L	0.010	0.0080	1	01/26/18 12:10	02/06/18 17:11	58-89-9	
Chlordane (Technical)	<0.090	ug/L	0.10	0.090	1	01/26/18 12:10	02/06/18 17:11	57-74-9	
alpha-Chlordane	<0.024	ug/L	0.10	0.024	1	01/26/18 12:10	02/06/18 17:11	5103-71-9	
gamma-Chlordane	<0.034	ug/L	0.10	0.034	1	01/26/18 12:10	02/06/18 17:11	5103-74-2	
4,4'-DDD	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/06/18 17:11	72-54-8	
4,4'-DDE	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/06/18 17:11	72-55-9	
4,4'-DDT	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/06/18 17:44	50-29-3	
Dieldrin	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/06/18 17:11	60-57-1	
Endosulfan I	<0.021	ug/L	0.10	0.021	1	01/26/18 12:10	02/06/18 17:11	959-98-8	
Endosulfan II	<0.0090	ug/L	0.010	0.0090	1	01/26/18 12:10	02/06/18 17:11	33213-65-9	
Endosulfan sulfate	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/06/18 17:44	1031-07-8	
Endrin	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/06/18 17:11	72-20-8	
Endrin aldehyde	<0.029	ug/L	0.10	0.029	1	01/26/18 12:10	02/06/18 17:44	7421-93-4	
Endrin ketone	<0.025	ug/L	0.10	0.025	1	01/26/18 12:10	02/06/18 17:44	53494-70-5	
Heptachlor	<0.0050	ug/L	0.010	0.0050	1	01/26/18 12:10	02/06/18 17:11	76-44-8	
Heptachlor epoxide	<0.0070	ug/L	0.010	0.0070	1	01/26/18 12:10	02/06/18 17:11	1024-57-3	
Methoxychlor	<0.0060	ug/L	0.010	0.0060	1	01/26/18 12:10	02/06/18 17:44	72-43-5	
Toxaphene	<0.61	ug/L	1.5	0.61	1	01/26/18 12:10	02/06/18 17:11	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	88	%	54-127		1	01/26/18 12:10	02/06/18 17:11	877-09-8	
Decachlorobiphenyl (S)	74	%	12-162		1	01/26/18 12:10	02/06/18 17:44	2051-24-3	
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Stirophos (Tetrachlorvinphos)	<0.072	ug/L	0.10	0.072	1	01/26/18 12:10	02/01/18 20:12	22248-79-9	
Azinphos, methyl (Guthion)	<0.093	ug/L	0.10	0.093	1	01/26/18 12:10	02/01/18 20:12	86-50-0	
Bolstar	<0.090	ug/L	0.10	0.090	1	01/26/18 12:10	02/01/18 20:12	35400-43-2	
Chlorpyrifos	<0.067	ug/L	0.10	0.067	1	01/26/18 12:10	02/01/18 20:12	2921-88-2	
Coumaphos	<0.092	ug/L	0.10	0.092	1	01/26/18 12:10	02/01/18 20:12	56-72-4	
Diazinon	<0.078	ug/L	0.10	0.078	1	01/26/18 12:10	02/01/18 20:12	333-41-5	
Dichlorvos	<0.073	ug/L	0.10	0.073	1	01/26/18 12:10	02/01/18 20:12	62-73-7	
Dimethoate	<0.083	ug/L	0.10	0.083	1	01/26/18 12:10	02/01/18 20:12	60-51-5	
Disulfoton	<0.071	ug/L	0.10	0.071	1	01/26/18 12:10	02/01/18 20:12	298-04-4	
EPN (ENT)	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 20:12	2104-64-5	
Ethoprop	<0.059	ug/L	0.10	0.059	1	01/26/18 12:10	02/01/18 20:12	13194-48-4	
Fensulfthion	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 20:12	115-90-2	
Fenthion	<0.088	ug/L	0.10	0.088	1	01/26/18 12:10	02/01/18 20:12	55-38-9	
Malathion	<0.086	ug/L	0.10	0.086	1	01/26/18 12:10	02/01/18 20:12	121-75-5	
Methyl parathion	<0.070	ug/L	0.10	0.070	1	01/26/18 12:10	02/01/18 20:12	298-00-0	
Mevinphos	<0.065	ug/L	0.10	0.065	1	01/26/18 12:10	02/01/18 20:12	7786-34-7	
Parathion (Ethyl parathion)	<0.060	ug/L	0.10	0.060	1	01/26/18 12:10	02/01/18 20:12	56-38-2	
Phorate	<0.064	ug/L	0.10	0.064	1	01/26/18 12:10	02/01/18 20:12	298-02-2	
Ronnel	<0.088	ug/L	0.10	0.088	1	01/26/18 12:10	02/01/18 20:12	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-9 Lab ID: 60262644018 Collected: 01/23/18 16:30 Received: 01/24/18 13:05 Matrix: Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Sulfotep (Thiodiphosphoric Ac	<0.061	ug/L	0.10	0.061	1	01/26/18 12:10	02/01/18 20:12	3689-24-5	
Tokuthion (Prothiofos)	<0.081	ug/L	0.10	0.081	1	01/26/18 12:10	02/01/18 20:12	34643-46-4	
Trichloronate	<0.087	ug/L	0.10	0.087	1	01/26/18 12:10	02/01/18 20:12	327-98-0	
Total Demeton	<0.083	ug/L	0.10	0.083	1	01/26/18 12:10	02/01/18 20:12	8065-48-3	
Total Merphos	<0.038	ug/L	0.10	0.038	1	01/26/18 12:10	02/01/18 20:12	150-50-5	
Surrogates									
Triphenylphosphate (S)	100	%	10-175		1	01/26/18 12:10	02/01/18 20:12	115-86-6	
Tributylphosphate (S)	120	%	20-150		1	01/26/18 12:10	02/01/18 20:12	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 8151									
2,4-D	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 15:54	94-75-7	
Dalapon	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 15:54	75-99-0	
2,4-DB	<0.34	ug/L	0.50	0.34	1	01/29/18 21:00	02/01/18 15:54	94-82-6	
Dicamba	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 15:54	1918-00-9	
Dichloroprop	<0.29	ug/L	0.50	0.29	1	01/29/18 21:00	02/01/18 15:54	15165-67-0	
Dinoseb	<0.50	ug/L	0.50	0.50	1	01/29/18 21:00	02/01/18 15:54	88-85-7	
MCPA	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 15:54	94-74-6	
MCPP	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 15:54	7085-19-0	
2,4,5-T	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 15:54	93-76-5	
2,4,5-TP (Silvex)	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 15:54	93-72-1	
Surrogates									
2,4-DCAA (S)	105	%	47-166		1	01/29/18 21:00	02/01/18 15:54	19719-28-9	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic	12.6	ug/L	10.0	4.2	1	01/30/18 11:15	02/01/18 15:12	7440-38-2	
Barium	562	ug/L	5.0	0.91	1	01/30/18 11:15	02/01/18 15:12	7440-39-3	
Cadmium	0.79J	ug/L	5.0	0.64	1	01/30/18 11:15	02/01/18 15:12	7440-43-9	
Chromium	40.7	ug/L	5.0	0.72	1	01/30/18 11:15	02/01/18 15:12	7440-47-3	
Lead	18.3	ug/L	5.0	2.4	1	01/30/18 11:15	02/01/18 15:12	7439-92-1	
Selenium	<3.4	ug/L	15.0	3.4	1	01/30/18 11:15	02/01/18 15:12	7782-49-2	
Silver	<1.9	ug/L	7.0	1.9	1	01/30/18 11:15	02/01/18 15:12	7440-22-4	
6010 MET ICP, Dissolved (LF) Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic, Dissolved	<4.2	ug/L	10.0	4.2	1	01/30/18 10:10	01/31/18 17:30	7440-38-2	
Barium, Dissolved	141	ug/L	5.0	0.91	1	01/30/18 10:10	01/31/18 17:30	7440-39-3	
Cadmium, Dissolved	<0.64	ug/L	5.0	0.64	1	01/30/18 10:10	01/31/18 17:30	7440-43-9	
Chromium, Dissolved	<0.72	ug/L	5.0	0.72	1	01/30/18 10:10	01/31/18 17:30	7440-47-3	
Lead, Dissolved	<2.4	ug/L	5.0	2.4	1	01/30/18 10:10	01/31/18 17:30	7439-92-1	
Selenium, Dissolved	<3.4	ug/L	15.0	3.4	1	01/30/18 10:10	01/31/18 17:30	7782-49-2	
Silver, Dissolved	<1.9	ug/L	7.0	1.9	1	01/30/18 10:10	01/31/18 17:30	7440-22-4	
7470 Mercury Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury	<0.046	ug/L	0.20	0.046	1	02/08/18 11:51	02/08/18 15:27	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-9 **Lab ID: 60262644018** Collected: 01/23/18 16:30 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7470 Mercury, Dissolved (LF) Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury, Dissolved	<0.046	ug/L	0.20	0.046	1	02/08/18 15:58	02/09/18 11:12	7439-97-6	
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Acenaphthene	<0.33	ug/L	9.3	0.33	1	01/25/18 00:00	01/26/18 19:38	83-32-9	1e
Acenaphthylene	<0.35	ug/L	9.3	0.35	1	01/25/18 00:00	01/26/18 19:38	208-96-8	1e
Anthracene	<0.28	ug/L	9.3	0.28	1	01/25/18 00:00	01/26/18 19:38	120-12-7	1e
Benzo(a)anthracene	<0.27	ug/L	9.3	0.27	1	01/25/18 00:00	01/26/18 19:38	56-55-3	1e
Benzo(a)pyrene	<0.33	ug/L	9.3	0.33	1	01/25/18 00:00	01/26/18 19:38	50-32-8	1e
Benzo(b)fluoranthene	<0.32	ug/L	9.3	0.32	1	01/25/18 00:00	01/26/18 19:38	205-99-2	1e
Benzo(g,h,i)perylene	<0.37	ug/L	9.3	0.37	1	01/25/18 00:00	01/26/18 19:38	191-24-2	1e
Benzo(k)fluoranthene	<0.39	ug/L	9.3	0.39	1	01/25/18 00:00	01/26/18 19:38	207-08-9	1e
Benzoic acid	9.1J	ug/L	46.3	2.3	1	01/25/18 00:00	01/26/18 19:38	65-85-0	1e
Benzyl alcohol	<0.32	ug/L	18.5	0.32	1	01/25/18 00:00	01/26/18 19:38	100-51-6	1e
4-Bromophenylphenyl ether	<0.35	ug/L	9.3	0.35	1	01/25/18 00:00	01/26/18 19:38	101-55-3	1e
Butylbenzylphthalate	<0.37	ug/L	9.3	0.37	1	01/25/18 00:00	01/26/18 19:38	85-68-7	1e
Carbazole	<0.32	ug/L	9.3	0.32	1	01/25/18 00:00	01/26/18 19:38	86-74-8	1e
4-Chloro-3-methylphenol	<0.23	ug/L	18.5	0.23	1	01/25/18 00:00	01/26/18 19:38	59-50-7	1e
4-Chloroaniline	<0.48	ug/L	18.5	0.48	1	01/25/18 00:00	01/26/18 19:38	106-47-8	1e
bis(2-Chloroethoxy)methane	<4.6	ug/L	9.3	4.6	1	01/25/18 00:00	01/26/18 19:38	111-91-1	1e
bis(2-Chloroethyl) ether	<0.27	ug/L	9.3	0.27	1	01/25/18 00:00	01/26/18 19:38	111-44-4	1e
bis(2-Chloroisopropyl) ether	<0.27	ug/L	9.3	0.27	1	01/25/18 00:00	01/26/18 19:38	39638-32-9	1e
2-Chloronaphthalene	<0.32	ug/L	9.3	0.32	1	01/25/18 00:00	01/26/18 19:38	91-58-7	1e
2-Chlorophenol	<0.28	ug/L	9.3	0.28	1	01/25/18 00:00	01/26/18 19:38	95-57-8	1e
4-Chlorophenylphenyl ether	<0.28	ug/L	9.3	0.28	1	01/25/18 00:00	01/26/18 19:38	7005-72-3	1e
Chrysene	<0.33	ug/L	9.3	0.33	1	01/25/18 00:00	01/26/18 19:38	218-01-9	1e
Dibenz(a,h)anthracene	<0.42	ug/L	9.3	0.42	1	01/25/18 00:00	01/26/18 19:38	53-70-3	1e
Dibenzofuran	<0.36	ug/L	9.3	0.36	1	01/25/18 00:00	01/26/18 19:38	132-64-9	1e
1,2-Dichlorobenzene	<0.27	ug/L	9.3	0.27	1	01/25/18 00:00	01/26/18 19:38	95-50-1	1e
1,3-Dichlorobenzene	<0.50	ug/L	9.3	0.50	1	01/25/18 00:00	01/26/18 19:38	541-73-1	1e
1,4-Dichlorobenzene	<0.38	ug/L	9.3	0.38	1	01/25/18 00:00	01/26/18 19:38	106-46-7	1e
3,3'-Dichlorobenzidine	<0.36	ug/L	18.5	0.36	1	01/25/18 00:00	01/26/18 19:38	91-94-1	1e
2,4-Dichlorophenol	<0.48	ug/L	9.3	0.48	1	01/25/18 00:00	01/26/18 19:38	120-83-2	1e
Diethylphthalate	<0.42	ug/L	9.3	0.42	1	01/25/18 00:00	01/26/18 19:38	84-66-2	1e
2,4-Dimethylphenol	<0.56	ug/L	9.3	0.56	1	01/25/18 00:00	01/26/18 19:38	105-67-9	1e
Dimethylphthalate	<0.32	ug/L	9.3	0.32	1	01/25/18 00:00	01/26/18 19:38	131-11-3	1e
Di-n-butylphthalate	<0.36	ug/L	9.3	0.36	1	01/25/18 00:00	01/26/18 19:38	84-74-2	1e
4,6-Dinitro-2-methylphenol	<0.51	ug/L	46.3	0.51	1	01/25/18 00:00	01/26/18 19:38	534-52-1	1e
2,4-Dinitrophenol	<7.8	ug/L	46.3	7.8	1	01/25/18 00:00	01/26/18 19:38	51-28-5	1e
2,4-Dinitrotoluene	<0.31	ug/L	9.3	0.31	1	01/25/18 00:00	01/26/18 19:38	121-14-2	1e
2,6-Dinitrotoluene	<0.26	ug/L	9.3	0.26	1	01/25/18 00:00	01/26/18 19:38	606-20-2	1e
Di-n-octylphthalate	<0.46	ug/L	9.3	0.46	1	01/25/18 00:00	01/26/18 19:38	117-84-0	1e
bis(2-Ethylhexyl)phthalate	<0.57	ug/L	9.3	0.57	1	01/25/18 00:00	01/26/18 19:38	117-81-7	1e
Fluoranthene	<0.34	ug/L	9.3	0.34	1	01/25/18 00:00	01/26/18 19:38	206-44-0	1e
Fluorene	<0.31	ug/L	9.3	0.31	1	01/25/18 00:00	01/26/18 19:38	86-73-7	1e
Hexachloro-1,3-butadiene	<0.35	ug/L	9.3	0.35	1	01/25/18 00:00	01/26/18 19:38	87-68-3	1e
Hexachlorobenzene	<0.28	ug/L	9.3	0.28	1	01/25/18 00:00	01/26/18 19:38	118-74-1	1e

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-9 **Lab ID: 60262644018** Collected: 01/23/18 16:30 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Hexachlorocyclopentadiene	<0.32	ug/L	9.3	0.32	1	01/25/18 00:00	01/26/18 19:38	77-47-4	1e
Hexachloroethane	<0.27	ug/L	9.3	0.27	1	01/25/18 00:00	01/26/18 19:38	67-72-1	1e
Indeno(1,2,3-cd)pyrene	<0.30	ug/L	9.3	0.30	1	01/25/18 00:00	01/26/18 19:38	193-39-5	1e
Isophorone	<0.26	ug/L	9.3	0.26	1	01/25/18 00:00	01/26/18 19:38	78-59-1	1e
2-Methylnaphthalene	<0.24	ug/L	9.3	0.24	1	01/25/18 00:00	01/26/18 19:38	91-57-6	1e
2-Methylphenol(o-Cresol)	<0.26	ug/L	9.3	0.26	1	01/25/18 00:00	01/26/18 19:38	95-48-7	1e
3&4-Methylphenol(m&p Cresol)	<4.6	ug/L	9.3	4.6	1	01/25/18 00:00	01/26/18 19:38		1e
Naphthalene	<0.33	ug/L	9.3	0.33	1	01/25/18 00:00	01/26/18 19:38	91-20-3	1e
2-Nitroaniline	<0.39	ug/L	46.3	0.39	1	01/25/18 00:00	01/26/18 19:38	88-74-4	1e
3-Nitroaniline	<0.32	ug/L	46.3	0.32	1	01/25/18 00:00	01/26/18 19:38	99-09-2	1e
4-Nitroaniline	<0.32	ug/L	46.3	0.32	1	01/25/18 00:00	01/26/18 19:38	100-01-6	1e
Nitrobenzene	<0.28	ug/L	9.3	0.28	1	01/25/18 00:00	01/26/18 19:38	98-95-3	1e
2-Nitrophenol	<0.26	ug/L	9.3	0.26	1	01/25/18 00:00	01/26/18 19:38	88-75-5	1e
4-Nitrophenol	<0.29	ug/L	46.3	0.29	1	01/25/18 00:00	01/26/18 19:38	100-02-7	1e
N-Nitroso-di-n-propylamine	<0.25	ug/L	9.3	0.25	1	01/25/18 00:00	01/26/18 19:38	621-64-7	1e
N-Nitrosodiphenylamine	<0.37	ug/L	9.3	0.37	1	01/25/18 00:00	01/26/18 19:38	86-30-6	1e
Pentachlorophenol	<0.29	ug/L	46.3	0.29	1	01/25/18 00:00	01/26/18 19:38	87-86-5	1e
Phenanthrene	<0.31	ug/L	9.3	0.31	1	01/25/18 00:00	01/26/18 19:38	85-01-8	1e
Phenol	<4.6	ug/L	9.3	4.6	1	01/25/18 00:00	01/26/18 19:38	108-95-2	1e
Pyrene	<0.26	ug/L	9.3	0.26	1	01/25/18 00:00	01/26/18 19:38	129-00-0	1e
Pyridine	<0.29	ug/L	9.3	0.29	1	01/25/18 00:00	01/26/18 19:38	110-86-1	1e
1,2,4-Trichlorobenzene	<0.31	ug/L	9.3	0.31	1	01/25/18 00:00	01/26/18 19:38	120-82-1	1e
2,4,5-Trichlorophenol	<0.31	ug/L	46.3	0.31	1	01/25/18 00:00	01/26/18 19:38	95-95-4	1e
2,4,6-Trichlorophenol	<0.36	ug/L	9.3	0.36	1	01/25/18 00:00	01/26/18 19:38	88-06-2	1e
Surrogates									
Nitrobenzene-d5 (S)	79	%	33-99		1	01/25/18 00:00	01/26/18 19:38	4165-60-0	
2-Fluorobiphenyl (S)	81	%	30-103		1	01/25/18 00:00	01/26/18 19:38	321-60-8	
Terphenyl-d14 (S)	80	%	38-114		1	01/25/18 00:00	01/26/18 19:38	1718-51-0	
Phenol-d6 (S)	49	%	10-56		1	01/25/18 00:00	01/26/18 19:38	13127-88-3	
2-Fluorophenol (S)	63	%	10-68		1	01/25/18 00:00	01/26/18 19:38	367-12-4	
2,4,6-Tribromophenol (S)	102	%	21-124		1	01/25/18 00:00	01/26/18 19:38	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3510C									
TPH-ORO	0.91	mg/L	0.91	0.91	1	01/25/18 15:00	01/30/18 19:43		1e,B
TPH-DRO	<0.91	mg/L	0.91	0.91	1	01/25/18 15:00	01/30/18 19:43		1e
Surrogates									
Nitrobenzene-d5 (S)	78	%	33-99		1	01/25/18 15:00	01/30/18 19:43	4165-60-0	
2-Fluorobiphenyl (S)	85	%	30-103		1	01/25/18 15:00	01/30/18 19:43	321-60-8	
Terphenyl-d14 (S)	95	%	38-114		1	01/25/18 15:00	01/30/18 19:43	1718-51-0	
8260 MSV Analytical Method: EPA 5030B/8260									
Acetone	<1.9	ug/L	10.0	1.9	1		01/25/18 15:05	67-64-1	
Benzene	<0.060	ug/L	1.0	0.060	1		01/25/18 15:05	71-43-2	
Bromobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:05	108-86-1	
Bromochloromethane	<0.15	ug/L	1.0	0.15	1		01/25/18 15:05	74-97-5	
Bromodichloromethane	<0.19	ug/L	1.0	0.19	1		01/25/18 15:05	75-27-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-9 Lab ID: 60262644018 Collected: 01/23/18 16:30 Received: 01/24/18 13:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260							
Bromoform	<0.070	ug/L	1.0	0.070	1		01/25/18 15:05	75-25-2	
Bromomethane	<0.16	ug/L	5.0	0.16	1		01/25/18 15:05	74-83-9	
2-Butanone (MEK)	<0.59	ug/L	10.0	0.59	1		01/25/18 15:05	78-93-3	
n-Butylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:05	104-51-8	
sec-Butylbenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 15:05	135-98-8	
tert-Butylbenzene	<0.34	ug/L	1.0	0.34	1		01/25/18 15:05	98-06-6	
Carbon disulfide	<0.12	ug/L	5.0	0.12	1		01/25/18 15:05	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	0.18	1		01/25/18 15:05	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	0.21	1		01/25/18 15:05	108-90-7	
Chloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 15:05	75-00-3	
Chloroform	<0.14	ug/L	1.0	0.14	1		01/25/18 15:05	67-66-3	
Chloromethane	<0.080	ug/L	1.0	0.080	1		01/25/18 15:05	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	0.12	1		01/25/18 15:05	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	0.14	1		01/25/18 15:05	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	0.59	1		01/25/18 15:05	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 15:05	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	0.17	1		01/25/18 15:05	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	0.18	1		01/25/18 15:05	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	0.050	1		01/25/18 15:05	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	0.070	1		01/25/18 15:05	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	0.060	1		01/25/18 15:05	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	0.21	1		01/25/18 15:05	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	0.050	1		01/25/18 15:05	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	0.12	1		01/25/18 15:05	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	0.28	1		01/25/18 15:05	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 15:05	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	0.080	1		01/25/18 15:05	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/25/18 15:05	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	0.16	1		01/25/18 15:05	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	0.17	1		01/25/18 15:05	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	0.19	1		01/25/18 15:05	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	0.090	1		01/25/18 15:05	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	0.14	1		01/25/18 15:05	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	0.12	1		01/25/18 15:05	10061-02-6	
Ethylbenzene	<0.18	ug/L	1.0	0.18	1		01/25/18 15:05	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		01/25/18 15:05	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1.2	1		01/25/18 15:05	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	0.070	1		01/25/18 15:05	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:05	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	0.15	1		01/25/18 15:05	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	0.42	1		01/25/18 15:05	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	0.060	1		01/25/18 15:05	1634-04-4	
Naphthalene	<0.50	ug/L	10.0	0.50	1		01/25/18 15:05	91-20-3	
n-Propylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:05	103-65-1	
Styrene	<0.12	ug/L	1.0	0.12	1		01/25/18 15:05	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 15:05	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Sample: SB-9 Lab ID: 60262644018 Collected: 01/23/18 16:30 Received: 01/24/18 13:05 Matrix: Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 5030B/8260									
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/25/18 15:05	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:05	127-18-4	
Toluene	<0.17	ug/L	1.0	0.17	1		01/25/18 15:05	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	0.12	1		01/25/18 15:05	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:05	120-82-1	
1,1,1-Trichloroethane	<0.11	ug/L	1.0	0.11	1		01/25/18 15:05	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		01/25/18 15:05	79-00-5	
Trichloroethene	<0.17	ug/L	1.0	0.17	1		01/25/18 15:05	79-01-6	
Trichlorofluoromethane	<0.34	ug/L	1.0	0.34	1		01/25/18 15:05	75-69-4	
1,2,3-Trichloropropane	<0.19	ug/L	2.5	0.19	1		01/25/18 15:05	96-18-4	
1,2,4-Trimethylbenzene	<0.090	ug/L	1.0	0.090	1		01/25/18 15:05	95-63-6	
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	0.10	1		01/25/18 15:05	108-67-8	
Vinyl chloride	<0.13	ug/L	1.0	0.13	1		01/25/18 15:05	75-01-4	
Xylene (Total)	<0.42	ug/L	3.0	0.42	1		01/25/18 15:05	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	101	%	80-119		1		01/25/18 15:05	460-00-4	
1,2-Dichloroethane-d4 (S)	101	%	80-117		1		01/25/18 15:05	17060-07-0	
Toluene-d8 (S)	94	%	80-115		1		01/25/18 15:05	2037-26-5	
Preservation pH	1.0		0.10	0.10	1		01/25/18 15:05		
8260 MSV GRO and Oxygenates Analytical Method: EPA 8260									
TPH-GRO	<63.5	ug/L	500	63.5	1		01/26/18 17:31		
Surrogates									
Toluene-d8 (S)	104	%	80-115		1		01/26/18 17:31	2037-26-5	
4-Bromofluorobenzene (S)	100	%	80-119		1		01/26/18 17:31	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	87-117		1		01/26/18 17:31	17060-07-0	
4500H+ pH, Electrometric Analytical Method: SM 4500-H+B									
pH at 25 Degrees C	7.0	Std. Units	0.10	0.10	1		01/31/18 11:38		H6
353.2 Nitrogen, NO2/NO3 pres. Analytical Method: EPA 353.2									
Nitrogen, NO2 plus NO3	0.64	mg/L	0.10	0.050	1		01/25/18 13:41		
9056 IC Anions Analytical Method: EPA 9056									
Sulfate	48.0	mg/L	10.0	5.0	10		02/02/18 21:15	14808-79-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 513439 Analysis Method: EPA 7470
QC Batch Method: EPA 7470 Analysis Description: 7470 Mercury
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

METHOD BLANK: 2101718 Matrix: Water
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	ug/L	<0.046	0.20	0.046	02/08/18 15:00	

LABORATORY CONTROL SAMPLE: 2101719

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	5	4.9	99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2101720 2101721

Parameter	Units	60263480001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	ug/L	ND	5	5	4.6	4.8	92	96	75-125	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 513471 Analysis Method: EPA 7470
QC Batch Method: EPA 7470 Analysis Description: 7470 Mercury ,Dissolved
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

METHOD BLANK: 2101839 Matrix: Water
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury, Dissolved	ug/L	<0.046	0.20	0.046	02/09/18 10:41	

LABORATORY CONTROL SAMPLE: 2101840

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury, Dissolved	ug/L	5	4.6	91	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2101841 2101842

Parameter	Units	60262644016 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury, Dissolved	ug/L	<0.046	5	5	5.3	5.0	106	100	75-125	6	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch:	511728	Analysis Method:	EPA 7471
QC Batch Method:	EPA 7471	Analysis Description:	7471 Mercury
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

METHOD BLANK:	2095315	Matrix:	Solid
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.0066	0.050	0.0066	01/25/18 11:25	

LABORATORY CONTROL SAMPLE: 2095316

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	.5	0.49	98	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2095317 2095318

Parameter	Units	60262572001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
Mercury	mg/kg	0.31	.58	.53	1.1	1.1	141	142	75-125	8	20	M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch:	512324	Analysis Method:	EPA 6010
QC Batch Method:	EPA 3050	Analysis Description:	6010 MET
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

METHOD BLANK:	2097587	Matrix:	Solid
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	mg/kg	<0.41	1.0	0.41	02/01/18 17:08	
Barium	mg/kg	<0.031	0.50	0.031	02/01/18 17:08	
Cadmium	mg/kg	<0.037	0.50	0.037	02/01/18 17:08	
Chromium	mg/kg	<0.10	0.50	0.10	02/01/18 17:08	
Lead	mg/kg	<0.21	0.50	0.21	02/01/18 17:08	
Selenium	mg/kg	<0.75	1.5	0.75	02/01/18 17:08	
Silver	mg/kg	<0.17	0.70	0.17	02/01/18 17:08	

LABORATORY CONTROL SAMPLE: 2097588

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	100	89.0	89	80-120	
Barium	mg/kg	100	96.0	96	80-120	
Cadmium	mg/kg	100	91.6	92	80-120	
Chromium	mg/kg	100	96.9	97	80-120	
Lead	mg/kg	100	96.2	96	80-120	
Selenium	mg/kg	100	91.2	91	80-120	
Silver	mg/kg	50	47.0	94	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2097589 2097590

Parameter	Units	60262644002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Arsenic	mg/kg	17.7	120	116	113	110	80	80	75-125	3	20	
Barium	mg/kg	333	120	116	394	378	51	39	75-125	4	20	M1
Cadmium	mg/kg	29.0	120	116	108	105	66	65	75-125	3	20	M1
Chromium	mg/kg	25.7	120	116	130	127	87	87	75-125	2	20	
Lead	mg/kg	250	120	116	199	175	-43	-65	75-125	13	20	M1
Selenium	mg/kg	2.3	120	116	106	101	86	85	75-125	5	20	
Silver	mg/kg	<0.19	60.2	57.9	56.6	53.9	94	93	75-125	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch:	513465	Analysis Method:	EPA 6010
QC Batch Method:	EPA 3010	Analysis Description:	6010 MET
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018			

METHOD BLANK:	2101809	Matrix:	Water
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018			

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	ug/L	<4.2	10.0	4.2	02/01/18 14:54	
Barium	ug/L	<0.91	5.0	0.91	02/01/18 14:54	
Cadmium	ug/L	<0.64	5.0	0.64	02/01/18 14:54	
Chromium	ug/L	<0.72	5.0	0.72	02/01/18 14:54	
Lead	ug/L	<2.4	5.0	2.4	02/01/18 14:54	
Selenium	ug/L	<3.4	15.0	3.4	02/01/18 14:54	
Silver	ug/L	<1.9	7.0	1.9	02/01/18 14:54	

LABORATORY CONTROL SAMPLE: 2101810

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	1000	954	95	80-120	
Barium	ug/L	1000	983	98	80-120	
Cadmium	ug/L	1000	972	97	80-120	
Chromium	ug/L	1000	1010	101	80-120	
Lead	ug/L	1000	989	99	80-120	
Selenium	ug/L	1000	995	100	80-120	
Silver	ug/L	500	510	102	80-120	

MATRIX SPIKE SAMPLE: 2101811

Parameter	Units	60262831017 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	11.1	1000	975	96	75-125	
Barium	ug/L	52.3	1000	1030	98	75-125	
Cadmium	ug/L	2.3J	1000	970	97	75-125	
Chromium	ug/L	10.6	1000	996	98	75-125	
Lead	ug/L	30.0	1000	984	95	75-125	
Selenium	ug/L	<3.4	1000	999	100	75-125	
Silver	ug/L	<1.9	500	503	101	75-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 513463 Analysis Method: EPA 6010
QC Batch Method: EPA 3010 Analysis Description: 6010 MET Dissolved
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

METHOD BLANK: 2101805 Matrix: Water
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic, Dissolved	ug/L	<4.2	10.0	4.2	01/31/18 17:00	
Barium, Dissolved	ug/L	<0.91	5.0	0.91	01/31/18 17:00	
Cadmium, Dissolved	ug/L	<0.64	5.0	0.64	01/31/18 17:00	
Chromium, Dissolved	ug/L	<0.72	5.0	0.72	01/31/18 17:00	
Lead, Dissolved	ug/L	<2.4	5.0	2.4	01/31/18 17:00	
Selenium, Dissolved	ug/L	<3.4	15.0	3.4	01/31/18 17:00	
Silver, Dissolved	ug/L	<1.9	7.0	1.9	01/31/18 17:00	

LABORATORY CONTROL SAMPLE: 2101806

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic, Dissolved	ug/L	1000	956	96	80-120	
Barium, Dissolved	ug/L	1000	991	99	80-120	
Cadmium, Dissolved	ug/L	1000	988	99	80-120	
Chromium, Dissolved	ug/L	1000	1020	102	80-120	
Lead, Dissolved	ug/L	1000	1030	103	80-120	
Selenium, Dissolved	ug/L	1000	1010	101	80-120	
Silver, Dissolved	ug/L	500	494	99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2101807 2101808

Parameter	Units	60262644015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Arsenic, Dissolved	ug/L	<4.2	1000	1000	985	974	98	97	75-125	1	20	
Barium, Dissolved	ug/L	70.2	1000	1000	1050	1030	98	96	75-125	1	20	
Cadmium, Dissolved	ug/L	<0.64	1000	1000	988	976	99	98	75-125	1	20	
Chromium, Dissolved	ug/L	1.4J	1000	1000	996	986	99	98	75-125	1	20	
Lead, Dissolved	ug/L	<2.4	1000	1000	966	961	97	96	75-125	0	20	
Selenium, Dissolved	ug/L	4.5J	1000	1000	1020	1010	101	100	75-125	1	20	
Silver, Dissolved	ug/L	<1.9	500	500	493	487	99	97	75-125	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch:	511774	Analysis Method:	EPA 5035A/8260
QC Batch Method:	EPA 5035A/8260	Analysis Description:	8260 MSV GRO and Oxygenates
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

METHOD BLANK:	2095493	Matrix:	Solid
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH-GRO	mg/kg	<0.25	0.50	0.25	01/31/18 12:11	

LABORATORY CONTROL SAMPLE: 2095494

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	mg/kg	4	4.4	111	61-140	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 511785 Analysis Method: EPA 5030B/8260
QC Batch Method: EPA 5030B/8260 Analysis Description: 8260 MSV Water 10 mL Purge
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

METHOD BLANK: 2095520 Matrix: Water
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.15	1.0	0.15	01/25/18 11:21	
1,1,1-Trichloroethane	ug/L	<0.11	1.0	0.11	01/25/18 11:21	
1,1,2,2-Tetrachloroethane	ug/L	<0.15	1.0	0.15	01/25/18 11:21	
1,1,2-Trichloroethane	ug/L	<0.20	1.0	0.20	01/25/18 11:21	
1,1-Dichloroethane	ug/L	<0.050	1.0	0.050	01/25/18 11:21	
1,1-Dichloroethene	ug/L	<0.20	1.0	0.20	01/25/18 11:21	
1,1-Dichloropropene	ug/L	<0.090	1.0	0.090	01/25/18 11:21	
1,2,3-Trichlorobenzene	ug/L	<0.12	1.0	0.12	01/25/18 11:21	
1,2,3-Trichloropropane	ug/L	<0.19	2.5	0.19	01/25/18 11:21	
1,2,4-Trichlorobenzene	ug/L	<0.10	1.0	0.10	01/25/18 11:21	
1,2,4-Trimethylbenzene	ug/L	0.11J	1.0	0.090	01/25/18 11:21	
1,2-Dibromo-3-chloropropane	ug/L	<0.59	2.5	0.59	01/25/18 11:21	
1,2-Dibromoethane (EDB)	ug/L	<0.17	1.0	0.17	01/25/18 11:21	
1,2-Dichlorobenzene	ug/L	<0.050	1.0	0.050	01/25/18 11:21	
1,2-Dichloroethane	ug/L	<0.12	1.0	0.12	01/25/18 11:21	
1,2-Dichloroethene (Total)	ug/L	<0.28	1.0	0.28	01/25/18 11:21	
1,2-Dichloropropane	ug/L	<0.16	1.0	0.16	01/25/18 11:21	
1,3,5-Trimethylbenzene	ug/L	<0.10	1.0	0.10	01/25/18 11:21	
1,3-Dichlorobenzene	ug/L	<0.070	1.0	0.070	01/25/18 11:21	
1,3-Dichloropropane	ug/L	<0.17	1.0	0.17	01/25/18 11:21	
1,4-Dichlorobenzene	ug/L	<0.060	1.0	0.060	01/25/18 11:21	
2,2-Dichloropropane	ug/L	<0.19	1.0	0.19	01/25/18 11:21	
2-Butanone (MEK)	ug/L	<0.59	10.0	0.59	01/25/18 11:21	
2-Chlorotoluene	ug/L	<0.12	1.0	0.12	01/25/18 11:21	
2-Hexanone	ug/L	<1.2	10.0	1.2	01/25/18 11:21	
4-Chlorotoluene	ug/L	<0.14	1.0	0.14	01/25/18 11:21	
4-Methyl-2-pentanone (MIBK)	ug/L	<0.42	10.0	0.42	01/25/18 11:21	
Acetone	ug/L	<1.9	10.0	1.9	01/25/18 11:21	
Benzene	ug/L	<0.060	1.0	0.060	01/25/18 11:21	
Bromobenzene	ug/L	<0.10	1.0	0.10	01/25/18 11:21	
Bromochloromethane	ug/L	<0.15	1.0	0.15	01/25/18 11:21	
Bromodichloromethane	ug/L	<0.19	1.0	0.19	01/25/18 11:21	
Bromoform	ug/L	<0.070	1.0	0.070	01/25/18 11:21	
Bromomethane	ug/L	<0.16	5.0	0.16	01/25/18 11:21	
Carbon disulfide	ug/L	<0.12	5.0	0.12	01/25/18 11:21	
Carbon tetrachloride	ug/L	<0.18	1.0	0.18	01/25/18 11:21	
Chlorobenzene	ug/L	<0.21	1.0	0.21	01/25/18 11:21	
Chloroethane	ug/L	<0.15	1.0	0.15	01/25/18 11:21	
Chloroform	ug/L	<0.14	1.0	0.14	01/25/18 11:21	
Chloromethane	ug/L	<0.080	1.0	0.080	01/25/18 11:21	
cis-1,2-Dichloroethene	ug/L	<0.080	1.0	0.080	01/25/18 11:21	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

METHOD BLANK: 2095520

Matrix: Water

Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
cis-1,3-Dichloropropene	ug/L	<0.14	1.0	0.14	01/25/18 11:21	
Dibromochloromethane	ug/L	<0.21	1.0	0.21	01/25/18 11:21	
Dibromomethane	ug/L	<0.18	1.0	0.18	01/25/18 11:21	
Dichlorodifluoromethane	ug/L	<0.21	1.0	0.21	01/25/18 11:21	
Ethylbenzene	ug/L	<0.18	1.0	0.18	01/25/18 11:21	
Hexachloro-1,3-butadiene	ug/L	<0.18	1.0	0.18	01/25/18 11:21	
Isopropylbenzene (Cumene)	ug/L	<0.070	1.0	0.070	01/25/18 11:21	
Methyl-tert-butyl ether	ug/L	<0.060	1.0	0.060	01/25/18 11:21	
Methylene chloride	ug/L	<0.15	1.0	0.15	01/25/18 11:21	
n-Butylbenzene	ug/L	<0.10	1.0	0.10	01/25/18 11:21	
n-Propylbenzene	ug/L	<0.10	1.0	0.10	01/25/18 11:21	
Naphthalene	ug/L	<0.50	10.0	0.50	01/25/18 11:21	
p-Isopropyltoluene	ug/L	<0.10	1.0	0.10	01/25/18 11:21	
sec-Butylbenzene	ug/L	<0.050	1.0	0.050	01/25/18 11:21	
Styrene	ug/L	<0.12	1.0	0.12	01/25/18 11:21	
tert-Butylbenzene	ug/L	<0.34	1.0	0.34	01/25/18 11:21	
Tetrachloroethene	ug/L	<0.10	1.0	0.10	01/25/18 11:21	
Toluene	ug/L	<0.17	1.0	0.17	01/25/18 11:21	
trans-1,2-Dichloroethene	ug/L	<0.20	1.0	0.20	01/25/18 11:21	
trans-1,3-Dichloropropene	ug/L	<0.12	1.0	0.12	01/25/18 11:21	
Trichloroethene	ug/L	<0.17	1.0	0.17	01/25/18 11:21	
Trichlorofluoromethane	ug/L	<0.34	1.0	0.34	01/25/18 11:21	
Vinyl chloride	ug/L	<0.13	1.0	0.13	01/25/18 11:21	
Xylene (Total)	ug/L	<0.42	3.0	0.42	01/25/18 11:21	
1,2-Dichloroethane-d4 (S)	%	100	80-117		01/25/18 11:21	
4-Bromofluorobenzene (S)	%	101	80-119		01/25/18 11:21	
Toluene-d8 (S)	%	99	80-115		01/25/18 11:21	

LABORATORY CONTROL SAMPLE: 2095521

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	20.0	100	86-115	
1,1,1-Trichloroethane	ug/L	20	20.4	102	87-122	
1,1,2,2-Tetrachloroethane	ug/L	20	21.2	106	74-121	
1,1,2-Trichloroethane	ug/L	20	20.3	101	83-119	
1,1-Dichloroethane	ug/L	20	20.7	104	85-128	
1,1-Dichloroethene	ug/L	20	18.9	95	85-123	
1,1-Dichloropropene	ug/L	20	21.1	106	87-124	
1,2,3-Trichlorobenzene	ug/L	20	21.3	107	74-122	
1,2,3-Trichloropropane	ug/L	20	21.1	105	76-125	
1,2,4-Trichlorobenzene	ug/L	20	20.3	102	80-120	
1,2,4-Trimethylbenzene	ug/L	20	19.4	97	83-121	
1,2-Dibromo-3-chloropropane	ug/L	20	23.3	117	64-132	
1,2-Dibromoethane (EDB)	ug/L	20	20.8	104	84-118	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

LABORATORY CONTROL SAMPLE: 2095521

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	20	19.9	99	83-118	
1,2-Dichloroethane	ug/L	20	21.2	106	77-120	
1,2-Dichloroethene (Total)	ug/L	40	42.2	106	85-120	
1,2-Dichloropropane	ug/L	20	21.3	106	81-126	
1,3,5-Trimethylbenzene	ug/L	20	20.0	100	82-120	
1,3-Dichlorobenzene	ug/L	20	20.2	101	84-118	
1,3-Dichloropropane	ug/L	20	19.1	96	79-132	
1,4-Dichlorobenzene	ug/L	20	19.5	97	83-118	
2,2-Dichloropropane	ug/L	20	21.9	110	64-129	
2-Butanone (MEK)	ug/L	100	115	115	65-134	
2-Chlorotoluene	ug/L	20	19.9	100	85-115	
2-Hexanone	ug/L	100	112	112	68-132	
4-Chlorotoluene	ug/L	20	19.3	97	85-118	
4-Methyl-2-pentanone (MIBK)	ug/L	100	115	115	66-139	
Acetone	ug/L	100	107	107	62-142	
Benzene	ug/L	20	21.0	105	81-118	
Bromobenzene	ug/L	20	20.8	104	82-116	
Bromochloromethane	ug/L	20	19.5	97	82-129	
Bromodichloromethane	ug/L	20	21.3	106	85-123	
Bromoform	ug/L	20	19.7	99	83-123	
Bromomethane	ug/L	20	17.2	86	39-149	
Carbon disulfide	ug/L	20	17.2	86	85-124	
Carbon tetrachloride	ug/L	20	21.2	106	85-126	
Chlorobenzene	ug/L	20	20.1	100	87-118	
Chloroethane	ug/L	20	16.2	81	73-134	
Chloroform	ug/L	20	20.6	103	85-119	
Chloromethane	ug/L	20	19.7	99	20-174	
cis-1,2-Dichloroethene	ug/L	20	20.9	104	84-121	
cis-1,3-Dichloropropene	ug/L	20	22.1	110	80-124	
Dibromochloromethane	ug/L	20	20.8	104	83-122	
Dibromomethane	ug/L	20	20.5	103	82-125	
Dichlorodifluoromethane	ug/L	20	17.3	86	67-149	
Ethylbenzene	ug/L	20	20.1	100	80-118	
Hexachloro-1,3-butadiene	ug/L	20	19.5	97	75-117	
Isopropylbenzene (Cumene)	ug/L	20	20.3	102	89-120	
Methyl-tert-butyl ether	ug/L	20	22.0	110	82-119	
Methylene chloride	ug/L	20	20.3	101	81-126	
n-Butylbenzene	ug/L	20	20.1	100	80-116	
n-Propylbenzene	ug/L	20	20.1	100	83-119	
Naphthalene	ug/L	20	22.6	113	71-121	
p-Isopropyltoluene	ug/L	20	19.1	96	82-117	
sec-Butylbenzene	ug/L	20	20.8	104	81-113	
Styrene	ug/L	20	21.1	105	85-120	
tert-Butylbenzene	ug/L	20	20.0	100	85-116	
Tetrachloroethene	ug/L	20	19.0	95	87-120	
Toluene	ug/L	20	20.0	100	82-118	
trans-1,2-Dichloroethene	ug/L	20	21.3	107	83-121	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

LABORATORY CONTROL SAMPLE: 2095521

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
trans-1,3-Dichloropropene	ug/L	20	20.4	102	80-122	
Trichloroethene	ug/L	20	20.7	103	82-120	
Trichlorofluoromethane	ug/L	20	20.2	101	86-133	
Vinyl chloride	ug/L	20	20.8	104	74-147	
Xylene (Total)	ug/L	60	60.3	100	81-120	
1,2-Dichloroethane-d4 (S)	%			103	80-117	
4-Bromofluorobenzene (S)	%			101	80-119	
Toluene-d8 (S)	%			96	80-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch:	511875	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV MO GRO Oxygenates
Associated Lab Samples:	60262644013, 60262644014, 60262644015, 60262644016, 60262644017		

METHOD BLANK:	2095811	Matrix:	Water
Associated Lab Samples:	60262644013, 60262644014, 60262644015, 60262644016, 60262644017		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH-GRO	ug/L	<63.5	500	63.5	01/25/18 19:30	
1,2-Dichloroethane-d4 (S)	%	99	87-117		01/25/18 19:30	
4-Bromofluorobenzene (S)	%	104	80-119		01/25/18 19:30	
Toluene-d8 (S)	%	104	80-115		01/25/18 19:30	

LABORATORY CONTROL SAMPLE: 2095812

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	ug/L	4000	4440	111	77-146	
1,2-Dichloroethane-d4 (S)	%			95	87-117	
4-Bromofluorobenzene (S)	%			96	80-119	
Toluene-d8 (S)	%			103	80-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 512008

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV MO GRO Oxygenates

Associated Lab Samples: 60262644018

METHOD BLANK: 2096402

Matrix: Water

Associated Lab Samples: 60262644018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH-GRO	ug/L	<63.5	500	63.5	01/26/18 13:42	
1,2-Dichloroethane-d4 (S)	%	96	87-117		01/26/18 13:42	
4-Bromofluorobenzene (S)	%	107	80-119		01/26/18 13:42	
Toluene-d8 (S)	%	104	80-115		01/26/18 13:42	

LABORATORY CONTROL SAMPLE: 2096403

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	ug/L	4000	4190	105	77-146	
1,2-Dichloroethane-d4 (S)	%			96	87-117	
4-Bromofluorobenzene (S)	%			96	80-119	
Toluene-d8 (S)	%			104	80-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch:	511857	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV 5035A Volatile Organics
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

METHOD BLANK: 2095754

Matrix: Solid

Associated Lab Samples: 60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,1,1-Trichloroethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,1,2,2-Tetrachloroethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,1,2-Trichloroethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,1-Dichloroethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,1-Dichloroethene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,1-Dichloropropene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2,3-Trichlorobenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2,3-Trichloropropane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2,4-Trichlorobenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2,4-Trimethylbenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2-Dibromo-3-chloropropane	ug/kg	<5.0	10.0	5.0	01/31/18 12:11	
1,2-Dibromoethane (EDB)	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2-Dichlorobenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2-Dichloroethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2-Dichloroethene (Total)	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2-Dichloropropane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,3,5-Trimethylbenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,3-Dichlorobenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,3-Dichloropropane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,4-Dichlorobenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
2,2-Dichloropropane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
2-Butanone (MEK)	ug/kg	<5.0	10.0	5.0	01/31/18 12:11	
2-Chlorotoluene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
2-Hexanone	ug/kg	<10.0	20.0	10.0	01/31/18 12:11	
4-Chlorotoluene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
4-Methyl-2-pentanone (MIBK)	ug/kg	<5.0	10.0	5.0	01/31/18 12:11	
Acetone	ug/kg	<10.0	20.0	10.0	01/31/18 12:11	
Benzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Bromobenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Bromochloromethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Bromodichloromethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Bromoform	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Bromomethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Carbon disulfide	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Carbon tetrachloride	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Chlorobenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Chloroethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Chloroform	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Chloromethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

METHOD BLANK: 2095754

Matrix: Solid

Associated Lab Samples: 60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
cis-1,3-Dichloropropene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Dibromochloromethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Dibromomethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Dichlorodifluoromethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Ethylbenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Hexachloro-1,3-butadiene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Isopropylbenzene (Cumene)	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Methyl-tert-butyl ether	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Methylene chloride	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
n-Butylbenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
n-Propylbenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Naphthalene	ug/kg	<5.0	10.0	5.0	01/31/18 12:11	
p-Isopropyltoluene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
sec-Butylbenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Styrene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
tert-Butylbenzene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Tetrachloroethene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Toluene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
trans-1,2-Dichloroethene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
trans-1,3-Dichloropropene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Trichloroethene	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Trichlorofluoromethane	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Vinyl chloride	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
Xylene (Total)	ug/kg	<2.5	5.0	2.5	01/31/18 12:11	
1,2-Dichloroethane-d4 (S)	%	107	80-123		01/31/18 12:11	
4-Bromofluorobenzene (S)	%	105	69-133		01/31/18 12:11	
Toluene-d8 (S)	%	104	78-122		01/31/18 12:11	

LABORATORY CONTROL SAMPLE: 2095755

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	100	113	113	79-131	
1,1,1-Trichloroethane	ug/kg	100	111	111	75-138	
1,1,2,2-Tetrachloroethane	ug/kg	100	103	103	71-127	
1,1,2-Trichloroethane	ug/kg	100	102	102	77-118	
1,1-Dichloroethane	ug/kg	100	111	111	79-127	
1,1-Dichloroethene	ug/kg	100	116	116	66-135	
1,1-Dichloropropene	ug/kg	100	113	113	69-143	
1,2,3-Trichlorobenzene	ug/kg	100	111	111	78-122	
1,2,3-Trichloropropane	ug/kg	100	92.5	93	74-119	
1,2,4-Trichlorobenzene	ug/kg	100	107	107	71-129	
1,2,4-Trimethylbenzene	ug/kg	100	104	104	73-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

LABORATORY CONTROL SAMPLE: 2095755

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dibromo-3-chloropropane	ug/kg	100	96.8	97	72-139	
1,2-Dibromoethane (EDB)	ug/kg	100	95.2	95	81-121	
1,2-Dichlorobenzene	ug/kg	100	104	104	74-123	
1,2-Dichloroethane	ug/kg	100	114	114	77-117	
1,2-Dichloroethene (Total)	ug/kg	200	174	87	77-127	
1,2-Dichloropropane	ug/kg	100	110	110	70-126	
1,3,5-Trimethylbenzene	ug/kg	100	111	111	74-131	
1,3-Dichlorobenzene	ug/kg	100	110	110	75-124	
1,3-Dichloropropane	ug/kg	100	98.0	98	80-121	
1,4-Dichlorobenzene	ug/kg	100	102	102	74-125	
2,2-Dichloropropane	ug/kg	100	117	117	70-146	
2-Butanone (MEK)	ug/kg	500	510	102	66-121	
2-Chlorotoluene	ug/kg	100	106	106	75-127	
2-Hexanone	ug/kg	500	515	103	67-124	
4-Chlorotoluene	ug/kg	100	107	107	70-130	
4-Methyl-2-pentanone (MIBK)	ug/kg	500	519	104	70-120	
Acetone	ug/kg	500	650	130	60-134	
Benzene	ug/kg	100	110	110	77-122	
Bromobenzene	ug/kg	100	104	104	79-121	
Bromochloromethane	ug/kg	100	100	100	74-123	
Bromodichloromethane	ug/kg	100	116	116	80-133	
Bromoform	ug/kg	100	100	100	76-150	
Bromomethane	ug/kg	100	83.7	84	24-174	
Carbon disulfide	ug/kg	100	113	113	59-145	
Carbon tetrachloride	ug/kg	100	123	123	73-150	
Chlorobenzene	ug/kg	100	108	108	76-123	
Chloroethane	ug/kg	100	86.0	86	34-164	
Chloroform	ug/kg	100	108	108	80-122	
Chloromethane	ug/kg	100	90.6	91	10-170	
cis-1,2-Dichloroethene	ug/kg	100	110	110	81-121	
cis-1,3-Dichloropropene	ug/kg	100	112	112	71-137	
Dibromochloromethane	ug/kg	100	113	113	78-137	
Dibromomethane	ug/kg	100	108	108	82-119	
Dichlorodifluoromethane	ug/kg	100	123	123	10-186	
Ethylbenzene	ug/kg	100	115	115	74-126	
Hexachloro-1,3-butadiene	ug/kg	100	113	113	68-146	
Isopropylbenzene (Cumene)	ug/kg	100	116	116	75-133	
Methyl-tert-butyl ether	ug/kg	100	76.6	77	74-120	
Methylene chloride	ug/kg	100	114	114	64-138	
n-Butylbenzene	ug/kg	100	111	111	70-140	
n-Propylbenzene	ug/kg	100	110	110	72-134	
Naphthalene	ug/kg	100	105	105	73-117	
p-Isopropyltoluene	ug/kg	100	105	105	72-135	
sec-Butylbenzene	ug/kg	100	116	116	72-132	
Styrene	ug/kg	100	121	121	77-127	
tert-Butylbenzene	ug/kg	100	107	107	74-133	
Tetrachloroethene	ug/kg	100	113	113	75-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

LABORATORY CONTROL SAMPLE: 2095755

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/kg	100	113	113	73-122	
trans-1,2-Dichloroethene	ug/kg	100	63.9	64	71-134	L2
trans-1,3-Dichloropropene	ug/kg	100	106	106	72-142	
Trichloroethene	ug/kg	100	112	112	73-127	
Trichlorofluoromethane	ug/kg	100	121	121	55-155	
Vinyl chloride	ug/kg	100	118	118	36-162	
Xylene (Total)	ug/kg	300	330	110	75-123	
1,2-Dichloroethane-d4 (S)	%			104	80-123	
4-Bromofluorobenzene (S)	%			97	69-133	
Toluene-d8 (S)	%			102	78-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch:	91324	Analysis Method:	EPA 8081
QC Batch Method:	EPA 3546	Analysis Description:	8081 GCS Pesticides
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010		

METHOD BLANK: 404871

Matrix: Solid

Associated Lab Samples: 60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	ug/kg	<0.33	1.0	0.33	01/29/18 11:55	
4,4'-DDE	ug/kg	<0.31	1.0	0.31	01/29/18 11:55	
4,4'-DDT	ug/kg	<0.64	1.4	0.64	01/29/18 11:55	
Aldrin	ug/kg	<0.35	1.0	0.35	01/29/18 11:55	
alpha-BHC	ug/kg	<0.16	1.0	0.16	01/29/18 11:55	
alpha-Chlordane	ug/kg	<0.40	1.7	0.40	01/29/18 11:55	
beta-BHC	ug/kg	<0.53	1.7	0.53	01/29/18 11:55	
Chlordane (Technical)	ug/kg	<28.1	150	28.1	01/29/18 11:55	
delta-BHC	ug/kg	<0.48	1.4	0.48	01/29/18 11:55	
Dieldrin	ug/kg	<0.43	1.4	0.43	01/29/18 11:55	
Endosulfan I	ug/kg	<0.46	1.4	0.46	01/29/18 11:55	
Endosulfan II	ug/kg	<0.32	1.0	0.32	01/29/18 11:55	
Endosulfan sulfate	ug/kg	<0.46	1.4	0.46	01/29/18 11:55	
Endrin	ug/kg	<0.46	1.7	0.46	01/29/18 11:55	
Endrin aldehyde	ug/kg	<0.46	1.4	0.46	01/29/18 11:55	
Endrin ketone	ug/kg	<0.55	2.0	0.55	01/29/18 11:55	
gamma-BHC (Lindane)	ug/kg	<0.45	1.4	0.45	01/29/18 11:55	
gamma-Chlordane	ug/kg	<0.66	1.7	0.66	01/29/18 11:55	
Heptachlor	ug/kg	<0.76	2.0	0.76	01/29/18 11:55	
Heptachlor epoxide	ug/kg	<2.0	5.0	2.0	01/29/18 11:55	
Methoxychlor	ug/kg	<0.57	2.0	0.57	01/29/18 11:55	
Toxaphene	ug/kg	<51.8	150	51.8	01/29/18 11:55	
Decachlorobiphenyl (S)	%	68	70-130		01/29/18 11:55	S0
Tetrachloro-m-xylene (S)	%	83	70-130		01/29/18 11:55	

LABORATORY CONTROL SAMPLE: 404872

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	ug/kg	33.3	29.3	88	70-130	
4,4'-DDE	ug/kg	33.3	32.8	99	70-130	
4,4'-DDT	ug/kg	33.3	29.9	90	70-130	
Aldrin	ug/kg	33.3	27.7	83	70-130	
alpha-BHC	ug/kg	33.3	31.3	94	70-130	
alpha-Chlordane	ug/kg	33.3	30.5	92	70-130	
beta-BHC	ug/kg	33.3	31.0	93	70-130	
delta-BHC	ug/kg	33.3	30.4	91	70-130	
Dieldrin	ug/kg	33.3	26.7	80	70-130	
Endosulfan I	ug/kg	33.3	25.5	77	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

LABORATORY CONTROL SAMPLE: 404872

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endosulfan II	ug/kg	33.3	27.2	82	70-130	
Endosulfan sulfate	ug/kg	33.3	25.1	75	70-130	
Endrin	ug/kg	33.3	28.8	87	70-130	
Endrin aldehyde	ug/kg	33.3	28.3	85	70-130	
Endrin ketone	ug/kg	33.3	25.4	76	70-130	
gamma-BHC (Lindane)	ug/kg	33.3	31.3	94	70-130	
gamma-Chlordane	ug/kg	33.3	27.3	82	70-130	
Heptachlor	ug/kg	33.3	29.0	87	70-130	
Heptachlor epoxide	ug/kg	33.3	26.7	80	70-130	
Methoxychlor	ug/kg	33.3	30.1	90	70-130	
Decachlorobiphenyl (S)	%.			61	70-130	S0
Tetrachloro-m-xylene (S)	%.			78	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 404873 404874

Parameter	Units	60262644001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
4,4'-DDD	ug/kg	<0.41	62	62.6	50.9	51.9	82	83	70-130	2	40	
4,4'-DDE	ug/kg	0.93J	62	62.6	59.2	60.0	94	94	70-130	1	40	
4,4'-DDT	ug/kg	<0.81	62	62.6	53.0	54.0	85	86	70-130	2	40	
Aldrin	ug/kg	<0.44	62	62.6	51.8	52.3	84	83	70-130	1	40	
alpha-BHC	ug/kg	<0.20	62	62.6	60.5	62.7	98	100	70-130	4	40	
alpha-Chlordane	ug/kg	<0.50	62	62.6	51.3	51.7	83	83	70-130	1	40	
beta-BHC	ug/kg	<0.66	62	62.6	57.6	60.1	93	96	70-130	4	40	
delta-BHC	ug/kg	<0.60	62	62.6	57.5	59.1	92	94	70-130	3	40	
Dieldrin	ug/kg	<0.54	62	62.6	46.7	47.1	75	75	70-130	1	40	
Endosulfan I	ug/kg	<0.58	62	62.6	42.0	43.2	68	69	70-130	3	40	M1
Endosulfan II	ug/kg	<0.40	62	62.6	47.0	47.3	75	75	70-130	1	40	
Endosulfan sulfate	ug/kg	<0.58	62	62.6	41.5	41.4	67	66	70-130	0	40	M1
Endrin	ug/kg	<0.58	62	62.6	51.1	52.4	82	84	70-130	3	40	
Endrin aldehyde	ug/kg	<0.58	62	62.6	48.8	48.7	79	78	70-130	0	40	
Endrin ketone	ug/kg	<0.69	62	62.6	49.2	46.2	79	74	70-130	6	40	
gamma-BHC (Lindane)	ug/kg	<0.56	62	62.6	59.8	61.1	96	97	70-130	2	40	
gamma-Chlordane	ug/kg	<0.83	62	62.6	47.0	47.3	76	75	70-130	1	40	
Heptachlor	ug/kg	<0.95	62	62.6	55.0	55.3	89	88	70-130	1	40	
Heptachlor epoxide	ug/kg	<2.5	62	62.6	48.9	49.4	78	78	70-130	1	40	
Methoxychlor	ug/kg	<0.72	62	62.6	49.6	49.9	80	80	70-130	1	40	
Decachlorobiphenyl (S)	%.						73	71	70-130			
Tetrachloro-m-xylene (S)	%.						83	84	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 91580

Analysis Method: EPA 8081

QC Batch Method: EPA 3546

Analysis Description: 8081 GCS Pesticides

Associated Lab Samples: 60262644011, 60262644012

METHOD BLANK: 405973

Matrix: Solid

Associated Lab Samples: 60262644011, 60262644012

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	ug/kg	<0.33	1.0	0.33	02/05/18 18:09	
4,4'-DDE	ug/kg	<0.31	1.0	0.31	02/05/18 18:09	
4,4'-DDT	ug/kg	<0.65	1.4	0.65	02/05/18 18:09	
Aldrin	ug/kg	<0.35	1.0	0.35	02/05/18 18:09	
alpha-BHC	ug/kg	<0.16	1.0	0.16	02/05/18 18:09	
alpha-Chlordane	ug/kg	<0.40	1.7	0.40	02/05/18 18:09	
beta-BHC	ug/kg	<0.53	1.7	0.53	02/05/18 18:09	
Chlordane (Technical)	ug/kg	<28.1	150	28.1	02/05/18 18:09	
delta-BHC	ug/kg	<0.48	1.4	0.48	02/05/18 18:09	
Dieldrin	ug/kg	<0.43	1.4	0.43	02/05/18 18:09	
Endosulfan I	ug/kg	<0.46	1.4	0.46	02/05/18 18:09	
Endosulfan II	ug/kg	<0.32	1.0	0.32	02/05/18 18:09	
Endosulfan sulfate	ug/kg	<0.46	1.4	0.46	02/05/18 18:09	
Endrin	ug/kg	<0.46	1.7	0.46	02/05/18 18:09	
Endrin aldehyde	ug/kg	<0.46	1.4	0.46	02/05/18 18:09	
Endrin ketone	ug/kg	<0.55	2.0	0.55	02/05/18 18:09	
gamma-BHC (Lindane)	ug/kg	<0.45	1.4	0.45	02/05/18 18:09	
gamma-Chlordane	ug/kg	<0.66	1.7	0.66	02/05/18 18:09	
Heptachlor	ug/kg	<0.76	2.0	0.76	02/05/18 18:09	
Heptachlor epoxide	ug/kg	<2.0	5.0	2.0	02/05/18 18:09	
Methoxychlor	ug/kg	<0.57	2.0	0.57	02/05/18 18:09	
Toxaphene	ug/kg	<51.8	150	51.8	02/05/18 18:09	
Decachlorobiphenyl (S)	%.	100	70-130		02/05/18 18:09	
Tetrachloro-m-xylene (S)	%.	90	70-130		02/05/18 18:09	

LABORATORY CONTROL SAMPLE: 405974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	ug/kg	33.3	31.7	95	70-130	
4,4'-DDE	ug/kg	33.3	31.8	96	70-130	
4,4'-DDT	ug/kg	33.3	31.3	94	70-130	
Aldrin	ug/kg	33.3	29.9	90	70-130	
alpha-BHC	ug/kg	33.3	31.5	95	70-130	
alpha-Chlordane	ug/kg	33.3	29.8	90	70-130	
beta-BHC	ug/kg	33.3	27.8	83	70-130	
delta-BHC	ug/kg	33.3	28.8	87	70-130	
Dieldrin	ug/kg	33.3	28.5	86	70-130	
Endosulfan I	ug/kg	33.3	28.0	84	70-130	
Endosulfan II	ug/kg	33.3	29.5	89	70-130	
Endosulfan sulfate	ug/kg	33.3	27.5	83	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

LABORATORY CONTROL SAMPLE: 405974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endrin	ug/kg	33.3	30.1	90	70-130	
Endrin aldehyde	ug/kg	33.3	27.9	84	70-130	
Endrin ketone	ug/kg	33.3	28.0	84	70-130	
gamma-BHC (Lindane)	ug/kg	33.3	30.1	90	70-130	
gamma-Chlordane	ug/kg	33.3	32.0	96	70-130	
Heptachlor	ug/kg	33.3	29.4	88	70-130	
Heptachlor epoxide	ug/kg	33.3	28.1	85	70-130	
Methoxychlor	ug/kg	33.3	29.5	88	70-130	
Decachlorobiphenyl (S)	%.			93	70-130	
Tetrachloro-m-xylene (S)	%.			97	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 405975 405976

Parameter	Units	60262738001		MS		MSD		MS		MSD		MS		MSD		% Rec		Max		Qual
		Result	Conc.	Spike Conc.	Conc.	Result	Conc.	Result	Conc.	Result	Conc.	% Rec	% Rec	% Rec	% Rec	Limits	RPD	RPD	RPD	
4,4'-DDD	ug/kg	<0.58	60.4	60.5	60.5	45.3	46.3	75	77	70-130	2	40								
4,4'-DDE	ug/kg	<0.56	60.4	60.5	60.5	54.7	55.9	90	92	70-130	2	40								
4,4'-DDT	ug/kg	<1.2	60.4	60.5	60.5	44.8	45.2	74	75	70-130	1	40								
Aldrin	ug/kg	<0.64	60.4	60.5	60.5	44.6	45.4	74	75	70-130	2	40								
alpha-BHC	ug/kg	<0.28	60.4	60.5	60.5	49.1	50.4	81	83	70-130	3	40								
alpha-Chlordane	ug/kg	<0.71	60.4	60.5	60.5	45.6	46.3	75	77	70-130	2	40								
beta-BHC	ug/kg	<0.95	60.4	60.5	60.5	49.4	51.4	82	85	70-130	4	40								
delta-BHC	ug/kg	<0.86	60.4	60.5	60.5	47.7	47.2	79	78	70-130	1	40								
Dieldrin	ug/kg	<0.78	60.4	60.5	60.5	41.5	42.1	69	70	70-130	1	40	M1							
Endosulfan I	ug/kg	<0.83	60.4	60.5	60.5	38.2	38.2	63	63	70-130	0	40	M1							
Endosulfan II	ug/kg	<0.58	60.4	60.5	60.5	42.6	43.2	71	71	70-130	1	40								
Endosulfan sulfate	ug/kg	<0.83	60.4	60.5	60.5	38.4	39.5	64	65	70-130	3	40	M1							
Endrin	ug/kg	<0.83	60.4	60.5	60.5	46.2	45.9	76	76	70-130	1	40								
Endrin aldehyde	ug/kg	<0.83	60.4	60.5	60.5	42.5	42.9	70	71	70-130	1	40								
Endrin ketone	ug/kg	<0.99	60.4	60.5	60.5	39.3	40.2	64	66	70-130	2	40	M1							
gamma-BHC (Lindane)	ug/kg	<0.81	60.4	60.5	60.5	48.5	49.8	80	82	70-130	3	40								
gamma-Chlordane	ug/kg	<1.2	60.4	60.5	60.5	42.0	42.4	70	70	70-130	1	40								
Heptachlor	ug/kg	<1.4	60.4	60.5	60.5	43.0	43.7	71	72	70-130	2	40								
Heptachlor epoxide	ug/kg	<3.6	60.4	60.5	60.5	42.8	43.8	71	72	70-130	2	40								
Methoxychlor	ug/kg	<1.0	60.4	60.5	60.5	44.6	47.0	74	78	70-130	5	40								
Decachlorobiphenyl (S)	%.							71	72	70-130										
Tetrachloro-m-xylene (S)	%.							75	75	70-130										

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch:	91344	Analysis Method:	EPA 8081
QC Batch Method:	EPA 3510	Analysis Description:	8081 GCS Pesticides
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018			

METHOD BLANK:	404959	Matrix:	Water
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018			

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	ug/L	<0.0050	0.010	0.0050	02/05/18 15:49	
4,4'-DDE	ug/L	<0.0070	0.010	0.0070	02/05/18 15:49	
4,4'-DDT	ug/L	<0.0070	0.010	0.0070	02/05/18 15:49	
Aldrin	ug/L	<0.0070	0.010	0.0070	02/05/18 15:49	
alpha-BHC	ug/L	<0.0060	0.010	0.0060	02/05/18 15:49	
alpha-Chlordane	ug/L	<0.024	0.10	0.024	02/05/18 15:49	
beta-BHC	ug/L	<0.010	0.010	0.010	02/05/18 15:49	
Chlordane (Technical)	ug/L	<0.090	0.10	0.090	02/05/18 15:49	
delta-BHC	ug/L	<0.0090	0.010	0.0090	02/05/18 15:49	
Dieldrin	ug/L	<0.0060	0.010	0.0060	02/05/18 15:49	
Endosulfan I	ug/L	<0.021	0.10	0.021	02/05/18 15:49	
Endosulfan II	ug/L	<0.0090	0.010	0.0090	02/05/18 15:49	
Endosulfan sulfate	ug/L	<0.0070	0.010	0.0070	02/05/18 15:49	
Endrin	ug/L	<0.0070	0.010	0.0070	02/05/18 15:49	
Endrin aldehyde	ug/L	<0.029	0.10	0.029	02/05/18 15:49	
Endrin ketone	ug/L	<0.025	0.10	0.025	02/05/18 15:49	
gamma-BHC (Lindane)	ug/L	<0.0080	0.010	0.0080	02/05/18 15:49	
gamma-Chlordane	ug/L	<0.034	0.10	0.034	02/05/18 15:49	
Heptachlor	ug/L	<0.0050	0.010	0.0050	02/05/18 15:49	
Heptachlor epoxide	ug/L	<0.0070	0.010	0.0070	02/05/18 15:49	
Methoxychlor	ug/L	<0.0060	0.010	0.0060	02/05/18 15:49	
Toxaphene	ug/L	<0.61	1.5	0.61	02/05/18 15:49	
Decachlorobiphenyl (S)	%	69	12-162		02/05/18 15:49	
Tetrachloro-m-xylene (S)	%	89	54-127		02/05/18 15:49	

LABORATORY CONTROL SAMPLE: 404960

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	ug/L	1	1.2	116	68-149	
4,4'-DDE	ug/L	1	1.1	110	70-135	
4,4'-DDT	ug/L	1	1.3	130	30-174	
Aldrin	ug/L	1	1.0	102	60-137	
alpha-BHC	ug/L	1	1.1	109	73-136	
alpha-Chlordane	ug/L	1	1.3	125	24-176	
beta-BHC	ug/L	1	1.2	117	50-174	
delta-BHC	ug/L	1	1.1	113	18-200	
Dieldrin	ug/L	1	1.0	104	62-148	
Endosulfan I	ug/L	1	0.97	97	38-171	
Endosulfan II	ug/L	1	1.1	112	36-178	
Endosulfan sulfate	ug/L	1	1.3	128	64-131	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

LABORATORY CONTROL SAMPLE: 404960

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endrin	ug/L	1	1.1	108	56-152	
Endrin aldehyde	ug/L	1	1.3	125	52-162	
Endrin ketone	ug/L	1	1.3	131	22-187	
gamma-BHC (Lindane)	ug/L	1	1.1	108	70-135	
gamma-Chlordane	ug/L	1	1.0	103	52-155	
Heptachlor	ug/L	1	1.2	125	59-139	
Heptachlor epoxide	ug/L	1	1.1	112	65-138	
Methoxychlor	ug/L	1	1.4	144	39-160	
Decachlorobiphenyl (S)	%.			129	12-162	
Tetrachloro-m-xylene (S)	%.			98	54-127	

MATRIX SPIKE SAMPLE: 404963

Parameter	Units	60262572008 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	ug/L	<0.0050	1	1.2	116	24-177	
4,4'-DDE	ug/L	<0.0070	1	1.0	103	22-161	
4,4'-DDT	ug/L	<0.0070	1	1.1	113	10-180	
Aldrin	ug/L	<0.0070	1	0.94	94	10-156	
alpha-BHC	ug/L	<0.0060	1	1.1	106	71-143	
alpha-Chlordane	ug/L	<0.024	1	1.2	124	15-174	
beta-BHC	ug/L	<0.010	1	1.2	120	72-149	
delta-BHC	ug/L	<0.0090	1	1.2	116	44-151	
Dieldrin	ug/L	<0.0060	1	1.0	105	33-166	
Endosulfan I	ug/L	<0.021	1	0.98	98	27-167	
Endosulfan II	ug/L	<0.0090	1	1.1	113	37-173	
Endosulfan sulfate	ug/L	<0.0070	1	1.3	132	33-167	
Endrin	ug/L	<0.0070	1	1.1	111	39-173	
Endrin aldehyde	ug/L	<0.029	1	1.2	121	14-180	
Endrin ketone	ug/L	<0.025	1	1.3	133	29-180	
gamma-BHC (Lindane)	ug/L	<0.0080	1	0.97	97	69-139	
gamma-Chlordane	ug/L	<0.034	1	1.0	104	20-166	
Heptachlor	ug/L	<0.0050	1	1.3	127	48-141	
Heptachlor epoxide	ug/L	<0.0070	1	1.1	115	28-164	
Methoxychlor	ug/L	<0.0060	1	1.4	136	20-178	
Decachlorobiphenyl (S)	%.				54	12-162	
Tetrachloro-m-xylene (S)	%.				89	54-127	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch:	91325	Analysis Method:	EPA 8141A
QC Batch Method:	EPA 3546	Analysis Description:	Organophos Pests in soil by 8141
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010		

METHOD BLANK:	404876	Matrix:	Solid
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Azinphos, methyl (Guthion)	ug/kg	<3.3	6.6	3.3	01/31/18 18:41	
Bolstar	ug/kg	<3.3	6.6	3.3	01/31/18 18:41	
Chlorpyrifos	ug/kg	<3.3	6.6	3.3	01/31/18 18:41	
Coumaphos	ug/kg	<3.3	6.6	3.3	01/31/18 18:41	
Diazinon	ug/kg	<3.3	6.6	3.3	01/31/18 18:41	
Dichlorvos	ug/kg	<1.7	3.3	1.7	01/31/18 18:41	
Dimethoate	ug/kg	<3.3	6.6	3.3	01/31/18 18:41	
Disulfoton	ug/kg	<1.7	3.3	1.7	01/31/18 18:41	
EPN (ENT)	ug/kg	<2.1	3.3	2.1	01/31/18 18:41	
Ethoprop	ug/kg	<1.7	3.3	1.7	01/31/18 18:41	
Fensulfothion	ug/kg	<3.3	6.6	3.3	01/31/18 18:41	
Fenthion	ug/kg	<1.7	3.3	1.7	01/31/18 18:41	
Malathion	ug/kg	<3.3	6.6	3.3	01/31/18 18:41	
Methyl parathion	ug/kg	<1.7	3.3	1.7	01/31/18 18:41	
Mevinphos	ug/kg	<2.0	3.3	2.0	01/31/18 18:41	
Parathion (Ethyl parathion)	ug/kg	<3.3	6.6	3.3	01/31/18 18:41	
Phorate	ug/kg	<1.7	3.3	1.7	01/31/18 18:41	
Ronnel	ug/kg	<1.7	3.3	1.7	01/31/18 18:41	
Stirophos (Tetrachlorvinphos)	ug/kg	<3.3	6.6	3.3	01/31/18 18:41	
Sulfotep (Thiodiphosphoric Ac	ug/kg	<1.7	3.3	1.7	01/31/18 18:41	
Tokuthion (Prothiofos)	ug/kg	<1.7	3.3	1.7	01/31/18 18:41	
Total Demeton	ug/kg	<2.7	3.3	2.7	01/31/18 18:41	N2
Total Merphos	ug/kg	<3.3	13.3	3.3	01/31/18 18:41	N2
Trichloronate	ug/kg	<3.3	6.6	3.3	01/31/18 18:41	
Tributylphosphate (S)	%.	113	17-125		01/31/18 18:41	
Triphenylphosphate (S)	%.	98	11-137		01/31/18 18:41	

LABORATORY CONTROL SAMPLE: 404877

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Azinphos, methyl (Guthion)	ug/kg	8.3	6.2	74	45-142	
Bolstar	ug/kg	8.3	6.1	73	58-97	
Chlorpyrifos	ug/kg	8.3	5.6	67	58-97	
Coumaphos	ug/kg	8.3	6.0	72	59-123	
Diazinon	ug/kg	8.3	5.9	71	51-100	
Dichlorvos	ug/kg	8.3	6.4	77	40-117	
Dimethoate	ug/kg	8.3	6.0	72	32-130	
Disulfoton	ug/kg	8.3	5.6	67	32-108	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

LABORATORY CONTROL SAMPLE: 404877

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
EPN (ENT)	ug/kg	8.3	6.0	72	51-117	
Ethoprop	ug/kg	8.3	6.6	80	49-108	
Fensulfothion	ug/kg	8.3	6.7	81	47-148	
Fenthion	ug/kg	8.3	6.2	74	58-111	
Malathion	ug/kg	8.3	6.2	74	55-112	
Methyl parathion	ug/kg	8.3	6.0	72	49-113	
Mevinphos	ug/kg	8.3	6.2	74	43-121	
Parathion (Ethyl parathion)	ug/kg	8.3	6.0	72	50-114	
Phorate	ug/kg	8.3	6.0	72	42-108	
Ronnel	ug/kg	8.3	5.9	71	54-106	
Stirophos (Tetrachlorvinphos)	ug/kg	8.3	6.2	74	54-115	
Sulfotep (Thiodiphosphoric Ac	ug/kg	8.3	6.8	82	46-108	
Tokuthion (Prothiofos)	ug/kg	8.3	6.2	75	59-104	
Total Demeton	ug/kg	8.3	5.6	68	32-106	N2
Total Merphos	ug/kg	8.3	6.1	73	10-144	N2
Trichloronate	ug/kg	8.3	5.9	71	59-100	
Tributylphosphate (S)	%			73	17-125	
Triphenylphosphate (S)	%			65	11-137	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 404878

404879

Parameter	Units	60262644002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Azinphos, methyl (Guthion)	ug/kg	<4.1	10.4	10.4	10.1	9.5	97	92	20-146	6	40	
Bolstar	ug/kg	<4.1	10.4	10.4	8.9	9.1	86	88	13-120	2	40	
Chlorpyrifos	ug/kg	<4.1	10.4	10.4	9.3	9.3	90	89	10-147	0	40	
Coumaphos	ug/kg	<4.1	10.4	10.4	10.4	9.3	100	90	28-126	11	40	
Diazinon	ug/kg	<4.1	10.4	10.4	10.7	11.1	104	107	10-136	3	40	
Dichlorvos	ug/kg	<2.1	10.4	10.4	8.5	9.0	82	87	10-135	5	40	
Dimethoate	ug/kg	<4.1	10.4	10.4	7.6	7.1	73	68	10-133	7	40	
Disulfoton	ug/kg	<2.1	10.4	10.4	8.6	7.9	83	76	10-130	9	40	
EPN (ENT)	ug/kg	<2.6	10.4	10.4	9.6	9.4	92	91	10-133	2	40	
Ethoprop	ug/kg	<2.1	10.4	10.4	9.8	8.2	95	79	15-119	18	40	
Fensulfothion	ug/kg	<4.1	10.4	10.4	10.2	9.3	98	90	16-143	9	40	
Fenthion	ug/kg	<2.1	10.4	10.4	9.5	9.1	92	88	14-133	5	40	
Malathion	ug/kg	<4.1	10.4	10.4	9.2	10	89	96	31-112	8	40	
Methyl parathion	ug/kg	<2.1	10.4	10.4	8.7	9.2	84	89	10-147	6	40	
Mevinphos	ug/kg	<2.5	10.4	10.4	8.0	8.4	77	81	10-136	4	40	
Parathion (Ethyl parathion)	ug/kg	<4.1	10.4	10.4	8.5	8.3	82	80	10-142	2	40	
Phorate	ug/kg	<2.1	10.4	10.4	8.1	8.6	78	83	10-130	6	40	
Ronnel	ug/kg	<2.1	10.4	10.4	8.5	9.0	82	87	13-125	6	40	
Stirophos	ug/kg	<4.1	10.4	10.4	9.2	8.6	89	83	16-136	7	40	
(Tetrachlorvinphos)												
Sulfotep (Thiodiphosphoric Ac	ug/kg	<2.1	10.4	10.4	8.3	9.2	81	88	10-122	9	40	
Tokuthion (Prothiofos)	ug/kg	<2.1	10.4	10.4	8.8	9.0	85	87	10-125	2	40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 404878 404879												
Parameter	Units	60262644002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
Total Demeton	ug/kg	<3.4	10.4	10.4	8.2	8.7	79	84	10-119	6	40	N2
Total Merphos	ug/kg	<4.1	10.4	10.4	8.0J	8.6	77	83	10-122		40	N2
Trichloronate	ug/kg	<4.1	10.4	10.4	9.0	8.8	87	84	13-120	3	40	
Tributylphosphate (S)	%.						73	92	17-125			
Triphenylphosphate (S)	%.						78	76	11-137			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 91581

Analysis Method: EPA 8141A

QC Batch Method: EPA 3546

Analysis Description: Organophos Pests in soil by 8141

Associated Lab Samples: 60262644011, 60262644012

METHOD BLANK: 405989

Matrix: Solid

Associated Lab Samples: 60262644011, 60262644012

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Azinphos, methyl (Guthion)	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Bolstar	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Chlorpyrifos	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Coumaphos	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Diazinon	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Dichlorvos	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
Dimethoate	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Disulfoton	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
EPN (ENT)	ug/kg	<2.1	3.3	2.1	02/05/18 17:09	
Ethoprop	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
Fensulfothion	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Fenthion	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
Malathion	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Methyl parathion	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
Mevinphos	ug/kg	<2.0	3.3	2.0	02/05/18 17:09	
Parathion (Ethyl parathion)	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Phorate	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
Ronnel	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
Stirophos (Tetrachlorvinphos)	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Sulfotep (Thiodiphosphoric Ac	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
Tokuthion (Prothiofos)	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
Total Demeton	ug/kg	<2.7	3.3	2.7	02/05/18 17:09	N2
Total Merphos	ug/kg	<3.3	13.3	3.3	02/05/18 17:09	N2
Trichloronate	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Tributylphosphate (S)	%	122	17-125		02/05/18 17:09	
Triphenylphosphate (S)	%	99	11-137		02/05/18 17:09	

LABORATORY CONTROL SAMPLE: 405990

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Azinphos, methyl (Guthion)	ug/kg	8.3	7.9	95	45-142	
Bolstar	ug/kg	8.3	6.9	83	58-97	
Chlorpyrifos	ug/kg	8.3	6.4	77	58-97	
Coumaphos	ug/kg	8.3	8.4	101	59-123	
Diazinon	ug/kg	8.3	6.7	81	51-100	
Dichlorvos	ug/kg	8.3	6.0	72	40-117	
Dimethoate	ug/kg	8.3	6.7	80	32-130	
Disulfoton	ug/kg	8.3	5.9	71	32-108	
EPN (ENT)	ug/kg	8.3	7.4	89	51-117	
Ethoprop	ug/kg	8.3	7.1	86	49-108	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

LABORATORY CONTROL SAMPLE: 405990

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Fensulfothion	ug/kg	8.3	8.4	101	47-148	
Fenthion	ug/kg	8.3	7.0	84	58-111	
Malathion	ug/kg	8.3	7.0	85	55-112	
Methyl parathion	ug/kg	8.3	6.9	83	49-113	
Mevinphos	ug/kg	8.3	6.8	81	43-121	
Parathion (Ethyl parathion)	ug/kg	8.3	6.7	81	50-114	
Phorate	ug/kg	8.3	6.4	77	42-108	
Ronnel	ug/kg	8.3	6.5	78	54-106	
Stirophos (Tetrachlorvinphos)	ug/kg	8.3	7.2	87	54-115	
Sulfotep (Thiodiphosphoric Ac	ug/kg	8.3	6.6	80	46-108	
Tokuthion (Prothiofos)	ug/kg	8.3	7.1	85	59-104	
Total Demeton	ug/kg	8.3	5.8	70	32-106	N2
Total Merphos	ug/kg	8.3	5.8	70	10-144	N2
Trichloronate	ug/kg	8.3	6.7	81	59-100	
Tributylphosphate (S)	%			84	17-125	
Triphenylphosphate (S)	%			87	11-137	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 405991 405992

Parameter	Units	60262738002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Azinphos, methyl (Guthion)	ug/kg	<6.3	15.9	15.7	14.2	13.4	90	85	20-146	6	40	
Bolstar	ug/kg	<6.3	15.9	15.7	12.1	11.3	76	72	13-120	7	40	
Chlorpyrifos	ug/kg	<6.3	15.9	15.7	10.9	10.5	69	67	10-147	4	40	
Coumaphos	ug/kg	<6.3	15.9	15.7	14.6	13.5	92	86	28-126	8	40	
Diazinon	ug/kg	<6.3	15.9	15.7	11.3	10.6	71	67	10-136	6	40	
Dichlorvos	ug/kg	<3.2	15.9	15.7	10.5	9.8	66	63	10-135	6	40	
Dimethoate	ug/kg	<6.3	15.9	15.7	11.1	11.1	57	58	10-133	0	40	
Disulfoton	ug/kg	<3.2	15.9	15.7	10.1	9.7	64	62	10-130	4	40	
EPN (ENT)	ug/kg	<4.0	15.9	15.7	12.7	12.4	80	79	10-133	3	40	
Ethoprop	ug/kg	<3.2	15.9	15.7	12.0	11.8	76	75	15-119	2	40	
Fensulfothion	ug/kg	<6.3	15.9	15.7	14.4	14.1	91	90	16-143	2	40	
Fenthion	ug/kg	<3.2	15.9	15.7	12.5	11.6	72	67	14-133	7	40	
Malathion	ug/kg	<6.3	15.9	15.7	12.1	11.5	76	73	31-112	5	40	
Methyl parathion	ug/kg	<3.2	15.9	15.7	12.1	11.5	76	73	10-147	5	40	
Mevinphos	ug/kg	<3.7	15.9	15.7	11.5	11.5	73	73	10-136	0	40	
Parathion (Ethyl parathion)	ug/kg	<6.3	15.9	15.7	11.7	11.5	70	70	10-142	2	40	
Phorate	ug/kg	<3.2	15.9	15.7	11.1	10.8	70	69	10-130	2	40	
Ronnel	ug/kg	<3.2	15.9	15.7	11.2	10.8	71	69	13-125	4	40	
Stirophos (Tetrachlorvinphos)	ug/kg	<6.3	15.9	15.7	12.3	11.9	77	76	16-136	3	40	
Sulfotep (Thiodiphosphoric Ac	ug/kg	<3.2	15.9	15.7	11.4	11.0	72	70	10-122	4	40	
Tokuthion (Prothiofos)	ug/kg	<3.2	15.9	15.7	12.1	11.5	76	73	10-125	5	40	
Total Demeton	ug/kg	<5.2	15.9	15.7	9.2	9.4	58	60	10-119	2	40	N2
Total Merphos	ug/kg	<6.3	15.9	15.7	12.8	12.2	80	78	10-122	4	40	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 405991 405992											
Parameter	Units	60262738002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
Trichloronate	ug/kg	<6.3	15.9	15.7	11.6	11.0	73	70	13-120	5	40
Tributylphosphate (S)	%.						68	66	17-125		
Triphenylphosphate (S)	%.						76	73	11-137		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 91347 Analysis Method: EPA 8141A
QC Batch Method: EPA 3510 Analysis Description: 8141 GCS, O/P Pesticides
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

METHOD BLANK: 404969 Matrix: Water
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Azinphos, methyl (Guthion)	ug/L	<0.093	0.10	0.093	02/01/18 15:40	
Bolstar	ug/L	<0.090	0.10	0.090	02/01/18 15:40	
Chlorpyrifos	ug/L	<0.067	0.10	0.067	02/01/18 15:40	
Coumaphos	ug/L	<0.092	0.10	0.092	02/01/18 15:40	
Diazinon	ug/L	<0.078	0.10	0.078	02/01/18 15:40	
Dichlorvos	ug/L	<0.073	0.10	0.073	02/01/18 15:40	
Dimethoate	ug/L	<0.083	0.10	0.083	02/01/18 15:40	
Disulfoton	ug/L	<0.071	0.10	0.071	02/01/18 15:40	
EPN (ENT)	ug/L	<0.087	0.10	0.087	02/01/18 15:40	
Ethoprop	ug/L	<0.059	0.10	0.059	02/01/18 15:40	
Fensulfothion	ug/L	<0.087	0.10	0.087	02/01/18 15:40	
Fenthion	ug/L	<0.088	0.10	0.088	02/01/18 15:40	
Malathion	ug/L	<0.086	0.10	0.086	02/01/18 15:40	
Methyl parathion	ug/L	<0.070	0.10	0.070	02/01/18 15:40	
Mevinphos	ug/L	<0.065	0.10	0.065	02/01/18 15:40	
Parathion (Ethyl parathion)	ug/L	<0.060	0.10	0.060	02/01/18 15:40	
Phorate	ug/L	<0.064	0.10	0.064	02/01/18 15:40	
Ronnel	ug/L	<0.088	0.10	0.088	02/01/18 15:40	
Stirophos (Tetrachlorvinphos)	ug/L	<0.072	0.10	0.072	02/01/18 15:40	
Sulfotep (Thiodiphosphoric Ac	ug/L	<0.061	0.10	0.061	02/01/18 15:40	
Tokuthion (Prothiofos)	ug/L	<0.081	0.10	0.081	02/01/18 15:40	
Total Demeton	ug/L	<0.083	0.10	0.083	02/01/18 15:40	
Total Merphos	ug/L	<0.038	0.10	0.038	02/01/18 15:40	
Trichloronate	ug/L	<0.087	0.10	0.087	02/01/18 15:40	
Tributylphosphate (S)	%	124	20-150		02/01/18 15:40	
Triphenylphosphate (S)	%	86	10-175		02/01/18 15:40	

LABORATORY CONTROL SAMPLE: 404970

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Azinphos, methyl (Guthion)	ug/L	.25	0.21	83	32-136	
Bolstar	ug/L	.25	0.19	75	45-115	
Chlorpyrifos	ug/L	.25	0.18	72	44-113	
Coumaphos	ug/L	.25	0.23	91	42-135	
Diazinon	ug/L	.25	0.19	78	35-117	
Dichlorvos	ug/L	.25	0.18	70	24-129	
Dimethoate	ug/L	.25	0.17	68	43-120	
Disulfoton	ug/L	.25	0.18	74	34-111	
EPN (ENT)	ug/L	.25	0.20	80	34-133	
Ethoprop	ug/L	.25	0.17	69	42-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

LABORATORY CONTROL SAMPLE: 404970

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Fensulfothion	ug/L	.25	0.22	88	37-153	
Fenthion	ug/L	.25	0.21	82	43-128	
Malathion	ug/L	.25	0.20	81	42-125	
Methyl parathion	ug/L	.25	0.19	78	41-127	
Mevinphos	ug/L	.25	0.20	78	16-142	
Parathion (Ethyl parathion)	ug/L	.25	0.18	73	42-118	
Phorate	ug/L	.25	0.20	78	42-122	
Ronnel	ug/L	.25	0.19	75	45-116	
Stirophos (Tetrachlorvinphos)	ug/L	.25	0.20	81	40-131	
Sulfotep (Thiodiphosphoric Ac	ug/L	.25	0.19	78	42-111	
Tokuthion (Prothiofos)	ug/L	.25	0.20	80	42-118	
Total Demeton	ug/L	.25	0.17	69	19-126	
Total Merphos	ug/L	.25	0.19	77	10-143	
Trichloronate	ug/L	.25	0.19	76	43-116	
Tributylphosphate (S)	%			157	20-150	S1
Triphenylphosphate (S)	%			139	10-175	

MATRIX SPIKE SAMPLE: 404971

Parameter	Units	60262572009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Azinphos, methyl (Guthion)	ug/L	<0.46	.25	0.28	112	40-140	
Bolstar	ug/L	<0.45	.25	0.21	84	40-140	
Chlorpyrifos	ug/L	<0.34	.25	0.35	138	40-140	
Coumaphos	ug/L	<0.46	.25	0.20	79	40-140	
Diazinon	ug/L	<0.39	.25	0.28	110	40-140	
Dichlorvos	ug/L	<0.36	.25	0.19	78	40-140	
Dimethoate	ug/L	<0.42	.25	0.23	92	40-140	
Disulfoton	ug/L	<0.36	.25	0.19	75	10-140	
EPN (ENT)	ug/L	<0.44	.25	0.23	92	40-140	
Ethoprop	ug/L	<0.30	.25	0.20	79	40-140	
Fensulfothion	ug/L	<0.44	.25	0.22	90	40-140	
Fenthion	ug/L	<0.44	.25	0.12	49	40-140	
Malathion	ug/L	<0.43	.25	0.17	67	40-140	
Methyl parathion	ug/L	<0.35	.25	0.24	96	40-140	
Mevinphos	ug/L	<0.32	.25	0.18	71	40-140	
Parathion (Ethyl parathion)	ug/L	<0.30	.25	1.4	546	40-140	M3
Phorate	ug/L	<0.32	.25	0.30	121	40-140	
Ronnel	ug/L	<0.44	.25	0.26	102	40-140	
Stirophos (Tetrachlorvinphos)	ug/L	<0.36	.25	0.23	92	40-140	
Sulfotep (Thiodiphosphoric Ac	ug/L	<0.30	.25	0.21	85	40-140	
Tokuthion (Prothiofos)	ug/L	<0.40	.25	0.19	77	40-140	
Total Demeton	ug/L	<0.42	.25	0.23	92	10-140	
Total Merphos	ug/L	<0.19	.25	0.16	64	10-140	
Trichloronate	ug/L	<0.44	.25	0.95	379	40-140	M1
Tributylphosphate (S)	%				71	20-150	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

MATRIX SPIKE SAMPLE:		404971					
Parameter	Units	60262572009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Triphenylphosphate (S)	%.				84	10-175	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch:	91432	Analysis Method:	EPA 8151
QC Batch Method:	EPA 3546	Analysis Description:	8151 GCS Herbicides
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009		

METHOD BLANK: 405362

Matrix: Solid

Associated Lab Samples: 60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
2,4,5-T	ug/kg	<1.7	1.7	1.7	01/30/18 11:39	
2,4,5-TP (Silvex)	ug/kg	<1.7	1.7	1.7	01/30/18 11:39	
2,4-D	ug/kg	<1.7	1.7	1.7	01/30/18 11:39	
2,4-DB	ug/kg	<1.7	1.7	1.7	01/30/18 11:39	
Dalapon	ug/kg	<1.7	1.7	1.7	01/30/18 11:39	
Dicamba	ug/kg	<1.7	1.7	1.7	01/30/18 11:39	
Dichloroprop	ug/kg	<1.7	1.7	1.7	01/30/18 11:39	
Dinoseb	ug/kg	<1.7	1.7	1.7	01/30/18 11:39	
MCPA	ug/kg	<165	165	165	01/30/18 11:39	
MCP	ug/kg	<165	165	165	01/30/18 11:39	
2,4-DCAA (S)	%	87	10-188		01/30/18 11:39	

LABORATORY CONTROL SAMPLE: 405363

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4,5-T	ug/kg	66.4	53.7	81	61-151	
2,4,5-TP (Silvex)	ug/kg	66.4	52.9	80	58-135	
2,4-D	ug/kg	66.4	47.4	71	15-155	
2,4-DB	ug/kg	66.4	36.4	55	26-159	
Dalapon	ug/kg	66.4	17.5	26	10-172	
Dicamba	ug/kg	66.4	54.8	82	55-111	
Dichloroprop	ug/kg	66.4	57.2	86	28-167	
Dinoseb	ug/kg	66.4	50.6	76	28-200	
MCPA	ug/kg	6640	6390	96	26-131	
MCP	ug/kg	6640	6420	97	10-158	
2,4-DCAA (S)	%			62	10-188	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 405364

405365

Parameter	Units	60262572001		MSD		MS		MSD		MS		MSD		% Rec		Max	
		Result	Spike Conc.	Result	Spike Conc.	Result	Spike Conc.	Result	Spike Conc.	% Rec	Spike Conc.	% Rec	Spike Conc.	% Rec	Limits	RPD	Qual
2,4,5-T	ug/kg	<3.2	127	127	31.3	60.5	25	47	10-146	64	40	R1					
2,4,5-TP (Silvex)	ug/kg	<3.2	127	127	75.9	70.8	60	56	10-139	7	40						
2,4-D	ug/kg	<3.2	127	127	22.7	41.9	18	33	10-166	60	40	R1					
2,4-DB	ug/kg	<3.2	127	127	37.7	35.8	30	28	10-200	5	40						
Dalapon	ug/kg	<3.2	127	127	11.2	25.5	9	20	10-154	78	40	M1, R1					
Dicamba	ug/kg	<3.2	127	127	30.7	67.6	24	53	10-140	75	40	R1					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 405364 405365											
Parameter	Units	60262572001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
Dichloroprop	ug/kg	<3.2	127	127	49.6	54.7	39	43	10-194	10	40
Dinoseb	ug/kg	<3.2	127	127	39.1	110	31	86	10-200	95	40 R1
MCPA	ug/kg	<320	12700	12700	4080	3870	32	30	10-200	5	40
MCPP	ug/kg	<320	12700	12700	5820	8840	46	69	10-175	41	40 R1
2,4-DCAA (S)	%.						12	13	10-188		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 91433 Analysis Method: EPA 8151
QC Batch Method: EPA 3546 Analysis Description: 8151 GCS Herbicides
Associated Lab Samples: 60262644010, 60262644011, 60262644012

METHOD BLANK: 405366 Matrix: Solid

Associated Lab Samples: 60262644010, 60262644011, 60262644012

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
2,4,5-T	ug/kg	<1.7	1.7	1.7	01/30/18 12:03	
2,4,5-TP (Silvex)	ug/kg	<1.7	1.7	1.7	01/30/18 12:03	
2,4-D	ug/kg	<1.7	1.7	1.7	01/30/18 12:03	
2,4-DB	ug/kg	<1.7	1.7	1.7	01/30/18 12:03	
Dalapon	ug/kg	<1.7	1.7	1.7	01/30/18 12:03	
Dicamba	ug/kg	<1.7	1.7	1.7	01/30/18 12:03	
Dichloroprop	ug/kg	<1.7	1.7	1.7	01/30/18 12:03	
Dinoseb	ug/kg	<1.7	1.7	1.7	01/30/18 12:03	
MCPA	ug/kg	<165	165	165	01/30/18 12:03	
MCPP	ug/kg	<165	165	165	01/30/18 12:03	
2,4-DCAA (S)	%	88	10-188		01/30/18 12:03	

LABORATORY CONTROL SAMPLE: 405367

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4,5-T	ug/kg	66.4	55.7	84	61-151	
2,4,5-TP (Silvex)	ug/kg	66.4	54.0	81	58-135	
2,4-D	ug/kg	66.4	46.1	69	15-155	
2,4-DB	ug/kg	66.4	33.2	50	26-159	
Dalapon	ug/kg	66.4	17.3	26	10-172	
Dicamba	ug/kg	66.4	54.0	81	55-111	
Dichloroprop	ug/kg	66.4	54.1	81	28-167	
Dinoseb	ug/kg	66.4	54.9	83	28-200	
MCPA	ug/kg	6640	5080	76	26-131	
MCPP	ug/kg	6640	5650	85	10-158	
2,4-DCAA (S)	%			73	10-188	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 405368 405369

Parameter	Units	60262644010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
2,4,5-T	ug/kg	<3.1	126	126	30.0	31.1	24	25	10-146	3	40	
2,4,5-TP (Silvex)	ug/kg	<3.1	126	126	23.2	23.7	18	19	10-139	2	40	
2,4-D	ug/kg	<3.1	126	126	25.1	25.2	20	20	10-166	0	40	
2,4-DB	ug/kg	<3.1	126	126	40.7	41.6	32	33	10-200	2	40	
Dalapon	ug/kg	<3.1	126	126	15.4	17.7	12	14	10-154	14	40	
Dicamba	ug/kg	<3.1	126	126	26.1	28.5	21	23	10-140	9	40	
Dichloroprop	ug/kg	<3.1	126	126	51.5	52.3	41	42	10-194	1	40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 405368 405369											
Parameter	Units	60262644010	MS	MSD	MS	MSD	MS	MSD	% Rec	Max	Qual
		Result	Spike	Spike							
Dinoseb	ug/kg	<3.1	126	126	31.8	35.9	25	29	10-200	12	40
MCPA	ug/kg	<309	12600	12600	2520	2360	20	19	10-200	7	40
MCP	ug/kg	<309	12600	12600	2570	2130	20	17	10-175	19	40
2,4-DCAA (S)	%.						5	6	10-188		S0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch:	91466	Analysis Method:	EPA 8151
QC Batch Method:	EPA 8151	Analysis Description:	8151A GCS Herbicides
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018			

METHOD BLANK:	405532	Matrix:	Water
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018			

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
2,4,5-T	ug/L	<0.25	0.50	0.25	02/01/18 11:19	
2,4,5-TP (Silvex)	ug/L	<0.25	0.50	0.25	02/01/18 11:19	
2,4-D	ug/L	<0.25	0.50	0.25	02/01/18 11:19	
2,4-DB	ug/L	<0.34	0.50	0.34	02/01/18 11:19	
Dalapon	ug/L	<0.25	0.50	0.25	02/01/18 11:19	
Dicamba	ug/L	<0.25	0.50	0.25	02/01/18 11:19	
Dichloroprop	ug/L	<0.29	0.50	0.29	02/01/18 11:19	
Dinoseb	ug/L	<0.50	0.50	0.50	02/01/18 11:19	
MCPA	ug/L	<20.0	20.0	20.0	02/01/18 11:19	
MCP	ug/L	<20.0	20.0	20.0	02/01/18 11:19	
2,4-DCAA (S)	%	116	47-166		02/01/18 11:19	

LABORATORY CONTROL SAMPLE: 405533

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4,5-T	ug/L	2	2.1	105	61-151	
2,4,5-TP (Silvex)	ug/L	2	2.0	99	58-135	
2,4-D	ug/L	2	2.0	99	52-152	
2,4-DB	ug/L	2	2.4	118	50-156	
Dalapon	ug/L	2	1.0	51	10-167	
Dicamba	ug/L	2	1.8	89	49-128	
Dichloroprop	ug/L	2	1.7	85	59-143	
Dinoseb	ug/L	2	2.5	126	33-200	
MCPA	ug/L	200	160	80	45-148	
MCP	ug/L	200	214	107	63-149	
2,4-DCAA (S)	%			114	47-166	

MATRIX SPIKE SAMPLE: 405534

Parameter	Units	60262572010 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
2,4,5-T	ug/L	<0.25	2	2.1	104	65-153	
2,4,5-TP (Silvex)	ug/L	<0.25	2	1.9	95	10-179	
2,4-D	ug/L	3.7	2	3.9	7	10-200	M1
2,4-DB	ug/L	<0.34	2	2.3	113	68-171	
Dalapon	ug/L	<0.25	2	0.91	46	10-156	
Dicamba	ug/L	<0.25	2	1.8	88	68-151	
Dichloroprop	ug/L	4.0	2	3.6	-23	85-151	M1
Dinoseb	ug/L	<0.50	2	2.7	133	83-152	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

MATRIX SPIKE SAMPLE:		405534					
Parameter	Units	60262572010 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
MCPA	ug/L	<20.0	200	160	80	54-160	
MCP	ug/L	<20.0	200	230	115	10-200	
2,4-DCAA (S)	%				119	47-166	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch:	511743	Analysis Method:	EPA 8270
QC Batch Method:	EPA 3546	Analysis Description:	8270 Solid MSSV Microwave
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

METHOD BLANK:	2095379	Matrix:	Solid
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	<29.9	328	29.9	01/29/18 16:48	
1,2-Dichlorobenzene	ug/kg	<24.9	328	24.9	01/29/18 16:48	
1,3-Dichlorobenzene	ug/kg	<27.9	328	27.9	01/29/18 16:48	
1,4-Dichlorobenzene	ug/kg	<28.9	328	28.9	01/29/18 16:48	
2,4,5-Trichlorophenol	ug/kg	<29.9	328	29.9	01/29/18 16:48	
2,4,6-Trichlorophenol	ug/kg	<30.9	328	30.9	01/29/18 16:48	
2,4-Dichlorophenol	ug/kg	<29.9	328	29.9	01/29/18 16:48	
2,4-Dimethylphenol	ug/kg	<17.9	328	17.9	01/29/18 16:48	
2,4-Dinitrophenol	ug/kg	<47.8	1660	47.8	01/29/18 16:48	
2,4-Dinitrotoluene	ug/kg	<27.9	328	27.9	01/29/18 16:48	
2,6-Dinitrotoluene	ug/kg	<33.8	328	33.8	01/29/18 16:48	
2-Chloronaphthalene	ug/kg	<27.9	328	27.9	01/29/18 16:48	
2-Chlorophenol	ug/kg	<26.9	328	26.9	01/29/18 16:48	
2-Methylnaphthalene	ug/kg	<23.9	328	23.9	01/29/18 16:48	
2-Methylphenol(o-Cresol)	ug/kg	<30.9	328	30.9	01/29/18 16:48	
2-Nitroaniline	ug/kg	<55.7	657	55.7	01/29/18 16:48	
2-Nitrophenol	ug/kg	<45.8	328	45.8	01/29/18 16:48	
3&4-Methylphenol(m&p Cresol)	ug/kg	<35.8	328	35.8	01/29/18 16:48	
3,3'-Dichlorobenzidine	ug/kg	<112	657	112	01/29/18 16:48	
3-Nitroaniline	ug/kg	<99.5	657	99.5	01/29/18 16:48	
4,6-Dinitro-2-methylphenol	ug/kg	<43.8	1660	43.8	01/29/18 16:48	
4-Bromophenylphenyl ether	ug/kg	<25.9	328	25.9	01/29/18 16:48	
4-Chloro-3-methylphenol	ug/kg	<35.8	657	35.8	01/29/18 16:48	
4-Chloroaniline	ug/kg	<64.7	657	64.7	01/29/18 16:48	
4-Chlorophenylphenyl ether	ug/kg	<31.9	328	31.9	01/29/18 16:48	
4-Nitroaniline	ug/kg	<84.6	657	84.6	01/29/18 16:48	
4-Nitrophenol	ug/kg	<51.8	1660	51.8	01/29/18 16:48	
Acenaphthene	ug/kg	<34.8	328	34.8	01/29/18 16:48	
Acenaphthylene	ug/kg	<30.9	328	30.9	01/29/18 16:48	
Anthracene	ug/kg	<34.8	328	34.8	01/29/18 16:48	
Benzo(a)anthracene	ug/kg	<29.9	328	29.9	01/29/18 16:48	
Benzo(a)pyrene	ug/kg	<25.9	328	25.9	01/29/18 16:48	
Benzo(b)fluoranthene	ug/kg	<22.9	328	22.9	01/29/18 16:48	
Benzo(g,h,i)perylene	ug/kg	<31.9	328	31.9	01/29/18 16:48	
Benzo(k)fluoranthene	ug/kg	<38.8	328	38.8	01/29/18 16:48	
Benzoic acid	ug/kg	<30.9	1660	30.9	01/29/18 16:48	
Benzyl alcohol	ug/kg	<103	657	103	01/29/18 16:48	
bis(2-Chloroethoxy)methane	ug/kg	<25.9	328	25.9	01/29/18 16:48	
bis(2-Chloroethyl) ether	ug/kg	<25.9	328	25.9	01/29/18 16:48	
bis(2-Chloroisopropyl) ether	ug/kg	<25.9	328	25.9	01/29/18 16:48	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

METHOD BLANK: 2095379

Matrix: Solid

Associated Lab Samples: 60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
bis(2-Ethylhexyl)phthalate	ug/kg	<113	328	113	01/29/18 16:48	
Butylbenzylphthalate	ug/kg	<42.8	328	42.8	01/29/18 16:48	
Carbazole	ug/kg	<26.9	328	26.9	01/29/18 16:48	
Chrysene	ug/kg	<27.9	328	27.9	01/29/18 16:48	
Di-n-butylphthalate	ug/kg	<34.8	328	34.8	01/29/18 16:48	
Di-n-octylphthalate	ug/kg	<38.8	328	38.8	01/29/18 16:48	
Dibenz(a,h)anthracene	ug/kg	<29.9	328	29.9	01/29/18 16:48	
Dibenzofuran	ug/kg	<29.9	328	29.9	01/29/18 16:48	
Diethylphthalate	ug/kg	<30.9	328	30.9	01/29/18 16:48	
Dimethylphthalate	ug/kg	<31.9	328	31.9	01/29/18 16:48	
Fluoranthene	ug/kg	<30.9	328	30.9	01/29/18 16:48	
Fluorene	ug/kg	<30.9	328	30.9	01/29/18 16:48	
Hexachloro-1,3-butadiene	ug/kg	<32.8	328	32.8	01/29/18 16:48	
Hexachlorobenzene	ug/kg	<31.9	328	31.9	01/29/18 16:48	
Hexachlorocyclopentadiene	ug/kg	<69.7	328	69.7	01/29/18 16:48	
Hexachloroethane	ug/kg	<24.9	328	24.9	01/29/18 16:48	
Indeno(1,2,3-cd)pyrene	ug/kg	<35.8	328	35.8	01/29/18 16:48	
Isophorone	ug/kg	<29.9	328	29.9	01/29/18 16:48	
N-Nitroso-di-n-propylamine	ug/kg	<32.8	328	32.8	01/29/18 16:48	
N-Nitrosodiphenylamine	ug/kg	<25.9	328	25.9	01/29/18 16:48	
Naphthalene	ug/kg	<25.9	328	25.9	01/29/18 16:48	
Nitrobenzene	ug/kg	<30.9	328	30.9	01/29/18 16:48	
Pentachlorophenol	ug/kg	<30.9	1660	30.9	01/29/18 16:48	
Phenanthrene	ug/kg	<30.9	328	30.9	01/29/18 16:48	
Phenol	ug/kg	<25.9	328	25.9	01/29/18 16:48	
Pyrene	ug/kg	<32.8	328	32.8	01/29/18 16:48	
Pyridine	ug/kg	<26.9	328	26.9	01/29/18 16:48	
2,4,6-Tribromophenol (S)	%	95	39-114		01/29/18 16:48	
2-Fluorobiphenyl (S)	%	77	61-109		01/29/18 16:48	
2-Fluorophenol (S)	%	77	46-102		01/29/18 16:48	
Nitrobenzene-d5 (S)	%	74	41-114		01/29/18 16:48	
Phenol-d6 (S)	%	77	48-102		01/29/18 16:48	
Terphenyl-d14 (S)	%	77	48-120		01/29/18 16:48	

LABORATORY CONTROL SAMPLE: 2095380

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	1660	1440	87	55-105	
1,2-Dichlorobenzene	ug/kg	1660	1320	79	55-100	
1,3-Dichlorobenzene	ug/kg	1660	1280	77	53-100	
1,4-Dichlorobenzene	ug/kg	1660	1310	79	54-100	
2,4,5-Trichlorophenol	ug/kg	1660	1430	86	55-113	
2,4,6-Trichlorophenol	ug/kg	1660	1410	85	56-111	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

LABORATORY CONTROL SAMPLE: 2095380

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dichlorophenol	ug/kg	1660	1440	87	58-108	
2,4-Dimethylphenol	ug/kg	1660	1220	73	54-107	
2,4-Dinitrophenol	ug/kg	1660	1300J	78	11-133	
2,4-Dinitrotoluene	ug/kg	1660	1380	83	57-114	
2,6-Dinitrotoluene	ug/kg	1660	1400	84	56-113	
2-Chloronaphthalene	ug/kg	1660	1320	79	54-107	
2-Chlorophenol	ug/kg	1660	1280	77	57-104	
2-Methylnaphthalene	ug/kg	1660	1340	80	57-105	
2-Methylphenol(o-Cresol)	ug/kg	1660	1280	77	57-104	
2-Nitroaniline	ug/kg	1660	1260	76	46-124	
2-Nitrophenol	ug/kg	1660	1410	85	51-113	
3&4-Methylphenol(m&p Cresol)	ug/kg	1660	1280	77	57-105	
3,3'-Dichlorobenzidine	ug/kg	1660	1180	71	3-152	
3-Nitroaniline	ug/kg	1660	975	59	29-122	
4,6-Dinitro-2-methylphenol	ug/kg	1660	1400J	84	22-125	
4-Bromophenylphenyl ether	ug/kg	1660	1430	86	57-110	
4-Chloro-3-methylphenol	ug/kg	1660	1380	83	61-108	
4-Chloroaniline	ug/kg	1660	721	43	10-112	
4-Chlorophenylphenyl ether	ug/kg	1660	1420	86	57-109	
4-Nitroaniline	ug/kg	1660	1300	78	47-117	
4-Nitrophenol	ug/kg	1660	1260J	76	53-118	
Acenaphthene	ug/kg	1660	1290	78	56-108	
Acenaphthylene	ug/kg	1660	1300	78	56-107	
Anthracene	ug/kg	1660	1350	81	58-111	
Benzo(a)anthracene	ug/kg	1660	1380	83	58-111	
Benzo(a)pyrene	ug/kg	1660	1390	84	58-109	
Benzo(b)fluoranthene	ug/kg	1660	1410	85	58-113	
Benzo(g,h,i)perylene	ug/kg	1660	1370	82	54-108	
Benzo(k)fluoranthene	ug/kg	1660	1380	83	56-111	
Benzoic acid	ug/kg	1660	935J	56	10-105	
Benzyl alcohol	ug/kg	1660	1330	80	58-106	
bis(2-Chloroethoxy)methane	ug/kg	1660	1290	78	56-104	
bis(2-Chloroethyl) ether	ug/kg	1660	1280	77	53-103	
bis(2-Chloroisopropyl) ether	ug/kg	1660	1060	64	55-102	
bis(2-Ethylhexyl)phthalate	ug/kg	1660	1340	81	58-117	
Butylbenzylphthalate	ug/kg	1660	1320	80	58-115	
Carbazole	ug/kg	1660	1330	80	58-112	
Chrysene	ug/kg	1660	1370	82	57-112	
Di-n-butylphthalate	ug/kg	1660	1330	80	61-112	
Di-n-octylphthalate	ug/kg	1660	1340	80	55-122	
Dibenz(a,h)anthracene	ug/kg	1660	1390	83	54-111	
Dibenzofuran	ug/kg	1660	1330	80	55-109	
Diethylphthalate	ug/kg	1660	1310	79	59-108	
Dimethylphthalate	ug/kg	1660	1330	80	58-106	
Fluoranthene	ug/kg	1660	1430	86	62-110	
Fluorene	ug/kg	1660	1360	82	57-109	
Hexachloro-1,3-butadiene	ug/kg	1660	1520	92	56-103	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

LABORATORY CONTROL SAMPLE: 2095380

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Hexachlorobenzene	ug/kg	1660	1450	87	56-111	
Hexachlorocyclopentadiene	ug/kg	3320	1820	55	22-62	
Hexachloroethane	ug/kg	1660	1250	75	54-99	
Indeno(1,2,3-cd)pyrene	ug/kg	1660	1360	82	54-109	
Isophorone	ug/kg	1660	1250	75	57-100	
N-Nitroso-di-n-propylamine	ug/kg	1660	1230	74	57-98	
N-Nitrosodiphenylamine	ug/kg	1660	1380	83	58-109	
Naphthalene	ug/kg	1660	1330	80	56-104	
Nitrobenzene	ug/kg	1660	1300	78	57-104	
Pentachlorophenol	ug/kg	1660	1560J	94	46-118	
Phenanthrene	ug/kg	1660	1330	80	57-111	
Phenol	ug/kg	1660	1210	73	55-105	
Pyrene	ug/kg	1660	1320	80	58-112	
Pyridine	ug/kg	1660	922	55	41-71	
2,4,6-Tribromophenol (S)	%			102	39-114	
2-Fluorobiphenyl (S)	%			78	61-109	
2-Fluorophenol (S)	%			80	46-102	
Nitrobenzene-d5 (S)	%			77	41-114	
Phenol-d6 (S)	%			80	48-102	
Terphenyl-d14 (S)	%			85	48-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2095381 2095382

Parameter	Units	60262644001		MSD		MSD		MSD		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Result	Spike Conc.	Result	Spike Conc.	Result	Spike Conc.	% Rec	Spike Conc.				
1,2,4-Trichlorobenzene	ug/kg	<36.9	2060	2090	1610	1540	79	74	49-100	5	26				
1,2-Dichlorobenzene	ug/kg	<30.8	2060	2090	1430	1340	70	64	48-98	6	26				
1,3-Dichlorobenzene	ug/kg	<34.5	2060	2090	1380	1280	67	61	48-95	8	26				
1,4-Dichlorobenzene	ug/kg	<35.7	2060	2090	1420	1310	69	63	48-96	8	26				
2,4,5-Trichlorophenol	ug/kg	<36.9	2060	2090	1620	1630	79	78	51-111	1	27				
2,4,6-Trichlorophenol	ug/kg	<38.2	2060	2090	1590	1600	77	77	44-112	1	29				
2,4-Dichlorophenol	ug/kg	<36.9	2060	2090	1590	1570	77	75	51-105	1	27				
2,4-Dimethylphenol	ug/kg	<22.2	2060	2090	1270	1230	62	59	18-118	3	34				
2,4-Dinitrophenol	ug/kg	<59.1	2060	2090	878J	731J	43	35	10-131		12				
2,4-Dinitrotoluene	ug/kg	<34.5	2060	2090	1650	1590	80	76	25-132	4	27				
2,6-Dinitrotoluene	ug/kg	<41.9	2060	2090	1640	1580	80	76	31-125	4	27				
2-Chloronaphthalene	ug/kg	<34.5	2060	2090	1560	1480	76	71	47-106	6	29				
2-Chlorophenol	ug/kg	<33.3	2060	2090	1380	1320	67	63	47-103	5	28				
2-Methylnaphthalene	ug/kg	41.2J	2060	2090	1580	1500	75	70	48-105	6	29				
2-Methylphenol(o-Cresol)	ug/kg	<38.2	2060	2090	1370	1290	67	62	40-105	6	28				
2-Nitroaniline	ug/kg	<69.0	2060	2090	1480	1430	72	69	38-130	4	27				
2-Nitrophenol	ug/kg	<56.6	2060	2090	1470	1470	71	70	22-129	0	29				
3&4-Methylphenol(m&p Cresol)	ug/kg	<44.3	2060	2090	1410	1320	68	63	37-110	6	27				
3,3'-Dichlorobenzidine	ug/kg	<139	2060	2090	112J	264J	5	13	10-138		38 M1				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2095381											
2095382											
Parameter	Units	60262644001 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max	
			Spike Conc.	Spike Conc.						RPD	RPD
3-Nitroaniline	ug/kg	<123	2060	2090	908	1020	44	49	23-126	12	32
4,6-Dinitro-2-methylphenol	ug/kg	<54.2	2060	2090	1040J	888J	50	43	10-139		67
4-Bromophenylphenyl ether	ug/kg	<32.0	2060	2090	1690	1600	82	77	51-108	5	28
4-Chloro-3-methylphenol	ug/kg	<44.3	2060	2090	1620	1530	79	73	50-108	6	30
4-Chloroaniline	ug/kg	<80.0	2060	2090	609J	674J	30	32	17-91		32
4-Chlorophenylphenyl ether	ug/kg	<39.4	2060	2090	1700	1640	83	79	48-107	4	27
4-Nitroaniline	ug/kg	<105	2060	2090	1060	1160	51	56	20-122	9	28
4-Nitrophenol	ug/kg	<64.0	2060	2090	1420J	1440J	69	69	47-113		26
Acenaphthene	ug/kg	<43.1	2060	2090	1560	1520	76	73	43-112	2	27
Acenaphthylene	ug/kg	<38.2	2060	2090	1560	1490	76	72	45-108	4	27
Anthracene	ug/kg	69.2J	2060	2090	1610	1590	75	73	39-118	2	27
Benzo(a)anthracene	ug/kg	299J	2060	2090	1800	1950	73	79	43-112	8	29
Benzo(a)pyrene	ug/kg	380J	2060	2090	1770	2040	68	79	39-112	14	30
Benzo(b)fluoranthene	ug/kg	521	2060	2090	1960	2160	70	79	41-114	10	33
Benzo(g,h,i)perylene	ug/kg	335J	2060	2090	1570	1760	60	68	30-111	11	31
Benzo(k)fluoranthene	ug/kg	197J	2060	2090	1600	1680	68	71	33-120	5	28
Benzoic acid	ug/kg	<38.2	2060	2090	469J	440J	23	21	10-126		17
Benzyl alcohol	ug/kg	<127	2060	2090	1570	1440	76	69	50-109	9	27
bis(2-Chloroethoxy)methane	ug/kg	<32.0	2060	2090	1460	1370	71	66	48-101	6	27
bis(2-Chloroethyl) ether	ug/kg	<32.0	2060	2090	1470	1350	71	65	47-102	8	26
bis(2-Chloroisopropyl) ether	ug/kg	<32.0	2060	2090	1180	1080	57	52	44-103	9	25
bis(2-Ethylhexyl)phthalate	ug/kg	<140	2060	2090	1680	1650	82	79	41-132	2	25
Butylbenzylphthalate	ug/kg	<53.0	2060	2090	1610	1580	78	76	42-133	2	26
Carbazole	ug/kg	<33.3	2060	2090	1540	1510	75	72	45-110	2	25
Chrysene	ug/kg	336J	2060	2090	1830	1960	73	78	45-110	7	29
Di-n-butylphthalate	ug/kg	<43.1	2060	2090	1600	1540	78	74	49-115	4	27
Di-n-octylphthalate	ug/kg	<48.0	2060	2090	1640	1570	80	75	41-138	4	25
Dibenz(a,h)anthracene	ug/kg	93.6J	2060	2090	1580	1610	72	73	39-110	2	29
Dibenzofuran	ug/kg	<36.9	2060	2090	1590	1530	77	73	47-107	4	27
Diethylphthalate	ug/kg	<38.2	2060	2090	1570	1500	76	72	48-108	4	26
Dimethylphthalate	ug/kg	<39.4	2060	2090	1550	1490	75	71	47-106	4	26
Fluoranthene	ug/kg	539	2060	2090	2070	2170	74	78	34-121	5	34
Fluorene	ug/kg	<38.2	2060	2090	1640	1580	80	76	42-112	3	28
Hexachloro-1,3-butadiene	ug/kg	<40.6	2060	2090	1670	1600	81	77	48-100	4	27
Hexachlorobenzene	ug/kg	<39.4	2060	2090	1660	1660	81	80	47-107	0	27
Hexachlorocyclopentadiene	ug/kg	<86.2	4110	4170	1570	1510	38	36	10-68	4	36
Hexachloroethane	ug/kg	<30.8	2060	2090	1370	1260	67	61	37-101	8	29
Indeno(1,2,3-cd)pyrene	ug/kg	287J	2060	2090	1620	1800	65	72	32-113	10	29
Isophorone	ug/kg	<36.9	2060	2090	1410	1330	69	64	47-99	6	27
N-Nitroso-di-n-propylamine	ug/kg	<40.6	2060	2090	1420	1310	69	63	45-105	8	27
N-Nitrosodiphenylamine	ug/kg	<32.0	2060	2090	1650	1580	80	76	43-110	4	28
Naphthalene	ug/kg	43.0J	2060	2090	1520	1440	72	67	46-106	5	28
Nitrobenzene	ug/kg	<38.2	2060	2090	1440	1360	70	65	45-105	5	29
Pentachlorophenol	ug/kg	<38.2	2060	2090	1390J	1360J	67	65	27-124		18
Phenanthrene	ug/kg	256J	2060	2090	1800	1830	75	75	49-110	1	26
Phenol	ug/kg	<32.0	2060	2090	1330	1230	65	59	45-103	7	27

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2095381 2095382											
Parameter	Units	60262644001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
Pyrene	ug/kg	465	2060	2090	1940	2080	72	78	47-117	7	30
Pyridine	ug/kg	<33.3	2060	2090	807	733	39	35	10-85	10	28
2,4,6-Tribromophenol (S)	%						90	91	39-114		
2-Fluorobiphenyl (S)	%						75	69	61-109		
2-Fluorophenol (S)	%						66	62	46-102		
Nitrobenzene-d5 (S)	%						69	64	41-114		
Phenol-d6 (S)	%						71	65	48-102		
Terphenyl-d14 (S)	%						83	80	48-120		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 512424

Analysis Method: EPA 8270

QC Batch Method: EPA 3546

Analysis Description: 8270 Solid MSSV Microwave

Associated Lab Samples: 60262644007

METHOD BLANK: 2097904

Matrix: Solid

Associated Lab Samples: 60262644007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	<29.9	329	29.9	01/31/18 16:42	
1,2-Dichlorobenzene	ug/kg	<24.9	329	24.9	01/31/18 16:42	
1,3-Dichlorobenzene	ug/kg	<27.9	329	27.9	01/31/18 16:42	
1,4-Dichlorobenzene	ug/kg	<28.9	329	28.9	01/31/18 16:42	
2,4,5-Trichlorophenol	ug/kg	<29.9	329	29.9	01/31/18 16:42	
2,4,6-Trichlorophenol	ug/kg	<30.9	329	30.9	01/31/18 16:42	
2,4-Dichlorophenol	ug/kg	<29.9	329	29.9	01/31/18 16:42	
2,4-Dimethylphenol	ug/kg	<18.0	329	18.0	01/31/18 16:42	
2,4-Dinitrophenol	ug/kg	<47.9	1670	47.9	01/31/18 16:42	
2,4-Dinitrotoluene	ug/kg	<27.9	329	27.9	01/31/18 16:42	
2,6-Dinitrotoluene	ug/kg	<33.9	329	33.9	01/31/18 16:42	
2-Chloronaphthalene	ug/kg	<27.9	329	27.9	01/31/18 16:42	
2-Chlorophenol	ug/kg	<26.9	329	26.9	01/31/18 16:42	
2-Methylnaphthalene	ug/kg	<23.9	329	23.9	01/31/18 16:42	
2-Methylphenol(o-Cresol)	ug/kg	<30.9	329	30.9	01/31/18 16:42	
2-Nitroaniline	ug/kg	<55.9	658	55.9	01/31/18 16:42	
2-Nitrophenol	ug/kg	<45.9	329	45.9	01/31/18 16:42	
3&4-Methylphenol(m&p Cresol)	ug/kg	<35.9	329	35.9	01/31/18 16:42	
3,3'-Dichlorobenzidine	ug/kg	<113	658	113	01/31/18 16:42	
3-Nitroaniline	ug/kg	<99.7	658	99.7	01/31/18 16:42	
4,6-Dinitro-2-methylphenol	ug/kg	<43.9	1670	43.9	01/31/18 16:42	
4-Bromophenylphenyl ether	ug/kg	<25.9	329	25.9	01/31/18 16:42	
4-Chloro-3-methylphenol	ug/kg	<35.9	658	35.9	01/31/18 16:42	
4-Chloroaniline	ug/kg	<64.8	658	64.8	01/31/18 16:42	
4-Chlorophenylphenyl ether	ug/kg	<31.9	329	31.9	01/31/18 16:42	
4-Nitroaniline	ug/kg	<84.8	658	84.8	01/31/18 16:42	
4-Nitrophenol	ug/kg	<51.9	1670	51.9	01/31/18 16:42	
Acenaphthene	ug/kg	<34.9	329	34.9	01/31/18 16:42	
Acenaphthylene	ug/kg	<30.9	329	30.9	01/31/18 16:42	
Anthracene	ug/kg	<34.9	329	34.9	01/31/18 16:42	
Benzo(a)anthracene	ug/kg	<29.9	329	29.9	01/31/18 16:42	
Benzo(a)pyrene	ug/kg	<25.9	329	25.9	01/31/18 16:42	
Benzo(b)fluoranthene	ug/kg	<22.9	329	22.9	01/31/18 16:42	
Benzo(g,h,i)perylene	ug/kg	<31.9	329	31.9	01/31/18 16:42	
Benzo(k)fluoranthene	ug/kg	<38.9	329	38.9	01/31/18 16:42	
Benzoic acid	ug/kg	<30.9	1670	30.9	01/31/18 16:42	
Benzyl alcohol	ug/kg	<103	658	103	01/31/18 16:42	
bis(2-Chloroethoxy)methane	ug/kg	<25.9	329	25.9	01/31/18 16:42	
bis(2-Chloroethyl) ether	ug/kg	<25.9	329	25.9	01/31/18 16:42	
bis(2-Chloroisopropyl) ether	ug/kg	<25.9	329	25.9	01/31/18 16:42	
bis(2-Ethylhexyl)phthalate	ug/kg	<114	329	114	01/31/18 16:42	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

METHOD BLANK: 2097904

Matrix: Solid

Associated Lab Samples: 60262644007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Butylbenzylphthalate	ug/kg	<42.9	329	42.9	01/31/18 16:42	
Carbazole	ug/kg	<26.9	329	26.9	01/31/18 16:42	
Chrysene	ug/kg	<27.9	329	27.9	01/31/18 16:42	
Di-n-butylphthalate	ug/kg	<34.9	329	34.9	01/31/18 16:42	
Di-n-octylphthalate	ug/kg	<38.9	329	38.9	01/31/18 16:42	
Dibenz(a,h)anthracene	ug/kg	<29.9	329	29.9	01/31/18 16:42	
Dibenzofuran	ug/kg	<29.9	329	29.9	01/31/18 16:42	
Diethylphthalate	ug/kg	<30.9	329	30.9	01/31/18 16:42	
Dimethylphthalate	ug/kg	<31.9	329	31.9	01/31/18 16:42	
Fluoranthene	ug/kg	<30.9	329	30.9	01/31/18 16:42	
Fluorene	ug/kg	<30.9	329	30.9	01/31/18 16:42	
Hexachloro-1,3-butadiene	ug/kg	<32.9	329	32.9	01/31/18 16:42	
Hexachlorobenzene	ug/kg	<31.9	329	31.9	01/31/18 16:42	
Hexachlorocyclopentadiene	ug/kg	<69.8	329	69.8	01/31/18 16:42	
Hexachloroethane	ug/kg	<24.9	329	24.9	01/31/18 16:42	
Indeno(1,2,3-cd)pyrene	ug/kg	<35.9	329	35.9	01/31/18 16:42	
Isophorone	ug/kg	<29.9	329	29.9	01/31/18 16:42	
N-Nitroso-di-n-propylamine	ug/kg	<32.9	329	32.9	01/31/18 16:42	
N-Nitrosodiphenylamine	ug/kg	<25.9	329	25.9	01/31/18 16:42	
Naphthalene	ug/kg	<25.9	329	25.9	01/31/18 16:42	
Nitrobenzene	ug/kg	<30.9	329	30.9	01/31/18 16:42	
Pentachlorophenol	ug/kg	<30.9	1670	30.9	01/31/18 16:42	
Phenanthrene	ug/kg	<30.9	329	30.9	01/31/18 16:42	
Phenol	ug/kg	<25.9	329	25.9	01/31/18 16:42	
Pyrene	ug/kg	<32.9	329	32.9	01/31/18 16:42	
Pyridine	ug/kg	<26.9	329	26.9	01/31/18 16:42	
2,4,6-Tribromophenol (S)	%	106	39-114		01/31/18 16:42	
2-Fluorobiphenyl (S)	%	94	61-109		01/31/18 16:42	
2-Fluorophenol (S)	%	93	46-102		01/31/18 16:42	
Nitrobenzene-d5 (S)	%	89	41-114		01/31/18 16:42	
Phenol-d6 (S)	%	95	48-102		01/31/18 16:42	
Terphenyl-d14 (S)	%	96	48-120		01/31/18 16:42	

LABORATORY CONTROL SAMPLE: 2097905

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	1620	1240	76	55-105	
1,2-Dichlorobenzene	ug/kg	1620	1220	75	55-100	
1,3-Dichlorobenzene	ug/kg	1620	1200	74	53-100	
1,4-Dichlorobenzene	ug/kg	1620	1200	74	54-100	
2,4,5-Trichlorophenol	ug/kg	1620	1350	83	55-113	
2,4,6-Trichlorophenol	ug/kg	1620	1330	82	56-111	
2,4-Dichlorophenol	ug/kg	1620	1270	79	58-108	
2,4-Dimethylphenol	ug/kg	1620	1190	74	54-107	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

LABORATORY CONTROL SAMPLE: 2097905

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrophenol	ug/kg	1620	1080J	66	11-133	
2,4-Dinitrotoluene	ug/kg	1620	1380	85	57-114	
2,6-Dinitrotoluene	ug/kg	1620	1360	84	56-113	
2-Chloronaphthalene	ug/kg	1620	1280	79	54-107	
2-Chlorophenol	ug/kg	1620	1270	78	57-104	
2-Methylnaphthalene	ug/kg	1620	1220	75	57-105	
2-Methylphenol(o-Cresol)	ug/kg	1620	1250	77	57-104	
2-Nitroaniline	ug/kg	1620	1350	83	46-124	
2-Nitrophenol	ug/kg	1620	1290	79	51-113	
3&4-Methylphenol(m&p Cresol)	ug/kg	1620	1250	77	57-105	
3,3'-Dichlorobenzidine	ug/kg	1620	1150	71	3-152	
3-Nitroaniline	ug/kg	1620	1320	82	29-122	
4,6-Dinitro-2-methylphenol	ug/kg	1620	1290J	79	22-125	
4-Bromophenylphenyl ether	ug/kg	1620	1340	83	57-110	
4-Chloro-3-methylphenol	ug/kg	1620	1300	80	61-108	
4-Chloroaniline	ug/kg	1620	1080	66	10-112	
4-Chlorophenylphenyl ether	ug/kg	1620	1320	82	57-109	
4-Nitroaniline	ug/kg	1620	1350	83	47-117	
4-Nitrophenol	ug/kg	1620	1320J	81	53-118	
Acenaphthene	ug/kg	1620	1290	79	56-108	
Acenaphthylene	ug/kg	1620	1270	78	56-107	
Anthracene	ug/kg	1620	1330	82	58-111	
Benzo(a)anthracene	ug/kg	1620	1360	84	58-111	
Benzo(a)pyrene	ug/kg	1620	1380	85	58-109	
Benzo(b)fluoranthene	ug/kg	1620	1400	86	58-113	
Benzo(g,h,i)perylene	ug/kg	1620	1310	80	54-108	
Benzo(k)fluoranthene	ug/kg	1620	1350	83	56-111	
Benzoic acid	ug/kg	1620	836J	51	10-105	
Benzyl alcohol	ug/kg	1620	1300	80	58-106	
bis(2-Chloroethoxy)methane	ug/kg	1620	1210	75	56-104	
bis(2-Chloroethyl) ether	ug/kg	1620	1190	74	53-103	
bis(2-Chloroisopropyl) ether	ug/kg	1620	1170	72	55-102	
bis(2-Ethylhexyl)phthalate	ug/kg	1620	1320	82	58-117	
Butylbenzylphthalate	ug/kg	1620	1310	81	58-115	
Carbazole	ug/kg	1620	1330	82	58-112	
Chrysene	ug/kg	1620	1340	83	57-112	
Di-n-butylphthalate	ug/kg	1620	1350	83	61-112	
Di-n-octylphthalate	ug/kg	1620	1360	84	55-122	
Dibenz(a,h)anthracene	ug/kg	1620	1320	81	54-111	
Dibenzofuran	ug/kg	1620	1290	79	55-109	
Diethylphthalate	ug/kg	1620	1280	79	59-108	
Dimethylphthalate	ug/kg	1620	1300	80	58-106	
Fluoranthene	ug/kg	1620	1370	84	62-110	
Fluorene	ug/kg	1620	1290	80	57-109	
Hexachloro-1,3-butadiene	ug/kg	1620	1260	77	56-103	
Hexachlorobenzene	ug/kg	1620	1390	86	56-111	
Hexachlorocyclopentadiene	ug/kg	3250	1470	45	22-62	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

LABORATORY CONTROL SAMPLE: 2097905

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Hexachloroethane	ug/kg	1620	1190	73	54-99	
Indeno(1,2,3-cd)pyrene	ug/kg	1620	1320	81	54-109	
Isophorone	ug/kg	1620	1200	74	57-100	
N-Nitroso-di-n-propylamine	ug/kg	1620	1210	75	57-98	
N-Nitrosodiphenylamine	ug/kg	1620	1330	82	58-109	
Naphthalene	ug/kg	1620	1230	76	56-104	
Nitrobenzene	ug/kg	1620	1230	76	57-104	
Pentachlorophenol	ug/kg	1620	1410J	87	46-118	
Phenanthrene	ug/kg	1620	1330	82	57-111	
Phenol	ug/kg	1620	1260	77	55-105	
Pyrene	ug/kg	1620	1310	81	58-112	
Pyridine	ug/kg	1620	903	56	41-71	
2,4,6-Tribromophenol (S)	%			95	39-114	
2-Fluorobiphenyl (S)	%			82	61-109	
2-Fluorophenol (S)	%			82	46-102	
Nitrobenzene-d5 (S)	%			77	41-114	
Phenol-d6 (S)	%			82	48-102	
Terphenyl-d14 (S)	%			87	48-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2097906 2097907

Parameter	Units	60262831016 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
1,2,4-Trichlorobenzene	ug/kg	<1570	18300	18300	9570J	7690J	52	42	49-100	26	M1
1,2-Dichlorobenzene	ug/kg	<1310	18300	18300	8710J	6830J	48	37	48-98	26	M1
1,3-Dichlorobenzene	ug/kg	<1470	18300	18300	8050J	6620J	44	36	48-95	26	M1
1,4-Dichlorobenzene	ug/kg	<1520	18300	18300	8090J	6610J	44	36	48-96	26	M1
2,4,5-Trichlorophenol	ug/kg	<1570	18300	18300	9770J	7720J	53	42	51-111	27	M1
2,4,6-Trichlorophenol	ug/kg	<1620	18300	18300	9900J	7650J	54	42	44-112	29	M1
2,4-Dichlorophenol	ug/kg	<1570	18300	18300	9080J	7260J	50	40	51-105	27	M1
2,4-Dimethylphenol	ug/kg	<943	18300	18300	8830J	7280J	48	40	18-118	34	
2,4-Dinitrophenol	ug/kg	<2520	18300	18300	<54.9	<54.8	0	0	10-131	12	M1
2,4-Dinitrotoluene	ug/kg	<1470	18300	18300	8820J	6700J	48	37	25-132	27	
2,6-Dinitrotoluene	ug/kg	<1780	18300	18300	8520J	6610J	47	36	31-125	27	
2-Chloronaphthalene	ug/kg	<1470	18300	18300	9510J	7670J	52	42	47-106	29	M1
2-Chlorophenol	ug/kg	<1410	18300	18300	8780J	6980J	48	38	47-103	28	M1
2-Methylnaphthalene	ug/kg	<1260	18300	18300	9230J	7280J	50	40	48-105	29	M1
2-Methylphenol(o-Cresol)	ug/kg	<1620	18300	18300	9230J	7260J	50	40	40-105	28	
2-Nitroaniline	ug/kg	<2930	18300	18300	9660J	8590J	53	47	38-130	27	
2-Nitrophenol	ug/kg	<2410	18300	18300	8900J	6200J	49	34	22-129	29	
3&4-Methylphenol(m&p Cresol)	ug/kg	<1890	18300	18300	14200J	11100J	78	61	37-110	27	
3,3'-Dichlorobenzidine	ug/kg	<5920	18300	18300	<54.9	<54.8	0	0	10-138	38	M1
3-Nitroaniline	ug/kg	<5240	18300	18300	6800J	5750J	37	32	23-126	32	
4,6-Dinitro-2-methylphenol	ug/kg	<2310	18300	18300	<54.9	<54.8	0	0	10-139	67	M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:			2097906		2097907									
Parameter	Units	60262831016		MS	MSD	MS	MSD	MS	MSD	% Rec	Limits	RPD	Max	Qual
		Result	Conc.	Spike	Spike									
4-Bromophenylphenyl ether	ug/kg	<1360	18300	18300	18300	10100J	7910J	55	43	51-108		28	M1	
4-Chloro-3-methylphenol	ug/kg	<1890	18300	18300	18300	9050J	7240J	49	40	50-108		30	M1	
4-Chloroaniline	ug/kg	<3410	18300	18300	18300	5050J	4070J	28	22	17-91		32		
4-Chlorophenylphenyl ether	ug/kg	<1680	18300	18300	18300	9830J	8250J	54	45	48-107		27	M1	
4-Nitroaniline	ug/kg	<4450	18300	18300	18300	8380J	9320J	46	51	20-122		28		
4-Nitrophenol	ug/kg	<2730	18300	18300	18300	11600J	9430J	64	52	47-113		26		
Acenaphthene	ug/kg	<1830	18300	18300	18300	9520J	7710J	52	42	43-112		27	M1	
Acenaphthylene	ug/kg	<1620	18300	18300	18300	9530J	7730J	52	42	45-108		27	M1	
Anthracene	ug/kg	<1830	18300	18300	18300	9710J	7910J	53	43	39-118		27		
Benzo(a)anthracene	ug/kg	<1570	18300	18300	18300	9580J	7930J	52	43	43-112		29		
Benzo(a)pyrene	ug/kg	<1360	18300	18300	18300	9520J	7750J	52	42	39-112		30		
Benzo(b)fluoranthene	ug/kg	<1210	18300	18300	18300	9880J	8270J	54	45	41-114		33		
Benzo(g,h,i)perylene	ug/kg	<1680	18300	18300	18300	10100J	8070J	55	44	30-111		31		
Benzo(k)fluoranthene	ug/kg	<2040	18300	18300	18300	9880J	7700J	54	42	33-120		28		
Benzoic acid	ug/kg	<1620	18300	18300	18300	8590J	7790J	47	43	10-126		17		
Benzyl alcohol	ug/kg	<5400	18300	18300	18300	8350J	6860J	46	38	50-109		27	M1	
bis(2-Chloroethoxy)methane	ug/kg	<1360	18300	18300	18300	8500J	6850J	46	38	48-101		27	M1	
bis(2-Chloroethyl) ether	ug/kg	<1360	18300	18300	18300	9160J	7450J	50	41	47-102		26	M1	
bis(2-Chloroisopropyl) ether	ug/kg	<1360	18300	18300	18300	8180J	6370J	45	35	44-103		25	M1	
bis(2-Ethylhexyl)phthalate	ug/kg	<5970	18300	18300	18300	17200J	14400J	66	51	41-132		25		
Butylbenzylphthalate	ug/kg	<2250	18300	18300	18300	11700J	13100J	64	72	42-133		26		
Carbazole	ug/kg	<1410	18300	18300	18300	9750J	7730J	53	42	45-110		25	M1	
Chrysene	ug/kg	<1470	18300	18300	18300	10000J	8420J	55	46	45-110		29		
Di-n-butylphthalate	ug/kg	<1830	18300	18300	18300	10900J	8870J	60	49	49-115		27		
Di-n-octylphthalate	ug/kg	<2040	18300	18300	18300	10900J	9000J	59	49	41-138		25		
Dibenz(a,h)anthracene	ug/kg	<1570	18300	18300	18300	10600J	7740J	58	42	39-110		29		
Dibenzofuran	ug/kg	<1570	18300	18300	18300	9540J	7890J	52	43	47-107		27	M1	
Diethylphthalate	ug/kg	<1620	18300	18300	18300	9750J	8070J	53	44	48-108		26	M1	
Dimethylphthalate	ug/kg	<1680	18300	18300	18300	9090J	7480J	50	41	47-106		26	M1	
Fluoranthene	ug/kg	<1620	18300	18300	18300	9480J	7770J	52	43	34-121		34		
Fluorene	ug/kg	<1620	18300	18300	18300	9550J	7920J	52	43	42-112		28		
Hexachloro-1,3-butadiene	ug/kg	<1730	18300	18300	18300	9530J	7110J	52	39	48-100		27	M1	
Hexachlorobenzene	ug/kg	<1680	18300	18300	18300	9800J	7360J	54	40	47-107		27	M1	
Hexachlorocyclopentadiene	ug/kg	<3670	36500	36500		<54.9	<54.8	0	0	10-68		36	M1	
Hexachloroethane	ug/kg	<1310	18300	18300	18300	8280J	6250J	45	34	37-101		29	M1	
Indeno(1,2,3-cd)pyrene	ug/kg	<1890	18300	18300	18300	9890J	7710J	54	42	32-113		29		
Isophorone	ug/kg	<1570	18300	18300	18300	8490J	6690J	46	37	47-99		27	M1	
N-Nitroso-di-n-propylamine	ug/kg	<1730	18300	18300	18300	8550J	7060J	47	39	45-105		27	M1	
N-Nitrosodiphenylamine	ug/kg	<1360	18300	18300	18300	9760J	8090J	53	44	43-110		28		
Naphthalene	ug/kg	<1360	18300	18300	18300	9430J	7220J	52	40	46-106		28	M1	
Nitrobenzene	ug/kg	<1620	18300	18300	18300	9380J	7460J	51	41	45-105		29	M1	
Pentachlorophenol	ug/kg	<1620	18300	18300	18300	8260J	6420J	45	35	27-124		18		
Phenanthrene	ug/kg	<1620	18300	18300	18300	9910J	7700J	54	42	49-110		26	M1	
Phenol	ug/kg	<1360	18300	18300	18300	8710J	7130J	48	39	45-103		27	M1	
Pyrene	ug/kg	<1730	18300	18300	18300	12200J	9870J	67	54	47-117		30		
Pyridine	ug/kg	<1410	18300	18300	18300	6150J	5020J	34	27	10-85		28		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2097906 2097907											
Parameter	Units	60262831016 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
2,4,6-Tribromophenol (S)	%						54	43	39-114		
2-Fluorobiphenyl (S)	%						51	43	61-109		S2
2-Fluorophenol (S)	%						49	37	46-102		S2
Nitrobenzene-d5 (S)	%						50	39	41-114		D3,S2
Phenol-d6 (S)	%						50	39	48-102		S2
Terphenyl-d14 (S)	%						59	48	48-120		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 511741

Analysis Method: EPA 8270

QC Batch Method: EPA 3510

Analysis Description: 8270 Water MSSV, RV

Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

METHOD BLANK: 2095369

Matrix: Water

Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/L	<0.33	10.0	0.33	01/26/18 17:06	
1,2-Dichlorobenzene	ug/L	<0.29	10.0	0.29	01/26/18 17:06	
1,3-Dichlorobenzene	ug/L	<0.54	10.0	0.54	01/26/18 17:06	
1,4-Dichlorobenzene	ug/L	<0.41	10.0	0.41	01/26/18 17:06	
2,4,5-Trichlorophenol	ug/L	<0.33	50.0	0.33	01/26/18 17:06	
2,4,6-Trichlorophenol	ug/L	<0.39	10.0	0.39	01/26/18 17:06	
2,4-Dichlorophenol	ug/L	<0.52	10.0	0.52	01/26/18 17:06	
2,4-Dimethylphenol	ug/L	<0.60	10.0	0.60	01/26/18 17:06	
2,4-Dinitrophenol	ug/L	<8.4	50.0	8.4	01/26/18 17:06	
2,4-Dinitrotoluene	ug/L	<0.33	10.0	0.33	01/26/18 17:06	
2,6-Dinitrotoluene	ug/L	<0.28	10.0	0.28	01/26/18 17:06	
2-Chloronaphthalene	ug/L	<0.35	10.0	0.35	01/26/18 17:06	
2-Chlorophenol	ug/L	<0.30	10.0	0.30	01/26/18 17:06	
2-Methylnaphthalene	ug/L	<0.26	10.0	0.26	01/26/18 17:06	
2-Methylphenol(o-Cresol)	ug/L	<0.28	10.0	0.28	01/26/18 17:06	
2-Nitroaniline	ug/L	<0.42	50.0	0.42	01/26/18 17:06	
2-Nitrophenol	ug/L	<0.28	10.0	0.28	01/26/18 17:06	
3&4-Methylphenol(m&p Cresol)	ug/L	<5.0	10.0	5.0	01/26/18 17:06	
3,3'-Dichlorobenzidine	ug/L	<0.39	20.0	0.39	01/26/18 17:06	
3-Nitroaniline	ug/L	<0.35	50.0	0.35	01/26/18 17:06	
4,6-Dinitro-2-methylphenol	ug/L	<0.55	50.0	0.55	01/26/18 17:06	
4-Bromophenylphenyl ether	ug/L	<0.38	10.0	0.38	01/26/18 17:06	
4-Chloro-3-methylphenol	ug/L	<0.25	20.0	0.25	01/26/18 17:06	
4-Chloroaniline	ug/L	<0.52	20.0	0.52	01/26/18 17:06	
4-Chlorophenylphenyl ether	ug/L	<0.30	10.0	0.30	01/26/18 17:06	
4-Nitroaniline	ug/L	<0.35	50.0	0.35	01/26/18 17:06	
4-Nitrophenol	ug/L	<0.31	50.0	0.31	01/26/18 17:06	
Acenaphthene	ug/L	<0.36	10.0	0.36	01/26/18 17:06	
Acenaphthylene	ug/L	<0.38	10.0	0.38	01/26/18 17:06	
Anthracene	ug/L	<0.30	10.0	0.30	01/26/18 17:06	
Benzo(a)anthracene	ug/L	<0.29	10.0	0.29	01/26/18 17:06	
Benzo(a)pyrene	ug/L	<0.36	10.0	0.36	01/26/18 17:06	
Benzo(b)fluoranthene	ug/L	<0.35	10.0	0.35	01/26/18 17:06	
Benzo(g,h,i)perylene	ug/L	<0.40	10.0	0.40	01/26/18 17:06	
Benzo(k)fluoranthene	ug/L	<0.42	10.0	0.42	01/26/18 17:06	
Benzoic acid	ug/L	<2.5	50.0	2.5	01/26/18 17:06	
Benzyl alcohol	ug/L	<0.35	20.0	0.35	01/26/18 17:06	
bis(2-Chloroethoxy)methane	ug/L	<5.0	10.0	5.0	01/26/18 17:06	
bis(2-Chloroethyl) ether	ug/L	<0.29	10.0	0.29	01/26/18 17:06	
bis(2-Chloroisopropyl) ether	ug/L	<0.29	10.0	0.29	01/26/18 17:06	
bis(2-Ethylhexyl)phthalate	ug/L	<0.62	10.0	0.62	01/26/18 17:06	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

METHOD BLANK: 2095369

Matrix: Water

Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Butylbenzylphthalate	ug/L	<0.40	10.0	0.40	01/26/18 17:06	
Carbazole	ug/L	<0.35	10.0	0.35	01/26/18 17:06	
Chrysene	ug/L	<0.36	10.0	0.36	01/26/18 17:06	
Di-n-butylphthalate	ug/L	<0.39	10.0	0.39	01/26/18 17:06	
Di-n-octylphthalate	ug/L	<0.50	10.0	0.50	01/26/18 17:06	
Dibenz(a,h)anthracene	ug/L	<0.45	10.0	0.45	01/26/18 17:06	
Dibenzofuran	ug/L	<0.39	10.0	0.39	01/26/18 17:06	
Diethylphthalate	ug/L	<0.45	10.0	0.45	01/26/18 17:06	
Dimethylphthalate	ug/L	<0.35	10.0	0.35	01/26/18 17:06	
Fluoranthene	ug/L	<0.37	10.0	0.37	01/26/18 17:06	
Fluorene	ug/L	<0.34	10.0	0.34	01/26/18 17:06	
Hexachloro-1,3-butadiene	ug/L	<0.38	10.0	0.38	01/26/18 17:06	
Hexachlorobenzene	ug/L	<0.30	10.0	0.30	01/26/18 17:06	
Hexachlorocyclopentadiene	ug/L	<0.35	10.0	0.35	01/26/18 17:06	
Hexachloroethane	ug/L	<0.29	10.0	0.29	01/26/18 17:06	
Indeno(1,2,3-cd)pyrene	ug/L	<0.32	10.0	0.32	01/26/18 17:06	
Isophorone	ug/L	<0.28	10.0	0.28	01/26/18 17:06	
N-Nitroso-di-n-propylamine	ug/L	<0.27	10.0	0.27	01/26/18 17:06	
N-Nitrosodiphenylamine	ug/L	<0.40	10.0	0.40	01/26/18 17:06	
Naphthalene	ug/L	<0.36	10.0	0.36	01/26/18 17:06	
Nitrobenzene	ug/L	<0.30	10.0	0.30	01/26/18 17:06	
Pentachlorophenol	ug/L	<0.31	50.0	0.31	01/26/18 17:06	
Phenanthrene	ug/L	<0.34	10.0	0.34	01/26/18 17:06	
Phenol	ug/L	<5.0	10.0	5.0	01/26/18 17:06	
Pyrene	ug/L	<0.28	10.0	0.28	01/26/18 17:06	
Pyridine	ug/L	<0.31	10.0	0.31	01/26/18 17:06	
2,4,6-Tribromophenol (S)	%	91	21-124		01/26/18 17:06	
2-Fluorobiphenyl (S)	%	69	30-103		01/26/18 17:06	
2-Fluorophenol (S)	%	53	10-68		01/26/18 17:06	
Nitrobenzene-d5 (S)	%	71	33-99		01/26/18 17:06	
Phenol-d6 (S)	%	41	10-56		01/26/18 17:06	
Terphenyl-d14 (S)	%	74	38-114		01/26/18 17:06	

LABORATORY CONTROL SAMPLE: 2095370

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	100	79.1	79	27-115	
1,2-Dichlorobenzene	ug/L	100	75.5	75	27-111	
1,3-Dichlorobenzene	ug/L	100	73.1	73	26-109	
1,4-Dichlorobenzene	ug/L	100	73.6	74	26-109	
2,4,5-Trichlorophenol	ug/L	100	88.7	89	30-128	
2,4,6-Trichlorophenol	ug/L	100	88.5	89	29-128	
2,4-Dichlorophenol	ug/L	100	85.6	86	29-121	
2,4-Dimethylphenol	ug/L	100	77.0	77	29-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

LABORATORY CONTROL SAMPLE: 2095370

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrophenol	ug/L	100	99.1	99	19-142	
2,4-Dinitrotoluene	ug/L	100	87.6	88	31-135	
2,6-Dinitrotoluene	ug/L	100	87.6	88	31-132	
2-Chloronaphthalene	ug/L	100	78.3	78	29-122	
2-Chlorophenol	ug/L	100	74.6	75	26-111	
2-Methylnaphthalene	ug/L	100	79.2	79	30-121	
2-Methylphenol(o-Cresol)	ug/L	100	72.3	72	26-100	
2-Nitroaniline	ug/L	100	80.6	81	30-132	
2-Nitrophenol	ug/L	100	88.1	88	27-128	
3&4-Methylphenol(m&p Cresol)	ug/L	100	69.3	69	22-95	
3,3'-Dichlorobenzidine	ug/L	100	98.5	99	18-189	
3-Nitroaniline	ug/L	100	79.8	80	31-149	
4,6-Dinitro-2-methylphenol	ug/L	100	97.7	98	25-141	
4-Bromophenylphenyl ether	ug/L	100	85.0	85	30-131	
4-Chloro-3-methylphenol	ug/L	100	82.6	83	29-124	
4-Chloroaniline	ug/L	100	64.7	65	26-142	
4-Chlorophenylphenyl ether	ug/L	100	84.2	84	31-127	
4-Nitroaniline	ug/L	100	87.8	88	29-136	
4-Nitrophenol	ug/L	100	48.4J	48	10-60	
Acenaphthene	ug/L	100	80.5	80	30-127	
Acenaphthylene	ug/L	100	79.6	80	29-126	
Anthracene	ug/L	100	80.8	81	32-131	
Benzo(a)anthracene	ug/L	100	84.1	84	32-131	
Benzo(a)pyrene	ug/L	100	76.8	77	30-131	
Benzo(b)fluoranthene	ug/L	100	87.6	88	31-134	
Benzo(g,h,i)perylene	ug/L	100	79.5	79	29-133	
Benzo(k)fluoranthene	ug/L	100	84.2	84	30-133	
Benzoic acid	ug/L	100	39.4J	39	10-64	
Benzyl alcohol	ug/L	100	70.1	70	19-106	
bis(2-Chloroethoxy)methane	ug/L	100	78.3	78	29-122	
bis(2-Chloroethyl) ether	ug/L	100	78.8	79	25-122	
bis(2-Chloroisopropyl) ether	ug/L	100	67.7	68	26-121	
bis(2-Ethylhexyl)phthalate	ug/L	100	83.1	83	34-139	
Butylbenzylphthalate	ug/L	100	83.8	84	30-142	
Carbazole	ug/L	100	82.6	83	31-133	
Chrysene	ug/L	100	82.7	83	32-133	
Di-n-butylphthalate	ug/L	100	83.8	84	35-135	
Di-n-octylphthalate	ug/L	100	88.4	88	31-139	
Dibenz(a,h)anthracene	ug/L	100	83.6	84	30-133	
Dibenzofuran	ug/L	100	79.0	79	30-126	
Diethylphthalate	ug/L	100	82.5	82	34-129	
Dimethylphthalate	ug/L	100	82.6	83	34-127	
Fluoranthene	ug/L	100	86.4	86	32-134	
Fluorene	ug/L	100	82.4	82	31-128	
Hexachloro-1,3-butadiene	ug/L	100	80.8	81	25-112	
Hexachlorobenzene	ug/L	100	88.1	88	30-130	
Hexachlorocyclopentadiene	ug/L	200	55.0	27	10-61	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

LABORATORY CONTROL SAMPLE: 2095370

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Hexachloroethane	ug/L	100	71.7	72	24-107	
Indeno(1,2,3-cd)pyrene	ug/L	100	79.2	79	30-131	
Isophorone	ug/L	100	77.2	77	29-125	
N-Nitroso-di-n-propylamine	ug/L	100	77.4	77	29-123	
N-Nitrosodiphenylamine	ug/L	100	84.6	85	31-129	
Naphthalene	ug/L	100	78.2	78	30-118	
Nitrobenzene	ug/L	100	80.2	80	28-123	
Pentachlorophenol	ug/L	100	102	102	27-136	
Phenanthrene	ug/L	100	81.2	81	32-130	
Phenol	ug/L	100	44.7	45	10-61	
Pyrene	ug/L	100	80.6	81	32-132	
Pyridine	ug/L	100	18.2	18	10-66	
2,4,6-Tribromophenol (S)	%			105	21-124	
2-Fluorobiphenyl (S)	%			77	30-103	
2-Fluorophenol (S)	%			58	10-68	
Nitrobenzene-d5 (S)	%			78	33-99	
Phenol-d6 (S)	%			45	10-56	
Terphenyl-d14 (S)	%			87	38-114	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch:	511744	Analysis Method:	EPA 8270
QC Batch Method:	EPA 3546	Analysis Description:	8270 MSSV TPH ORO
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

METHOD BLANK:	2095388	Matrix:	Solid
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH-DRO	mg/kg	<1.2	14.9	1.2	01/27/18 13:12	
TPH-ORO	mg/kg	2.2J	14.9	1.2	01/27/18 13:12	
2-Fluorobiphenyl (S)	%	87	61-109		01/27/18 13:12	
Nitrobenzene-d5 (S)	%	82	41-114		01/27/18 13:12	
Terphenyl-d14 (S)	%	90	48-120		01/27/18 13:12	

LABORATORY CONTROL SAMPLE: 2095389

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-DRO	mg/kg	332	249	75	56-129	
2-Fluorobiphenyl (S)	%			84	61-109	
Nitrobenzene-d5 (S)	%			73	41-114	
Terphenyl-d14 (S)	%			88	48-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2095390 2095391

Parameter	Units	60262644007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
TPH-DRO	mg/kg	13.7J	421	417	433	488	100	114	17-150	12	26	
2-Fluorobiphenyl (S)	%						69	79	61-109			
Nitrobenzene-d5 (S)	%						83	75	41-114			
Terphenyl-d14 (S)	%						59	59	48-120			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 511740 Analysis Method: EPA 8270
QC Batch Method: EPA 3510C Analysis Description: 8270 MSSV TPH ORO
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

METHOD BLANK: 2095367 Matrix: Water
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH-DRO	mg/L	<1.0	1.0	1.0	01/30/18 16:10	
TPH-ORO	mg/L	<1.0	1.0	1.0	01/30/18 16:10	
2-Fluorobiphenyl (S)	%	77	30-103		01/30/18 16:10	
Nitrobenzene-d5 (S)	%	72	33-99		01/30/18 16:10	
Terphenyl-d14 (S)	%	82	38-114		01/30/18 16:10	

LABORATORY CONTROL SAMPLE: 2095368

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-DRO	mg/L	100	92.8	93	37-133	
2-Fluorobiphenyl (S)	%			79	30-103	
Nitrobenzene-d5 (S)	%			77	33-99	
Terphenyl-d14 (S)	%			92	38-114	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch:	512469	Analysis Method:	ASTM D2974
QC Batch Method:	ASTM D2974	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

METHOD BLANK:	2098146	Matrix:	Solid
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Percent Moisture	%	<0.50	0.50	0.50	01/31/18 00:00	

SAMPLE DUPLICATE: 2098147

Parameter	Units	60262572001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	22.3	21.2	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 511811 Analysis Method: SM 4500-H+B

QC Batch Method: SM 4500-H+B Analysis Description: 4500H+B pH

Associated Lab Samples: 60262644013, 60262644014

SAMPLE DUPLICATE: 2095618

Parameter	Units	60260936001 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.7	7.7	0	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 512392 Analysis Method: SM 4500-H+B

QC Batch Method: SM 4500-H+B Analysis Description: 4500H+B pH

Associated Lab Samples: 60262644015, 60262644016, 60262644017, 60262644018

SAMPLE DUPLICATE: 2097766

Parameter	Units	60262633002 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	6.7	6.8	0	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch:	512294	Analysis Method:	EPA 9045
QC Batch Method:	EPA 9045	Analysis Description:	9045 pH
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

SAMPLE DUPLICATE: 2097532

Parameter	Units	60262572002 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.6	7.5	0	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 511806 Analysis Method: EPA 353.2
QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

METHOD BLANK: 2095586 Matrix: Water
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644016, 60262644017, 60262644018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.050	0.10	0.050	01/25/18 13:20	

LABORATORY CONTROL SAMPLE: 2095587

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2	1.9	96	90-110	

MATRIX SPIKE SAMPLE: 2095588

Parameter	Units	60262597001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	4.5	4	7.7	79	90-110	M1

SAMPLE DUPLICATE: 2095589

Parameter	Units	60262590001 Result	Dup Result	RPD	Max RPD	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	0.16	0.15	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch:	513167	Analysis Method:	EPA 9056
QC Batch Method:	EPA 9056	Analysis Description:	9056 IC Anions
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

METHOD BLANK:	2100692	Matrix:	Solid
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	mg/kg	<50.0	100	50.0	02/06/18 00:14	

LABORATORY CONTROL SAMPLE: 2100693

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/kg	500	499	100	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch:	513010	Analysis Method:	EPA 9056
QC Batch Method:	EPA 9056	Analysis Description:	9056 IC Anions
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

METHOD BLANK:	2100261	Matrix:	Solid
Associated Lab Samples:	60262644001, 60262644002, 60262644003, 60262644004, 60262644005, 60262644006, 60262644007, 60262644008, 60262644009, 60262644010, 60262644011, 60262644012		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrate as N	mg/kg	<5.0	10.0	5.0	02/06/18 00:14	
Nitrite as N	mg/kg	<5.0	10.0	5.0	02/06/18 00:14	

LABORATORY CONTROL SAMPLE: 2100262

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrate as N	mg/kg	200	194	97	80-120	
Nitrite as N	mg/kg	200	192	96	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100263 2100264

Parameter	Units	60262572006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrate as N	mg/kg	124	255	255	392	386	105	103	80-120	1	15	
Nitrite as N	mg/kg	<6.4	255	255	265	256	104	100	80-120	3	15	

SAMPLE DUPLICATE: 2100265

Parameter	Units	60262572007 Result	Dup Result	RPD	Max RPD	Qualifiers
Nitrate as N	mg/kg	24.7	24.3	2	15	
Nitrite as N	mg/kg	<6.7	<6.7		15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 512697 Analysis Method: EPA 9056
QC Batch Method: EPA 9056 Analysis Description: 9056 IC Anions
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644018

METHOD BLANK: 2098829 Matrix: Water
Associated Lab Samples: 60262644013, 60262644014, 60262644015, 60262644018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	mg/L	<0.50	1.0	0.50	02/02/18 13:37	

LABORATORY CONTROL SAMPLE: 2098830

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	5	5.1	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2098831 2098832

Parameter	Units	60262735006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	60.1	250	250	308	317	99	103	80-120	3	15	

SAMPLE DUPLICATE: 2098833

Parameter	Units	60262736009 Result	Dup Result	RPD	Max RPD	Qualifiers
Sulfate	mg/L		277	4	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 512966

Analysis Method: EPA 9056

QC Batch Method: EPA 9056

Analysis Description: 9056 IC Anions

Associated Lab Samples: 60262644017

METHOD BLANK: 2100130

Matrix: Water

Associated Lab Samples: 60262644017

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	mg/L	<0.50	1.0	0.50	02/04/18 20:05	

LABORATORY CONTROL SAMPLE: 2100131

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	5	5.0	100	80-120	

SAMPLE DUPLICATE: 2100134

Parameter	Units	2069357002 Result	Dup Result	RPD	Max RPD	Qualifiers
Sulfate	mg/L	1650	1600	3	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

QC Batch: 513106

Analysis Method: EPA 9056

QC Batch Method: EPA 9056

Analysis Description: 9056 IC Anions

Associated Lab Samples: 60262644016

METHOD BLANK: 2100506

Matrix: Water

Associated Lab Samples: 60262644016

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	mg/L	<0.50	1.0	0.50	02/06/18 11:14	

LABORATORY CONTROL SAMPLE: 2100507

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	5	4.9	99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100508 2100509

Parameter	Units	60262644016 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	107	50	50	157	156	99	98	80-120	0	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-D Pace Analytical Services - Dallas

PASI-K Pace Analytical Services - Kansas City

BATCH QUALIFIERS

Batch: 511740

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 511741

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 511774

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 511785

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 511857

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 511875

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 512008

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

ANALYTE QUALIFIERS

1e	A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.
B	Analyte was detected in the associated method blank.
CH	The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
D3	Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
H6	Analysis initiated outside of the 15 minute EPA required holding time.
L2	Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
M3	Matrix spike recovery was outside laboratory control limits due to matrix interferences.
N2	The lab does not hold NELAC/TNI accreditation for this parameter.
R1	RPD value was outside control limits.
S0	Surrogate recovery outside laboratory control limits.
S1	Surrogate recovery outside laboratory control limits (confirmed by re-analysis).
S2	Surrogate recovery outside laboratory control limits due to matrix interferences (confirmed by similar results from sample re-analysis).
S3	Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated sample.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262644001	SB-4 (0-1)	EPA 3546	91324	EPA 8081	91437
60262644002	SB-4 (3-5)	EPA 3546	91324	EPA 8081	91437
60262644003	SB-5 (0-1)	EPA 3546	91324	EPA 8081	91437
60262644004	SB-5 (3-5)	EPA 3546	91324	EPA 8081	91437
60262644005	SB-6 (0-1)	EPA 3546	91324	EPA 8081	91437
60262644006	SB-6 (3-5)	EPA 3546	91324	EPA 8081	91437
60262644007	SB-7 (0-1)	EPA 3546	91324	EPA 8081	91437
60262644008	SB-7 (3-5)	EPA 3546	91324	EPA 8081	91437
60262644009	SB-8 (0-1)	EPA 3546	91324	EPA 8081	91437
60262644010	SB-8 (3-5)	EPA 3546	91324	EPA 8081	91437
60262644011	SB-9 (0-3)	EPA 3546	91580	EPA 8081	91850
60262644012	SB-9 (3-5)	EPA 3546	91580	EPA 8081	91850
60262644013	SB-4	EPA 3510	91344	EPA 8081	91861
60262644014	SB-5	EPA 3510	91344	EPA 8081	91861
60262644015	SB-6	EPA 3510	91344	EPA 8081	91861
60262644016	SB-7	EPA 3510	91344	EPA 8081	91861
60262644017	SB-8	EPA 3510	91344	EPA 8081	91861
60262644018	SB-9	EPA 3510	91344	EPA 8081	91861
60262644001	SB-4 (0-1)	EPA 3546	91325	EPA 8141A	91601
60262644002	SB-4 (3-5)	EPA 3546	91325	EPA 8141A	91601
60262644003	SB-5 (0-1)	EPA 3546	91325	EPA 8141A	91601
60262644004	SB-5 (3-5)	EPA 3546	91325	EPA 8141A	91601
60262644005	SB-6 (0-1)	EPA 3546	91325	EPA 8141A	91601
60262644006	SB-6 (3-5)	EPA 3546	91325	EPA 8141A	91601
60262644007	SB-7 (0-1)	EPA 3546	91325	EPA 8141A	91601
60262644008	SB-7 (3-5)	EPA 3546	91325	EPA 8141A	91601
60262644009	SB-8 (0-1)	EPA 3546	91325	EPA 8141A	91601
60262644010	SB-8 (3-5)	EPA 3546	91325	EPA 8141A	91601
60262644011	SB-9 (0-3)	EPA 3546	91581	EPA 8141A	91875
60262644012	SB-9 (3-5)	EPA 3546	91581	EPA 8141A	91875
60262644013	SB-4	EPA 3510	91347	EPA 8141A	91684
60262644014	SB-5	EPA 3510	91347	EPA 8141A	91684
60262644015	SB-6	EPA 3510	91347	EPA 8141A	91684
60262644016	SB-7	EPA 3510	91347	EPA 8141A	91684
60262644017	SB-8	EPA 3510	91347	EPA 8141A	91684
60262644018	SB-9	EPA 3510	91347	EPA 8141A	91684
60262644001	SB-4 (0-1)	EPA 3546	91432	EPA 8151	91492
60262644002	SB-4 (3-5)	EPA 3546	91432	EPA 8151	91492
60262644003	SB-5 (0-1)	EPA 3546	91432	EPA 8151	91492
60262644004	SB-5 (3-5)	EPA 3546	91432	EPA 8151	91492
60262644005	SB-6 (0-1)	EPA 3546	91432	EPA 8151	91492
60262644006	SB-6 (3-5)	EPA 3546	91432	EPA 8151	91492
60262644007	SB-7 (0-1)	EPA 3546	91432	EPA 8151	91492
60262644008	SB-7 (3-5)	EPA 3546	91432	EPA 8151	91492
60262644009	SB-8 (0-1)	EPA 3546	91432	EPA 8151	91492

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262644010	SB-8 (3-5)	EPA 3546	91433	EPA 8151	91493
60262644011	SB-9 (0-3)	EPA 3546	91433	EPA 8151	91493
60262644012	SB-9 (3-5)	EPA 3546	91433	EPA 8151	91493
60262644013	SB-4	EPA 8151	91466	EPA 8151	91671
60262644014	SB-5	EPA 8151	91466	EPA 8151	91671
60262644015	SB-6	EPA 8151	91466	EPA 8151	91671
60262644016	SB-7	EPA 8151	91466	EPA 8151	91671
60262644017	SB-8	EPA 8151	91466	EPA 8151	91671
60262644018	SB-9	EPA 8151	91466	EPA 8151	91671
60262644001	SB-4 (0-1)	EPA 3050	512324	EPA 6010	512561
60262644002	SB-4 (3-5)	EPA 3050	512324	EPA 6010	512561
60262644003	SB-5 (0-1)	EPA 3050	512324	EPA 6010	512561
60262644004	SB-5 (3-5)	EPA 3050	512324	EPA 6010	512561
60262644005	SB-6 (0-1)	EPA 3050	512324	EPA 6010	512561
60262644006	SB-6 (3-5)	EPA 3050	512324	EPA 6010	512561
60262644007	SB-7 (0-1)	EPA 3050	512324	EPA 6010	512561
60262644008	SB-7 (3-5)	EPA 3050	512324	EPA 6010	512561
60262644009	SB-8 (0-1)	EPA 3050	512324	EPA 6010	512561
60262644010	SB-8 (3-5)	EPA 3050	512324	EPA 6010	512561
60262644011	SB-9 (0-3)	EPA 3050	512324	EPA 6010	512561
60262644012	SB-9 (3-5)	EPA 3050	512324	EPA 6010	512561
60262644013	SB-4	EPA 3010	513465	EPA 6010	513615
60262644014	SB-5	EPA 3010	513465	EPA 6010	513615
60262644015	SB-6	EPA 3010	513465	EPA 6010	513615
60262644016	SB-7	EPA 3010	513465	EPA 6010	513615
60262644017	SB-8	EPA 3010	513465	EPA 6010	513615
60262644018	SB-9	EPA 3010	513465	EPA 6010	513615
60262644013	SB-4	EPA 3010	513463	EPA 6010	513595
60262644014	SB-5	EPA 3010	513463	EPA 6010	513595
60262644015	SB-6	EPA 3010	513463	EPA 6010	513595
60262644016	SB-7	EPA 3010	513463	EPA 6010	513595
60262644017	SB-8	EPA 3010	513463	EPA 6010	513595
60262644018	SB-9	EPA 3010	513463	EPA 6010	513595
60262644013	SB-4	EPA 7470	513439	EPA 7470	513467
60262644014	SB-5	EPA 7470	513439	EPA 7470	513467
60262644015	SB-6	EPA 7470	513439	EPA 7470	513467
60262644016	SB-7	EPA 7470	513439	EPA 7470	513467
60262644017	SB-8	EPA 7470	513439	EPA 7470	513467
60262644018	SB-9	EPA 7470	513439	EPA 7470	513467
60262644013	SB-4	EPA 7470	513471	EPA 7470	513506
60262644014	SB-5	EPA 7470	513471	EPA 7470	513506
60262644015	SB-6	EPA 7470	513471	EPA 7470	513506
60262644016	SB-7	EPA 7470	513471	EPA 7470	513506
60262644017	SB-8	EPA 7470	513471	EPA 7470	513506
60262644018	SB-9	EPA 7470	513471	EPA 7470	513506

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262644001	SB-4 (0-1)	EPA 7471	511728	EPA 7471	511777
60262644002	SB-4 (3-5)	EPA 7471	511728	EPA 7471	511777
60262644003	SB-5 (0-1)	EPA 7471	511728	EPA 7471	511777
60262644004	SB-5 (3-5)	EPA 7471	511728	EPA 7471	511777
60262644005	SB-6 (0-1)	EPA 7471	511728	EPA 7471	511777
60262644006	SB-6 (3-5)	EPA 7471	511728	EPA 7471	511777
60262644007	SB-7 (0-1)	EPA 7471	511728	EPA 7471	511777
60262644008	SB-7 (3-5)	EPA 7471	511728	EPA 7471	511777
60262644009	SB-8 (0-1)	EPA 7471	511728	EPA 7471	511777
60262644010	SB-8 (3-5)	EPA 7471	511728	EPA 7471	511777
60262644011	SB-9 (0-3)	EPA 7471	511728	EPA 7471	511777
60262644012	SB-9 (3-5)	EPA 7471	511728	EPA 7471	511777
60262644001	SB-4 (0-1)	EPA 3546	511743	EPA 8270	512261
60262644002	SB-4 (3-5)	EPA 3546	511743	EPA 8270	512261
60262644003	SB-5 (0-1)	EPA 3546	511743	EPA 8270	512261
60262644004	SB-5 (3-5)	EPA 3546	511743	EPA 8270	512261
60262644005	SB-6 (0-1)	EPA 3546	511743	EPA 8270	512261
60262644006	SB-6 (3-5)	EPA 3546	511743	EPA 8270	512261
60262644007	SB-7 (0-1)	EPA 3546	512424	EPA 8270	512594
60262644008	SB-7 (3-5)	EPA 3546	511743	EPA 8270	512261
60262644009	SB-8 (0-1)	EPA 3546	511743	EPA 8270	512261
60262644010	SB-8 (3-5)	EPA 3546	511743	EPA 8270	512261
60262644011	SB-9 (0-3)	EPA 3546	511743	EPA 8270	512261
60262644012	SB-9 (3-5)	EPA 3546	511743	EPA 8270	512261
60262644013	SB-4	EPA 3510	511741	EPA 8270	511977
60262644014	SB-5	EPA 3510	511741	EPA 8270	511977
60262644015	SB-6	EPA 3510	511741	EPA 8270	511977
60262644016	SB-7	EPA 3510	511741	EPA 8270	511977
60262644017	SB-8	EPA 3510	511741	EPA 8270	511977
60262644018	SB-9	EPA 3510	511741	EPA 8270	511977
60262644001	SB-4 (0-1)	EPA 3546	511744	EPA 8270	512015
60262644002	SB-4 (3-5)	EPA 3546	511744	EPA 8270	512015
60262644003	SB-5 (0-1)	EPA 3546	511744	EPA 8270	512015
60262644004	SB-5 (3-5)	EPA 3546	511744	EPA 8270	512015
60262644005	SB-6 (0-1)	EPA 3546	511744	EPA 8270	512015
60262644006	SB-6 (3-5)	EPA 3546	511744	EPA 8270	512015
60262644007	SB-7 (0-1)	EPA 3546	511744	EPA 8270	512015
60262644008	SB-7 (3-5)	EPA 3546	511744	EPA 8270	512015
60262644009	SB-8 (0-1)	EPA 3546	511744	EPA 8270	512015
60262644010	SB-8 (3-5)	EPA 3546	511744	EPA 8270	512015
60262644011	SB-9 (0-3)	EPA 3546	511744	EPA 8270	512015
60262644012	SB-9 (3-5)	EPA 3546	511744	EPA 8270	512015
60262644013	SB-4	EPA 3510C	511740	EPA 8270	512400
60262644014	SB-5	EPA 3510C	511740	EPA 8270	512400
60262644015	SB-6	EPA 3510C	511740	EPA 8270	512400
60262644016	SB-7	EPA 3510C	511740	EPA 8270	512400

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262644017	SB-8	EPA 3510C	511740	EPA 8270	512400
60262644018	SB-9	EPA 3510C	511740	EPA 8270	512400
60262644001	SB-4 (0-1)	EPA 5035A/8260	511774		
60262644002	SB-4 (3-5)	EPA 5035A/8260	511774		
60262644003	SB-5 (0-1)	EPA 5035A/8260	511774		
60262644004	SB-5 (3-5)	EPA 5035A/8260	511774		
60262644005	SB-6 (0-1)	EPA 5035A/8260	511774		
60262644006	SB-6 (3-5)	EPA 5035A/8260	511774		
60262644007	SB-7 (0-1)	EPA 5035A/8260	511774		
60262644008	SB-7 (3-5)	EPA 5035A/8260	511774		
60262644009	SB-8 (0-1)	EPA 5035A/8260	511774		
60262644010	SB-8 (3-5)	EPA 5035A/8260	511774		
60262644011	SB-9 (0-3)	EPA 5035A/8260	511774		
60262644012	SB-9 (3-5)	EPA 5035A/8260	511774		
60262644013	SB-4	EPA 5030B/8260	511785		
60262644014	SB-5	EPA 5030B/8260	511785		
60262644015	SB-6	EPA 5030B/8260	511785		
60262644016	SB-7	EPA 5030B/8260	511785		
60262644017	SB-8	EPA 5030B/8260	511785		
60262644018	SB-9	EPA 5030B/8260	511785		
60262644013	SB-4	EPA 8260	511875		
60262644014	SB-5	EPA 8260	511875		
60262644015	SB-6	EPA 8260	511875		
60262644016	SB-7	EPA 8260	511875		
60262644017	SB-8	EPA 8260	511875		
60262644018	SB-9	EPA 8260	512008		
60262644001	SB-4 (0-1)	EPA 8260	511857		
60262644002	SB-4 (3-5)	EPA 8260	511857		
60262644003	SB-5 (0-1)	EPA 8260	511857		
60262644004	SB-5 (3-5)	EPA 8260	511857		
60262644005	SB-6 (0-1)	EPA 8260	511857		
60262644006	SB-6 (3-5)	EPA 8260	511857		
60262644007	SB-7 (0-1)	EPA 8260	511857		
60262644008	SB-7 (3-5)	EPA 8260	511857		
60262644009	SB-8 (0-1)	EPA 8260	511857		
60262644010	SB-8 (3-5)	EPA 8260	511857		
60262644011	SB-9 (0-3)	EPA 8260	511857		
60262644012	SB-9 (3-5)	EPA 8260	511857		
60262644001	SB-4 (0-1)	ASTM D2974	512469		
60262644002	SB-4 (3-5)	ASTM D2974	512469		
60262644003	SB-5 (0-1)	ASTM D2974	512469		
60262644004	SB-5 (3-5)	ASTM D2974	512469		
60262644005	SB-6 (0-1)	ASTM D2974	512469		
60262644006	SB-6 (3-5)	ASTM D2974	512469		
60262644007	SB-7 (0-1)	ASTM D2974	512469		
60262644008	SB-7 (3-5)	ASTM D2974	512469		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262644009	SB-8 (0-1)	ASTM D2974	512469		
60262644010	SB-8 (3-5)	ASTM D2974	512469		
60262644011	SB-9 (0-3)	ASTM D2974	512469		
60262644012	SB-9 (3-5)	ASTM D2974	512469		
60262644013	SB-4	SM 4500-H+B	511811		
60262644014	SB-5	SM 4500-H+B	511811		
60262644015	SB-6	SM 4500-H+B	512392		
60262644016	SB-7	SM 4500-H+B	512392		
60262644017	SB-8	SM 4500-H+B	512392		
60262644018	SB-9	SM 4500-H+B	512392		
60262644001	SB-4 (0-1)	EPA 9045	512294		
60262644002	SB-4 (3-5)	EPA 9045	512294		
60262644003	SB-5 (0-1)	EPA 9045	512294		
60262644004	SB-5 (3-5)	EPA 9045	512294		
60262644005	SB-6 (0-1)	EPA 9045	512294		
60262644006	SB-6 (3-5)	EPA 9045	512294		
60262644007	SB-7 (0-1)	EPA 9045	512294		
60262644008	SB-7 (3-5)	EPA 9045	512294		
60262644009	SB-8 (0-1)	EPA 9045	512294		
60262644010	SB-8 (3-5)	EPA 9045	512294		
60262644011	SB-9 (0-3)	EPA 9045	512294		
60262644012	SB-9 (3-5)	EPA 9045	512294		
60262644013	SB-4	EPA 353.2	511806		
60262644014	SB-5	EPA 353.2	511806		
60262644015	SB-6	EPA 353.2	511806		
60262644016	SB-7	EPA 353.2	511806		
60262644017	SB-8	EPA 353.2	511806		
60262644018	SB-9	EPA 353.2	511806		
60262644001	SB-4 (0-1)	EPA 9056	513167	EPA 9056	513201
60262644002	SB-4 (3-5)	EPA 9056	513167	EPA 9056	513201
60262644003	SB-5 (0-1)	EPA 9056	513167	EPA 9056	513201
60262644004	SB-5 (3-5)	EPA 9056	513167	EPA 9056	513201
60262644005	SB-6 (0-1)	EPA 9056	513167	EPA 9056	513201
60262644006	SB-6 (3-5)	EPA 9056	513167	EPA 9056	513201
60262644007	SB-7 (0-1)	EPA 9056	513167	EPA 9056	513201
60262644008	SB-7 (3-5)	EPA 9056	513167	EPA 9056	513201
60262644009	SB-8 (0-1)	EPA 9056	513167	EPA 9056	513201
60262644010	SB-8 (3-5)	EPA 9056	513167	EPA 9056	513201
60262644011	SB-9 (0-3)	EPA 9056	513167	EPA 9056	513201
60262644012	SB-9 (3-5)	EPA 9056	513167	EPA 9056	513201
60262644001	SB-4 (0-1)	EPA 9056	513010	EPA 9056	513101
60262644002	SB-4 (3-5)	EPA 9056	513010	EPA 9056	513101
60262644003	SB-5 (0-1)	EPA 9056	513010	EPA 9056	513101
60262644004	SB-5 (3-5)	EPA 9056	513010	EPA 9056	513101
60262644005	SB-6 (0-1)	EPA 9056	513010	EPA 9056	513101
60262644006	SB-6 (3-5)	EPA 9056	513010	EPA 9056	513101

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Mead Hansen Building Site 1/23

Pace Project No.: 60262644

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262644007	SB-7 (0-1)	EPA 9056	513010	EPA 9056	513101
60262644008	SB-7 (3-5)	EPA 9056	513010	EPA 9056	513101
60262644009	SB-8 (0-1)	EPA 9056	513010	EPA 9056	513101
60262644010	SB-8 (3-5)	EPA 9056	513010	EPA 9056	513101
60262644011	SB-9 (0-3)	EPA 9056	513010	EPA 9056	513101
60262644012	SB-9 (3-5)	EPA 9056	513010	EPA 9056	513101
60262644013	SB-4	EPA 9056	512697		
60262644014	SB-5	EPA 9056	512697		
60262644015	SB-6	EPA 9056	512697		
60262644016	SB-7	EPA 9056	513106		
60262644017	SB-8	EPA 9056	512966		
60262644018	SB-9	EPA 9056	512697		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Sample Condition Upon Receipt

WO#: 60262644



Client Name: Tetra Tech EMI

Courier: FedEx ☐ UPS ☐ VIA ☐ Clay ☒ PEX ☐ ECI ☐ Pace ☐ Xroads ☐ Client ☐ Other ☐

Tracking #: _____ Pace Shipping Label Used? Yes ☒ No ☐

Custody Seal on Cooler/Box Present: Yes ☒ No ☐ Seals intact: Yes ☒ No ☐

Packing Material: Bubble Wrap ☐ Bubble Bags ☒ Foam ☒ None ☐ Other ☐

Thermometer Used: T-266 ^{CF+0.2} ^{CF-0.1} T-239 Type of Ice: Wet Blue None

Cooler Temperature (°C): As-read 2.1/0.2/1.0/3.0/2.6 Corr. Factor CF+0.2 CF-0.1 Corrected 2.3/0.4/2.0/2.7/2.8 Date and initials of person examining contents: NMS 1/24 JB/24

Temperature should be above freezing to 6°C

Chain of Custody present: ☒ Yes ☐ No ☐ N/A

Chain of Custody relinquished: ☒ Yes ☐ No ☐ N/A

Samples arrived within holding time: ☒ Yes ☐ No ☐ N/A

Short Hold Time analyses (<72hr): ☐ Yes ☒ No ☐ N/A

Rush Turn Around Time requested: ☐ Yes ☒ No ☐ N/A

Sufficient volume: ☒ Yes ☐ No ☐ N/A

Correct containers used: ☒ Yes ☐ No ☐ N/A

Pace containers used: ☒ Yes ☐ No ☐ N/A

Containers intact: ☒ Yes ☐ No ☐ N/A

Unpreserved 5035A / TX1005/1006 soils frozen in 48hrs? ☒ Yes ☐ No ☒ N/A

Filtered volume received for dissolved tests? ☐ Yes ☐ No ☒ N/A

Sample labels match COC: Date / time / ID / analyses ☒ Yes ☐ No ☐ N/A

Samples contain multiple phases? Matrix: LK SL ☐ Yes ☒ No ☐ N/A

Containers requiring pH preservation in compliance? ☒ Yes ☐ No ☒ N/A

(HNO₃, H₂SO₄, HCl<2; NaOH>9 Sulfide, NaOH>10 Cyanide)

(Exceptions: VOA, Micro, O&G, KS TPH, OK-DRO)

Cyanide water sample checks: ☒ N/A

Lead acetate strip turns dark? (Record only) ☐ Yes ☐ No

Potassium iodide test strip turns blue/purple? (Preserve) ☐ Yes ☐ No

Trip Blank present: ☐ Yes ☒ No ☐ N/A

Headspace in VOA vials (>6mm): ☐ Yes ☐ No ☒ N/A

Samples from USDA Regulated Area: State: MO ☐ Yes ☒ No ☐ N/A

Additional labels attached to 5035A / TX1005 vials in the field? ☐ Yes ☒ No ☐ N/A

Client Notification/ Resolution: Copy COC to Client? Y / N Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: JPS

Date: 1/24/18

<div>Section A Client Information: <div>Company: Tetra Tech EMI</div><div>Address: 415 Oak Kansas City, MO 64106</div><div>Email To: Emily.Fisher@tetratech.com</div><div>Phone: (816) 412-1755 Fax:</div></div>						<div>Section B Required Project Information: <div>Report To: Emily Fisher</div><div>Copy To: John Simpson</div><div>Purchase Order No.: 1146252</div><div>Project Name: Mead Hansen Building Site</div><div>Project Number: 103X902514002.043</div></div>						<div>Section C Invoice Information: <div>Attention: Accounts Payable</div><div>Company Name: Tetra Tech, Inc.</div><div>Address: 415 Oak St. Kansas City, MO 64106</div><div>Pace Code Reference: Jeffrey Shopper 913-563-1408</div><div>Pace Project Manager: Pace Profile #: 970</div></div>						<div>REGULATORY AGENCY <div><input type="checkbox"/> NPDES <input type="checkbox"/> GROUND WATER <input type="checkbox"/> DRINKING WATER</div><div><input type="checkbox"/> UST <input type="checkbox"/> RCRA <input type="checkbox"/> OTHER</div></div> <div>Site Location MO STATE: MO</div>					
Requested Due Date/TAT: Standard																							
Valid Matrix Codes MATRIX CODE DW WT WW P SL CL VF WIF AIR AR OT TS																							
SAMPLE ID (A-Z, 0-9 / -) Sample IDs MUST BE UNIQUE																							
Matrix Type (G=Grab C=Comp)																							
Sample Temp at Collection																							
# of Containers																							
Preservatives H ₂ SO ₄ HNO ₃ HCl NaOH Na ₂ S ₂ O ₃ Methanol Other																							
Analysis Test ↑																							
8260 VOCs 8270 SVOCs RCRA 8 Metals 8081 OC Pesticides 8141 OP Pesticides 8151 Herbicides 8270 DRO/ORO 8260 GRO 353.2 Nitrogen NO2/NO3 9056 Sulfate pH Dissolved RCRA 8 Metals Residual Chlorine (Y/N)																							
Pace Project No./ Lab I.D.																							
Request Analysis Filtered (Y/N)																							
Requested Analysis Filtered (Y/N)																							
Additional Comments																							
Relinquished By / Affiliation																							
Time																							
Date																							
Accepted by / Affiliation																							
Time																							
Date																							
Sample Conditions																							
Received on Ice (Y/N) Custody Sealed Cooler (Y/N) Samples Intact (Y/N)																							

Page 232 of 233

The Chain of Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.


The Chain of Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 2 of 2

Section A		Section B		Section C	
Required Client Information:		Required Project Information:		Invoice Information:	
Company:	Tetra Tech EMil	Report To:	Emily Fisher	Attention:	Accounts Payable
Address:	415 Oak	Copy To:	John Simpson	Company Name:	Tetra Tech, Inc.
	Kansas City, MO 64106			Address:	415 Oak St. Kansas City, MO 64106
Email To:	Emily.Fisher@tetratech.com	Purchase Order No.:	1146252	Face Quote Reference:	
Phone:	(816) 412-1755	Project Name:	Mead Hansen Building Site	Pics Project Manager:	Jeffrey Shopper 913-563-1408
Requested Due Date/TAT:	Standard	Project Number:	103X902514002-043	Pics Profile #:	970
				<div> <div>Page: 2 of 6</div> </div>	
				<div> <div>REGULATORY AGENCY</div> <div> <input type="checkbox"/> NPDES <input type="checkbox"/> GROUND WATER <input type="checkbox"/> DRINKING WATER </div> <div> <input type="checkbox"/> UST <input type="checkbox"/> RCRA <input type="checkbox"/> OTHER </div> </div>	
				<div> <div>Site Location</div> <div>STATE: MO</div> </div>	

[illegible]

SAMPLER NAME AND SIGNATURE	DATE SIGNED (MM/DD/YY): 1/23/18		Temp in °C	Received on Ice (Y/N)	Custody Seal Cooler (Y/N)	Samples Ints (Y/N)
	PRINT Name of SAMPLER: JON SIMPSON					
SIGNATURE of SAMPLER:	[Signature]					

	Document Name: Sample Condition Upon Receipt	Document Revised: 09-26-17 Page 1 of 1
	Document No.: F-DAL-C-001-rev.07	Issuing Authority: Pace Dallas Quality Office

Sample Condition Upon Receipt

☒ Dallas ☐ Ft Worth

WO#: 7581088



Client Name: Pace Kansas Project Work order: _____

Courier: FedEX ☒ UPS ☐ USPS ☐ Client ☐ LSO ☐ PACE ☐ Other: _____

Tracking #: 4122 4942 5430, 4122 4942 5440, 4122 4942 5418, 4122 4942 5429

Custody Seal on Cooler/Box: Yes ☒ No ☐ Seals Intact: Yes ☒ No ☐ NA ☐

Packing Material: Bubble Wrap ☐ Bubble Bags ☒ Foam ☐ None ☐ Other ☐

Thermometer Used: IR- CS#1 Type of Ice: Wet ☒ Blue ☐ None ☐ Sample Received on ice, cooling process has begun ☒

Cooler Temp °C: _____ (Recorded) 0.5 (Correction Factor) _____ (Actual) ☐ (Thermal preservation not required)

1.4, 1.0, 0.8, 1.4 Temp should be above freezing to 6°C 0.9, 0.5, 0.3, 0.9

Chain of Custody Present	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	1
Chain of Custody filled out	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	2
Chain of Custody relinquished	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	3
Sampler name & signature on COC	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	4
Sample received within HT	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	5
Short HT analyses (<72 hrs)	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	6
Rush TAT requested	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	7
Sufficient Volume received	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	8
Correct Container used	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	9
Pace Container used	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	
Container Intact	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	10
Unpreserved 5035A soil frozen within 48 hrs	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	11
Filtered volume received for Dissolved tests	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	12
Sample labels match COC	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	13
Include date/time/ID/analyses Matrix: <u>water (solid)</u>		
All containers needing preservation have been checked and found to be in Compliance with EPA recommendation (includes residual chlorine checks)	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	14a. pH Strip Lot #: _____ Original pH: pH<2 <input type="checkbox"/> pH>9 <input type="checkbox"/> pH>12 <input type="checkbox"/> Neutral <input type="checkbox"/> Lot# of Iodine strip: _____ Lot# of Lead Acetate strip: _____
Exception: VOA, coliform, O&G	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Do containers require preservation at the lab	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	14b. Preservation: _____ Lot# and adjusted pH: _____ pH<2 <input type="checkbox"/> pH>9 <input type="checkbox"/> pH>12
Are soil samples (volatiles) received in Bulk <input type="checkbox"/> Terracore <input type="checkbox"/> EnCore <input type="checkbox"/> NA <input checked="" type="checkbox"/>		15.
Trip Blank present	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	16.
Trip Blank Custody Seals Intact	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	
Pace Trip Blank Lot# (if purchased):		
Headspace in VOA (>6mm)	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	17.
Project sampled in USDA Regulated Area:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	18. List State

Triage Person: JCU Date: 1/25/18 Login Person: MO Date: 1-25-18 Labeling Person: mm Date: 1-26-18


Client Notification/Resolution/Comments:

Person Contacted: _____ Date: _____

Comments/Resolution: _____


Project Manager Review: [Signature]

Chain of Custody



Owner Received Date: 1/24/2018 Results Requested By: 2/7/2018

[illegible]

					Comments
Transfers	Released By	Date/Time	Received By	Date/Time	
1		1/24 1700	Fahad al Haze	1/25/2015	1581088 J-flag results and report to MDL
2					
3					
Cooler Temperature on Receipt 0.9 0.5 °C		Custody Seal (Y) or N		Received on Ice (Y) or N	Samples Intact (Y) or N

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.
 This chain of custody is considered complete as is since this information is available in the owner laboratory.

Tetra Tech, Inc.
DATA VALIDATION REPORT
LEVEL II

Site: Mead Hansen Building Site

Laboratory: Pace Analytical (Lenexa, Kansas)

Data Reviewer: Harry Ellis, Tetra Tech, Inc. (Tetra Tech)

Review Date: February 28, 2018

Sample Delivery Group (SDG): 60262644


Sample Numbers: SB-10 (0-1), SB-10 (3-5), SB-11 (3-5), SB-11 (13-15), SB-12 (3-5), SB-12 (13-15), SB-13(3-5), SB-13 (10-12), SB-10, SB-12, and SB-13

Matrix / Number of Samples: Eight Soil Samples, Three Groundwater Samples, and No Blank Samples

The data were qualified according to the U.S. Environmental Protection Agency (EPA) Region 7 documents entitled "Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review", dated January 2017, and "Contract Laboratory Program National Functional Guidelines for Superfund Inorganic Methods Data Review", also dated January 2017. In addition, the Tetra Tech document "Review of Data Packages from Subcontracted Laboratories" (February 2002) was used along with other criteria specified in the applicable methods.

The review was intended to identify problems and quality control (QC) deficiencies that were readily apparent from the summary data package. The following sections discuss any problems or deficiencies that were found, and data qualifications applied because of non-compliant QC. The data review was limited to the available field and laboratory QC information submitted with the project-specific data package.

I, Harry Ellis, certify that all data validation criteria outlined in the above-referenced documents were assessed, and any qualifications made to the data accorded with those documents.



28 February 2018

Certified by Harry Ellis, Chemist

Date

DATA VALIDATION QUALIFIERS

- | | | |
|-----------|---|---|
| U | — | The analyte was not detected above the reported sample quantitation limit. |
| J | — | The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample. |
| UJ | — | The analyte was not detected above the reported sample quantitation limit, which is estimated. |
| R | — | The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet QC criteria. Presence or absence of the analyte cannot be verified. |

DATA ASSESSMENT

Sample delivery group (SDG) 60262738 included eight (8) environmental soil samples, three (6) environmental groundwater samples, and no (0) quality control (QC) samples. Samples were analyzed for volatile organic compounds (VOC) by EPA SW-846 Method 8260, semivolatile organic compounds (SVOC) by EPA SW-846 Method 8270, total petroleum hydrocarbons (TPH) as gasoline range organics (GRO), diesel range organics (DRO, and oil range organics (ORO) by EPA SW-846 Methods 8260 and 8270, organochlorine pesticides by EPA SW-846 Method 8081, organophosphate pesticides by EPA SW-846 Method 8141,, organochlorine herbicides by EPA SW-846 Method 8051A, total and dissolved metals by EPA SW-846 Methods 6010 and 7471 and EPA Water Methods 200.7 and 245.1, pH by EPA SW-846 Method 9045 and Standard Method 4500-H, and inorganic anions by EPA SW-846 Method 9056 and EPA Water Method 353.2. All samples did not receive all analyses. The following summarizes the data validation that was performed.

VOLATILE ORGANIC COMPOUND ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding time of 14 days from sample collection to analysis. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

No MS/MSD analyses were performed on these samples due to insufficient sample volume. No qualifications were applied for these data gaps.

III. Blanks

The laboratory (method) blanks and trip blanks yielded no detectable concentrations of analytes, so no qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

All surrogate recoveries were within their QC limits. No qualifications were applied.

VI. Comments

Some detected concentrations were less than their reporting limits (“RL”). These low-concentration results were qualified as estimated (flagged “J”).

VII. Overall Assessment of Data

Overall data quality is acceptable, with no qualifications applied. All data are usable as reported for their intended purposes.

SEMIVOLATILE ORGANIC COMPOUND ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding time of 14 days from sample collection to extraction and 40 days to analysis. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

The soil MS/MSD analyses performed on sample SB-10 (0-1) yielded slightly low recoveries for benzo(b)fluoranthene (31 and 51 percent, versus limits of 41 to 114 percent), benzoic acid (8 and 10 percent, versus 10 to 126 percent), fluoranthene (19 and 38 percent, versus 34 to 121 percent), phenanthrene (28 and 44 percent, versus 49 to 114 percent) and pyrene (26 and 40 percent, versus 47 to 117 percent). The average recovery for benzo(b)fluoranthene was acceptable, so it was not qualified. However the results for benzoic acid, fluoranthene, phenanthrene, and pyrene in sample SB-10 (0-1) were qualified as estimated and flagged "UJ" or "J", as appropriate.

There was insufficient sample for aqueous MS/MSD analyses. No qualifications were applied for these data gaps.

III. Blanks

The laboratory (method) blanks yielded no detectable analyte concentrations. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

All surrogate recoveries were within QC limits. No qualifications were applied.

VI. Comments

Some detected concentrations were less than their RLs. These low-concentration results were qualified as estimated (flagged "J").

VII. Overall Assessment of Data

Overall data quality is acceptable, with no significant qualifications applied. All data are usable as qualified for their intended purposes.

TOTAL PETROLEUM HYDROCARBON ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

Due to insufficient sample volume, the only MS/MSD analyses were for DRO/ORO in soil. Results were fully satisfactory. No qualifications were applied for the data gaps.

III. Blanks

The soil laboratory (method) blank yielded a low concentration of ORO. Soil ORO results less than their reporting limits in most samples were qualified as laboratory artifacts and flagged “U”. The other soil ORO results were above their reporting limit and more than 10 times the blank concentration so they were not qualified.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

All field sample surrogate recoveries were within QC limits. No qualifications were applied for excessive recoveries of surrogates from laboratory QC samples.

VI. Comments

Some detected concentrations were less than their RLs. These low-concentration results were qualified as estimated (flagged “J”).

VII. Overall Assessment of Data

Overall data quality is acceptable, with no major qualifications applied. All data are usable as qualified for their intended purposes.

ORGANOCHLORINE PESTICIDES ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

The soil MS/MSD analyses performed on sample SS-10 (0-1) yielded slightly low recoveries (63 to 70 percent, versus limits of 70 to 130 percent) for dieldrin, endosulfan I, endosulfan sulfate, and endrin ketone, probably due to matrix interference from the sample's TPH and other compounds. Therefore the nondetected results for those four analytes in that sample were qualified as estimated and flagged "UJ".

III. Blanks

The laboratory (method) blanks yielded no detectable analytes. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

All surrogate recoveries were within the NFG limits of 30 to 150 percent, so no qualifications were applied.

VI. Comments

Some detected concentrations were less than their RLs. These low-concentration results were qualified as estimated (flagged "J").

VII. Overall Assessment of Data

Overall data quality is acceptable, with no significant qualifications applied. All data are usable as qualified for their intended purposes.

ORGANOPHOSPHATE PESTICIDES ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

The soil MS/MSD analyses performed on sample SB-10 (3-5) yielded no recovery for merphos but an acceptable recoveries for merphos-oxone. The aqueous MS/MSD analyses performed on sample SB-18 yielded fully acceptable recoveries for all analytes, including merphos, but merphos-oxone was not listed. It is likely that there was an identification problem or a programming problem with the soil control samples. Neither merphos nor its derivative were detected in any unspiked samples. No qualifications were applied.

III. Blanks

The laboratory (method) blanks yielded no detectable analytes. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

The recoveries from the LCS analyses were practically identical to those from the MS/MSD analyses, including the soil merphos irregularity. Since the same spiking solutions and almost the same programming are used for the two sorts of control samples, no qualifications were applied.

V. Surrogates

All surrogate recoveries were within QC limits. No qualifications were applied.

VI. Comments

None.

VII. Overall Assessment of Data

Overall data quality is acceptable, with no qualifications applied. All data are usable as reported for their intended purposes.

ORGANOCHLORINE HERBICIDES ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

The MS/MSD analyses performed on samples from other packages and sites were not evaluated.

The soil MS/MSD analyses performed on sample SB-12 (3-5) yielded low recoveries (below 10 percent) for dalapon, dicamba, dinoseb, and MCP. Therefore the nondetected results for those analytes in that sample were qualified as estimated, possibly biased low, and flagged "UJ".

III. Blanks

The laboratory (method) blanks yielded no detectable analytes. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

Most surrogate recoveries were within QC limits, although most soil surrogate recoveries ranged from 10 to 14 percent, at the bottom of the acceptable range of 10 to 188 percent. However, the surrogate recoveries from samples SB-10 (3-5), SB-11 (13-15), and SB-13 (10-12) were only 6 to 8 percent, so the nondetected results for those samples were qualified as estimated, possibly biased low, and flagged “UJ”.

VI. Comments

Few analytes were detected in these samples. .

VII. Overall Assessment of Data

Overall data quality is acceptable, with some qualifications applied. All data are usable as qualified for their intended purposes.

METALS ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times of 28 days (for mercury) and 6 months (for all other metals) from sample collection to analysis. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

MS/MSD analyses performed on samples from another data package were not evaluated. All other MS/MSD results were within limits so no qualifications were applied.

III. Blanks

No analytes were detected in the laboratory blanks. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Comments

Some detected concentrations were less than their RLs. These low-concentration results were qualified as estimated (flagged “J”).

VI. Overall Assessment of Data

Overall data quality is acceptable, with no qualifications applied. All data are usable as reported for their intended purposes.

IONS ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The holding time for pH analyses is “as soon as possible”, generally interpreted as within 15 minutes of sampling (for water) or of preparation (for soil). The pH analyses were performed seven days after sampling, so the water results were qualified as estimated and flagged “J”. All other holding time requirements were met so no further qualifications were applied.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

The aqueous nitrogen (nitrate plus nitrite) MS analysis performed on sample SB-10 yielded a recovery of 87 percent, below limits of 90 to 110 percent. Therefore the result for that analyte in that sample was qualified as estimated, possibly biased low, and flagged “J”.

III. Blanks

No analytes were detected in the laboratory blanks. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Comments

Some detected soil sulfate concentrations were less than their RLs. These low-concentration results were qualified as estimated (flagged “J”). All sulfate analyses and most nitrogen species analyses were performed at various dilutions to minimize matrix interference. Therefore some nondetected results are not fully comparable.

VI. Overall Assessment of Data

Overall data quality is acceptable, with no significant qualifications applied. All data are usable as qualified for their intended purposes.

February 12, 2018

Emily Fisher
TETRA TECH EMI
415 Oak
Kansas City, MO 64106

RE: Project: Mead Hansen Building Site 1/24
Pace Project No.: 60262738

Dear Emily Fisher:

Enclosed are the analytical results for sample(s) received by the laboratory on January 25, 2018. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jeffrey Shopper
jeff.shopper@pacelabs.com
1(913)563-1408
Project Manager

Enclosures

cc: John Simpson, TETRA TECH EMI



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Kansas Certification IDs

9608 Loiret Boulevard, Lenexa, KS 66219

WY STR Certification #: 2456.01

Arkansas Certification #: 17-016-0

Illinois Certification #: 200030

Iowa Certification #: 118

Kansas/NELAP Certification #: E-10116

Louisiana Certification #: 03055

Nevada Certification #: KS000212018-1

Oklahoma Certification #: 9205/9935

Texas Certification #: T104704407

Utah Certification #: KS00021

Kansas Field Laboratory Accreditation: # E-92587

Missouri Certification: 10070

Dallas Certification IDs:

400 West Bethany Dr Suite 190, Allen, TX 75013

EPA# TX00074

Florida Certification #: E871118

Texas Certification #: T104704232

Kansas Certification #: E-10388

Arkansas Certification #: 88-0647

Oklahoma Certification #: 8727

Louisiana Certification #: 30686

Iowa Certification #: 408

Florida Certification #: E871118

Nevada Certification #: TX00074

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60262738001	SB-10 (0-1)	Solid	01/24/18 08:45	01/25/18 10:10
60262738002	SB-10 (3-5)	Solid	01/24/18 08:55	01/25/18 10:10
60262738003	SB-11 (3-5)	Solid	01/24/18 11:00	01/25/18 10:10
60262738004	SB-11 (13-15)	Solid	01/24/18 11:20	01/25/18 10:10
60262738005	SB-12 (3-5)	Solid	01/24/18 14:30	01/25/18 10:10
60262738006	SB-12 (13-15)	Solid	01/24/18 15:00	01/25/18 10:10
60262738007	SB-13 (3-5)	Solid	01/24/18 15:55	01/25/18 10:10
60262738008	SB-13 (10-12)	Solid	01/24/18 16:15	01/25/18 10:10
60262738009	SB-10	Water	01/24/18 09:15	01/25/18 10:10
60262738010	SB-12	Water	01/24/18 15:20	01/25/18 10:10
60262738011	SB-13	Water	01/24/18 16:30	01/25/18 10:10

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262738001	SB-10 (0-1)	EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	SMW	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
60262738002	SB-10 (3-5)	EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	30	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	SMW	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
60262738003	SB-11 (3-5)	EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	SMW	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262738004	SB-11 (13-15)	EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	SMW	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
60262738005	SB-12 (3-5)	EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	SMW	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
60262738006	SB-12 (13-15)	EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	SMW	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262738007	SB-13 (3-5)	ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	SMW	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
60262738008	SB-13 (10-12)	EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	SMW	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
60262738009	SB-10	EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K
		EPA 7470	SMW	1	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262738010	SB-12	EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
		EPA 8260	JTK	4	PASI-K
		SM 4500-H+B	MJK	1	PASI-K
		EPA 353.2	RAD	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K
		EPA 7470	SMW	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
		EPA 8260	JTK	4	PASI-K
		SM 4500-H+B	MJK	1	PASI-K
		EPA 353.2	RAD	1	PASI-K
60262738011	SB-13	EPA 9056	LDB	1	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K
		EPA 7470	SMW	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
		EPA 8260	JTK	4	PASI-K
		SM 4500-H+B	MJK	1	PASI-K
		EPA 353.2	RAD	1	PASI-K
		EPA 9056	LDB	1	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8081

Description: 8081 GCS Pesticides

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

11 samples were analyzed for EPA 8081. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

The samples were prepared in accordance with EPA 3510 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 91580

S1: Surrogate recovery outside laboratory control limits (confirmed by re-analysis).

- SB-10 (3-5) (Lab ID: 60262738002)
 - Tetrachloro-m-xylene (S)
- SB-12 (13-15) (Lab ID: 60262738006)
 - Tetrachloro-m-xylene (S)
- SB-13 (3-5) (Lab ID: 60262738007)
 - Tetrachloro-m-xylene (S)

QC Batch: 91634

S1: Surrogate recovery outside laboratory control limits (confirmed by re-analysis).

- SB-13 (Lab ID: 60262738011)
 - Tetrachloro-m-xylene (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8081

Description: 8081 GCS Pesticides

Client: TETRA TECH EMI

Date: February 12, 2018

QC Batch: 91580

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262738001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 405975)
 - Dieldrin
 - Endosulfan I
 - Endosulfan sulfate
 - Endrin ketone
- MSD (Lab ID: 405976)
 - Endosulfan I
 - Endosulfan sulfate
 - Endrin ketone

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8141A

Description: 8141 O/P Pesticides Microwave

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

8 samples were analyzed for EPA 8141A. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: 91581

L2: Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.

- LCS (Lab ID: 405990)
- Merphos

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 91581

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262738002

M0: Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

- MS (Lab ID: 405991)
 - Merphos
- MSD (Lab ID: 405992)
 - Merphos

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8141A

Description: 8141 O/P Pesticides Microwave

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 91581

N2: The lab does not hold NELAC/TNI accreditation for this parameter.

- BLANK (Lab ID: 405989)
 - Total Demeton
 - Merphos-Oxone
 - Total Merphos
- LCS (Lab ID: 405990)
 - Total Demeton
 - Merphos-Oxone
 - Total Merphos
- MS (Lab ID: 405991)
 - Total Demeton
 - Merphos-Oxone
 - Total Merphos
- MSD (Lab ID: 405992)
 - Total Demeton
 - Merphos-Oxone
 - Total Merphos
- SB-10 (0-1) (Lab ID: 60262738001)
 - Total Demeton
 - Total Merphos
- SB-10 (3-5) (Lab ID: 60262738002)
 - Total Demeton
 - Merphos-Oxone
 - Total Merphos
- SB-11 (13-15) (Lab ID: 60262738004)
 - Total Demeton
 - Total Merphos
- SB-11 (3-5) (Lab ID: 60262738003)
 - Total Demeton
 - Total Merphos
- SB-12 (13-15) (Lab ID: 60262738006)
 - Total Demeton
 - Total Merphos
- SB-12 (3-5) (Lab ID: 60262738005)
 - Total Demeton
 - Total Merphos
- SB-13 (10-12) (Lab ID: 60262738008)
 - Total Demeton
 - Total Merphos
- SB-13 (3-5) (Lab ID: 60262738007)
 - Total Demeton
 - Total Merphos

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8141A

Description: 8141 GCS, O/P Pesticides

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

3 samples were analyzed for EPA 8141A. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8151

Description: 8151 Chlorinated Herbicides

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

11 samples were analyzed for EPA 8151. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 8151 with any exceptions noted below.

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 91836

S1: Surrogate recovery outside laboratory control limits (confirmed by re-analysis).

- SB-10 (3-5) (Lab ID: 60262738002)
 - 2,4-DCAA (S)
- SB-11 (13-15) (Lab ID: 60262738004)
 - 2,4-DCAA (S)

QC Batch: 91886

S1: Surrogate recovery outside laboratory control limits (confirmed by re-analysis).

- SB-13 (10-12) (Lab ID: 60262738008)
 - 2,4-DCAA (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8151

Description: 8151 Chlorinated Herbicides

Client: TETRA TECH EMI

Date: February 12, 2018

QC Batch: 91466

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262572010

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 405534)
 - 2,4-D
 - Dichloroprop

QC Batch: 91886

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262738005

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 407448)
 - Dalapon
 - Dicamba
 - Dinoseb
- MSD (Lab ID: 407449)
 - Dalapon
 - Dicamba
 - MCP

R1: RPD value was outside control limits.

- MSD (Lab ID: 407449)
 - Dicamba
 - Dinoseb
 - MCP

Additional Comments:

Analyte Comments:

QC Batch: 91836

3e: The initial calibration verification for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

- BLANK (Lab ID: 407187)
 - Dinoseb
- LCS (Lab ID: 407188)
 - Dinoseb
- MS (Lab ID: 407189)
 - Dinoseb
- MSD (Lab ID: 407190)
 - Dinoseb
- SB-10 (0-1) (Lab ID: 60262738001)
 - Dinoseb
- SB-10 (3-5) (Lab ID: 60262738002)
 - Dinoseb
- SB-11 (13-15) (Lab ID: 60262738004)
 - Dinoseb

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8151

Description: 8151 Chlorinated Herbicides

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 91836

3e: The initial calibration verification for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

- SB-11 (3-5) (Lab ID: 60262738003)
- Dinoseb

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- SB-11 (3-5) (Lab ID: 60262738003)
- 2,4-DCAA (S)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 6010

Description: 6010 MET ICP Red. Interference

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

8 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3050 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 6010

Description: 6010 MET ICP

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

3 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 6010

Description: 6010 MET ICP, Dissolved (LF)

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

3 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 7470

Description: 7470 Mercury

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

3 samples were analyzed for EPA 7470. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7470 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 7470

Description: 7470 Mercury, Dissolved (LF)

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

3 samples were analyzed for EPA 7470. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7470 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 7471

Description: 7471 Mercury

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

8 samples were analyzed for EPA 7471. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7471 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 512006

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262507001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2096399)
 - Mercury
- MSD (Lab ID: 2096400)
 - Mercury

R1: RPD value was outside control limits.

- MSD (Lab ID: 2096400)
 - Mercury

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8270

Description: 8270 MSSV Semivolatiles

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

8 samples were analyzed for EPA 8270. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511957

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262738001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2096162)
 - Benzo(b)fluoranthene
 - Benzoic acid
 - Fluoranthene
 - Phenanthrene
 - Pyrene
- MSD (Lab ID: 2096163)
 - Phenanthrene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8270

Description: 8270 MSSV Semivolatiles

Client: TETRA TECH EMI

Date: February 12, 2018

Additional Comments:

Analyte Comments:

QC Batch: 511957

2e: The LCS recovery was below QC limits. The successful recovery of the MS and MSD demonstrate that the analytical system was in control for this QA/QC sample group.

- LCS (Lab ID: 2096161)
- 2,4-Dimethylphenol

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

3 samples were analyzed for EPA 8270. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511741

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

QC Batch: 512172

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

Analyte Comments:

QC Batch: 511741

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-10 (Lab ID: 60262738009)
- 1,2,4-Trichlorobenzene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 511741

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-10 (Lab ID: 60262738009)
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol
 - 2,4-Dimethylphenol
 - 2,4-Dinitrophenol
 - 2,4-Dinitrotoluene
 - 2,4,5-Trichlorophenol
 - 2,6-Dinitrotoluene
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylphenol(o-Cresol)
 - 2-Methylnaphthalene
 - 2-Nitroaniline
 - 2-Nitrophenol
 - 3,3'-Dichlorobenzidine
 - 3&4-Methylphenol(m&p Cresol)
 - 3-Nitroaniline
 - 4,6-Dinitro-2-methylphenol
 - 4-Bromophenylphenyl ether
 - 4-Chloro-3-methylphenol
 - 4-Chloroaniline
 - 4-Chlorophenylphenyl ether
 - 4-Nitroaniline
 - 4-Nitrophenol
 - Acenaphthene
 - Acenaphthylene
 - Anthracene
 - Butylbenzylphthalate
 - Benzoic acid
 - Benzyl alcohol
 - Benzo(k)fluoranthene
 - Benzo(g,h,i)perylene
 - Benzo(a)anthracene
 - Benzo(b)fluoranthene
 - Benzo(a)pyrene
 - bis(2-Chloroethoxy)methane
 - bis(2-Chloroethyl) ether
 - bis(2-Chloroisopropyl) ether
 - bis(2-Ethylhexyl)phthalate
 - Carbazole

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 511741

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-10 (Lab ID: 60262738009)
 - Chrysene
 - Dibenz(a,h)anthracene
 - Dibenzofuran
 - Dimethylphthalate
 - Di-n-butylphthalate
 - Di-n-octylphthalate
 - Diethylphthalate
 - Fluorene
 - Fluoranthene
 - Hexachloro-1,3-butadiene
 - Hexachlorobenzene
 - Hexachlorocyclopentadiene
 - Hexachloroethane
 - Indeno(1,2,3-cd)pyrene
 - Isophorone
 - Naphthalene
 - N-Nitroso-di-n-propylamine
 - Nitrobenzene
 - N-Nitrosodiphenylamine
 - Phenol
 - Phenanthrene
 - Pentachlorophenol
 - Pyrene
 - Pyridine

QC Batch: 512172

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-12 (Lab ID: 60262738010)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol
 - 2,4-Dimethylphenol
 - 2,4-Dinitrophenol
 - 2,4-Dinitrotoluene
 - 2,4,5-Trichlorophenol
 - 2,6-Dinitrotoluene
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylphenol(o-Cresol)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 512172

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-12 (Lab ID: 60262738010)
 - 2-Methylnaphthalene
 - 2-Nitroaniline
 - 2-Nitrophenol
 - 3,3'-Dichlorobenzidine
 - 3&4-Methylphenol(m&p Cresol)
 - 3-Nitroaniline
 - 4,6-Dinitro-2-methylphenol
 - 4-Bromophenylphenyl ether
 - 4-Chloro-3-methylphenol
 - 4-Chloroaniline
 - 4-Chlorophenylphenyl ether
 - 4-Nitroaniline
 - 4-Nitrophenol
 - Acenaphthene
 - Acenaphthylene
 - Anthracene
 - Butylbenzylphthalate
 - Benzoic acid
 - Benzyl alcohol
 - Benzo(k)fluoranthene
 - Benzo(g,h,i)perylene
 - Benzo(a)anthracene
 - Benzo(b)fluoranthene
 - Benzo(a)pyrene
 - bis(2-Chloroethoxy)methane
 - bis(2-Chloroethyl) ether
 - bis(2-Chloroisopropyl) ether
 - bis(2-Ethylhexyl)phthalate
 - Carbazole
 - Chrysene
 - Dibenz(a,h)anthracene
 - Dibenzofuran
 - Dimethylphthalate
 - Di-n-butylphthalate
 - Di-n-octylphthalate
 - Diethylphthalate
 - Fluorene
 - Fluoranthene
 - Hexachloro-1,3-butadiene
 - Hexachlorobenzene
 - Hexachlorocyclopentadiene
 - Hexachloroethane

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 512172

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-12 (Lab ID: 60262738010)
 - Indeno(1,2,3-cd)pyrene
 - Isophorone
 - Naphthalene
 - N-Nitroso-di-n-propylamine
 - Nitrobenzene
 - N-Nitrosodiphenylamine
 - Phenol
 - Phenanthrene
 - Pentachlorophenol
 - Pyrene
 - Pyridine
- SB-13 (Lab ID: 60262738011)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol
 - 2,4-Dimethylphenol
 - 2,4-Dinitrophenol
 - 2,4-Dinitrotoluene
 - 2,4,5-Trichlorophenol
 - 2,6-Dinitrotoluene
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylphenol(o-Cresol)
 - 2-Methylnaphthalene
 - 2-Nitroaniline
 - 2-Nitrophenol
 - 3,3'-Dichlorobenzidine
 - 3&4-Methylphenol(m&p Cresol)
 - 3-Nitroaniline
 - 4,6-Dinitro-2-methylphenol
 - 4-Bromophenylphenyl ether
 - 4-Chloro-3-methylphenol
 - 4-Chloroaniline
 - 4-Chlorophenylphenyl ether
 - 4-Nitroaniline
 - 4-Nitrophenol
 - Acenaphthene
 - Acenaphthylene
 - Anthracene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 512172

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-13 (Lab ID: 60262738011)

- Butylbenzylphthalate
- Benzoic acid
- Benzyl alcohol
- Benzo(k)fluoranthene
- Benzo(g,h,i)perylene
- Benzo(a)anthracene
- Benzo(b)fluoranthene
- Benzo(a)pyrene
- bis(2-Chloroethoxy)methane
- bis(2-Chloroethyl) ether
- bis(2-Chloroisopropyl) ether
- bis(2-Ethylhexyl)phthalate
- Carbazole
- Chrysene
- Dibenz(a,h)anthracene
- Dibenzofuran
- Dimethylphthalate
- Di-n-butylphthalate
- Di-n-octylphthalate
- Diethylphthalate
- Fluorene
- Fluoranthene
- Hexachloro-1,3-butadiene
- Hexachlorobenzene
- Hexachlorocyclopentadiene
- Hexachloroethane
- Indeno(1,2,3-cd)pyrene
- Isophorone
- Naphthalene
- N-Nitroso-di-n-propylamine
- Nitrobenzene
- N-Nitrosodiphenylamine
- Phenol
- Phenanthrene
- Pentachlorophenol
- Pyrene
- Pyridine

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8270

Description: 8270 MSSV DRO/ORO

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

11 samples were analyzed for EPA 8270. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510C with any exceptions noted below.

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 511864

S0: Surrogate recovery outside laboratory control limits.

- LCS (Lab ID: 2095780)
- 2-Fluorobiphenyl (S)

S3: Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated sample.

- BLANK (Lab ID: 2095779)
- 2-Fluorobiphenyl (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

QC Batch: 511864

B: Analyte was detected in the associated method blank.

- BLANK for HBN 511864 [OEXT/630 (Lab ID: 2095779)
- TPH-ORO

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8270

Description: 8270 MSSV DRO/ORO

Client: TETRA TECH EMI

Date: February 12, 2018

QC Batch: 511914

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

Analyte Comments:

QC Batch: 511914

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-10 (Lab ID: 60262738009)
 - TPH-DRO
 - TPH-ORO
- SB-12 (Lab ID: 60262738010)
 - TPH-DRO
 - TPH-ORO
- SB-13 (Lab ID: 60262738011)
 - TPH-DRO
 - TPH-ORO

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 5035A/8260

Description: 8260 MSV GRO and Oxygenates

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

8 samples were analyzed for EPA 5035A/8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 512196

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 5030B/8260

Description: 8260 MSV

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

3 samples were analyzed for EPA 5030B/8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 511954

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8260

Description: 8260 MSV GRO and Oxygenates

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

3 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 512008

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 8260

Description: 8260 MSV 5035A VOA

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

8 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 513132

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60263077004

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MSD (Lab ID: 2100606)
 - Methyl-tert-butyl ether
 - trans-1,2-Dichloroethene

R1: RPD value was outside control limits.

- MSD (Lab ID: 2100606)
 - 1,2-Dichloroethene (Total)
 - Methyl-tert-butyl ether
 - trans-1,2-Dichloroethene

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: SM 4500-H+B

Description: 4500H+ pH, Electrometric

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

3 samples were analyzed for SM 4500-H+B. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

H6: Analysis initiated outside of the 15 minute EPA required holding time.

- SB-10 (Lab ID: 60262738009)
- SB-12 (Lab ID: 60262738010)
- SB-13 (Lab ID: 60262738011)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 9045

Description: 9045 pH Soil

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

8 samples were analyzed for EPA 9045. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 353.2

Description: 353.2 Nitrogen, NO₂/NO₃ pres.

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

3 samples were analyzed for EPA 353.2. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 512000

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262738009

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2096377)
- Nitrogen, NO₂ plus NO₃

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Method: EPA 9056

Description: 9056 IC Anions

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

11 samples were analyzed for EPA 9056. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 9056 with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-10 (0-1) Lab ID: 60262738001 Collected: 01/24/18 08:45 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.64	ug/kg	1.8	0.64	1	02/02/18 13:00	02/05/18 19:51	309-00-2	
alpha-BHC	<0.28	ug/kg	1.8	0.28	1	02/02/18 13:00	02/05/18 19:51	319-84-6	
beta-BHC	<0.95	ug/kg	3.0	0.95	1	02/02/18 13:00	02/05/18 19:51	319-85-7	
delta-BHC	<0.86	ug/kg	2.5	0.86	1	02/02/18 13:00	02/05/18 19:51	319-86-8	
gamma-BHC (Lindane)	<0.81	ug/kg	2.5	0.81	1	02/02/18 13:00	02/05/18 19:51	58-89-9	
Chlordane (Technical)	<50.4	ug/kg	269	50.4	1	02/02/18 13:00	02/05/18 19:51	57-74-9	
alpha-Chlordane	<0.71	ug/kg	3.0	0.71	1	02/02/18 13:00	02/05/18 19:51	5103-71-9	
gamma-Chlordane	<1.2	ug/kg	3.0	1.2	1	02/02/18 13:00	02/05/18 19:51	5103-74-2	
4,4'-DDD	<0.58	ug/kg	1.8	0.58	1	02/02/18 13:00	02/05/18 19:51	72-54-8	
4,4'-DDE	<0.56	ug/kg	1.8	0.56	1	02/02/18 13:00	02/05/18 19:51	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.5	1.2	1	02/02/18 13:00	02/05/18 19:51	50-29-3	
Dieldrin	<0.78	ug/kg	2.5	0.78	1	02/02/18 13:00	02/05/18 19:51	60-57-1	M1
Endosulfan I	<0.83	ug/kg	2.5	0.83	1	02/02/18 13:00	02/05/18 19:51	959-98-8	M1
Endosulfan II	<0.58	ug/kg	1.8	0.58	1	02/02/18 13:00	02/05/18 19:51	33213-65-9	
Endosulfan sulfate	<0.83	ug/kg	2.5	0.83	1	02/02/18 13:00	02/05/18 19:51	1031-07-8	M1
Endrin	<0.83	ug/kg	3.0	0.83	1	02/02/18 13:00	02/05/18 19:51	72-20-8	
Endrin aldehyde	<0.83	ug/kg	2.5	0.83	1	02/02/18 13:00	02/05/18 19:51	7421-93-4	
Endrin ketone	<0.99	ug/kg	3.6	0.99	1	02/02/18 13:00	02/05/18 19:51	53494-70-5	M1
Heptachlor	<1.4	ug/kg	3.6	1.4	1	02/02/18 13:00	02/05/18 19:51	76-44-8	
Heptachlor epoxide	<3.6	ug/kg	9.0	3.6	1	02/02/18 13:00	02/05/18 19:51	1024-57-3	
Methoxychlor	<1.0	ug/kg	3.6	1.0	1	02/02/18 13:00	02/05/18 19:51	72-43-5	
Toxaphene	<93.0	ug/kg	269	93.0	1	02/02/18 13:00	02/05/18 19:51	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	74	%.	70-130		1	02/02/18 13:00	02/05/18 19:51	877-09-8	
Decachlorobiphenyl (S)	72	%.	70-130		1	02/02/18 13:00	02/05/18 19:51	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<6.0	ug/kg	11.9	6.0	1	02/02/18 13:00	02/05/18 23:03	22248-79-9	
Azinphos, methyl (Guthion)	<6.0	ug/kg	11.9	6.0	1	02/02/18 13:00	02/05/18 23:03	86-50-0	
Bolstar	<6.0	ug/kg	11.9	6.0	1	02/02/18 13:00	02/05/18 23:03	35400-43-2	
Chlorpyrifos	<6.0	ug/kg	11.9	6.0	1	02/02/18 13:00	02/05/18 23:03	2921-88-2	
Coumaphos	<6.0	ug/kg	11.9	6.0	1	02/02/18 13:00	02/05/18 23:03	56-72-4	
Diazinon	<6.0	ug/kg	11.9	6.0	1	02/02/18 13:00	02/05/18 23:03	333-41-5	
Dichlorvos	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 23:03	62-73-7	
Dimethoate	<6.0	ug/kg	11.9	6.0	1	02/02/18 13:00	02/05/18 23:03	60-51-5	
Disulfoton	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 23:03	298-04-4	
EPN (ENT)	<3.8	ug/kg	6.0	3.8	1	02/02/18 13:00	02/05/18 23:03	2104-64-5	
Ethoprop	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 23:03	13194-48-4	
Fensulfthion	<6.0	ug/kg	11.9	6.0	1	02/02/18 13:00	02/05/18 23:03	115-90-2	
Fenthion	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 23:03	55-38-9	
Malathion	<6.0	ug/kg	11.9	6.0	1	02/02/18 13:00	02/05/18 23:03	121-75-5	
Methyl parathion	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 23:03	298-00-0	
Mevinphos	<3.5	ug/kg	6.0	3.5	1	02/02/18 13:00	02/05/18 23:03	7786-34-7	
Parathion (Ethyl parathion)	<6.0	ug/kg	11.9	6.0	1	02/02/18 13:00	02/05/18 23:03	56-38-2	
Phorate	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 23:03	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-10 (0-1) **Lab ID: 60262738001** Collected: 01/24/18 08:45 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 23:03	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 23:03	3689-24-5	
Tokuthion (Prothiofos)	<3.0	ug/kg	6.0	3.0	1	02/02/18 13:00	02/05/18 23:03	34643-46-4	
Trichloronate	<6.0	ug/kg	11.9	6.0	1	02/02/18 13:00	02/05/18 23:03	327-98-0	
Total Demeton	<4.9	ug/kg	6.0	4.9	1	02/02/18 13:00	02/05/18 23:03	8065-48-3	N2
Total Merphos	<6.0	ug/kg	23.9	6.0	1	02/02/18 13:00	02/05/18 23:03	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	98	%.	11-137		1	02/02/18 13:00	02/05/18 23:03	115-86-6	
Tributylphosphate (S)	103	%.	17-125		1	02/02/18 13:00	02/05/18 23:03	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.0	ug/kg	3.0	3.0	1	02/05/18 13:19	02/06/18 16:43	94-75-7	
Dalapon	<3.0	ug/kg	3.0	3.0	1	02/05/18 13:19	02/06/18 16:43	75-99-0	
2,4-DB	<3.0	ug/kg	3.0	3.0	1	02/05/18 13:19	02/06/18 16:43	94-82-6	
Dicamba	<3.0	ug/kg	3.0	3.0	1	02/05/18 13:19	02/06/18 16:43	1918-00-9	
Dichloroprop	<3.0	ug/kg	3.0	3.0	1	02/05/18 13:19	02/06/18 16:43	15165-67-0	
Dinoseb	<3.0	ug/kg	3.0	3.0	1	02/05/18 13:19	02/06/18 16:43	88-85-7	3e
MCPA	<300	ug/kg	300	300	1	02/05/18 13:19	02/06/18 16:43	94-74-6	
MCPP	<300	ug/kg	300	300	1	02/05/18 13:19	02/06/18 16:43	7085-19-0	
2,4,5-T	<3.0	ug/kg	3.0	3.0	1	02/05/18 13:19	02/06/18 16:43	93-76-5	
2,4,5-TP (Silvex)	<3.0	ug/kg	3.0	3.0	1	02/05/18 13:19	02/06/18 16:43	93-72-1	
Surrogates									
2,4-DCAA (S)	22	%.	10-188		1	02/05/18 13:19	02/06/18 16:43	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	6.1	mg/kg	1.1	0.46	1	01/30/18 14:45	02/06/18 15:26	7440-38-2	
Barium	231	mg/kg	0.56	0.035	1	01/30/18 14:45	02/06/18 15:26	7440-39-3	
Cadmium	0.11J	mg/kg	0.56	0.042	1	01/30/18 14:45	02/06/18 15:26	7440-43-9	
Chromium	16.5	mg/kg	0.56	0.11	1	01/30/18 14:45	02/06/18 15:26	7440-47-3	
Lead	12.0	mg/kg	0.56	0.23	1	01/30/18 14:45	02/06/18 15:26	7439-92-1	
Selenium	<0.84	mg/kg	1.7	0.84	1	01/30/18 14:45	02/06/18 15:26	7782-49-2	
Silver	<0.19	mg/kg	0.79	0.19	1	01/30/18 14:45	02/06/18 15:26	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.051J	mg/kg	0.053	0.0071	1	01/29/18 09:15	01/29/18 12:40	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	135J	ug/kg	393	41.7	1	01/26/18 15:00	01/30/18 19:43	83-32-9	
Acenaphthylene	<37.0	ug/kg	393	37.0	1	01/26/18 15:00	01/30/18 19:43	208-96-8	
Anthracene	257J	ug/kg	393	41.7	1	01/26/18 15:00	01/30/18 19:43	120-12-7	
Benzo(a)anthracene	653	ug/kg	393	35.8	1	01/26/18 15:00	01/30/18 19:43	56-55-3	
Benzo(a)pyrene	621	ug/kg	393	31.0	1	01/26/18 15:00	01/30/18 19:43	50-32-8	
Benzo(b)fluoranthene	1120	ug/kg	393	27.4	1	01/26/18 15:00	01/30/18 19:43	205-99-2	M1
Benzo(g,h,i)perylene	397	ug/kg	393	38.1	1	01/26/18 15:00	01/30/18 19:43	191-24-2	
Benzo(k)fluoranthene	<46.5	ug/kg	393	46.5	1	01/26/18 15:00	01/30/18 19:43	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-10 (0-1) Lab ID: 60262738001 Collected: 01/24/18 08:45 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<37.0	ug/kg	1990	37.0	1	01/26/18 15:00	01/30/18 19:43	65-85-0	M1
Benzyl alcohol	<123	ug/kg	787	123	1	01/26/18 15:00	01/30/18 19:43	100-51-6	
4-Bromophenylphenyl ether	<31.0	ug/kg	393	31.0	1	01/26/18 15:00	01/30/18 19:43	101-55-3	
Butylbenzylphthalate	<51.3	ug/kg	393	51.3	1	01/26/18 15:00	01/30/18 19:43	85-68-7	
Carbazole	98.0J	ug/kg	393	32.2	1	01/26/18 15:00	01/30/18 19:43	86-74-8	
4-Chloro-3-methylphenol	<42.9	ug/kg	787	42.9	1	01/26/18 15:00	01/30/18 19:43	59-50-7	
4-Chloroaniline	<77.5	ug/kg	787	77.5	1	01/26/18 15:00	01/30/18 19:43	106-47-8	
bis(2-Chloroethoxy)methane	<31.0	ug/kg	393	31.0	1	01/26/18 15:00	01/30/18 19:43	111-91-1	
bis(2-Chloroethyl) ether	<31.0	ug/kg	393	31.0	1	01/26/18 15:00	01/30/18 19:43	111-44-4	
bis(2-Chloroisopropyl) ether	<31.0	ug/kg	393	31.0	1	01/26/18 15:00	01/30/18 19:43	39638-32-9	
2-Chloronaphthalene	<33.4	ug/kg	393	33.4	1	01/26/18 15:00	01/30/18 19:43	91-58-7	
2-Chlorophenol	<32.2	ug/kg	393	32.2	1	01/26/18 15:00	01/30/18 19:43	95-57-8	
4-Chlorophenylphenyl ether	<38.1	ug/kg	393	38.1	1	01/26/18 15:00	01/30/18 19:43	7005-72-3	
Chrysene	673	ug/kg	393	33.4	1	01/26/18 15:00	01/30/18 19:43	218-01-9	
Dibenz(a,h)anthracene	104J	ug/kg	393	35.8	1	01/26/18 15:00	01/30/18 19:43	53-70-3	
Dibenzofuran	53.4J	ug/kg	393	35.8	1	01/26/18 15:00	01/30/18 19:43	132-64-9	
1,2-Dichlorobenzene	<29.8	ug/kg	393	29.8	1	01/26/18 15:00	01/30/18 19:43	95-50-1	
1,3-Dichlorobenzene	<33.4	ug/kg	393	33.4	1	01/26/18 15:00	01/30/18 19:43	541-73-1	
1,4-Dichlorobenzene	<34.6	ug/kg	393	34.6	1	01/26/18 15:00	01/30/18 19:43	106-46-7	
3,3'-Dichlorobenzidine	<135	ug/kg	787	135	1	01/26/18 15:00	01/30/18 19:43	91-94-1	
2,4-Dichlorophenol	<35.8	ug/kg	393	35.8	1	01/26/18 15:00	01/30/18 19:43	120-83-2	
Diethylphthalate	<37.0	ug/kg	393	37.0	1	01/26/18 15:00	01/30/18 19:43	84-66-2	
2,4-Dimethylphenol	<21.5	ug/kg	393	21.5	1	01/26/18 15:00	01/30/18 19:43	105-67-9	
Dimethylphthalate	<38.1	ug/kg	393	38.1	1	01/26/18 15:00	01/30/18 19:43	131-11-3	
Di-n-butylphthalate	<41.7	ug/kg	393	41.7	1	01/26/18 15:00	01/30/18 19:43	84-74-2	
4,6-Dinitro-2-methylphenol	<52.5	ug/kg	1990	52.5	1	01/26/18 15:00	01/30/18 19:43	534-52-1	
2,4-Dinitrophenol	<57.2	ug/kg	1990	57.2	1	01/26/18 15:00	01/30/18 19:43	51-28-5	
2,4-Dinitrotoluene	<33.4	ug/kg	393	33.4	1	01/26/18 15:00	01/30/18 19:43	121-14-2	
2,6-Dinitrotoluene	<40.5	ug/kg	393	40.5	1	01/26/18 15:00	01/30/18 19:43	606-20-2	
Di-n-octylphthalate	<46.5	ug/kg	393	46.5	1	01/26/18 15:00	01/30/18 19:43	117-84-0	
bis(2-Ethylhexyl)phthalate	<136	ug/kg	393	136	1	01/26/18 15:00	01/30/18 19:43	117-81-7	
Fluoranthene	1610	ug/kg	393	37.0	1	01/26/18 15:00	01/30/18 19:43	206-44-0	M1
Fluorene	123J	ug/kg	393	37.0	1	01/26/18 15:00	01/30/18 19:43	86-73-7	
Hexachloro-1,3-butadiene	<39.3	ug/kg	393	39.3	1	01/26/18 15:00	01/30/18 19:43	87-68-3	
Hexachlorobenzene	<38.1	ug/kg	393	38.1	1	01/26/18 15:00	01/30/18 19:43	118-74-1	
Hexachlorocyclopentadiene	<83.5	ug/kg	393	83.5	1	01/26/18 15:00	01/30/18 19:43	77-47-4	
Hexachloroethane	<29.8	ug/kg	393	29.8	1	01/26/18 15:00	01/30/18 19:43	67-72-1	
Indeno(1,2,3-cd)pyrene	350J	ug/kg	393	42.9	1	01/26/18 15:00	01/30/18 19:43	193-39-5	
Isophorone	<35.8	ug/kg	393	35.8	1	01/26/18 15:00	01/30/18 19:43	78-59-1	
2-Methylnaphthalene	<28.6	ug/kg	393	28.6	1	01/26/18 15:00	01/30/18 19:43	91-57-6	
2-Methylphenol(o-Cresol)	<37.0	ug/kg	393	37.0	1	01/26/18 15:00	01/30/18 19:43	95-48-7	
3&4-Methylphenol(m&p Cresol)	<42.9	ug/kg	393	42.9	1	01/26/18 15:00	01/30/18 19:43		
Naphthalene	<31.0	ug/kg	393	31.0	1	01/26/18 15:00	01/30/18 19:43	91-20-3	
2-Nitroaniline	<66.8	ug/kg	787	66.8	1	01/26/18 15:00	01/30/18 19:43	88-74-4	
3-Nitroaniline	<119	ug/kg	787	119	1	01/26/18 15:00	01/30/18 19:43	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-10 (0-1) **Lab ID: 60262738001** Collected: 01/24/18 08:45 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<101	ug/kg	787	101	1	01/26/18 15:00	01/30/18 19:43	100-01-6	
Nitrobenzene	<37.0	ug/kg	393	37.0	1	01/26/18 15:00	01/30/18 19:43	98-95-3	
2-Nitrophenol	<54.8	ug/kg	393	54.8	1	01/26/18 15:00	01/30/18 19:43	88-75-5	
4-Nitrophenol	<62.0	ug/kg	1990	62.0	1	01/26/18 15:00	01/30/18 19:43	100-02-7	
N-Nitroso-di-n-propylamine	<39.3	ug/kg	393	39.3	1	01/26/18 15:00	01/30/18 19:43	621-64-7	
N-Nitrosodiphenylamine	<31.0	ug/kg	393	31.0	1	01/26/18 15:00	01/30/18 19:43	86-30-6	
Pentachlorophenol	<37.0	ug/kg	1990	37.0	1	01/26/18 15:00	01/30/18 19:43	87-86-5	
Phenanthrene	1240	ug/kg	393	37.0	1	01/26/18 15:00	01/30/18 19:43	85-01-8	M1
Phenol	<31.0	ug/kg	393	31.0	1	01/26/18 15:00	01/30/18 19:43	108-95-2	
Pyrene	1450	ug/kg	393	39.3	1	01/26/18 15:00	01/30/18 19:43	129-00-0	M1
Pyridine	<32.2	ug/kg	393	32.2	1	01/26/18 15:00	01/30/18 19:43	110-86-1	
1,2,4-Trichlorobenzene	<35.8	ug/kg	393	35.8	1	01/26/18 15:00	01/30/18 19:43	120-82-1	
2,4,5-Trichlorophenol	<35.8	ug/kg	393	35.8	1	01/26/18 15:00	01/30/18 19:43	95-95-4	
2,4,6-Trichlorophenol	<37.0	ug/kg	393	37.0	1	01/26/18 15:00	01/30/18 19:43	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	76	%	41-114		1	01/26/18 15:00	01/30/18 19:43	4165-60-0	
2-Fluorobiphenyl (S)	80	%	61-109		1	01/26/18 15:00	01/30/18 19:43	321-60-8	
Terphenyl-d14 (S)	86	%	48-120		1	01/26/18 15:00	01/30/18 19:43	1718-51-0	
Phenol-d6 (S)	79	%	48-102		1	01/26/18 15:00	01/30/18 19:43	13127-88-3	
2-Fluorophenol (S)	69	%	46-102		1	01/26/18 15:00	01/30/18 19:43	367-12-4	
2,4,6-Tribromophenol (S)	49	%	39-114		1	01/26/18 15:00	01/30/18 19:43	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	37.4	mg/kg	17.7	1.4	1	01/25/18 15:00	01/31/18 07:16		
TPH-DRO	3.4J	mg/kg	17.7	1.4	1	01/25/18 15:00	01/31/18 07:16		
Surrogates									
Nitrobenzene-d5 (S)	92	%	41-114		1	01/25/18 15:00	01/31/18 07:16	4165-60-0	
2-Fluorobiphenyl (S)	89	%	61-109		1	01/25/18 15:00	01/31/18 07:16	321-60-8	
Terphenyl-d14 (S)	81	%	48-120		1	01/25/18 15:00	01/31/18 07:16	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.31	mg/kg	0.61	0.31	1		01/25/18 20:00		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	97.6	ug/kg	21.0	10.5	1		02/06/18 15:09	67-64-1	
Benzene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	71-43-2	
Bromobenzene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	108-86-1	
Bromochloromethane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	74-97-5	
Bromodichloromethane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	75-27-4	
Bromoform	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	75-25-2	
Bromomethane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	74-83-9	
2-Butanone (MEK)	11.7	ug/kg	10.5	5.3	1		02/06/18 15:09	78-93-3	
n-Butylbenzene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	104-51-8	
sec-Butylbenzene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	135-98-8	
tert-Butylbenzene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-10 (0-1) Lab ID: 60262738001 Collected: 01/24/18 08:45 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	75-15-0	
Carbon tetrachloride	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	56-23-5	
Chlorobenzene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	108-90-7	
Chloroethane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	75-00-3	
Chloroform	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	67-66-3	
Chloromethane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	74-87-3	
2-Chlorotoluene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	95-49-8	
4-Chlorotoluene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	106-43-4	
1,2-Dibromo-3-chloropropane	<5.3	ug/kg	10.5	5.3	1		02/06/18 15:09	96-12-8	
Dibromochloromethane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	124-48-1	
1,2-Dibromoethane (EDB)	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	106-93-4	
Dibromomethane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	74-95-3	
1,2-Dichlorobenzene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	95-50-1	
1,3-Dichlorobenzene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	541-73-1	
1,4-Dichlorobenzene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	106-46-7	
Dichlorodifluoromethane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	75-71-8	
1,1-Dichloroethane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	75-34-3	
1,2-Dichloroethane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	107-06-2	
1,2-Dichloroethene (Total)	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	540-59-0	
1,1-Dichloroethene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	75-35-4	
cis-1,2-Dichloroethene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	156-59-2	
trans-1,2-Dichloroethene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	156-60-5	
1,2-Dichloropropane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	78-87-5	
1,3-Dichloropropane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	142-28-9	
2,2-Dichloropropane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	594-20-7	
1,1-Dichloropropene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	563-58-6	
cis-1,3-Dichloropropene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	10061-01-5	
trans-1,3-Dichloropropene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	10061-02-6	
Ethylbenzene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	100-41-4	
Hexachloro-1,3-butadiene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	87-68-3	
2-Hexanone	<10.5	ug/kg	21.0	10.5	1		02/06/18 15:09	591-78-6	
Isopropylbenzene (Cumene)	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	98-82-8	
p-Isopropyltoluene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	99-87-6	
Methylene chloride	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.3	ug/kg	10.5	5.3	1		02/06/18 15:09	108-10-1	
Methyl-tert-butyl ether	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	1634-04-4	
Naphthalene	<5.3	ug/kg	10.5	5.3	1		02/06/18 15:09	91-20-3	
n-Propylbenzene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	103-65-1	
Styrene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	100-42-5	
1,1,1,2-Tetrachloroethane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	630-20-6	
1,1,2,2-Tetrachloroethane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	79-34-5	
Tetrachloroethene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	127-18-4	
Toluene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	108-88-3	
1,2,3-Trichlorobenzene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	87-61-6	
1,2,4-Trichlorobenzene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-10 (0-1) **Lab ID: 60262738001** Collected: 01/24/18 08:45 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	6.2	ug/kg	5.3	2.6	1		02/06/18 15:09	71-55-6	
1,1,2-Trichloroethane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	79-00-5	
Trichloroethene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	79-01-6	
Trichlorofluoromethane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	75-69-4	
1,2,3-Trichloropropane	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	96-18-4	
1,2,4-Trimethylbenzene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	95-63-6	
1,3,5-Trimethylbenzene	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	108-67-8	
Vinyl chloride	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	75-01-4	
Xylene (Total)	<2.6	ug/kg	5.3	2.6	1		02/06/18 15:09	1330-20-7	
Surrogates									
Toluene-d8 (S)	101	%	78-122		1		02/06/18 15:09	2037-26-5	
4-Bromofluorobenzene (S)	104	%	69-133		1		02/06/18 15:09	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	80-123		1		02/06/18 15:09	17060-07-0	
Percent Moisture									
Analytical Method: ASTM D2974									
Percent Moisture	17.5	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil									
Analytical Method: EPA 9045									
pH at 25 Degrees C	10.4	Std. Units	0.10	0.10	1		02/01/18 13:20		
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	976	mg/kg	120	60.2	10	02/05/18 08:00	02/06/18 05:48	14808-79-8	
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	40.1	mg/kg	12.0	6.0	10	02/05/18 16:00	02/06/18 05:48	14797-55-8	
Nitrite as N	<6.0	mg/kg	12.0	6.0	10	02/05/18 16:00	02/06/18 05:48	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-10 (3-5) Lab ID: 60262738002 Collected: 01/24/18 08:55 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.67	ug/kg	1.9	0.67	1	02/02/18 13:00	02/05/18 20:05	309-00-2	
alpha-BHC	<0.30	ug/kg	1.9	0.30	1	02/02/18 13:00	02/05/18 20:05	319-84-6	
beta-BHC	<1.0	ug/kg	3.2	1.0	1	02/02/18 13:00	02/05/18 20:05	319-85-7	
delta-BHC	<0.91	ug/kg	2.7	0.91	1	02/02/18 13:00	02/05/18 20:05	319-86-8	
gamma-BHC (Lindane)	<0.85	ug/kg	2.7	0.85	1	02/02/18 13:00	02/05/18 20:05	58-89-9	
Chlordane (Technical)	<53.4	ug/kg	285	53.4	1	02/02/18 13:00	02/05/18 20:05	57-74-9	
alpha-Chlordane	<0.76	ug/kg	3.2	0.76	1	02/02/18 13:00	02/05/18 20:05	5103-71-9	
gamma-Chlordane	<1.3	ug/kg	3.2	1.3	1	02/02/18 13:00	02/05/18 20:05	5103-74-2	
4,4'-DDD	<0.62	ug/kg	1.9	0.62	1	02/02/18 13:00	02/05/18 20:05	72-54-8	
4,4'-DDE	<0.59	ug/kg	1.9	0.59	1	02/02/18 13:00	02/05/18 20:05	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.7	1.2	1	02/02/18 13:00	02/05/18 20:05	50-29-3	
Dieldrin	<0.82	ug/kg	2.7	0.82	1	02/02/18 13:00	02/05/18 20:05	60-57-1	
Endosulfan I	<0.88	ug/kg	2.7	0.88	1	02/02/18 13:00	02/05/18 20:05	959-98-8	
Endosulfan II	<0.61	ug/kg	1.9	0.61	1	02/02/18 13:00	02/05/18 20:05	33213-65-9	
Endosulfan sulfate	<0.87	ug/kg	2.7	0.87	1	02/02/18 13:00	02/05/18 20:05	1031-07-8	
Endrin	<0.88	ug/kg	3.2	0.88	1	02/02/18 13:00	02/05/18 20:05	72-20-8	
Endrin aldehyde	<0.88	ug/kg	2.7	0.88	1	02/02/18 13:00	02/05/18 20:05	7421-93-4	
Endrin ketone	<1.0	ug/kg	3.8	1.0	1	02/02/18 13:00	02/05/18 20:05	53494-70-5	
Heptachlor	<1.4	ug/kg	3.8	1.4	1	02/02/18 13:00	02/05/18 20:05	76-44-8	
Heptachlor epoxide	<3.8	ug/kg	9.5	3.8	1	02/02/18 13:00	02/05/18 20:05	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.8	1.1	1	02/02/18 13:00	02/05/18 20:05	72-43-5	
Toxaphene	<98.4	ug/kg	285	98.4	1	02/02/18 13:00	02/05/18 20:05	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	69	%	70-130		1	02/02/18 13:00	02/05/18 20:05	877-09-8	S1
Decachlorobiphenyl (S)	79	%	70-130		1	02/02/18 13:00	02/05/18 20:05	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<6.3	ug/kg	12.6	6.3	1	02/02/18 13:00	02/05/18 19:53	22248-79-9	
Azinphos, methyl (Guthion)	<6.3	ug/kg	12.6	6.3	1	02/02/18 13:00	02/05/18 19:53	86-50-0	
Bolstar	<6.3	ug/kg	12.6	6.3	1	02/02/18 13:00	02/05/18 19:53	35400-43-2	
Chlorpyrifos	<6.3	ug/kg	12.6	6.3	1	02/02/18 13:00	02/05/18 19:53	2921-88-2	
Coumaphos	<6.3	ug/kg	12.6	6.3	1	02/02/18 13:00	02/05/18 19:53	56-72-4	
Demeton-O	<5.2	ug/kg	6.3	5.2	1	02/02/18 13:00	02/05/18 19:53	298-03-3	
Demeton-S	<1.6	ug/kg	3.2	1.6	1	02/02/18 13:00	02/05/18 19:53	126-75-0	
Diazinon	<6.3	ug/kg	12.6	6.3	1	02/02/18 13:00	02/05/18 19:53	333-41-5	
Dichlorvos	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 19:53	62-73-7	
Dimethoate	<6.3	ug/kg	12.6	6.3	1	02/02/18 13:00	02/05/18 19:53	60-51-5	
Disulfoton	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 19:53	298-04-4	
EPN (ENT)	<4.0	ug/kg	6.3	4.0	1	02/02/18 13:00	02/05/18 19:53	2104-64-5	
Ethoprop	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 19:53	13194-48-4	
Fensulfothion	<6.3	ug/kg	12.6	6.3	1	02/02/18 13:00	02/05/18 19:53	115-90-2	
Fenthion	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 19:53	55-38-9	
Malathion	<6.3	ug/kg	12.6	6.3	1	02/02/18 13:00	02/05/18 19:53	121-75-5	
Merphos	<6.3	ug/kg	12.6	6.3	1	02/02/18 13:00	02/05/18 19:53	150-50-5	L2,M0
Methyl parathion	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 19:53	298-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-10 (3-5) **Lab ID: 60262738002** Collected: 01/24/18 08:55 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Mevinphos	<3.7	ug/kg	6.3	3.7	1	02/02/18 13:00	02/05/18 19:53	7786-34-7	
Merphos-Oxone	<6.3	ug/kg	12.6	6.3	1	02/02/18 13:00	02/05/18 19:53	78-48-8	N2
Parathion (Ethyl parathion)	<6.3	ug/kg	12.6	6.3	1	02/02/18 13:00	02/05/18 19:53	56-38-2	
Phorate	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 19:53	298-02-2	
Ronnel	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 19:53	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 19:53	3689-24-5	
Tokuthion (Prothiofos)	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 19:53	34643-46-4	
Trichloronate	<6.3	ug/kg	12.6	6.3	1	02/02/18 13:00	02/05/18 19:53	327-98-0	
Total Demeton	<5.2	ug/kg	6.3	5.2	1	02/02/18 13:00	02/05/18 19:53	8065-48-3	N2
Total Merphos	<6.3	ug/kg	25.3	6.3	1	02/02/18 13:00	02/05/18 19:53	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	98	%.	11-137		1	02/02/18 13:00	02/05/18 19:53	115-86-6	
Tributylphosphate (S)	104	%.	17-125		1	02/02/18 13:00	02/05/18 19:53	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.1	ug/kg	3.1	3.1	1	02/05/18 13:19	02/06/18 17:08	94-75-7	
Dalapon	<3.1	ug/kg	3.1	3.1	1	02/05/18 13:19	02/06/18 17:08	75-99-0	
2,4-DB	<3.1	ug/kg	3.1	3.1	1	02/05/18 13:19	02/06/18 17:08	94-82-6	
Dicamba	<3.1	ug/kg	3.1	3.1	1	02/05/18 13:19	02/06/18 17:08	1918-00-9	
Dichloroprop	<3.1	ug/kg	3.1	3.1	1	02/05/18 13:19	02/06/18 17:08	15165-67-0	
Dinoseb	<3.1	ug/kg	3.1	3.1	1	02/05/18 13:19	02/06/18 17:08	88-85-7	3e
MCPA	<314	ug/kg	314	314	1	02/05/18 13:19	02/06/18 17:08	94-74-6	
MCPP	<314	ug/kg	314	314	1	02/05/18 13:19	02/06/18 17:08	7085-19-0	
2,4,5-T	<3.1	ug/kg	3.1	3.1	1	02/05/18 13:19	02/06/18 17:08	93-76-5	
2,4,5-TP (Silvex)	<3.1	ug/kg	3.1	3.1	1	02/05/18 13:19	02/06/18 17:08	93-72-1	
Surrogates									
2,4-DCAA (S)	7	%.	10-188		1	02/05/18 13:19	02/06/18 17:08	19719-28-9	S1
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	6.7	mg/kg	1.2	0.50	1	01/30/18 14:45	02/06/18 15:32	7440-38-2	
Barium	220	mg/kg	0.61	0.038	1	01/30/18 14:45	02/06/18 15:32	7440-39-3	
Cadmium	0.050J	mg/kg	0.61	0.045	1	01/30/18 14:45	02/06/18 15:32	7440-43-9	
Chromium	17.2	mg/kg	0.61	0.12	1	01/30/18 14:45	02/06/18 15:32	7440-47-3	
Lead	10.7	mg/kg	0.61	0.25	1	01/30/18 14:45	02/06/18 15:32	7439-92-1	
Selenium	<0.91	mg/kg	1.8	0.91	1	01/30/18 14:45	02/06/18 15:32	7782-49-2	
Silver	<0.20	mg/kg	0.85	0.20	1	01/30/18 14:45	02/06/18 15:32	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.018J	mg/kg	0.053	0.0070	1	01/29/18 09:15	01/29/18 12:42	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<43.2	ug/kg	407	43.2	1	01/26/18 15:00	01/30/18 20:04	83-32-9	
Acenaphthylene	<38.2	ug/kg	407	38.2	1	01/26/18 15:00	01/30/18 20:04	208-96-8	
Anthracene	<43.2	ug/kg	407	43.2	1	01/26/18 15:00	01/30/18 20:04	120-12-7	
Benzo(a)anthracene	<37.0	ug/kg	407	37.0	1	01/26/18 15:00	01/30/18 20:04	56-55-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-10 (3-5) Lab ID: 60262738002 Collected: 01/24/18 08:55 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzo(a)pyrene	<32.1	ug/kg	407	32.1	1	01/26/18 15:00	01/30/18 20:04	50-32-8	
Benzo(b)fluoranthene	<28.4	ug/kg	407	28.4	1	01/26/18 15:00	01/30/18 20:04	205-99-2	
Benzo(g,h,i)perylene	<39.5	ug/kg	407	39.5	1	01/26/18 15:00	01/30/18 20:04	191-24-2	
Benzo(k)fluoranthene	<48.1	ug/kg	407	48.1	1	01/26/18 15:00	01/30/18 20:04	207-08-9	
Benzoic acid	<38.2	ug/kg	2060	38.2	1	01/26/18 15:00	01/30/18 20:04	65-85-0	
Benzyl alcohol	<127	ug/kg	814	127	1	01/26/18 15:00	01/30/18 20:04	100-51-6	
4-Bromophenylphenyl ether	<32.1	ug/kg	407	32.1	1	01/26/18 15:00	01/30/18 20:04	101-55-3	
Butylbenzylphthalate	<53.0	ug/kg	407	53.0	1	01/26/18 15:00	01/30/18 20:04	85-68-7	
Carbazole	<33.3	ug/kg	407	33.3	1	01/26/18 15:00	01/30/18 20:04	86-74-8	
4-Chloro-3-methylphenol	<44.4	ug/kg	814	44.4	1	01/26/18 15:00	01/30/18 20:04	59-50-7	
4-Chloroaniline	<80.2	ug/kg	814	80.2	1	01/26/18 15:00	01/30/18 20:04	106-47-8	
bis(2-Chloroethoxy)methane	<32.1	ug/kg	407	32.1	1	01/26/18 15:00	01/30/18 20:04	111-91-1	
bis(2-Chloroethyl) ether	<32.1	ug/kg	407	32.1	1	01/26/18 15:00	01/30/18 20:04	111-44-4	
bis(2-Chloroisopropyl) ether	<32.1	ug/kg	407	32.1	1	01/26/18 15:00	01/30/18 20:04	39638-32-9	
2-Chloronaphthalene	<34.5	ug/kg	407	34.5	1	01/26/18 15:00	01/30/18 20:04	91-58-7	
2-Chlorophenol	<33.3	ug/kg	407	33.3	1	01/26/18 15:00	01/30/18 20:04	95-57-8	
4-Chlorophenylphenyl ether	<39.5	ug/kg	407	39.5	1	01/26/18 15:00	01/30/18 20:04	7005-72-3	
Chrysene	<34.5	ug/kg	407	34.5	1	01/26/18 15:00	01/30/18 20:04	218-01-9	
Dibenz(a,h)anthracene	<37.0	ug/kg	407	37.0	1	01/26/18 15:00	01/30/18 20:04	53-70-3	
Dibenzofuran	<37.0	ug/kg	407	37.0	1	01/26/18 15:00	01/30/18 20:04	132-64-9	
1,2-Dichlorobenzene	<30.8	ug/kg	407	30.8	1	01/26/18 15:00	01/30/18 20:04	95-50-1	
1,3-Dichlorobenzene	<34.5	ug/kg	407	34.5	1	01/26/18 15:00	01/30/18 20:04	541-73-1	
1,4-Dichlorobenzene	<35.8	ug/kg	407	35.8	1	01/26/18 15:00	01/30/18 20:04	106-46-7	
3,3'-Dichlorobenzidine	<139	ug/kg	814	139	1	01/26/18 15:00	01/30/18 20:04	91-94-1	
2,4-Dichlorophenol	<37.0	ug/kg	407	37.0	1	01/26/18 15:00	01/30/18 20:04	120-83-2	
Diethylphthalate	<38.2	ug/kg	407	38.2	1	01/26/18 15:00	01/30/18 20:04	84-66-2	
2,4-Dimethylphenol	<22.2	ug/kg	407	22.2	1	01/26/18 15:00	01/30/18 20:04	105-67-9	
Dimethylphthalate	<39.5	ug/kg	407	39.5	1	01/26/18 15:00	01/30/18 20:04	131-11-3	
Di-n-butylphthalate	<43.2	ug/kg	407	43.2	1	01/26/18 15:00	01/30/18 20:04	84-74-2	
4,6-Dinitro-2-methylphenol	<54.3	ug/kg	2060	54.3	1	01/26/18 15:00	01/30/18 20:04	534-52-1	
2,4-Dinitrophenol	<59.2	ug/kg	2060	59.2	1	01/26/18 15:00	01/30/18 20:04	51-28-5	
2,4-Dinitrotoluene	<34.5	ug/kg	407	34.5	1	01/26/18 15:00	01/30/18 20:04	121-14-2	
2,6-Dinitrotoluene	<41.9	ug/kg	407	41.9	1	01/26/18 15:00	01/30/18 20:04	606-20-2	
Di-n-octylphthalate	<48.1	ug/kg	407	48.1	1	01/26/18 15:00	01/30/18 20:04	117-84-0	
bis(2-Ethylhexyl)phthalate	<141	ug/kg	407	141	1	01/26/18 15:00	01/30/18 20:04	117-81-7	
Fluoranthene	<38.2	ug/kg	407	38.2	1	01/26/18 15:00	01/30/18 20:04	206-44-0	
Fluorene	<38.2	ug/kg	407	38.2	1	01/26/18 15:00	01/30/18 20:04	86-73-7	
Hexachloro-1,3-butadiene	<40.7	ug/kg	407	40.7	1	01/26/18 15:00	01/30/18 20:04	87-68-3	
Hexachlorobenzene	<39.5	ug/kg	407	39.5	1	01/26/18 15:00	01/30/18 20:04	118-74-1	
Hexachlorocyclopentadiene	<86.4	ug/kg	407	86.4	1	01/26/18 15:00	01/30/18 20:04	77-47-4	
Hexachloroethane	<30.8	ug/kg	407	30.8	1	01/26/18 15:00	01/30/18 20:04	67-72-1	
Indeno(1,2,3-cd)pyrene	<44.4	ug/kg	407	44.4	1	01/26/18 15:00	01/30/18 20:04	193-39-5	
Isophorone	<37.0	ug/kg	407	37.0	1	01/26/18 15:00	01/30/18 20:04	78-59-1	
2-Methylnaphthalene	<29.6	ug/kg	407	29.6	1	01/26/18 15:00	01/30/18 20:04	91-57-6	
2-Methylphenol(o-Cresol)	<38.2	ug/kg	407	38.2	1	01/26/18 15:00	01/30/18 20:04	95-48-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-10 (3-5) **Lab ID: 60262738002** Collected: 01/24/18 08:55 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
3&4-Methylphenol(m&p Cresol)	<44.4	ug/kg	407	44.4	1	01/26/18 15:00	01/30/18 20:04		
Naphthalene	<32.1	ug/kg	407	32.1	1	01/26/18 15:00	01/30/18 20:04	91-20-3	
2-Nitroaniline	<69.1	ug/kg	814	69.1	1	01/26/18 15:00	01/30/18 20:04	88-74-4	
3-Nitroaniline	<123	ug/kg	814	123	1	01/26/18 15:00	01/30/18 20:04	99-09-2	
4-Nitroaniline	<105	ug/kg	814	105	1	01/26/18 15:00	01/30/18 20:04	100-01-6	
Nitrobenzene	<38.2	ug/kg	407	38.2	1	01/26/18 15:00	01/30/18 20:04	98-95-3	
2-Nitrophenol	<56.8	ug/kg	407	56.8	1	01/26/18 15:00	01/30/18 20:04	88-75-5	
4-Nitrophenol	<64.2	ug/kg	2060	64.2	1	01/26/18 15:00	01/30/18 20:04	100-02-7	
N-Nitroso-di-n-propylamine	<40.7	ug/kg	407	40.7	1	01/26/18 15:00	01/30/18 20:04	621-64-7	
N-Nitrosodiphenylamine	<32.1	ug/kg	407	32.1	1	01/26/18 15:00	01/30/18 20:04	86-30-6	
Pentachlorophenol	<38.2	ug/kg	2060	38.2	1	01/26/18 15:00	01/30/18 20:04	87-86-5	
Phenanthrene	<38.2	ug/kg	407	38.2	1	01/26/18 15:00	01/30/18 20:04	85-01-8	
Phenol	<32.1	ug/kg	407	32.1	1	01/26/18 15:00	01/30/18 20:04	108-95-2	
Pyrene	<40.7	ug/kg	407	40.7	1	01/26/18 15:00	01/30/18 20:04	129-00-0	
Pyridine	<33.3	ug/kg	407	33.3	1	01/26/18 15:00	01/30/18 20:04	110-86-1	
1,2,4-Trichlorobenzene	<37.0	ug/kg	407	37.0	1	01/26/18 15:00	01/30/18 20:04	120-82-1	
2,4,5-Trichlorophenol	<37.0	ug/kg	407	37.0	1	01/26/18 15:00	01/30/18 20:04	95-95-4	
2,4,6-Trichlorophenol	<38.2	ug/kg	407	38.2	1	01/26/18 15:00	01/30/18 20:04	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	74	%	41-114		1	01/26/18 15:00	01/30/18 20:04	4165-60-0	
2-Fluorobiphenyl (S)	77	%	61-109		1	01/26/18 15:00	01/30/18 20:04	321-60-8	
Terphenyl-d14 (S)	81	%	48-120		1	01/26/18 15:00	01/30/18 20:04	1718-51-0	
Phenol-d6 (S)	78	%	48-102		1	01/26/18 15:00	01/30/18 20:04	13127-88-3	
2-Fluorophenol (S)	76	%	46-102		1	01/26/18 15:00	01/30/18 20:04	367-12-4	
2,4,6-Tribromophenol (S)	86	%	39-114		1	01/26/18 15:00	01/30/18 20:04	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	13.4J	mg/kg	18.9	1.5	1	01/25/18 15:00	01/31/18 07:38		B
TPH-DRO	<1.5	mg/kg	18.9	1.5	1	01/25/18 15:00	01/31/18 07:38		
Surrogates									
Nitrobenzene-d5 (S)	84	%	41-114		1	01/25/18 15:00	01/31/18 07:38	4165-60-0	
2-Fluorobiphenyl (S)	79	%	61-109		1	01/25/18 15:00	01/31/18 07:38	321-60-8	
Terphenyl-d14 (S)	79	%	48-120		1	01/25/18 15:00	01/31/18 07:38	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.28	mg/kg	0.55	0.28	1		02/06/18 15:24		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	<11.0	ug/kg	22.1	11.0	1		02/06/18 15:24	67-64-1	
Benzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	71-43-2	
Bromobenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	108-86-1	
Bromochloromethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	74-97-5	
Bromodichloromethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	75-27-4	
Bromoform	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	75-25-2	
Bromomethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-10 (3-5) Lab ID: 60262738002 Collected: 01/24/18 08:55 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
2-Butanone (MEK)	<5.5	ug/kg	11.0	5.5	1		02/06/18 15:24	78-93-3	
n-Butylbenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	104-51-8	
sec-Butylbenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	135-98-8	
tert-Butylbenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	98-06-6	
Carbon disulfide	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	75-15-0	
Carbon tetrachloride	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	56-23-5	
Chlorobenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	108-90-7	
Chloroethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	75-00-3	
Chloroform	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	67-66-3	
Chloromethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	74-87-3	
2-Chlorotoluene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	95-49-8	
4-Chlorotoluene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	106-43-4	
1,2-Dibromo-3-chloropropane	<5.5	ug/kg	11.0	5.5	1		02/06/18 15:24	96-12-8	
Dibromochloromethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	124-48-1	
1,2-Dibromoethane (EDB)	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	106-93-4	
Dibromomethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	74-95-3	
1,2-Dichlorobenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	95-50-1	
1,3-Dichlorobenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	541-73-1	
1,4-Dichlorobenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	106-46-7	
Dichlorodifluoromethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	75-71-8	
1,1-Dichloroethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	75-34-3	
1,2-Dichloroethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	107-06-2	
1,2-Dichloroethene (Total)	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	540-59-0	
1,1-Dichloroethene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	75-35-4	
cis-1,2-Dichloroethene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	156-59-2	
trans-1,2-Dichloroethene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	156-60-5	
1,2-Dichloropropane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	78-87-5	
1,3-Dichloropropane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	142-28-9	
2,2-Dichloropropane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	594-20-7	
1,1-Dichloropropene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	563-58-6	
cis-1,3-Dichloropropene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	10061-01-5	
trans-1,3-Dichloropropene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	10061-02-6	
Ethylbenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	100-41-4	
Hexachloro-1,3-butadiene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	87-68-3	
2-Hexanone	<11.0	ug/kg	22.1	11.0	1		02/06/18 15:24	591-78-6	
Isopropylbenzene (Cumene)	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	98-82-8	
p-Isopropyltoluene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	99-87-6	
Methylene chloride	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.5	ug/kg	11.0	5.5	1		02/06/18 15:24	108-10-1	
Methyl-tert-butyl ether	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	1634-04-4	
Naphthalene	<5.5	ug/kg	11.0	5.5	1		02/06/18 15:24	91-20-3	
n-Propylbenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	103-65-1	
Styrene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	100-42-5	
1,1,1,2-Tetrachloroethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	630-20-6	
1,1,2,2-Tetrachloroethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-10 (3-5) **Lab ID: 60262738002** Collected: 01/24/18 08:55 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Tetrachloroethene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	127-18-4	
Toluene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	108-88-3	
1,2,3-Trichlorobenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	87-61-6	
1,2,4-Trichlorobenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	120-82-1	
1,1,1-Trichloroethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	71-55-6	
1,1,2-Trichloroethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	79-00-5	
Trichloroethene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	79-01-6	
Trichlorofluoromethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	75-69-4	
1,2,3-Trichloropropane	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	96-18-4	
1,2,4-Trimethylbenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	95-63-6	
1,3,5-Trimethylbenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	108-67-8	
Vinyl chloride	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	75-01-4	
Xylene (Total)	<2.8	ug/kg	5.5	2.8	1		02/06/18 15:24	1330-20-7	
Surrogates									
Toluene-d8 (S)	101	%	78-122		1		02/06/18 15:24	2037-26-5	
4-Bromofluorobenzene (S)	96	%	69-133		1		02/06/18 15:24	460-00-4	
1,2-Dichloroethane-d4 (S)	109	%	80-123		1		02/06/18 15:24	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974									
Percent Moisture	21.2	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045									
pH at 25 Degrees C	6.8	Std. Units	0.10	0.10	1		02/01/18 13:20		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	2070	mg/kg	127	63.3	10	02/05/18 08:00	02/06/18 06:01	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	34.6	mg/kg	12.7	6.3	10	02/05/18 16:00	02/06/18 06:01	14797-55-8	
Nitrite as N	<6.3	mg/kg	12.7	6.3	10	02/05/18 16:00	02/06/18 06:01	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-11 (3-5) Lab ID: 60262738003 Collected: 01/24/18 11:00 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.65	ug/kg	1.9	0.65	1	02/02/18 13:00	02/05/18 20:20	309-00-2	
alpha-BHC	<0.29	ug/kg	1.9	0.29	1	02/02/18 13:00	02/05/18 20:20	319-84-6	
beta-BHC	<0.98	ug/kg	3.1	0.98	1	02/02/18 13:00	02/05/18 20:20	319-85-7	
delta-BHC	<0.88	ug/kg	2.6	0.88	1	02/02/18 13:00	02/05/18 20:20	319-86-8	
gamma-BHC (Lindane)	<0.83	ug/kg	2.6	0.83	1	02/02/18 13:00	02/05/18 20:20	58-89-9	
Chlordane (Technical)	<52.0	ug/kg	278	52.0	1	02/02/18 13:00	02/05/18 20:20	57-74-9	
alpha-Chlordane	<0.74	ug/kg	3.1	0.74	1	02/02/18 13:00	02/05/18 20:20	5103-71-9	
gamma-Chlordane	<1.2	ug/kg	3.1	1.2	1	02/02/18 13:00	02/05/18 20:20	5103-74-2	
4,4'-DDD	<0.60	ug/kg	1.9	0.60	1	02/02/18 13:00	02/05/18 20:20	72-54-8	
4,4'-DDE	<0.58	ug/kg	1.9	0.58	1	02/02/18 13:00	02/05/18 20:20	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.6	1.2	1	02/02/18 13:00	02/05/18 20:20	50-29-3	
Dieldrin	<0.80	ug/kg	2.6	0.80	1	02/02/18 13:00	02/05/18 20:20	60-57-1	
Endosulfan I	<0.86	ug/kg	2.6	0.86	1	02/02/18 13:00	02/05/18 20:20	959-98-8	
Endosulfan II	<0.59	ug/kg	1.9	0.59	1	02/02/18 13:00	02/05/18 20:20	33213-65-9	
Endosulfan sulfate	<0.85	ug/kg	2.6	0.85	1	02/02/18 13:00	02/05/18 20:20	1031-07-8	
Endrin	<0.86	ug/kg	3.1	0.86	1	02/02/18 13:00	02/05/18 20:20	72-20-8	
Endrin aldehyde	<0.86	ug/kg	2.6	0.86	1	02/02/18 13:00	02/05/18 20:20	7421-93-4	
Endrin ketone	<1.0	ug/kg	3.7	1.0	1	02/02/18 13:00	02/05/18 20:20	53494-70-5	
Heptachlor	<1.4	ug/kg	3.7	1.4	1	02/02/18 13:00	02/05/18 20:20	76-44-8	
Heptachlor epoxide	<3.7	ug/kg	9.3	3.7	1	02/02/18 13:00	02/05/18 20:20	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.7	1.1	1	02/02/18 13:00	02/05/18 20:20	72-43-5	
Toxaphene	<95.9	ug/kg	278	95.9	1	02/02/18 13:00	02/05/18 20:20	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	71	%.	70-130		1	02/02/18 13:00	02/05/18 20:20	877-09-8	
Decachlorobiphenyl (S)	70	%.	70-130		1	02/02/18 13:00	02/05/18 20:20	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 23:30	22248-79-9	
Azinphos, methyl (Guthion)	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 23:30	86-50-0	
Bolstar	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 23:30	35400-43-2	
Chlorpyrifos	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 23:30	2921-88-2	
Coumaphos	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 23:30	56-72-4	
Diazinon	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 23:30	333-41-5	
Dichlorvos	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 23:30	62-73-7	
Dimethoate	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 23:30	60-51-5	
Disulfoton	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 23:30	298-04-4	
EPN (ENT)	<3.9	ug/kg	6.2	3.9	1	02/02/18 13:00	02/05/18 23:30	2104-64-5	
Ethoprop	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 23:30	13194-48-4	
Fensulfthion	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 23:30	115-90-2	
Fenthion	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 23:30	55-38-9	
Malathion	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 23:30	121-75-5	
Methyl parathion	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 23:30	298-00-0	
Mevinphos	<3.6	ug/kg	6.2	3.6	1	02/02/18 13:00	02/05/18 23:30	7786-34-7	
Parathion (Ethyl parathion)	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 23:30	56-38-2	
Phorate	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 23:30	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-11 (3-5) **Lab ID: 60262738003** Collected: 01/24/18 11:00 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 23:30	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 23:30	3689-24-5	
Tokuthion (Prothiofos)	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/05/18 23:30	34643-46-4	
Trichloronate	<6.2	ug/kg	12.3	6.2	1	02/02/18 13:00	02/05/18 23:30	327-98-0	
Total Demeton	<5.1	ug/kg	6.2	5.1	1	02/02/18 13:00	02/05/18 23:30	8065-48-3	N2
Total Merphos	<6.2	ug/kg	24.6	6.2	1	02/02/18 13:00	02/05/18 23:30	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	92	%.	11-137		1	02/02/18 13:00	02/05/18 23:30	115-86-6	
Tributylphosphate (S)	102	%.	17-125		1	02/02/18 13:00	02/05/18 23:30	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<30.5	ug/kg	30.5	30.5	10	02/05/18 13:19	02/06/18 17:58	94-75-7	
Dalapon	<30.5	ug/kg	30.5	30.5	10	02/05/18 13:19	02/06/18 17:58	75-99-0	
2,4-DB	<30.5	ug/kg	30.5	30.5	10	02/05/18 13:19	02/06/18 17:58	94-82-6	
Dicamba	<30.5	ug/kg	30.5	30.5	10	02/05/18 13:19	02/06/18 17:58	1918-00-9	
Dichloroprop	<30.5	ug/kg	30.5	30.5	10	02/05/18 13:19	02/06/18 17:58	15165-67-0	
Dinoseb	<30.5	ug/kg	30.5	30.5	10	02/05/18 13:19	02/06/18 17:58	88-85-7	3e
MCPA	<3050	ug/kg	3050	3050	10	02/05/18 13:19	02/06/18 17:58	94-74-6	
MCPD	<3050	ug/kg	3050	3050	10	02/05/18 13:19	02/06/18 17:58	7085-19-0	
2,4,5-T	<30.5	ug/kg	30.5	30.5	10	02/05/18 13:19	02/06/18 17:58	93-76-5	
2,4,5-TP (Silvex)	<30.5	ug/kg	30.5	30.5	10	02/05/18 13:19	02/06/18 17:58	93-72-1	
Surrogates									
2,4-DCAA (S)	19	%.	10-188		10	02/05/18 13:19	02/06/18 17:33	19719-28-9	D3
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	6.9	mg/kg	1.2	0.49	1	01/30/18 14:45	02/06/18 15:34	7440-38-2	
Barium	162	mg/kg	0.60	0.037	1	01/30/18 14:45	02/06/18 15:34	7440-39-3	
Cadmium	0.062J	mg/kg	0.60	0.044	1	01/30/18 14:45	02/06/18 15:34	7440-43-9	
Chromium	17.6	mg/kg	0.60	0.12	1	01/30/18 14:45	02/06/18 15:34	7440-47-3	
Lead	11.1	mg/kg	0.60	0.25	1	01/30/18 14:45	02/06/18 15:34	7439-92-1	
Selenium	<0.89	mg/kg	1.8	0.89	1	01/30/18 14:45	02/06/18 15:34	7782-49-2	
Silver	<0.20	mg/kg	0.83	0.20	1	01/30/18 14:45	02/06/18 15:34	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.13	mg/kg	0.060	0.0079	1	01/29/18 09:15	01/29/18 12:44	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<42.3	ug/kg	399	42.3	1	01/26/18 15:00	01/30/18 20:26	83-32-9	
Acenaphthylene	<37.5	ug/kg	399	37.5	1	01/26/18 15:00	01/30/18 20:26	208-96-8	
Anthracene	<42.3	ug/kg	399	42.3	1	01/26/18 15:00	01/30/18 20:26	120-12-7	
Benzo(a)anthracene	<36.3	ug/kg	399	36.3	1	01/26/18 15:00	01/30/18 20:26	56-55-3	
Benzo(a)pyrene	<31.5	ug/kg	399	31.5	1	01/26/18 15:00	01/30/18 20:26	50-32-8	
Benzo(b)fluoranthene	<27.8	ug/kg	399	27.8	1	01/26/18 15:00	01/30/18 20:26	205-99-2	
Benzo(g,h,i)perylene	<38.7	ug/kg	399	38.7	1	01/26/18 15:00	01/30/18 20:26	191-24-2	
Benzo(k)fluoranthene	<47.2	ug/kg	399	47.2	1	01/26/18 15:00	01/30/18 20:26	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-11 (3-5) Lab ID: 60262738003 Collected: 01/24/18 11:00 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<37.5	ug/kg	2020	37.5	1	01/26/18 15:00	01/30/18 20:26	65-85-0	
Benzyl alcohol	<125	ug/kg	799	125	1	01/26/18 15:00	01/30/18 20:26	100-51-6	
4-Bromophenylphenyl ether	<31.5	ug/kg	399	31.5	1	01/26/18 15:00	01/30/18 20:26	101-55-3	
Butylbenzylphthalate	<52.0	ug/kg	399	52.0	1	01/26/18 15:00	01/30/18 20:26	85-68-7	
Carbazole	<32.7	ug/kg	399	32.7	1	01/26/18 15:00	01/30/18 20:26	86-74-8	
4-Chloro-3-methylphenol	<43.6	ug/kg	799	43.6	1	01/26/18 15:00	01/30/18 20:26	59-50-7	
4-Chloroaniline	<78.6	ug/kg	799	78.6	1	01/26/18 15:00	01/30/18 20:26	106-47-8	
bis(2-Chloroethoxy)methane	<31.5	ug/kg	399	31.5	1	01/26/18 15:00	01/30/18 20:26	111-91-1	
bis(2-Chloroethyl) ether	<31.5	ug/kg	399	31.5	1	01/26/18 15:00	01/30/18 20:26	111-44-4	
bis(2-Chloroisopropyl) ether	<31.5	ug/kg	399	31.5	1	01/26/18 15:00	01/30/18 20:26	39638-32-9	
2-Chloronaphthalene	<33.9	ug/kg	399	33.9	1	01/26/18 15:00	01/30/18 20:26	91-58-7	
2-Chlorophenol	<32.7	ug/kg	399	32.7	1	01/26/18 15:00	01/30/18 20:26	95-57-8	
4-Chlorophenylphenyl ether	<38.7	ug/kg	399	38.7	1	01/26/18 15:00	01/30/18 20:26	7005-72-3	
Chrysene	<33.9	ug/kg	399	33.9	1	01/26/18 15:00	01/30/18 20:26	218-01-9	
Dibenz(a,h)anthracene	<36.3	ug/kg	399	36.3	1	01/26/18 15:00	01/30/18 20:26	53-70-3	
Dibenzofuran	<36.3	ug/kg	399	36.3	1	01/26/18 15:00	01/30/18 20:26	132-64-9	
1,2-Dichlorobenzene	<30.2	ug/kg	399	30.2	1	01/26/18 15:00	01/30/18 20:26	95-50-1	
1,3-Dichlorobenzene	<33.9	ug/kg	399	33.9	1	01/26/18 15:00	01/30/18 20:26	541-73-1	
1,4-Dichlorobenzene	<35.1	ug/kg	399	35.1	1	01/26/18 15:00	01/30/18 20:26	106-46-7	
3,3'-Dichlorobenzidine	<137	ug/kg	799	137	1	01/26/18 15:00	01/30/18 20:26	91-94-1	
2,4-Dichlorophenol	<36.3	ug/kg	399	36.3	1	01/26/18 15:00	01/30/18 20:26	120-83-2	
Diethylphthalate	<37.5	ug/kg	399	37.5	1	01/26/18 15:00	01/30/18 20:26	84-66-2	
2,4-Dimethylphenol	<21.8	ug/kg	399	21.8	1	01/26/18 15:00	01/30/18 20:26	105-67-9	
Dimethylphthalate	<38.7	ug/kg	399	38.7	1	01/26/18 15:00	01/30/18 20:26	131-11-3	
Di-n-butylphthalate	<42.3	ug/kg	399	42.3	1	01/26/18 15:00	01/30/18 20:26	84-74-2	
4,6-Dinitro-2-methylphenol	<53.2	ug/kg	2020	53.2	1	01/26/18 15:00	01/30/18 20:26	534-52-1	
2,4-Dinitrophenol	<58.1	ug/kg	2020	58.1	1	01/26/18 15:00	01/30/18 20:26	51-28-5	
2,4-Dinitrotoluene	<33.9	ug/kg	399	33.9	1	01/26/18 15:00	01/30/18 20:26	121-14-2	
2,6-Dinitrotoluene	<41.1	ug/kg	399	41.1	1	01/26/18 15:00	01/30/18 20:26	606-20-2	
Di-n-octylphthalate	<47.2	ug/kg	399	47.2	1	01/26/18 15:00	01/30/18 20:26	117-84-0	
bis(2-Ethylhexyl)phthalate	<138	ug/kg	399	138	1	01/26/18 15:00	01/30/18 20:26	117-81-7	
Fluoranthene	<37.5	ug/kg	399	37.5	1	01/26/18 15:00	01/30/18 20:26	206-44-0	
Fluorene	<37.5	ug/kg	399	37.5	1	01/26/18 15:00	01/30/18 20:26	86-73-7	
Hexachloro-1,3-butadiene	<39.9	ug/kg	399	39.9	1	01/26/18 15:00	01/30/18 20:26	87-68-3	
Hexachlorobenzene	<38.7	ug/kg	399	38.7	1	01/26/18 15:00	01/30/18 20:26	118-74-1	
Hexachlorocyclopentadiene	<84.7	ug/kg	399	84.7	1	01/26/18 15:00	01/30/18 20:26	77-47-4	
Hexachloroethane	<30.2	ug/kg	399	30.2	1	01/26/18 15:00	01/30/18 20:26	67-72-1	
Indeno(1,2,3-cd)pyrene	<43.6	ug/kg	399	43.6	1	01/26/18 15:00	01/30/18 20:26	193-39-5	
Isophorone	<36.3	ug/kg	399	36.3	1	01/26/18 15:00	01/30/18 20:26	78-59-1	
2-Methylnaphthalene	<29.0	ug/kg	399	29.0	1	01/26/18 15:00	01/30/18 20:26	91-57-6	
2-Methylphenol(o-Cresol)	<37.5	ug/kg	399	37.5	1	01/26/18 15:00	01/30/18 20:26	95-48-7	
3&4-Methylphenol(m&p Cresol)	<43.6	ug/kg	399	43.6	1	01/26/18 15:00	01/30/18 20:26		
Naphthalene	<31.5	ug/kg	399	31.5	1	01/26/18 15:00	01/30/18 20:26	91-20-3	
2-Nitroaniline	<67.8	ug/kg	799	67.8	1	01/26/18 15:00	01/30/18 20:26	88-74-4	
3-Nitroaniline	<121	ug/kg	799	121	1	01/26/18 15:00	01/30/18 20:26	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-11 (3-5) **Lab ID: 60262738003** Collected: 01/24/18 11:00 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<103	ug/kg	799	103	1	01/26/18 15:00	01/30/18 20:26	100-01-6	
Nitrobenzene	<37.5	ug/kg	399	37.5	1	01/26/18 15:00	01/30/18 20:26	98-95-3	
2-Nitrophenol	<55.7	ug/kg	399	55.7	1	01/26/18 15:00	01/30/18 20:26	88-75-5	
4-Nitrophenol	<62.9	ug/kg	2020	62.9	1	01/26/18 15:00	01/30/18 20:26	100-02-7	
N-Nitroso-di-n-propylamine	<39.9	ug/kg	399	39.9	1	01/26/18 15:00	01/30/18 20:26	621-64-7	
N-Nitrosodiphenylamine	<31.5	ug/kg	399	31.5	1	01/26/18 15:00	01/30/18 20:26	86-30-6	
Pentachlorophenol	<37.5	ug/kg	2020	37.5	1	01/26/18 15:00	01/30/18 20:26	87-86-5	
Phenanthrene	<37.5	ug/kg	399	37.5	1	01/26/18 15:00	01/30/18 20:26	85-01-8	
Phenol	<31.5	ug/kg	399	31.5	1	01/26/18 15:00	01/30/18 20:26	108-95-2	
Pyrene	<39.9	ug/kg	399	39.9	1	01/26/18 15:00	01/30/18 20:26	129-00-0	
Pyridine	<32.7	ug/kg	399	32.7	1	01/26/18 15:00	01/30/18 20:26	110-86-1	
1,2,4-Trichlorobenzene	<36.3	ug/kg	399	36.3	1	01/26/18 15:00	01/30/18 20:26	120-82-1	
2,4,5-Trichlorophenol	<36.3	ug/kg	399	36.3	1	01/26/18 15:00	01/30/18 20:26	95-95-4	
2,4,6-Trichlorophenol	<37.5	ug/kg	399	37.5	1	01/26/18 15:00	01/30/18 20:26	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	76	%	41-114		1	01/26/18 15:00	01/30/18 20:26	4165-60-0	
2-Fluorobiphenyl (S)	82	%	61-109		1	01/26/18 15:00	01/30/18 20:26	321-60-8	
Terphenyl-d14 (S)	87	%	48-120		1	01/26/18 15:00	01/30/18 20:26	1718-51-0	
Phenol-d6 (S)	78	%	48-102		1	01/26/18 15:00	01/30/18 20:26	13127-88-3	
2-Fluorophenol (S)	76	%	46-102		1	01/26/18 15:00	01/30/18 20:26	367-12-4	
2,4,6-Tribromophenol (S)	87	%	39-114		1	01/26/18 15:00	01/30/18 20:26	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	54.2	mg/kg	17.8	1.4	1	01/25/18 15:00	01/31/18 07:59		
TPH-DRO	84.2	mg/kg	17.8	1.4	1	01/25/18 15:00	01/31/18 07:59		
Surrogates									
Nitrobenzene-d5 (S)	76	%	41-114		1	01/25/18 15:00	01/31/18 07:59	4165-60-0	
2-Fluorobiphenyl (S)	73	%	61-109		1	01/25/18 15:00	01/31/18 07:59	321-60-8	
Terphenyl-d14 (S)	73	%	48-120		1	01/25/18 15:00	01/31/18 07:59	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.29	mg/kg	0.57	0.29	1		02/06/18 15:40		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	12.6J	ug/kg	22.9	11.5	1		02/06/18 15:40	67-64-1	
Benzene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	71-43-2	
Bromobenzene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	108-86-1	
Bromochloromethane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	74-97-5	
Bromodichloromethane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	75-27-4	
Bromoform	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	75-25-2	
Bromomethane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	74-83-9	
2-Butanone (MEK)	<5.7	ug/kg	11.5	5.7	1		02/06/18 15:40	78-93-3	
n-Butylbenzene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	104-51-8	
sec-Butylbenzene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	135-98-8	
tert-Butylbenzene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-11 (3-5) Lab ID: 60262738003 Collected: 01/24/18 11:00 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	4.7J	ug/kg	5.7	2.9	1		02/06/18 15:40	75-15-0	
Carbon tetrachloride	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	56-23-5	
Chlorobenzene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	108-90-7	
Chloroethane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	75-00-3	
Chloroform	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	67-66-3	
Chloromethane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	74-87-3	
2-Chlorotoluene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	95-49-8	
4-Chlorotoluene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	106-43-4	
1,2-Dibromo-3-chloropropane	<5.7	ug/kg	11.5	5.7	1		02/06/18 15:40	96-12-8	
Dibromochloromethane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	124-48-1	
1,2-Dibromoethane (EDB)	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	106-93-4	
Dibromomethane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	74-95-3	
1,2-Dichlorobenzene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	95-50-1	
1,3-Dichlorobenzene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	541-73-1	
1,4-Dichlorobenzene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	106-46-7	
Dichlorodifluoromethane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	75-71-8	
1,1-Dichloroethane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	75-34-3	
1,2-Dichloroethane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	107-06-2	
1,2-Dichloroethene (Total)	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	540-59-0	
1,1-Dichloroethene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	75-35-4	
cis-1,2-Dichloroethene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	156-59-2	
trans-1,2-Dichloroethene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	156-60-5	
1,2-Dichloropropane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	78-87-5	
1,3-Dichloropropane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	142-28-9	
2,2-Dichloropropane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	594-20-7	
1,1-Dichloropropene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	563-58-6	
cis-1,3-Dichloropropene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	10061-01-5	
trans-1,3-Dichloropropene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	10061-02-6	
Ethylbenzene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	100-41-4	
Hexachloro-1,3-butadiene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	87-68-3	
2-Hexanone	<11.5	ug/kg	22.9	11.5	1		02/06/18 15:40	591-78-6	
Isopropylbenzene (Cumene)	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	98-82-8	
p-Isopropyltoluene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	99-87-6	
Methylene chloride	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.7	ug/kg	11.5	5.7	1		02/06/18 15:40	108-10-1	
Methyl-tert-butyl ether	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	1634-04-4	
Naphthalene	<5.7	ug/kg	11.5	5.7	1		02/06/18 15:40	91-20-3	
n-Propylbenzene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	103-65-1	
Styrene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	100-42-5	
1,1,1,2-Tetrachloroethane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	630-20-6	
1,1,2,2-Tetrachloroethane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	79-34-5	
Tetrachloroethene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	127-18-4	
Toluene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	108-88-3	
1,2,3-Trichlorobenzene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	87-61-6	
1,2,4-Trichlorobenzene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-11 (3-5) **Lab ID: 60262738003** Collected: 01/24/18 11:00 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	71-55-6	
1,1,2-Trichloroethane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	79-00-5	
Trichloroethene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	79-01-6	
Trichlorofluoromethane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	75-69-4	
1,2,3-Trichloropropane	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	96-18-4	
1,2,4-Trimethylbenzene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	95-63-6	
1,3,5-Trimethylbenzene	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	108-67-8	
Vinyl chloride	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	75-01-4	
Xylene (Total)	<2.9	ug/kg	5.7	2.9	1		02/06/18 15:40	1330-20-7	
Surrogates									
Toluene-d8 (S)	97	%	78-122		1		02/06/18 15:40	2037-26-5	
4-Bromofluorobenzene (S)	98	%	69-133		1		02/06/18 15:40	460-00-4	
1,2-Dichloroethane-d4 (S)	117	%	80-123		1		02/06/18 15:40	17060-07-0	
Percent Moisture									
Analytical Method: ASTM D2974									
Percent Moisture	19.3	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil									
Analytical Method: EPA 9045									
pH at 25 Degrees C	7.3	Std. Units	0.10	0.10	1		02/01/18 13:20		
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	653	mg/kg	125	62.3	10	02/05/18 08:00	02/06/18 06:15	14808-79-8	
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	15.3	mg/kg	12.5	6.2	10	02/05/18 16:00	02/06/18 06:15	14797-55-8	
Nitrite as N	<6.2	mg/kg	12.5	6.2	10	02/05/18 16:00	02/06/18 06:15	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-11 (13-15) Lab ID: 60262738004 Collected: 01/24/18 11:20 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.67	ug/kg	1.9	0.67	1	02/02/18 13:00	02/05/18 20:34	309-00-2	
alpha-BHC	<0.30	ug/kg	1.9	0.30	1	02/02/18 13:00	02/05/18 20:34	319-84-6	
beta-BHC	<1.0	ug/kg	3.2	1.0	1	02/02/18 13:00	02/05/18 20:34	319-85-7	
delta-BHC	<0.91	ug/kg	2.7	0.91	1	02/02/18 13:00	02/05/18 20:34	319-86-8	
gamma-BHC (Lindane)	<0.86	ug/kg	2.7	0.86	1	02/02/18 13:00	02/05/18 20:34	58-89-9	
Chlordane (Technical)	<53.6	ug/kg	286	53.6	1	02/02/18 13:00	02/05/18 20:34	57-74-9	
alpha-Chlordane	<0.76	ug/kg	3.2	0.76	1	02/02/18 13:00	02/05/18 20:34	5103-71-9	
gamma-Chlordane	<1.3	ug/kg	3.2	1.3	1	02/02/18 13:00	02/05/18 20:34	5103-74-2	
4,4'-DDD	<0.62	ug/kg	1.9	0.62	1	02/02/18 13:00	02/05/18 20:34	72-54-8	
4,4'-DDE	<0.60	ug/kg	1.9	0.60	1	02/02/18 13:00	02/05/18 20:34	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.7	1.2	1	02/02/18 13:00	02/05/18 20:34	50-29-3	
Dieldrin	<0.83	ug/kg	2.7	0.83	1	02/02/18 13:00	02/05/18 20:34	60-57-1	
Endosulfan I	<0.88	ug/kg	2.7	0.88	1	02/02/18 13:00	02/05/18 20:34	959-98-8	
Endosulfan II	<0.61	ug/kg	1.9	0.61	1	02/02/18 13:00	02/05/18 20:34	33213-65-9	
Endosulfan sulfate	<0.88	ug/kg	2.7	0.88	1	02/02/18 13:00	02/05/18 20:34	1031-07-8	
Endrin	<0.88	ug/kg	3.2	0.88	1	02/02/18 13:00	02/05/18 20:34	72-20-8	
Endrin aldehyde	<0.88	ug/kg	2.7	0.88	1	02/02/18 13:00	02/05/18 20:34	7421-93-4	
Endrin ketone	<1.0	ug/kg	3.8	1.0	1	02/02/18 13:00	02/05/18 20:34	53494-70-5	
Heptachlor	<1.5	ug/kg	3.8	1.5	1	02/02/18 13:00	02/05/18 20:34	76-44-8	
Heptachlor epoxide	<3.8	ug/kg	9.5	3.8	1	02/02/18 13:00	02/05/18 20:34	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.8	1.1	1	02/02/18 13:00	02/05/18 20:34	72-43-5	
Toxaphene	<98.8	ug/kg	286	98.8	1	02/02/18 13:00	02/05/18 20:34	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	72	%	70-130		1	02/02/18 13:00	02/05/18 20:34	877-09-8	
Decachlorobiphenyl (S)	82	%	70-130		1	02/02/18 13:00	02/05/18 20:34	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<6.3	ug/kg	12.7	6.3	1	02/02/18 13:00	02/05/18 23:58	22248-79-9	
Azinphos, methyl (Guthion)	<6.3	ug/kg	12.7	6.3	1	02/02/18 13:00	02/05/18 23:58	86-50-0	
Bolstar	<6.3	ug/kg	12.7	6.3	1	02/02/18 13:00	02/05/18 23:58	35400-43-2	
Chlorpyrifos	<6.3	ug/kg	12.7	6.3	1	02/02/18 13:00	02/05/18 23:58	2921-88-2	
Coumaphos	<6.3	ug/kg	12.7	6.3	1	02/02/18 13:00	02/05/18 23:58	56-72-4	
Diazinon	<6.3	ug/kg	12.7	6.3	1	02/02/18 13:00	02/05/18 23:58	333-41-5	
Dichlorvos	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 23:58	62-73-7	
Dimethoate	<6.3	ug/kg	12.7	6.3	1	02/02/18 13:00	02/05/18 23:58	60-51-5	
Disulfoton	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 23:58	298-04-4	
EPN (ENT)	<4.0	ug/kg	6.3	4.0	1	02/02/18 13:00	02/05/18 23:58	2104-64-5	
Ethoprop	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 23:58	13194-48-4	
Fensulfthion	<6.3	ug/kg	12.7	6.3	1	02/02/18 13:00	02/05/18 23:58	115-90-2	
Fenthion	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 23:58	55-38-9	
Malathion	<6.3	ug/kg	12.7	6.3	1	02/02/18 13:00	02/05/18 23:58	121-75-5	
Methyl parathion	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 23:58	298-00-0	
Mevinphos	<3.8	ug/kg	6.3	3.8	1	02/02/18 13:00	02/05/18 23:58	7786-34-7	
Parathion (Ethyl parathion)	<6.3	ug/kg	12.7	6.3	1	02/02/18 13:00	02/05/18 23:58	56-38-2	
Phorate	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 23:58	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-11 (13-15) Lab ID: 60262738004 Collected: 01/24/18 11:20 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 23:58	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 23:58	3689-24-5	
Tokuthion (Prothiofos)	<3.2	ug/kg	6.3	3.2	1	02/02/18 13:00	02/05/18 23:58	34643-46-4	
Trichloronate	<6.3	ug/kg	12.7	6.3	1	02/02/18 13:00	02/05/18 23:58	327-98-0	
Total Demeton	<5.2	ug/kg	6.3	5.2	1	02/02/18 13:00	02/05/18 23:58	8065-48-3	N2
Total Merphos	<6.3	ug/kg	25.4	6.3	1	02/02/18 13:00	02/05/18 23:58	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	101	%.	11-137		1	02/02/18 13:00	02/05/18 23:58	115-86-6	
Tributylphosphate (S)	110	%.	17-125		1	02/02/18 13:00	02/05/18 23:58	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.2	ug/kg	3.2	3.2	1	02/05/18 13:19	02/06/18 17:33	94-75-7	
Dalapon	<3.2	ug/kg	3.2	3.2	1	02/05/18 13:19	02/06/18 17:33	75-99-0	
2,4-DB	<3.2	ug/kg	3.2	3.2	1	02/05/18 13:19	02/06/18 17:33	94-82-6	
Dicamba	<3.2	ug/kg	3.2	3.2	1	02/05/18 13:19	02/06/18 17:33	1918-00-9	
Dichloroprop	<3.2	ug/kg	3.2	3.2	1	02/05/18 13:19	02/06/18 17:33	15165-67-0	
Dinoseb	<3.2	ug/kg	3.2	3.2	1	02/05/18 13:19	02/06/18 17:33	88-85-7	3e
MCPA	<316	ug/kg	316	316	1	02/05/18 13:19	02/06/18 17:33	94-74-6	
MCPP	<316	ug/kg	316	316	1	02/05/18 13:19	02/06/18 17:33	7085-19-0	
2,4,5-T	<3.2	ug/kg	3.2	3.2	1	02/05/18 13:19	02/06/18 17:33	93-76-5	
2,4,5-TP (Silvex)	<3.2	ug/kg	3.2	3.2	1	02/05/18 13:19	02/06/18 17:33	93-72-1	
Surrogates									
2,4-DCAA (S)	6	%.	10-188		1	02/05/18 13:19	02/06/18 17:33	19719-28-9	S1
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	6.9	mg/kg	1.1	0.45	1	01/30/18 14:45	02/06/18 15:41	7440-38-2	
Barium	186	mg/kg	0.54	0.033	1	01/30/18 14:45	02/06/18 15:41	7440-39-3	
Cadmium	<0.040	mg/kg	0.54	0.040	1	01/30/18 14:45	02/06/18 15:41	7440-43-9	
Chromium	17.0	mg/kg	0.54	0.11	1	01/30/18 14:45	02/06/18 15:41	7440-47-3	
Lead	10.3	mg/kg	0.54	0.22	1	01/30/18 14:45	02/06/18 15:41	7439-92-1	
Selenium	<0.81	mg/kg	1.6	0.81	1	01/30/18 14:45	02/06/18 15:41	7782-49-2	
Silver	<0.18	mg/kg	0.76	0.18	1	01/30/18 14:45	02/06/18 15:41	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.015J	mg/kg	0.049	0.0065	1	01/29/18 09:15	01/29/18 12:46	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<44.1	ug/kg	416	44.1	1	01/26/18 15:00	01/30/18 20:48	83-32-9	
Acenaphthylene	<39.1	ug/kg	416	39.1	1	01/26/18 15:00	01/30/18 20:48	208-96-8	
Anthracene	<44.1	ug/kg	416	44.1	1	01/26/18 15:00	01/30/18 20:48	120-12-7	
Benzo(a)anthracene	<37.8	ug/kg	416	37.8	1	01/26/18 15:00	01/30/18 20:48	56-55-3	
Benzo(a)pyrene	<32.8	ug/kg	416	32.8	1	01/26/18 15:00	01/30/18 20:48	50-32-8	
Benzo(b)fluoranthene	<29.0	ug/kg	416	29.0	1	01/26/18 15:00	01/30/18 20:48	205-99-2	
Benzo(g,h,i)perylene	<40.4	ug/kg	416	40.4	1	01/26/18 15:00	01/30/18 20:48	191-24-2	
Benzo(k)fluoranthene	<49.2	ug/kg	416	49.2	1	01/26/18 15:00	01/30/18 20:48	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-11 (13-15) Lab ID: 60262738004 Collected: 01/24/18 11:20 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<39.1	ug/kg	2110	39.1	1	01/26/18 15:00	01/30/18 20:48	65-85-0	
Benzyl alcohol	<130	ug/kg	832	130	1	01/26/18 15:00	01/30/18 20:48	100-51-6	
4-Bromophenylphenyl ether	<32.8	ug/kg	416	32.8	1	01/26/18 15:00	01/30/18 20:48	101-55-3	
Butylbenzylphthalate	<54.2	ug/kg	416	54.2	1	01/26/18 15:00	01/30/18 20:48	85-68-7	
Carbazole	<34.0	ug/kg	416	34.0	1	01/26/18 15:00	01/30/18 20:48	86-74-8	
4-Chloro-3-methylphenol	<45.4	ug/kg	832	45.4	1	01/26/18 15:00	01/30/18 20:48	59-50-7	
4-Chloroaniline	<82.0	ug/kg	832	82.0	1	01/26/18 15:00	01/30/18 20:48	106-47-8	
bis(2-Chloroethoxy)methane	<32.8	ug/kg	416	32.8	1	01/26/18 15:00	01/30/18 20:48	111-91-1	
bis(2-Chloroethyl) ether	<32.8	ug/kg	416	32.8	1	01/26/18 15:00	01/30/18 20:48	111-44-4	
bis(2-Chloroisopropyl) ether	<32.8	ug/kg	416	32.8	1	01/26/18 15:00	01/30/18 20:48	39638-32-9	
2-Chloronaphthalene	<35.3	ug/kg	416	35.3	1	01/26/18 15:00	01/30/18 20:48	91-58-7	
2-Chlorophenol	<34.0	ug/kg	416	34.0	1	01/26/18 15:00	01/30/18 20:48	95-57-8	
4-Chlorophenylphenyl ether	<40.4	ug/kg	416	40.4	1	01/26/18 15:00	01/30/18 20:48	7005-72-3	
Chrysene	<35.3	ug/kg	416	35.3	1	01/26/18 15:00	01/30/18 20:48	218-01-9	
Dibenz(a,h)anthracene	<37.8	ug/kg	416	37.8	1	01/26/18 15:00	01/30/18 20:48	53-70-3	
Dibenzofuran	<37.8	ug/kg	416	37.8	1	01/26/18 15:00	01/30/18 20:48	132-64-9	
1,2-Dichlorobenzene	<31.5	ug/kg	416	31.5	1	01/26/18 15:00	01/30/18 20:48	95-50-1	
1,3-Dichlorobenzene	<35.3	ug/kg	416	35.3	1	01/26/18 15:00	01/30/18 20:48	541-73-1	
1,4-Dichlorobenzene	<36.6	ug/kg	416	36.6	1	01/26/18 15:00	01/30/18 20:48	106-46-7	
3,3'-Dichlorobenzidine	<143	ug/kg	832	143	1	01/26/18 15:00	01/30/18 20:48	91-94-1	
2,4-Dichlorophenol	<37.8	ug/kg	416	37.8	1	01/26/18 15:00	01/30/18 20:48	120-83-2	
Diethylphthalate	<39.1	ug/kg	416	39.1	1	01/26/18 15:00	01/30/18 20:48	84-66-2	
2,4-Dimethylphenol	<22.7	ug/kg	416	22.7	1	01/26/18 15:00	01/30/18 20:48	105-67-9	
Dimethylphthalate	<40.4	ug/kg	416	40.4	1	01/26/18 15:00	01/30/18 20:48	131-11-3	
Di-n-butylphthalate	<44.1	ug/kg	416	44.1	1	01/26/18 15:00	01/30/18 20:48	84-74-2	
4,6-Dinitro-2-methylphenol	<55.5	ug/kg	2110	55.5	1	01/26/18 15:00	01/30/18 20:48	534-52-1	
2,4-Dinitrophenol	<60.5	ug/kg	2110	60.5	1	01/26/18 15:00	01/30/18 20:48	51-28-5	
2,4-Dinitrotoluene	<35.3	ug/kg	416	35.3	1	01/26/18 15:00	01/30/18 20:48	121-14-2	
2,6-Dinitrotoluene	<42.9	ug/kg	416	42.9	1	01/26/18 15:00	01/30/18 20:48	606-20-2	
Di-n-octylphthalate	<49.2	ug/kg	416	49.2	1	01/26/18 15:00	01/30/18 20:48	117-84-0	
bis(2-Ethylhexyl)phthalate	<144	ug/kg	416	144	1	01/26/18 15:00	01/30/18 20:48	117-81-7	
Fluoranthene	<39.1	ug/kg	416	39.1	1	01/26/18 15:00	01/30/18 20:48	206-44-0	
Fluorene	<39.1	ug/kg	416	39.1	1	01/26/18 15:00	01/30/18 20:48	86-73-7	
Hexachloro-1,3-butadiene	<41.6	ug/kg	416	41.6	1	01/26/18 15:00	01/30/18 20:48	87-68-3	
Hexachlorobenzene	<40.4	ug/kg	416	40.4	1	01/26/18 15:00	01/30/18 20:48	118-74-1	
Hexachlorocyclopentadiene	<88.3	ug/kg	416	88.3	1	01/26/18 15:00	01/30/18 20:48	77-47-4	
Hexachloroethane	<31.5	ug/kg	416	31.5	1	01/26/18 15:00	01/30/18 20:48	67-72-1	
Indeno(1,2,3-cd)pyrene	<45.4	ug/kg	416	45.4	1	01/26/18 15:00	01/30/18 20:48	193-39-5	
Isophorone	<37.8	ug/kg	416	37.8	1	01/26/18 15:00	01/30/18 20:48	78-59-1	
2-Methylnaphthalene	<30.3	ug/kg	416	30.3	1	01/26/18 15:00	01/30/18 20:48	91-57-6	
2-Methylphenol(o-Cresol)	<39.1	ug/kg	416	39.1	1	01/26/18 15:00	01/30/18 20:48	95-48-7	
3&4-Methylphenol(m&p Cresol)	<45.4	ug/kg	416	45.4	1	01/26/18 15:00	01/30/18 20:48		
Naphthalene	<32.8	ug/kg	416	32.8	1	01/26/18 15:00	01/30/18 20:48	91-20-3	
2-Nitroaniline	<70.6	ug/kg	832	70.6	1	01/26/18 15:00	01/30/18 20:48	88-74-4	
3-Nitroaniline	<126	ug/kg	832	126	1	01/26/18 15:00	01/30/18 20:48	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-11 (13-15) **Lab ID: 60262738004** Collected: 01/24/18 11:20 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<107	ug/kg	832	107	1	01/26/18 15:00	01/30/18 20:48	100-01-6	
Nitrobenzene	<39.1	ug/kg	416	39.1	1	01/26/18 15:00	01/30/18 20:48	98-95-3	
2-Nitrophenol	<58.0	ug/kg	416	58.0	1	01/26/18 15:00	01/30/18 20:48	88-75-5	
4-Nitrophenol	<65.6	ug/kg	2110	65.6	1	01/26/18 15:00	01/30/18 20:48	100-02-7	
N-Nitroso-di-n-propylamine	<41.6	ug/kg	416	41.6	1	01/26/18 15:00	01/30/18 20:48	621-64-7	
N-Nitrosodiphenylamine	<32.8	ug/kg	416	32.8	1	01/26/18 15:00	01/30/18 20:48	86-30-6	
Pentachlorophenol	<39.1	ug/kg	2110	39.1	1	01/26/18 15:00	01/30/18 20:48	87-86-5	
Phenanthrene	<39.1	ug/kg	416	39.1	1	01/26/18 15:00	01/30/18 20:48	85-01-8	
Phenol	<32.8	ug/kg	416	32.8	1	01/26/18 15:00	01/30/18 20:48	108-95-2	
Pyrene	<41.6	ug/kg	416	41.6	1	01/26/18 15:00	01/30/18 20:48	129-00-0	
Pyridine	<34.0	ug/kg	416	34.0	1	01/26/18 15:00	01/30/18 20:48	110-86-1	
1,2,4-Trichlorobenzene	<37.8	ug/kg	416	37.8	1	01/26/18 15:00	01/30/18 20:48	120-82-1	
2,4,5-Trichlorophenol	<37.8	ug/kg	416	37.8	1	01/26/18 15:00	01/30/18 20:48	95-95-4	
2,4,6-Trichlorophenol	<39.1	ug/kg	416	39.1	1	01/26/18 15:00	01/30/18 20:48	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	74	%	41-114		1	01/26/18 15:00	01/30/18 20:48	4165-60-0	
2-Fluorobiphenyl (S)	80	%	61-109		1	01/26/18 15:00	01/30/18 20:48	321-60-8	
Terphenyl-d14 (S)	85	%	48-120		1	01/26/18 15:00	01/30/18 20:48	1718-51-0	
Phenol-d6 (S)	77	%	48-102		1	01/26/18 15:00	01/30/18 20:48	13127-88-3	
2-Fluorophenol (S)	77	%	46-102		1	01/26/18 15:00	01/30/18 20:48	367-12-4	
2,4,6-Tribromophenol (S)	87	%	39-114		1	01/26/18 15:00	01/30/18 20:48	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	12.3J	mg/kg	18.1	1.4	1	01/25/18 15:00	01/31/18 08:20		B
TPH-DRO	<1.4	mg/kg	18.1	1.4	1	01/25/18 15:00	01/31/18 08:20		
Surrogates									
Nitrobenzene-d5 (S)	80	%	41-114		1	01/25/18 15:00	01/31/18 08:20	4165-60-0	
2-Fluorobiphenyl (S)	79	%	61-109		1	01/25/18 15:00	01/31/18 08:20	321-60-8	
Terphenyl-d14 (S)	75	%	48-120		1	01/25/18 15:00	01/31/18 08:20	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.25	mg/kg	0.51	0.25	1		01/25/18 20:47		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	50.4	ug/kg	22.7	11.4	1		02/06/18 15:55	67-64-1	
Benzene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	71-43-2	
Bromobenzene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	108-86-1	
Bromochloromethane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	74-97-5	
Bromodichloromethane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	75-27-4	
Bromoform	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	75-25-2	
Bromomethane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	74-83-9	
2-Butanone (MEK)	13.6	ug/kg	11.4	5.7	1		02/06/18 15:55	78-93-3	
n-Butylbenzene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	104-51-8	
sec-Butylbenzene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	135-98-8	
tert-Butylbenzene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-11 (13-15) Lab ID: 60262738004 Collected: 01/24/18 11:20 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	75-15-0	
Carbon tetrachloride	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	56-23-5	
Chlorobenzene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	108-90-7	
Chloroethane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	75-00-3	
Chloroform	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	67-66-3	
Chloromethane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	74-87-3	
2-Chlorotoluene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	95-49-8	
4-Chlorotoluene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	106-43-4	
1,2-Dibromo-3-chloropropane	<5.7	ug/kg	11.4	5.7	1		02/06/18 15:55	96-12-8	
Dibromochloromethane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	124-48-1	
1,2-Dibromoethane (EDB)	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	106-93-4	
Dibromomethane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	74-95-3	
1,2-Dichlorobenzene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	95-50-1	
1,3-Dichlorobenzene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	541-73-1	
1,4-Dichlorobenzene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	106-46-7	
Dichlorodifluoromethane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	75-71-8	
1,1-Dichloroethane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	75-34-3	
1,2-Dichloroethane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	107-06-2	
1,2-Dichloroethene (Total)	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	540-59-0	
1,1-Dichloroethene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	75-35-4	
cis-1,2-Dichloroethene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	156-59-2	
trans-1,2-Dichloroethene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	156-60-5	
1,2-Dichloropropane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	78-87-5	
1,3-Dichloropropane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	142-28-9	
2,2-Dichloropropane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	594-20-7	
1,1-Dichloropropene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	563-58-6	
cis-1,3-Dichloropropene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	10061-01-5	
trans-1,3-Dichloropropene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	10061-02-6	
Ethylbenzene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	100-41-4	
Hexachloro-1,3-butadiene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	87-68-3	
2-Hexanone	<11.4	ug/kg	22.7	11.4	1		02/06/18 15:55	591-78-6	
Isopropylbenzene (Cumene)	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	98-82-8	
p-Isopropyltoluene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	99-87-6	
Methylene chloride	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.7	ug/kg	11.4	5.7	1		02/06/18 15:55	108-10-1	
Methyl-tert-butyl ether	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	1634-04-4	
Naphthalene	<5.7	ug/kg	11.4	5.7	1		02/06/18 15:55	91-20-3	
n-Propylbenzene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	103-65-1	
Styrene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	100-42-5	
1,1,1,2-Tetrachloroethane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	630-20-6	
1,1,2,2-Tetrachloroethane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	79-34-5	
Tetrachloroethene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	127-18-4	
Toluene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	108-88-3	
1,2,3-Trichlorobenzene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	87-61-6	
1,2,4-Trichlorobenzene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-11 (13-15) **Lab ID: 60262738004** Collected: 01/24/18 11:20 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	71-55-6	
1,1,2-Trichloroethane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	79-00-5	
Trichloroethene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	79-01-6	
Trichlorofluoromethane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	75-69-4	
1,2,3-Trichloropropane	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	96-18-4	
1,2,4-Trimethylbenzene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	95-63-6	
1,3,5-Trimethylbenzene	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	108-67-8	
Vinyl chloride	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	75-01-4	
Xylene (Total)	<2.8	ug/kg	5.7	2.8	1		02/06/18 15:55	1330-20-7	
Surrogates									
Toluene-d8 (S)	98	%	78-122		1		02/06/18 15:55	2037-26-5	
4-Bromofluorobenzene (S)	101	%	69-133		1		02/06/18 15:55	460-00-4	
1,2-Dichloroethane-d4 (S)	113	%	80-123		1		02/06/18 15:55	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974									
Percent Moisture	21.5	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.10	1		02/01/18 13:20		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	326	mg/kg	129	64.7	10	02/05/18 08:00	02/06/18 06:29	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	21.3	mg/kg	12.9	6.5	10	02/05/18 16:00	02/06/18 06:29	14797-55-8	
Nitrite as N	<6.5	mg/kg	12.9	6.5	10	02/05/18 16:00	02/06/18 06:29	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-12 (3-5) Lab ID: 60262738005 Collected: 01/24/18 14:30 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.68	ug/kg	1.9	0.68	1	02/02/18 13:00	02/05/18 20:49	309-00-2	
alpha-BHC	<0.30	ug/kg	1.9	0.30	1	02/02/18 13:00	02/05/18 20:49	319-84-6	
beta-BHC	<1.0	ug/kg	3.2	1.0	1	02/02/18 13:00	02/05/18 20:49	319-85-7	
delta-BHC	<0.92	ug/kg	2.7	0.92	1	02/02/18 13:00	02/05/18 20:49	319-86-8	
gamma-BHC (Lindane)	<0.86	ug/kg	2.7	0.86	1	02/02/18 13:00	02/05/18 20:49	58-89-9	
Chlordane (Technical)	<53.9	ug/kg	288	53.9	1	02/02/18 13:00	02/05/18 20:49	57-74-9	
alpha-Chlordane	<0.76	ug/kg	3.2	0.76	1	02/02/18 13:00	02/05/18 20:49	5103-71-9	
gamma-Chlordane	<1.3	ug/kg	3.2	1.3	1	02/02/18 13:00	02/05/18 20:49	5103-74-2	
4,4'-DDD	<0.62	ug/kg	1.9	0.62	1	02/02/18 13:00	02/05/18 20:49	72-54-8	
4,4'-DDE	<0.60	ug/kg	1.9	0.60	1	02/02/18 13:00	02/05/18 20:49	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.7	1.2	1	02/02/18 13:00	02/05/18 20:49	50-29-3	
Dieldrin	<0.83	ug/kg	2.7	0.83	1	02/02/18 13:00	02/05/18 20:49	60-57-1	
Endosulfan I	<0.89	ug/kg	2.7	0.89	1	02/02/18 13:00	02/05/18 20:49	959-98-8	
Endosulfan II	<0.62	ug/kg	1.9	0.62	1	02/02/18 13:00	02/05/18 20:49	33213-65-9	
Endosulfan sulfate	<0.88	ug/kg	2.7	0.88	1	02/02/18 13:00	02/05/18 20:49	1031-07-8	
Endrin	<0.89	ug/kg	3.2	0.89	1	02/02/18 13:00	02/05/18 20:49	72-20-8	
Endrin aldehyde	<0.89	ug/kg	2.7	0.89	1	02/02/18 13:00	02/05/18 20:49	7421-93-4	
Endrin ketone	<1.1	ug/kg	3.8	1.1	1	02/02/18 13:00	02/05/18 20:49	53494-70-5	
Heptachlor	<1.5	ug/kg	3.8	1.5	1	02/02/18 13:00	02/05/18 20:49	76-44-8	
Heptachlor epoxide	<3.8	ug/kg	9.6	3.8	1	02/02/18 13:00	02/05/18 20:49	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.8	1.1	1	02/02/18 13:00	02/05/18 20:49	72-43-5	
Toxaphene	<99.4	ug/kg	288	99.4	1	02/02/18 13:00	02/05/18 20:49	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	72	%.	70-130		1	02/02/18 13:00	02/05/18 20:49	877-09-8	
Decachlorobiphenyl (S)	75	%.	70-130		1	02/02/18 13:00	02/05/18 20:49	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 00:25	22248-79-9	
Azinphos, methyl (Guthion)	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 00:25	86-50-0	
Bolstar	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 00:25	35400-43-2	
Chlorpyrifos	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 00:25	2921-88-2	
Coumaphos	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 00:25	56-72-4	
Diazinon	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 00:25	333-41-5	
Dichlorvos	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 00:25	62-73-7	
Dimethoate	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 00:25	60-51-5	
Disulfoton	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 00:25	298-04-4	
EPN (ENT)	<4.1	ug/kg	6.4	4.1	1	02/02/18 13:00	02/06/18 00:25	2104-64-5	
Ethoprop	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 00:25	13194-48-4	
Fensulfthion	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 00:25	115-90-2	
Fenthion	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 00:25	55-38-9	
Malathion	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 00:25	121-75-5	
Methyl parathion	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 00:25	298-00-0	
Mevinphos	<3.8	ug/kg	6.4	3.8	1	02/02/18 13:00	02/06/18 00:25	7786-34-7	
Parathion (Ethyl parathion)	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 00:25	56-38-2	
Phorate	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 00:25	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-12 (3-5) Lab ID: 60262738005 Collected: 01/24/18 14:30 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 00:25	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 00:25	3689-24-5	
Tokuthion (Prothiofos)	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 00:25	34643-46-4	
Trichloronate	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 00:25	327-98-0	
Total Demeton	<5.2	ug/kg	6.4	5.2	1	02/02/18 13:00	02/06/18 00:25	8065-48-3	N2
Total Merphos	<6.4	ug/kg	25.5	6.4	1	02/02/18 13:00	02/06/18 00:25	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	100	%.	11-137		1	02/02/18 13:00	02/06/18 00:25	115-86-6	
Tributylphosphate (S)	106	%.	17-125		1	02/02/18 13:00	02/06/18 00:25	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.2	ug/kg	3.2	3.2	1	02/06/18 12:15	02/07/18 14:39	94-75-7	
Dalapon	<3.2	ug/kg	3.2	3.2	1	02/06/18 12:15	02/07/18 14:39	75-99-0	M1
2,4-DB	<3.2	ug/kg	3.2	3.2	1	02/06/18 12:15	02/07/18 14:39	94-82-6	
Dicamba	<3.2	ug/kg	3.2	3.2	1	02/06/18 12:15	02/07/18 14:39	1918-00-9	M1,R1
Dichloroprop	<3.2	ug/kg	3.2	3.2	1	02/06/18 12:15	02/07/18 14:39	15165-67-0	
Dinoseb	<3.2	ug/kg	3.2	3.2	1	02/06/18 12:15	02/07/18 14:39	88-85-7	M1,R1
MCPA	<318	ug/kg	318	318	1	02/06/18 12:15	02/07/18 14:39	94-74-6	
MCP	<318	ug/kg	318	318	1	02/06/18 12:15	02/07/18 14:39	7085-19-0	M1,R1
2,4,5-T	<3.2	ug/kg	3.2	3.2	1	02/06/18 12:15	02/07/18 14:39	93-76-5	
2,4,5-TP (Silvex)	<3.2	ug/kg	3.2	3.2	1	02/06/18 12:15	02/07/18 14:39	93-72-1	
Surrogates									
2,4-DCAA (S)	14	%.	10-188		1	02/06/18 12:15	02/07/18 14:39	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	5.1	mg/kg	1.2	0.51	1	01/30/18 14:45	02/06/18 15:43	7440-38-2	
Barium	173	mg/kg	0.61	0.038	1	01/30/18 14:45	02/06/18 15:43	7440-39-3	
Cadmium	0.13J	mg/kg	0.61	0.045	1	01/30/18 14:45	02/06/18 15:43	7440-43-9	
Chromium	14.0	mg/kg	0.61	0.12	1	01/30/18 14:45	02/06/18 15:43	7440-47-3	
Lead	451	mg/kg	0.61	0.25	1	01/30/18 14:45	02/06/18 15:43	7439-92-1	
Selenium	<0.92	mg/kg	1.8	0.92	1	01/30/18 14:45	02/06/18 15:43	7782-49-2	
Silver	<0.20	mg/kg	0.86	0.20	1	01/30/18 14:45	02/06/18 15:43	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.027J	mg/kg	0.051	0.0068	1	01/29/18 09:15	01/29/18 12:49	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<44.9	ug/kg	423	44.9	1	01/26/18 15:00	01/31/18 12:55	83-32-9	
Acenaphthylene	<39.8	ug/kg	423	39.8	1	01/26/18 15:00	01/31/18 12:55	208-96-8	
Anthracene	<44.9	ug/kg	423	44.9	1	01/26/18 15:00	01/31/18 12:55	120-12-7	
Benzo(a)anthracene	<38.5	ug/kg	423	38.5	1	01/26/18 15:00	01/31/18 12:55	56-55-3	
Benzo(a)pyrene	<33.4	ug/kg	423	33.4	1	01/26/18 15:00	01/31/18 12:55	50-32-8	
Benzo(b)fluoranthene	<29.5	ug/kg	423	29.5	1	01/26/18 15:00	01/31/18 12:55	205-99-2	
Benzo(g,h,i)perylene	<41.1	ug/kg	423	41.1	1	01/26/18 15:00	01/31/18 12:55	191-24-2	
Benzo(k)fluoranthene	<50.0	ug/kg	423	50.0	1	01/26/18 15:00	01/31/18 12:55	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-12 (3-5) Lab ID: 60262738005 Collected: 01/24/18 14:30 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<39.8	ug/kg	2140	39.8	1	01/26/18 15:00	01/31/18 12:55	65-85-0	
Benzyl alcohol	<132	ug/kg	847	132	1	01/26/18 15:00	01/31/18 12:55	100-51-6	
4-Bromophenylphenyl ether	<33.4	ug/kg	423	33.4	1	01/26/18 15:00	01/31/18 12:55	101-55-3	
Butylbenzylphthalate	<55.2	ug/kg	423	55.2	1	01/26/18 15:00	01/31/18 12:55	85-68-7	
Carbazole	<34.6	ug/kg	423	34.6	1	01/26/18 15:00	01/31/18 12:55	86-74-8	
4-Chloro-3-methylphenol	<46.2	ug/kg	847	46.2	1	01/26/18 15:00	01/31/18 12:55	59-50-7	
4-Chloroaniline	<83.4	ug/kg	847	83.4	1	01/26/18 15:00	01/31/18 12:55	106-47-8	
bis(2-Chloroethoxy)methane	<33.4	ug/kg	423	33.4	1	01/26/18 15:00	01/31/18 12:55	111-91-1	
bis(2-Chloroethyl) ether	<33.4	ug/kg	423	33.4	1	01/26/18 15:00	01/31/18 12:55	111-44-4	
bis(2-Chloroisopropyl) ether	<33.4	ug/kg	423	33.4	1	01/26/18 15:00	01/31/18 12:55	39638-32-9	
2-Chloronaphthalene	<35.9	ug/kg	423	35.9	1	01/26/18 15:00	01/31/18 12:55	91-58-7	
2-Chlorophenol	<34.6	ug/kg	423	34.6	1	01/26/18 15:00	01/31/18 12:55	95-57-8	
4-Chlorophenylphenyl ether	<41.1	ug/kg	423	41.1	1	01/26/18 15:00	01/31/18 12:55	7005-72-3	
Chrysene	<35.9	ug/kg	423	35.9	1	01/26/18 15:00	01/31/18 12:55	218-01-9	
Dibenz(a,h)anthracene	<38.5	ug/kg	423	38.5	1	01/26/18 15:00	01/31/18 12:55	53-70-3	
Dibenzofuran	<38.5	ug/kg	423	38.5	1	01/26/18 15:00	01/31/18 12:55	132-64-9	
1,2-Dichlorobenzene	<32.1	ug/kg	423	32.1	1	01/26/18 15:00	01/31/18 12:55	95-50-1	
1,3-Dichlorobenzene	<35.9	ug/kg	423	35.9	1	01/26/18 15:00	01/31/18 12:55	541-73-1	
1,4-Dichlorobenzene	<37.2	ug/kg	423	37.2	1	01/26/18 15:00	01/31/18 12:55	106-46-7	
3,3'-Dichlorobenzidine	<145	ug/kg	847	145	1	01/26/18 15:00	01/31/18 12:55	91-94-1	
2,4-Dichlorophenol	<38.5	ug/kg	423	38.5	1	01/26/18 15:00	01/31/18 12:55	120-83-2	
Diethylphthalate	<39.8	ug/kg	423	39.8	1	01/26/18 15:00	01/31/18 12:55	84-66-2	
2,4-Dimethylphenol	<23.1	ug/kg	423	23.1	1	01/26/18 15:00	01/31/18 12:55	105-67-9	
Dimethylphthalate	<41.1	ug/kg	423	41.1	1	01/26/18 15:00	01/31/18 12:55	131-11-3	
Di-n-butylphthalate	<44.9	ug/kg	423	44.9	1	01/26/18 15:00	01/31/18 12:55	84-74-2	
4,6-Dinitro-2-methylphenol	<56.5	ug/kg	2140	56.5	1	01/26/18 15:00	01/31/18 12:55	534-52-1	
2,4-Dinitrophenol	<61.6	ug/kg	2140	61.6	1	01/26/18 15:00	01/31/18 12:55	51-28-5	
2,4-Dinitrotoluene	<35.9	ug/kg	423	35.9	1	01/26/18 15:00	01/31/18 12:55	121-14-2	
2,6-Dinitrotoluene	<43.6	ug/kg	423	43.6	1	01/26/18 15:00	01/31/18 12:55	606-20-2	
Di-n-octylphthalate	<50.0	ug/kg	423	50.0	1	01/26/18 15:00	01/31/18 12:55	117-84-0	
bis(2-Ethylhexyl)phthalate	<146	ug/kg	423	146	1	01/26/18 15:00	01/31/18 12:55	117-81-7	
Fluoranthene	<39.8	ug/kg	423	39.8	1	01/26/18 15:00	01/31/18 12:55	206-44-0	
Fluorene	<39.8	ug/kg	423	39.8	1	01/26/18 15:00	01/31/18 12:55	86-73-7	
Hexachloro-1,3-butadiene	<42.3	ug/kg	423	42.3	1	01/26/18 15:00	01/31/18 12:55	87-68-3	
Hexachlorobenzene	<41.1	ug/kg	423	41.1	1	01/26/18 15:00	01/31/18 12:55	118-74-1	
Hexachlorocyclopentadiene	<89.8	ug/kg	423	89.8	1	01/26/18 15:00	01/31/18 12:55	77-47-4	
Hexachloroethane	<32.1	ug/kg	423	32.1	1	01/26/18 15:00	01/31/18 12:55	67-72-1	
Indeno(1,2,3-cd)pyrene	<46.2	ug/kg	423	46.2	1	01/26/18 15:00	01/31/18 12:55	193-39-5	
Isophorone	<38.5	ug/kg	423	38.5	1	01/26/18 15:00	01/31/18 12:55	78-59-1	
2-Methylnaphthalene	<30.8	ug/kg	423	30.8	1	01/26/18 15:00	01/31/18 12:55	91-57-6	
2-Methylphenol(o-Cresol)	<39.8	ug/kg	423	39.8	1	01/26/18 15:00	01/31/18 12:55	95-48-7	
3&4-Methylphenol(m&p Cresol)	<46.2	ug/kg	423	46.2	1	01/26/18 15:00	01/31/18 12:55		
Naphthalene	<33.4	ug/kg	423	33.4	1	01/26/18 15:00	01/31/18 12:55	91-20-3	
2-Nitroaniline	<71.9	ug/kg	847	71.9	1	01/26/18 15:00	01/31/18 12:55	88-74-4	
3-Nitroaniline	<128	ug/kg	847	128	1	01/26/18 15:00	01/31/18 12:55	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-12 (3-5) Lab ID: 60262738005 Collected: 01/24/18 14:30 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<109	ug/kg	847	109	1	01/26/18 15:00	01/31/18 12:55	100-01-6	
Nitrobenzene	<39.8	ug/kg	423	39.8	1	01/26/18 15:00	01/31/18 12:55	98-95-3	
2-Nitrophenol	<59.0	ug/kg	423	59.0	1	01/26/18 15:00	01/31/18 12:55	88-75-5	
4-Nitrophenol	<66.7	ug/kg	2140	66.7	1	01/26/18 15:00	01/31/18 12:55	100-02-7	
N-Nitroso-di-n-propylamine	<42.3	ug/kg	423	42.3	1	01/26/18 15:00	01/31/18 12:55	621-64-7	
N-Nitrosodiphenylamine	<33.4	ug/kg	423	33.4	1	01/26/18 15:00	01/31/18 12:55	86-30-6	
Pentachlorophenol	<39.8	ug/kg	2140	39.8	1	01/26/18 15:00	01/31/18 12:55	87-86-5	
Phenanthrene	<39.8	ug/kg	423	39.8	1	01/26/18 15:00	01/31/18 12:55	85-01-8	
Phenol	<33.4	ug/kg	423	33.4	1	01/26/18 15:00	01/31/18 12:55	108-95-2	
Pyrene	<42.3	ug/kg	423	42.3	1	01/26/18 15:00	01/31/18 12:55	129-00-0	
Pyridine	<34.6	ug/kg	423	34.6	1	01/26/18 15:00	01/31/18 12:55	110-86-1	
1,2,4-Trichlorobenzene	<38.5	ug/kg	423	38.5	1	01/26/18 15:00	01/31/18 12:55	120-82-1	
2,4,5-Trichlorophenol	<38.5	ug/kg	423	38.5	1	01/26/18 15:00	01/31/18 12:55	95-95-4	
2,4,6-Trichlorophenol	<39.8	ug/kg	423	39.8	1	01/26/18 15:00	01/31/18 12:55	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	78	%	41-114		1	01/26/18 15:00	01/31/18 12:55	4165-60-0	
2-Fluorobiphenyl (S)	83	%	61-109		1	01/26/18 15:00	01/31/18 12:55	321-60-8	
Terphenyl-d14 (S)	86	%	48-120		1	01/26/18 15:00	01/31/18 12:55	1718-51-0	
Phenol-d6 (S)	83	%	48-102		1	01/26/18 15:00	01/31/18 12:55	13127-88-3	
2-Fluorophenol (S)	83	%	46-102		1	01/26/18 15:00	01/31/18 12:55	367-12-4	
2,4,6-Tribromophenol (S)	85	%	39-114		1	01/26/18 15:00	01/31/18 12:55	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	14.6J	mg/kg	19.1	1.5	1	01/25/18 15:00	01/31/18 08:41		B
TPH-DRO	2.3J	mg/kg	19.1	1.5	1	01/25/18 15:00	01/31/18 08:41		
Surrogates									
Nitrobenzene-d5 (S)	78	%	41-114		1	01/25/18 15:00	01/31/18 08:41	4165-60-0	
2-Fluorobiphenyl (S)	80	%	61-109		1	01/25/18 15:00	01/31/18 08:41	321-60-8	
Terphenyl-d14 (S)	75	%	48-120		1	01/25/18 15:00	01/31/18 08:41	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.36	mg/kg	0.73	0.36	1		02/06/18 16:11		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	65.9	ug/kg	29.1	14.6	1		02/06/18 16:11	67-64-1	
Benzene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	71-43-2	
Bromobenzene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	108-86-1	
Bromochloromethane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	74-97-5	
Bromodichloromethane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	75-27-4	
Bromoform	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	75-25-2	
Bromomethane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	74-83-9	
2-Butanone (MEK)	11.6J	ug/kg	14.6	7.3	1		02/06/18 16:11	78-93-3	
n-Butylbenzene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	104-51-8	
sec-Butylbenzene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	135-98-8	
tert-Butylbenzene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-12 (3-5) Lab ID: 60262738005 Collected: 01/24/18 14:30 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	75-15-0	
Carbon tetrachloride	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	56-23-5	
Chlorobenzene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	108-90-7	
Chloroethane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	75-00-3	
Chloroform	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	67-66-3	
Chloromethane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	74-87-3	
2-Chlorotoluene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	95-49-8	
4-Chlorotoluene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	106-43-4	
1,2-Dibromo-3-chloropropane	<7.3	ug/kg	14.6	7.3	1		02/06/18 16:11	96-12-8	
Dibromochloromethane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	124-48-1	
1,2-Dibromoethane (EDB)	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	106-93-4	
Dibromomethane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	74-95-3	
1,2-Dichlorobenzene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	95-50-1	
1,3-Dichlorobenzene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	541-73-1	
1,4-Dichlorobenzene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	106-46-7	
Dichlorodifluoromethane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	75-71-8	
1,1-Dichloroethane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	75-34-3	
1,2-Dichloroethane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	107-06-2	
1,2-Dichloroethene (Total)	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	540-59-0	
1,1-Dichloroethene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	75-35-4	
cis-1,2-Dichloroethene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	156-59-2	
trans-1,2-Dichloroethene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	156-60-5	
1,2-Dichloropropane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	78-87-5	
1,3-Dichloropropane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	142-28-9	
2,2-Dichloropropane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	594-20-7	
1,1-Dichloropropene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	10061-01-5	
trans-1,3-Dichloropropene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	10061-02-6	
Ethylbenzene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	100-41-4	
Hexachloro-1,3-butadiene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	87-68-3	
2-Hexanone	<14.6	ug/kg	29.1	14.6	1		02/06/18 16:11	591-78-6	
Isopropylbenzene (Cumene)	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	98-82-8	
p-Isopropyltoluene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	99-87-6	
Methylene chloride	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	75-09-2	
4-Methyl-2-pentanone (MIBK)	<7.3	ug/kg	14.6	7.3	1		02/06/18 16:11	108-10-1	
Methyl-tert-butyl ether	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	1634-04-4	
Naphthalene	<7.3	ug/kg	14.6	7.3	1		02/06/18 16:11	91-20-3	
n-Propylbenzene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	103-65-1	
Styrene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	100-42-5	
1,1,1,2-Tetrachloroethane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	630-20-6	
1,1,2,2-Tetrachloroethane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	79-34-5	
Tetrachloroethene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	127-18-4	
Toluene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	108-88-3	
1,2,3-Trichlorobenzene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	87-61-6	
1,2,4-Trichlorobenzene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-12 (3-5) **Lab ID: 60262738005** Collected: 01/24/18 14:30 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	71-55-6	
1,1,2-Trichloroethane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	79-00-5	
Trichloroethene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	79-01-6	
Trichlorofluoromethane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	75-69-4	
1,2,3-Trichloropropane	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	96-18-4	
1,2,4-Trimethylbenzene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	95-63-6	
1,3,5-Trimethylbenzene	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	108-67-8	
Vinyl chloride	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	75-01-4	
Xylene (Total)	<3.6	ug/kg	7.3	3.6	1		02/06/18 16:11	1330-20-7	
Surrogates									
Toluene-d8 (S)	101	%	78-122		1		02/06/18 16:11	2037-26-5	
4-Bromofluorobenzene (S)	99	%	69-133		1		02/06/18 16:11	460-00-4	
1,2-Dichloroethane-d4 (S)	106	%	80-123		1		02/06/18 16:11	17060-07-0	
Percent Moisture									
Analytical Method: ASTM D2974									
Percent Moisture	23.0	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil									
Analytical Method: EPA 9045									
pH at 25 Degrees C	8.8	Std. Units	0.10	0.10	1		02/01/18 13:20		
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	<63.8	mg/kg	128	63.8	10	02/05/18 08:00	02/06/18 06:43	14808-79-8	
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	<6.4	mg/kg	12.8	6.4	10	02/05/18 16:00	02/06/18 06:43	14797-55-8	
Nitrite as N	<6.4	mg/kg	12.8	6.4	10	02/05/18 16:00	02/06/18 06:43	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-12 (13-15) Lab ID: 60262738006 Collected: 01/24/18 15:00 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.69	ug/kg	1.9	0.69	1	02/02/18 13:00	02/05/18 21:03	309-00-2	
alpha-BHC	<0.31	ug/kg	1.9	0.31	1	02/02/18 13:00	02/05/18 21:03	319-84-6	
beta-BHC	<1.0	ug/kg	3.2	1.0	1	02/02/18 13:00	02/05/18 21:03	319-85-7	
delta-BHC	<0.93	ug/kg	2.7	0.93	1	02/02/18 13:00	02/05/18 21:03	319-86-8	
gamma-BHC (Lindane)	<0.88	ug/kg	2.7	0.88	1	02/02/18 13:00	02/05/18 21:03	58-89-9	
Chlordane (Technical)	<54.8	ug/kg	292	54.8	1	02/02/18 13:00	02/05/18 21:03	57-74-9	
alpha-Chlordane	<0.78	ug/kg	3.2	0.78	1	02/02/18 13:00	02/05/18 21:03	5103-71-9	
gamma-Chlordane	<1.3	ug/kg	3.2	1.3	1	02/02/18 13:00	02/05/18 21:03	5103-74-2	
4,4'-DDD	<0.64	ug/kg	1.9	0.64	1	02/02/18 13:00	02/05/18 21:03	72-54-8	
4,4'-DDE	<0.61	ug/kg	1.9	0.61	1	02/02/18 13:00	02/05/18 21:03	72-55-9	
4,4'-DDT	<1.3	ug/kg	2.7	1.3	1	02/02/18 13:00	02/05/18 21:03	50-29-3	
Dieldrin	1.3J	ug/kg	2.7	0.85	1	02/02/18 13:00	02/05/18 21:03	60-57-1	
Endosulfan I	<0.90	ug/kg	2.7	0.90	1	02/02/18 13:00	02/05/18 21:03	959-98-8	
Endosulfan II	<0.63	ug/kg	1.9	0.63	1	02/02/18 13:00	02/05/18 21:03	33213-65-9	
Endosulfan sulfate	<0.90	ug/kg	2.7	0.90	1	02/02/18 13:00	02/05/18 21:03	1031-07-8	
Endrin	<0.90	ug/kg	3.2	0.90	1	02/02/18 13:00	02/05/18 21:03	72-20-8	
Endrin aldehyde	<0.90	ug/kg	2.7	0.90	1	02/02/18 13:00	02/05/18 21:03	7421-93-4	
Endrin ketone	<1.1	ug/kg	3.9	1.1	1	02/02/18 13:00	02/05/18 21:03	53494-70-5	
Heptachlor	<1.5	ug/kg	3.9	1.5	1	02/02/18 13:00	02/05/18 21:03	76-44-8	
Heptachlor epoxide	<3.9	ug/kg	9.7	3.9	1	02/02/18 13:00	02/05/18 21:03	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.9	1.1	1	02/02/18 13:00	02/05/18 21:03	72-43-5	
Toxaphene	<101	ug/kg	292	101	1	02/02/18 13:00	02/05/18 21:03	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	69	%.	70-130		1	02/02/18 13:00	02/05/18 21:03	877-09-8	S1
Decachlorobiphenyl (S)	78	%.	70-130		1	02/02/18 13:00	02/05/18 21:03	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<6.5	ug/kg	13.0	6.5	1	02/02/18 13:00	02/06/18 00:52	22248-79-9	
Azinphos, methyl (Guthion)	<6.5	ug/kg	13.0	6.5	1	02/02/18 13:00	02/06/18 00:52	86-50-0	
Bolstar	<6.5	ug/kg	13.0	6.5	1	02/02/18 13:00	02/06/18 00:52	35400-43-2	
Chlorpyrifos	<6.5	ug/kg	13.0	6.5	1	02/02/18 13:00	02/06/18 00:52	2921-88-2	
Coumaphos	<6.5	ug/kg	13.0	6.5	1	02/02/18 13:00	02/06/18 00:52	56-72-4	
Diazinon	<6.5	ug/kg	13.0	6.5	1	02/02/18 13:00	02/06/18 00:52	333-41-5	
Dichlorvos	<3.2	ug/kg	6.5	3.2	1	02/02/18 13:00	02/06/18 00:52	62-73-7	
Dimethoate	<6.5	ug/kg	13.0	6.5	1	02/02/18 13:00	02/06/18 00:52	60-51-5	
Disulfoton	<3.2	ug/kg	6.5	3.2	1	02/02/18 13:00	02/06/18 00:52	298-04-4	
EPN (ENT)	<4.1	ug/kg	6.5	4.1	1	02/02/18 13:00	02/06/18 00:52	2104-64-5	
Ethoprop	<3.2	ug/kg	6.5	3.2	1	02/02/18 13:00	02/06/18 00:52	13194-48-4	
Fensulfthion	<6.5	ug/kg	13.0	6.5	1	02/02/18 13:00	02/06/18 00:52	115-90-2	
Fenthion	<3.2	ug/kg	6.5	3.2	1	02/02/18 13:00	02/06/18 00:52	55-38-9	
Malathion	<6.5	ug/kg	13.0	6.5	1	02/02/18 13:00	02/06/18 00:52	121-75-5	
Methyl parathion	<3.2	ug/kg	6.5	3.2	1	02/02/18 13:00	02/06/18 00:52	298-00-0	
Mevinphos	<3.8	ug/kg	6.5	3.8	1	02/02/18 13:00	02/06/18 00:52	7786-34-7	
Parathion (Ethyl parathion)	<6.5	ug/kg	13.0	6.5	1	02/02/18 13:00	02/06/18 00:52	56-38-2	
Phorate	<3.2	ug/kg	6.5	3.2	1	02/02/18 13:00	02/06/18 00:52	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-12 (13-15) **Lab ID: 60262738006** Collected: 01/24/18 15:00 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<3.2	ug/kg	6.5	3.2	1	02/02/18 13:00	02/06/18 00:52	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<3.2	ug/kg	6.5	3.2	1	02/02/18 13:00	02/06/18 00:52	3689-24-5	
Tokuthion (Prothiofos)	<3.2	ug/kg	6.5	3.2	1	02/02/18 13:00	02/06/18 00:52	34643-46-4	
Trichloronate	<6.5	ug/kg	13.0	6.5	1	02/02/18 13:00	02/06/18 00:52	327-98-0	
Total Demeton	<5.3	ug/kg	6.5	5.3	1	02/02/18 13:00	02/06/18 00:52	8065-48-3	N2
Total Merphos	<6.5	ug/kg	26.0	6.5	1	02/02/18 13:00	02/06/18 00:52	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	99	%.	11-137		1	02/02/18 13:00	02/06/18 00:52	115-86-6	
Tributylphosphate (S)	103	%.	17-125		1	02/02/18 13:00	02/06/18 00:52	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.3	ug/kg	3.3	3.3	1	02/06/18 12:15	02/07/18 15:04	94-75-7	
Dalapon	<3.3	ug/kg	3.3	3.3	1	02/06/18 12:15	02/07/18 15:04	75-99-0	
2,4-DB	<3.3	ug/kg	3.3	3.3	1	02/06/18 12:15	02/07/18 15:04	94-82-6	
Dicamba	<3.3	ug/kg	3.3	3.3	1	02/06/18 12:15	02/07/18 15:04	1918-00-9	
Dichloroprop	<3.3	ug/kg	3.3	3.3	1	02/06/18 12:15	02/07/18 15:04	15165-67-0	
Dinoseb	<3.3	ug/kg	3.3	3.3	1	02/06/18 12:15	02/07/18 15:04	88-85-7	
MCPA	<326	ug/kg	326	326	1	02/06/18 12:15	02/07/18 15:04	94-74-6	
MCPP	<326	ug/kg	326	326	1	02/06/18 12:15	02/07/18 15:04	7085-19-0	
2,4,5-T	<3.3	ug/kg	3.3	3.3	1	02/06/18 12:15	02/07/18 15:04	93-76-5	
2,4,5-TP (Silvex)	<3.3	ug/kg	3.3	3.3	1	02/06/18 12:15	02/07/18 15:04	93-72-1	
Surrogates									
2,4-DCAA (S)	13	%.	10-188		1	02/06/18 12:15	02/07/18 15:04	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	9.2	mg/kg	1.2	0.50	1	01/30/18 14:45	02/06/18 15:46	7440-38-2	
Barium	94.0	mg/kg	0.60	0.037	1	01/30/18 14:45	02/06/18 15:46	7440-39-3	
Cadmium	<0.045	mg/kg	0.60	0.045	1	01/30/18 14:45	02/06/18 15:46	7440-43-9	
Chromium	18.3	mg/kg	0.60	0.12	1	01/30/18 14:45	02/06/18 15:46	7440-47-3	
Lead	10.3	mg/kg	0.60	0.25	1	01/30/18 14:45	02/06/18 15:46	7439-92-1	
Selenium	<0.90	mg/kg	1.8	0.90	1	01/30/18 14:45	02/06/18 15:46	7782-49-2	
Silver	<0.20	mg/kg	0.85	0.20	1	01/30/18 14:45	02/06/18 15:46	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.027J	mg/kg	0.060	0.0080	1	01/29/18 09:15	01/29/18 12:51	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<45.7	ug/kg	431	45.7	1	01/26/18 15:00	01/31/18 13:16	83-32-9	
Acenaphthylene	<40.4	ug/kg	431	40.4	1	01/26/18 15:00	01/31/18 13:16	208-96-8	
Anthracene	<45.7	ug/kg	431	45.7	1	01/26/18 15:00	01/31/18 13:16	120-12-7	
Benzo(a)anthracene	<39.1	ug/kg	431	39.1	1	01/26/18 15:00	01/31/18 13:16	56-55-3	
Benzo(a)pyrene	<33.9	ug/kg	431	33.9	1	01/26/18 15:00	01/31/18 13:16	50-32-8	
Benzo(b)fluoranthene	<30.0	ug/kg	431	30.0	1	01/26/18 15:00	01/31/18 13:16	205-99-2	
Benzo(g,h,i)perylene	<41.7	ug/kg	431	41.7	1	01/26/18 15:00	01/31/18 13:16	191-24-2	
Benzo(k)fluoranthene	<50.9	ug/kg	431	50.9	1	01/26/18 15:00	01/31/18 13:16	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-12 (13-15) Lab ID: 60262738006 Collected: 01/24/18 15:00 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<40.4	ug/kg	2180	40.4	1	01/26/18 15:00	01/31/18 13:16	65-85-0	
Benzyl alcohol	<134	ug/kg	861	134	1	01/26/18 15:00	01/31/18 13:16	100-51-6	
4-Bromophenylphenyl ether	<33.9	ug/kg	431	33.9	1	01/26/18 15:00	01/31/18 13:16	101-55-3	
Butylbenzylphthalate	<56.1	ug/kg	431	56.1	1	01/26/18 15:00	01/31/18 13:16	85-68-7	
Carbazole	<35.2	ug/kg	431	35.2	1	01/26/18 15:00	01/31/18 13:16	86-74-8	
4-Chloro-3-methylphenol	<47.0	ug/kg	861	47.0	1	01/26/18 15:00	01/31/18 13:16	59-50-7	
4-Chloroaniline	<84.8	ug/kg	861	84.8	1	01/26/18 15:00	01/31/18 13:16	106-47-8	
bis(2-Chloroethoxy)methane	<33.9	ug/kg	431	33.9	1	01/26/18 15:00	01/31/18 13:16	111-91-1	
bis(2-Chloroethyl) ether	<33.9	ug/kg	431	33.9	1	01/26/18 15:00	01/31/18 13:16	111-44-4	
bis(2-Chloroisopropyl) ether	<33.9	ug/kg	431	33.9	1	01/26/18 15:00	01/31/18 13:16	39638-32-9	
2-Chloronaphthalene	<36.5	ug/kg	431	36.5	1	01/26/18 15:00	01/31/18 13:16	91-58-7	
2-Chlorophenol	<35.2	ug/kg	431	35.2	1	01/26/18 15:00	01/31/18 13:16	95-57-8	
4-Chlorophenylphenyl ether	<41.7	ug/kg	431	41.7	1	01/26/18 15:00	01/31/18 13:16	7005-72-3	
Chrysene	<36.5	ug/kg	431	36.5	1	01/26/18 15:00	01/31/18 13:16	218-01-9	
Dibenz(a,h)anthracene	<39.1	ug/kg	431	39.1	1	01/26/18 15:00	01/31/18 13:16	53-70-3	
Dibenzofuran	<39.1	ug/kg	431	39.1	1	01/26/18 15:00	01/31/18 13:16	132-64-9	
1,2-Dichlorobenzene	<32.6	ug/kg	431	32.6	1	01/26/18 15:00	01/31/18 13:16	95-50-1	
1,3-Dichlorobenzene	<36.5	ug/kg	431	36.5	1	01/26/18 15:00	01/31/18 13:16	541-73-1	
1,4-Dichlorobenzene	<37.8	ug/kg	431	37.8	1	01/26/18 15:00	01/31/18 13:16	106-46-7	
3,3'-Dichlorobenzidine	<147	ug/kg	861	147	1	01/26/18 15:00	01/31/18 13:16	91-94-1	
2,4-Dichlorophenol	<39.1	ug/kg	431	39.1	1	01/26/18 15:00	01/31/18 13:16	120-83-2	
Diethylphthalate	<40.4	ug/kg	431	40.4	1	01/26/18 15:00	01/31/18 13:16	84-66-2	
2,4-Dimethylphenol	<23.5	ug/kg	431	23.5	1	01/26/18 15:00	01/31/18 13:16	105-67-9	
Dimethylphthalate	<41.7	ug/kg	431	41.7	1	01/26/18 15:00	01/31/18 13:16	131-11-3	
Di-n-butylphthalate	<45.7	ug/kg	431	45.7	1	01/26/18 15:00	01/31/18 13:16	84-74-2	
4,6-Dinitro-2-methylphenol	<57.4	ug/kg	2180	57.4	1	01/26/18 15:00	01/31/18 13:16	534-52-1	
2,4-Dinitrophenol	<62.6	ug/kg	2180	62.6	1	01/26/18 15:00	01/31/18 13:16	51-28-5	
2,4-Dinitrotoluene	<36.5	ug/kg	431	36.5	1	01/26/18 15:00	01/31/18 13:16	121-14-2	
2,6-Dinitrotoluene	<44.4	ug/kg	431	44.4	1	01/26/18 15:00	01/31/18 13:16	606-20-2	
Di-n-octylphthalate	<50.9	ug/kg	431	50.9	1	01/26/18 15:00	01/31/18 13:16	117-84-0	
bis(2-Ethylhexyl)phthalate	<149	ug/kg	431	149	1	01/26/18 15:00	01/31/18 13:16	117-81-7	
Fluoranthene	<40.4	ug/kg	431	40.4	1	01/26/18 15:00	01/31/18 13:16	206-44-0	
Fluorene	<40.4	ug/kg	431	40.4	1	01/26/18 15:00	01/31/18 13:16	86-73-7	
Hexachloro-1,3-butadiene	<43.1	ug/kg	431	43.1	1	01/26/18 15:00	01/31/18 13:16	87-68-3	
Hexachlorobenzene	<41.7	ug/kg	431	41.7	1	01/26/18 15:00	01/31/18 13:16	118-74-1	
Hexachlorocyclopentadiene	<91.3	ug/kg	431	91.3	1	01/26/18 15:00	01/31/18 13:16	77-47-4	
Hexachloroethane	<32.6	ug/kg	431	32.6	1	01/26/18 15:00	01/31/18 13:16	67-72-1	
Indeno(1,2,3-cd)pyrene	<47.0	ug/kg	431	47.0	1	01/26/18 15:00	01/31/18 13:16	193-39-5	
Isophorone	<39.1	ug/kg	431	39.1	1	01/26/18 15:00	01/31/18 13:16	78-59-1	
2-Methylnaphthalene	<31.3	ug/kg	431	31.3	1	01/26/18 15:00	01/31/18 13:16	91-57-6	
2-Methylphenol(o-Cresol)	<40.4	ug/kg	431	40.4	1	01/26/18 15:00	01/31/18 13:16	95-48-7	
3&4-Methylphenol(m&p Cresol)	<47.0	ug/kg	431	47.0	1	01/26/18 15:00	01/31/18 13:16		
Naphthalene	<33.9	ug/kg	431	33.9	1	01/26/18 15:00	01/31/18 13:16	91-20-3	
2-Nitroaniline	<73.1	ug/kg	861	73.1	1	01/26/18 15:00	01/31/18 13:16	88-74-4	
3-Nitroaniline	<130	ug/kg	861	130	1	01/26/18 15:00	01/31/18 13:16	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-12 (13-15) Lab ID: 60262738006 Collected: 01/24/18 15:00 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<111	ug/kg	861	111	1	01/26/18 15:00	01/31/18 13:16	100-01-6	
Nitrobenzene	<40.4	ug/kg	431	40.4	1	01/26/18 15:00	01/31/18 13:16	98-95-3	
2-Nitrophenol	<60.0	ug/kg	431	60.0	1	01/26/18 15:00	01/31/18 13:16	88-75-5	
4-Nitrophenol	<67.8	ug/kg	2180	67.8	1	01/26/18 15:00	01/31/18 13:16	100-02-7	
N-Nitroso-di-n-propylamine	<43.1	ug/kg	431	43.1	1	01/26/18 15:00	01/31/18 13:16	621-64-7	
N-Nitrosodiphenylamine	<33.9	ug/kg	431	33.9	1	01/26/18 15:00	01/31/18 13:16	86-30-6	
Pentachlorophenol	<40.4	ug/kg	2180	40.4	1	01/26/18 15:00	01/31/18 13:16	87-86-5	
Phenanthrene	<40.4	ug/kg	431	40.4	1	01/26/18 15:00	01/31/18 13:16	85-01-8	
Phenol	<33.9	ug/kg	431	33.9	1	01/26/18 15:00	01/31/18 13:16	108-95-2	
Pyrene	<43.1	ug/kg	431	43.1	1	01/26/18 15:00	01/31/18 13:16	129-00-0	
Pyridine	<35.2	ug/kg	431	35.2	1	01/26/18 15:00	01/31/18 13:16	110-86-1	
1,2,4-Trichlorobenzene	<39.1	ug/kg	431	39.1	1	01/26/18 15:00	01/31/18 13:16	120-82-1	
2,4,5-Trichlorophenol	<39.1	ug/kg	431	39.1	1	01/26/18 15:00	01/31/18 13:16	95-95-4	
2,4,6-Trichlorophenol	<40.4	ug/kg	431	40.4	1	01/26/18 15:00	01/31/18 13:16	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	82	%	41-114		1	01/26/18 15:00	01/31/18 13:16	4165-60-0	
2-Fluorobiphenyl (S)	84	%	61-109		1	01/26/18 15:00	01/31/18 13:16	321-60-8	
Terphenyl-d14 (S)	87	%	48-120		1	01/26/18 15:00	01/31/18 13:16	1718-51-0	
Phenol-d6 (S)	86	%	48-102		1	01/26/18 15:00	01/31/18 13:16	13127-88-3	
2-Fluorophenol (S)	84	%	46-102		1	01/26/18 15:00	01/31/18 13:16	367-12-4	
2,4,6-Tribromophenol (S)	95	%	39-114		1	01/26/18 15:00	01/31/18 13:16	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	10.9J	mg/kg	19.3	1.5	1	01/25/18 15:00	01/31/18 09:03		B
TPH-DRO	<1.5	mg/kg	19.3	1.5	1	01/25/18 15:00	01/31/18 09:03		
Surrogates									
Nitrobenzene-d5 (S)	73	%	41-114		1	01/25/18 15:00	01/31/18 09:03	4165-60-0	
2-Fluorobiphenyl (S)	74	%	61-109		1	01/25/18 15:00	01/31/18 09:03	321-60-8	
Terphenyl-d14 (S)	59	%	48-120		1	01/25/18 15:00	01/31/18 09:03	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.34	mg/kg	0.68	0.34	1		01/25/18 21:17		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	61.7	ug/kg	32.3	16.1	1		02/06/18 16:27	67-64-1	
Benzene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	71-43-2	
Bromobenzene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	108-86-1	
Bromochloromethane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	74-97-5	
Bromodichloromethane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	75-27-4	
Bromoform	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	75-25-2	
Bromomethane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	74-83-9	
2-Butanone (MEK)	<8.1	ug/kg	16.1	8.1	1		02/06/18 16:27	78-93-3	
n-Butylbenzene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	104-51-8	
sec-Butylbenzene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	135-98-8	
tert-Butylbenzene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-12 (13-15) Lab ID: 60262738006 Collected: 01/24/18 15:00 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	75-15-0	
Carbon tetrachloride	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	56-23-5	
Chlorobenzene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	108-90-7	
Chloroethane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	75-00-3	
Chloroform	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	67-66-3	
Chloromethane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	74-87-3	
2-Chlorotoluene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	95-49-8	
4-Chlorotoluene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	106-43-4	
1,2-Dibromo-3-chloropropane	<8.1	ug/kg	16.1	8.1	1		02/06/18 16:27	96-12-8	
Dibromochloromethane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	124-48-1	
1,2-Dibromoethane (EDB)	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	106-93-4	
Dibromomethane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	74-95-3	
1,2-Dichlorobenzene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	95-50-1	
1,3-Dichlorobenzene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	541-73-1	
1,4-Dichlorobenzene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	106-46-7	
Dichlorodifluoromethane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	75-71-8	
1,1-Dichloroethane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	75-34-3	
1,2-Dichloroethane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	107-06-2	
1,2-Dichloroethene (Total)	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	540-59-0	
1,1-Dichloroethene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	75-35-4	
cis-1,2-Dichloroethene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	156-59-2	
trans-1,2-Dichloroethene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	156-60-5	
1,2-Dichloropropane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	78-87-5	
1,3-Dichloropropane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	142-28-9	
2,2-Dichloropropane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	594-20-7	
1,1-Dichloropropene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	563-58-6	
cis-1,3-Dichloropropene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	10061-01-5	
trans-1,3-Dichloropropene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	10061-02-6	
Ethylbenzene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	100-41-4	
Hexachloro-1,3-butadiene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	87-68-3	
2-Hexanone	<16.1	ug/kg	32.3	16.1	1		02/06/18 16:27	591-78-6	
Isopropylbenzene (Cumene)	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	98-82-8	
p-Isopropyltoluene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	99-87-6	
Methylene chloride	6.0J	ug/kg	8.1	4.0	1		02/06/18 16:27	75-09-2	
4-Methyl-2-pentanone (MIBK)	<8.1	ug/kg	16.1	8.1	1		02/06/18 16:27	108-10-1	
Methyl-tert-butyl ether	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	1634-04-4	
Naphthalene	<8.1	ug/kg	16.1	8.1	1		02/06/18 16:27	91-20-3	
n-Propylbenzene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	103-65-1	
Styrene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	100-42-5	
1,1,1,2-Tetrachloroethane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	630-20-6	
1,1,2,2-Tetrachloroethane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	79-34-5	
Tetrachloroethene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	127-18-4	
Toluene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	108-88-3	
1,2,3-Trichlorobenzene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	87-61-6	
1,2,4-Trichlorobenzene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-12 (13-15) **Lab ID: 60262738006** Collected: 01/24/18 15:00 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	71-55-6	
1,1,2-Trichloroethane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	79-00-5	
Trichloroethene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	79-01-6	
Trichlorofluoromethane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	75-69-4	
1,2,3-Trichloropropane	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	96-18-4	
1,2,4-Trimethylbenzene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	95-63-6	
1,3,5-Trimethylbenzene	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	108-67-8	
Vinyl chloride	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	75-01-4	
Xylene (Total)	<4.0	ug/kg	8.1	4.0	1		02/06/18 16:27	1330-20-7	
Surrogates									
Toluene-d8 (S)	98	%	78-122		1		02/06/18 16:27	2037-26-5	
4-Bromofluorobenzene (S)	101	%	69-133		1		02/06/18 16:27	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	80-123		1		02/06/18 16:27	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974									
Percent Moisture	24.8	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045									
pH at 25 Degrees C	7.1	Std. Units	0.10	0.10	1		02/01/18 13:20		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	74.3J	mg/kg	131	65.6	10	02/05/18 08:00	02/06/18 03:42	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	<6.6	mg/kg	13.1	6.6	10	02/05/18 19:33	02/06/18 03:42	14797-55-8	
Nitrite as N	<6.6	mg/kg	13.1	6.6	10	02/05/18 19:33	02/06/18 03:42	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 (3-5) Lab ID: 60262738007 Collected: 01/24/18 15:55 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.66	ug/kg	1.9	0.66	1	02/02/18 13:00	02/05/18 21:18	309-00-2	
alpha-BHC	<0.30	ug/kg	1.9	0.30	1	02/02/18 13:00	02/05/18 21:18	319-84-6	
beta-BHC	<0.99	ug/kg	3.1	0.99	1	02/02/18 13:00	02/05/18 21:18	319-85-7	
delta-BHC	<0.89	ug/kg	2.6	0.89	1	02/02/18 13:00	02/05/18 21:18	319-86-8	
gamma-BHC (Lindane)	<0.84	ug/kg	2.6	0.84	1	02/02/18 13:00	02/05/18 21:18	58-89-9	
Chlordane (Technical)	<52.6	ug/kg	281	52.6	1	02/02/18 13:00	02/05/18 21:18	57-74-9	
alpha-Chlordane	<0.75	ug/kg	3.1	0.75	1	02/02/18 13:00	02/05/18 21:18	5103-71-9	
gamma-Chlordane	<1.2	ug/kg	3.1	1.2	1	02/02/18 13:00	02/05/18 21:18	5103-74-2	
4,4'-DDD	<0.61	ug/kg	1.9	0.61	1	02/02/18 13:00	02/05/18 21:18	72-54-8	
4,4'-DDE	<0.59	ug/kg	1.9	0.59	1	02/02/18 13:00	02/05/18 21:18	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.6	1.2	1	02/02/18 13:00	02/05/18 21:18	50-29-3	
Dieldrin	<0.81	ug/kg	2.6	0.81	1	02/02/18 13:00	02/05/18 21:18	60-57-1	
Endosulfan I	<0.87	ug/kg	2.6	0.87	1	02/02/18 13:00	02/05/18 21:18	959-98-8	
Endosulfan II	<0.60	ug/kg	1.9	0.60	1	02/02/18 13:00	02/05/18 21:18	33213-65-9	
Endosulfan sulfate	<0.86	ug/kg	2.6	0.86	1	02/02/18 13:00	02/05/18 21:18	1031-07-8	
Endrin	<0.87	ug/kg	3.1	0.87	1	02/02/18 13:00	02/05/18 21:18	72-20-8	
Endrin aldehyde	<0.87	ug/kg	2.6	0.87	1	02/02/18 13:00	02/05/18 21:18	7421-93-4	
Endrin ketone	<1.0	ug/kg	3.7	1.0	1	02/02/18 13:00	02/05/18 21:18	53494-70-5	
Heptachlor	<1.4	ug/kg	3.7	1.4	1	02/02/18 13:00	02/05/18 21:18	76-44-8	
Heptachlor epoxide	<3.7	ug/kg	9.4	3.7	1	02/02/18 13:00	02/05/18 21:18	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.7	1.1	1	02/02/18 13:00	02/05/18 21:18	72-43-5	
Toxaphene	<97.1	ug/kg	281	97.1	1	02/02/18 13:00	02/05/18 21:18	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	69	%.	70-130		1	02/02/18 13:00	02/05/18 21:18	877-09-8	S1
Decachlorobiphenyl (S)	74	%.	70-130		1	02/02/18 13:00	02/05/18 21:18	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<6.2	ug/kg	12.5	6.2	1	02/02/18 13:00	02/06/18 01:19	22248-79-9	
Azinphos, methyl (Guthion)	<6.2	ug/kg	12.5	6.2	1	02/02/18 13:00	02/06/18 01:19	86-50-0	
Bolstar	<6.2	ug/kg	12.5	6.2	1	02/02/18 13:00	02/06/18 01:19	35400-43-2	
Chlorpyrifos	<6.2	ug/kg	12.5	6.2	1	02/02/18 13:00	02/06/18 01:19	2921-88-2	
Coumaphos	<6.2	ug/kg	12.5	6.2	1	02/02/18 13:00	02/06/18 01:19	56-72-4	
Diazinon	<6.2	ug/kg	12.5	6.2	1	02/02/18 13:00	02/06/18 01:19	333-41-5	
Dichlorvos	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/06/18 01:19	62-73-7	
Dimethoate	<6.2	ug/kg	12.5	6.2	1	02/02/18 13:00	02/06/18 01:19	60-51-5	
Disulfoton	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/06/18 01:19	298-04-4	
EPN (ENT)	<4.0	ug/kg	6.2	4.0	1	02/02/18 13:00	02/06/18 01:19	2104-64-5	
Ethoprop	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/06/18 01:19	13194-48-4	
Fensulfthion	<6.2	ug/kg	12.5	6.2	1	02/02/18 13:00	02/06/18 01:19	115-90-2	
Fenthion	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/06/18 01:19	55-38-9	
Malathion	<6.2	ug/kg	12.5	6.2	1	02/02/18 13:00	02/06/18 01:19	121-75-5	
Methyl parathion	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/06/18 01:19	298-00-0	
Mevinphos	<3.7	ug/kg	6.2	3.7	1	02/02/18 13:00	02/06/18 01:19	7786-34-7	
Parathion (Ethyl parathion)	<6.2	ug/kg	12.5	6.2	1	02/02/18 13:00	02/06/18 01:19	56-38-2	
Phorate	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/06/18 01:19	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 (3-5) **Lab ID: 60262738007** Collected: 01/24/18 15:55 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/06/18 01:19	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/06/18 01:19	3689-24-5	
Tokuthion (Prothiofos)	<3.1	ug/kg	6.2	3.1	1	02/02/18 13:00	02/06/18 01:19	34643-46-4	
Trichloronate	<6.2	ug/kg	12.5	6.2	1	02/02/18 13:00	02/06/18 01:19	327-98-0	
Total Demeton	<5.1	ug/kg	6.2	5.1	1	02/02/18 13:00	02/06/18 01:19	8065-48-3	N2
Total Merphos	<6.2	ug/kg	24.9	6.2	1	02/02/18 13:00	02/06/18 01:19	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	89	%.	11-137		1	02/02/18 13:00	02/06/18 01:19	115-86-6	
Tributylphosphate (S)	104	%.	17-125		1	02/02/18 13:00	02/06/18 01:19	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.1	ug/kg	3.1	3.1	1	02/06/18 12:15	02/07/18 15:04	94-75-7	
Dalapon	<3.1	ug/kg	3.1	3.1	1	02/06/18 12:15	02/07/18 15:04	75-99-0	
2,4-DB	<3.1	ug/kg	3.1	3.1	1	02/06/18 12:15	02/07/18 15:04	94-82-6	
Dicamba	<3.1	ug/kg	3.1	3.1	1	02/06/18 12:15	02/07/18 15:04	1918-00-9	
Dichloroprop	<3.1	ug/kg	3.1	3.1	1	02/06/18 12:15	02/07/18 15:04	15165-67-0	
Dinoseb	<3.1	ug/kg	3.1	3.1	1	02/06/18 12:15	02/07/18 15:04	88-85-7	
MCPA	<312	ug/kg	312	312	1	02/06/18 12:15	02/07/18 15:04	94-74-6	
MCPP	<312	ug/kg	312	312	1	02/06/18 12:15	02/07/18 15:04	7085-19-0	
2,4,5-T	<3.1	ug/kg	3.1	3.1	1	02/06/18 12:15	02/07/18 15:04	93-76-5	
2,4,5-TP (Silvex)	<3.1	ug/kg	3.1	3.1	1	02/06/18 12:15	02/07/18 15:04	93-72-1	
Surrogates									
2,4-DCAA (S)	14	%.	10-188		1	02/06/18 12:15	02/07/18 15:04	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	5.0	mg/kg	1.1	0.47	1	01/30/18 14:45	02/06/18 15:48	7440-38-2	
Barium	235	mg/kg	0.56	0.035	1	01/30/18 14:45	02/06/18 15:48	7440-39-3	
Cadmium	0.073J	mg/kg	0.56	0.042	1	01/30/18 14:45	02/06/18 15:48	7440-43-9	
Chromium	15.8	mg/kg	0.56	0.11	1	01/30/18 14:45	02/06/18 15:48	7440-47-3	
Lead	10.1	mg/kg	0.56	0.23	1	01/30/18 14:45	02/06/18 15:48	7439-92-1	
Selenium	<0.84	mg/kg	1.7	0.84	1	01/30/18 14:45	02/06/18 15:48	7782-49-2	
Silver	<0.19	mg/kg	0.79	0.19	1	01/30/18 14:45	02/06/18 15:48	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.013J	mg/kg	0.054	0.0071	1	01/29/18 09:15	01/29/18 12:53	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	46.5J	ug/kg	406	43.0	1	01/26/18 15:00	01/31/18 13:38	83-32-9	
Acenaphthylene	<38.1	ug/kg	406	38.1	1	01/26/18 15:00	01/31/18 13:38	208-96-8	
Anthracene	<43.0	ug/kg	406	43.0	1	01/26/18 15:00	01/31/18 13:38	120-12-7	
Benzo(a)anthracene	<36.9	ug/kg	406	36.9	1	01/26/18 15:00	01/31/18 13:38	56-55-3	
Benzo(a)pyrene	<32.0	ug/kg	406	32.0	1	01/26/18 15:00	01/31/18 13:38	50-32-8	
Benzo(b)fluoranthene	46.8J	ug/kg	406	28.3	1	01/26/18 15:00	01/31/18 13:38	205-99-2	
Benzo(g,h,i)perylene	<39.3	ug/kg	406	39.3	1	01/26/18 15:00	01/31/18 13:38	191-24-2	
Benzo(k)fluoranthene	<47.9	ug/kg	406	47.9	1	01/26/18 15:00	01/31/18 13:38	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 (3-5) Lab ID: 60262738007 Collected: 01/24/18 15:55 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<38.1	ug/kg	2050	38.1	1	01/26/18 15:00	01/31/18 13:38	65-85-0	
Benzyl alcohol	<127	ug/kg	811	127	1	01/26/18 15:00	01/31/18 13:38	100-51-6	
4-Bromophenylphenyl ether	<32.0	ug/kg	406	32.0	1	01/26/18 15:00	01/31/18 13:38	101-55-3	
Butylbenzylphthalate	<52.9	ug/kg	406	52.9	1	01/26/18 15:00	01/31/18 13:38	85-68-7	
Carbazole	<33.2	ug/kg	406	33.2	1	01/26/18 15:00	01/31/18 13:38	86-74-8	
4-Chloro-3-methylphenol	<44.2	ug/kg	811	44.2	1	01/26/18 15:00	01/31/18 13:38	59-50-7	
4-Chloroaniline	<79.9	ug/kg	811	79.9	1	01/26/18 15:00	01/31/18 13:38	106-47-8	
bis(2-Chloroethoxy)methane	<32.0	ug/kg	406	32.0	1	01/26/18 15:00	01/31/18 13:38	111-91-1	
bis(2-Chloroethyl) ether	<32.0	ug/kg	406	32.0	1	01/26/18 15:00	01/31/18 13:38	111-44-4	
bis(2-Chloroisopropyl) ether	<32.0	ug/kg	406	32.0	1	01/26/18 15:00	01/31/18 13:38	39638-32-9	
2-Chloronaphthalene	<34.4	ug/kg	406	34.4	1	01/26/18 15:00	01/31/18 13:38	91-58-7	
2-Chlorophenol	<33.2	ug/kg	406	33.2	1	01/26/18 15:00	01/31/18 13:38	95-57-8	
4-Chlorophenylphenyl ether	<39.3	ug/kg	406	39.3	1	01/26/18 15:00	01/31/18 13:38	7005-72-3	
Chrysene	50.4J	ug/kg	406	34.4	1	01/26/18 15:00	01/31/18 13:38	218-01-9	
Dibenz(a,h)anthracene	<36.9	ug/kg	406	36.9	1	01/26/18 15:00	01/31/18 13:38	53-70-3	
Dibenzofuran	<36.9	ug/kg	406	36.9	1	01/26/18 15:00	01/31/18 13:38	132-64-9	
1,2-Dichlorobenzene	<30.7	ug/kg	406	30.7	1	01/26/18 15:00	01/31/18 13:38	95-50-1	
1,3-Dichlorobenzene	<34.4	ug/kg	406	34.4	1	01/26/18 15:00	01/31/18 13:38	541-73-1	
1,4-Dichlorobenzene	<35.6	ug/kg	406	35.6	1	01/26/18 15:00	01/31/18 13:38	106-46-7	
3,3'-Dichlorobenzidine	<139	ug/kg	811	139	1	01/26/18 15:00	01/31/18 13:38	91-94-1	
2,4-Dichlorophenol	<36.9	ug/kg	406	36.9	1	01/26/18 15:00	01/31/18 13:38	120-83-2	
Diethylphthalate	<38.1	ug/kg	406	38.1	1	01/26/18 15:00	01/31/18 13:38	84-66-2	
2,4-Dimethylphenol	<22.1	ug/kg	406	22.1	1	01/26/18 15:00	01/31/18 13:38	105-67-9	
Dimethylphthalate	<39.3	ug/kg	406	39.3	1	01/26/18 15:00	01/31/18 13:38	131-11-3	
Di-n-butylphthalate	<43.0	ug/kg	406	43.0	1	01/26/18 15:00	01/31/18 13:38	84-74-2	
4,6-Dinitro-2-methylphenol	<54.1	ug/kg	2050	54.1	1	01/26/18 15:00	01/31/18 13:38	534-52-1	
2,4-Dinitrophenol	<59.0	ug/kg	2050	59.0	1	01/26/18 15:00	01/31/18 13:38	51-28-5	
2,4-Dinitrotoluene	<34.4	ug/kg	406	34.4	1	01/26/18 15:00	01/31/18 13:38	121-14-2	
2,6-Dinitrotoluene	<41.8	ug/kg	406	41.8	1	01/26/18 15:00	01/31/18 13:38	606-20-2	
Di-n-octylphthalate	<47.9	ug/kg	406	47.9	1	01/26/18 15:00	01/31/18 13:38	117-84-0	
bis(2-Ethylhexyl)phthalate	<140	ug/kg	406	140	1	01/26/18 15:00	01/31/18 13:38	117-81-7	
Fluoranthene	80.7J	ug/kg	406	38.1	1	01/26/18 15:00	01/31/18 13:38	206-44-0	
Fluorene	<38.1	ug/kg	406	38.1	1	01/26/18 15:00	01/31/18 13:38	86-73-7	
Hexachloro-1,3-butadiene	<40.6	ug/kg	406	40.6	1	01/26/18 15:00	01/31/18 13:38	87-68-3	
Hexachlorobenzene	<39.3	ug/kg	406	39.3	1	01/26/18 15:00	01/31/18 13:38	118-74-1	
Hexachlorocyclopentadiene	<86.0	ug/kg	406	86.0	1	01/26/18 15:00	01/31/18 13:38	77-47-4	
Hexachloroethane	<30.7	ug/kg	406	30.7	1	01/26/18 15:00	01/31/18 13:38	67-72-1	
Indeno(1,2,3-cd)pyrene	<44.2	ug/kg	406	44.2	1	01/26/18 15:00	01/31/18 13:38	193-39-5	
Isophorone	<36.9	ug/kg	406	36.9	1	01/26/18 15:00	01/31/18 13:38	78-59-1	
2-Methylnaphthalene	<29.5	ug/kg	406	29.5	1	01/26/18 15:00	01/31/18 13:38	91-57-6	
2-Methylphenol(o-Cresol)	<38.1	ug/kg	406	38.1	1	01/26/18 15:00	01/31/18 13:38	95-48-7	
3&4-Methylphenol(m&p Cresol)	<44.2	ug/kg	406	44.2	1	01/26/18 15:00	01/31/18 13:38		
Naphthalene	<32.0	ug/kg	406	32.0	1	01/26/18 15:00	01/31/18 13:38	91-20-3	
2-Nitroaniline	<68.8	ug/kg	811	68.8	1	01/26/18 15:00	01/31/18 13:38	88-74-4	
3-Nitroaniline	<123	ug/kg	811	123	1	01/26/18 15:00	01/31/18 13:38	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 (3-5) Lab ID: 60262738007 Collected: 01/24/18 15:55 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<104	ug/kg	811	104	1	01/26/18 15:00	01/31/18 13:38	100-01-6	
Nitrobenzene	<38.1	ug/kg	406	38.1	1	01/26/18 15:00	01/31/18 13:38	98-95-3	
2-Nitrophenol	<56.5	ug/kg	406	56.5	1	01/26/18 15:00	01/31/18 13:38	88-75-5	
4-Nitrophenol	<63.9	ug/kg	2050	63.9	1	01/26/18 15:00	01/31/18 13:38	100-02-7	
N-Nitroso-di-n-propylamine	<40.6	ug/kg	406	40.6	1	01/26/18 15:00	01/31/18 13:38	621-64-7	
N-Nitrosodiphenylamine	<32.0	ug/kg	406	32.0	1	01/26/18 15:00	01/31/18 13:38	86-30-6	
Pentachlorophenol	<38.1	ug/kg	2050	38.1	1	01/26/18 15:00	01/31/18 13:38	87-86-5	
Phenanthrene	377J	ug/kg	406	38.1	1	01/26/18 15:00	01/31/18 13:38	85-01-8	
Phenol	<32.0	ug/kg	406	32.0	1	01/26/18 15:00	01/31/18 13:38	108-95-2	
Pyrene	66.6J	ug/kg	406	40.6	1	01/26/18 15:00	01/31/18 13:38	129-00-0	
Pyridine	<33.2	ug/kg	406	33.2	1	01/26/18 15:00	01/31/18 13:38	110-86-1	
1,2,4-Trichlorobenzene	<36.9	ug/kg	406	36.9	1	01/26/18 15:00	01/31/18 13:38	120-82-1	
2,4,5-Trichlorophenol	<36.9	ug/kg	406	36.9	1	01/26/18 15:00	01/31/18 13:38	95-95-4	
2,4,6-Trichlorophenol	<38.1	ug/kg	406	38.1	1	01/26/18 15:00	01/31/18 13:38	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	71	%	41-114		1	01/26/18 15:00	01/31/18 13:38	4165-60-0	
2-Fluorobiphenyl (S)	76	%	61-109		1	01/26/18 15:00	01/31/18 13:38	321-60-8	
Terphenyl-d14 (S)	77	%	48-120		1	01/26/18 15:00	01/31/18 13:38	1718-51-0	
Phenol-d6 (S)	75	%	48-102		1	01/26/18 15:00	01/31/18 13:38	13127-88-3	
2-Fluorophenol (S)	73	%	46-102		1	01/26/18 15:00	01/31/18 13:38	367-12-4	
2,4,6-Tribromophenol (S)	80	%	39-114		1	01/26/18 15:00	01/31/18 13:38	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	17.4J	mg/kg	18.9	1.5	1	01/25/18 15:00	01/31/18 09:24		B
TPH-DRO	1.9J	mg/kg	18.9	1.5	1	01/25/18 15:00	01/31/18 09:24		
Surrogates									
Nitrobenzene-d5 (S)	72	%	41-114		1	01/25/18 15:00	01/31/18 09:24	4165-60-0	
2-Fluorobiphenyl (S)	75	%	61-109		1	01/25/18 15:00	01/31/18 09:24	321-60-8	
Terphenyl-d14 (S)	62	%	48-120		1	01/25/18 15:00	01/31/18 09:24	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.27	mg/kg	0.55	0.27	1		02/06/18 16:42		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	16.6J	ug/kg	21.9	11.0	1		02/06/18 16:42	67-64-1	
Benzene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	71-43-2	
Bromobenzene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	108-86-1	
Bromochloromethane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	74-97-5	
Bromodichloromethane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	75-27-4	
Bromoform	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	75-25-2	
Bromomethane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	74-83-9	
2-Butanone (MEK)	<5.5	ug/kg	11.0	5.5	1		02/06/18 16:42	78-93-3	
n-Butylbenzene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	104-51-8	
sec-Butylbenzene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	135-98-8	
tert-Butylbenzene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 (3-5) **Lab ID: 60262738007** Collected: 01/24/18 15:55 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	75-15-0	
Carbon tetrachloride	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	56-23-5	
Chlorobenzene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	108-90-7	
Chloroethane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	75-00-3	
Chloroform	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	67-66-3	
Chloromethane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	74-87-3	
2-Chlorotoluene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	95-49-8	
4-Chlorotoluene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	106-43-4	
1,2-Dibromo-3-chloropropane	<5.5	ug/kg	11.0	5.5	1		02/06/18 16:42	96-12-8	
Dibromochloromethane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	124-48-1	
1,2-Dibromoethane (EDB)	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	106-93-4	
Dibromomethane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	74-95-3	
1,2-Dichlorobenzene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	95-50-1	
1,3-Dichlorobenzene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	541-73-1	
1,4-Dichlorobenzene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	106-46-7	
Dichlorodifluoromethane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	75-71-8	
1,1-Dichloroethane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	75-34-3	
1,2-Dichloroethane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	107-06-2	
1,2-Dichloroethene (Total)	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	540-59-0	
1,1-Dichloroethene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	75-35-4	
cis-1,2-Dichloroethene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	156-59-2	
trans-1,2-Dichloroethene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	156-60-5	
1,2-Dichloropropane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	78-87-5	
1,3-Dichloropropane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	142-28-9	
2,2-Dichloropropane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	594-20-7	
1,1-Dichloropropene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	563-58-6	
cis-1,3-Dichloropropene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	10061-01-5	
trans-1,3-Dichloropropene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	10061-02-6	
Ethylbenzene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	87-68-3	
2-Hexanone	<11.0	ug/kg	21.9	11.0	1		02/06/18 16:42	591-78-6	
Isopropylbenzene (Cumene)	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	98-82-8	
p-Isopropyltoluene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	99-87-6	
Methylene chloride	4.2J	ug/kg	5.5	2.7	1		02/06/18 16:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.5	ug/kg	11.0	5.5	1		02/06/18 16:42	108-10-1	
Methyl-tert-butyl ether	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	1634-04-4	
Naphthalene	<5.5	ug/kg	11.0	5.5	1		02/06/18 16:42	91-20-3	
n-Propylbenzene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	103-65-1	
Styrene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	100-42-5	
1,1,1,2-Tetrachloroethane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	630-20-6	
1,1,2,2-Tetrachloroethane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	79-34-5	
Tetrachloroethene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	127-18-4	
Toluene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	108-88-3	
1,2,3-Trichlorobenzene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	87-61-6	
1,2,4-Trichlorobenzene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 (3-5) **Lab ID: 60262738007** Collected: 01/24/18 15:55 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA									
Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	71-55-6	
1,1,2-Trichloroethane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	79-00-5	
Trichloroethene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	79-01-6	
Trichlorofluoromethane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	75-69-4	
1,2,3-Trichloropropane	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	96-18-4	
1,2,4-Trimethylbenzene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	95-63-6	
1,3,5-Trimethylbenzene	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	108-67-8	
Vinyl chloride	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	75-01-4	
Xylene (Total)	<2.7	ug/kg	5.5	2.7	1		02/06/18 16:42	1330-20-7	
Surrogates									
Toluene-d8 (S)	99	%	78-122		1		02/06/18 16:42	2037-26-5	
4-Bromofluorobenzene (S)	101	%	69-133		1		02/06/18 16:42	460-00-4	
1,2-Dichloroethane-d4 (S)	104	%	80-123		1		02/06/18 16:42	17060-07-0	
Percent Moisture									
Analytical Method: ASTM D2974									
Percent Moisture	20.7	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil									
Analytical Method: EPA 9045									
pH at 25 Degrees C	7.5	Std. Units	0.10	0.10	1		02/01/18 13:20		
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	77.8J	mg/kg	126	62.8	10	02/05/18 08:00	02/06/18 04:23	14808-79-8	
9056 IC Anions									
Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	<6.3	mg/kg	12.6	6.3	10	02/05/18 19:33	02/06/18 04:23	14797-55-8	
Nitrite as N	<6.3	mg/kg	12.6	6.3	10	02/05/18 19:33	02/06/18 04:23	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 (10-12) Lab ID: 60262738008 Collected: 01/24/18 16:15 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Aldrin	<0.68	ug/kg	1.9	0.68	1	02/02/18 13:00	02/05/18 21:32	309-00-2	
alpha-BHC	<0.30	ug/kg	1.9	0.30	1	02/02/18 13:00	02/05/18 21:32	319-84-6	
beta-BHC	<1.0	ug/kg	3.2	1.0	1	02/02/18 13:00	02/05/18 21:32	319-85-7	
delta-BHC	<0.92	ug/kg	2.7	0.92	1	02/02/18 13:00	02/05/18 21:32	319-86-8	
gamma-BHC (Lindane)	<0.86	ug/kg	2.7	0.86	1	02/02/18 13:00	02/05/18 21:32	58-89-9	
Chlordane (Technical)	<54.0	ug/kg	288	54.0	1	02/02/18 13:00	02/05/18 21:32	57-74-9	
alpha-Chlordane	<0.76	ug/kg	3.2	0.76	1	02/02/18 13:00	02/05/18 21:32	5103-71-9	
gamma-Chlordane	<1.3	ug/kg	3.2	1.3	1	02/02/18 13:00	02/05/18 21:32	5103-74-2	
4,4'-DDD	<0.63	ug/kg	1.9	0.63	1	02/02/18 13:00	02/05/18 21:32	72-54-8	
4,4'-DDE	<0.60	ug/kg	1.9	0.60	1	02/02/18 13:00	02/05/18 21:32	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.7	1.2	1	02/02/18 13:00	02/05/18 21:32	50-29-3	
Dieldrin	<0.83	ug/kg	2.7	0.83	1	02/02/18 13:00	02/05/18 21:32	60-57-1	
Endosulfan I	<0.89	ug/kg	2.7	0.89	1	02/02/18 13:00	02/05/18 21:32	959-98-8	
Endosulfan II	<0.62	ug/kg	1.9	0.62	1	02/02/18 13:00	02/05/18 21:32	33213-65-9	
Endosulfan sulfate	<0.88	ug/kg	2.7	0.88	1	02/02/18 13:00	02/05/18 21:32	1031-07-8	
Endrin	<0.89	ug/kg	3.2	0.89	1	02/02/18 13:00	02/05/18 21:32	72-20-8	
Endrin aldehyde	<0.89	ug/kg	2.7	0.89	1	02/02/18 13:00	02/05/18 21:32	7421-93-4	
Endrin ketone	<1.1	ug/kg	3.8	1.1	1	02/02/18 13:00	02/05/18 21:32	53494-70-5	
Heptachlor	<1.5	ug/kg	3.8	1.5	1	02/02/18 13:00	02/05/18 21:32	76-44-8	
Heptachlor epoxide	<3.8	ug/kg	9.6	3.8	1	02/02/18 13:00	02/05/18 21:32	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.8	1.1	1	02/02/18 13:00	02/05/18 21:32	72-43-5	
Toxaphene	<99.6	ug/kg	288	99.6	1	02/02/18 13:00	02/05/18 21:32	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	72	%	70-130		1	02/02/18 13:00	02/05/18 21:32	877-09-8	
Decachlorobiphenyl (S)	79	%	70-130		1	02/02/18 13:00	02/05/18 21:32	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Stirophos (Tetrachlorvinphos)	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 01:46	22248-79-9	
Azinphos, methyl (Guthion)	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 01:46	86-50-0	
Bolstar	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 01:46	35400-43-2	
Chlorpyrifos	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 01:46	2921-88-2	
Coumaphos	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 01:46	56-72-4	
Diazinon	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 01:46	333-41-5	
Dichlorvos	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 01:46	62-73-7	
Dimethoate	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 01:46	60-51-5	
Disulfoton	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 01:46	298-04-4	
EPN (ENT)	<4.1	ug/kg	6.4	4.1	1	02/02/18 13:00	02/06/18 01:46	2104-64-5	
Ethoprop	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 01:46	13194-48-4	
Fensulfthion	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 01:46	115-90-2	
Fenthion	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 01:46	55-38-9	
Malathion	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 01:46	121-75-5	
Methyl parathion	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 01:46	298-00-0	
Mevinphos	<3.8	ug/kg	6.4	3.8	1	02/02/18 13:00	02/06/18 01:46	7786-34-7	
Parathion (Ethyl parathion)	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 01:46	56-38-2	
Phorate	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 01:46	298-02-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 (10-12) **Lab ID: 60262738008** Collected: 01/24/18 16:15 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546									
Ronnel	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 01:46	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 01:46	3689-24-5	
Tokuthion (Prothiofos)	<3.2	ug/kg	6.4	3.2	1	02/02/18 13:00	02/06/18 01:46	34643-46-4	
Trichloronate	<6.4	ug/kg	12.8	6.4	1	02/02/18 13:00	02/06/18 01:46	327-98-0	
Total Demeton	<5.2	ug/kg	6.4	5.2	1	02/02/18 13:00	02/06/18 01:46	8065-48-3	N2
Total Merphos	<6.4	ug/kg	25.6	6.4	1	02/02/18 13:00	02/06/18 01:46	150-50-5	N2
Surrogates									
Triphenylphosphate (S)	92	%.	11-137		1	02/02/18 13:00	02/06/18 01:46	115-86-6	
Tributylphosphate (S)	113	%.	17-125		1	02/02/18 13:00	02/06/18 01:46	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546									
2,4-D	<3.1	ug/kg	3.1	3.1	1	02/06/18 12:15	02/07/18 15:28	94-75-7	
Dalapon	<3.1	ug/kg	3.1	3.1	1	02/06/18 12:15	02/07/18 15:28	75-99-0	
2,4-DB	<3.1	ug/kg	3.1	3.1	1	02/06/18 12:15	02/07/18 15:28	94-82-6	
Dicamba	<3.1	ug/kg	3.1	3.1	1	02/06/18 12:15	02/07/18 15:28	1918-00-9	
Dichloroprop	<3.1	ug/kg	3.1	3.1	1	02/06/18 12:15	02/07/18 15:28	15165-67-0	
Dinoseb	<3.1	ug/kg	3.1	3.1	1	02/06/18 12:15	02/07/18 15:28	88-85-7	
MCPA	<314	ug/kg	314	314	1	02/06/18 12:15	02/07/18 15:28	94-74-6	
MCPP	<314	ug/kg	314	314	1	02/06/18 12:15	02/07/18 15:28	7085-19-0	
2,4,5-T	<3.1	ug/kg	3.1	3.1	1	02/06/18 12:15	02/07/18 15:28	93-76-5	
2,4,5-TP (Silvex)	<3.1	ug/kg	3.1	3.1	1	02/06/18 12:15	02/07/18 15:28	93-72-1	
Surrogates									
2,4-DCAA (S)	8	%.	10-188		1	02/06/18 12:15	02/07/18 15:28	19719-28-9	S1
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Arsenic	26.8	mg/kg	1.2	0.50	1	01/30/18 14:45	02/06/18 15:50	7440-38-2	
Barium	265	mg/kg	0.61	0.038	1	01/30/18 14:45	02/06/18 15:50	7440-39-3	
Cadmium	0.048J	mg/kg	0.61	0.045	1	01/30/18 14:45	02/06/18 15:50	7440-43-9	
Chromium	17.4	mg/kg	0.61	0.12	1	01/30/18 14:45	02/06/18 15:50	7440-47-3	
Lead	14.0	mg/kg	0.61	0.25	1	01/30/18 14:45	02/06/18 15:50	7439-92-1	
Selenium	<0.91	mg/kg	1.8	0.91	1	01/30/18 14:45	02/06/18 15:50	7782-49-2	
Silver	<0.20	mg/kg	0.86	0.20	1	01/30/18 14:45	02/06/18 15:50	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Mercury	0.027J	mg/kg	0.051	0.0068	1	01/29/18 09:15	01/29/18 12:55	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Acenaphthene	<44.3	ug/kg	418	44.3	1	01/26/18 15:00	01/31/18 14:00	83-32-9	
Acenaphthylene	<39.3	ug/kg	418	39.3	1	01/26/18 15:00	01/31/18 14:00	208-96-8	
Anthracene	<44.3	ug/kg	418	44.3	1	01/26/18 15:00	01/31/18 14:00	120-12-7	
Benzo(a)anthracene	<38.0	ug/kg	418	38.0	1	01/26/18 15:00	01/31/18 14:00	56-55-3	
Benzo(a)pyrene	<32.9	ug/kg	418	32.9	1	01/26/18 15:00	01/31/18 14:00	50-32-8	
Benzo(b)fluoranthene	<29.1	ug/kg	418	29.1	1	01/26/18 15:00	01/31/18 14:00	205-99-2	
Benzo(g,h,i)perylene	<40.5	ug/kg	418	40.5	1	01/26/18 15:00	01/31/18 14:00	191-24-2	
Benzo(k)fluoranthene	<49.4	ug/kg	418	49.4	1	01/26/18 15:00	01/31/18 14:00	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 (10-12) Lab ID: 60262738008 Collected: 01/24/18 16:15 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
Benzoic acid	<39.3	ug/kg	2110	39.3	1	01/26/18 15:00	01/31/18 14:00	65-85-0	
Benzyl alcohol	<130	ug/kg	836	130	1	01/26/18 15:00	01/31/18 14:00	100-51-6	
4-Bromophenylphenyl ether	<32.9	ug/kg	418	32.9	1	01/26/18 15:00	01/31/18 14:00	101-55-3	
Butylbenzylphthalate	<54.4	ug/kg	418	54.4	1	01/26/18 15:00	01/31/18 14:00	85-68-7	
Carbazole	<34.2	ug/kg	418	34.2	1	01/26/18 15:00	01/31/18 14:00	86-74-8	
4-Chloro-3-methylphenol	<45.6	ug/kg	836	45.6	1	01/26/18 15:00	01/31/18 14:00	59-50-7	
4-Chloroaniline	<82.3	ug/kg	836	82.3	1	01/26/18 15:00	01/31/18 14:00	106-47-8	
bis(2-Chloroethoxy)methane	<32.9	ug/kg	418	32.9	1	01/26/18 15:00	01/31/18 14:00	111-91-1	
bis(2-Chloroethyl) ether	<32.9	ug/kg	418	32.9	1	01/26/18 15:00	01/31/18 14:00	111-44-4	
bis(2-Chloroisopropyl) ether	<32.9	ug/kg	418	32.9	1	01/26/18 15:00	01/31/18 14:00	39638-32-9	
2-Chloronaphthalene	<35.5	ug/kg	418	35.5	1	01/26/18 15:00	01/31/18 14:00	91-58-7	
2-Chlorophenol	<34.2	ug/kg	418	34.2	1	01/26/18 15:00	01/31/18 14:00	95-57-8	
4-Chlorophenylphenyl ether	<40.5	ug/kg	418	40.5	1	01/26/18 15:00	01/31/18 14:00	7005-72-3	
Chrysene	<35.5	ug/kg	418	35.5	1	01/26/18 15:00	01/31/18 14:00	218-01-9	
Dibenz(a,h)anthracene	<38.0	ug/kg	418	38.0	1	01/26/18 15:00	01/31/18 14:00	53-70-3	
Dibenzofuran	<38.0	ug/kg	418	38.0	1	01/26/18 15:00	01/31/18 14:00	132-64-9	
1,2-Dichlorobenzene	<31.7	ug/kg	418	31.7	1	01/26/18 15:00	01/31/18 14:00	95-50-1	
1,3-Dichlorobenzene	<35.5	ug/kg	418	35.5	1	01/26/18 15:00	01/31/18 14:00	541-73-1	
1,4-Dichlorobenzene	<36.7	ug/kg	418	36.7	1	01/26/18 15:00	01/31/18 14:00	106-46-7	
3,3'-Dichlorobenzidine	<143	ug/kg	836	143	1	01/26/18 15:00	01/31/18 14:00	91-94-1	
2,4-Dichlorophenol	<38.0	ug/kg	418	38.0	1	01/26/18 15:00	01/31/18 14:00	120-83-2	
Diethylphthalate	<39.3	ug/kg	418	39.3	1	01/26/18 15:00	01/31/18 14:00	84-66-2	
2,4-Dimethylphenol	<22.8	ug/kg	418	22.8	1	01/26/18 15:00	01/31/18 14:00	105-67-9	
Dimethylphthalate	<40.5	ug/kg	418	40.5	1	01/26/18 15:00	01/31/18 14:00	131-11-3	
Di-n-butylphthalate	<44.3	ug/kg	418	44.3	1	01/26/18 15:00	01/31/18 14:00	84-74-2	
4,6-Dinitro-2-methylphenol	<55.7	ug/kg	2110	55.7	1	01/26/18 15:00	01/31/18 14:00	534-52-1	
2,4-Dinitrophenol	<60.8	ug/kg	2110	60.8	1	01/26/18 15:00	01/31/18 14:00	51-28-5	
2,4-Dinitrotoluene	<35.5	ug/kg	418	35.5	1	01/26/18 15:00	01/31/18 14:00	121-14-2	
2,6-Dinitrotoluene	<43.0	ug/kg	418	43.0	1	01/26/18 15:00	01/31/18 14:00	606-20-2	
Di-n-octylphthalate	<49.4	ug/kg	418	49.4	1	01/26/18 15:00	01/31/18 14:00	117-84-0	
bis(2-Ethylhexyl)phthalate	<144	ug/kg	418	144	1	01/26/18 15:00	01/31/18 14:00	117-81-7	
Fluoranthene	<39.3	ug/kg	418	39.3	1	01/26/18 15:00	01/31/18 14:00	206-44-0	
Fluorene	<39.3	ug/kg	418	39.3	1	01/26/18 15:00	01/31/18 14:00	86-73-7	
Hexachloro-1,3-butadiene	<41.8	ug/kg	418	41.8	1	01/26/18 15:00	01/31/18 14:00	87-68-3	
Hexachlorobenzene	<40.5	ug/kg	418	40.5	1	01/26/18 15:00	01/31/18 14:00	118-74-1	
Hexachlorocyclopentadiene	<88.6	ug/kg	418	88.6	1	01/26/18 15:00	01/31/18 14:00	77-47-4	
Hexachloroethane	<31.7	ug/kg	418	31.7	1	01/26/18 15:00	01/31/18 14:00	67-72-1	
Indeno(1,2,3-cd)pyrene	<45.6	ug/kg	418	45.6	1	01/26/18 15:00	01/31/18 14:00	193-39-5	
Isophorone	<38.0	ug/kg	418	38.0	1	01/26/18 15:00	01/31/18 14:00	78-59-1	
2-Methylnaphthalene	<30.4	ug/kg	418	30.4	1	01/26/18 15:00	01/31/18 14:00	91-57-6	
2-Methylphenol(o-Cresol)	<39.3	ug/kg	418	39.3	1	01/26/18 15:00	01/31/18 14:00	95-48-7	
3&4-Methylphenol(m&p Cresol)	<45.6	ug/kg	418	45.6	1	01/26/18 15:00	01/31/18 14:00		
Naphthalene	<32.9	ug/kg	418	32.9	1	01/26/18 15:00	01/31/18 14:00	91-20-3	
2-Nitroaniline	<70.9	ug/kg	836	70.9	1	01/26/18 15:00	01/31/18 14:00	88-74-4	
3-Nitroaniline	<127	ug/kg	836	127	1	01/26/18 15:00	01/31/18 14:00	99-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 (10-12) **Lab ID: 60262738008** Collected: 01/24/18 16:15 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546									
4-Nitroaniline	<108	ug/kg	836	108	1	01/26/18 15:00	01/31/18 14:00	100-01-6	
Nitrobenzene	<39.3	ug/kg	418	39.3	1	01/26/18 15:00	01/31/18 14:00	98-95-3	
2-Nitrophenol	<58.2	ug/kg	418	58.2	1	01/26/18 15:00	01/31/18 14:00	88-75-5	
4-Nitrophenol	<65.8	ug/kg	2110	65.8	1	01/26/18 15:00	01/31/18 14:00	100-02-7	
N-Nitroso-di-n-propylamine	<41.8	ug/kg	418	41.8	1	01/26/18 15:00	01/31/18 14:00	621-64-7	
N-Nitrosodiphenylamine	<32.9	ug/kg	418	32.9	1	01/26/18 15:00	01/31/18 14:00	86-30-6	
Pentachlorophenol	<39.3	ug/kg	2110	39.3	1	01/26/18 15:00	01/31/18 14:00	87-86-5	
Phenanthrene	<39.3	ug/kg	418	39.3	1	01/26/18 15:00	01/31/18 14:00	85-01-8	
Phenol	<32.9	ug/kg	418	32.9	1	01/26/18 15:00	01/31/18 14:00	108-95-2	
Pyrene	<41.8	ug/kg	418	41.8	1	01/26/18 15:00	01/31/18 14:00	129-00-0	
Pyridine	<34.2	ug/kg	418	34.2	1	01/26/18 15:00	01/31/18 14:00	110-86-1	
1,2,4-Trichlorobenzene	<38.0	ug/kg	418	38.0	1	01/26/18 15:00	01/31/18 14:00	120-82-1	
2,4,5-Trichlorophenol	<38.0	ug/kg	418	38.0	1	01/26/18 15:00	01/31/18 14:00	95-95-4	
2,4,6-Trichlorophenol	<39.3	ug/kg	418	39.3	1	01/26/18 15:00	01/31/18 14:00	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	77	%	41-114		1	01/26/18 15:00	01/31/18 14:00	4165-60-0	
2-Fluorobiphenyl (S)	82	%	61-109		1	01/26/18 15:00	01/31/18 14:00	321-60-8	
Terphenyl-d14 (S)	88	%	48-120		1	01/26/18 15:00	01/31/18 14:00	1718-51-0	
Phenol-d6 (S)	83	%	48-102		1	01/26/18 15:00	01/31/18 14:00	13127-88-3	
2-Fluorophenol (S)	80	%	46-102		1	01/26/18 15:00	01/31/18 14:00	367-12-4	
2,4,6-Tribromophenol (S)	96	%	39-114		1	01/26/18 15:00	01/31/18 14:00	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546									
TPH-ORO	13.5J	mg/kg	19.3	1.5	1	01/25/18 15:00	01/31/18 09:45		B
TPH-DRO	<1.5	mg/kg	19.3	1.5	1	01/25/18 15:00	01/31/18 09:45		
Surrogates									
Nitrobenzene-d5 (S)	78	%	41-114		1	01/25/18 15:00	01/31/18 09:45	4165-60-0	
2-Fluorobiphenyl (S)	76	%	61-109		1	01/25/18 15:00	01/31/18 09:45	321-60-8	
Terphenyl-d14 (S)	75	%	48-120		1	01/25/18 15:00	01/31/18 09:45	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260									
TPH-GRO	<0.28	mg/kg	0.55	0.28	1		02/06/18 16:58		
8260 MSV 5035A VOA Analytical Method: EPA 8260									
Acetone	<11.0	ug/kg	22.0	11.0	1		02/06/18 16:58	67-64-1	
Benzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	71-43-2	
Bromobenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	108-86-1	
Bromochloromethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	74-97-5	
Bromodichloromethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	75-27-4	
Bromoform	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	75-25-2	
Bromomethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	74-83-9	
2-Butanone (MEK)	<5.5	ug/kg	11.0	5.5	1		02/06/18 16:58	78-93-3	
n-Butylbenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	104-51-8	
sec-Butylbenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	135-98-8	
tert-Butylbenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	98-06-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 (10-12) Lab ID: 60262738008 Collected: 01/24/18 16:15 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260							
Carbon disulfide	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	75-15-0	
Carbon tetrachloride	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	56-23-5	
Chlorobenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	108-90-7	
Chloroethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	75-00-3	
Chloroform	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	67-66-3	
Chloromethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	74-87-3	
2-Chlorotoluene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	95-49-8	
4-Chlorotoluene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	106-43-4	
1,2-Dibromo-3-chloropropane	<5.5	ug/kg	11.0	5.5	1		02/06/18 16:58	96-12-8	
Dibromochloromethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	124-48-1	
1,2-Dibromoethane (EDB)	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	106-93-4	
Dibromomethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	74-95-3	
1,2-Dichlorobenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	95-50-1	
1,3-Dichlorobenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	541-73-1	
1,4-Dichlorobenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	106-46-7	
Dichlorodifluoromethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	75-71-8	
1,1-Dichloroethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	75-34-3	
1,2-Dichloroethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	107-06-2	
1,2-Dichloroethene (Total)	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	540-59-0	
1,1-Dichloroethene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	75-35-4	
cis-1,2-Dichloroethene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	156-59-2	
trans-1,2-Dichloroethene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	156-60-5	
1,2-Dichloropropane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	78-87-5	
1,3-Dichloropropane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	142-28-9	
2,2-Dichloropropane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	594-20-7	
1,1-Dichloropropene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	563-58-6	
cis-1,3-Dichloropropene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	10061-01-5	
trans-1,3-Dichloropropene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	10061-02-6	
Ethylbenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	100-41-4	
Hexachloro-1,3-butadiene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	87-68-3	
2-Hexanone	<11.0	ug/kg	22.0	11.0	1		02/06/18 16:58	591-78-6	
Isopropylbenzene (Cumene)	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	98-82-8	
p-Isopropyltoluene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	99-87-6	
Methylene chloride	3.5J	ug/kg	5.5	2.8	1		02/06/18 16:58	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.5	ug/kg	11.0	5.5	1		02/06/18 16:58	108-10-1	
Methyl-tert-butyl ether	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	1634-04-4	
Naphthalene	<5.5	ug/kg	11.0	5.5	1		02/06/18 16:58	91-20-3	
n-Propylbenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	103-65-1	
Styrene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	100-42-5	
1,1,1,2-Tetrachloroethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	630-20-6	
1,1,2,2-Tetrachloroethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	79-34-5	
Tetrachloroethene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	127-18-4	
Toluene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	108-88-3	
1,2,3-Trichlorobenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	87-61-6	
1,2,4-Trichlorobenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 (10-12) **Lab ID: 60262738008** Collected: 01/24/18 16:15 Received: 01/25/18 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260									
1,1,1-Trichloroethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	71-55-6	
1,1,2-Trichloroethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	79-00-5	
Trichloroethene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	79-01-6	
Trichlorofluoromethane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	75-69-4	
1,2,3-Trichloropropane	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	96-18-4	
1,2,4-Trimethylbenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	95-63-6	
1,3,5-Trimethylbenzene	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	108-67-8	
Vinyl chloride	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	75-01-4	
Xylene (Total)	<2.8	ug/kg	5.5	2.8	1		02/06/18 16:58	1330-20-7	
Surrogates									
Toluene-d8 (S)	97	%	78-122		1		02/06/18 16:58	2037-26-5	
4-Bromofluorobenzene (S)	98	%	69-133		1		02/06/18 16:58	460-00-4	
1,2-Dichloroethane-d4 (S)	109	%	80-123		1		02/06/18 16:58	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974									
Percent Moisture	22.8	%	0.50	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045									
pH at 25 Degrees C	7.5	Std. Units	0.10	0.10	1		02/01/18 13:20		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Sulfate	67.7J	mg/kg	131	65.3	10	02/05/18 08:00	02/06/18 04:51	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056									
Nitrate as N	<6.5	mg/kg	13.1	6.5	10	02/05/18 19:33	02/06/18 04:51	14797-55-8	
Nitrite as N	<6.5	mg/kg	13.1	6.5	10	02/05/18 19:33	02/06/18 04:51	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-10 **Lab ID: 60262738009** Collected: 01/24/18 09:15 Received: 01/25/18 10:10 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Aldrin	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 15:36	309-00-2	
alpha-BHC	<0.0060	ug/L	0.010	0.0060	1	01/31/18 20:10	02/09/18 15:36	319-84-6	
beta-BHC	<0.010	ug/L	0.010	0.010	1	01/31/18 20:10	02/09/18 15:36	319-85-7	
delta-BHC	<0.0090	ug/L	0.010	0.0090	1	01/31/18 20:10	02/09/18 15:36	319-86-8	
gamma-BHC (Lindane)	0.011	ug/L	0.010	0.0080	1	01/31/18 20:10	02/09/18 15:36	58-89-9	
Chlordane (Technical)	<0.090	ug/L	0.10	0.090	1	01/31/18 20:10	02/09/18 15:36	57-74-9	
alpha-Chlordane	<0.024	ug/L	0.10	0.024	1	01/31/18 20:10	02/09/18 15:36	5103-71-9	
gamma-Chlordane	<0.034	ug/L	0.10	0.034	1	01/31/18 20:10	02/09/18 15:36	5103-74-2	
4,4'-DDD	<0.0050	ug/L	0.010	0.0050	1	01/31/18 20:10	02/09/18 15:36	72-54-8	
4,4'-DDE	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 15:36	72-55-9	
4,4'-DDT	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 15:36	50-29-3	
Dieldrin	<0.0060	ug/L	0.010	0.0060	1	01/31/18 20:10	02/09/18 15:36	60-57-1	
Endosulfan I	<0.021	ug/L	0.10	0.021	1	01/31/18 20:10	02/09/18 15:36	959-98-8	
Endosulfan II	<0.0090	ug/L	0.010	0.0090	1	01/31/18 20:10	02/09/18 15:36	33213-65-9	
Endosulfan sulfate	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 15:36	1031-07-8	
Endrin	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 15:36	72-20-8	
Endrin aldehyde	<0.029	ug/L	0.10	0.029	1	01/31/18 20:10	02/09/18 15:36	7421-93-4	
Endrin ketone	<0.025	ug/L	0.10	0.025	1	01/31/18 20:10	02/09/18 15:36	53494-70-5	
Heptachlor	<0.0050	ug/L	0.010	0.0050	1	01/31/18 20:10	02/09/18 15:36	76-44-8	
Heptachlor epoxide	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 15:36	1024-57-3	
Methoxychlor	<0.0060	ug/L	0.010	0.0060	1	01/31/18 20:10	02/09/18 15:36	72-43-5	
Toxaphene	<0.61	ug/L	1.5	0.61	1	01/31/18 20:10	02/09/18 15:36	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	57	%	54-127		1	01/31/18 20:10	02/09/18 15:36	877-09-8	
Decachlorobiphenyl (S)	45	%	12-162		1	01/31/18 20:10	02/09/18 15:36	2051-24-3	
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Stirophos (Tetrachlorvinphos)	<0.072	ug/L	0.10	0.072	1	01/31/18 20:10	02/06/18 15:03	22248-79-9	
Azinphos, methyl (Guthion)	<0.093	ug/L	0.10	0.093	1	01/31/18 20:10	02/06/18 15:03	86-50-0	
Bolstar	<0.090	ug/L	0.10	0.090	1	01/31/18 20:10	02/06/18 15:03	35400-43-2	
Chlorpyrifos	<0.067	ug/L	0.10	0.067	1	01/31/18 20:10	02/06/18 15:03	2921-88-2	
Coumaphos	<0.092	ug/L	0.10	0.092	1	01/31/18 20:10	02/06/18 15:03	56-72-4	
Diazinon	<0.078	ug/L	0.10	0.078	1	01/31/18 20:10	02/06/18 15:03	333-41-5	
Dichlorvos	<0.073	ug/L	0.10	0.073	1	01/31/18 20:10	02/06/18 15:03	62-73-7	
Dimethoate	<0.083	ug/L	0.10	0.083	1	01/31/18 20:10	02/06/18 15:03	60-51-5	
Disulfoton	<0.071	ug/L	0.10	0.071	1	01/31/18 20:10	02/06/18 15:03	298-04-4	
EPN (ENT)	<0.087	ug/L	0.10	0.087	1	01/31/18 20:10	02/06/18 15:03	2104-64-5	
Ethoprop	<0.059	ug/L	0.10	0.059	1	01/31/18 20:10	02/06/18 15:03	13194-48-4	
Fensulfthion	<0.087	ug/L	0.10	0.087	1	01/31/18 20:10	02/06/18 15:03	115-90-2	
Fenthion	<0.088	ug/L	0.10	0.088	1	01/31/18 20:10	02/06/18 15:03	55-38-9	
Malathion	<0.086	ug/L	0.10	0.086	1	01/31/18 20:10	02/06/18 15:03	121-75-5	
Methyl parathion	<0.070	ug/L	0.10	0.070	1	01/31/18 20:10	02/06/18 15:03	298-00-0	
Mevinphos	<0.065	ug/L	0.10	0.065	1	01/31/18 20:10	02/06/18 15:03	7786-34-7	
Parathion (Ethyl parathion)	<0.060	ug/L	0.10	0.060	1	01/31/18 20:10	02/06/18 15:03	56-38-2	
Phorate	<0.064	ug/L	0.10	0.064	1	01/31/18 20:10	02/06/18 15:03	298-02-2	
Ronnel	<0.088	ug/L	0.10	0.088	1	01/31/18 20:10	02/06/18 15:03	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-10 **Lab ID: 60262738009** Collected: 01/24/18 09:15 Received: 01/25/18 10:10 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Sulfotep (Thiodiphosphoric Ac	<0.061	ug/L	0.10	0.061	1	01/31/18 20:10	02/06/18 15:03	3689-24-5	
Tokuthion (Prothiofos)	<0.081	ug/L	0.10	0.081	1	01/31/18 20:10	02/06/18 15:03	34643-46-4	
Trichloronate	<0.087	ug/L	0.10	0.087	1	01/31/18 20:10	02/06/18 15:03	327-98-0	
Total Demeton	<0.083	ug/L	0.10	0.083	1	01/31/18 20:10	02/06/18 15:03	8065-48-3	
Total Merphos	<0.038	ug/L	0.10	0.038	1	01/31/18 20:10	02/06/18 15:03	150-50-5	
Surrogates									
Triphenylphosphate (S)	98	%.	10-175		1	01/31/18 20:10	02/06/18 15:03	115-86-6	
Tributylphosphate (S)	121	%.	20-150		1	01/31/18 20:10	02/06/18 15:03	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 8151									
2,4-D	1.7	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 17:08	94-75-7	
Dalapon	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 17:08	75-99-0	
2,4-DB	<0.34	ug/L	0.50	0.34	1	01/29/18 21:00	02/01/18 17:08	94-82-6	
Dicamba	0.32J	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 17:08	1918-00-9	
Dichloroprop	1.2	ug/L	0.50	0.29	1	01/29/18 21:00	02/01/18 17:08	15165-67-0	
Dinoseb	<0.50	ug/L	0.50	0.50	1	01/29/18 21:00	02/01/18 17:08	88-85-7	
MCPA	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 17:08	94-74-6	
MCPP	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 17:08	7085-19-0	
2,4,5-T	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 17:08	93-76-5	
2,4,5-TP (Silvex)	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 17:08	93-72-1	
Surrogates									
2,4-DCAA (S)	123	%.	47-166		1	01/29/18 21:00	02/01/18 17:08	19719-28-9	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic	68.6	ug/L	10.0	4.2	1	01/30/18 11:15	02/01/18 15:21	7440-38-2	
Barium	7570	ug/L	5.0	0.91	1	01/30/18 11:15	02/01/18 15:21	7440-39-3	
Cadmium	8.6	ug/L	5.0	0.64	1	01/30/18 11:15	02/01/18 15:21	7440-43-9	
Chromium	218	ug/L	5.0	0.72	1	01/30/18 11:15	02/01/18 15:21	7440-47-3	
Lead	268	ug/L	5.0	2.4	1	01/30/18 11:15	02/01/18 15:21	7439-92-1	
Selenium	<3.4	ug/L	15.0	3.4	1	01/30/18 11:15	02/01/18 15:21	7782-49-2	
Silver	<1.9	ug/L	7.0	1.9	1	01/30/18 11:15	02/01/18 15:21	7440-22-4	
6010 MET ICP, Dissolved (LF) Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic, Dissolved	<4.2	ug/L	10.0	4.2	1	01/30/18 10:10	01/31/18 17:32	7440-38-2	
Barium, Dissolved	84.3	ug/L	5.0	0.91	1	01/30/18 10:10	01/31/18 17:32	7440-39-3	
Cadmium, Dissolved	0.76J	ug/L	5.0	0.64	1	01/30/18 10:10	01/31/18 17:32	7440-43-9	
Chromium, Dissolved	1.8J	ug/L	5.0	0.72	1	01/30/18 10:10	01/31/18 17:32	7440-47-3	
Lead, Dissolved	<2.4	ug/L	5.0	2.4	1	01/30/18 10:10	01/31/18 17:32	7439-92-1	
Selenium, Dissolved	<3.4	ug/L	15.0	3.4	1	01/30/18 10:10	01/31/18 17:32	7782-49-2	
Silver, Dissolved	<1.9	ug/L	7.0	1.9	1	01/30/18 10:10	01/31/18 17:32	7440-22-4	
7470 Mercury Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury	1.5	ug/L	0.20	0.046	1	02/08/18 11:51	02/08/18 15:29	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-10 Lab ID: 60262738009 Collected: 01/24/18 09:15 Received: 01/25/18 10:10 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7470 Mercury, Dissolved (LF) Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury, Dissolved	<0.046	ug/L	0.20	0.046	1	02/08/18 15:58	02/09/18 11:19	7439-97-6	
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Acenaphthene	<0.33	ug/L	9.3	0.33	1	01/25/18 00:00	01/26/18 20:00	83-32-9	1e
Acenaphthylene	<0.35	ug/L	9.3	0.35	1	01/25/18 00:00	01/26/18 20:00	208-96-8	1e
Anthracene	<0.28	ug/L	9.3	0.28	1	01/25/18 00:00	01/26/18 20:00	120-12-7	1e
Benzo(a)anthracene	<0.27	ug/L	9.3	0.27	1	01/25/18 00:00	01/26/18 20:00	56-55-3	1e
Benzo(a)pyrene	<0.33	ug/L	9.3	0.33	1	01/25/18 00:00	01/26/18 20:00	50-32-8	1e
Benzo(b)fluoranthene	<0.32	ug/L	9.3	0.32	1	01/25/18 00:00	01/26/18 20:00	205-99-2	1e
Benzo(g,h,i)perylene	<0.37	ug/L	9.3	0.37	1	01/25/18 00:00	01/26/18 20:00	191-24-2	1e
Benzo(k)fluoranthene	<0.39	ug/L	9.3	0.39	1	01/25/18 00:00	01/26/18 20:00	207-08-9	1e
Benzoic acid	9.6J	ug/L	46.3	2.3	1	01/25/18 00:00	01/26/18 20:00	65-85-0	1e
Benzyl alcohol	<0.32	ug/L	18.5	0.32	1	01/25/18 00:00	01/26/18 20:00	100-51-6	1e
4-Bromophenylphenyl ether	<0.35	ug/L	9.3	0.35	1	01/25/18 00:00	01/26/18 20:00	101-55-3	1e
Butylbenzylphthalate	<0.37	ug/L	9.3	0.37	1	01/25/18 00:00	01/26/18 20:00	85-68-7	1e
Carbazole	<0.32	ug/L	9.3	0.32	1	01/25/18 00:00	01/26/18 20:00	86-74-8	1e
4-Chloro-3-methylphenol	<0.23	ug/L	18.5	0.23	1	01/25/18 00:00	01/26/18 20:00	59-50-7	1e
4-Chloroaniline	<0.48	ug/L	18.5	0.48	1	01/25/18 00:00	01/26/18 20:00	106-47-8	1e
bis(2-Chloroethoxy)methane	<4.6	ug/L	9.3	4.6	1	01/25/18 00:00	01/26/18 20:00	111-91-1	1e
bis(2-Chloroethyl) ether	<0.27	ug/L	9.3	0.27	1	01/25/18 00:00	01/26/18 20:00	111-44-4	1e
bis(2-Chloroisopropyl) ether	<0.27	ug/L	9.3	0.27	1	01/25/18 00:00	01/26/18 20:00	39638-32-9	1e
2-Chloronaphthalene	<0.32	ug/L	9.3	0.32	1	01/25/18 00:00	01/26/18 20:00	91-58-7	1e
2-Chlorophenol	<0.28	ug/L	9.3	0.28	1	01/25/18 00:00	01/26/18 20:00	95-57-8	1e
4-Chlorophenylphenyl ether	<0.28	ug/L	9.3	0.28	1	01/25/18 00:00	01/26/18 20:00	7005-72-3	1e
Chrysene	<0.33	ug/L	9.3	0.33	1	01/25/18 00:00	01/26/18 20:00	218-01-9	1e
Dibenz(a,h)anthracene	<0.42	ug/L	9.3	0.42	1	01/25/18 00:00	01/26/18 20:00	53-70-3	1e
Dibenzofuran	<0.36	ug/L	9.3	0.36	1	01/25/18 00:00	01/26/18 20:00	132-64-9	1e
1,2-Dichlorobenzene	<0.27	ug/L	9.3	0.27	1	01/25/18 00:00	01/26/18 20:00	95-50-1	1e
1,3-Dichlorobenzene	<0.50	ug/L	9.3	0.50	1	01/25/18 00:00	01/26/18 20:00	541-73-1	1e
1,4-Dichlorobenzene	<0.38	ug/L	9.3	0.38	1	01/25/18 00:00	01/26/18 20:00	106-46-7	1e
3,3'-Dichlorobenzidine	<0.36	ug/L	18.5	0.36	1	01/25/18 00:00	01/26/18 20:00	91-94-1	1e
2,4-Dichlorophenol	<0.48	ug/L	9.3	0.48	1	01/25/18 00:00	01/26/18 20:00	120-83-2	1e
Diethylphthalate	<0.42	ug/L	9.3	0.42	1	01/25/18 00:00	01/26/18 20:00	84-66-2	1e
2,4-Dimethylphenol	<0.56	ug/L	9.3	0.56	1	01/25/18 00:00	01/26/18 20:00	105-67-9	1e
Dimethylphthalate	<0.32	ug/L	9.3	0.32	1	01/25/18 00:00	01/26/18 20:00	131-11-3	1e
Di-n-butylphthalate	<0.36	ug/L	9.3	0.36	1	01/25/18 00:00	01/26/18 20:00	84-74-2	1e
4,6-Dinitro-2-methylphenol	<0.51	ug/L	46.3	0.51	1	01/25/18 00:00	01/26/18 20:00	534-52-1	1e
2,4-Dinitrophenol	<7.8	ug/L	46.3	7.8	1	01/25/18 00:00	01/26/18 20:00	51-28-5	1e
2,4-Dinitrotoluene	<0.31	ug/L	9.3	0.31	1	01/25/18 00:00	01/26/18 20:00	121-14-2	1e
2,6-Dinitrotoluene	<0.26	ug/L	9.3	0.26	1	01/25/18 00:00	01/26/18 20:00	606-20-2	1e
Di-n-octylphthalate	<0.46	ug/L	9.3	0.46	1	01/25/18 00:00	01/26/18 20:00	117-84-0	1e
bis(2-Ethylhexyl)phthalate	<0.57	ug/L	9.3	0.57	1	01/25/18 00:00	01/26/18 20:00	117-81-7	1e
Fluoranthene	<0.34	ug/L	9.3	0.34	1	01/25/18 00:00	01/26/18 20:00	206-44-0	1e
Fluorene	<0.31	ug/L	9.3	0.31	1	01/25/18 00:00	01/26/18 20:00	86-73-7	1e
Hexachloro-1,3-butadiene	<0.35	ug/L	9.3	0.35	1	01/25/18 00:00	01/26/18 20:00	87-68-3	1e
Hexachlorobenzene	<0.28	ug/L	9.3	0.28	1	01/25/18 00:00	01/26/18 20:00	118-74-1	1e

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-10 **Lab ID: 60262738009** Collected: 01/24/18 09:15 Received: 01/25/18 10:10 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Hexachlorocyclopentadiene	<0.32	ug/L	9.3	0.32	1	01/25/18 00:00	01/26/18 20:00	77-47-4	1e
Hexachloroethane	<0.27	ug/L	9.3	0.27	1	01/25/18 00:00	01/26/18 20:00	67-72-1	1e
Indeno(1,2,3-cd)pyrene	<0.30	ug/L	9.3	0.30	1	01/25/18 00:00	01/26/18 20:00	193-39-5	1e
Isophorone	<0.26	ug/L	9.3	0.26	1	01/25/18 00:00	01/26/18 20:00	78-59-1	1e
2-Methylnaphthalene	<0.24	ug/L	9.3	0.24	1	01/25/18 00:00	01/26/18 20:00	91-57-6	1e
2-Methylphenol(o-Cresol)	<0.26	ug/L	9.3	0.26	1	01/25/18 00:00	01/26/18 20:00	95-48-7	1e
3&4-Methylphenol(m&p Cresol)	<4.6	ug/L	9.3	4.6	1	01/25/18 00:00	01/26/18 20:00		1e
Naphthalene	<0.33	ug/L	9.3	0.33	1	01/25/18 00:00	01/26/18 20:00	91-20-3	1e
2-Nitroaniline	<0.39	ug/L	46.3	0.39	1	01/25/18 00:00	01/26/18 20:00	88-74-4	1e
3-Nitroaniline	<0.32	ug/L	46.3	0.32	1	01/25/18 00:00	01/26/18 20:00	99-09-2	1e
4-Nitroaniline	<0.32	ug/L	46.3	0.32	1	01/25/18 00:00	01/26/18 20:00	100-01-6	1e
Nitrobenzene	<0.28	ug/L	9.3	0.28	1	01/25/18 00:00	01/26/18 20:00	98-95-3	1e
2-Nitrophenol	<0.26	ug/L	9.3	0.26	1	01/25/18 00:00	01/26/18 20:00	88-75-5	1e
4-Nitrophenol	<0.29	ug/L	46.3	0.29	1	01/25/18 00:00	01/26/18 20:00	100-02-7	1e
N-Nitroso-di-n-propylamine	<0.25	ug/L	9.3	0.25	1	01/25/18 00:00	01/26/18 20:00	621-64-7	1e
N-Nitrosodiphenylamine	<0.37	ug/L	9.3	0.37	1	01/25/18 00:00	01/26/18 20:00	86-30-6	1e
Pentachlorophenol	<0.29	ug/L	46.3	0.29	1	01/25/18 00:00	01/26/18 20:00	87-86-5	1e
Phenanthrene	<0.31	ug/L	9.3	0.31	1	01/25/18 00:00	01/26/18 20:00	85-01-8	1e
Phenol	<4.6	ug/L	9.3	4.6	1	01/25/18 00:00	01/26/18 20:00	108-95-2	1e
Pyrene	<0.26	ug/L	9.3	0.26	1	01/25/18 00:00	01/26/18 20:00	129-00-0	1e
Pyridine	<0.29	ug/L	9.3	0.29	1	01/25/18 00:00	01/26/18 20:00	110-86-1	1e
1,2,4-Trichlorobenzene	<0.31	ug/L	9.3	0.31	1	01/25/18 00:00	01/26/18 20:00	120-82-1	1e
2,4,5-Trichlorophenol	<0.31	ug/L	46.3	0.31	1	01/25/18 00:00	01/26/18 20:00	95-95-4	1e
2,4,6-Trichlorophenol	<0.36	ug/L	9.3	0.36	1	01/25/18 00:00	01/26/18 20:00	88-06-2	1e
Surrogates									
Nitrobenzene-d5 (S)	53	%	33-99		1	01/25/18 00:00	01/26/18 20:00	4165-60-0	
2-Fluorobiphenyl (S)	57	%	30-103		1	01/25/18 00:00	01/26/18 20:00	321-60-8	
Terphenyl-d14 (S)	54	%	38-114		1	01/25/18 00:00	01/26/18 20:00	1718-51-0	
Phenol-d6 (S)	36	%	10-56		1	01/25/18 00:00	01/26/18 20:00	13127-88-3	
2-Fluorophenol (S)	44	%	10-68		1	01/25/18 00:00	01/26/18 20:00	367-12-4	
2,4,6-Tribromophenol (S)	71	%	21-124		1	01/25/18 00:00	01/26/18 20:00	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3510C									
TPH-ORO	<0.91	mg/L	0.91	0.91	1	01/26/18 15:00	01/31/18 01:57		1e
TPH-DRO	<0.91	mg/L	0.91	0.91	1	01/26/18 15:00	01/31/18 01:57		1e
Surrogates									
Nitrobenzene-d5 (S)	77	%	33-99		1	01/26/18 15:00	01/31/18 01:57	4165-60-0	
2-Fluorobiphenyl (S)	75	%	30-103		1	01/26/18 15:00	01/31/18 01:57	321-60-8	
Terphenyl-d14 (S)	67	%	38-114		1	01/26/18 15:00	01/31/18 01:57	1718-51-0	
8260 MSV Analytical Method: EPA 5030B/8260									
Acetone	<1.9	ug/L	10.0	1.9	1		01/26/18 15:37	67-64-1	
Benzene	<0.060	ug/L	1.0	0.060	1		01/26/18 15:37	71-43-2	
Bromobenzene	<0.10	ug/L	1.0	0.10	1		01/26/18 15:37	108-86-1	
Bromochloromethane	<0.15	ug/L	1.0	0.15	1		01/26/18 15:37	74-97-5	
Bromodichloromethane	<0.19	ug/L	1.0	0.19	1		01/26/18 15:37	75-27-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-10 Lab ID: 60262738009 Collected: 01/24/18 09:15 Received: 01/25/18 10:10 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260							
Bromoform	<0.070	ug/L	1.0	0.070	1		01/26/18 15:37	75-25-2	
Bromomethane	<0.16	ug/L	5.0	0.16	1		01/26/18 15:37	74-83-9	
2-Butanone (MEK)	<0.59	ug/L	10.0	0.59	1		01/26/18 15:37	78-93-3	
n-Butylbenzene	<0.10	ug/L	1.0	0.10	1		01/26/18 15:37	104-51-8	
sec-Butylbenzene	<0.050	ug/L	1.0	0.050	1		01/26/18 15:37	135-98-8	
tert-Butylbenzene	<0.34	ug/L	1.0	0.34	1		01/26/18 15:37	98-06-6	
Carbon disulfide	<0.12	ug/L	5.0	0.12	1		01/26/18 15:37	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	0.18	1		01/26/18 15:37	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	0.21	1		01/26/18 15:37	108-90-7	
Chloroethane	<0.15	ug/L	1.0	0.15	1		01/26/18 15:37	75-00-3	
Chloroform	<0.14	ug/L	1.0	0.14	1		01/26/18 15:37	67-66-3	
Chloromethane	<0.080	ug/L	1.0	0.080	1		01/26/18 15:37	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	0.12	1		01/26/18 15:37	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	0.14	1		01/26/18 15:37	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	0.59	1		01/26/18 15:37	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	0.21	1		01/26/18 15:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	0.17	1		01/26/18 15:37	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	0.18	1		01/26/18 15:37	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	0.050	1		01/26/18 15:37	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	0.070	1		01/26/18 15:37	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	0.060	1		01/26/18 15:37	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	0.21	1		01/26/18 15:37	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	0.050	1		01/26/18 15:37	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	0.12	1		01/26/18 15:37	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	0.28	1		01/26/18 15:37	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/26/18 15:37	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	0.080	1		01/26/18 15:37	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/26/18 15:37	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	0.16	1		01/26/18 15:37	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	0.17	1		01/26/18 15:37	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	0.19	1		01/26/18 15:37	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	0.090	1		01/26/18 15:37	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	0.14	1		01/26/18 15:37	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	0.12	1		01/26/18 15:37	10061-02-6	
Ethylbenzene	<0.18	ug/L	1.0	0.18	1		01/26/18 15:37	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		01/26/18 15:37	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1.2	1		01/26/18 15:37	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	0.070	1		01/26/18 15:37	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	0.10	1		01/26/18 15:37	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	0.15	1		01/26/18 15:37	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	0.42	1		01/26/18 15:37	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	0.060	1		01/26/18 15:37	1634-04-4	
Naphthalene	0.61J	ug/L	10.0	0.50	1		01/26/18 15:37	91-20-3	
n-Propylbenzene	<0.10	ug/L	1.0	0.10	1		01/26/18 15:37	103-65-1	
Styrene	<0.12	ug/L	1.0	0.12	1		01/26/18 15:37	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/26/18 15:37	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Sample Project No.: 60262738

Sample: SB-10 Lab ID: 60262738009 Collected: 01/24/18 09:15 Received: 01/25/18 10:10 Matrix: Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 5030B/8260									
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/26/18 15:37	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	0.10	1		01/26/18 15:37	127-18-4	
Toluene	0.24J	ug/L	1.0	0.17	1		01/26/18 15:37	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	0.12	1		01/26/18 15:37	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	0.10	1		01/26/18 15:37	120-82-1	
1,1,1-Trichloroethane	0.17J	ug/L	1.0	0.11	1		01/26/18 15:37	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		01/26/18 15:37	79-00-5	
Trichloroethene	<0.17	ug/L	1.0	0.17	1		01/26/18 15:37	79-01-6	
Trichlorofluoromethane	<0.34	ug/L	1.0	0.34	1		01/26/18 15:37	75-69-4	
1,2,3-Trichloropropane	<0.19	ug/L	2.5	0.19	1		01/26/18 15:37	96-18-4	
1,2,4-Trimethylbenzene	0.12J	ug/L	1.0	0.090	1		01/26/18 15:37	95-63-6	
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	0.10	1		01/26/18 15:37	108-67-8	
Vinyl chloride	<0.13	ug/L	1.0	0.13	1		01/26/18 15:37	75-01-4	
Xylene (Total)	<0.42	ug/L	3.0	0.42	1		01/26/18 15:37	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	100	%	80-119		1		01/26/18 15:37	460-00-4	
1,2-Dichloroethane-d4 (S)	106	%	80-117		1		01/26/18 15:37	17060-07-0	
Toluene-d8 (S)	92	%	80-115		1		01/26/18 15:37	2037-26-5	
Preservation pH	1.0		0.10	0.10	1		01/26/18 15:37		
8260 MSV GRO and Oxygenates Analytical Method: EPA 8260									
TPH-GRO	<63.5	ug/L	500	63.5	1		01/26/18 18:47		
Surrogates									
Toluene-d8 (S)	104	%	80-115		1		01/26/18 18:47	2037-26-5	
4-Bromofluorobenzene (S)	102	%	80-119		1		01/26/18 18:47	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	87-117		1		01/26/18 18:47	17060-07-0	
4500H+ pH, Electrometric Analytical Method: SM 4500-H+B									
pH at 25 Degrees C	7.5	Std. Units	0.10	0.10	1		01/31/18 11:51		H6
353.2 Nitrogen, NO2/NO3 pres. Analytical Method: EPA 353.2									
Nitrogen, NO2 plus NO3	1.7	mg/L	0.10	0.050	1		01/26/18 14:27		M1
9056 IC Anions Analytical Method: EPA 9056									
Sulfate	55.3	mg/L	10.0	5.0	10		02/02/18 22:25	14808-79-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Sample Project No.: 60262738

Sample: SB-12 **Lab ID: 60262738010** Collected: 01/24/18 15:20 Received: 01/25/18 10:10 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Aldrin	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 15:51	309-00-2	
alpha-BHC	<0.0060	ug/L	0.010	0.0060	1	01/31/18 20:10	02/09/18 15:51	319-84-6	
beta-BHC	<0.010	ug/L	0.010	0.010	1	01/31/18 20:10	02/09/18 15:51	319-85-7	
delta-BHC	<0.0090	ug/L	0.010	0.0090	1	01/31/18 20:10	02/09/18 15:51	319-86-8	
gamma-BHC (Lindane)	<0.0080	ug/L	0.010	0.0080	1	01/31/18 20:10	02/09/18 15:51	58-89-9	
Chlordane (Technical)	<0.090	ug/L	0.10	0.090	1	01/31/18 20:10	02/09/18 15:51	57-74-9	
alpha-Chlordane	<0.024	ug/L	0.10	0.024	1	01/31/18 20:10	02/09/18 15:51	5103-71-9	
gamma-Chlordane	<0.034	ug/L	0.10	0.034	1	01/31/18 20:10	02/09/18 15:51	5103-74-2	
4,4'-DDD	<0.0050	ug/L	0.010	0.0050	1	01/31/18 20:10	02/09/18 15:51	72-54-8	
4,4'-DDE	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 15:51	72-55-9	
4,4'-DDT	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 15:51	50-29-3	
Dieldrin	0.023	ug/L	0.010	0.0060	1	01/31/18 20:10	02/09/18 15:51	60-57-1	
Endosulfan I	<0.021	ug/L	0.10	0.021	1	01/31/18 20:10	02/09/18 15:51	959-98-8	
Endosulfan II	<0.0090	ug/L	0.010	0.0090	1	01/31/18 20:10	02/09/18 15:51	33213-65-9	
Endosulfan sulfate	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 15:51	1031-07-8	
Endrin	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 15:51	72-20-8	
Endrin aldehyde	<0.029	ug/L	0.10	0.029	1	01/31/18 20:10	02/09/18 15:51	7421-93-4	
Endrin ketone	<0.025	ug/L	0.10	0.025	1	01/31/18 20:10	02/09/18 15:51	53494-70-5	
Heptachlor	<0.0050	ug/L	0.010	0.0050	1	01/31/18 20:10	02/09/18 15:51	76-44-8	
Heptachlor epoxide	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 15:51	1024-57-3	
Methoxychlor	<0.0060	ug/L	0.010	0.0060	1	01/31/18 20:10	02/09/18 15:51	72-43-5	
Toxaphene	<0.61	ug/L	1.5	0.61	1	01/31/18 20:10	02/09/18 15:51	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	67	%	54-127		1	01/31/18 20:10	02/09/18 15:51	877-09-8	
Decachlorobiphenyl (S)	45	%	12-162		1	01/31/18 20:10	02/09/18 15:51	2051-24-3	
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Stirophos (Tetrachlorvinphos)	<0.072	ug/L	0.10	0.072	1	01/31/18 20:10	02/06/18 17:19	22248-79-9	
Azinphos, methyl (Guthion)	<0.093	ug/L	0.10	0.093	1	01/31/18 20:10	02/06/18 17:19	86-50-0	
Bolstar	<0.090	ug/L	0.10	0.090	1	01/31/18 20:10	02/06/18 17:19	35400-43-2	
Chlorpyrifos	<0.067	ug/L	0.10	0.067	1	01/31/18 20:10	02/06/18 17:19	2921-88-2	
Coumaphos	<0.092	ug/L	0.10	0.092	1	01/31/18 20:10	02/06/18 17:19	56-72-4	
Diazinon	<0.078	ug/L	0.10	0.078	1	01/31/18 20:10	02/06/18 17:19	333-41-5	
Dichlorvos	<0.073	ug/L	0.10	0.073	1	01/31/18 20:10	02/06/18 17:19	62-73-7	
Dimethoate	<0.083	ug/L	0.10	0.083	1	01/31/18 20:10	02/06/18 17:19	60-51-5	
Disulfoton	<0.071	ug/L	0.10	0.071	1	01/31/18 20:10	02/06/18 17:19	298-04-4	
EPN (ENT)	<0.087	ug/L	0.10	0.087	1	01/31/18 20:10	02/06/18 17:19	2104-64-5	
Ethoprop	<0.059	ug/L	0.10	0.059	1	01/31/18 20:10	02/06/18 17:19	13194-48-4	
Fensulfthion	<0.087	ug/L	0.10	0.087	1	01/31/18 20:10	02/06/18 17:19	115-90-2	
Fenthion	<0.088	ug/L	0.10	0.088	1	01/31/18 20:10	02/06/18 17:19	55-38-9	
Malathion	<0.086	ug/L	0.10	0.086	1	01/31/18 20:10	02/06/18 17:19	121-75-5	
Methyl parathion	<0.070	ug/L	0.10	0.070	1	01/31/18 20:10	02/06/18 17:19	298-00-0	
Mevinphos	<0.065	ug/L	0.10	0.065	1	01/31/18 20:10	02/06/18 17:19	7786-34-7	
Parathion (Ethyl parathion)	<0.060	ug/L	0.10	0.060	1	01/31/18 20:10	02/06/18 17:19	56-38-2	
Phorate	<0.064	ug/L	0.10	0.064	1	01/31/18 20:10	02/06/18 17:19	298-02-2	
Ronnel	<0.088	ug/L	0.10	0.088	1	01/31/18 20:10	02/06/18 17:19	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-12 **Lab ID: 60262738010** Collected: 01/24/18 15:20 Received: 01/25/18 10:10 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Sulfotep (Thiodiphosphoric Ac	<0.061	ug/L	0.10	0.061	1	01/31/18 20:10	02/06/18 17:19	3689-24-5	
Tokuthion (Prothiofos)	<0.081	ug/L	0.10	0.081	1	01/31/18 20:10	02/06/18 17:19	34643-46-4	
Trichloronate	<0.087	ug/L	0.10	0.087	1	01/31/18 20:10	02/06/18 17:19	327-98-0	
Total Demeton	<0.083	ug/L	0.10	0.083	1	01/31/18 20:10	02/06/18 17:19	8065-48-3	
Total Merphos	<0.038	ug/L	0.10	0.038	1	01/31/18 20:10	02/06/18 17:19	150-50-5	
Surrogates									
Triphenylphosphate (S)	98	%	10-175		1	01/31/18 20:10	02/06/18 17:19	115-86-6	
Tributylphosphate (S)	123	%	20-150		1	01/31/18 20:10	02/06/18 17:19	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 8151									
2,4-D	2.3	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 17:33	94-75-7	
Dalapon	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 17:33	75-99-0	
2,4-DB	<0.34	ug/L	0.50	0.34	1	01/29/18 21:00	02/01/18 17:33	94-82-6	
Dicamba	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 17:33	1918-00-9	
Dichloroprop	4.7	ug/L	1.0	0.58	2	01/29/18 21:00	02/01/18 20:02	15165-67-0	
Dinoseb	<0.50	ug/L	0.50	0.50	1	01/29/18 21:00	02/01/18 17:33	88-85-7	
MCPA	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 17:33	94-74-6	
MCPP	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 17:33	7085-19-0	
2,4,5-T	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 17:33	93-76-5	
2,4,5-TP (Silvex)	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 17:33	93-72-1	
Surrogates									
2,4-DCAA (S)	118	%	47-166		1	01/29/18 21:00	02/01/18 17:33	19719-28-9	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic	144	ug/L	10.0	4.2	1	01/30/18 11:15	02/01/18 15:28	7440-38-2	
Barium	4980	ug/L	5.0	0.91	1	01/30/18 11:15	02/01/18 15:28	7440-39-3	
Cadmium	32.7	ug/L	5.0	0.64	1	01/30/18 11:15	02/01/18 15:28	7440-43-9	
Chromium	405	ug/L	5.0	0.72	1	01/30/18 11:15	02/01/18 15:28	7440-47-3	
Lead	1550	ug/L	5.0	2.4	1	01/30/18 11:15	02/01/18 15:28	7439-92-1	
Selenium	6.0J	ug/L	15.0	3.4	1	01/30/18 11:15	02/01/18 15:28	7782-49-2	
Silver	8.4	ug/L	7.0	1.9	1	01/30/18 11:15	02/01/18 15:28	7440-22-4	
6010 MET ICP, Dissolved (LF) Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic, Dissolved	<4.2	ug/L	10.0	4.2	1	01/30/18 10:10	01/31/18 17:34	7440-38-2	
Barium, Dissolved	115	ug/L	5.0	0.91	1	01/30/18 10:10	01/31/18 17:34	7440-39-3	
Cadmium, Dissolved	0.65J	ug/L	5.0	0.64	1	01/30/18 10:10	01/31/18 17:34	7440-43-9	
Chromium, Dissolved	3.0J	ug/L	5.0	0.72	1	01/30/18 10:10	01/31/18 17:34	7440-47-3	
Lead, Dissolved	<2.4	ug/L	5.0	2.4	1	01/30/18 10:10	01/31/18 17:34	7439-92-1	
Selenium, Dissolved	5.5J	ug/L	15.0	3.4	1	01/30/18 10:10	01/31/18 17:34	7782-49-2	
Silver, Dissolved	<1.9	ug/L	7.0	1.9	1	01/30/18 10:10	01/31/18 17:34	7440-22-4	
7470 Mercury Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury	2.7	ug/L	0.20	0.046	1	02/08/18 11:51	02/08/18 15:31	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-12 **Lab ID: 60262738010** Collected: 01/24/18 15:20 Received: 01/25/18 10:10 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7470 Mercury, Dissolved (LF) Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury, Dissolved	<0.046	ug/L	0.20	0.046	1	02/08/18 15:58	02/09/18 11:22	7439-97-6	
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Acenaphthene	<0.35	ug/L	9.6	0.35	1	01/29/18 15:00	01/30/18 16:49	83-32-9	1e
Acenaphthylene	<0.37	ug/L	9.6	0.37	1	01/29/18 15:00	01/30/18 16:49	208-96-8	1e
Anthracene	<0.29	ug/L	9.6	0.29	1	01/29/18 15:00	01/30/18 16:49	120-12-7	1e
Benzo(a)anthracene	<0.28	ug/L	9.6	0.28	1	01/29/18 15:00	01/30/18 16:49	56-55-3	1e
Benzo(a)pyrene	<0.35	ug/L	9.6	0.35	1	01/29/18 15:00	01/30/18 16:49	50-32-8	1e
Benzo(b)fluoranthene	<0.34	ug/L	9.6	0.34	1	01/29/18 15:00	01/30/18 16:49	205-99-2	1e
Benzo(g,h,i)perylene	<0.38	ug/L	9.6	0.38	1	01/29/18 15:00	01/30/18 16:49	191-24-2	1e
Benzo(k)fluoranthene	<0.40	ug/L	9.6	0.40	1	01/29/18 15:00	01/30/18 16:49	207-08-9	1e
Benzoic acid	<2.4	ug/L	48.1	2.4	1	01/29/18 15:00	01/30/18 16:49	65-85-0	1e
Benzyl alcohol	<0.34	ug/L	19.2	0.34	1	01/29/18 15:00	01/30/18 16:49	100-51-6	1e
4-Bromophenylphenyl ether	<0.37	ug/L	9.6	0.37	1	01/29/18 15:00	01/30/18 16:49	101-55-3	1e
Butylbenzylphthalate	<0.38	ug/L	9.6	0.38	1	01/29/18 15:00	01/30/18 16:49	85-68-7	1e
Carbazole	<0.34	ug/L	9.6	0.34	1	01/29/18 15:00	01/30/18 16:49	86-74-8	1e
4-Chloro-3-methylphenol	<0.24	ug/L	19.2	0.24	1	01/29/18 15:00	01/30/18 16:49	59-50-7	1e
4-Chloroaniline	<0.50	ug/L	19.2	0.50	1	01/29/18 15:00	01/30/18 16:49	106-47-8	1e
bis(2-Chloroethoxy)methane	<4.8	ug/L	9.6	4.8	1	01/29/18 15:00	01/30/18 16:49	111-91-1	1e
bis(2-Chloroethyl) ether	<0.28	ug/L	9.6	0.28	1	01/29/18 15:00	01/30/18 16:49	111-44-4	1e
bis(2-Chloroisopropyl) ether	<0.28	ug/L	9.6	0.28	1	01/29/18 15:00	01/30/18 16:49	39638-32-9	1e
2-Chloronaphthalene	<0.34	ug/L	9.6	0.34	1	01/29/18 15:00	01/30/18 16:49	91-58-7	1e
2-Chlorophenol	<0.29	ug/L	9.6	0.29	1	01/29/18 15:00	01/30/18 16:49	95-57-8	1e
4-Chlorophenylphenyl ether	<0.29	ug/L	9.6	0.29	1	01/29/18 15:00	01/30/18 16:49	7005-72-3	1e
Chrysene	<0.35	ug/L	9.6	0.35	1	01/29/18 15:00	01/30/18 16:49	218-01-9	1e
Dibenz(a,h)anthracene	<0.43	ug/L	9.6	0.43	1	01/29/18 15:00	01/30/18 16:49	53-70-3	1e
Dibenzofuran	<0.38	ug/L	9.6	0.38	1	01/29/18 15:00	01/30/18 16:49	132-64-9	1e
1,2-Dichlorobenzene	<0.28	ug/L	9.6	0.28	1	01/29/18 15:00	01/30/18 16:49	95-50-1	1e
1,3-Dichlorobenzene	<0.52	ug/L	9.6	0.52	1	01/29/18 15:00	01/30/18 16:49	541-73-1	1e
1,4-Dichlorobenzene	<0.39	ug/L	9.6	0.39	1	01/29/18 15:00	01/30/18 16:49	106-46-7	1e
3,3'-Dichlorobenzidine	<0.38	ug/L	19.2	0.38	1	01/29/18 15:00	01/30/18 16:49	91-94-1	1e
2,4-Dichlorophenol	<0.50	ug/L	9.6	0.50	1	01/29/18 15:00	01/30/18 16:49	120-83-2	1e
Diethylphthalate	<0.43	ug/L	9.6	0.43	1	01/29/18 15:00	01/30/18 16:49	84-66-2	1e
2,4-Dimethylphenol	<0.58	ug/L	9.6	0.58	1	01/29/18 15:00	01/30/18 16:49	105-67-9	1e
Dimethylphthalate	<0.34	ug/L	9.6	0.34	1	01/29/18 15:00	01/30/18 16:49	131-11-3	1e
Di-n-butylphthalate	<0.38	ug/L	9.6	0.38	1	01/29/18 15:00	01/30/18 16:49	84-74-2	1e
4,6-Dinitro-2-methylphenol	<0.53	ug/L	48.1	0.53	1	01/29/18 15:00	01/30/18 16:49	534-52-1	1e
2,4-Dinitrophenol	<8.1	ug/L	48.1	8.1	1	01/29/18 15:00	01/30/18 16:49	51-28-5	1e
2,4-Dinitrotoluene	<0.32	ug/L	9.6	0.32	1	01/29/18 15:00	01/30/18 16:49	121-14-2	1e
2,6-Dinitrotoluene	<0.27	ug/L	9.6	0.27	1	01/29/18 15:00	01/30/18 16:49	606-20-2	1e
Di-n-octylphthalate	<0.48	ug/L	9.6	0.48	1	01/29/18 15:00	01/30/18 16:49	117-84-0	1e
bis(2-Ethylhexyl)phthalate	<0.60	ug/L	9.6	0.60	1	01/29/18 15:00	01/30/18 16:49	117-81-7	1e
Fluoranthene	<0.36	ug/L	9.6	0.36	1	01/29/18 15:00	01/30/18 16:49	206-44-0	1e
Fluorene	<0.33	ug/L	9.6	0.33	1	01/29/18 15:00	01/30/18 16:49	86-73-7	1e
Hexachloro-1,3-butadiene	<0.37	ug/L	9.6	0.37	1	01/29/18 15:00	01/30/18 16:49	87-68-3	1e
Hexachlorobenzene	<0.29	ug/L	9.6	0.29	1	01/29/18 15:00	01/30/18 16:49	118-74-1	1e

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-12 **Lab ID: 60262738010** Collected: 01/24/18 15:20 Received: 01/25/18 10:10 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Hexachlorocyclopentadiene	<0.34	ug/L	9.6	0.34	1	01/29/18 15:00	01/30/18 16:49	77-47-4	1e
Hexachloroethane	<0.28	ug/L	9.6	0.28	1	01/29/18 15:00	01/30/18 16:49	67-72-1	1e
Indeno(1,2,3-cd)pyrene	<0.31	ug/L	9.6	0.31	1	01/29/18 15:00	01/30/18 16:49	193-39-5	1e
Isophorone	<0.27	ug/L	9.6	0.27	1	01/29/18 15:00	01/30/18 16:49	78-59-1	1e
2-Methylnaphthalene	<0.25	ug/L	9.6	0.25	1	01/29/18 15:00	01/30/18 16:49	91-57-6	1e
2-Methylphenol(o-Cresol)	<0.27	ug/L	9.6	0.27	1	01/29/18 15:00	01/30/18 16:49	95-48-7	1e
3&4-Methylphenol(m&p Cresol)	<4.8	ug/L	9.6	4.8	1	01/29/18 15:00	01/30/18 16:49		1e
Naphthalene	<0.35	ug/L	9.6	0.35	1	01/29/18 15:00	01/30/18 16:49	91-20-3	1e
2-Nitroaniline	<0.40	ug/L	48.1	0.40	1	01/29/18 15:00	01/30/18 16:49	88-74-4	1e
3-Nitroaniline	<0.34	ug/L	48.1	0.34	1	01/29/18 15:00	01/30/18 16:49	99-09-2	1e
4-Nitroaniline	<0.34	ug/L	48.1	0.34	1	01/29/18 15:00	01/30/18 16:49	100-01-6	1e
Nitrobenzene	<0.29	ug/L	9.6	0.29	1	01/29/18 15:00	01/30/18 16:49	98-95-3	1e
2-Nitrophenol	<0.27	ug/L	9.6	0.27	1	01/29/18 15:00	01/30/18 16:49	88-75-5	1e
4-Nitrophenol	<0.30	ug/L	48.1	0.30	1	01/29/18 15:00	01/30/18 16:49	100-02-7	1e
N-Nitroso-di-n-propylamine	<0.26	ug/L	9.6	0.26	1	01/29/18 15:00	01/30/18 16:49	621-64-7	1e
N-Nitrosodiphenylamine	<0.38	ug/L	9.6	0.38	1	01/29/18 15:00	01/30/18 16:49	86-30-6	1e
Pentachlorophenol	<0.30	ug/L	48.1	0.30	1	01/29/18 15:00	01/30/18 16:49	87-86-5	1e
Phenanthrene	<0.33	ug/L	9.6	0.33	1	01/29/18 15:00	01/30/18 16:49	85-01-8	1e
Phenol	<4.8	ug/L	9.6	4.8	1	01/29/18 15:00	01/30/18 16:49	108-95-2	1e
Pyrene	<0.27	ug/L	9.6	0.27	1	01/29/18 15:00	01/30/18 16:49	129-00-0	1e
Pyridine	<0.30	ug/L	9.6	0.30	1	01/29/18 15:00	01/30/18 16:49	110-86-1	1e
1,2,4-Trichlorobenzene	<0.32	ug/L	9.6	0.32	1	01/29/18 15:00	01/30/18 16:49	120-82-1	1e
2,4,5-Trichlorophenol	<0.32	ug/L	48.1	0.32	1	01/29/18 15:00	01/30/18 16:49	95-95-4	1e
2,4,6-Trichlorophenol	<0.38	ug/L	9.6	0.38	1	01/29/18 15:00	01/30/18 16:49	88-06-2	1e
Surrogates									
Nitrobenzene-d5 (S)	73	%	33-99		1	01/29/18 15:00	01/30/18 16:49	4165-60-0	
2-Fluorobiphenyl (S)	76	%	30-103		1	01/29/18 15:00	01/30/18 16:49	321-60-8	
Terphenyl-d14 (S)	68	%	38-114		1	01/29/18 15:00	01/30/18 16:49	1718-51-0	
Phenol-d6 (S)	48	%	10-56		1	01/29/18 15:00	01/30/18 16:49	13127-88-3	
2-Fluorophenol (S)	60	%	10-68		1	01/29/18 15:00	01/30/18 16:49	367-12-4	
2,4,6-Tribromophenol (S)	83	%	21-124		1	01/29/18 15:00	01/30/18 16:49	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3510C									
TPH-ORO	5.9	mg/L	0.91	0.91	1	01/26/18 15:00	01/31/18 02:19		1e
TPH-DRO	2.4	mg/L	0.91	0.91	1	01/26/18 15:00	01/31/18 02:19		1e
Surrogates									
Nitrobenzene-d5 (S)	49	%	33-99		1	01/26/18 15:00	01/31/18 02:19	4165-60-0	
2-Fluorobiphenyl (S)	54	%	30-103		1	01/26/18 15:00	01/31/18 02:19	321-60-8	
Terphenyl-d14 (S)	59	%	38-114		1	01/26/18 15:00	01/31/18 02:19	1718-51-0	
8260 MSV Analytical Method: EPA 5030B/8260									
Acetone	<1.9	ug/L	10.0	1.9	1		01/26/18 15:50	67-64-1	
Benzene	0.15J	ug/L	1.0	0.060	1		01/26/18 15:50	71-43-2	
Bromobenzene	<0.10	ug/L	1.0	0.10	1		01/26/18 15:50	108-86-1	
Bromochloromethane	<0.15	ug/L	1.0	0.15	1		01/26/18 15:50	74-97-5	
Bromodichloromethane	<0.19	ug/L	1.0	0.19	1		01/26/18 15:50	75-27-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-12 **Lab ID: 60262738010** Collected: 01/24/18 15:20 Received: 01/25/18 10:10 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260							
Bromoform	<0.070	ug/L	1.0	0.070	1		01/26/18 15:50	75-25-2	
Bromomethane	<0.16	ug/L	5.0	0.16	1		01/26/18 15:50	74-83-9	
2-Butanone (MEK)	<0.59	ug/L	10.0	0.59	1		01/26/18 15:50	78-93-3	
n-Butylbenzene	0.19J	ug/L	1.0	0.10	1		01/26/18 15:50	104-51-8	
sec-Butylbenzene	<0.050	ug/L	1.0	0.050	1		01/26/18 15:50	135-98-8	
tert-Butylbenzene	<0.34	ug/L	1.0	0.34	1		01/26/18 15:50	98-06-6	
Carbon disulfide	0.12J	ug/L	5.0	0.12	1		01/26/18 15:50	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	0.18	1		01/26/18 15:50	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	0.21	1		01/26/18 15:50	108-90-7	
Chloroethane	<0.15	ug/L	1.0	0.15	1		01/26/18 15:50	75-00-3	
Chloroform	<0.14	ug/L	1.0	0.14	1		01/26/18 15:50	67-66-3	
Chloromethane	<0.080	ug/L	1.0	0.080	1		01/26/18 15:50	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	0.12	1		01/26/18 15:50	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	0.14	1		01/26/18 15:50	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	0.59	1		01/26/18 15:50	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	0.21	1		01/26/18 15:50	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	0.17	1		01/26/18 15:50	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	0.18	1		01/26/18 15:50	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	0.050	1		01/26/18 15:50	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	0.070	1		01/26/18 15:50	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	0.060	1		01/26/18 15:50	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	0.21	1		01/26/18 15:50	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	0.050	1		01/26/18 15:50	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	0.12	1		01/26/18 15:50	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	0.28	1		01/26/18 15:50	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/26/18 15:50	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	0.080	1		01/26/18 15:50	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/26/18 15:50	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	0.16	1		01/26/18 15:50	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	0.17	1		01/26/18 15:50	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	0.19	1		01/26/18 15:50	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	0.090	1		01/26/18 15:50	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	0.14	1		01/26/18 15:50	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	0.12	1		01/26/18 15:50	10061-02-6	
Ethylbenzene	0.26J	ug/L	1.0	0.18	1		01/26/18 15:50	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		01/26/18 15:50	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1.2	1		01/26/18 15:50	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	0.070	1		01/26/18 15:50	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	0.10	1		01/26/18 15:50	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	0.15	1		01/26/18 15:50	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	0.42	1		01/26/18 15:50	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	0.060	1		01/26/18 15:50	1634-04-4	
Naphthalene	0.51J	ug/L	10.0	0.50	1		01/26/18 15:50	91-20-3	
n-Propylbenzene	0.20J	ug/L	1.0	0.10	1		01/26/18 15:50	103-65-1	
Styrene	<0.12	ug/L	1.0	0.12	1		01/26/18 15:50	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/26/18 15:50	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Project No.: 60262738

Sample: SB-12 **Lab ID: 60262738010** Collected: 01/24/18 15:20 Received: 01/25/18 10:10 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 5030B/8260									
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/26/18 15:50	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	0.10	1		01/26/18 15:50	127-18-4	
Toluene	0.30J	ug/L	1.0	0.17	1		01/26/18 15:50	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	0.12	1		01/26/18 15:50	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	0.10	1		01/26/18 15:50	120-82-1	
1,1,1-Trichloroethane	<0.11	ug/L	1.0	0.11	1		01/26/18 15:50	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		01/26/18 15:50	79-00-5	
Trichloroethene	<0.17	ug/L	1.0	0.17	1		01/26/18 15:50	79-01-6	
Trichlorofluoromethane	<0.34	ug/L	1.0	0.34	1		01/26/18 15:50	75-69-4	
1,2,3-Trichloropropane	<0.19	ug/L	2.5	0.19	1		01/26/18 15:50	96-18-4	
1,2,4-Trimethylbenzene	2.8	ug/L	1.0	0.090	1		01/26/18 15:50	95-63-6	
1,3,5-Trimethylbenzene	1.2	ug/L	1.0	0.10	1		01/26/18 15:50	108-67-8	
Vinyl chloride	<0.13	ug/L	1.0	0.13	1		01/26/18 15:50	75-01-4	
Xylene (Total)	1.7J	ug/L	3.0	0.42	1		01/26/18 15:50	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	100	%	80-119		1		01/26/18 15:50	460-00-4	
1,2-Dichloroethane-d4 (S)	108	%	80-117		1		01/26/18 15:50	17060-07-0	
Toluene-d8 (S)	91	%	80-115		1		01/26/18 15:50	2037-26-5	
Preservation pH	1.0		0.10	0.10	1		01/26/18 15:50		
8260 MSV GRO and Oxygenates Analytical Method: EPA 8260									
TPH-GRO	<63.5	ug/L	500	63.5	1		01/26/18 19:02		
Surrogates									
Toluene-d8 (S)	104	%	80-115		1		01/26/18 19:02	2037-26-5	
4-Bromofluorobenzene (S)	103	%	80-119		1		01/26/18 19:02	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	87-117		1		01/26/18 19:02	17060-07-0	
4500H+ pH, Electrometric Analytical Method: SM 4500-H+B									
pH at 25 Degrees C	7.2	Std. Units	0.10	0.10	1		02/02/18 11:31		H6
353.2 Nitrogen, NO2/NO3 pres. Analytical Method: EPA 353.2									
Nitrogen, NO2 plus NO3	3.7	mg/L	0.20	0.10	2		01/26/18 14:21		
9056 IC Anions Analytical Method: EPA 9056									
Sulfate	139	mg/L	10.0	5.0	10		02/02/18 22:39	14808-79-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 **Lab ID: 60262738011** Collected: 01/24/18 16:30 Received: 01/25/18 10:10 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Aldrin	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 16:06	309-00-2	
alpha-BHC	<0.0060	ug/L	0.010	0.0060	1	01/31/18 20:10	02/09/18 16:06	319-84-6	
beta-BHC	<0.010	ug/L	0.010	0.010	1	01/31/18 20:10	02/09/18 16:06	319-85-7	
delta-BHC	<0.0090	ug/L	0.010	0.0090	1	01/31/18 20:10	02/09/18 16:06	319-86-8	
gamma-BHC (Lindane)	<0.0080	ug/L	0.010	0.0080	1	01/31/18 20:10	02/09/18 16:06	58-89-9	
Chlordane (Technical)	<0.090	ug/L	0.10	0.090	1	01/31/18 20:10	02/09/18 16:06	57-74-9	
alpha-Chlordane	<0.024	ug/L	0.10	0.024	1	01/31/18 20:10	02/09/18 16:06	5103-71-9	
gamma-Chlordane	<0.034	ug/L	0.10	0.034	1	01/31/18 20:10	02/09/18 16:06	5103-74-2	
4,4'-DDD	<0.0050	ug/L	0.010	0.0050	1	01/31/18 20:10	02/09/18 16:06	72-54-8	
4,4'-DDE	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 16:06	72-55-9	
4,4'-DDT	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 16:06	50-29-3	
Dieldrin	<0.0060	ug/L	0.010	0.0060	1	01/31/18 20:10	02/09/18 16:06	60-57-1	
Endosulfan I	<0.021	ug/L	0.10	0.021	1	01/31/18 20:10	02/09/18 16:06	959-98-8	
Endosulfan II	<0.0090	ug/L	0.010	0.0090	1	01/31/18 20:10	02/09/18 16:06	33213-65-9	
Endosulfan sulfate	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 16:06	1031-07-8	
Endrin	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 16:06	72-20-8	
Endrin aldehyde	<0.029	ug/L	0.10	0.029	1	01/31/18 20:10	02/09/18 16:06	7421-93-4	
Endrin ketone	<0.025	ug/L	0.10	0.025	1	01/31/18 20:10	02/09/18 16:06	53494-70-5	
Heptachlor	<0.0050	ug/L	0.010	0.0050	1	01/31/18 20:10	02/09/18 16:06	76-44-8	
Heptachlor epoxide	<0.0070	ug/L	0.010	0.0070	1	01/31/18 20:10	02/09/18 16:06	1024-57-3	
Methoxychlor	<0.0060	ug/L	0.010	0.0060	1	01/31/18 20:10	02/09/18 16:06	72-43-5	
Toxaphene	<0.61	ug/L	1.5	0.61	1	01/31/18 20:10	02/09/18 16:06	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	52	%	54-127		1	01/31/18 20:10	02/09/18 16:06	877-09-8	S1
Decachlorobiphenyl (S)	35	%	12-162		1	01/31/18 20:10	02/09/18 16:06	2051-24-3	
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Stirophos (Tetrachlorvinphos)	<0.072	ug/L	0.10	0.072	1	01/31/18 20:10	02/05/18 20:47	22248-79-9	
Azinphos, methyl (Guthion)	<0.093	ug/L	0.10	0.093	1	01/31/18 20:10	02/05/18 20:47	86-50-0	
Bolstar	<0.090	ug/L	0.10	0.090	1	01/31/18 20:10	02/05/18 20:47	35400-43-2	
Chlorpyrifos	<0.067	ug/L	0.10	0.067	1	01/31/18 20:10	02/05/18 20:47	2921-88-2	
Coumaphos	<0.092	ug/L	0.10	0.092	1	01/31/18 20:10	02/05/18 20:47	56-72-4	
Diazinon	<0.078	ug/L	0.10	0.078	1	01/31/18 20:10	02/05/18 20:47	333-41-5	
Dichlorvos	<0.073	ug/L	0.10	0.073	1	01/31/18 20:10	02/05/18 20:47	62-73-7	
Dimethoate	<0.083	ug/L	0.10	0.083	1	01/31/18 20:10	02/05/18 20:47	60-51-5	
Disulfoton	<0.071	ug/L	0.10	0.071	1	01/31/18 20:10	02/05/18 20:47	298-04-4	
EPN (ENT)	<0.087	ug/L	0.10	0.087	1	01/31/18 20:10	02/05/18 20:47	2104-64-5	
Ethoprop	<0.059	ug/L	0.10	0.059	1	01/31/18 20:10	02/05/18 20:47	13194-48-4	
Fensulfthion	<0.087	ug/L	0.10	0.087	1	01/31/18 20:10	02/05/18 20:47	115-90-2	
Fenthion	<0.088	ug/L	0.10	0.088	1	01/31/18 20:10	02/05/18 20:47	55-38-9	
Malathion	<0.086	ug/L	0.10	0.086	1	01/31/18 20:10	02/05/18 20:47	121-75-5	
Methyl parathion	<0.070	ug/L	0.10	0.070	1	01/31/18 20:10	02/05/18 20:47	298-00-0	
Mevinphos	<0.065	ug/L	0.10	0.065	1	01/31/18 20:10	02/05/18 20:47	7786-34-7	
Parathion (Ethyl parathion)	<0.060	ug/L	0.10	0.060	1	01/31/18 20:10	02/05/18 20:47	56-38-2	
Phorate	<0.064	ug/L	0.10	0.064	1	01/31/18 20:10	02/05/18 20:47	298-02-2	
Ronnel	<0.088	ug/L	0.10	0.088	1	01/31/18 20:10	02/05/18 20:47	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 Lab ID: 60262738011 Collected: 01/24/18 16:30 Received: 01/25/18 10:10 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510									
Sulfotep (Thiodiphosphoric Ac	<0.061	ug/L	0.10	0.061	1	01/31/18 20:10	02/05/18 20:47	3689-24-5	
Tokuthion (Prothiofos)	<0.081	ug/L	0.10	0.081	1	01/31/18 20:10	02/05/18 20:47	34643-46-4	
Trichloronate	<0.087	ug/L	0.10	0.087	1	01/31/18 20:10	02/05/18 20:47	327-98-0	
Total Demeton	<0.083	ug/L	0.10	0.083	1	01/31/18 20:10	02/05/18 20:47	8065-48-3	
Total Merphos	<0.038	ug/L	0.10	0.038	1	01/31/18 20:10	02/05/18 20:47	150-50-5	
Surrogates									
Triphenylphosphate (S)	83	%	10-175		1	01/31/18 20:10	02/05/18 20:47	115-86-6	
Tributylphosphate (S)	97	%	20-150		1	01/31/18 20:10	02/05/18 20:47	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 8151									
2,4-D	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 17:58	94-75-7	
Dalapon	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 17:58	75-99-0	
2,4-DB	<0.34	ug/L	0.50	0.34	1	01/29/18 21:00	02/01/18 17:58	94-82-6	
Dicamba	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 17:58	1918-00-9	
Dichloroprop	<0.29	ug/L	0.50	0.29	1	01/29/18 21:00	02/01/18 17:58	15165-67-0	
Dinoseb	<0.50	ug/L	0.50	0.50	1	01/29/18 21:00	02/01/18 17:58	88-85-7	
MCPA	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 17:58	94-74-6	
MCPP	<20.0	ug/L	20.0	20.0	1	01/29/18 21:00	02/01/18 17:58	7085-19-0	
2,4,5-T	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 17:58	93-76-5	
2,4,5-TP (Silvex)	<0.25	ug/L	0.50	0.25	1	01/29/18 21:00	02/01/18 17:58	93-72-1	
Surrogates									
2,4-DCAA (S)	133	%	47-166		1	01/29/18 21:00	02/01/18 17:58	19719-28-9	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic	281	ug/L	10.0	4.2	1	01/30/18 11:15	02/01/18 15:31	7440-38-2	
Barium	10200	ug/L	5.0	0.91	1	01/30/18 11:15	02/01/18 15:31	7440-39-3	
Cadmium	13.3	ug/L	5.0	0.64	1	01/30/18 11:15	02/01/18 15:31	7440-43-9	
Chromium	293	ug/L	5.0	0.72	1	01/30/18 11:15	02/01/18 15:31	7440-47-3	
Lead	2230	ug/L	5.0	2.4	1	01/30/18 11:15	02/01/18 15:31	7439-92-1	
Selenium	8.7J	ug/L	15.0	3.4	1	01/30/18 11:15	02/01/18 15:31	7782-49-2	
Silver	<1.9	ug/L	7.0	1.9	1	01/30/18 11:15	02/01/18 15:31	7440-22-4	
6010 MET ICP, Dissolved (LF) Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Arsenic, Dissolved	<4.2	ug/L	10.0	4.2	1	01/30/18 10:10	01/31/18 17:36	7440-38-2	
Barium, Dissolved	232	ug/L	5.0	0.91	1	01/30/18 10:10	01/31/18 17:36	7440-39-3	
Cadmium, Dissolved	<0.64	ug/L	5.0	0.64	1	01/30/18 10:10	01/31/18 17:36	7440-43-9	
Chromium, Dissolved	<0.72	ug/L	5.0	0.72	1	01/30/18 10:10	01/31/18 17:36	7440-47-3	
Lead, Dissolved	<2.4	ug/L	5.0	2.4	1	01/30/18 10:10	01/31/18 17:36	7439-92-1	
Selenium, Dissolved	3.8J	ug/L	15.0	3.4	1	01/30/18 10:10	01/31/18 17:36	7782-49-2	
Silver, Dissolved	<1.9	ug/L	7.0	1.9	1	01/30/18 10:10	01/31/18 17:36	7440-22-4	
7470 Mercury Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury	2.7	ug/L	0.20	0.046	1	02/08/18 11:51	02/08/18 15:33	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 **Lab ID: 60262738011** Collected: 01/24/18 16:30 Received: 01/25/18 10:10 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7470 Mercury, Dissolved (LF) Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Mercury, Dissolved	<0.046	ug/L	0.20	0.046	1	02/08/18 15:58	02/09/18 11:25	7439-97-6	
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Acenaphthene	<0.35	ug/L	9.6	0.35	1	01/29/18 15:00	01/30/18 17:11	83-32-9	1e
Acenaphthylene	<0.37	ug/L	9.6	0.37	1	01/29/18 15:00	01/30/18 17:11	208-96-8	1e
Anthracene	<0.29	ug/L	9.6	0.29	1	01/29/18 15:00	01/30/18 17:11	120-12-7	1e
Benzo(a)anthracene	<0.28	ug/L	9.6	0.28	1	01/29/18 15:00	01/30/18 17:11	56-55-3	1e
Benzo(a)pyrene	<0.35	ug/L	9.6	0.35	1	01/29/18 15:00	01/30/18 17:11	50-32-8	1e
Benzo(b)fluoranthene	<0.34	ug/L	9.6	0.34	1	01/29/18 15:00	01/30/18 17:11	205-99-2	1e
Benzo(g,h,i)perylene	<0.38	ug/L	9.6	0.38	1	01/29/18 15:00	01/30/18 17:11	191-24-2	1e
Benzo(k)fluoranthene	<0.40	ug/L	9.6	0.40	1	01/29/18 15:00	01/30/18 17:11	207-08-9	1e
Benzoic acid	<2.4	ug/L	48.1	2.4	1	01/29/18 15:00	01/30/18 17:11	65-85-0	1e
Benzyl alcohol	<0.34	ug/L	19.2	0.34	1	01/29/18 15:00	01/30/18 17:11	100-51-6	1e
4-Bromophenylphenyl ether	<0.37	ug/L	9.6	0.37	1	01/29/18 15:00	01/30/18 17:11	101-55-3	1e
Butylbenzylphthalate	<0.38	ug/L	9.6	0.38	1	01/29/18 15:00	01/30/18 17:11	85-68-7	1e
Carbazole	<0.34	ug/L	9.6	0.34	1	01/29/18 15:00	01/30/18 17:11	86-74-8	1e
4-Chloro-3-methylphenol	<0.24	ug/L	19.2	0.24	1	01/29/18 15:00	01/30/18 17:11	59-50-7	1e
4-Chloroaniline	<0.50	ug/L	19.2	0.50	1	01/29/18 15:00	01/30/18 17:11	106-47-8	1e
bis(2-Chloroethoxy)methane	<4.8	ug/L	9.6	4.8	1	01/29/18 15:00	01/30/18 17:11	111-91-1	1e
bis(2-Chloroethyl) ether	<0.28	ug/L	9.6	0.28	1	01/29/18 15:00	01/30/18 17:11	111-44-4	1e
bis(2-Chloroisopropyl) ether	<0.28	ug/L	9.6	0.28	1	01/29/18 15:00	01/30/18 17:11	39638-32-9	1e
2-Chloronaphthalene	<0.34	ug/L	9.6	0.34	1	01/29/18 15:00	01/30/18 17:11	91-58-7	1e
2-Chlorophenol	<0.29	ug/L	9.6	0.29	1	01/29/18 15:00	01/30/18 17:11	95-57-8	1e
4-Chlorophenylphenyl ether	<0.29	ug/L	9.6	0.29	1	01/29/18 15:00	01/30/18 17:11	7005-72-3	1e
Chrysene	<0.35	ug/L	9.6	0.35	1	01/29/18 15:00	01/30/18 17:11	218-01-9	1e
Dibenz(a,h)anthracene	<0.43	ug/L	9.6	0.43	1	01/29/18 15:00	01/30/18 17:11	53-70-3	1e
Dibenzofuran	<0.38	ug/L	9.6	0.38	1	01/29/18 15:00	01/30/18 17:11	132-64-9	1e
1,2-Dichlorobenzene	<0.28	ug/L	9.6	0.28	1	01/29/18 15:00	01/30/18 17:11	95-50-1	1e
1,3-Dichlorobenzene	<0.52	ug/L	9.6	0.52	1	01/29/18 15:00	01/30/18 17:11	541-73-1	1e
1,4-Dichlorobenzene	<0.39	ug/L	9.6	0.39	1	01/29/18 15:00	01/30/18 17:11	106-46-7	1e
3,3'-Dichlorobenzidine	<0.38	ug/L	19.2	0.38	1	01/29/18 15:00	01/30/18 17:11	91-94-1	1e
2,4-Dichlorophenol	<0.50	ug/L	9.6	0.50	1	01/29/18 15:00	01/30/18 17:11	120-83-2	1e
Diethylphthalate	<0.43	ug/L	9.6	0.43	1	01/29/18 15:00	01/30/18 17:11	84-66-2	1e
2,4-Dimethylphenol	<0.58	ug/L	9.6	0.58	1	01/29/18 15:00	01/30/18 17:11	105-67-9	1e
Dimethylphthalate	<0.34	ug/L	9.6	0.34	1	01/29/18 15:00	01/30/18 17:11	131-11-3	1e
Di-n-butylphthalate	<0.38	ug/L	9.6	0.38	1	01/29/18 15:00	01/30/18 17:11	84-74-2	1e
4,6-Dinitro-2-methylphenol	<0.53	ug/L	48.1	0.53	1	01/29/18 15:00	01/30/18 17:11	534-52-1	1e
2,4-Dinitrophenol	<8.1	ug/L	48.1	8.1	1	01/29/18 15:00	01/30/18 17:11	51-28-5	1e
2,4-Dinitrotoluene	<0.32	ug/L	9.6	0.32	1	01/29/18 15:00	01/30/18 17:11	121-14-2	1e
2,6-Dinitrotoluene	<0.27	ug/L	9.6	0.27	1	01/29/18 15:00	01/30/18 17:11	606-20-2	1e
Di-n-octylphthalate	<0.48	ug/L	9.6	0.48	1	01/29/18 15:00	01/30/18 17:11	117-84-0	1e
bis(2-Ethylhexyl)phthalate	<0.60	ug/L	9.6	0.60	1	01/29/18 15:00	01/30/18 17:11	117-81-7	1e
Fluoranthene	<0.36	ug/L	9.6	0.36	1	01/29/18 15:00	01/30/18 17:11	206-44-0	1e
Fluorene	<0.33	ug/L	9.6	0.33	1	01/29/18 15:00	01/30/18 17:11	86-73-7	1e
Hexachloro-1,3-butadiene	<0.37	ug/L	9.6	0.37	1	01/29/18 15:00	01/30/18 17:11	87-68-3	1e
Hexachlorobenzene	<0.29	ug/L	9.6	0.29	1	01/29/18 15:00	01/30/18 17:11	118-74-1	1e

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 Lab ID: 60262738011 Collected: 01/24/18 16:30 Received: 01/25/18 10:10 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic Analytical Method: EPA 8270 Preparation Method: EPA 3510									
Hexachlorocyclopentadiene	<0.34	ug/L	9.6	0.34	1	01/29/18 15:00	01/30/18 17:11	77-47-4	1e
Hexachloroethane	<0.28	ug/L	9.6	0.28	1	01/29/18 15:00	01/30/18 17:11	67-72-1	1e
Indeno(1,2,3-cd)pyrene	<0.31	ug/L	9.6	0.31	1	01/29/18 15:00	01/30/18 17:11	193-39-5	1e
Isophorone	<0.27	ug/L	9.6	0.27	1	01/29/18 15:00	01/30/18 17:11	78-59-1	1e
2-Methylnaphthalene	<0.25	ug/L	9.6	0.25	1	01/29/18 15:00	01/30/18 17:11	91-57-6	1e
2-Methylphenol(o-Cresol)	<0.27	ug/L	9.6	0.27	1	01/29/18 15:00	01/30/18 17:11	95-48-7	1e
3&4-Methylphenol(m&p Cresol)	<4.8	ug/L	9.6	4.8	1	01/29/18 15:00	01/30/18 17:11		1e
Naphthalene	<0.35	ug/L	9.6	0.35	1	01/29/18 15:00	01/30/18 17:11	91-20-3	1e
2-Nitroaniline	<0.40	ug/L	48.1	0.40	1	01/29/18 15:00	01/30/18 17:11	88-74-4	1e
3-Nitroaniline	<0.34	ug/L	48.1	0.34	1	01/29/18 15:00	01/30/18 17:11	99-09-2	1e
4-Nitroaniline	<0.34	ug/L	48.1	0.34	1	01/29/18 15:00	01/30/18 17:11	100-01-6	1e
Nitrobenzene	<0.29	ug/L	9.6	0.29	1	01/29/18 15:00	01/30/18 17:11	98-95-3	1e
2-Nitrophenol	<0.27	ug/L	9.6	0.27	1	01/29/18 15:00	01/30/18 17:11	88-75-5	1e
4-Nitrophenol	<0.30	ug/L	48.1	0.30	1	01/29/18 15:00	01/30/18 17:11	100-02-7	1e
N-Nitroso-di-n-propylamine	<0.26	ug/L	9.6	0.26	1	01/29/18 15:00	01/30/18 17:11	621-64-7	1e
N-Nitrosodiphenylamine	<0.38	ug/L	9.6	0.38	1	01/29/18 15:00	01/30/18 17:11	86-30-6	1e
Pentachlorophenol	<0.30	ug/L	48.1	0.30	1	01/29/18 15:00	01/30/18 17:11	87-86-5	1e
Phenanthrene	<0.33	ug/L	9.6	0.33	1	01/29/18 15:00	01/30/18 17:11	85-01-8	1e
Phenol	<4.8	ug/L	9.6	4.8	1	01/29/18 15:00	01/30/18 17:11	108-95-2	1e
Pyrene	<0.27	ug/L	9.6	0.27	1	01/29/18 15:00	01/30/18 17:11	129-00-0	1e
Pyridine	<0.30	ug/L	9.6	0.30	1	01/29/18 15:00	01/30/18 17:11	110-86-1	1e
1,2,4-Trichlorobenzene	<0.32	ug/L	9.6	0.32	1	01/29/18 15:00	01/30/18 17:11	120-82-1	1e
2,4,5-Trichlorophenol	<0.32	ug/L	48.1	0.32	1	01/29/18 15:00	01/30/18 17:11	95-95-4	1e
2,4,6-Trichlorophenol	<0.38	ug/L	9.6	0.38	1	01/29/18 15:00	01/30/18 17:11	88-06-2	1e
Surrogates									
Nitrobenzene-d5 (S)	78	%	33-99		1	01/29/18 15:00	01/30/18 17:11	4165-60-0	
2-Fluorobiphenyl (S)	79	%	30-103		1	01/29/18 15:00	01/30/18 17:11	321-60-8	
Terphenyl-d14 (S)	80	%	38-114		1	01/29/18 15:00	01/30/18 17:11	1718-51-0	
Phenol-d6 (S)	50	%	10-56		1	01/29/18 15:00	01/30/18 17:11	13127-88-3	
2-Fluorophenol (S)	64	%	10-68		1	01/29/18 15:00	01/30/18 17:11	367-12-4	
2,4,6-Tribromophenol (S)	86	%	21-124		1	01/29/18 15:00	01/30/18 17:11	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3510C									
TPH-ORO	1.9	mg/L	0.91	0.91	1	01/26/18 15:00	01/31/18 02:40		1e
TPH-DRO	<0.91	mg/L	0.91	0.91	1	01/26/18 15:00	01/31/18 02:40		1e
Surrogates									
Nitrobenzene-d5 (S)	67	%	33-99		1	01/26/18 15:00	01/31/18 02:40	4165-60-0	
2-Fluorobiphenyl (S)	68	%	30-103		1	01/26/18 15:00	01/31/18 02:40	321-60-8	
Terphenyl-d14 (S)	80	%	38-114		1	01/26/18 15:00	01/31/18 02:40	1718-51-0	
8260 MSV Analytical Method: EPA 5030B/8260									
Acetone	<1.9	ug/L	10.0	1.9	1		01/26/18 16:04	67-64-1	
Benzene	0.11J	ug/L	1.0	0.060	1		01/26/18 16:04	71-43-2	
Bromobenzene	<0.10	ug/L	1.0	0.10	1		01/26/18 16:04	108-86-1	
Bromochloromethane	<0.15	ug/L	1.0	0.15	1		01/26/18 16:04	74-97-5	
Bromodichloromethane	<0.19	ug/L	1.0	0.19	1		01/26/18 16:04	75-27-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 Lab ID: 60262738011 Collected: 01/24/18 16:30 Received: 01/25/18 10:10 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260							
Bromoform	<0.070	ug/L	1.0	0.070	1		01/26/18 16:04	75-25-2	
Bromomethane	<0.16	ug/L	5.0	0.16	1		01/26/18 16:04	74-83-9	
2-Butanone (MEK)	<0.59	ug/L	10.0	0.59	1		01/26/18 16:04	78-93-3	
n-Butylbenzene	<0.10	ug/L	1.0	0.10	1		01/26/18 16:04	104-51-8	
sec-Butylbenzene	<0.050	ug/L	1.0	0.050	1		01/26/18 16:04	135-98-8	
tert-Butylbenzene	<0.34	ug/L	1.0	0.34	1		01/26/18 16:04	98-06-6	
Carbon disulfide	<0.12	ug/L	5.0	0.12	1		01/26/18 16:04	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	0.18	1		01/26/18 16:04	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	0.21	1		01/26/18 16:04	108-90-7	
Chloroethane	<0.15	ug/L	1.0	0.15	1		01/26/18 16:04	75-00-3	
Chloroform	<0.14	ug/L	1.0	0.14	1		01/26/18 16:04	67-66-3	
Chloromethane	<0.080	ug/L	1.0	0.080	1		01/26/18 16:04	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	0.12	1		01/26/18 16:04	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	0.14	1		01/26/18 16:04	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	0.59	1		01/26/18 16:04	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	0.21	1		01/26/18 16:04	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	0.17	1		01/26/18 16:04	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	0.18	1		01/26/18 16:04	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	0.050	1		01/26/18 16:04	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	0.070	1		01/26/18 16:04	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	0.060	1		01/26/18 16:04	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	0.21	1		01/26/18 16:04	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	0.050	1		01/26/18 16:04	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	0.12	1		01/26/18 16:04	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	0.28	1		01/26/18 16:04	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/26/18 16:04	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	0.080	1		01/26/18 16:04	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	0.20	1		01/26/18 16:04	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	0.16	1		01/26/18 16:04	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	0.17	1		01/26/18 16:04	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	0.19	1		01/26/18 16:04	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	0.090	1		01/26/18 16:04	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	0.14	1		01/26/18 16:04	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	0.12	1		01/26/18 16:04	10061-02-6	
Ethylbenzene	<0.18	ug/L	1.0	0.18	1		01/26/18 16:04	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		01/26/18 16:04	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1.2	1		01/26/18 16:04	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	0.070	1		01/26/18 16:04	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	0.10	1		01/26/18 16:04	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	0.15	1		01/26/18 16:04	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	0.42	1		01/26/18 16:04	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	0.060	1		01/26/18 16:04	1634-04-4	
Naphthalene	<0.50	ug/L	10.0	0.50	1		01/26/18 16:04	91-20-3	
n-Propylbenzene	<0.10	ug/L	1.0	0.10	1		01/26/18 16:04	103-65-1	
Styrene	<0.12	ug/L	1.0	0.12	1		01/26/18 16:04	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/26/18 16:04	630-20-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Sample: SB-13 **Lab ID: 60262738011** Collected: 01/24/18 16:30 Received: 01/25/18 10:10 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 5030B/8260									
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	0.15	1		01/26/18 16:04	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	0.10	1		01/26/18 16:04	127-18-4	
Toluene	<0.17	ug/L	1.0	0.17	1		01/26/18 16:04	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	0.12	1		01/26/18 16:04	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	0.10	1		01/26/18 16:04	120-82-1	
1,1,1-Trichloroethane	0.13J	ug/L	1.0	0.11	1		01/26/18 16:04	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		01/26/18 16:04	79-00-5	
Trichloroethene	<0.17	ug/L	1.0	0.17	1		01/26/18 16:04	79-01-6	
Trichlorofluoromethane	<0.34	ug/L	1.0	0.34	1		01/26/18 16:04	75-69-4	
1,2,3-Trichloropropane	<0.19	ug/L	2.5	0.19	1		01/26/18 16:04	96-18-4	
1,2,4-Trimethylbenzene	<0.090	ug/L	1.0	0.090	1		01/26/18 16:04	95-63-6	
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	0.10	1		01/26/18 16:04	108-67-8	
Vinyl chloride	<0.13	ug/L	1.0	0.13	1		01/26/18 16:04	75-01-4	
Xylene (Total)	<0.42	ug/L	3.0	0.42	1		01/26/18 16:04	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	100	%	80-119		1		01/26/18 16:04	460-00-4	
1,2-Dichloroethane-d4 (S)	103	%	80-117		1		01/26/18 16:04	17060-07-0	
Toluene-d8 (S)	93	%	80-115		1		01/26/18 16:04	2037-26-5	
Preservation pH	1.0		0.10	0.10	1		01/26/18 16:04		
8260 MSV GRO and Oxygenates Analytical Method: EPA 8260									
TPH-GRO	<63.5	ug/L	500	63.5	1		01/26/18 19:17		
Surrogates									
Toluene-d8 (S)	104	%	80-115		1		01/26/18 19:17	2037-26-5	
4-Bromofluorobenzene (S)	103	%	80-119		1		01/26/18 19:17	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	87-117		1		01/26/18 19:17	17060-07-0	
4500H+ pH, Electrometric Analytical Method: SM 4500-H+B									
pH at 25 Degrees C	7.4	Std. Units	0.10	0.10	1		02/02/18 11:34		H6
353.2 Nitrogen, NO2/NO3 pres. Analytical Method: EPA 353.2									
Nitrogen, NO2 plus NO3	2.3	mg/L	0.20	0.10	2		01/26/18 14:22		
9056 IC Anions Analytical Method: EPA 9056									
Sulfate	140	mg/L	10.0	5.0	10		02/02/18 22:53	14808-79-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 513439

Analysis Method: EPA 7470

QC Batch Method: EPA 7470

Analysis Description: 7470 Mercury

Associated Lab Samples: 60262738009, 60262738010, 60262738011

METHOD BLANK: 2101718

Matrix: Water

Associated Lab Samples: 60262738009, 60262738010, 60262738011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	ug/L	<0.046	0.20	0.046	02/08/18 15:00	

LABORATORY CONTROL SAMPLE: 2101719

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	5	4.9	99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2101720 2101721

Parameter	Units	60263480001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	ug/L	ND	5	5	4.6	4.8	92	96	75-125	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch:	513471	Analysis Method:	EPA 7470
QC Batch Method:	EPA 7470	Analysis Description:	7470 Mercury ,Dissolved
Associated Lab Samples: 60262738009, 60262738010, 60262738011			

METHOD BLANK: 2101839 Matrix: Water

Associated Lab Samples: 60262738009, 60262738010, 60262738011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury, Dissolved	ug/L	<0.046	0.20	0.046	02/09/18 10:41	

LABORATORY CONTROL SAMPLE: 2101840

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury, Dissolved	ug/L	5	4.6	91	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2101841 2101842

Parameter	Units	60262644016 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury, Dissolved	ug/L	<0.046	5	5	5.3	5.0	106	100	75-125	6	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch:	512006	Analysis Method:	EPA 7471
QC Batch Method:	EPA 7471	Analysis Description:	7471 Mercury
Associated Lab Samples:	60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008		

METHOD BLANK:	2096397	Matrix:	Solid
Associated Lab Samples:	60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.0066	0.050	0.0066	01/29/18 11:54	

LABORATORY CONTROL SAMPLE: 2096398

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	.5	0.56	113	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2096399 2096400

Parameter	Units	60262507001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	1.3	.45	.49	2.0	1.5	173	58	75-125	28	20	M1, R1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch:	512402	Analysis Method:	EPA 6010
QC Batch Method:	EPA 3050	Analysis Description:	6010 MET
Associated Lab Samples:	60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008		

METHOD BLANK: 2097801 Matrix: Solid
Associated Lab Samples: 60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	mg/kg	<0.41	1.0	0.41	02/06/18 15:23	
Barium	mg/kg	<0.031	0.50	0.031	02/06/18 15:23	
Cadmium	mg/kg	<0.037	0.50	0.037	02/06/18 15:23	
Chromium	mg/kg	<0.10	0.50	0.10	02/06/18 15:23	
Lead	mg/kg	<0.21	0.50	0.21	02/06/18 15:23	
Selenium	mg/kg	<0.75	1.5	0.75	02/06/18 15:23	
Silver	mg/kg	<0.17	0.70	0.17	02/06/18 15:23	

LABORATORY CONTROL SAMPLE: 2097802

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	100	95.5	95	80-120	
Barium	mg/kg	100	101	101	80-120	
Cadmium	mg/kg	100	97.1	97	80-120	
Chromium	mg/kg	100	98.4	98	80-120	
Lead	mg/kg	100	100	100	80-120	
Selenium	mg/kg	100	95.2	95	80-120	
Silver	mg/kg	50	48.3	97	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2097803 2097804

Parameter	Units	60262738001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Arsenic	mg/kg	6.1	110	117	106	110	91	89	75-125	3	20	
Barium	mg/kg	231	110	117	344	337	102	91	75-125	2	20	
Cadmium	mg/kg	0.11J	110	117	103	108	93	92	75-125	4	20	
Chromium	mg/kg	16.5	110	117	126	130	100	97	75-125	3	20	
Lead	mg/kg	12.0	110	117	116	127	95	99	75-125	9	20	
Selenium	mg/kg	<0.84	110	117	99.0	103	90	89	75-125	4	20	
Silver	mg/kg	<0.19	55.1	58.3	52.6	54.6	95	94	75-125	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 513465 Analysis Method: EPA 6010
QC Batch Method: EPA 3010 Analysis Description: 6010 MET
Associated Lab Samples: 60262738009, 60262738010, 60262738011

METHOD BLANK: 2101809 Matrix: Water

Associated Lab Samples: 60262738009, 60262738010, 60262738011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	ug/L	<4.2	10.0	4.2	02/01/18 14:54	
Barium	ug/L	<0.91	5.0	0.91	02/01/18 14:54	
Cadmium	ug/L	<0.64	5.0	0.64	02/01/18 14:54	
Chromium	ug/L	<0.72	5.0	0.72	02/01/18 14:54	
Lead	ug/L	<2.4	5.0	2.4	02/01/18 14:54	
Selenium	ug/L	<3.4	15.0	3.4	02/01/18 14:54	
Silver	ug/L	<1.9	7.0	1.9	02/01/18 14:54	

LABORATORY CONTROL SAMPLE: 2101810

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	1000	954	95	80-120	
Barium	ug/L	1000	983	98	80-120	
Cadmium	ug/L	1000	972	97	80-120	
Chromium	ug/L	1000	1010	101	80-120	
Lead	ug/L	1000	989	99	80-120	
Selenium	ug/L	1000	995	100	80-120	
Silver	ug/L	500	510	102	80-120	

MATRIX SPIKE SAMPLE: 2101811

Parameter	Units	60262831017 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	11.1	1000	975	96	75-125	
Barium	ug/L	52.3	1000	1030	98	75-125	
Cadmium	ug/L	2.3J	1000	970	97	75-125	
Chromium	ug/L	10.6	1000	996	98	75-125	
Lead	ug/L	30.0	1000	984	95	75-125	
Selenium	ug/L	<3.4	1000	999	100	75-125	
Silver	ug/L	<1.9	500	503	101	75-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 513463 Analysis Method: EPA 6010
QC Batch Method: EPA 3010 Analysis Description: 6010 MET Dissolved
Associated Lab Samples: 60262738009, 60262738010, 60262738011

METHOD BLANK: 2101805 Matrix: Water

Associated Lab Samples: 60262738009, 60262738010, 60262738011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic, Dissolved	ug/L	<4.2	10.0	4.2	01/31/18 17:00	
Barium, Dissolved	ug/L	<0.91	5.0	0.91	01/31/18 17:00	
Cadmium, Dissolved	ug/L	<0.64	5.0	0.64	01/31/18 17:00	
Chromium, Dissolved	ug/L	<0.72	5.0	0.72	01/31/18 17:00	
Lead, Dissolved	ug/L	<2.4	5.0	2.4	01/31/18 17:00	
Selenium, Dissolved	ug/L	<3.4	15.0	3.4	01/31/18 17:00	
Silver, Dissolved	ug/L	<1.9	7.0	1.9	01/31/18 17:00	

LABORATORY CONTROL SAMPLE: 2101806

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic, Dissolved	ug/L	1000	956	96	80-120	
Barium, Dissolved	ug/L	1000	991	99	80-120	
Cadmium, Dissolved	ug/L	1000	988	99	80-120	
Chromium, Dissolved	ug/L	1000	1020	102	80-120	
Lead, Dissolved	ug/L	1000	1030	103	80-120	
Selenium, Dissolved	ug/L	1000	1010	101	80-120	
Silver, Dissolved	ug/L	500	494	99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2101807 2101808

Parameter	Units	60262644015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Arsenic, Dissolved	ug/L	<4.2	1000	1000	985	974	98	97	75-125	1	20	
Barium, Dissolved	ug/L	70.2	1000	1000	1050	1030	98	96	75-125	1	20	
Cadmium, Dissolved	ug/L	<0.64	1000	1000	988	976	99	98	75-125	1	20	
Chromium, Dissolved	ug/L	1.4J	1000	1000	996	986	99	98	75-125	1	20	
Lead, Dissolved	ug/L	<2.4	1000	1000	966	961	97	96	75-125	0	20	
Selenium, Dissolved	ug/L	4.5J	1000	1000	1020	1010	101	100	75-125	1	20	
Silver, Dissolved	ug/L	<1.9	500	500	493	487	99	97	75-125	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24
Pace Project No.: 60262738

QC Batch: 511855 Analysis Method: EPA 5035A/8260
QC Batch Method: EPA 5035A/8260 Analysis Description: 8260 MSV GRO and Oxygenates
Associated Lab Samples: 60262738001, 60262738004, 60262738006

METHOD BLANK: 2095746 Matrix: Solid
Associated Lab Samples: 60262738001, 60262738004, 60262738006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH-GRO	mg/kg	<0.25	0.50	0.25	01/25/18 18:42	
1,2-Dichloroethane-d4 (S)	%	107	80-123		01/25/18 18:42	
4-Bromofluorobenzene (S)	%	104	69-133		01/25/18 18:42	
Toluene-d8 (S)	%	97	78-122		01/25/18 18:42	

LABORATORY CONTROL SAMPLE: 2095747

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	mg/kg	4	3.0	75	61-140	
1,2-Dichloroethane-d4 (S)	%			106	80-123	
4-Bromofluorobenzene (S)	%			95	69-133	
Toluene-d8 (S)	%			99	78-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2095748 2095749

Parameter	Units	60262399017 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,2-Dichloroethane-d4 (S)	%						108	103	80-123			
4-Bromofluorobenzene (S)	%						97	95	69-133			
Toluene-d8 (S)	%						100	101	78-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch:	512196	Analysis Method:	EPA 5035A/8260
QC Batch Method:	EPA 5035A/8260	Analysis Description:	8260 MSV GRO and Oxygenates
Associated Lab Samples:	60262738002, 60262738003, 60262738005, 60262738007, 60262738008		

METHOD BLANK:	2097223	Matrix:	Solid
Associated Lab Samples:	60262738002, 60262738003, 60262738005, 60262738007, 60262738008		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH-GRO	mg/kg	<0.25	0.50	0.25	02/06/18 14:53	

LABORATORY CONTROL SAMPLE: 2097224

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	mg/kg	4	4.7	119	61-140	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 511954

Analysis Method: EPA 5030B/8260

QC Batch Method: EPA 5030B/8260

Analysis Description: 8260 MSV Water 10 mL Purge

Associated Lab Samples: 60262738009, 60262738010, 60262738011

METHOD BLANK: 2096154

Matrix: Water

Associated Lab Samples: 60262738009, 60262738010, 60262738011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.15	1.0	0.15	01/26/18 11:25	
1,1,1-Trichloroethane	ug/L	<0.11	1.0	0.11	01/26/18 11:25	
1,1,2,2-Tetrachloroethane	ug/L	<0.15	1.0	0.15	01/26/18 11:25	
1,1,2-Trichloroethane	ug/L	<0.20	1.0	0.20	01/26/18 11:25	
1,1-Dichloroethane	ug/L	<0.050	1.0	0.050	01/26/18 11:25	
1,1-Dichloroethene	ug/L	<0.20	1.0	0.20	01/26/18 11:25	
1,1-Dichloropropene	ug/L	<0.090	1.0	0.090	01/26/18 11:25	
1,2,3-Trichlorobenzene	ug/L	0.23J	1.0	0.12	01/26/18 11:25	
1,2,3-Trichloropropane	ug/L	<0.19	2.5	0.19	01/26/18 11:25	
1,2,4-Trichlorobenzene	ug/L	0.16J	1.0	0.10	01/26/18 11:25	
1,2,4-Trimethylbenzene	ug/L	<0.090	1.0	0.090	01/26/18 11:25	
1,2-Dibromo-3-chloropropane	ug/L	<0.59	2.5	0.59	01/26/18 11:25	
1,2-Dibromoethane (EDB)	ug/L	<0.17	1.0	0.17	01/26/18 11:25	
1,2-Dichlorobenzene	ug/L	<0.050	1.0	0.050	01/26/18 11:25	
1,2-Dichloroethane	ug/L	<0.12	1.0	0.12	01/26/18 11:25	
1,2-Dichloroethene (Total)	ug/L	<0.28	1.0	0.28	01/26/18 11:25	
1,2-Dichloropropane	ug/L	<0.16	1.0	0.16	01/26/18 11:25	
1,3,5-Trimethylbenzene	ug/L	<0.10	1.0	0.10	01/26/18 11:25	
1,3-Dichlorobenzene	ug/L	<0.070	1.0	0.070	01/26/18 11:25	
1,3-Dichloropropane	ug/L	<0.17	1.0	0.17	01/26/18 11:25	
1,4-Dichlorobenzene	ug/L	<0.060	1.0	0.060	01/26/18 11:25	
2,2-Dichloropropane	ug/L	<0.19	1.0	0.19	01/26/18 11:25	
2-Butanone (MEK)	ug/L	<0.59	10.0	0.59	01/26/18 11:25	
2-Chlorotoluene	ug/L	<0.12	1.0	0.12	01/26/18 11:25	
2-Hexanone	ug/L	<1.2	10.0	1.2	01/26/18 11:25	
4-Chlorotoluene	ug/L	<0.14	1.0	0.14	01/26/18 11:25	
4-Methyl-2-pentanone (MIBK)	ug/L	<0.42	10.0	0.42	01/26/18 11:25	
Acetone	ug/L	<1.9	10.0	1.9	01/26/18 11:25	
Benzene	ug/L	<0.060	1.0	0.060	01/26/18 11:25	
Bromobenzene	ug/L	<0.10	1.0	0.10	01/26/18 11:25	
Bromochloromethane	ug/L	<0.15	1.0	0.15	01/26/18 11:25	
Bromodichloromethane	ug/L	<0.19	1.0	0.19	01/26/18 11:25	
Bromoform	ug/L	<0.070	1.0	0.070	01/26/18 11:25	
Bromomethane	ug/L	<0.16	5.0	0.16	01/26/18 11:25	
Carbon disulfide	ug/L	<0.12	5.0	0.12	01/26/18 11:25	
Carbon tetrachloride	ug/L	<0.18	1.0	0.18	01/26/18 11:25	
Chlorobenzene	ug/L	<0.21	1.0	0.21	01/26/18 11:25	
Chloroethane	ug/L	<0.15	1.0	0.15	01/26/18 11:25	
Chloroform	ug/L	<0.14	1.0	0.14	01/26/18 11:25	
Chloromethane	ug/L	<0.080	1.0	0.080	01/26/18 11:25	
cis-1,2-Dichloroethene	ug/L	<0.080	1.0	0.080	01/26/18 11:25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

METHOD BLANK: 2096154

Matrix: Water

Associated Lab Samples: 60262738009, 60262738010, 60262738011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
cis-1,3-Dichloropropene	ug/L	<0.14	1.0	0.14	01/26/18 11:25	
Dibromochloromethane	ug/L	<0.21	1.0	0.21	01/26/18 11:25	
Dibromomethane	ug/L	<0.18	1.0	0.18	01/26/18 11:25	
Dichlorodifluoromethane	ug/L	<0.21	1.0	0.21	01/26/18 11:25	
Ethylbenzene	ug/L	<0.18	1.0	0.18	01/26/18 11:25	
Hexachloro-1,3-butadiene	ug/L	<0.18	1.0	0.18	01/26/18 11:25	
Isopropylbenzene (Cumene)	ug/L	<0.070	1.0	0.070	01/26/18 11:25	
Methyl-tert-butyl ether	ug/L	<0.060	1.0	0.060	01/26/18 11:25	
Methylene chloride	ug/L	<0.15	1.0	0.15	01/26/18 11:25	
n-Butylbenzene	ug/L	<0.10	1.0	0.10	01/26/18 11:25	
n-Propylbenzene	ug/L	<0.10	1.0	0.10	01/26/18 11:25	
Naphthalene	ug/L	<0.50	10.0	0.50	01/26/18 11:25	
p-Isopropyltoluene	ug/L	<0.10	1.0	0.10	01/26/18 11:25	
sec-Butylbenzene	ug/L	<0.050	1.0	0.050	01/26/18 11:25	
Styrene	ug/L	<0.12	1.0	0.12	01/26/18 11:25	
tert-Butylbenzene	ug/L	<0.34	1.0	0.34	01/26/18 11:25	
Tetrachloroethene	ug/L	<0.10	1.0	0.10	01/26/18 11:25	
Toluene	ug/L	<0.17	1.0	0.17	01/26/18 11:25	
trans-1,2-Dichloroethene	ug/L	<0.20	1.0	0.20	01/26/18 11:25	
trans-1,3-Dichloropropene	ug/L	<0.12	1.0	0.12	01/26/18 11:25	
Trichloroethene	ug/L	<0.17	1.0	0.17	01/26/18 11:25	
Trichlorofluoromethane	ug/L	<0.34	1.0	0.34	01/26/18 11:25	
Vinyl chloride	ug/L	<0.13	1.0	0.13	01/26/18 11:25	
Xylene (Total)	ug/L	<0.42	3.0	0.42	01/26/18 11:25	
1,2-Dichloroethane-d4 (S)	%	105	80-117		01/26/18 11:25	
4-Bromofluorobenzene (S)	%	101	80-119		01/26/18 11:25	
Toluene-d8 (S)	%	96	80-115		01/26/18 11:25	

LABORATORY CONTROL SAMPLE: 2096155

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	20.2	101	86-115	
1,1,1-Trichloroethane	ug/L	20	22.6	113	87-122	
1,1,2,2-Tetrachloroethane	ug/L	20	21.8	109	74-121	
1,1,2-Trichloroethane	ug/L	20	20.4	102	83-119	
1,1-Dichloroethane	ug/L	20	23.5	118	85-128	
1,1-Dichloroethene	ug/L	20	22.5	112	85-123	
1,1-Dichloropropene	ug/L	20	22.9	114	87-124	
1,2,3-Trichlorobenzene	ug/L	20	19.5	98	74-122	
1,2,3-Trichloropropane	ug/L	20	21.0	105	76-125	
1,2,4-Trichlorobenzene	ug/L	20	18.4	92	80-120	
1,2,4-Trimethylbenzene	ug/L	20	19.7	99	83-121	
1,2-Dibromo-3-chloropropane	ug/L	20	19.5	98	64-132	
1,2-Dibromoethane (EDB)	ug/L	20	19.9	100	84-118	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

LABORATORY CONTROL SAMPLE: 2096155

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	20	19.4	97	83-118	
1,2-Dichloroethane	ug/L	20	23.6	118	77-120	
1,2-Dichloroethene (Total)	ug/L	40	47.4	118	85-120	
1,2-Dichloropropane	ug/L	20	23.0	115	81-126	
1,3,5-Trimethylbenzene	ug/L	20	20.2	101	82-120	
1,3-Dichlorobenzene	ug/L	20	20.5	103	84-118	
1,3-Dichloropropane	ug/L	20	19.9	99	79-132	
1,4-Dichlorobenzene	ug/L	20	19.1	95	83-118	
2,2-Dichloropropane	ug/L	20	23.8	119	64-129	
2-Butanone (MEK)	ug/L	100	122	122	65-134	
2-Chlorotoluene	ug/L	20	20.1	100	85-115	
2-Hexanone	ug/L	100	112	112	68-132	
4-Chlorotoluene	ug/L	20	19.3	97	85-118	
4-Methyl-2-pentanone (MIBK)	ug/L	100	121	121	66-139	
Acetone	ug/L	100	114	114	62-142	
Benzene	ug/L	20	23.3	117	81-118	
Bromobenzene	ug/L	20	19.7	98	82-116	
Bromochloromethane	ug/L	20	21.4	107	82-129	
Bromodichloromethane	ug/L	20	22.9	114	85-123	
Bromoform	ug/L	20	20.9	104	83-123	
Bromomethane	ug/L	20	16.5	83	39-149	
Carbon disulfide	ug/L	20	17.2	86	85-124	
Carbon tetrachloride	ug/L	20	23.6	118	85-126	
Chlorobenzene	ug/L	20	20.8	104	87-118	
Chloroethane	ug/L	20	18.5	93	73-134	
Chloroform	ug/L	20	23.0	115	85-119	
Chloromethane	ug/L	20	18.4	92	20-174	
cis-1,2-Dichloroethene	ug/L	20	23.6	118	84-121	
cis-1,3-Dichloropropene	ug/L	20	23.5	118	80-124	
Dibromochloromethane	ug/L	20	21.4	107	83-122	
Dibromomethane	ug/L	20	23.0	115	82-125	
Dichlorodifluoromethane	ug/L	20	19.4	97	67-149	
Ethylbenzene	ug/L	20	20.6	103	80-118	
Hexachloro-1,3-butadiene	ug/L	20	17.9	90	75-117	
Isopropylbenzene (Cumene)	ug/L	20	21.2	106	89-120	
Methyl-tert-butyl ether	ug/L	20	23.9	119	82-119	
Methylene chloride	ug/L	20	22.3	112	81-126	
n-Butylbenzene	ug/L	20	20.0	100	80-116	
n-Propylbenzene	ug/L	20	20.2	101	83-119	
Naphthalene	ug/L	20	20.2	101	71-121	
p-Isopropyltoluene	ug/L	20	19.5	97	82-117	
sec-Butylbenzene	ug/L	20	21.3	106	81-113	
Styrene	ug/L	20	21.6	108	85-120	
tert-Butylbenzene	ug/L	20	20.0	100	85-116	
Tetrachloroethene	ug/L	20	20.3	101	87-120	
Toluene	ug/L	20	20.9	105	82-118	
trans-1,2-Dichloroethene	ug/L	20	23.8	119	83-121	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

LABORATORY CONTROL SAMPLE: 2096155

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
trans-1,3-Dichloropropene	ug/L	20	20.7	104	80-122	
Trichloroethene	ug/L	20	23.2	116	82-120	
Trichlorofluoromethane	ug/L	20	22.3	111	86-133	
Vinyl chloride	ug/L	20	22.8	114	74-147	
Xylene (Total)	ug/L	60	62.5	104	81-120	
1,2-Dichloroethane-d4 (S)	%			106	80-117	
4-Bromofluorobenzene (S)	%			97	80-119	
Toluene-d8 (S)	%			95	80-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch:	512008	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV MO GRO Oxygenates
Associated Lab Samples:	60262738009, 60262738010, 60262738011		

METHOD BLANK: 2096402 Matrix: Water

Associated Lab Samples: 60262738009, 60262738010, 60262738011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH-GRO	ug/L	<63.5	500	63.5	01/26/18 13:42	
1,2-Dichloroethane-d4 (S)	%	96	87-117		01/26/18 13:42	
4-Bromofluorobenzene (S)	%	107	80-119		01/26/18 13:42	
Toluene-d8 (S)	%	104	80-115		01/26/18 13:42	

LABORATORY CONTROL SAMPLE: 2096403

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	ug/L	4000	4190	105	77-146	
1,2-Dichloroethane-d4 (S)	%			96	87-117	
4-Bromofluorobenzene (S)	%			96	80-119	
Toluene-d8 (S)	%			104	80-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch:	513132	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV 5035A Volatile Organics
Associated Lab Samples:	60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008		

METHOD BLANK: 2100603

Matrix: Solid

Associated Lab Samples: 60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,1,1-Trichloroethane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,1,2,2-Tetrachloroethane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,1,2-Trichloroethane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,1-Dichloroethane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,1-Dichloroethene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,1-Dichloropropene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,2,3-Trichlorobenzene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,2,3-Trichloropropane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,2,4-Trichlorobenzene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,2,4-Trimethylbenzene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,2-Dibromo-3-chloropropane	ug/kg	<5.0	10.0	5.0	02/06/18 12:34	
1,2-Dibromoethane (EDB)	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,2-Dichlorobenzene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,2-Dichloroethane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,2-Dichloroethene (Total)	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,2-Dichloropropane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,3,5-Trimethylbenzene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,3-Dichlorobenzene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,3-Dichloropropane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,4-Dichlorobenzene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
2,2-Dichloropropane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
2-Butanone (MEK)	ug/kg	<5.0	10.0	5.0	02/06/18 12:34	
2-Chlorotoluene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
2-Hexanone	ug/kg	<10.0	20.0	10.0	02/06/18 12:34	
4-Chlorotoluene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
4-Methyl-2-pentanone (MIBK)	ug/kg	<5.0	10.0	5.0	02/06/18 12:34	
Acetone	ug/kg	<10.0	20.0	10.0	02/06/18 12:34	
Benzene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Bromobenzene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Bromochloromethane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Bromodichloromethane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Bromoform	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Bromomethane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Carbon disulfide	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Carbon tetrachloride	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Chlorobenzene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Chloroethane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Chloroform	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Chloromethane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

METHOD BLANK: 2100603

Matrix: Solid

Associated Lab Samples: 60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
cis-1,3-Dichloropropene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Dibromochloromethane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Dibromomethane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Dichlorodifluoromethane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Ethylbenzene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Hexachloro-1,3-butadiene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Isopropylbenzene (Cumene)	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Methyl-tert-butyl ether	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Methylene chloride	ug/kg	2.6J	5.0	2.5	02/06/18 12:34	
n-Butylbenzene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
n-Propylbenzene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Naphthalene	ug/kg	<5.0	10.0	5.0	02/06/18 12:34	
p-Isopropyltoluene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
sec-Butylbenzene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Styrene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
tert-Butylbenzene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Tetrachloroethene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Toluene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
trans-1,2-Dichloroethene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
trans-1,3-Dichloropropene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Trichloroethene	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Trichlorofluoromethane	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Vinyl chloride	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
Xylene (Total)	ug/kg	<2.5	5.0	2.5	02/06/18 12:34	
1,2-Dichloroethane-d4 (S)	%	103	80-123		02/06/18 12:34	
4-Bromofluorobenzene (S)	%	102	69-133		02/06/18 12:34	
Toluene-d8 (S)	%	101	78-122		02/06/18 12:34	

LABORATORY CONTROL SAMPLE: 2100604

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	100	102	102	79-131	
1,1,1-Trichloroethane	ug/kg	100	102	102	75-138	
1,1,2,2-Tetrachloroethane	ug/kg	100	96.1	96	71-127	
1,1,2-Trichloroethane	ug/kg	100	99.7	100	77-118	
1,1-Dichloroethane	ug/kg	100	91.3	91	79-127	
1,1-Dichloroethene	ug/kg	100	89.7	90	66-135	
1,1-Dichloropropene	ug/kg	100	107	107	69-143	
1,2,3-Trichlorobenzene	ug/kg	100	99.1	99	78-122	
1,2,3-Trichloropropane	ug/kg	100	97.2	97	74-119	
1,2,4-Trichlorobenzene	ug/kg	100	98.9	99	71-129	
1,2,4-Trimethylbenzene	ug/kg	100	99.0	99	73-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

LABORATORY CONTROL SAMPLE: 2100604

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dibromo-3-chloropropane	ug/kg	100	112	112	72-139	
1,2-Dibromoethane (EDB)	ug/kg	100	90.0	90	81-121	
1,2-Dichlorobenzene	ug/kg	100	100	100	74-123	
1,2-Dichloroethane	ug/kg	100	88.3	88	77-117	
1,2-Dichloroethene (Total)	ug/kg	200	204	102	77-127	
1,2-Dichloropropane	ug/kg	100	95.4	95	70-126	
1,3,5-Trimethylbenzene	ug/kg	100	101	101	74-131	
1,3-Dichlorobenzene	ug/kg	100	98.4	98	75-124	
1,3-Dichloropropane	ug/kg	100	91.2	91	80-121	
1,4-Dichlorobenzene	ug/kg	100	97.6	98	74-125	
2,2-Dichloropropane	ug/kg	100	106	106	70-146	
2-Butanone (MEK)	ug/kg	500	467	93	66-121	
2-Chlorotoluene	ug/kg	100	102	102	75-127	
2-Hexanone	ug/kg	500	495	99	67-124	
4-Chlorotoluene	ug/kg	100	100	100	70-130	
4-Methyl-2-pentanone (MIBK)	ug/kg	500	485	97	70-120	
Acetone	ug/kg	500	519	104	60-134	
Benzene	ug/kg	100	99.8	100	77-122	
Bromobenzene	ug/kg	100	100	100	79-121	
Bromochloromethane	ug/kg	100	94.9	95	74-123	
Bromodichloromethane	ug/kg	100	102	102	80-133	
Bromoform	ug/kg	100	106	106	76-150	
Bromomethane	ug/kg	100	84.7	85	24-174	
Carbon disulfide	ug/kg	100	89.0	89	59-145	
Carbon tetrachloride	ug/kg	100	108	108	73-150	
Chlorobenzene	ug/kg	100	99.0	99	76-123	
Chloroethane	ug/kg	100	71.7	72	34-164	
Chloroform	ug/kg	100	93.1	93	80-122	
Chloromethane	ug/kg	100	81.3	81	10-170	
cis-1,2-Dichloroethene	ug/kg	100	95.2	95	81-121	
cis-1,3-Dichloropropene	ug/kg	100	102	102	71-137	
Dibromochloromethane	ug/kg	100	100	100	78-137	
Dibromomethane	ug/kg	100	95.6	96	82-119	
Dichlorodifluoromethane	ug/kg	100	115	115	10-186	
Ethylbenzene	ug/kg	100	101	101	74-126	
Hexachloro-1,3-butadiene	ug/kg	100	106	106	68-146	
Isopropylbenzene (Cumene)	ug/kg	100	106	106	75-133	
Methyl-tert-butyl ether	ug/kg	100	96.1	96	74-120	
Methylene chloride	ug/kg	100	91.9	92	64-138	
n-Butylbenzene	ug/kg	100	107	107	70-140	
n-Propylbenzene	ug/kg	100	104	104	72-134	
Naphthalene	ug/kg	100	101	101	73-117	
p-Isopropyltoluene	ug/kg	100	101	101	72-135	
sec-Butylbenzene	ug/kg	100	111	111	72-132	
Styrene	ug/kg	100	108	108	77-127	
tert-Butylbenzene	ug/kg	100	105	105	74-133	
Tetrachloroethene	ug/kg	100	103	103	75-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

LABORATORY CONTROL SAMPLE: 2100604

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/kg	100	101	101	73-122	
trans-1,2-Dichloroethene	ug/kg	100	109	109	71-134	
trans-1,3-Dichloropropene	ug/kg	100	99.6	100	72-142	
Trichloroethene	ug/kg	100	105	105	73-127	
Trichlorofluoromethane	ug/kg	100	95.9	96	55-155	
Vinyl chloride	ug/kg	100	98.8	99	36-162	
Xylene (Total)	ug/kg	300	306	102	75-123	
1,2-Dichloroethane-d4 (S)	%			99	80-123	
4-Bromofluorobenzene (S)	%			101	69-133	
Toluene-d8 (S)	%			101	78-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100605 2100606

Parameter	Units	60263077004		MS		MSD		MS		MSD		% Rec		Max		Qual
		Result	Conc.	Spike Conc.	Conc.	Result	Conc.	% Rec	% Rec	% Rec	% Rec	Limits	RPD	RPD	RPD	
1,1,1,2-Tetrachloroethane	ug/kg	ND	114	114	114	94.5	96.5	83	84	33-130	2	34				
1,1,1-Trichloroethane	ug/kg	ND	114	114	114	93.0	96.1	82	84	45-129	3	45				
1,1,2,2-Tetrachloroethane	ug/kg	ND	114	114	114	84.7	90.5	75	79	5-157	7	41				
1,1,2-Trichloroethane	ug/kg	ND	114	114	114	100	102	88	89	28-133	1	32				
1,1-Dichloroethane	ug/kg	ND	114	114	114	81.9	88.1	72	77	43-126	7	32				
1,1-Dichloroethene	ug/kg	ND	114	114	114	84.2	82.1	74	72	33-132	2	38				
1,1-Dichloropropene	ug/kg	ND	114	114	114	91.1	97.6	80	85	36-132	7	36				
1,2,3-Trichlorobenzene	ug/kg	ND	114	114	114	59.6	62.5	52	55	10-135	5	45				
1,2,3-Trichloropropane	ug/kg	ND	114	114	114	92.9	92.0	82	80	15-153	1	35				
1,2,4-Trichlorobenzene	ug/kg	ND	114	114	114	59.2	65.5	52	57	10-135	10	43				
1,2,4-Trimethylbenzene	ug/kg	ND	114	114	114	76.7	81.1	68	71	15-129	6	41				
1,2-Dibromo-3-chloropropane	ug/kg	ND	114	114	114	87.8	93.6	77	82	10-155	6	38				
1,2-Dibromoethane (EDB)	ug/kg	ND	114	114	114	93.8	92.6	83	81	38-128	1	32				
1,2-Dichlorobenzene	ug/kg	ND	114	114	114	72.2	78.3	64	68	12-132	8	38				
1,2-Dichloroethane	ug/kg	ND	114	114	114	87.8	92.0	77	80	45-117	5	29				
1,2-Dichloroethene (Total)	ug/kg	ND	227	229	173	262	75	114	37-127	41	33	R1				
1,2-Dichloropropane	ug/kg	ND	114	114	114	90.6	96.4	80	84	46-116	6	31				
1,3,5-Trimethylbenzene	ug/kg	ND	114	114	114	76.8	83.8	68	73	19-130	9	38				
1,3-Dichlorobenzene	ug/kg	ND	114	114	114	72.4	75.9	64	66	14-130	5	39				
1,3-Dichloropropane	ug/kg	ND	114	114	114	92.9	95.1	82	83	38-124	2	31				
1,4-Dichlorobenzene	ug/kg	ND	114	114	114	70.7	75.4	62	66	12-130	6	39				
2,2-Dichloropropane	ug/kg	ND	114	114	114	89.9	96.5	79	84	37-135	7	33				
2-Butanone (MEK)	ug/kg	ND	568	572	477	475	84	83	32-130	0	33					
2-Chlorotoluene	ug/kg	ND	114	114	114	79.5	86.0	70	75	18-133	8	38				
2-Hexanone	ug/kg	ND	568	572	498	508	88	89	31-131	2	32					
4-Chlorotoluene	ug/kg	ND	114	114	114	77.1	82.0	68	72	24-128	6	39				
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	568	572	487	497	86	87	38-129	2	30					
Acetone	ug/kg	ND	568	572	587	541	102	93	25-143	8	39					
Benzene	ug/kg	ND	114	114	114	90.4	94.2	80	82	51-124	4	28				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100605 2100606											
Parameter	Units	60263077004		MS	MSD	MS		MSD	% Rec	Max	
		Result	Conc.	Spike	Spike	Result	Result	% Rec	% Rec	Limits	RPD
Bromobenzene	ug/kg	ND	114	114	114	81.0	87.9	71	77	21-130	8
Bromochloromethane	ug/kg	ND	114	114	114	90.2	90.5	79	79	40-124	0
Bromodichloromethane	ug/kg	ND	114	114	114	94.6	99.6	83	87	37-130	5
Bromoform	ug/kg	ND	114	114	114	94.4	97.8	83	85	25-142	4
Bromomethane	ug/kg	ND	114	114	114	74.7	83.5	66	73	10-158	11
Carbon disulfide	ug/kg	ND	114	114	114	79.9	78.5	70	69	26-133	2
Carbon tetrachloride	ug/kg	ND	114	114	114	92.8	96.5	82	84	40-136	4
Chlorobenzene	ug/kg	ND	114	114	114	85.3	91.5	75	80	25-133	7
Chloroethane	ug/kg	ND	114	114	114	69.7	68.2	61	60	10-160	2
Chloroform	ug/kg	ND	114	114	114	91.0	93.1	80	81	47-119	2
Chloromethane	ug/kg	ND	114	114	114	77.2	76.6	68	67	10-143	1
cis-1,2-Dichloroethene	ug/kg	ND	114	114	114	87.0	92.7	76	80	45-125	6
cis-1,3-Dichloropropene	ug/kg	ND	114	114	114	93.7	98.0	83	86	43-125	4
Dibromochloromethane	ug/kg	ND	114	114	114	94.6	100	83	87	46-129	6
Dibromomethane	ug/kg	ND	114	114	114	93.0	95.4	82	83	38-124	3
Dichlorodifluoromethane	ug/kg	ND	114	114	114	92.7	109	82	96	10-156	17
Ethylbenzene	ug/kg	ND	114	114	114	88.8	96.5	78	84	38-131	8
Hexachloro-1,3-butadiene	ug/kg	ND	114	114	114	58.6	62.9	52	55	10-134	7
Isopropylbenzene (Cumene)	ug/kg	ND	114	114	114	88.2	93.1	78	81	26-129	5
Methyl-tert-butyl ether	ug/kg	ND	114	114	114	86.0	155	76	135	49-120	57
Methylene chloride	ug/kg	ND	114	114	114	92.0	87.0	78	73	37-123	6
n-Butylbenzene	ug/kg	ND	114	114	114	71.5	78.3	63	68	10-132	9
n-Propylbenzene	ug/kg	ND	114	114	114	82.2	87.9	72	77	26-130	7
Naphthalene	ug/kg	ND	114	114	114	68.7	72.6	60	63	10-144	6
p-Isopropyltoluene	ug/kg	ND	114	114	114	74.4	79.6	66	69	14-130	7
sec-Butylbenzene	ug/kg	ND	114	114	114	81.5	86.7	72	76	15-131	6
Styrene	ug/kg	ND	114	114	114	87.8	94.9	77	83	29-128	8
tert-Butylbenzene	ug/kg	ND	114	114	114	82.0	86.7	72	76	26-133	6
Tetrachloroethene	ug/kg	ND	114	114	114	93.1	96.8	82	85	31-132	4
Toluene	ug/kg	ND	114	114	114	93.1	98.8	82	86	40-129	6
trans-1,2-Dichloroethene	ug/kg	ND	114	114	114	85.5	169	75	148	40-126	66
trans-1,3-Dichloropropene	ug/kg	ND	114	114	114	92.9	97.9	82	85	30-131	5
Trichloroethene	ug/kg	ND	114	114	114	95.6	101	84	88	34-129	5
Trichlorofluoromethane	ug/kg	ND	114	114	114	89.7	87.3	79	76	30-139	3
Vinyl chloride	ug/kg	ND	114	114	114	94.1	92.1	83	80	17-139	2
Xylene (Total)	ug/kg	ND	341	343	264	282		77	82	32-133	7
1,2-Dichloroethane-d4 (S)	%							103	101	80-123	
4-Bromofluorobenzene (S)	%							96	95	69-133	
Toluene-d8 (S)	%							100	101	78-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch:	91580	Analysis Method:	EPA 8081
QC Batch Method:	EPA 3546	Analysis Description:	8081 GCS Pesticides
Associated Lab Samples:	60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008		

METHOD BLANK: 405973

Matrix: Solid

Associated Lab Samples: 60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	ug/kg	<0.33	1.0	0.33	02/05/18 18:09	
4,4'-DDE	ug/kg	<0.31	1.0	0.31	02/05/18 18:09	
4,4'-DDT	ug/kg	<0.65	1.4	0.65	02/05/18 18:09	
Aldrin	ug/kg	<0.35	1.0	0.35	02/05/18 18:09	
alpha-BHC	ug/kg	<0.16	1.0	0.16	02/05/18 18:09	
alpha-Chlordane	ug/kg	<0.40	1.7	0.40	02/05/18 18:09	
beta-BHC	ug/kg	<0.53	1.7	0.53	02/05/18 18:09	
Chlordane (Technical)	ug/kg	<28.1	150	28.1	02/05/18 18:09	
delta-BHC	ug/kg	<0.48	1.4	0.48	02/05/18 18:09	
Dieldrin	ug/kg	<0.43	1.4	0.43	02/05/18 18:09	
Endosulfan I	ug/kg	<0.46	1.4	0.46	02/05/18 18:09	
Endosulfan II	ug/kg	<0.32	1.0	0.32	02/05/18 18:09	
Endosulfan sulfate	ug/kg	<0.46	1.4	0.46	02/05/18 18:09	
Endrin	ug/kg	<0.46	1.7	0.46	02/05/18 18:09	
Endrin aldehyde	ug/kg	<0.46	1.4	0.46	02/05/18 18:09	
Endrin ketone	ug/kg	<0.55	2.0	0.55	02/05/18 18:09	
gamma-BHC (Lindane)	ug/kg	<0.45	1.4	0.45	02/05/18 18:09	
gamma-Chlordane	ug/kg	<0.66	1.7	0.66	02/05/18 18:09	
Heptachlor	ug/kg	<0.76	2.0	0.76	02/05/18 18:09	
Heptachlor epoxide	ug/kg	<2.0	5.0	2.0	02/05/18 18:09	
Methoxychlor	ug/kg	<0.57	2.0	0.57	02/05/18 18:09	
Toxaphene	ug/kg	<51.8	150	51.8	02/05/18 18:09	
Decachlorobiphenyl (S)	%	100	70-130		02/05/18 18:09	
Tetrachloro-m-xylene (S)	%	90	70-130		02/05/18 18:09	

LABORATORY CONTROL SAMPLE: 405974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	ug/kg	33.3	31.7	95	70-130	
4,4'-DDE	ug/kg	33.3	31.8	96	70-130	
4,4'-DDT	ug/kg	33.3	31.3	94	70-130	
Aldrin	ug/kg	33.3	29.9	90	70-130	
alpha-BHC	ug/kg	33.3	31.5	95	70-130	
alpha-Chlordane	ug/kg	33.3	29.8	90	70-130	
beta-BHC	ug/kg	33.3	27.8	83	70-130	
delta-BHC	ug/kg	33.3	28.8	87	70-130	
Dieldrin	ug/kg	33.3	28.5	86	70-130	
Endosulfan I	ug/kg	33.3	28.0	84	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

LABORATORY CONTROL SAMPLE: 405974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endosulfan II	ug/kg	33.3	29.5	89	70-130	
Endosulfan sulfate	ug/kg	33.3	27.5	83	70-130	
Endrin	ug/kg	33.3	30.1	90	70-130	
Endrin aldehyde	ug/kg	33.3	27.9	84	70-130	
Endrin ketone	ug/kg	33.3	28.0	84	70-130	
gamma-BHC (Lindane)	ug/kg	33.3	30.1	90	70-130	
gamma-Chlordane	ug/kg	33.3	32.0	96	70-130	
Heptachlor	ug/kg	33.3	29.4	88	70-130	
Heptachlor epoxide	ug/kg	33.3	28.1	85	70-130	
Methoxychlor	ug/kg	33.3	29.5	88	70-130	
Decachlorobiphenyl (S)	%.			93	70-130	
Tetrachloro-m-xylene (S)	%.			97	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 405975 405976

Parameter	Units	60262738001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
4,4'-DDD	ug/kg	<0.58	60.4	60.5	45.3	46.3	75	77	70-130	2	40	
4,4'-DDE	ug/kg	<0.56	60.4	60.5	54.7	55.9	90	92	70-130	2	40	
4,4'-DDT	ug/kg	<1.2	60.4	60.5	44.8	45.2	74	75	70-130	1	40	
Aldrin	ug/kg	<0.64	60.4	60.5	44.6	45.4	74	75	70-130	2	40	
alpha-BHC	ug/kg	<0.28	60.4	60.5	49.1	50.4	81	83	70-130	3	40	
alpha-Chlordane	ug/kg	<0.71	60.4	60.5	45.6	46.3	75	77	70-130	2	40	
beta-BHC	ug/kg	<0.95	60.4	60.5	49.4	51.4	82	85	70-130	4	40	
delta-BHC	ug/kg	<0.86	60.4	60.5	47.7	47.2	79	78	70-130	1	40	
Dieldrin	ug/kg	<0.78	60.4	60.5	41.5	42.1	69	70	70-130	1	40	M1
Endosulfan I	ug/kg	<0.83	60.4	60.5	38.2	38.2	63	63	70-130	0	40	M1
Endosulfan II	ug/kg	<0.58	60.4	60.5	42.6	43.2	71	71	70-130	1	40	
Endosulfan sulfate	ug/kg	<0.83	60.4	60.5	38.4	39.5	64	65	70-130	3	40	M1
Endrin	ug/kg	<0.83	60.4	60.5	46.2	45.9	76	76	70-130	1	40	
Endrin aldehyde	ug/kg	<0.83	60.4	60.5	42.5	42.9	70	71	70-130	1	40	
Endrin ketone	ug/kg	<0.99	60.4	60.5	39.3	40.2	64	66	70-130	2	40	M1
gamma-BHC (Lindane)	ug/kg	<0.81	60.4	60.5	48.5	49.8	80	82	70-130	3	40	
gamma-Chlordane	ug/kg	<1.2	60.4	60.5	42.0	42.4	70	70	70-130	1	40	
Heptachlor	ug/kg	<1.4	60.4	60.5	43.0	43.7	71	72	70-130	2	40	
Heptachlor epoxide	ug/kg	<3.6	60.4	60.5	42.8	43.8	71	72	70-130	2	40	
Methoxychlor	ug/kg	<1.0	60.4	60.5	44.6	47.0	74	78	70-130	5	40	
Decachlorobiphenyl (S)	%.						71	72	70-130			
Tetrachloro-m-xylene (S)	%.						75	75	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 91634 Analysis Method: EPA 8081
QC Batch Method: EPA 3510 Analysis Description: 8081 GCS Pesticides
Associated Lab Samples: 60262738009, 60262738010, 60262738011

METHOD BLANK: 406236 Matrix: Water

Associated Lab Samples: 60262738009, 60262738010, 60262738011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	ug/L	<0.0050	0.010	0.0050	02/09/18 13:36	
4,4'-DDE	ug/L	<0.0070	0.010	0.0070	02/09/18 13:36	
4,4'-DDT	ug/L	<0.0070	0.010	0.0070	02/09/18 13:36	
Aldrin	ug/L	<0.0070	0.010	0.0070	02/09/18 13:36	
alpha-BHC	ug/L	<0.0060	0.010	0.0060	02/09/18 13:36	
alpha-Chlordane	ug/L	<0.024	0.10	0.024	02/09/18 13:36	
beta-BHC	ug/L	<0.010	0.010	0.010	02/09/18 13:36	
Chlordane (Technical)	ug/L	<0.090	0.10	0.090	02/09/18 13:36	
delta-BHC	ug/L	<0.0090	0.010	0.0090	02/09/18 13:36	
Dieldrin	ug/L	<0.0060	0.010	0.0060	02/09/18 13:36	
Endosulfan I	ug/L	<0.021	0.10	0.021	02/09/18 13:36	
Endosulfan II	ug/L	<0.0090	0.010	0.0090	02/09/18 13:36	
Endosulfan sulfate	ug/L	<0.0070	0.010	0.0070	02/09/18 13:36	
Endrin	ug/L	<0.0070	0.010	0.0070	02/09/18 13:36	
Endrin aldehyde	ug/L	<0.029	0.10	0.029	02/09/18 13:36	
Endrin ketone	ug/L	<0.025	0.10	0.025	02/09/18 13:36	
gamma-BHC (Lindane)	ug/L	<0.0080	0.010	0.0080	02/09/18 13:36	
gamma-Chlordane	ug/L	<0.034	0.10	0.034	02/09/18 13:36	
Heptachlor	ug/L	<0.0050	0.010	0.0050	02/09/18 13:36	
Heptachlor epoxide	ug/L	<0.0070	0.010	0.0070	02/09/18 13:36	
Methoxychlor	ug/L	<0.0060	0.010	0.0060	02/09/18 13:36	
Toxaphene	ug/L	<0.61	1.5	0.61	02/09/18 13:36	
Decachlorobiphenyl (S)	%.	51	12-162		02/09/18 13:36	
Tetrachloro-m-xylene (S)	%.	60	54-127		02/09/18 13:36	

LABORATORY CONTROL SAMPLE: 406237

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	ug/L	1	1.0	100	68-149	
4,4'-DDE	ug/L	1	0.84	84	70-135	
4,4'-DDT	ug/L	1	0.93	93	30-174	
Aldrin	ug/L	1	0.75	75	60-137	
alpha-BHC	ug/L	1	0.95	95	73-136	
alpha-Chlordane	ug/L	1	0.88	88	24-176	
beta-BHC	ug/L	1	0.85	85	50-174	
delta-BHC	ug/L	1	0.89	89	18-200	
Dieldrin	ug/L	1	0.88	88	62-148	
Endosulfan I	ug/L	1	0.87	87	38-171	
Endosulfan II	ug/L	1	0.93	93	36-178	
Endosulfan sulfate	ug/L	1	0.88	88	64-131	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

LABORATORY CONTROL SAMPLE: 406237

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endrin	ug/L	1	0.96	96	56-152	
Endrin aldehyde	ug/L	1	0.85	85	52-162	
Endrin ketone	ug/L	1	1.1	106	22-187	
gamma-BHC (Lindane)	ug/L	1	0.92	92	70-135	
gamma-Chlordane	ug/L	1	0.90	90	52-155	
Heptachlor	ug/L	1	0.75	75	59-139	
Heptachlor epoxide	ug/L	1	0.86	86	65-138	
Methoxychlor	ug/L	1	0.93	93	39-160	
Decachlorobiphenyl (S)	%			53	12-162	
Tetrachloro-m-xylene (S)	%			58	54-127	

MATRIX SPIKE SAMPLE: 406238

Parameter	Units	60262738009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	ug/L	<0.0050	1	0.94	94	24-177	
4,4'-DDE	ug/L	<0.0070	1	0.73	73	22-161	
4,4'-DDT	ug/L	<0.0070	1	0.64	64	10-180	
Aldrin	ug/L	<0.0070	1	0.65	65	10-156	
alpha-BHC	ug/L	<0.0060	1	0.94	94	71-143	
alpha-Chlordane	ug/L	<0.024	1	0.79	79	15-174	
beta-BHC	ug/L	<0.010	1	0.82	82	72-149	
delta-BHC	ug/L	<0.0090	1	0.90	90	44-151	
Dieldrin	ug/L	<0.0060	1	0.86	86	33-166	
Endosulfan I	ug/L	<0.021	1	0.78	78	27-167	
Endosulfan II	ug/L	<0.0090	1	0.83	83	37-173	
Endosulfan sulfate	ug/L	<0.0070	1	0.77	77	33-167	
Endrin	ug/L	<0.0070	1	0.92	92	39-173	
Endrin aldehyde	ug/L	<0.029	1	0.84	84	14-180	
Endrin ketone	ug/L	<0.025	1	0.98	98	29-180	
gamma-BHC (Lindane)	ug/L	0.011	1	0.91	90	69-139	
gamma-Chlordane	ug/L	<0.034	1	0.82	82	20-166	
Heptachlor	ug/L	<0.0050	1	0.70	70	48-141	
Heptachlor epoxide	ug/L	<0.0070	1	0.85	85	28-164	
Methoxychlor	ug/L	<0.0060	1	0.75	75	20-178	
Decachlorobiphenyl (S)	%				39	12-162	
Tetrachloro-m-xylene (S)	%				58	54-127	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch:	91581	Analysis Method:	EPA 8141A
QC Batch Method:	EPA 3546	Analysis Description:	Organophos Pests in soil by 8141
Associated Lab Samples:	60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008		

METHOD BLANK:	405989	Matrix:	Solid
Associated Lab Samples:	60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Azinphos, methyl (Guthion)	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Bolstar	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Chlorpyrifos	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Coumaphos	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Demeton-O	ug/kg	<2.7	3.3	2.7	02/05/18 17:09	
Demeton-S	ug/kg	<0.83	1.7	0.83	02/05/18 17:09	
Diazinon	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Dichlorvos	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
Dimethoate	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Disulfoton	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
EPN (ENT)	ug/kg	<2.1	3.3	2.1	02/05/18 17:09	
Ethoprop	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
Fensulfothion	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Fenthion	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
Malathion	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Merphos	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Merphos-Oxone	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	N2
Methyl parathion	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
Mevinphos	ug/kg	<2.0	3.3	2.0	02/05/18 17:09	
Parathion (Ethyl parathion)	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Phorate	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
Ronnel	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
Stirophos (Tetrachlorvinphos)	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Sulfotep (Thiodiphosphoric Ac	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
Tokuthion (Prothiofos)	ug/kg	<1.7	3.3	1.7	02/05/18 17:09	
Total Demeton	ug/kg	<2.7	3.3	2.7	02/05/18 17:09	N2
Total Merphos	ug/kg	<3.3	13.3	3.3	02/05/18 17:09	N2
Trichloronate	ug/kg	<3.3	6.7	3.3	02/05/18 17:09	
Tributylphosphate (S)	%	122	17-125		02/05/18 17:09	
Triphenylphosphate (S)	%	99	11-137		02/05/18 17:09	

LABORATORY CONTROL SAMPLE: 405990

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Azinphos, methyl (Guthion)	ug/kg	8.3	7.9	95	45-142	
Bolstar	ug/kg	8.3	6.9	83	58-97	
Chlorpyrifos	ug/kg	8.3	6.4	77	58-97	
Coumaphos	ug/kg	8.3	8.4	101	59-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

LABORATORY CONTROL SAMPLE: 405990

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Demeton-O	ug/kg	4.2	2.8	68	35-111	
Demeton-S	ug/kg	4.2	3.0	72	38-100	
Diazinon	ug/kg	8.3	6.7	81	51-100	
Dichlorvos	ug/kg	8.3	6.0	72	40-117	
Dimethoate	ug/kg	8.3	6.7	80	32-130	
Disulfoton	ug/kg	8.3	5.9	71	32-108	
EPN (ENT)	ug/kg	8.3	7.4	89	51-117	
Ethoprop	ug/kg	8.3	7.1	86	49-108	
Fensulfothion	ug/kg	8.3	8.4	101	47-148	
Fenthion	ug/kg	8.3	7.0	84	58-111	
Malathion	ug/kg	8.3	7.0	85	55-112	
Merphos	ug/kg	8.3	<0.33	0	10-200	L2
Merphos-Oxone	ug/kg		5.8			N2
Methyl parathion	ug/kg	8.3	6.9	83	49-113	
Mevinphos	ug/kg	8.3	6.8	81	43-121	
Parathion (Ethyl parathion)	ug/kg	8.3	6.7	81	50-114	
Phorate	ug/kg	8.3	6.4	77	42-108	
Ronnel	ug/kg	8.3	6.5	78	54-106	
Stirophos (Tetrachlorvinphos)	ug/kg	8.3	7.2	87	54-115	
Sulfotep (Thiodiphosphoric Ac	ug/kg	8.3	6.6	80	46-108	
Tokuthion (Prothiofos)	ug/kg	8.3	7.1	85	59-104	
Total Demeton	ug/kg	8.3	5.8	70	32-106	N2
Total Merphos	ug/kg	8.3	5.8	70	10-144	N2
Trichloronate	ug/kg	8.3	6.7	81	59-100	
Tributylphosphate (S)	%			84	17-125	
Triphenylphosphate (S)	%			87	11-137	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 405991 405992

Parameter	Units	60262738002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Azinphos, methyl (Guthion)	ug/kg	<6.3	15.9	15.7	14.2	13.4	90	85	20-146	6	40	
Bolstar	ug/kg	<6.3	15.9	15.7	12.1	11.3	76	72	13-120	7	40	
Chlorpyrifos	ug/kg	<6.3	15.9	15.7	10.9	10.5	69	67	10-147	4	40	
Coumaphos	ug/kg	<6.3	15.9	15.7	14.6	13.5	92	86	28-126	8	40	
Demeton-O	ug/kg	<5.2	7.87	7.87	4.1	4.4	51	57	10-140	9	40	
Demeton-S	ug/kg	<1.6	7.87	7.87	5.2	4.9	65	63	10-115	4	40	
Diazinon	ug/kg	<6.3	15.9	15.7	11.3	10.6	71	67	10-136	6	40	
Dichlorvos	ug/kg	<3.2	15.9	15.7	10.5	9.8	66	63	10-135	6	40	
Dimethoate	ug/kg	<6.3	15.9	15.7	11.1	11.1	57	58	10-133	0	40	
Disulfoton	ug/kg	<3.2	15.9	15.7	10.1	9.7	64	62	10-130	4	40	
EPN (ENT)	ug/kg	<4.0	15.9	15.7	12.7	12.4	80	79	10-133	3	40	
Ethoprop	ug/kg	<3.2	15.9	15.7	12.0	11.8	76	75	15-119	2	40	
Fensulfothion	ug/kg	<6.3	15.9	15.7	14.4	14.1	91	90	16-143	2	40	
Fenthion	ug/kg	<3.2	15.9	15.7	12.5	11.6	72	67	14-133	7	40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 405991 405992											
Parameter	Units	60262738002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
Malathion	ug/kg	<6.3	15.9	15.7	12.1	11.5	76	73	31-112	5	40
Merphos	ug/kg	<6.3	15.9	15.7	<0.63	<0.63	0	0	10-200	40	M0
Merphos-Oxone	ug/kg	<6.3			12.8	12.2				4	N2
Methyl parathion	ug/kg	<3.2	15.9	15.7	12.1	11.5	76	73	10-147	5	40
Mevinphos	ug/kg	<3.7	15.9	15.7	11.5	11.5	73	73	10-136	0	40
Parathion (Ethyl parathion)	ug/kg	<6.3	15.9	15.7	11.7	11.5	70	70	10-142	2	40
Phorate	ug/kg	<3.2	15.9	15.7	11.1	10.8	70	69	10-130	2	40
Ronnel	ug/kg	<3.2	15.9	15.7	11.2	10.8	71	69	13-125	4	40
Stirophos	ug/kg	<6.3	15.9	15.7	12.3	11.9	77	76	16-136	3	40
(Tetrachlorvinphos)											
Sulfotep (Thiodiphosphoric Ac	ug/kg	<3.2	15.9	15.7	11.4	11.0	72	70	10-122	4	40
Tokuthion (Prothiofos)	ug/kg	<3.2	15.9	15.7	12.1	11.5	76	73	10-125	5	40
Total Demeton	ug/kg	<5.2	15.9	15.7	9.2	9.4	58	60	10-119	2	40 N2
Total Merphos	ug/kg	<6.3	15.9	15.7	12.8	12.2	80	78	10-122	4	40 N2
Trichloronate	ug/kg	<6.3	15.9	15.7	11.6	11.0	73	70	13-120	5	40
Tributylphosphate (S)	%.						68	66	17-125		
Triphenylphosphate (S)	%.						76	73	11-137		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 91635 Analysis Method: EPA 8141A
QC Batch Method: EPA 3510 Analysis Description: 8141 GCS, O/P Pesticides
Associated Lab Samples: 60262738009, 60262738010, 60262738011

METHOD BLANK: 406239 Matrix: Water

Associated Lab Samples: 60262738009, 60262738010, 60262738011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Azinphos, methyl (Guthion)	ug/L	<0.093	0.10	0.093	02/05/18 17:36	
Bolstar	ug/L	<0.090	0.10	0.090	02/05/18 17:36	
Chlorpyrifos	ug/L	<0.067	0.10	0.067	02/05/18 17:36	
Coumaphos	ug/L	<0.092	0.10	0.092	02/05/18 17:36	
Diazinon	ug/L	<0.078	0.10	0.078	02/05/18 17:36	
Dichlorvos	ug/L	<0.073	0.10	0.073	02/05/18 17:36	
Dimethoate	ug/L	<0.083	0.10	0.083	02/05/18 17:36	
Disulfoton	ug/L	<0.071	0.10	0.071	02/05/18 17:36	
EPN (ENT)	ug/L	<0.087	0.10	0.087	02/05/18 17:36	
Ethoprop	ug/L	<0.059	0.10	0.059	02/05/18 17:36	
Fensulfothion	ug/L	<0.087	0.10	0.087	02/05/18 17:36	
Fenthion	ug/L	<0.088	0.10	0.088	02/05/18 17:36	
Malathion	ug/L	<0.086	0.10	0.086	02/05/18 17:36	
Methyl parathion	ug/L	<0.070	0.10	0.070	02/05/18 17:36	
Mevinphos	ug/L	<0.065	0.10	0.065	02/05/18 17:36	
Parathion (Ethyl parathion)	ug/L	<0.060	0.10	0.060	02/05/18 17:36	
Phorate	ug/L	<0.064	0.10	0.064	02/05/18 17:36	
Ronnel	ug/L	<0.088	0.10	0.088	02/05/18 17:36	
Stirophos (Tetrachlorvinphos)	ug/L	<0.072	0.10	0.072	02/05/18 17:36	
Sulfotep (Thiodiphosphoric Ac	ug/L	<0.061	0.10	0.061	02/05/18 17:36	
Tokuthion (Prothiofos)	ug/L	<0.081	0.10	0.081	02/05/18 17:36	
Total Demeton	ug/L	<0.083	0.10	0.083	02/05/18 17:36	
Total Merphos	ug/L	<0.038	0.10	0.038	02/05/18 17:36	
Trichloronate	ug/L	<0.087	0.10	0.087	02/05/18 17:36	
Tributylphosphate (S)	%	113	20-150		02/05/18 17:36	
Triphenylphosphate (S)	%	105	10-175		02/05/18 17:36	

LABORATORY CONTROL SAMPLE: 406240

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Azinphos, methyl (Guthion)	ug/L	.25	0.25	101	32-136	
Bolstar	ug/L	.25	0.21	83	45-115	
Chlorpyrifos	ug/L	.25	0.20	78	44-113	
Coumaphos	ug/L	.25	0.25	101	42-135	
Diazinon	ug/L	.25	0.21	85	35-117	
Dichlorvos	ug/L	.25	0.21	83	24-129	
Dimethoate	ug/L	.25	0.18	71	43-120	
Disulfoton	ug/L	.25	0.18	71	34-111	
EPN (ENT)	ug/L	.25	0.23	91	34-133	
Ethoprop	ug/L	.25	0.23	93	42-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

LABORATORY CONTROL SAMPLE: 406240

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Fensulfothion	ug/L	.25	0.25	100	37-153	
Fenthion	ug/L	.25	0.21	84	43-128	
Malathion	ug/L	.25	0.22	88	42-125	
Methyl parathion	ug/L	.25	0.22	88	41-127	
Mevinphos	ug/L	.25	0.22	87	16-142	
Parathion (Ethyl parathion)	ug/L	.25	0.21	85	42-118	
Phorate	ug/L	.25	0.20	80	42-122	
Ronnel	ug/L	.25	0.21	85	45-116	
Stirophos (Tetrachlorvinphos)	ug/L	.25	0.23	91	40-131	
Sulfotep (Thiodiphosphoric Ac	ug/L	.25	0.21	85	42-111	
Tokuthion (Prothiofos)	ug/L	.25	0.21	85	42-118	
Total Demeton	ug/L	.25	0.11	44	19-126	
Total Merphos	ug/L	.25	0.25	102	10-143	
Trichloronate	ug/L	.25	0.21	82	43-116	
Tributylphosphate (S)	%			82	20-150	
Triphenylphosphate (S)	%			91	10-175	

MATRIX SPIKE SAMPLE: 406241

Parameter	Units	60262738011 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Azinphos, methyl (Guthion)	ug/L	<0.093	.25	0.24	98	40-140	
Bolstar	ug/L	<0.090	.25	0.17	70	40-140	
Chlorpyrifos	ug/L	<0.067	.25	0.16	66	40-140	
Coumaphos	ug/L	<0.092	.25	0.24	95	40-140	
Diazinon	ug/L	<0.078	.25	0.16	64	40-140	
Dichlorvos	ug/L	<0.073	.25	0.17	67	40-140	
Dimethoate	ug/L	<0.083	.25	0.17	50	40-140	
Disulfoton	ug/L	<0.071	.25	0.21	84	10-140	
EPN (ENT)	ug/L	<0.087	.25	0.20	81	40-140	
Ethoprop	ug/L	<0.059	.25	0.22	88	40-140	
Fensulfothion	ug/L	<0.087	.25	0.25	99	40-140	
Fenthion	ug/L	<0.088	.25	0.21	86	40-140	
Malathion	ug/L	<0.086	.25	0.23	91	40-140	
Methyl parathion	ug/L	<0.070	.25	0.19	77	40-140	
Mevinphos	ug/L	<0.065	.25	0.19	75	40-140	
Parathion (Ethyl parathion)	ug/L	<0.060	.25	0.20	82	40-140	
Phorate	ug/L	<0.064	.25	0.18	72	40-140	
Ronnel	ug/L	<0.088	.25	0.17	67	40-140	
Stirophos (Tetrachlorvinphos)	ug/L	<0.072	.25	0.21	82	40-140	
Sulfotep (Thiodiphosphoric Ac	ug/L	<0.061	.25	0.18	74	40-140	
Tokuthion (Prothiofos)	ug/L	<0.081	.25	0.16	66	40-140	
Total Demeton	ug/L	<0.083	.25	0.12	48	10-140	
Total Merphos	ug/L	<0.038	.25	0.19	75	10-140	
Trichloronate	ug/L	<0.087	.25	0.17	67	40-140	
Tributylphosphate (S)	%				72	20-150	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

MATRIX SPIKE SAMPLE:		406241					
Parameter	Units	60262738011 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Triphenylphosphate (S)	%.				87	10-175	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 91836 Analysis Method: EPA 8151
QC Batch Method: EPA 3546 Analysis Description: 8151 GCS Herbicides
Associated Lab Samples: 60262738001, 60262738002, 60262738003, 60262738004

METHOD BLANK: 407187 Matrix: Solid
Associated Lab Samples: 60262738001, 60262738002, 60262738003, 60262738004

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
2,4,5-T	ug/kg	<1.6	1.6	1.6	02/06/18 14:40	
2,4,5-TP (Silvex)	ug/kg	<1.6	1.6	1.6	02/06/18 14:40	
2,4-D	ug/kg	<1.6	1.6	1.6	02/06/18 14:40	
2,4-DB	ug/kg	<1.6	1.6	1.6	02/06/18 14:40	
Dalapon	ug/kg	<1.6	1.6	1.6	02/06/18 14:40	
Dicamba	ug/kg	<1.6	1.6	1.6	02/06/18 14:40	
Dichloroprop	ug/kg	<1.6	1.6	1.6	02/06/18 14:40	
Dinoseb	ug/kg	<1.6	1.6	1.6	02/06/18 14:40	3e
MCPA	ug/kg	<165	165	165	02/06/18 14:40	
MCP	ug/kg	<165	165	165	02/06/18 14:40	
2,4-DCAA (S)	%	47	10-188		02/06/18 14:40	

LABORATORY CONTROL SAMPLE: 407188

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4,5-T	ug/kg	66.2	59.4	90	61-151	
2,4,5-TP (Silvex)	ug/kg	66.2	56.2	85	58-135	
2,4-D	ug/kg	66.2	51.7	78	15-155	
2,4-DB	ug/kg	66.2	37.8	57	26-159	
Dalapon	ug/kg	66.2	20.4	31	10-172	
Dicamba	ug/kg	66.2	53.5	81	55-111	
Dichloroprop	ug/kg	66.2	60.4	91	28-167	
Dinoseb	ug/kg	66.2	98.9	149	28-200	3e
MCPA	ug/kg	6620	6410	97	26-131	
MCP	ug/kg	6620	8390	127	10-158	
2,4-DCAA (S)	%			64	10-188	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 407189 407190

Parameter	Units	35370224001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
2,4,5-T	ug/kg	0.026U mg/kg	141	140	87.6	87.5	62	63	10-146	0	40	
2,4,5-TP (Silvex)	ug/kg	0.026U mg/kg	141	140	108	101	76	72	10-139	7	40	
2,4-D	ug/kg	0.026U mg/kg	141	140	84.8	74.2	60	53	10-166	13	40	
2,4-DB	ug/kg	0.026U mg/kg	141	140	90.2	76.7	64	55	10-200	16	40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 407189 407190											
Parameter	Units	35370224001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
Dalapon	ug/kg	0.026U mg/kg	141	140	62.3	66.6	44	48	10-154	7	40
Dicamba	ug/kg	0.026U mg/kg	141	140	91.4	76.9	64	55	10-140	17	40
Dichloroprop	ug/kg	0.026U mg/kg	141	140	116	118	82	84	10-194	2	40
Dinoseb	ug/kg	0.026U mg/kg	141	140	238	163	168	116	10-200	38	40 3e
MCPA	ug/kg	2.6U mg/kg	14100	14000	6400	8080	45	58	10-200	23	40
MCPP	ug/kg	2.6U mg/kg	14100	14000	17100	12000	120	86	10-175	35	40
2,4-DCAA (S)	%.						84	81	10-188		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch:	91886	Analysis Method:	EPA 8151
QC Batch Method:	EPA 3546	Analysis Description:	8151 GCS Herbicides
Associated Lab Samples:	60262738005, 60262738006, 60262738007, 60262738008		

METHOD BLANK: 407446 Matrix: Solid
Associated Lab Samples: 60262738005, 60262738006, 60262738007, 60262738008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
2,4,5-T	ug/kg	<1.7	1.7	1.7	02/07/18 13:25	
2,4,5-TP (Silvex)	ug/kg	<1.7	1.7	1.7	02/07/18 13:25	
2,4-D	ug/kg	<1.7	1.7	1.7	02/07/18 13:25	
2,4-DB	ug/kg	<1.7	1.7	1.7	02/07/18 13:25	
Dalapon	ug/kg	<1.7	1.7	1.7	02/07/18 13:25	
Dicamba	ug/kg	<1.7	1.7	1.7	02/07/18 13:25	
Dichloroprop	ug/kg	<1.7	1.7	1.7	02/07/18 13:25	
Dinoseb	ug/kg	<1.7	1.7	1.7	02/07/18 13:25	
MCPA	ug/kg	<165	165	165	02/07/18 13:25	
MCPP	ug/kg	<165	165	165	02/07/18 13:25	
2,4-DCAA (S)	%	34	10-188		02/07/18 13:25	

LABORATORY CONTROL SAMPLE: 407447

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4,5-T	ug/kg	66.5	52.4	79	61-151	
2,4,5-TP (Silvex)	ug/kg	66.5	43.1	65	58-135	
2,4-D	ug/kg	66.5	48.7	73	15-155	
2,4-DB	ug/kg	66.5	45.3	68	26-159	
Dalapon	ug/kg	66.5	18.4	28	10-172	
Dicamba	ug/kg	66.5	50.9	77	55-111	
Dichloroprop	ug/kg	66.5	49.7	75	28-167	
Dinoseb	ug/kg	66.5	69.0	104	28-200	
MCPA	ug/kg	6650	5710	86	26-131	
MCPP	ug/kg	6650	6850	103	10-158	
2,4-DCAA (S)	%			46	10-188	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 407448 407449

Parameter	Units	60262738005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
2,4,5-T	ug/kg	<3.2	128	128	49.1	44.7	38	35	10-146	9	40	
2,4,5-TP (Silvex)	ug/kg	<3.2	128	128	46.3	69.2	36	54	10-139	40	40	
2,4-D	ug/kg	<3.2	128	128	38.0	30.9	30	24	10-166	21	40	
2,4-DB	ug/kg	<3.2	128	128	71.2	91.8	56	72	10-200	25	40	
Dalapon	ug/kg	<3.2	128	128	5.8	5.4	5	4	10-154	7	40 M1	
Dicamba	ug/kg	<3.2	128	128	3.5	6.4	3	5	10-140	58	40 M1, R1	
Dichloroprop	ug/kg	<3.2	128	128	28.5	21.8	22	17	10-194	27	40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 407448 407449												
Parameter	Units	60262738005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Dinoseb	ug/kg	<3.2	128	128	5.4	17.0	4	13	10-200	104	40	M1,R1
MCPA	ug/kg	<318	12800	12800	5030	3360	39	26	10-200	40	40	
MCP	ug/kg	<318	12800	12800	2180	1180	17	9	10-175	60	40	M1,R1
2,4-DCAA (S)	%.						12	10	10-188			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 91466 Analysis Method: EPA 8151
QC Batch Method: EPA 8151 Analysis Description: 8151A GCS Herbicides
Associated Lab Samples: 60262738009, 60262738010, 60262738011

METHOD BLANK: 405532 Matrix: Water

Associated Lab Samples: 60262738009, 60262738010, 60262738011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
2,4,5-T	ug/L	<0.25	0.50	0.25	02/01/18 11:19	
2,4,5-TP (Silvex)	ug/L	<0.25	0.50	0.25	02/01/18 11:19	
2,4-D	ug/L	<0.25	0.50	0.25	02/01/18 11:19	
2,4-DB	ug/L	<0.34	0.50	0.34	02/01/18 11:19	
Dalapon	ug/L	<0.25	0.50	0.25	02/01/18 11:19	
Dicamba	ug/L	<0.25	0.50	0.25	02/01/18 11:19	
Dichloroprop	ug/L	<0.29	0.50	0.29	02/01/18 11:19	
Dinoseb	ug/L	<0.50	0.50	0.50	02/01/18 11:19	
MCPA	ug/L	<20.0	20.0	20.0	02/01/18 11:19	
MCP	ug/L	<20.0	20.0	20.0	02/01/18 11:19	
2,4-DCAA (S)	%	116	47-166		02/01/18 11:19	

LABORATORY CONTROL SAMPLE: 405533

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4,5-T	ug/L	2	2.1	105	61-151	
2,4,5-TP (Silvex)	ug/L	2	2.0	99	58-135	
2,4-D	ug/L	2	2.0	99	52-152	
2,4-DB	ug/L	2	2.4	118	50-156	
Dalapon	ug/L	2	1.0	51	10-167	
Dicamba	ug/L	2	1.8	89	49-128	
Dichloroprop	ug/L	2	1.7	85	59-143	
Dinoseb	ug/L	2	2.5	126	33-200	
MCPA	ug/L	200	160	80	45-148	
MCP	ug/L	200	214	107	63-149	
2,4-DCAA (S)	%			114	47-166	

MATRIX SPIKE SAMPLE: 405534

Parameter	Units	60262572010 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
2,4,5-T	ug/L	<0.25	2	2.1	104	65-153	
2,4,5-TP (Silvex)	ug/L	<0.25	2	1.9	95	10-179	
2,4-D	ug/L	3.7	2	3.9	7	10-200	M1
2,4-DB	ug/L	<0.34	2	2.3	113	68-171	
Dalapon	ug/L	<0.25	2	0.91	46	10-156	
Dicamba	ug/L	<0.25	2	1.8	88	68-151	
Dichloroprop	ug/L	4.0	2	3.6	-23	85-151	M1
Dinoseb	ug/L	<0.50	2	2.7	133	83-152	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

MATRIX SPIKE SAMPLE:		405534					
Parameter	Units	60262572010 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
MCPA	ug/L	<20.0	200	160	80	54-160	
MCP	ug/L	<20.0	200	230	115	10-200	
2,4-DCAA (S)	%				119	47-166	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 511957 Analysis Method: EPA 8270
QC Batch Method: EPA 3546 Analysis Description: 8270 Solid MSSV Microwave
Associated Lab Samples: 60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008

METHOD BLANK: 2096160 Matrix: Solid
Associated Lab Samples: 60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	<29.6	326	29.6	01/30/18 18:16	
1,2-Dichlorobenzene	ug/kg	<24.7	326	24.7	01/30/18 18:16	
1,3-Dichlorobenzene	ug/kg	<27.6	326	27.6	01/30/18 18:16	
1,4-Dichlorobenzene	ug/kg	<28.6	326	28.6	01/30/18 18:16	
2,4,5-Trichlorophenol	ug/kg	<29.6	326	29.6	01/30/18 18:16	
2,4,6-Trichlorophenol	ug/kg	<30.6	326	30.6	01/30/18 18:16	
2,4-Dichlorophenol	ug/kg	<29.6	326	29.6	01/30/18 18:16	
2,4-Dimethylphenol	ug/kg	<17.8	326	17.8	01/30/18 18:16	
2,4-Dinitrophenol	ug/kg	<47.4	1650	47.4	01/30/18 18:16	
2,4-Dinitrotoluene	ug/kg	<27.6	326	27.6	01/30/18 18:16	
2,6-Dinitrotoluene	ug/kg	<33.6	326	33.6	01/30/18 18:16	
2-Chloronaphthalene	ug/kg	<27.6	326	27.6	01/30/18 18:16	
2-Chlorophenol	ug/kg	<26.6	326	26.6	01/30/18 18:16	
2-Methylnaphthalene	ug/kg	<23.7	326	23.7	01/30/18 18:16	
2-Methylphenol(o-Cresol)	ug/kg	<30.6	326	30.6	01/30/18 18:16	
2-Nitroaniline	ug/kg	<55.3	651	55.3	01/30/18 18:16	
2-Nitrophenol	ug/kg	<45.4	326	45.4	01/30/18 18:16	
3&4-Methylphenol(m&p Cresol)	ug/kg	<35.5	326	35.5	01/30/18 18:16	
3,3'-Dichlorobenzidine	ug/kg	<112	651	112	01/30/18 18:16	
3-Nitroaniline	ug/kg	<98.7	651	98.7	01/30/18 18:16	
4,6-Dinitro-2-methylphenol	ug/kg	<43.4	1650	43.4	01/30/18 18:16	
4-Bromophenylphenyl ether	ug/kg	<25.7	326	25.7	01/30/18 18:16	
4-Chloro-3-methylphenol	ug/kg	<35.5	651	35.5	01/30/18 18:16	
4-Chloroaniline	ug/kg	<64.1	651	64.1	01/30/18 18:16	
4-Chlorophenylphenyl ether	ug/kg	<31.6	326	31.6	01/30/18 18:16	
4-Nitroaniline	ug/kg	<83.9	651	83.9	01/30/18 18:16	
4-Nitrophenol	ug/kg	<51.3	1650	51.3	01/30/18 18:16	
Acenaphthene	ug/kg	<34.5	326	34.5	01/30/18 18:16	
Acenaphthylene	ug/kg	<30.6	326	30.6	01/30/18 18:16	
Anthracene	ug/kg	<34.5	326	34.5	01/30/18 18:16	
Benzo(a)anthracene	ug/kg	<29.6	326	29.6	01/30/18 18:16	
Benzo(a)pyrene	ug/kg	<25.7	326	25.7	01/30/18 18:16	
Benzo(b)fluoranthene	ug/kg	<22.7	326	22.7	01/30/18 18:16	
Benzo(g,h,i)perylene	ug/kg	<31.6	326	31.6	01/30/18 18:16	
Benzo(k)fluoranthene	ug/kg	<38.5	326	38.5	01/30/18 18:16	
Benzoic acid	ug/kg	<30.6	1650	30.6	01/30/18 18:16	
Benzyl alcohol	ug/kg	<102	651	102	01/30/18 18:16	
bis(2-Chloroethoxy)methane	ug/kg	<25.7	326	25.7	01/30/18 18:16	
bis(2-Chloroethyl) ether	ug/kg	<25.7	326	25.7	01/30/18 18:16	
bis(2-Chloroisopropyl) ether	ug/kg	<25.7	326	25.7	01/30/18 18:16	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

METHOD BLANK: 2096160

Matrix: Solid

Associated Lab Samples: 60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
bis(2-Ethylhexyl)phthalate	ug/kg	<112	326	112	01/30/18 18:16	
Butylbenzylphthalate	ug/kg	<42.4	326	42.4	01/30/18 18:16	
Carbazole	ug/kg	<26.6	326	26.6	01/30/18 18:16	
Chrysene	ug/kg	<27.6	326	27.6	01/30/18 18:16	
Di-n-butylphthalate	ug/kg	<34.5	326	34.5	01/30/18 18:16	
Di-n-octylphthalate	ug/kg	<38.5	326	38.5	01/30/18 18:16	
Dibenz(a,h)anthracene	ug/kg	<29.6	326	29.6	01/30/18 18:16	
Dibenzofuran	ug/kg	<29.6	326	29.6	01/30/18 18:16	
Diethylphthalate	ug/kg	<30.6	326	30.6	01/30/18 18:16	
Dimethylphthalate	ug/kg	<31.6	326	31.6	01/30/18 18:16	
Fluoranthene	ug/kg	<30.6	326	30.6	01/30/18 18:16	
Fluorene	ug/kg	<30.6	326	30.6	01/30/18 18:16	
Hexachloro-1,3-butadiene	ug/kg	<32.6	326	32.6	01/30/18 18:16	
Hexachlorobenzene	ug/kg	<31.6	326	31.6	01/30/18 18:16	
Hexachlorocyclopentadiene	ug/kg	<69.1	326	69.1	01/30/18 18:16	
Hexachloroethane	ug/kg	<24.7	326	24.7	01/30/18 18:16	
Indeno(1,2,3-cd)pyrene	ug/kg	<35.5	326	35.5	01/30/18 18:16	
Isophorone	ug/kg	<29.6	326	29.6	01/30/18 18:16	
N-Nitroso-di-n-propylamine	ug/kg	<32.6	326	32.6	01/30/18 18:16	
N-Nitrosodiphenylamine	ug/kg	<25.7	326	25.7	01/30/18 18:16	
Naphthalene	ug/kg	<25.7	326	25.7	01/30/18 18:16	
Nitrobenzene	ug/kg	<30.6	326	30.6	01/30/18 18:16	
Pentachlorophenol	ug/kg	<30.6	1650	30.6	01/30/18 18:16	
Phenanthrene	ug/kg	<30.6	326	30.6	01/30/18 18:16	
Phenol	ug/kg	<25.7	326	25.7	01/30/18 18:16	
Pyrene	ug/kg	<32.6	326	32.6	01/30/18 18:16	
Pyridine	ug/kg	<26.6	326	26.6	01/30/18 18:16	
2,4,6-Tribromophenol (S)	%	89	39-114		01/30/18 18:16	
2-Fluorobiphenyl (S)	%	84	61-109		01/30/18 18:16	
2-Fluorophenol (S)	%	83	46-102		01/30/18 18:16	
Nitrobenzene-d5 (S)	%	78	41-114		01/30/18 18:16	
Phenol-d6 (S)	%	84	48-102		01/30/18 18:16	
Terphenyl-d14 (S)	%	87	48-120		01/30/18 18:16	

LABORATORY CONTROL SAMPLE: 2096161

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	1660	1160	70	55-105	
1,2-Dichlorobenzene	ug/kg	1660	1110	67	55-100	
1,3-Dichlorobenzene	ug/kg	1660	1060	64	53-100	
1,4-Dichlorobenzene	ug/kg	1660	1090	66	54-100	
2,4,5-Trichlorophenol	ug/kg	1660	1340	81	55-113	
2,4,6-Trichlorophenol	ug/kg	1660	1280	77	56-111	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

LABORATORY CONTROL SAMPLE: 2096161

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dichlorophenol	ug/kg	1660	1230	74	58-108	
2,4-Dimethylphenol	ug/kg	1660	857	52	54-107	2e
2,4-Dinitrophenol	ug/kg	1660	1020J	62	11-133	
2,4-Dinitrotoluene	ug/kg	1660	1370	83	57-114	
2,6-Dinitrotoluene	ug/kg	1660	1360	82	56-113	
2-Chloronaphthalene	ug/kg	1660	1230	75	54-107	
2-Chlorophenol	ug/kg	1660	1170	71	57-104	
2-Methylnaphthalene	ug/kg	1660	1190	72	57-105	
2-Methylphenol(o-Cresol)	ug/kg	1660	1170	71	57-104	
2-Nitroaniline	ug/kg	1660	1340	81	46-124	
2-Nitrophenol	ug/kg	1660	1210	73	51-113	
3&4-Methylphenol(m&p Cresol)	ug/kg	1660	1200	72	57-105	
3,3'-Dichlorobenzidine	ug/kg	1660	1140	69	3-152	
3-Nitroaniline	ug/kg	1660	1230	74	29-122	
4,6-Dinitro-2-methylphenol	ug/kg	1660	1170J	71	22-125	
4-Bromophenylphenyl ether	ug/kg	1660	1300	78	57-110	
4-Chloro-3-methylphenol	ug/kg	1660	1300	79	61-108	
4-Chloroaniline	ug/kg	1660	970	59	10-112	
4-Chlorophenylphenyl ether	ug/kg	1660	1280	77	57-109	
4-Nitroaniline	ug/kg	1660	1350	81	47-117	
4-Nitrophenol	ug/kg	1660	1350J	81	53-118	
Acenaphthene	ug/kg	1660	1250	76	56-108	
Acenaphthylene	ug/kg	1660	1260	76	56-107	
Anthracene	ug/kg	1660	1330	81	58-111	
Benzo(a)anthracene	ug/kg	1660	1330	81	58-111	
Benzo(a)pyrene	ug/kg	1660	1370	83	58-109	
Benzo(b)fluoranthene	ug/kg	1660	1330	81	58-113	
Benzo(g,h,i)perylene	ug/kg	1660	1320	79	54-108	
Benzo(k)fluoranthene	ug/kg	1660	1410	85	56-111	
Benzoic acid	ug/kg	1660	821J	50	10-105	
Benzyl alcohol	ug/kg	1660	1230	74	58-106	
bis(2-Chloroethoxy)methane	ug/kg	1660	1170	70	56-104	
bis(2-Chloroethyl) ether	ug/kg	1660	1140	69	53-103	
bis(2-Chloroisopropyl) ether	ug/kg	1660	1120	67	55-102	
bis(2-Ethylhexyl)phthalate	ug/kg	1660	1390	84	58-117	
Butylbenzylphthalate	ug/kg	1660	1380	83	58-115	
Carbazole	ug/kg	1660	1360	82	58-112	
Chrysene	ug/kg	1660	1360	82	57-112	
Di-n-butylphthalate	ug/kg	1660	1390	84	61-112	
Di-n-octylphthalate	ug/kg	1660	1410	85	55-122	
Dibenz(a,h)anthracene	ug/kg	1660	1330	80	54-111	
Dibenzofuran	ug/kg	1660	1270	77	55-109	
Diethylphthalate	ug/kg	1660	1300	78	59-108	
Dimethylphthalate	ug/kg	1660	1280	78	58-106	
Fluoranthene	ug/kg	1660	1370	83	62-110	
Fluorene	ug/kg	1660	1280	77	57-109	
Hexachloro-1,3-butadiene	ug/kg	1660	1170	70	56-103	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

LABORATORY CONTROL SAMPLE: 2096161

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Hexachlorobenzene	ug/kg	1660	1350	82	56-111	
Hexachlorocyclopentadiene	ug/kg	3310	1420	43	22-62	
Hexachloroethane	ug/kg	1660	1070	65	54-99	
Indeno(1,2,3-cd)pyrene	ug/kg	1660	1310	79	54-109	
Isophorone	ug/kg	1660	1180	71	57-100	
N-Nitroso-di-n-propylamine	ug/kg	1660	1180	71	57-98	
N-Nitrosodiphenylamine	ug/kg	1660	1320	80	58-109	
Naphthalene	ug/kg	1660	1170	71	56-104	
Nitrobenzene	ug/kg	1660	1170	71	57-104	
Pentachlorophenol	ug/kg	1660	1470J	89	46-118	
Phenanthrene	ug/kg	1660	1330	80	57-111	
Phenol	ug/kg	1660	1190	72	55-105	
Pyrene	ug/kg	1660	1330	80	58-112	
Pyridine	ug/kg	1660	701	42	41-71	
2,4,6-Tribromophenol (S)	%			90	39-114	
2-Fluorobiphenyl (S)	%			77	61-109	
2-Fluorophenol (S)	%			73	46-102	
Nitrobenzene-d5 (S)	%			70	41-114	
Phenol-d6 (S)	%			77	48-102	
Terphenyl-d14 (S)	%			86	48-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2096162 2096163

Parameter	Units	60262738001		MSD		MSD		MSD		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Result	Spike Conc.	Result	Spike Conc.	Result	Spike Conc.	% Rec	Spike Conc.				
1,2,4-Trichlorobenzene	ug/kg	<35.8	2000	1980	1590	1740	79	88	49-100	9	26				
1,2-Dichlorobenzene	ug/kg	<29.8	2000	1980	1520	1700	76	86	48-98	11	26				
1,3-Dichlorobenzene	ug/kg	<33.4	2000	1980	1480	1640	74	83	48-95	10	26				
1,4-Dichlorobenzene	ug/kg	<34.6	2000	1980	1500	1660	75	84	48-96	10	26				
2,4,5-Trichlorophenol	ug/kg	<35.8	2000	1980	1610	1540	80	78	51-111	4	27				
2,4,6-Trichlorophenol	ug/kg	<37.0	2000	1980	1350	1130	67	57	44-112	17	29				
2,4-Dichlorophenol	ug/kg	<35.8	2000	1980	1570	1600	79	81	51-105	1	27				
2,4-Dimethylphenol	ug/kg	<21.5	2000	1980	1450	1620	73	82	18-118	11	34				
2,4-Dinitrophenol	ug/kg	<57.2	2000	1980	615J	578J	31	29	10-131		12				
2,4-Dinitrotoluene	ug/kg	<33.4	2000	1980	1770	1960	88	99	25-132	10	27				
2,6-Dinitrotoluene	ug/kg	<40.5	2000	1980	1730	1940	87	98	31-125	11	27				
2-Chloronaphthalene	ug/kg	<33.4	2000	1980	1650	1830	82	92	47-106	10	29				
2-Chlorophenol	ug/kg	<32.2	2000	1980	1530	1580	76	80	47-103	3	28				
2-Methylnaphthalene	ug/kg	<28.6	2000	1980	1570	1740	78	88	48-105	10	29				
2-Methylphenol(o-Cresol)	ug/kg	<37.0	2000	1980	1530	1700	77	86	40-105	10	28				
2-Nitroaniline	ug/kg	<66.8	2000	1980	1770	1980	89	100	38-130	11	27				
2-Nitrophenol	ug/kg	<54.8	2000	1980	1300	1030	65	52	22-129	23	29				
3&4-Methylphenol(m&p Cresol)	ug/kg	<42.9	2000	1980	1560	1710	78	86	37-110	9	27				
3,3'-Dichlorobenzidine	ug/kg	<135	2000	1980	1050	1410	53	71	10-138	29	38				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2096162											
2096163											
Parameter	Units	60262738001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
3-Nitroaniline	ug/kg	<119	2000	1980	1630	1880	81	95	23-126	14	32
4,6-Dinitro-2-methylphenol	ug/kg	<52.5	2000	1980	811J	785J	41	40	10-139		67
4-Bromophenylphenyl ether	ug/kg	<31.0	2000	1980	1690	1900	84	96	51-108	12	28
4-Chloro-3-methylphenol	ug/kg	<42.9	2000	1980	1680	1880	84	95	50-108	11	30
4-Chloroaniline	ug/kg	<77.5	2000	1980	1170	1190	59	60	17-91	1	32
4-Chlorophenylphenyl ether	ug/kg	<38.1	2000	1980	1670	1860	84	94	48-107	11	27
4-Nitroaniline	ug/kg	<101	2000	1980	1480	1760	74	89	20-122	18	28
4-Nitrophenol	ug/kg	<62.0	2000	1980	1360J	980J	68	49	47-113		26
Acenaphthene	ug/kg	135J	2000	1980	1650	1860	76	87	43-112	12	27
Acenaphthylene	ug/kg	<37.0	2000	1980	1650	1850	82	93	45-108	12	27
Anthracene	ug/kg	257J	2000	1980	1710	1930	73	84	39-118	12	27
Benzo(a)anthracene	ug/kg	653	2000	1980	1820	2170	58	77	43-112	18	29
Benzo(a)pyrene	ug/kg	621	2000	1980	1800	2090	59	74	39-112	15	30
Benzo(b)fluoranthene	ug/kg	1120	2000	1980	1750	2250	31	57	41-114	25	33 M1
Benzo(g,h,i)perylene	ug/kg	397	2000	1980	1620	1920	61	77	30-111	17	31
Benzo(k)fluoranthene	ug/kg	<46.5	2000	1980	1860	1990	93	100	33-120	7	28
Benzoic acid	ug/kg	<37.0	2000	1980	158J	194J	8	10	10-126		17 M1
Benzyl alcohol	ug/kg	<123	2000	1980	1600	1750	80	88	50-109	9	27
bis(2-Chloroethoxy)methane	ug/kg	<31.0	2000	1980	1550	1720	78	87	48-101	10	27
bis(2-Chloroethyl) ether	ug/kg	<31.0	2000	1980	1580	1730	79	88	47-102	9	26
bis(2-Chloroisopropyl) ether	ug/kg	<31.0	2000	1980	1520	1640	76	83	44-103	8	25
bis(2-Ethylhexyl)phthalate	ug/kg	<136	2000	1980	1850	2080	92	105	41-132	12	25
Butylbenzylphthalate	ug/kg	<51.3	2000	1980	1830	2070	92	105	42-133	12	26
Carbazole	ug/kg	98.0J	2000	1980	1670	1890	79	91	45-110	12	25
Chrysene	ug/kg	673	2000	1980	1850	2170	59	75	45-110	16	29
Di-n-butylphthalate	ug/kg	<41.7	2000	1980	1770	1960	88	99	49-115	10	27
Di-n-octylphthalate	ug/kg	<46.5	2000	1980	1870	2080	94	105	41-138	10	25
Dibenz(a,h)anthracene	ug/kg	104J	2000	1980	1640	1880	77	89	39-110	14	29
Dibenzofuran	ug/kg	53.4J	2000	1980	1680	1870	81	92	47-107	11	27
Diethylphthalate	ug/kg	<37.0	2000	1980	1680	1880	84	95	48-108	11	26
Dimethylphthalate	ug/kg	<38.1	2000	1980	1660	1840	83	93	47-106	11	26
Fluoranthene	ug/kg	1610	2000	1980	1980	2350	19	38	34-121	17	34 M1
Fluorene	ug/kg	123J	2000	1980	1660	1870	77	88	42-112	12	28
Hexachloro-1,3-butadiene	ug/kg	<39.3	2000	1980	1580	1760	79	89	48-100	11	27
Hexachlorobenzene	ug/kg	<38.1	2000	1980	1750	1950	87	99	47-107	11	27
Hexachlorocyclopentadiene	ug/kg	<83.5	4000	3960	1580	1140	39	29	10-68	32	36
Hexachloroethane	ug/kg	<29.8	2000	1980	1520	1650	76	84	37-101	9	29
Indeno(1,2,3-cd)pyrene	ug/kg	350J	2000	1980	1670	1960	66	81	32-113	16	29
Isophorone	ug/kg	<35.8	2000	1980	1530	1690	76	85	47-99	10	27
N-Nitroso-di-n-propylamine	ug/kg	<39.3	2000	1980	1550	1700	77	86	45-105	9	27
N-Nitrosodiphenylamine	ug/kg	<31.0	2000	1980	1720	1900	86	96	43-110	10	28
Naphthalene	ug/kg	<31.0	2000	1980	1580	1750	79	88	46-106	10	28
Nitrobenzene	ug/kg	<37.0	2000	1980	1560	1760	78	89	45-105	12	29
Pentachlorophenol	ug/kg	<37.0	2000	1980	1190J	1170J	60	59	27-124		18
Phenanthrene	ug/kg	1240	2000	1980	1810	2110	28	44	49-110	15	26 M1
Phenol	ug/kg	<31.0	2000	1980	1520	1680	76	85	45-103	10	27

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2096162 2096163												
Parameter	Units	60262738001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
Pyrene	ug/kg	1450	2000	1980	1960	2420	26	49	47-117	21	30	M1
Pyridine	ug/kg	<32.2	2000	1980	959	1120	48	57	10-85	16	28	
2,4,6-Tribromophenol (S)	%						75	69	39-114			
2-Fluorobiphenyl (S)	%						84	92	61-109			
2-Fluorophenol (S)	%						74	76	46-102			
Nitrobenzene-d5 (S)	%						78	86	41-114			
Phenol-d6 (S)	%						80	88	48-102			
Terphenyl-d14 (S)	%						90	103	48-120			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 511741

Analysis Method: EPA 8270

QC Batch Method: EPA 3510

Analysis Description: 8270 Water MSSV, RV

Associated Lab Samples: 60262738009

METHOD BLANK: 2095369

Matrix: Water

Associated Lab Samples: 60262738009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/L	<0.33	10.0	0.33	01/26/18 17:06	
1,2-Dichlorobenzene	ug/L	<0.29	10.0	0.29	01/26/18 17:06	
1,3-Dichlorobenzene	ug/L	<0.54	10.0	0.54	01/26/18 17:06	
1,4-Dichlorobenzene	ug/L	<0.41	10.0	0.41	01/26/18 17:06	
2,4,5-Trichlorophenol	ug/L	<0.33	50.0	0.33	01/26/18 17:06	
2,4,6-Trichlorophenol	ug/L	<0.39	10.0	0.39	01/26/18 17:06	
2,4-Dichlorophenol	ug/L	<0.52	10.0	0.52	01/26/18 17:06	
2,4-Dimethylphenol	ug/L	<0.60	10.0	0.60	01/26/18 17:06	
2,4-Dinitrophenol	ug/L	<8.4	50.0	8.4	01/26/18 17:06	
2,4-Dinitrotoluene	ug/L	<0.33	10.0	0.33	01/26/18 17:06	
2,6-Dinitrotoluene	ug/L	<0.28	10.0	0.28	01/26/18 17:06	
2-Chloronaphthalene	ug/L	<0.35	10.0	0.35	01/26/18 17:06	
2-Chlorophenol	ug/L	<0.30	10.0	0.30	01/26/18 17:06	
2-Methylnaphthalene	ug/L	<0.26	10.0	0.26	01/26/18 17:06	
2-Methylphenol(o-Cresol)	ug/L	<0.28	10.0	0.28	01/26/18 17:06	
2-Nitroaniline	ug/L	<0.42	50.0	0.42	01/26/18 17:06	
2-Nitrophenol	ug/L	<0.28	10.0	0.28	01/26/18 17:06	
3&4-Methylphenol(m&p Cresol)	ug/L	<5.0	10.0	5.0	01/26/18 17:06	
3,3'-Dichlorobenzidine	ug/L	<0.39	20.0	0.39	01/26/18 17:06	
3-Nitroaniline	ug/L	<0.35	50.0	0.35	01/26/18 17:06	
4,6-Dinitro-2-methylphenol	ug/L	<0.55	50.0	0.55	01/26/18 17:06	
4-Bromophenylphenyl ether	ug/L	<0.38	10.0	0.38	01/26/18 17:06	
4-Chloro-3-methylphenol	ug/L	<0.25	20.0	0.25	01/26/18 17:06	
4-Chloroaniline	ug/L	<0.52	20.0	0.52	01/26/18 17:06	
4-Chlorophenylphenyl ether	ug/L	<0.30	10.0	0.30	01/26/18 17:06	
4-Nitroaniline	ug/L	<0.35	50.0	0.35	01/26/18 17:06	
4-Nitrophenol	ug/L	<0.31	50.0	0.31	01/26/18 17:06	
Acenaphthene	ug/L	<0.36	10.0	0.36	01/26/18 17:06	
Acenaphthylene	ug/L	<0.38	10.0	0.38	01/26/18 17:06	
Anthracene	ug/L	<0.30	10.0	0.30	01/26/18 17:06	
Benzo(a)anthracene	ug/L	<0.29	10.0	0.29	01/26/18 17:06	
Benzo(a)pyrene	ug/L	<0.36	10.0	0.36	01/26/18 17:06	
Benzo(b)fluoranthene	ug/L	<0.35	10.0	0.35	01/26/18 17:06	
Benzo(g,h,i)perylene	ug/L	<0.40	10.0	0.40	01/26/18 17:06	
Benzo(k)fluoranthene	ug/L	<0.42	10.0	0.42	01/26/18 17:06	
Benzoic acid	ug/L	<2.5	50.0	2.5	01/26/18 17:06	
Benzyl alcohol	ug/L	<0.35	20.0	0.35	01/26/18 17:06	
bis(2-Chloroethoxy)methane	ug/L	<5.0	10.0	5.0	01/26/18 17:06	
bis(2-Chloroethyl) ether	ug/L	<0.29	10.0	0.29	01/26/18 17:06	
bis(2-Chloroisopropyl) ether	ug/L	<0.29	10.0	0.29	01/26/18 17:06	
bis(2-Ethylhexyl)phthalate	ug/L	<0.62	10.0	0.62	01/26/18 17:06	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

METHOD BLANK: 2095369

Matrix: Water

Associated Lab Samples: 60262738009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Butylbenzylphthalate	ug/L	<0.40	10.0	0.40	01/26/18 17:06	
Carbazole	ug/L	<0.35	10.0	0.35	01/26/18 17:06	
Chrysene	ug/L	<0.36	10.0	0.36	01/26/18 17:06	
Di-n-butylphthalate	ug/L	<0.39	10.0	0.39	01/26/18 17:06	
Di-n-octylphthalate	ug/L	<0.50	10.0	0.50	01/26/18 17:06	
Dibenz(a,h)anthracene	ug/L	<0.45	10.0	0.45	01/26/18 17:06	
Dibenzofuran	ug/L	<0.39	10.0	0.39	01/26/18 17:06	
Diethylphthalate	ug/L	<0.45	10.0	0.45	01/26/18 17:06	
Dimethylphthalate	ug/L	<0.35	10.0	0.35	01/26/18 17:06	
Fluoranthene	ug/L	<0.37	10.0	0.37	01/26/18 17:06	
Fluorene	ug/L	<0.34	10.0	0.34	01/26/18 17:06	
Hexachloro-1,3-butadiene	ug/L	<0.38	10.0	0.38	01/26/18 17:06	
Hexachlorobenzene	ug/L	<0.30	10.0	0.30	01/26/18 17:06	
Hexachlorocyclopentadiene	ug/L	<0.35	10.0	0.35	01/26/18 17:06	
Hexachloroethane	ug/L	<0.29	10.0	0.29	01/26/18 17:06	
Indeno(1,2,3-cd)pyrene	ug/L	<0.32	10.0	0.32	01/26/18 17:06	
Isophorone	ug/L	<0.28	10.0	0.28	01/26/18 17:06	
N-Nitroso-di-n-propylamine	ug/L	<0.27	10.0	0.27	01/26/18 17:06	
N-Nitrosodiphenylamine	ug/L	<0.40	10.0	0.40	01/26/18 17:06	
Naphthalene	ug/L	<0.36	10.0	0.36	01/26/18 17:06	
Nitrobenzene	ug/L	<0.30	10.0	0.30	01/26/18 17:06	
Pentachlorophenol	ug/L	<0.31	50.0	0.31	01/26/18 17:06	
Phenanthrene	ug/L	<0.34	10.0	0.34	01/26/18 17:06	
Phenol	ug/L	<5.0	10.0	5.0	01/26/18 17:06	
Pyrene	ug/L	<0.28	10.0	0.28	01/26/18 17:06	
Pyridine	ug/L	<0.31	10.0	0.31	01/26/18 17:06	
2,4,6-Tribromophenol (S)	%	91	21-124		01/26/18 17:06	
2-Fluorobiphenyl (S)	%	69	30-103		01/26/18 17:06	
2-Fluorophenol (S)	%	53	10-68		01/26/18 17:06	
Nitrobenzene-d5 (S)	%	71	33-99		01/26/18 17:06	
Phenol-d6 (S)	%	41	10-56		01/26/18 17:06	
Terphenyl-d14 (S)	%	74	38-114		01/26/18 17:06	

LABORATORY CONTROL SAMPLE: 2095370

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	100	79.1	79	27-115	
1,2-Dichlorobenzene	ug/L	100	75.5	75	27-111	
1,3-Dichlorobenzene	ug/L	100	73.1	73	26-109	
1,4-Dichlorobenzene	ug/L	100	73.6	74	26-109	
2,4,5-Trichlorophenol	ug/L	100	88.7	89	30-128	
2,4,6-Trichlorophenol	ug/L	100	88.5	89	29-128	
2,4-Dichlorophenol	ug/L	100	85.6	86	29-121	
2,4-Dimethylphenol	ug/L	100	77.0	77	29-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

LABORATORY CONTROL SAMPLE: 2095370

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrophenol	ug/L	100	99.1	99	19-142	
2,4-Dinitrotoluene	ug/L	100	87.6	88	31-135	
2,6-Dinitrotoluene	ug/L	100	87.6	88	31-132	
2-Chloronaphthalene	ug/L	100	78.3	78	29-122	
2-Chlorophenol	ug/L	100	74.6	75	26-111	
2-Methylnaphthalene	ug/L	100	79.2	79	30-121	
2-Methylphenol(o-Cresol)	ug/L	100	72.3	72	26-100	
2-Nitroaniline	ug/L	100	80.6	81	30-132	
2-Nitrophenol	ug/L	100	88.1	88	27-128	
3&4-Methylphenol(m&p Cresol)	ug/L	100	69.3	69	22-95	
3,3'-Dichlorobenzidine	ug/L	100	98.5	99	18-189	
3-Nitroaniline	ug/L	100	79.8	80	31-149	
4,6-Dinitro-2-methylphenol	ug/L	100	97.7	98	25-141	
4-Bromophenylphenyl ether	ug/L	100	85.0	85	30-131	
4-Chloro-3-methylphenol	ug/L	100	82.6	83	29-124	
4-Chloroaniline	ug/L	100	64.7	65	26-142	
4-Chlorophenylphenyl ether	ug/L	100	84.2	84	31-127	
4-Nitroaniline	ug/L	100	87.8	88	29-136	
4-Nitrophenol	ug/L	100	48.4J	48	10-60	
Acenaphthene	ug/L	100	80.5	80	30-127	
Acenaphthylene	ug/L	100	79.6	80	29-126	
Anthracene	ug/L	100	80.8	81	32-131	
Benzo(a)anthracene	ug/L	100	84.1	84	32-131	
Benzo(a)pyrene	ug/L	100	76.8	77	30-131	
Benzo(b)fluoranthene	ug/L	100	87.6	88	31-134	
Benzo(g,h,i)perylene	ug/L	100	79.5	79	29-133	
Benzo(k)fluoranthene	ug/L	100	84.2	84	30-133	
Benzoic acid	ug/L	100	39.4J	39	10-64	
Benzyl alcohol	ug/L	100	70.1	70	19-106	
bis(2-Chloroethoxy)methane	ug/L	100	78.3	78	29-122	
bis(2-Chloroethyl) ether	ug/L	100	78.8	79	25-122	
bis(2-Chloroisopropyl) ether	ug/L	100	67.7	68	26-121	
bis(2-Ethylhexyl)phthalate	ug/L	100	83.1	83	34-139	
Butylbenzylphthalate	ug/L	100	83.8	84	30-142	
Carbazole	ug/L	100	82.6	83	31-133	
Chrysene	ug/L	100	82.7	83	32-133	
Di-n-butylphthalate	ug/L	100	83.8	84	35-135	
Di-n-octylphthalate	ug/L	100	88.4	88	31-139	
Dibenz(a,h)anthracene	ug/L	100	83.6	84	30-133	
Dibenzofuran	ug/L	100	79.0	79	30-126	
Diethylphthalate	ug/L	100	82.5	82	34-129	
Dimethylphthalate	ug/L	100	82.6	83	34-127	
Fluoranthene	ug/L	100	86.4	86	32-134	
Fluorene	ug/L	100	82.4	82	31-128	
Hexachloro-1,3-butadiene	ug/L	100	80.8	81	25-112	
Hexachlorobenzene	ug/L	100	88.1	88	30-130	
Hexachlorocyclopentadiene	ug/L	200	55.0	27	10-61	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

LABORATORY CONTROL SAMPLE: 2095370

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Hexachloroethane	ug/L	100	71.7	72	24-107	
Indeno(1,2,3-cd)pyrene	ug/L	100	79.2	79	30-131	
Isophorone	ug/L	100	77.2	77	29-125	
N-Nitroso-di-n-propylamine	ug/L	100	77.4	77	29-123	
N-Nitrosodiphenylamine	ug/L	100	84.6	85	31-129	
Naphthalene	ug/L	100	78.2	78	30-118	
Nitrobenzene	ug/L	100	80.2	80	28-123	
Pentachlorophenol	ug/L	100	102	102	27-136	
Phenanthrene	ug/L	100	81.2	81	32-130	
Phenol	ug/L	100	44.7	45	10-61	
Pyrene	ug/L	100	80.6	81	32-132	
Pyridine	ug/L	100	18.2	18	10-66	
2,4,6-Tribromophenol (S)	%			105	21-124	
2-Fluorobiphenyl (S)	%			77	30-103	
2-Fluorophenol (S)	%			58	10-68	
Nitrobenzene-d5 (S)	%			78	33-99	
Phenol-d6 (S)	%			45	10-56	
Terphenyl-d14 (S)	%			87	38-114	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 512172

Analysis Method: EPA 8270

QC Batch Method: EPA 3510

Analysis Description: 8270 Water MSSV, RV

Associated Lab Samples: 60262738010, 60262738011

METHOD BLANK: 2097143

Matrix: Water

Associated Lab Samples: 60262738010, 60262738011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/L	<0.33	10.0	0.33	01/30/18 16:06	
1,2-Dichlorobenzene	ug/L	<0.29	10.0	0.29	01/30/18 16:06	
1,3-Dichlorobenzene	ug/L	<0.54	10.0	0.54	01/30/18 16:06	
1,4-Dichlorobenzene	ug/L	<0.41	10.0	0.41	01/30/18 16:06	
2,4,5-Trichlorophenol	ug/L	<0.33	50.0	0.33	01/30/18 16:06	
2,4,6-Trichlorophenol	ug/L	<0.39	10.0	0.39	01/30/18 16:06	
2,4-Dichlorophenol	ug/L	<0.52	10.0	0.52	01/30/18 16:06	
2,4-Dimethylphenol	ug/L	<0.60	10.0	0.60	01/30/18 16:06	
2,4-Dinitrophenol	ug/L	<8.4	50.0	8.4	01/30/18 16:06	
2,4-Dinitrotoluene	ug/L	<0.33	10.0	0.33	01/30/18 16:06	
2,6-Dinitrotoluene	ug/L	<0.28	10.0	0.28	01/30/18 16:06	
2-Chloronaphthalene	ug/L	<0.35	10.0	0.35	01/30/18 16:06	
2-Chlorophenol	ug/L	<0.30	10.0	0.30	01/30/18 16:06	
2-Methylnaphthalene	ug/L	<0.26	10.0	0.26	01/30/18 16:06	
2-Methylphenol(o-Cresol)	ug/L	<0.28	10.0	0.28	01/30/18 16:06	
2-Nitroaniline	ug/L	<0.42	50.0	0.42	01/30/18 16:06	
2-Nitrophenol	ug/L	<0.28	10.0	0.28	01/30/18 16:06	
3&4-Methylphenol(m&p Cresol)	ug/L	<5.0	10.0	5.0	01/30/18 16:06	
3,3'-Dichlorobenzidine	ug/L	<0.39	20.0	0.39	01/30/18 16:06	
3-Nitroaniline	ug/L	<0.35	50.0	0.35	01/30/18 16:06	
4,6-Dinitro-2-methylphenol	ug/L	<0.55	50.0	0.55	01/30/18 16:06	
4-Bromophenylphenyl ether	ug/L	<0.38	10.0	0.38	01/30/18 16:06	
4-Chloro-3-methylphenol	ug/L	<0.25	20.0	0.25	01/30/18 16:06	
4-Chloroaniline	ug/L	<0.52	20.0	0.52	01/30/18 16:06	
4-Chlorophenylphenyl ether	ug/L	<0.30	10.0	0.30	01/30/18 16:06	
4-Nitroaniline	ug/L	<0.35	50.0	0.35	01/30/18 16:06	
4-Nitrophenol	ug/L	<0.31	50.0	0.31	01/30/18 16:06	
Acenaphthene	ug/L	<0.36	10.0	0.36	01/30/18 16:06	
Acenaphthylene	ug/L	<0.38	10.0	0.38	01/30/18 16:06	
Anthracene	ug/L	<0.30	10.0	0.30	01/30/18 16:06	
Benzo(a)anthracene	ug/L	<0.29	10.0	0.29	01/30/18 16:06	
Benzo(a)pyrene	ug/L	<0.36	10.0	0.36	01/30/18 16:06	
Benzo(b)fluoranthene	ug/L	<0.35	10.0	0.35	01/30/18 16:06	
Benzo(g,h,i)perylene	ug/L	<0.40	10.0	0.40	01/30/18 16:06	
Benzo(k)fluoranthene	ug/L	<0.42	10.0	0.42	01/30/18 16:06	
Benzoic acid	ug/L	<2.5	50.0	2.5	01/30/18 16:06	
Benzyl alcohol	ug/L	<0.35	20.0	0.35	01/30/18 16:06	
bis(2-Chloroethoxy)methane	ug/L	<5.0	10.0	5.0	01/30/18 16:06	
bis(2-Chloroethyl) ether	ug/L	<0.29	10.0	0.29	01/30/18 16:06	
bis(2-Chloroisopropyl) ether	ug/L	<0.29	10.0	0.29	01/30/18 16:06	
bis(2-Ethylhexyl)phthalate	ug/L	<0.62	10.0	0.62	01/30/18 16:06	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

METHOD BLANK: 2097143

Matrix: Water

Associated Lab Samples: 60262738010, 60262738011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Butylbenzylphthalate	ug/L	<0.40	10.0	0.40	01/30/18 16:06	
Carbazole	ug/L	<0.35	10.0	0.35	01/30/18 16:06	
Chrysene	ug/L	<0.36	10.0	0.36	01/30/18 16:06	
Di-n-butylphthalate	ug/L	<0.39	10.0	0.39	01/30/18 16:06	
Di-n-octylphthalate	ug/L	<0.50	10.0	0.50	01/30/18 16:06	
Dibenz(a,h)anthracene	ug/L	<0.45	10.0	0.45	01/30/18 16:06	
Dibenzofuran	ug/L	<0.39	10.0	0.39	01/30/18 16:06	
Diethylphthalate	ug/L	<0.45	10.0	0.45	01/30/18 16:06	
Dimethylphthalate	ug/L	<0.35	10.0	0.35	01/30/18 16:06	
Fluoranthene	ug/L	<0.37	10.0	0.37	01/30/18 16:06	
Fluorene	ug/L	<0.34	10.0	0.34	01/30/18 16:06	
Hexachloro-1,3-butadiene	ug/L	<0.38	10.0	0.38	01/30/18 16:06	
Hexachlorobenzene	ug/L	<0.30	10.0	0.30	01/30/18 16:06	
Hexachlorocyclopentadiene	ug/L	<0.35	10.0	0.35	01/30/18 16:06	
Hexachloroethane	ug/L	<0.29	10.0	0.29	01/30/18 16:06	
Indeno(1,2,3-cd)pyrene	ug/L	<0.32	10.0	0.32	01/30/18 16:06	
Isophorone	ug/L	<0.28	10.0	0.28	01/30/18 16:06	
N-Nitroso-di-n-propylamine	ug/L	<0.27	10.0	0.27	01/30/18 16:06	
N-Nitrosodiphenylamine	ug/L	<0.40	10.0	0.40	01/30/18 16:06	
Naphthalene	ug/L	<0.36	10.0	0.36	01/30/18 16:06	
Nitrobenzene	ug/L	<0.30	10.0	0.30	01/30/18 16:06	
Pentachlorophenol	ug/L	<0.31	50.0	0.31	01/30/18 16:06	
Phenanthrene	ug/L	<0.34	10.0	0.34	01/30/18 16:06	
Phenol	ug/L	<5.0	10.0	5.0	01/30/18 16:06	
Pyrene	ug/L	<0.28	10.0	0.28	01/30/18 16:06	
Pyridine	ug/L	<0.31	10.0	0.31	01/30/18 16:06	
2,4,6-Tribromophenol (S)	%	91	21-124		01/30/18 16:06	
2-Fluorobiphenyl (S)	%	84	30-103		01/30/18 16:06	
2-Fluorophenol (S)	%	66	10-68		01/30/18 16:06	
Nitrobenzene-d5 (S)	%	82	33-99		01/30/18 16:06	
Phenol-d6 (S)	%	49	10-56		01/30/18 16:06	
Terphenyl-d14 (S)	%	90	38-114		01/30/18 16:06	

LABORATORY CONTROL SAMPLE: 2097144

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	100	81.2	81	27-115	
1,2-Dichlorobenzene	ug/L	100	82.7	83	27-111	
1,3-Dichlorobenzene	ug/L	100	79.4	79	26-109	
1,4-Dichlorobenzene	ug/L	100	79.8	80	26-109	
2,4,5-Trichlorophenol	ug/L	100	88.7	89	30-128	
2,4,6-Trichlorophenol	ug/L	100	87.1	87	29-128	
2,4-Dichlorophenol	ug/L	100	82.2	82	29-121	
2,4-Dimethylphenol	ug/L	100	79.7	80	29-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

LABORATORY CONTROL SAMPLE: 2097144

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrophenol	ug/L	100	82.5	83	19-142	
2,4-Dinitrotoluene	ug/L	100	93.3	93	31-135	
2,6-Dinitrotoluene	ug/L	100	92.5	93	31-132	
2-Chloronaphthalene	ug/L	100	84.5	85	29-122	
2-Chlorophenol	ug/L	100	82.1	82	26-111	
2-Methylnaphthalene	ug/L	100	82.1	82	30-121	
2-Methylphenol(o-Cresol)	ug/L	100	80.2	80	26-100	
2-Nitroaniline	ug/L	100	92.6	93	30-132	
2-Nitrophenol	ug/L	100	88.4	88	27-128	
3&4-Methylphenol(m&p Cresol)	ug/L	100	76.4	76	22-95	
3,3'-Dichlorobenzidine	ug/L	100	107	107	18-189	
3-Nitroaniline	ug/L	100	103	103	31-149	
4,6-Dinitro-2-methylphenol	ug/L	100	90.1	90	25-141	
4-Bromophenylphenyl ether	ug/L	100	87.8	88	30-131	
4-Chloro-3-methylphenol	ug/L	100	86.9	87	29-124	
4-Chloroaniline	ug/L	100	98.0	98	26-142	
4-Chlorophenylphenyl ether	ug/L	100	86.4	86	31-127	
4-Nitroaniline	ug/L	100	97.2	97	29-136	
4-Nitrophenol	ug/L	100	55.3	55	10-60	
Acenaphthene	ug/L	100	87.4	87	30-127	
Acenaphthylene	ug/L	100	85.8	86	29-126	
Anthracene	ug/L	100	87.8	88	32-131	
Benzo(a)anthracene	ug/L	100	90.5	90	32-131	
Benzo(a)pyrene	ug/L	100	86.0	86	30-131	
Benzo(b)fluoranthene	ug/L	100	89.4	89	31-134	
Benzo(g,h,i)perylene	ug/L	100	90.2	90	29-133	
Benzo(k)fluoranthene	ug/L	100	94.2	94	30-133	
Benzoic acid	ug/L	100	21.9J	22	10-64	
Benzyl alcohol	ug/L	100	81.2	81	19-106	
bis(2-Chloroethoxy)methane	ug/L	100	84.5	84	29-122	
bis(2-Chloroethyl) ether	ug/L	100	85.0	85	25-122	
bis(2-Chloroisopropyl) ether	ug/L	100	83.1	83	26-121	
bis(2-Ethylhexyl)phthalate	ug/L	100	93.6	94	34-139	
Butylbenzylphthalate	ug/L	100	93.0	93	30-142	
Carbazole	ug/L	100	90.0	90	31-133	
Chrysene	ug/L	100	92.1	92	32-133	
Di-n-butylphthalate	ug/L	100	92.9	93	35-135	
Di-n-octylphthalate	ug/L	100	93.4	93	31-139	
Dibenz(a,h)anthracene	ug/L	100	90.0	90	30-133	
Dibenzofuran	ug/L	100	85.9	86	30-126	
Diethylphthalate	ug/L	100	88.6	89	34-129	
Dimethylphthalate	ug/L	100	89.1	89	34-127	
Fluoranthene	ug/L	100	90.5	90	32-134	
Fluorene	ug/L	100	86.4	86	31-128	
Hexachloro-1,3-butadiene	ug/L	100	80.6	81	25-112	
Hexachlorobenzene	ug/L	100	92.4	92	30-130	
Hexachlorocyclopentadiene	ug/L	200	71.0	36	10-61	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

LABORATORY CONTROL SAMPLE: 2097144

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Hexachloroethane	ug/L	100	80.2	80	24-107	
Indeno(1,2,3-cd)pyrene	ug/L	100	89.7	90	30-131	
Isophorone	ug/L	100	85.0	85	29-125	
N-Nitroso-di-n-propylamine	ug/L	100	87.0	87	29-123	
N-Nitrosodiphenylamine	ug/L	100	88.9	89	31-129	
Naphthalene	ug/L	100	83.3	83	30-118	
Nitrobenzene	ug/L	100	84.6	85	28-123	
Pentachlorophenol	ug/L	100	92.6	93	27-136	
Phenanthrene	ug/L	100	88.7	89	32-130	
Phenol	ug/L	100	53.9	54	10-61	
Pyrene	ug/L	100	90.5	90	32-132	
Pyridine	ug/L	100	49.8	50	10-66	
2,4,6-Tribromophenol (S)	%			96	21-124	
2-Fluorobiphenyl (S)	%			87	30-103	
2-Fluorophenol (S)	%			67	10-68	
Nitrobenzene-d5 (S)	%			84	33-99	
Phenol-d6 (S)	%			52	10-56	
Terphenyl-d14 (S)	%			95	38-114	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch:	511864	Analysis Method:	EPA 8270
QC Batch Method:	EPA 3546	Analysis Description:	8270 MSSV TPH ORO
Associated Lab Samples:	60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008		

METHOD BLANK:	2095779	Matrix:	Solid
Associated Lab Samples:	60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH-DRO	mg/kg	<1.2	14.9	1.2	01/26/18 12:56	
TPH-ORO	mg/kg	1.9J	14.9	1.2	01/26/18 12:56	
2-Fluorobiphenyl (S)	%	134	61-109		01/26/18 12:56	S3
Nitrobenzene-d5 (S)	%	74	41-114		01/26/18 12:56	
Terphenyl-d14 (S)	%	96	48-120		01/26/18 12:56	

LABORATORY CONTROL SAMPLE: 2095780

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-DRO	mg/kg	317	229	72	56-129	
2-Fluorobiphenyl (S)	%			119	61-109	S0
Nitrobenzene-d5 (S)	%			95	41-114	M4
Terphenyl-d14 (S)	%			74	48-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 511914

Analysis Method: EPA 8270

QC Batch Method: EPA 3510C

Analysis Description: 8270 MSSV TPH ORO

Associated Lab Samples: 60262738009, 60262738010, 60262738011

METHOD BLANK: 2096033

Matrix: Water

Associated Lab Samples: 60262738009, 60262738010, 60262738011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH-DRO	mg/L	<1.0	1.0	1.0	01/29/18 12:35	
TPH-ORO	mg/L	<1.0	1.0	1.0	01/29/18 12:35	
2-Fluorobiphenyl (S)	%	78	30-103		01/29/18 12:35	
Nitrobenzene-d5 (S)	%	66	33-99		01/29/18 12:35	
Terphenyl-d14 (S)	%	77	38-114		01/29/18 12:35	

LABORATORY CONTROL SAMPLE: 2096034

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-DRO	mg/L	100	60.0	60	37-133	
2-Fluorobiphenyl (S)	%			69	30-103	
Nitrobenzene-d5 (S)	%			69	33-99	
Terphenyl-d14 (S)	%			85	38-114	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch:	512470	Analysis Method:	ASTM D2974
QC Batch Method:	ASTM D2974	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008		

METHOD BLANK:	2098148	Matrix:	Solid
Associated Lab Samples:	60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Percent Moisture	%	<0.50	0.50	0.50	01/31/18 00:00	

SAMPLE DUPLICATE: 2098149

Parameter	Units	60262738001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	17.5	17.6	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 512392 Analysis Method: SM 4500-H+B

QC Batch Method: SM 4500-H+B Analysis Description: 4500H+B pH

Associated Lab Samples: 60262738009

SAMPLE DUPLICATE: 2097766

Parameter	Units	60262633002 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	6.7	6.8	0	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 512835 Analysis Method: SM 4500-H+B

QC Batch Method: SM 4500-H+B Analysis Description: 4500H+B pH

Associated Lab Samples: 60262738010, 60262738011

SAMPLE DUPLICATE: 2099303

Parameter	Units	60262708006 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	8.5	8.5	0	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch:	512529	Analysis Method:	EPA 9045
QC Batch Method:	EPA 9045	Analysis Description:	9045 pH
Associated Lab Samples:	60262738001, 60262738002, 60262738003, 60262738004, 60262738005, 60262738006, 60262738007, 60262738008		

SAMPLE DUPLICATE: 2098334

Parameter	Units	60262297001 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	6.8	6.8	0	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 512000 Analysis Method: EPA 353.2
QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved
Associated Lab Samples: 60262738009, 60262738010, 60262738011

METHOD BLANK: 2096375 Matrix: Water

Associated Lab Samples: 60262738009, 60262738010, 60262738011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.050	0.10	0.050	01/26/18 14:17	

LABORATORY CONTROL SAMPLE: 2096376

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2	2.0	99	90-110	

MATRIX SPIKE SAMPLE: 2096377

Parameter	Units	60262738009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	1.7	2	3.4	87	90-110	M1

SAMPLE DUPLICATE: 2096378

Parameter	Units	60262738011 Result	Dup Result	RPD	Max RPD	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.3	2.3	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch:	513167	Analysis Method:	EPA 9056
QC Batch Method:	EPA 9056	Analysis Description:	9056 IC Anions
Associated Lab Samples: 60262738001, 60262738002, 60262738003, 60262738004, 60262738005			

METHOD BLANK:	2100692	Matrix:	Solid
Associated Lab Samples: 60262738001, 60262738002, 60262738003, 60262738004, 60262738005			

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	mg/kg	<50.0	100	50.0	02/06/18 00:14	

LABORATORY CONTROL SAMPLE: 2100693

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/kg	500	499	100	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 513199

Analysis Method: EPA 9056

QC Batch Method: EPA 9056

Analysis Description: 9056 IC Anions

Associated Lab Samples: 60262738006, 60262738007, 60262738008

METHOD BLANK: 2100810

Matrix: Solid

Associated Lab Samples: 60262738006, 60262738007, 60262738008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	mg/kg	<50.0	100	50.0	02/06/18 03:14	

LABORATORY CONTROL SAMPLE: 2100811

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/kg	500	504	101	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100812 2100813

Parameter	Units	60262738006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/kg	74.3J	657	657	735	728	101	100	80-120	1	15	

SAMPLE DUPLICATE: 2100814

Parameter	Units	60262738007 Result	Dup Result	RPD	Max RPD	Qualifiers
Sulfate	mg/kg	77.8J	76.4J		15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 513010 Analysis Method: EPA 9056
QC Batch Method: EPA 9056 Analysis Description: 9056 IC Anions
Associated Lab Samples: 60262738001, 60262738002, 60262738003, 60262738004, 60262738005

METHOD BLANK: 2100261 Matrix: Solid
Associated Lab Samples: 60262738001, 60262738002, 60262738003, 60262738004, 60262738005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrate as N	mg/kg	<5.0	10.0	5.0	02/06/18 00:14	
Nitrite as N	mg/kg	<5.0	10.0	5.0	02/06/18 00:14	

LABORATORY CONTROL SAMPLE: 2100262

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrate as N	mg/kg	200	194	97	80-120	
Nitrite as N	mg/kg	200	192	96	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100263 2100264

Parameter	Units	60262572006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrate as N	mg/kg	124	255	255	392	386	105	103	80-120	1	15	
Nitrite as N	mg/kg	<6.4	255	255	265	256	104	100	80-120	3	15	

SAMPLE DUPLICATE: 2100265

Parameter	Units	60262572007 Result	Dup Result	RPD	Max RPD	Qualifiers
Nitrate as N	mg/kg	24.7	24.3	2	15	
Nitrite as N	mg/kg	<6.7	<6.7		15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 513100 Analysis Method: EPA 9056
QC Batch Method: EPA 9056 Analysis Description: 9056 IC Anions
Associated Lab Samples: 60262738006, 60262738007, 60262738008

METHOD BLANK: 2100493 Matrix: Solid

Associated Lab Samples: 60262738006, 60262738007, 60262738008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrate as N	mg/kg	<5.0	10.0	5.0	02/06/18 03:14	
Nitrite as N	mg/kg	<5.0	10.0	5.0	02/06/18 03:14	

LABORATORY CONTROL SAMPLE: 2100494

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrate as N	mg/kg	200	193	96	80-120	
Nitrite as N	mg/kg	200	188	94	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100495 2100496

Parameter	Units	60262738006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrate as N	mg/kg	<6.6	263	263	268	268	102	102	80-120	0	15	
Nitrite as N	mg/kg	<6.6	263	263	266	265	101	101	80-120	0	15	

SAMPLE DUPLICATE: 2100497

Parameter	Units	60262738007 Result	Dup Result	RPD	Max RPD	Qualifiers
Nitrate as N	mg/kg	<6.3	<6.3		15	
Nitrite as N	mg/kg	<6.3	<6.3		15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

QC Batch: 512697

Analysis Method: EPA 9056

QC Batch Method: EPA 9056

Analysis Description: 9056 IC Anions

Associated Lab Samples: 60262738009, 60262738010, 60262738011

METHOD BLANK: 2098829

Matrix: Water

Associated Lab Samples: 60262738009, 60262738010, 60262738011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	mg/L	<0.50	1.0	0.50	02/02/18 13:37	

LABORATORY CONTROL SAMPLE: 2098830

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	5	5.1	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2098831 2098832

Parameter	Units	60262735006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	60.1	250	250	308	317	99	103	80-120	3	15	

SAMPLE DUPLICATE: 2098833

Parameter	Units	60262736009 Result	Dup Result	RPD	Max RPD	Qualifiers
Sulfate	mg/L		277	4	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-D Pace Analytical Services - Dallas

PASI-K Pace Analytical Services - Kansas City

BATCH QUALIFIERS

Batch: 511741

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 511914

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 511954

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 512008

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 512172

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 512196

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1e A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

ANALYTE QUALIFIERS

2e	The LCS recovery was below QC limits. The successful recovery of the MS and MSD demonstrate that the analytical system was in control for this QA/QC sample group.
3e	The initial calibration verification for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
B	Analyte was detected in the associated method blank.
D3	Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
H6	Analysis initiated outside of the 15 minute EPA required holding time.
L2	Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
M4	A matrix spike/matrix spike duplicate was not performed for this batch due to sample dilution.
N2	The lab does not hold NELAC/TNI accreditation for this parameter.
R1	RPD value was outside control limits.
S0	Surrogate recovery outside laboratory control limits.
S1	Surrogate recovery outside laboratory control limits (confirmed by re-analysis).
S3	Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated sample.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262738001	SB-10 (0-1)	EPA 3546	91580	EPA 8081	91850
60262738002	SB-10 (3-5)	EPA 3546	91580	EPA 8081	91850
60262738003	SB-11 (3-5)	EPA 3546	91580	EPA 8081	91850
60262738004	SB-11 (13-15)	EPA 3546	91580	EPA 8081	91850
60262738005	SB-12 (3-5)	EPA 3546	91580	EPA 8081	91850
60262738006	SB-12 (13-15)	EPA 3546	91580	EPA 8081	91850
60262738007	SB-13 (3-5)	EPA 3546	91580	EPA 8081	91850
60262738008	SB-13 (10-12)	EPA 3546	91580	EPA 8081	91850
60262738009	SB-10	EPA 3510	91634	EPA 8081	92029
60262738010	SB-12	EPA 3510	91634	EPA 8081	92029
60262738011	SB-13	EPA 3510	91634	EPA 8081	92029
60262738001	SB-10 (0-1)	EPA 3546	91581	EPA 8141A	91875
60262738002	SB-10 (3-5)	EPA 3546	91581	EPA 8141A	91875
60262738003	SB-11 (3-5)	EPA 3546	91581	EPA 8141A	91875
60262738004	SB-11 (13-15)	EPA 3546	91581	EPA 8141A	91875
60262738005	SB-12 (3-5)	EPA 3546	91581	EPA 8141A	91875
60262738006	SB-12 (13-15)	EPA 3546	91581	EPA 8141A	91875
60262738007	SB-13 (3-5)	EPA 3546	91581	EPA 8141A	91875
60262738008	SB-13 (10-12)	EPA 3546	91581	EPA 8141A	91875
60262738009	SB-10	EPA 3510	91635	EPA 8141A	91876
60262738010	SB-12	EPA 3510	91635	EPA 8141A	91876
60262738011	SB-13	EPA 3510	91635	EPA 8141A	91876
60262738001	SB-10 (0-1)	EPA 3546	91836	EPA 8151	91951
60262738002	SB-10 (3-5)	EPA 3546	91836	EPA 8151	91951
60262738003	SB-11 (3-5)	EPA 3546	91836	EPA 8151	91951
60262738004	SB-11 (13-15)	EPA 3546	91836	EPA 8151	91951
60262738005	SB-12 (3-5)	EPA 3546	91886	EPA 8151	92035
60262738006	SB-12 (13-15)	EPA 3546	91886	EPA 8151	92035
60262738007	SB-13 (3-5)	EPA 3546	91886	EPA 8151	92035
60262738008	SB-13 (10-12)	EPA 3546	91886	EPA 8151	92035
60262738009	SB-10	EPA 8151	91466	EPA 8151	91671
60262738010	SB-12	EPA 8151	91466	EPA 8151	91671
60262738011	SB-13	EPA 8151	91466	EPA 8151	91671
60262738001	SB-10 (0-1)	EPA 3050	512402	EPA 6010	512563
60262738002	SB-10 (3-5)	EPA 3050	512402	EPA 6010	512563
60262738003	SB-11 (3-5)	EPA 3050	512402	EPA 6010	512563
60262738004	SB-11 (13-15)	EPA 3050	512402	EPA 6010	512563
60262738005	SB-12 (3-5)	EPA 3050	512402	EPA 6010	512563
60262738006	SB-12 (13-15)	EPA 3050	512402	EPA 6010	512563
60262738007	SB-13 (3-5)	EPA 3050	512402	EPA 6010	512563
60262738008	SB-13 (10-12)	EPA 3050	512402	EPA 6010	512563
60262738009	SB-10	EPA 3010	513465	EPA 6010	513615
60262738010	SB-12	EPA 3010	513465	EPA 6010	513615
60262738011	SB-13	EPA 3010	513465	EPA 6010	513615

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262738009	SB-10	EPA 3010	513463	EPA 6010	513595
60262738010	SB-12	EPA 3010	513463	EPA 6010	513595
60262738011	SB-13	EPA 3010	513463	EPA 6010	513595
60262738009	SB-10	EPA 7470	513439	EPA 7470	513467
60262738010	SB-12	EPA 7470	513439	EPA 7470	513467
60262738011	SB-13	EPA 7470	513439	EPA 7470	513467
60262738009	SB-10	EPA 7470	513471	EPA 7470	513506
60262738010	SB-12	EPA 7470	513471	EPA 7470	513506
60262738011	SB-13	EPA 7470	513471	EPA 7470	513506
60262738001	SB-10 (0-1)	EPA 7471	512006	EPA 7471	512139
60262738002	SB-10 (3-5)	EPA 7471	512006	EPA 7471	512139
60262738003	SB-11 (3-5)	EPA 7471	512006	EPA 7471	512139
60262738004	SB-11 (13-15)	EPA 7471	512006	EPA 7471	512139
60262738005	SB-12 (3-5)	EPA 7471	512006	EPA 7471	512139
60262738006	SB-12 (13-15)	EPA 7471	512006	EPA 7471	512139
60262738007	SB-13 (3-5)	EPA 7471	512006	EPA 7471	512139
60262738008	SB-13 (10-12)	EPA 7471	512006	EPA 7471	512139
60262738001	SB-10 (0-1)	EPA 3546	511957	EPA 8270	512398
60262738002	SB-10 (3-5)	EPA 3546	511957	EPA 8270	512398
60262738003	SB-11 (3-5)	EPA 3546	511957	EPA 8270	512398
60262738004	SB-11 (13-15)	EPA 3546	511957	EPA 8270	512398
60262738005	SB-12 (3-5)	EPA 3546	511957	EPA 8270	512398
60262738006	SB-12 (13-15)	EPA 3546	511957	EPA 8270	512398
60262738007	SB-13 (3-5)	EPA 3546	511957	EPA 8270	512398
60262738008	SB-13 (10-12)	EPA 3546	511957	EPA 8270	512398
60262738009	SB-10	EPA 3510	511741	EPA 8270	511977
60262738010	SB-12	EPA 3510	512172	EPA 8270	512370
60262738011	SB-13	EPA 3510	512172	EPA 8270	512370
60262738001	SB-10 (0-1)	EPA 3546	511864	EPA 8270	511983
60262738002	SB-10 (3-5)	EPA 3546	511864	EPA 8270	511983
60262738003	SB-11 (3-5)	EPA 3546	511864	EPA 8270	511983
60262738004	SB-11 (13-15)	EPA 3546	511864	EPA 8270	511983
60262738005	SB-12 (3-5)	EPA 3546	511864	EPA 8270	511983
60262738006	SB-12 (13-15)	EPA 3546	511864	EPA 8270	511983
60262738007	SB-13 (3-5)	EPA 3546	511864	EPA 8270	511983
60262738008	SB-13 (10-12)	EPA 3546	511864	EPA 8270	511983
60262738009	SB-10	EPA 3510C	511914	EPA 8270	512166
60262738010	SB-12	EPA 3510C	511914	EPA 8270	512166
60262738011	SB-13	EPA 3510C	511914	EPA 8270	512166
60262738001	SB-10 (0-1)	EPA 5035A/8260	511855		
60262738002	SB-10 (3-5)	EPA 5035A/8260	512196		
60262738003	SB-11 (3-5)	EPA 5035A/8260	512196		
60262738004	SB-11 (13-15)	EPA 5035A/8260	511855		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262738005	SB-12 (3-5)	EPA 5035A/8260	512196		
60262738006	SB-12 (13-15)	EPA 5035A/8260	511855		
60262738007	SB-13 (3-5)	EPA 5035A/8260	512196		
60262738008	SB-13 (10-12)	EPA 5035A/8260	512196		
60262738009	SB-10	EPA 5030B/8260	511954		
60262738010	SB-12	EPA 5030B/8260	511954		
60262738011	SB-13	EPA 5030B/8260	511954		
60262738009	SB-10	EPA 8260	512008		
60262738010	SB-12	EPA 8260	512008		
60262738011	SB-13	EPA 8260	512008		
60262738001	SB-10 (0-1)	EPA 8260	513132		
60262738002	SB-10 (3-5)	EPA 8260	513132		
60262738003	SB-11 (3-5)	EPA 8260	513132		
60262738004	SB-11 (13-15)	EPA 8260	513132		
60262738005	SB-12 (3-5)	EPA 8260	513132		
60262738006	SB-12 (13-15)	EPA 8260	513132		
60262738007	SB-13 (3-5)	EPA 8260	513132		
60262738008	SB-13 (10-12)	EPA 8260	513132		
60262738001	SB-10 (0-1)	ASTM D2974	512470		
60262738002	SB-10 (3-5)	ASTM D2974	512470		
60262738003	SB-11 (3-5)	ASTM D2974	512470		
60262738004	SB-11 (13-15)	ASTM D2974	512470		
60262738005	SB-12 (3-5)	ASTM D2974	512470		
60262738006	SB-12 (13-15)	ASTM D2974	512470		
60262738007	SB-13 (3-5)	ASTM D2974	512470		
60262738008	SB-13 (10-12)	ASTM D2974	512470		
60262738009	SB-10	SM 4500-H+B	512392		
60262738010	SB-12	SM 4500-H+B	512835		
60262738011	SB-13	SM 4500-H+B	512835		
60262738001	SB-10 (0-1)	EPA 9045	512529		
60262738002	SB-10 (3-5)	EPA 9045	512529		
60262738003	SB-11 (3-5)	EPA 9045	512529		
60262738004	SB-11 (13-15)	EPA 9045	512529		
60262738005	SB-12 (3-5)	EPA 9045	512529		
60262738006	SB-12 (13-15)	EPA 9045	512529		
60262738007	SB-13 (3-5)	EPA 9045	512529		
60262738008	SB-13 (10-12)	EPA 9045	512529		
60262738009	SB-10	EPA 353.2	512000		
60262738010	SB-12	EPA 353.2	512000		
60262738011	SB-13	EPA 353.2	512000		
60262738001	SB-10 (0-1)	EPA 9056	513167	EPA 9056	513201
60262738002	SB-10 (3-5)	EPA 9056	513167	EPA 9056	513201
60262738003	SB-11 (3-5)	EPA 9056	513167	EPA 9056	513201

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Mead Hansen Building Site 1/24

Pace Project No.: 60262738

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262738004	SB-11 (13-15)	EPA 9056	513167	EPA 9056	513201
60262738005	SB-12 (3-5)	EPA 9056	513167	EPA 9056	513201
60262738006	SB-12 (13-15)	EPA 9056	513199	EPA 9056	513203
60262738007	SB-13 (3-5)	EPA 9056	513199	EPA 9056	513203
60262738008	SB-13 (10-12)	EPA 9056	513199	EPA 9056	513203
60262738001	SB-10 (0-1)	EPA 9056	513010	EPA 9056	513101
60262738002	SB-10 (3-5)	EPA 9056	513010	EPA 9056	513101
60262738003	SB-11 (3-5)	EPA 9056	513010	EPA 9056	513101
60262738004	SB-11 (13-15)	EPA 9056	513010	EPA 9056	513101
60262738005	SB-12 (3-5)	EPA 9056	513010	EPA 9056	513101
60262738006	SB-12 (13-15)	EPA 9056	513100	EPA 9056	513103
60262738007	SB-13 (3-5)	EPA 9056	513100	EPA 9056	513103
60262738008	SB-13 (10-12)	EPA 9056	513100	EPA 9056	513103
60262738009	SB-10	EPA 9056	512697		
60262738010	SB-12	EPA 9056	512697		
60262738011	SB-13	EPA 9056	512697		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Sample Condition Upon Receipt

WO#: 60262738



Client Name: Tetra Tech EMT

Courier: FedEx ☐ UPS ☐ VIA ☐ Clay ☒ PEX ☐ ECI ☐ Pace ☐ Xroads ☐ Client ☐ Other ☐

Tracking #: _____ Pace Shipping Label Used? Yes ☐ No ☐

Custody Seal on Cooler/Box Present: Yes ☒ No ☐ Seals intact: Yes ☒ No ☐

Packing Material: Bubble Wrap ☐ Bubble Bags ☒ Foam ☒ None ☐ Other ☐

Thermometer Used: T-266 CF+0.2 / T-239 CF-0.1 Type of Ice: Wet Blue ☐ None ☐

Cooler Temperature (°C): As-read 1.4/2.1 Corr. Factor CF+0.2 CF-0.1 Corrected 1.6 2.3 1.3

Date and initials of person examining contents: 1/25

Temperature should be above freezing to 6°C 1.1/0.0/0.2/2.3

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Chain of Custody relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Short Hold Time analyses (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	<u>KIT</u>
Rush Turn Around Time requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Sufficient volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Correct containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Unpreserved 5035A / TX1005/1006 soils frozen in 48hrs?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Sample labels match COC: Date / time / ID / analyses	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Samples contain multiple phases? Matrix: <u>WT GL</u>	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers requiring pH preservation in compliance? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH>9 Sulfide, NaOH>10 Cyanide) (Exceptions: <u>VOA</u> , Micro, O&G, KS TPH, OK-DRO)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Cyanide water sample checks:	<input checked="" type="checkbox"/> N/A	
Lead acetate strip turns dark? (Record only)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Potassium iodide test strip turns blue/purple? (Preserve)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Trip Blank present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Headspace in VOA vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Samples from USDA Regulated Area: State: <u>MO</u>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Additional labels attached to 5035A / TX1005 vials in the field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	

Client Notification/ Resolution: Copy COC to Client? Y / N Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: JWS

Date: 1/25/18

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company:	Tetra Tech EMi	Report To:	Emily Fisher	Attention:	Accounts Payable
Address:	415 Oak	Copy To:	John Simpson	Company Name:	Tetra Tech, Inc.
	Kansas City, MO 64106			Address:	415 Oak St. Kansas City, MO 64106
Email To:	Emily.Fisher@tetratech.com	Purchase Order No.:	1146252	Pace Quote Reference:	
Phone:	(816) 412-1755 Fax:	Project Name:	Mead Hansen Building Site	Pace Project Manager:	Jeffrey Shopper 913-563-1408
Requested Due Date/TAT:	Standard	Project Number:	103X902514002.043	Pace Profile #:	970

Page: of

REGULATORY AGENCY	
<input type="checkbox"/> NPDES	<input type="checkbox"/> GROUND WATER
<input type="checkbox"/> UST	<input type="checkbox"/> RCRA
<input type="checkbox"/> OTHER	
Site Location	MO
STATE:	

ITEM #	Section D Required Client Information	Valid Matrix Codes		MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives										Analysis Test ↑	Y/N	Requested Analysis Filtered (Y/N)										Pace Project No./ Lab I.D.
		MATRIX	CODE			COMPOSITE START	COMPOSITE END/GRAB			DATE	TIME	DATE	TIME	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃			Methanol	Other	8260 VOCs	8270 SVOCs	RCRA 8 Metals	8081 OC Pesticides	8141 OP Pesticides	8151 Herbicides	8270 DRO/ORO	8260 GRO	
1	SB-10 (0-1)	WATER	DW	SCG	G			12/18/08	0845	148	42									X	X	X	X	X	X	X	X	X	X	X	210000 (01/02/08)	
2	SB-10 (3-5)	WATER	WT						0855											X	X	X	X	X	X	X	X	X	X	X	002	
3	SB-11 (3-5)	WASTE WATER	WW						1100											X	X	X	X	X	X	X	X	X	X	X	01/10/09 1640 COS	
4	SB-11 (13-15)	PRODUCT	P						1120											X	X	X	X	X	X	X	X	X	X	X	002	
5	SB-12 (3-5)	SOIL/SOLID	SL						1436											X	X	X	X	X	X	X	X	X	X	X	005	
6	SB-12 (13-15)	OIL	CL						1500											X	X	X	X	X	X	X	X	X	X	X	006	
7	SB-13 (3-5)	WIPE	WP						1555											X	X	X	X	X	X	X	X	X	X	X	007	
8	SB-13 (10-12)	AIR	AR						1615											X	X	X	X	X	X	X	X	X	X	X	008	
9		OTHER	OT																	X	X	X	X	X	X	X	X	X	X	X		
10		TISSUE	TS																	X	X	X	X	X	X	X	X	X	X	X		
11																																
12																																


ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME
	John Simpson	12/18/08	0900	John Simpson	1/25	1010

SAMPLER NAME AND SIGNATURE		DATE SIGNED (MM/DD/YYYY)	
John Simpson		1/24/18	
PRINT Name of SAMPLER:	DATE SIGNED (MM/DD/YYYY):		
SIGNATURE of SAMPLER:			

Temp in °C	Received on	Cooler (Y/N)	Samples Intact (Y/N)
23	1/25	Y	Y

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:		
Company:	Tetra Tech EMI	Report To:	Emily Fisher	Attention:	Accounts Payable	
Address:	415 Oak Kansas City, MO 64106	Copy To:	John Simpson	Company Name:	Tetra Tech, Inc.	
Email To:	Emily.Fisher@tetratech.com	Purchase Order No.:	1146252	Address:	415 Oak St. Kansas City, MO 64106	
Phone:	(816) 412-1755	Project Name:	Mead Hansen Building Site	Pace Quote Reference:		
Requested Due Date/TAT:	Standard	Project Number:	103X902514002.042	Pace Project Manager:	Jeffrey Shopper 913-563-1408	
				Pace Profile #:	970	
				REGULATORY AGENCY		
				<input type="checkbox"/> NPDES	<input type="checkbox"/> GROUND WATER	<input type="checkbox"/> DRINKING WATER
				<input type="checkbox"/> UST	<input type="checkbox"/> RCRA	<input type="checkbox"/> OTHER
				Site Location		
				STATE:		

[illegible]

	Document Name: Sample Condition Upon Receipt	Document Revised: 09-26-17 Page 1 of 1
	Document No.: F-DAL-C-001-rev.07	Issuing Authority: Pace Dallas Quality Office

Sample Condition Upon P

☒ Dallas ☐ Ft Worth

WO#: 7581157



Client Name: Pace Kansas Project Work order: 7581157

Courier: FedEX ☐ UPS ☐ USPS ☐ Client ☐ LSO ☐ PACE ☐ Other: ☐

Tracking #: 4122 4942 5852 / 4122 4942 5841

Custody Seal on Cooler/Box: Yes ☐ No ☒ Seals Intact: Yes ☐ No ☐ NA ☒

Packing Material: Bubble Wrap ☐ Bubble Bags ☒ Foam ☐ None ☐ Other ☐

Thermometer Used: IR-CS4 Type of Ice: Wet ☒ Blue ☐ None ☐ Sample Received on ice, cooling process has begun ☒

Cooler Temp °C: 1.10 (Recorded) -0.5 (Correction Factor) 1.1 (Actual) ☐ (Thermal preservation not required)

1.2 Temp should be above freezing to 6°C 0.7

Chain of Custody Present	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	1
Chain of Custody filled out	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	2
Chain of Custody relinquished	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	3
Sampler name & signature on COC	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	4
Sample received within HT	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	5
Short HT analyses (<72 hrs)	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	6
Rush TAT requested	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	7
Sufficient Volume received	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	8
Correct Container used	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	9
Pace Container used	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	
Container Intact	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	10
Unpreserved 5035A soil frozen within 48 hrs	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	11
Filtered volume received for Dissolved tests	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	12
Sample labels match COC	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	13
Include date/time/ID/analyses Matrix: <u>Solid-Water</u>		
All containers needing preservation have been checked and found to be in Compliance with EPA recommendation (includes residual chlorine checks)	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	14a. pH Strip Lot #: _____ Original pH: pH<2 <input type="checkbox"/> pH>9 <input type="checkbox"/> pH>12 <input type="checkbox"/> Neutral <input type="checkbox"/> Lot# of Iodine strip: _____ Lot# of Lead Acetate strip: _____
Exception: VOA, coliform, O&G	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Do containers require preservation at the lab	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	14b. Preservation: Lot# and adjusted pH: pH<2 <input type="checkbox"/> pH>9 <input type="checkbox"/> pH>12
Are soil samples (volatiles) received in Bulk <input type="checkbox"/> Terracore <input type="checkbox"/> EnCore <input type="checkbox"/> NA <input checked="" type="checkbox"/>		15.
Trip Blank present	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	16.
Trip Blank Custody Seals Intact	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	
Pace Trip Blank Lot# (if purchased):		
Headspace in VOA (>6mm)	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	17.
Project sampled in USDA Regulated Area:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	18. List State

Triage Person: MM Date: 1/26/18 Login Person: DUP Date: 1/26/18 Labeling Person: DUP Date: 1/26/18

Client Notification/Resolution/Comments:

Person Contacted: _____ Date: _____

Comments/Resolution: _____

Project Manager Review: [Signature]



Pace Analytical
www.pacelabs.com

Owner Received Date: 1/25/2018 Results Requested By: 2/8/2018

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.
This chain of custody is considered complete as is since this information is available in the owner laboratory.

Tetra Tech, Inc.
DATA VALIDATION REPORT
LEVEL II

Site: Mead Hansen Building Site

Laboratory: Pace Analytical (Lenexa, Kansas)

Data Reviewer: Harry Ellis, Tetra Tech, Inc. (Tetra Tech)

Review Date: March 7, 2018

Sample Delivery Group (SDG): 60262831


Sample Numbers: SB-14 (3-5), SB-14 (13-15), SB-15 (3-5), SB-15 (13-14), SB-15 (14-15), SB-16 (3-5), SB-16 (13-15), Floor Drain Sediment, Floor Sweeping, SB-11, SB-11D, SB-14, SB-15, SB-16, Floor Drain Water, Equipment Blank, and Trip Blank

Sb-11, sb-11d: Nine Soil and Other Solid Samples, Six Water Samples, and Two Blank Samples

The data were qualified according to the U.S. Environmental Protection Agency (EPA) Region 7 documents entitled "Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review", dated January 2017, and "Contract Laboratory Program National Functional Guidelines for Superfund Inorganic Methods Data Review", also dated January 2017. In addition, the Tetra Tech document "Review of Data Packages from Subcontracted Laboratories" (February 2002) was used along with other criteria specified in the applicable methods.

The review was intended to identify problems and quality control (QC) deficiencies that were readily apparent from the summary data package. The following sections discuss any problems or deficiencies that were found, and data qualifications applied because of non-compliant QC. The data review was limited to the available field and laboratory QC information submitted with the project-specific data package.

I, Harry Ellis, certify that all data validation criteria outlined in the above-referenced documents were assessed, and any qualifications made to the data accorded with those documents.



7 March 2018

Certified by Harry Ellis, Chemist

Date

DATA VALIDATION QUALIFIERS

- | | | |
|-----------|---|---|
| U | — | The analyte was not detected above the reported sample quantitation limit. |
| J | — | The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample. |
| UJ | — | The analyte was not detected above the reported sample quantitation limit, which is estimated. |
| R | — | The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet QC criteria. Presence or absence of the analyte cannot be verified. |

DATA ASSESSMENT

Sample delivery group (SDG) 60262831 included seven (7) environmental soil samples, two (2) other environmental solid samples, four (4) environmental groundwater samples, one (1) other environmental water sample and three (3) quality control (QC) samples (one groundwater field duplicate, one equipment blank, and one trip blank). Samples were analyzed for volatile organic compounds (VOC) by EPA SW-846 Method 8260, semivolatile organic compounds (SVOC) by EPA SW-846 Method 8270, total petroleum hydrocarbons (TPH) as gasoline range organics (GRO), diesel range organics (DRO, and oil range organics (ORO) by EPA SW-846 Methods 8260 and 8270, organochlorine pesticides by EPA SW-846 Method 8081, organophosphate pesticides by EPA SW-846 Method 8141, organochlorine herbicides by EPA SW-846 Method 8051A, total and dissolved metals by EPA SW-846 Methods 6010 and 7471 and EPA Water Methods 200.7 and 245.1, pH by EPA SW-846 Method 9045 and Standard Method 4500-H, and inorganic anions by EPA SW-846 Method 9056 and EPA Water Method 353.2. All samples did not receive all analyses. The following summarizes the data validation that was performed.

VOLATILE ORGANIC COMPOUND ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding time of 14 days from sample collection to analysis. The field duplicate sample (SB-11D) was received at the laboratory at a pH of 4, well above the preservation requirement of ≤ 2 . It was analyzed on the 4th day after collection, well within the holding time requirement for non-preserved samples. No qualifications were applied.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

No MS/MSD analyses were performed on these samples due to insufficient sample volume, although soil samples from other sites were used for MS/MSD analyses. No qualifications were applied for these data gaps.

III. Blanks

The aqueous laboratory (method) blank yielded low concentrations of both trichlorobenzenes isomers and hexachloro-1,3-butadiene. None of these was detected in the field samples so no qualifications were applied. Both soil laboratory blanks yielded low concentrations (less than sample reporting limit) of the common laboratory contaminant methylene chloride. The similar concentrations (less than reporting limit) of methylene chloride in some soil samples were qualified as laboratory artifacts and flagged "U".

The trip blank yielded a low concentration of carbon disulfide. The similar concentrations of that analyte (a product of anaerobic decomposition and an industrial solvent) in samples SB-11D and SB-15 were qualified as handling artifacts and flagged "U". The considerably higher concentrations of carbon disulfide in the Floor Sweeping sample and sample SB-15 (13-14) were not qualified. The equipment blank yielded low concentrations of acetone, chloroform, and toluene. No qualifications were applied for these results.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

Almost all surrogate recoveries were within their QC limits. The Floor Sweeping sample yielded high results for all three surrogates, two just below the acceptable maximum and one well above it. This is apparently due to matrix interference, so all detected VOC in that sample were qualified as estimated, possibly biased high, and flagged “J”.

VI. Comments

Some detected concentrations were less than their reporting limits (“RL”). These low-concentration results were qualified as estimated (flagged “J”). Sample SB-16 (13-15) was analyzed at a 50-fold dilution to minimize matrix interference. As a result, the nondetected result for that sample are not comparable with those for the other soil samples.

VII. Overall Assessment of Data

Overall data quality is acceptable, with few qualifications applied. All data are usable as qualified for their intended purposes.

SEMIVOLATILE ORGANIC COMPOUND ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding time of 14 days from sample collection to extraction and 40 days to analysis. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

The solid MS/MSD analyses performed on the Floor Sweepings sample yielded recoveries below acceptance limits for most spiked compounds, analytes and surrogates both, apparently due to matrix interference from the high level of TPH in the unspiked sample. Due to the extensiveness of this interference, all SVOC results in that sample were qualified as estimated, probably biased low, and flagged “UJ”.

There was insufficient sample for aqueous MS/MSD analyses. No qualifications were applied for these data gaps.

III. Blanks

The laboratory (method) and equipment blanks yielded no detectable analyte concentrations. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

Most surrogate recoveries were within QC limits. No qualifications were applied in cases where only one surrogate in a class (base/neutral (B/N) or acidic) was outside limits. However, sample SB-14 yielded low recoveries for two B/N surrogates and one acidic surrogate. Therefore all B/N results in that sample were qualified as estimated, possibly biased low, and flagged “UJ”. Furthermore, the Floor Sweepings sample yielded low recoveries for six surrogates due to extensive matrix interference from its high TPH content. (As noted above, this was also seen in the MS/MSD analyses.) Therefore all results for that sample were qualified as estimated, probably biased low, and flagged “UJ”.

VI. Comments

Some detected concentrations were less than their RLs. These low-concentration results were qualified as estimated (flagged “J”). The Floor Drain Sediment and Floor Sweepings samples were analyzed at 5-fold dilutions to minimize matrix interference. As discussed above, this dilution was insufficient for the latter sample. No further qualifications were applied.

VII. Overall Assessment of Data

Overall data quality is acceptable, with no significant qualifications applied. All data are usable as qualified for their intended purposes.

TOTAL PETROLEUM HYDROCARBON ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

Due to insufficient sample volume, the only MS/MSD analyses were for DRO/ORO in soil. Results were fully satisfactory. No qualifications were applied for the data gaps.

III. Blanks

Although most blanks yielded no detectable TPH, the soil laboratory (method) blank yielded a low concentration of ORO. Soil ORO results less than their reporting limits in some samples were qualified as laboratory artifacts and flagged “U”. Soil ORO results above their reporting limit, but less than 10 times the blank concentration, such as that in sample SB-4 (3-5) were qualified as estimated, possibly biased high, and flagged “J”. Concentration more than 10 times the blank concentration were not qualified.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

Most field sample surrogate recoveries were within QC limits. The exception was the diluted samples (see next section), whose surrogate recoveries could not be determined. No qualifications were applied for these data gaps..

VI. Comments

Some detected concentrations were less than their RLs. These low-concentration results were qualified as estimated (flagged “J”). The Floor Drain Sediment and Floor Sweepings samples were analyzed at 10-fold dilutions to bring their high concentrations of DRO and ORO within calibration range.

VII. Overall Assessment of Data

Overall data quality is acceptable, with no major qualifications applied. All data are usable as qualified for their intended purposes.

ORGANOCHLORINE PESTICIDES ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

The MS/MSD analyses performed on samples from a different data package were not evaluated here. No qualifications were applied to these samples.

III. Blanks

The laboratory (method) and field equipment blanks yielded no detectable analytes. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

Most surrogate recoveries were within the NFG limits of 30 to 150 percent. However, both surrogates in the Floor Drain Sediment yielded recoveries below those limits. Therefore the results for that sample were qualified as estimated, possibly biased low, and flagged “J” or “UJ”, as appropriate. The first surrogate in the Floor Sweepings sample yielded an excessive recovery. Therefore the detected results from that sample were qualified as estimated, possibly biased high, and flagged “J”. No further qualifications were applied.

VI. Comments

Some detected concentrations were less than their RLs. These low-concentration results were qualified as estimated (flagged “J”). The Floor Drain Sediment and Floor Sweepings samples were analyzed at 10-fold dilutions to minimize matrix interference and bring some high-concentration results within calibration range. The Floor Sweepings sample extract was re-analyzed at a further 5-fold dilution (total 50-fold dilution) for technical chlordane and its isomers, to bring their results within (or closer to) calibration range.

VII. Overall Assessment of Data

Overall data quality is acceptable, with no significant qualifications applied. All data are usable as qualified for their intended purposes.

ORGANOPHOSPHATE PESTICIDES ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

The MS/MSD analyses were performed on samples from another data package and are discussed in that report. No qualifications were applied to these samples.

III. Blanks

The laboratory (method) and field equipment blanks yielded no detectable analytes. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

The recoveries from the LCS analyses were well within limits. No qualifications were applied.

V. Surrogates

Almost all surrogate recoveries were within QC limits. The only exceptions were the excessive recoveries of both surrogates in the Floor Sweepings sample. Due to this apparent matrix interference, the detected result in that sample was qualified as estimated, possibly biased high, and flagged “J”. No further qualifications were applied.

VI. Comments

Some detected concentrations were less than their RLs. These low-concentration results were qualified as estimated (flagged “J”). The Floor Drain Sediment and Floor Sweepings samples were analyzed at 10-fold dilutions and the Floor Drain Water sample at a 5-fold dilution to minimize matrix interference. No further qualifications were applied.

VII. Overall Assessment of Data

Overall data quality is acceptable, with few qualifications applied. All data are usable as qualified for their intended purposes.

ORGANOCHLORINE HERBICIDES ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

The MS/MSD analyses performed on samples from other packages and sites were not evaluated.

The water MS analysis (there was insufficient sample volume for a MSD analysis) performed on sample SB-14 yielded excessive recoveries for 2,4-DB and dinoseb. Neither was detected in the unspiked sample so no qualifications were applied. It also yielded a slightly low (81 percent, versus limits of 85 to 151 percent) recovery for dichloroprop. No qualification was applied for that minor irregularity.

III. Blanks

The laboratory (method) and field equipment blanks yielded no detectable analytes. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Surrogates

Most surrogate recoveries were within QC limits. Sample SB-16 yielded an excessive recovery. No analytes were detected so no qualifications were applied. However, sample SB-14 (13-15) yielded a recovery well below limits. Therefore the nondetected results for that sample were qualified as estimated, possibly biased low, and flagged "UJ".

VI. Comments

Some detected concentrations were less than their RLs. These low-concentration results were qualified as estimated (flagged "J"). The Floor Drain Sediment and Floor Sweepings samples were analyzed at 100-fold dilutions to minimize matrix interference, and the Floor Drain Water sample was re-analyzed at a 10-fold dilution to bring the high concentrations of 2,4-D and dichloroprop within calibration range.. No further qualifications were applied.

VII. Overall Assessment of Data

Overall data quality is acceptable, with some qualifications applied. All data are usable as qualified for their intended purposes.

METALS ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The samples were received by the laboratory and analyzed within the established holding times of 28 days (for mercury) and 6 months (for all other metals) from sample collection to analysis. No data were qualified.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

MS/MSD analyses performed on samples from another data package were not evaluated. All other MS/MSD results were within limits so no qualifications were applied.

III. Blanks

No analytes were detected in the laboratory and field equipment blanks. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Comments

Some detected concentrations were less than their RLs. These low-concentration results were qualified as estimated (flagged “J”). The Floor Sweeping sample was analyzed at a 2-fold dilution for mercury, to bring that result well within calibration range. No qualification was applied.

The field duplicate results yielded very poor agreement. Sample SB-11D contained approximately 10 times the suspended matter (and, therefore, the total metals) of the primary sample. But sample SB-11 yielded about three times the dissolved metals concentrations as its field duplicate. Due to this uncertainty in the true metals concentrations in the groundwater in that soil boring, all detected metals results for the field duplicate pair were qualified as estimated and flagged “J”. Similar irregularities may exist at other locations, especially with respect to total suspended matter.

VI. Overall Assessment of Data

Overall data quality is acceptable, with few qualifications applied. All data are usable as qualified for their intended purposes.

IONS ANALYSES

I. Holding Time and Chain of Custody (COC) Requirements

The holding time for pH analyses is “as soon as possible”, generally interpreted as within 15 minutes of sampling (for water) or of preparation (for soil). The pH analyses were performed several days after sampling, so the water results were qualified as estimated and flagged “J”. All other holding time requirements were met so no further qualifications were applied.

II. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

The aqueous nitrogen (nitrate plus nitrite) MS analysis performed on the Floor Drain Water sample yielded a recovery of 77 percent, well below its limits of 90 to 110 percent. Therefore the result for that analyte in that sample was qualified as estimated, possibly biased low, and flagged “J”.

III. Blanks

No analytes were detected in the laboratory and equipment blanks. No qualifications were applied.

IV. Laboratory Control Sample (LCS)

All percent recoveries from the LCS analyses were within established control limits. No qualifications were applied.

V. Comments

Some detected soil sulfate concentrations were less than their RLs. These low-concentration results were qualified as estimated (flagged “J”). Most analyses for sulfate and nitrogen species were performed at various dilutions to minimize matrix interference. Therefore some nondetected results are not fully comparable.

VI. Overall Assessment of Data

Overall data quality is acceptable, with no significant qualifications applied. All data are usable as qualified for their intended purposes.

February 12, 2018

Emily Fisher
TETRA TECH EMI
415 Oak
Kansas City, MO 64106

RE: Project: Meade Hansen Building 1/25-26
Pace Project No.: 60262831

Dear Emily Fisher:

Enclosed are the analytical results for sample(s) received by the laboratory on January 26, 2018. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jeffrey Shopper
jeff.shopper@pacelabs.com
1(913)563-1408
Project Manager

Enclosures

cc: John Simpson, TETRA TECH EMI



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Kansas Certification IDs

9608 Loiret Boulevard, Lenexa, KS 66219

WY STR Certification #: 2456.01

Arkansas Certification #: 17-016-0

Illinois Certification #: 200030

Iowa Certification #: 118

Kansas/NELAP Certification #: E-10116

Louisiana Certification #: 03055

Nevada Certification #: KS000212018-1

Oklahoma Certification #: 9205/9935

Texas Certification #: T104704407

Utah Certification #: KS00021

Kansas Field Laboratory Accreditation: # E-92587

Missouri Certification: 10070

Dallas Certification IDs:

400 West Bethany Dr Suite 190, Allen, TX 75013

EPA# TX00074

Florida Certification #: E871118

Texas Certification #: T104704232

Kansas Certification #: E-10388

Arkansas Certification #: 88-0647

Oklahoma Certification #: 8727

Louisiana Certification #: 30686

Iowa Certification #: 408

Florida Certification #: E871118

Nevada Certification #: TX00074

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60262831001	SB-14 (3-5)	Solid	01/25/18 09:00	01/26/18 10:25
60262831002	SB-14 (13-15)	Solid	01/25/18 09:10	01/26/18 10:25
60262831003	SB-15 (3-5)	Solid	01/25/18 10:10	01/26/18 10:25
60262831004	SB-15 (13-14)	Solid	01/25/18 10:20	01/26/18 10:25
60262831005	SB-15 (14-15)	Solid	01/25/18 10:30	01/26/18 10:25
60262831006	SB-16 (3-5)	Solid	01/25/18 11:10	01/26/18 10:25
60262831007	SB-16 (13-15)	Solid	01/25/18 11:20	01/26/18 10:25
60262831008	SB-11	Water	01/25/18 08:30	01/26/18 10:25
60262831009	SB-14	Water	01/25/18 13:20	01/26/18 10:25
60262831010	SB-16	Water	01/25/18 13:50	01/26/18 10:25
60262831011	SB-15	Water	01/25/18 14:20	01/26/18 10:25
60262831012	SB-11D	Water	01/25/18 16:10	01/26/18 10:25
60262831013	EQUIPMENT BLANK	Water	01/25/18 16:50	01/26/18 10:25
60262831014	TRIP BLANK	Water	01/25/18 08:30	01/26/18 10:25
60262831015	FLOOR DRAIN SEDIMENT	Solid	01/26/18 08:50	01/26/18 10:25
60262831016	FLOOR SWEEPING	Solid	01/26/18 09:00	01/26/18 10:25
60262831017	FLOOR DRAIN WATER	Water	01/26/18 10:00	01/26/18 10:25

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262831001	SB-14 (3-5)	EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	SMW	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
60262831002	SB-14 (13-15)	EPA 8151	JS	11	PASI-D
		EPA 6010	SMW	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	SMW	7	PASI-K
60262831003	SB-15 (3-5)	EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262831004	SB-15 (13-14)	EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	SMW	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
60262831005	SB-15 (14-15)	EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	SMW	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
60262831006	SB-16 (3-5)	EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	SMW	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262831007	SB-16 (13-15)	ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	SMW	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
60262831008	SB-11	EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K
		EPA 7470	SMW	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
		EPA 8260	EAG	4	PASI-K
		SM 4500-H+B	MJK	1	PASI-K
		EPA 353.2	RAD	1	PASI-K
60262831009	SB-14	EPA 9056	OL	1	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262831010	SB-16	EPA 7470	SMW	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
		EPA 8260	EAG	4	PASI-K
		SM 4500-H+B	MJK	1	PASI-K
		EPA 353.2	RAD	1	PASI-K
		EPA 9056	OL	1	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K
		EPA 7470	SMW	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
		EPA 8260	EAG	4	PASI-K
		SM 4500-H+B	MJK	1	PASI-K
60262831011	SB-15	EPA 353.2	RAD	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
60262831012	SB-11D	EPA 8260	EAG	4	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K
		EPA 7470	SMW	1	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
60262831013	EQUIPMENT BLANK	EPA 8260	EAG	4	PASI-K
		EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262831014	TRIP BLANK	EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K
		EPA 7470	SMW	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
		EPA 8260	EAG	4	PASI-K
		SM 4500-H+B	MJK	1	PASI-K
		EPA 353.2	RAD	1	PASI-K
		EPA 9056	OL	1	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
60262831015	FLOOR DRAIN SEDIMENT	EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	SMW	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K
60262831016	FLOOR SWEEPING	EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	SMW	7	PASI-K
		EPA 7471	JRS	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5035A/8260	JKL	1	PASI-K
		EPA 8260	JKL	68	PASI-K
		ASTM D2974	DWC	1	PASI-K
		EPA 9045	JSS	1	PASI-K
		EPA 9056	LDB	1	PASI-K
		EPA 9056	LDB	2	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60262831017	FLOOR DRAIN WATER	EPA 8081	MS1	24	PASI-D
		EPA 8141A	MS1	26	PASI-D
		EPA 8151	JS	11	PASI-D
		EPA 6010	JGP	7	PASI-K
		EPA 6010	JGP	7	PASI-K
		EPA 7470	JRS	1	PASI-K
		EPA 7470	SMW	1	PASI-K
		EPA 8270	JMT	73	PASI-K
		EPA 8270	JMT	5	PASI-K
		EPA 5030B/8260	PGH	69	PASI-K
		EPA 8260	EAG	4	PASI-K
		SM 4500-H+B	MJK	1	PASI-K
		EPA 353.2	RAD	1	PASI-K
		EPA 9056	LDB	1	PASI-K

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8081

Description: 8081 GCS Pesticides

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

14 samples were analyzed for EPA 8081. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

The samples were prepared in accordance with EPA 3510 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 91580

S1: Surrogate recovery outside laboratory control limits (confirmed by re-analysis).

- SB-15 (14-15) (Lab ID: 60262831005)
 - Decachlorobiphenyl (S)
- SB-15 (3-5) (Lab ID: 60262831003)
 - Tetrachloro-m-xylene (S)
- SB-16 (13-15) (Lab ID: 60262831007)
 - Decachlorobiphenyl (S)
 - Tetrachloro-m-xylene (S)
- SB-16 (3-5) (Lab ID: 60262831006)
 - Tetrachloro-m-xylene (S)

S2: Surrogate recovery outside laboratory control limits due to matrix interferences (confirmed by similar results from sample re-analysis).

- FLOOR DRAIN SEDIMENT (Lab ID: 60262831015)
 - Decachlorobiphenyl (S)
 - Tetrachloro-m-xylene (S)
- FLOOR SWEEPING (Lab ID: 60262831016)
 - Tetrachloro-m-xylene (S)

QC Batch: 91634

S1: Surrogate recovery outside laboratory control limits (confirmed by re-analysis).

- EQUIPMENT BLANK (Lab ID: 60262831013)
 - Decachlorobiphenyl (S)
 - Tetrachloro-m-xylene (S)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8081

Description: 8081 GCS Pesticides

Client: TETRA TECH EMI

Date: February 12, 2018

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 91580

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262738001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 405975)
 - Dieldrin
 - Endosulfan I
 - Endosulfan sulfate
 - Endrin ketone
- MSD (Lab ID: 405976)
 - Endosulfan I
 - Endosulfan sulfate
 - Endrin ketone

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8141A

Description: 8141 O/P Pesticides Microwave

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

9 samples were analyzed for EPA 8141A. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 91581

S4: Surrogate recovery not evaluated against control limits due to sample dilution.

- FLOOR SWEEPING (Lab ID: 60262831016)
 - Tributylphosphate (S)
 - Triphenylphosphate (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: 91581

N2: The lab does not hold NELAC/TNI accreditation for this parameter.

- BLANK (Lab ID: 405989)
 - Total Demeton
 - Total Merphos
- FLOOR DRAIN SEDIMENT (Lab ID: 60262831015)
 - Total Demeton

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8141A

Description: 8141 O/P Pesticides Microwave

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 91581

N2: The lab does not hold NELAC/TNI accreditation for this parameter.

- FLOOR DRAIN SEDIMENT (Lab ID: 60262831015)
 - Total Merphos
- FLOOR SWEEPING (Lab ID: 60262831016)
 - Total Demeton
 - Total Merphos
- LCS (Lab ID: 405990)
 - Total Demeton
 - Total Merphos
- MS (Lab ID: 405991)
 - Total Demeton
 - Total Merphos
- MSD (Lab ID: 405992)
 - Total Demeton
 - Total Merphos
- SB-14 (13-15) (Lab ID: 60262831002)
 - Total Demeton
 - Total Merphos
- SB-14 (3-5) (Lab ID: 60262831001)
 - Total Demeton
 - Total Merphos
- SB-15 (13-14) (Lab ID: 60262831004)
 - Total Demeton
 - Total Merphos
- SB-15 (14-15) (Lab ID: 60262831005)
 - Total Demeton
 - Total Merphos
- SB-15 (3-5) (Lab ID: 60262831003)
 - Total Demeton
 - Total Merphos
- SB-16 (13-15) (Lab ID: 60262831007)
 - Total Demeton
 - Total Merphos
- SB-16 (3-5) (Lab ID: 60262831006)
 - Total Demeton
 - Total Merphos

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8141A

Description: 8141 GCS, O/P Pesticides

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

5 samples were analyzed for EPA 8141A. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8151

Description: 8151 Chlorinated Herbicides

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

14 samples were analyzed for EPA 8151. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 8151 with any exceptions noted below.

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 91703

S1: Surrogate recovery outside laboratory control limits (confirmed by re-analysis).

- FLOOR DRAIN WATER (Lab ID: 60262831017)
 - 2,4-DCAA (S)

S3: Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated sample.

- SB-16 (Lab ID: 60262831010)
 - 2,4-DCAA (S)

QC Batch: 91886

S1: Surrogate recovery outside laboratory control limits (confirmed by re-analysis).

- SB-14 (13-15) (Lab ID: 60262831002)
 - 2,4-DCAA (S)
- SB-16 (13-15) (Lab ID: 60262831007)
 - 2,4-DCAA (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8151

Description: 8151 Chlorinated Herbicides

Client: TETRA TECH EMI

Date: February 12, 2018

QC Batch: 91703

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262831009

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 406516)
 - 2,4-DB
 - Dichloroprop
 - Dinoseb

QC Batch: 91886

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262738005

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 407448)
 - Dalapon
 - Dicamba
 - Dinoseb
- MSD (Lab ID: 407449)
 - Dalapon
 - Dicamba
 - MCP

R1: RPD value was outside control limits.

- MSD (Lab ID: 407449)
 - Dicamba
 - Dinoseb
 - MCP

Additional Comments:

Analyte Comments:

QC Batch: 91703

E: Analyte concentration exceeded the calibration range. The reported result is estimated.

- MS (Lab ID: 406516)
 - Dinoseb

QC Batch: 91886

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- FLOOR DRAIN SEDIMENT (Lab ID: 60262831015)
 - 2,4-DCAA (S)
- FLOOR SWEEPING (Lab ID: 60262831016)
 - 2,4-DCAA (S)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 6010

Description: 6010 MET ICP Red. Interference

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

9 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3050 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 6010

Description: 6010 MET ICP

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

7 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: 513465

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- SB-11D (Lab ID: 60262831012)
 - Silver
- SB-15 (Lab ID: 60262831011)
 - Silver

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 6010

Description: 6010 MET ICP, Dissolved (LF)

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

6 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 7470

Description: 7470 Mercury

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

7 samples were analyzed for EPA 7470. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7470 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 7470

Description: 7470 Mercury, Dissolved (LF)

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

6 samples were analyzed for EPA 7470. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7470 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 7471

Description: 7471 Mercury

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

9 samples were analyzed for EPA 7471. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7471 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8270

Description: 8270 MSSV Semivolatiles

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

9 samples were analyzed for EPA 8270. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 512424

S2: Surrogate recovery outside laboratory control limits due to matrix interferences (confirmed by similar results from sample re-analysis).

- FLOOR SWEEPING (Lab ID: 60262831016)
 - 2,4,6-Tribromophenol (S)
 - 2-Fluorobiphenyl (S)
 - 2-Fluorophenol (S)
 - Nitrobenzene-d5 (S)
 - Phenol-d6 (S)
 - Terphenyl-d14 (S)
- MS (Lab ID: 2097906)
 - 2-Fluorobiphenyl (S)
- MSD (Lab ID: 2097907)
 - 2-Fluorobiphenyl (S)
 - 2-Fluorophenol (S)
 - Nitrobenzene-d5 (S)
 - Phenol-d6 (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8270

Description: 8270 MSSV Semivolatiles

Client: TETRA TECH EMI

Date: February 12, 2018

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 512424

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262831016

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2097906)
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 2,4-Dichlorophenol
 - 2,4-Dinitrophenol
 - 3,3'-Dichlorobenzidine
 - 4,6-Dinitro-2-methylphenol
 - 4-Chloro-3-methylphenol
 - Benzyl alcohol
 - Hexachlorocyclopentadiene
 - Isophorone
 - bis(2-Chloroethoxy)methane
- MSD (Lab ID: 2097907)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 2,4,5-Trichlorophenol
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol
 - 2,4-Dinitrophenol
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylnaphthalene
 - 3,3'-Dichlorobenzidine
 - 4,6-Dinitro-2-methylphenol
 - 4-Bromophenylphenyl ether
 - 4-Chloro-3-methylphenol
 - 4-Chlorophenylphenyl ether
 - Acenaphthene
 - Acenaphthylene
 - Benzyl alcohol
 - Carbazole
 - Dibenzofuran
 - Diethylphthalate
 - Dimethylphthalate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8270

Description: 8270 MSSV Semivolatiles

Client: TETRA TECH EMI

Date: February 12, 2018

QC Batch: 512424

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262831016

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- Hexachloro-1,3-butadiene
- Hexachlorobenzene
- Hexachlorocyclopentadiene
- Hexachloroethane
- Isophorone
- N-Nitroso-di-n-propylamine
- Naphthalene
- Nitrobenzene
- Phenanthrene
- Phenol
- bis(2-Chloroethoxy)methane
- bis(2-Chloroethyl) ether
- bis(2-Chloroisopropyl) ether

Additional Comments:

Analyte Comments:

QC Batch: 512424

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- FLOOR DRAIN SEDIMENT (Lab ID: 60262831015)
 - Nitrobenzene-d5 (S)
- FLOOR SWEEPING (Lab ID: 60262831016)
 - Nitrobenzene-d5 (S)
- MS (Lab ID: 2097906)
 - Nitrobenzene-d5 (S)
- MSD (Lab ID: 2097907)
 - Nitrobenzene-d5 (S)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

5 samples were analyzed for EPA 8270. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 512013

S0: Surrogate recovery outside laboratory control limits.

- SB-11 (Lab ID: 60262831008)
- Nitrobenzene-d5 (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 512013

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

QC Batch: 512591

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 512013

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

• EQUIPMENT BLANK (Lab ID: 60262831013)

- 1,2,4-Trichlorobenzene
- 1,2-Dichlorobenzene
- 1,3-Dichlorobenzene
- 1,4-Dichlorobenzene
- 2,4,6-Trichlorophenol
- 2,4-Dichlorophenol
- 2,4-Dimethylphenol
- 2,4-Dinitrophenol
- 2,4-Dinitrotoluene
- 2,4,5-Trichlorophenol
- 2,6-Dinitrotoluene
- 2-Chloronaphthalene
- 2-Chlorophenol
- 2-Methylphenol(o-Cresol)
- 2-Methylnaphthalene
- 2-Nitroaniline
- 2-Nitrophenol
- 3,3'-Dichlorobenzidine
- 3&4-Methylphenol(m&p Cresol)
- 3-Nitroaniline
- 4,6-Dinitro-2-methylphenol
- 4-Bromophenylphenyl ether
- 4-Chloro-3-methylphenol
- 4-Chloroaniline
- 4-Chlorophenylphenyl ether
- 4-Nitroaniline
- 4-Nitrophenol
- Acenaphthene
- Acenaphthylene
- Anthracene
- Butylbenzylphthalate
- Benzoic acid
- Benzyl alcohol
- Benzo(k)fluoranthene
- Benzo(g,h,i)perylene
- Benzo(a)anthracene
- Benzo(b)fluoranthene
- Benzo(a)pyrene
- bis(2-Chloroethoxy)methane
- bis(2-Chloroethyl) ether
- bis(2-Chloroisopropyl) ether
- bis(2-Ethylhexyl)phthalate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 512013

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- EQUIPMENT BLANK (Lab ID: 60262831013)
 - Carbazole
 - Chrysene
 - Dibenzo(a,h)anthracene
 - Dibenzofuran
 - Dimethylphthalate
 - Di-n-butylphthalate
 - Di-n-octylphthalate
 - Diethylphthalate
 - Fluorene
 - Fluoranthene
 - Hexachloro-1,3-butadiene
 - Hexachlorobenzene
 - Hexachlorocyclopentadiene
 - Hexachloroethane
 - Indeno(1,2,3-cd)pyrene
 - Isophorone
 - Naphthalene
 - N-Nitroso-di-n-propylamine
 - Nitrobenzene
 - N-Nitrosodiphenylamine
 - Phenol
 - Phenanthrene
 - Pentachlorophenol
 - Pyrene
 - Pyridine
- FLOOR DRAIN WATER (Lab ID: 60262831017)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol
 - 2,4-Dimethylphenol
 - 2,4-Dinitrophenol
 - 2,4-Dinitrotoluene
 - 2,4,5-Trichlorophenol
 - 2,6-Dinitrotoluene
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylphenol(o-Cresol)
 - 2-Methylnaphthalene
 - 2-Nitroaniline

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 512013

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

• FLOOR DRAIN WATER (Lab ID: 60262831017)

- 2-Nitrophenol
- 3,3'-Dichlorobenzidine
- 3&4-Methylphenol(m&p Cresol)
- 3-Nitroaniline
- 4,6-Dinitro-2-methylphenol
- 4-Bromophenylphenyl ether
- 4-Chloro-3-methylphenol
- 4-Chloroaniline
- 4-Chlorophenylphenyl ether
- 4-Nitroaniline
- 4-Nitrophenol
- Acenaphthene
- Acenaphthylene
- Anthracene
- Butylbenzylphthalate
- Benzoic acid
- Benzyl alcohol
- Benzo(k)fluoranthene
- Benzo(g,h,i)perylene
- Benzo(a)anthracene
- Benzo(b)fluoranthene
- Benzo(a)pyrene
- bis(2-Chloroethoxy)methane
- bis(2-Chloroethyl) ether
- bis(2-Chloroisopropyl) ether
- bis(2-Ethylhexyl)phthalate
- Carbazole
- Chrysene
- Dibenz(a,h)anthracene
- Dibenzofuran
- Dimethylphthalate
- Di-n-butylphthalate
- Di-n-octylphthalate
- Diethylphthalate
- Fluorene
- Fluoranthene
- Hexachloro-1,3-butadiene
- Hexachlorobenzene
- Hexachlorocyclopentadiene
- Hexachloroethane
- Indeno(1,2,3-cd)pyrene
- Isophorone

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 512013

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

• FLOOR DRAIN WATER (Lab ID: 60262831017)

- Naphthalene
- N-Nitroso-di-n-propylamine
- Nitrobenzene
- N-Nitrosodiphenylamine
- Phenol
- Phenanthrene
- Pentachlorophenol
- Pyrene
- Pyridine

• SB-11 (Lab ID: 60262831008)

- 1,2,4-Trichlorobenzene
- 1,2-Dichlorobenzene
- 1,3-Dichlorobenzene
- 1,4-Dichlorobenzene
- 2,4,6-Trichlorophenol
- 2,4-Dichlorophenol
- 2,4-Dimethylphenol
- 2,4-Dinitrophenol
- 2,4-Dinitrotoluene
- 2,4,5-Trichlorophenol
- 2,6-Dinitrotoluene
- 2-Chloronaphthalene
- 2-Chlorophenol
- 2-Methylphenol(o-Cresol)
- 2-Methylnaphthalene
- 2-Nitroaniline
- 2-Nitrophenol
- 3,3'-Dichlorobenzidine
- 3&4-Methylphenol(m&p Cresol)
- 3-Nitroaniline
- 4,6-Dinitro-2-methylphenol
- 4-Bromophenylphenyl ether
- 4-Chloro-3-methylphenol
- 4-Chloroaniline
- 4-Chlorophenylphenyl ether
- 4-Nitroaniline
- 4-Nitrophenol
- Acenaphthene
- Acenaphthylene
- Anthracene
- Butylbenzylphthalate
- Benzoic acid

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 512013

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-11 (Lab ID: 60262831008)
 - Benzyl alcohol
 - Benzo(k)fluoranthene
 - Benzo(g,h,i)perylene
 - Benzo(a)anthracene
 - Benzo(b)fluoranthene
 - Benzo(a)pyrene
 - bis(2-Chloroethoxy)methane
 - bis(2-Chloroethyl) ether
 - bis(2-Chloroisopropyl) ether
 - bis(2-Ethylhexyl)phthalate
 - Carbazole
 - Chrysene
 - Dibenzo(a,h)anthracene
 - Dibenzofuran
 - Dimethylphthalate
 - Di-n-butylphthalate
 - Di-n-octylphthalate
 - Diethylphthalate
 - Fluorene
 - Fluoranthene
 - Hexachloro-1,3-butadiene
 - Hexachlorobenzene
 - Hexachlorocyclopentadiene
 - Hexachloroethane
 - Indeno(1,2,3-cd)pyrene
 - Isophorone
 - Naphthalene
 - N-Nitroso-di-n-propylamine
 - Nitrobenzene
 - N-Nitrosodiphenylamine
 - Phenol
 - Phenanthrene
 - Pentachlorophenol
 - Pyrene
 - Pyridine
- SB-16 (Lab ID: 60262831010)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 512013

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-16 (Lab ID: 60262831010)
 - 2,4-Dimethylphenol
 - 2,4-Dinitrophenol
 - 2,4-Dinitrotoluene
 - 2,4,5-Trichlorophenol
 - 2,6-Dinitrotoluene
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylphenol(o-Cresol)
 - 2-Methylnaphthalene
 - 2-Nitroaniline
 - 2-Nitrophenol
 - 3,3'-Dichlorobenzidine
 - 3&4-Methylphenol(m&p Cresol)
 - 3-Nitroaniline
 - 4,6-Dinitro-2-methylphenol
 - 4-Bromophenylphenyl ether
 - 4-Chloro-3-methylphenol
 - 4-Chloroaniline
 - 4-Chlorophenylphenyl ether
 - 4-Nitroaniline
 - 4-Nitrophenol
 - Acenaphthene
 - Acenaphthylene
 - Anthracene
 - Butylbenzylphthalate
 - Benzoic acid
 - Benzyl alcohol
 - Benzo(k)fluoranthene
 - Benzo(g,h,i)perylene
 - Benzo(a)anthracene
 - Benzo(b)fluoranthene
 - Benzo(a)pyrene
 - bis(2-Chloroethoxy)methane
 - bis(2-Chloroethyl) ether
 - bis(2-Chloroisopropyl) ether
 - bis(2-Ethylhexyl)phthalate
 - Carbazole
 - Chrysene
 - Dibenz(a,h)anthracene
 - Dibenzofuran
 - Dimethylphthalate
 - Di-n-butylphthalate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 512013

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-16 (Lab ID: 60262831010)
 - Di-n-octylphthalate
 - Diethylphthalate
 - Fluorene
 - Fluoranthene
 - Hexachloro-1,3-butadiene
 - Hexachlorobenzene
 - Hexachlorocyclopentadiene
 - Hexachloroethane
 - Indeno(1,2,3-cd)pyrene
 - Isophorone
 - Naphthalene
 - N-Nitroso-di-n-propylamine
 - Nitrobenzene
 - N-Nitrosodiphenylamine
 - Phenol
 - Phenanthrene
 - Pentachlorophenol
 - Pyrene
 - Pyridine

QC Batch: 512591

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-14 (Lab ID: 60262831009)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol
 - 2,4-Dimethylphenol
 - 2,4-Dinitrophenol
 - 2,4-Dinitrotoluene
 - 2,4,5-Trichlorophenol
 - 2,6-Dinitrotoluene
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylphenol(o-Cresol)
 - 2-Methylnaphthalene
 - 2-Nitroaniline
 - 2-Nitrophenol
 - 3,3'-Dichlorobenzidine
 - 3&4-Methylphenol(m&p Cresol)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 512591

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-14 (Lab ID: 60262831009)
 - 3-Nitroaniline
 - 4,6-Dinitro-2-methylphenol
 - 4-Bromophenylphenyl ether
 - 4-Chloro-3-methylphenol
 - 4-Chloroaniline
 - 4-Chlorophenylphenyl ether
 - 4-Nitroaniline
 - 4-Nitrophenol
 - Acenaphthene
 - Acenaphthylene
 - Anthracene
 - Butylbenzylphthalate
 - Benzoic acid
 - Benzyl alcohol
 - Benzo(k)fluoranthene
 - Benzo(g,h,i)perylene
 - Benzo(a)anthracene
 - Benzo(b)fluoranthene
 - Benzo(a)pyrene
 - bis(2-Chloroethoxy)methane
 - bis(2-Chloroethyl) ether
 - bis(2-Chloroisopropyl) ether
 - bis(2-Ethylhexyl)phthalate
 - Carbazole
 - Chrysene
 - Dibenz(a,h)anthracene
 - Dibenzofuran
 - Dimethylphthalate
 - Di-n-butylphthalate
 - Di-n-octylphthalate
 - Diethylphthalate
 - Fluorene
 - Fluoranthene
 - Hexachloro-1,3-butadiene
 - Hexachlorobenzene
 - Hexachlorocyclopentadiene
 - Hexachloroethane
 - Indeno(1,2,3-cd)pyrene
 - Isophorone
 - Naphthalene
 - N-Nitroso-di-n-propylamine
 - Nitrobenzene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8270

Description: 8270 MSSV Semivolatile Organic

Client: TETRA TECH EMI

Date: February 12, 2018

Analyte Comments:

QC Batch: 512591

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- SB-14 (Lab ID: 60262831009)
 - N-Nitrosodiphenylamine
 - Phenol
 - Phenanthrene
 - Pentachlorophenol
 - Pyrene
 - Pyridine

2e: Surrogate recovery outside laboratory control limits due to matrix interferences (confirmed by similar results from sample re-extraction and re-analysis).

- SB-14 (Lab ID: 60262831009)
 - 2,4,6-Tribromophenol (S)
 - Nitrobenzene-d5 (S)
 - Terphenyl-d14 (S)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8270

Description: 8270 MSSV DRO/ORO

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

15 samples were analyzed for EPA 8270. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510C with any exceptions noted below.

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 512423

S4: Surrogate recovery not evaluated against control limits due to sample dilution.

- FLOOR DRAIN SEDIMENT (Lab ID: 60262831015)
 - 2-Fluorobiphenyl (S)
 - Nitrobenzene-d5 (S)
 - Terphenyl-d14 (S)
- FLOOR SWEEPING (Lab ID: 60262831016)
 - 2-Fluorobiphenyl (S)
 - Nitrobenzene-d5 (S)
 - Terphenyl-d14 (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

QC Batch: 512423

B: Analyte was detected in the associated method blank.

- BLANK for HBN 512423 [OEXT/631 (Lab ID: 2097900)
- TPH-ORO

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8270

Description: 8270 MSSV DRO/ORO

Client: TETRA TECH EMI

Date: February 12, 2018

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 512078

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

Analyte Comments:

QC Batch: 512078

1e: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- EQUIPMENT BLANK (Lab ID: 60262831013)
 - TPH-DRO
 - TPH-ORO
- FLOOR DRAIN WATER (Lab ID: 60262831017)
 - TPH-DRO
 - TPH-ORO
- SB-11 (Lab ID: 60262831008)
 - TPH-DRO
 - TPH-ORO
- SB-11D (Lab ID: 60262831012)
 - TPH-DRO
 - TPH-ORO
- SB-14 (Lab ID: 60262831009)
 - TPH-DRO
 - TPH-ORO
- SB-16 (Lab ID: 60262831010)
 - TPH-DRO
 - TPH-ORO

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 5035A/8260

Description: 8260 MSV GRO and Oxygenates

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

9 samples were analyzed for EPA 5035A/8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 512196

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 5030B/8260

Description: 8260 MSV

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

8 samples were analyzed for EPA 5030B/8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

pH: Post-analysis pH measurement indicates insufficient VOA sample preservation.

- SB-11D (Lab ID: 60262831012)

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

QC Batch: 512379

B: Analyte was detected in the associated method blank.

- BLANK for HBN 512379 [MSV/8734 (Lab ID: 2097739)]
- 1,4-Dichlorobenzene

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 512379

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8260

Description: 8260 MSV GRO and Oxygenates

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

7 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 512870

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

QC Batch: 513300

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8260

Description: 8260 MSV 5035A VOA

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

9 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 513197

S1: Surrogate recovery outside laboratory control limits (confirmed by re-analysis).

- FLOOR SWEEPING (Lab ID: 60262831016)
- 4-Bromofluorobenzene (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

QC Batch: 513132

B: Analyte was detected in the associated method blank.

- BLANK for HBN 513132 [MSV/8746 (Lab ID: 2100603)
- Methylene chloride

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 513132

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60263077004

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MSD (Lab ID: 2100606)
- Methyl-tert-butyl ether
- trans-1,2-Dichloroethene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 8260

Description: 8260 MSV 5035A VOA

Client: TETRA TECH EMI

Date: February 12, 2018

QC Batch: 513132

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60263077004

R1: RPD value was outside control limits.

- MSD (Lab ID: 2100606)
 - 1,2-Dichloroethene (Total)
 - Methyl-tert-butyl ether
 - trans-1,2-Dichloroethene

Additional Comments:

Analyte Comments:

QC Batch: 513197

3e: The internal standard response was outside the laboratory acceptance limits confirmed by reanalysis.

- FLOOR SWEEPING (Lab ID: 60262831016)
 - Toluene-d8 (S)

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- SB-16 (13-15) (Lab ID: 60262831007)
 - Toluene-d8 (S)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: SM 4500-H+B

Description: 4500H+ pH, Electrometric

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

5 samples were analyzed for SM 4500-H+B. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

H6: Analysis initiated outside of the 15 minute EPA required holding time.

- EQUIPMENT BLANK (Lab ID: 60262831013)
- FLOOR DRAIN WATER (Lab ID: 60262831017)
- SB-11 (Lab ID: 60262831008)
- SB-14 (Lab ID: 60262831009)
- SB-16 (Lab ID: 60262831010)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 9045

Description: 9045 pH Soil

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

9 samples were analyzed for EPA 9045. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 353.2

Description: 353.2 Nitrogen, NO₂/NO₃ pres.

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

5 samples were analyzed for EPA 353.2. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 512195

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 60262677005,60262831017

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2097222)
- Nitrogen, NO₂ plus NO₃

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Method: EPA 9056

Description: 9056 IC Anions

Client: TETRA TECH EMI

Date: February 12, 2018

General Information:

14 samples were analyzed for EPA 9056. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 9056 with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-14 (3-5) **Lab ID: 60262831001** Collected: 01/25/18 09:00 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546								
Aldrin	<0.69	ug/kg	2.0	1	02/02/18 13:00	02/05/18 21:47	309-00-2	
alpha-BHC	<0.31	ug/kg	2.0	1	02/02/18 13:00	02/05/18 21:47	319-84-6	
beta-BHC	<1.0	ug/kg	3.3	1	02/02/18 13:00	02/05/18 21:47	319-85-7	
delta-BHC	<0.94	ug/kg	2.7	1	02/02/18 13:00	02/05/18 21:47	319-86-8	
gamma-BHC (Lindane)	<0.88	ug/kg	2.7	1	02/02/18 13:00	02/05/18 21:47	58-89-9	
Chlordane (Technical)	<55.0	ug/kg	293	1	02/02/18 13:00	02/05/18 21:47	57-74-9	
alpha-Chlordane	<0.78	ug/kg	3.3	1	02/02/18 13:00	02/05/18 21:47	5103-71-9	
gamma-Chlordane	<1.3	ug/kg	3.3	1	02/02/18 13:00	02/05/18 21:47	5103-74-2	
4,4'-DDD	<0.64	ug/kg	2.0	1	02/02/18 13:00	02/05/18 21:47	72-54-8	
4,4'-DDE	<0.61	ug/kg	2.0	1	02/02/18 13:00	02/05/18 21:47	72-55-9	
4,4'-DDT	<1.3	ug/kg	2.7	1	02/02/18 13:00	02/05/18 21:47	50-29-3	
Dieldrin	<0.85	ug/kg	2.7	1	02/02/18 13:00	02/05/18 21:47	60-57-1	
Endosulfan I	<0.91	ug/kg	2.7	1	02/02/18 13:00	02/05/18 21:47	959-98-8	
Endosulfan II	<0.63	ug/kg	2.0	1	02/02/18 13:00	02/05/18 21:47	33213-65-9	
Endosulfan sulfate	<0.90	ug/kg	2.7	1	02/02/18 13:00	02/05/18 21:47	1031-07-8	
Endrin	<0.91	ug/kg	3.3	1	02/02/18 13:00	02/05/18 21:47	72-20-8	
Endrin aldehyde	<0.91	ug/kg	2.7	1	02/02/18 13:00	02/05/18 21:47	7421-93-4	
Endrin ketone	<1.1	ug/kg	3.9	1	02/02/18 13:00	02/05/18 21:47	53494-70-5	
Heptachlor	<1.5	ug/kg	3.9	1	02/02/18 13:00	02/05/18 21:47	76-44-8	
Heptachlor epoxide	<3.9	ug/kg	9.8	1	02/02/18 13:00	02/05/18 21:47	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.9	1	02/02/18 13:00	02/05/18 21:47	72-43-5	
Toxaphene	<101	ug/kg	293	1	02/02/18 13:00	02/05/18 21:47	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	74	%.	70-130	1	02/02/18 13:00	02/05/18 21:47	877-09-8	
Decachlorobiphenyl (S)	72	%.	70-130	1	02/02/18 13:00	02/05/18 21:47	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546								
Stirophos (Tetrachlorvinphos)	<6.5	ug/kg	13.0	1	02/02/18 13:00	02/06/18 02:14	22248-79-9	
Azinphos, methyl (Guthion)	<6.5	ug/kg	13.0	1	02/02/18 13:00	02/06/18 02:14	86-50-0	
Bolstar	<6.5	ug/kg	13.0	1	02/02/18 13:00	02/06/18 02:14	35400-43-2	
Chlorpyrifos	<6.5	ug/kg	13.0	1	02/02/18 13:00	02/06/18 02:14	2921-88-2	
Coumaphos	<6.5	ug/kg	13.0	1	02/02/18 13:00	02/06/18 02:14	56-72-4	
Diazinon	<6.5	ug/kg	13.0	1	02/02/18 13:00	02/06/18 02:14	333-41-5	
Dichlorvos	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 02:14	62-73-7	
Dimethoate	<6.5	ug/kg	13.0	1	02/02/18 13:00	02/06/18 02:14	60-51-5	
Disulfoton	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 02:14	298-04-4	
EPN (ENT)	<4.1	ug/kg	6.5	1	02/02/18 13:00	02/06/18 02:14	2104-64-5	
Ethoprop	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 02:14	13194-48-4	
Fensulfothion	<6.5	ug/kg	13.0	1	02/02/18 13:00	02/06/18 02:14	115-90-2	
Fenthion	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 02:14	55-38-9	
Malathion	<6.5	ug/kg	13.0	1	02/02/18 13:00	02/06/18 02:14	121-75-5	
Methyl parathion	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 02:14	298-00-0	
Mevinphos	<3.9	ug/kg	6.5	1	02/02/18 13:00	02/06/18 02:14	7786-34-7	
Parathion (Ethyl parathion)	<6.5	ug/kg	13.0	1	02/02/18 13:00	02/06/18 02:14	56-38-2	
Phorate	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 02:14	298-02-2	
Ronnel	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 02:14	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-14 (3-5) Lab ID: 60262831001 Collected: 01/25/18 09:00 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546								
Sulfotep (Thiodiphosphoric Ac	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 02:14	3689-24-5	
Tokuthion (Prothiofos)	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 02:14	34643-46-4	
Trichloronate	<6.5	ug/kg	13.0	1	02/02/18 13:00	02/06/18 02:14	327-98-0	
Total Demeton	<5.3	ug/kg	6.5	1	02/02/18 13:00	02/06/18 02:14	8065-48-3	N2
Total Merphos	<6.5	ug/kg	26.1	1	02/02/18 13:00	02/06/18 02:14	150-50-5	N2
Surrogates								
Triphenylphosphate (S)	95	%.	11-137	1	02/02/18 13:00	02/06/18 02:14	115-86-6	
Tributylphosphate (S)	97	%.	17-125	1	02/02/18 13:00	02/06/18 02:14	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546								
2,4-D	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 15:28	94-75-7	
Dalapon	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 15:28	75-99-0	
2,4-DB	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 15:28	94-82-6	
Dicamba	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 15:28	1918-00-9	
Dichloroprop	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 15:28	15165-67-0	
Dinoseb	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 15:28	88-85-7	
MCPA	<320	ug/kg	320	1	02/06/18 12:15	02/07/18 15:28	94-74-6	
MCPP	<320	ug/kg	320	1	02/06/18 12:15	02/07/18 15:28	7085-19-0	
2,4,5-T	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 15:28	93-76-5	
2,4,5-TP (Silvex)	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 15:28	93-72-1	
Surrogates								
2,4-DCAA (S)	12	%.	10-188	1	02/06/18 12:15	02/07/18 15:28	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050								
Arsenic	6.2	mg/kg	1.2	1	01/30/18 14:45	02/06/18 15:52	7440-38-2	
Barium	200	mg/kg	0.62	1	01/30/18 14:45	02/06/18 15:52	7440-39-3	
Cadmium	0.056J	mg/kg	0.62	1	01/30/18 14:45	02/06/18 15:52	7440-43-9	
Chromium	15.8	mg/kg	0.62	1	01/30/18 14:45	02/06/18 15:52	7440-47-3	
Lead	9.6	mg/kg	0.62	1	01/30/18 14:45	02/06/18 15:52	7439-92-1	
Selenium	<0.93	mg/kg	1.9	1	01/30/18 14:45	02/06/18 15:52	7782-49-2	
Silver	<0.21	mg/kg	0.87	1	01/30/18 14:45	02/06/18 15:52	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471								
Mercury	0.013J	mg/kg	0.058	1	02/02/18 09:59	02/02/18 14:21	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
Acenaphthene	<45.7	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	83-32-9	
Acenaphthylene	<40.5	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	208-96-8	
Anthracene	<45.7	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	120-12-7	
Benzo(a)anthracene	<39.2	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	56-55-3	
Benzo(a)pyrene	<33.9	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	50-32-8	
Benzo(b)fluoranthene	<30.0	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	205-99-2	
Benzo(g,h,i)perylene	<41.8	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	191-24-2	
Benzo(k)fluoranthene	<50.9	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	207-08-9	
Benzoic acid	175J	ug/kg	2180	1	01/30/18 15:00	01/31/18 17:47	65-85-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-14 (3-5) Lab ID: 60262831001 Collected: 01/25/18 09:00 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Benzyl alcohol	<134	ug/kg	861	1	01/30/18 15:00	01/31/18 17:47	100-51-6	
4-Bromophenylphenyl ether	<33.9	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	101-55-3	
Butylbenzylphthalate	<56.1	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	85-68-7	
Carbazole	<35.2	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	86-74-8	
4-Chloro-3-methylphenol	<47.0	ug/kg	861	1	01/30/18 15:00	01/31/18 17:47	59-50-7	
4-Chloroaniline	<84.8	ug/kg	861	1	01/30/18 15:00	01/31/18 17:47	106-47-8	
bis(2-Chloroethoxy)methane	<33.9	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	111-91-1	
bis(2-Chloroethyl) ether	<33.9	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	111-44-4	
bis(2-Chloroisopropyl) ether	<33.9	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	39638-32-9	
2-Chloronaphthalene	<36.5	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	91-58-7	
2-Chlorophenol	<35.2	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	95-57-8	
4-Chlorophenylphenyl ether	<41.8	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	7005-72-3	
Chrysene	<36.5	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	218-01-9	
Dibenz(a,h)anthracene	<39.2	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	53-70-3	
Dibenzofuran	<39.2	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	132-64-9	
1,2-Dichlorobenzene	<32.6	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	95-50-1	
1,3-Dichlorobenzene	<36.5	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	541-73-1	
1,4-Dichlorobenzene	<37.9	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	106-46-7	
3,3'-Dichlorobenzidine	<147	ug/kg	861	1	01/30/18 15:00	01/31/18 17:47	91-94-1	
2,4-Dichlorophenol	<39.2	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	120-83-2	
Diethylphthalate	<40.5	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	84-66-2	
2,4-Dimethylphenol	<23.5	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	105-67-9	
Dimethylphthalate	<41.8	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	131-11-3	
Di-n-butylphthalate	<45.7	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	84-74-2	
4,6-Dinitro-2-methylphenol	<57.4	ug/kg	2180	1	01/30/18 15:00	01/31/18 17:47	534-52-1	
2,4-Dinitrophenol	<62.6	ug/kg	2180	1	01/30/18 15:00	01/31/18 17:47	51-28-5	
2,4-Dinitrotoluene	<36.5	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	121-14-2	
2,6-Dinitrotoluene	<44.4	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	606-20-2	
Di-n-octylphthalate	<50.9	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	117-84-0	
bis(2-Ethylhexyl)phthalate	<149	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	117-81-7	
Fluoranthene	<40.5	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	206-44-0	
Fluorene	<40.5	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	86-73-7	
Hexachloro-1,3-butadiene	<43.1	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	87-68-3	
Hexachlorobenzene	<41.8	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	118-74-1	
Hexachlorocyclopentadiene	<91.4	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	77-47-4	
Hexachloroethane	<32.6	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	67-72-1	
Indeno(1,2,3-cd)pyrene	<47.0	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	193-39-5	
Isophorone	<39.2	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	78-59-1	
2-Methylnaphthalene	<31.3	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	91-57-6	
2-Methylphenol(o-Cresol)	<40.5	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	95-48-7	
3&4-Methylphenol(m&p Cresol)	<47.0	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47		
Naphthalene	<33.9	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	91-20-3	
2-Nitroaniline	<73.1	ug/kg	861	1	01/30/18 15:00	01/31/18 17:47	88-74-4	
3-Nitroaniline	<131	ug/kg	861	1	01/30/18 15:00	01/31/18 17:47	99-09-2	
4-Nitroaniline	<111	ug/kg	861	1	01/30/18 15:00	01/31/18 17:47	100-01-6	
Nitrobenzene	<40.5	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	98-95-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-14 (3-5) Lab ID: 60262831001 Collected: 01/25/18 09:00 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
2-Nitrophenol	<60.0	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	88-75-5	
4-Nitrophenol	<67.9	ug/kg	2180	1	01/30/18 15:00	01/31/18 17:47	100-02-7	
N-Nitroso-di-n-propylamine	<43.1	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	621-64-7	
N-Nitrosodiphenylamine	<33.9	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	86-30-6	
Pentachlorophenol	<40.5	ug/kg	2180	1	01/30/18 15:00	01/31/18 17:47	87-86-5	
Phenanthrene	<40.5	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	85-01-8	
Phenol	<33.9	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	108-95-2	
Pyrene	<43.1	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	129-00-0	
Pyridine	<35.2	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	110-86-1	
1,2,4-Trichlorobenzene	<39.2	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	120-82-1	
2,4,5-Trichlorophenol	<39.2	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	95-95-4	
2,4,6-Trichlorophenol	<40.5	ug/kg	431	1	01/30/18 15:00	01/31/18 17:47	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	72	%	41-114	1	01/30/18 15:00	01/31/18 17:47	4165-60-0	
2-Fluorobiphenyl (S)	78	%	61-109	1	01/30/18 15:00	01/31/18 17:47	321-60-8	
Terphenyl-d14 (S)	89	%	48-120	1	01/30/18 15:00	01/31/18 17:47	1718-51-0	
Phenol-d6 (S)	77	%	48-102	1	01/30/18 15:00	01/31/18 17:47	13127-88-3	
2-Fluorophenol (S)	74	%	46-102	1	01/30/18 15:00	01/31/18 17:47	367-12-4	
2,4,6-Tribromophenol (S)	95	%	39-114	1	01/30/18 15:00	01/31/18 17:47	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546								
TPH-ORO	21.4	mg/kg	19.5	1	01/30/18 15:00	01/31/18 23:26		B
TPH-DRO	2.0J	mg/kg	19.5	1	01/30/18 15:00	01/31/18 23:26		
Surrogates								
Nitrobenzene-d5 (S)	79	%	41-114	1	01/30/18 15:00	01/31/18 23:26	4165-60-0	
2-Fluorobiphenyl (S)	77	%	61-109	1	01/30/18 15:00	01/31/18 23:26	321-60-8	
Terphenyl-d14 (S)	80	%	48-120	1	01/30/18 15:00	01/31/18 23:26	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260								
TPH-GRO	<0.31	mg/kg	0.62	1		02/06/18 17:13		
8260 MSV 5035A VOA Analytical Method: EPA 8260								
Acetone	37.7	ug/kg	24.6	1		02/06/18 17:13	67-64-1	
Benzene	<3.1	ug/kg	6.2	1		02/06/18 17:13	71-43-2	
Bromobenzene	<3.1	ug/kg	6.2	1		02/06/18 17:13	108-86-1	
Bromochloromethane	<3.1	ug/kg	6.2	1		02/06/18 17:13	74-97-5	
Bromodichloromethane	<3.1	ug/kg	6.2	1		02/06/18 17:13	75-27-4	
Bromoform	<3.1	ug/kg	6.2	1		02/06/18 17:13	75-25-2	
Bromomethane	<3.1	ug/kg	6.2	1		02/06/18 17:13	74-83-9	
2-Butanone (MEK)	<6.2	ug/kg	12.3	1		02/06/18 17:13	78-93-3	
n-Butylbenzene	<3.1	ug/kg	6.2	1		02/06/18 17:13	104-51-8	
sec-Butylbenzene	<3.1	ug/kg	6.2	1		02/06/18 17:13	135-98-8	
tert-Butylbenzene	<3.1	ug/kg	6.2	1		02/06/18 17:13	98-06-6	
Carbon disulfide	<3.1	ug/kg	6.2	1		02/06/18 17:13	75-15-0	
Carbon tetrachloride	<3.1	ug/kg	6.2	1		02/06/18 17:13	56-23-5	
Chlorobenzene	<3.1	ug/kg	6.2	1		02/06/18 17:13	108-90-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-14 (3-5) Lab ID: 60262831001 Collected: 01/25/18 09:00 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260						
Chloroethane	<3.1	ug/kg	6.2	1		02/06/18 17:13	75-00-3	
Chloroform	<3.1	ug/kg	6.2	1		02/06/18 17:13	67-66-3	
Chloromethane	<3.1	ug/kg	6.2	1		02/06/18 17:13	74-87-3	
2-Chlorotoluene	<3.1	ug/kg	6.2	1		02/06/18 17:13	95-49-8	
4-Chlorotoluene	<3.1	ug/kg	6.2	1		02/06/18 17:13	106-43-4	
1,2-Dibromo-3-chloropropane	<6.2	ug/kg	12.3	1		02/06/18 17:13	96-12-8	
Dibromochloromethane	<3.1	ug/kg	6.2	1		02/06/18 17:13	124-48-1	
1,2-Dibromoethane (EDB)	<3.1	ug/kg	6.2	1		02/06/18 17:13	106-93-4	
Dibromomethane	<3.1	ug/kg	6.2	1		02/06/18 17:13	74-95-3	
1,2-Dichlorobenzene	<3.1	ug/kg	6.2	1		02/06/18 17:13	95-50-1	
1,3-Dichlorobenzene	<3.1	ug/kg	6.2	1		02/06/18 17:13	541-73-1	
1,4-Dichlorobenzene	<3.1	ug/kg	6.2	1		02/06/18 17:13	106-46-7	
Dichlorodifluoromethane	<3.1	ug/kg	6.2	1		02/06/18 17:13	75-71-8	
1,1-Dichloroethane	<3.1	ug/kg	6.2	1		02/06/18 17:13	75-34-3	
1,2-Dichloroethane	<3.1	ug/kg	6.2	1		02/06/18 17:13	107-06-2	
1,2-Dichloroethene (Total)	<3.1	ug/kg	6.2	1		02/06/18 17:13	540-59-0	
1,1-Dichloroethene	<3.1	ug/kg	6.2	1		02/06/18 17:13	75-35-4	
cis-1,2-Dichloroethene	<3.1	ug/kg	6.2	1		02/06/18 17:13	156-59-2	
trans-1,2-Dichloroethene	<3.1	ug/kg	6.2	1		02/06/18 17:13	156-60-5	
1,2-Dichloropropane	<3.1	ug/kg	6.2	1		02/06/18 17:13	78-87-5	
1,3-Dichloropropane	<3.1	ug/kg	6.2	1		02/06/18 17:13	142-28-9	
2,2-Dichloropropane	<3.1	ug/kg	6.2	1		02/06/18 17:13	594-20-7	
1,1-Dichloropropene	<3.1	ug/kg	6.2	1		02/06/18 17:13	563-58-6	
cis-1,3-Dichloropropene	<3.1	ug/kg	6.2	1		02/06/18 17:13	10061-01-5	
trans-1,3-Dichloropropene	<3.1	ug/kg	6.2	1		02/06/18 17:13	10061-02-6	
Ethylbenzene	<3.1	ug/kg	6.2	1		02/06/18 17:13	100-41-4	
Hexachloro-1,3-butadiene	<3.1	ug/kg	6.2	1		02/06/18 17:13	87-68-3	
2-Hexanone	<12.3	ug/kg	24.6	1		02/06/18 17:13	591-78-6	
Isopropylbenzene (Cumene)	<3.1	ug/kg	6.2	1		02/06/18 17:13	98-82-8	
p-Isopropyltoluene	<3.1	ug/kg	6.2	1		02/06/18 17:13	99-87-6	
Methylene chloride	<3.1	ug/kg	6.2	1		02/06/18 17:13	75-09-2	
4-Methyl-2-pentanone (MIBK)	<6.2	ug/kg	12.3	1		02/06/18 17:13	108-10-1	
Methyl-tert-butyl ether	<3.1	ug/kg	6.2	1		02/06/18 17:13	1634-04-4	
Naphthalene	<6.2	ug/kg	12.3	1		02/06/18 17:13	91-20-3	
n-Propylbenzene	<3.1	ug/kg	6.2	1		02/06/18 17:13	103-65-1	
Styrene	<3.1	ug/kg	6.2	1		02/06/18 17:13	100-42-5	
1,1,1,2-Tetrachloroethane	<3.1	ug/kg	6.2	1		02/06/18 17:13	630-20-6	
1,1,2,2-Tetrachloroethane	<3.1	ug/kg	6.2	1		02/06/18 17:13	79-34-5	
Tetrachloroethene	<3.1	ug/kg	6.2	1		02/06/18 17:13	127-18-4	
Toluene	<3.1	ug/kg	6.2	1		02/06/18 17:13	108-88-3	
1,2,3-Trichlorobenzene	<3.1	ug/kg	6.2	1		02/06/18 17:13	87-61-6	
1,2,4-Trichlorobenzene	<3.1	ug/kg	6.2	1		02/06/18 17:13	120-82-1	
1,1,1-Trichloroethane	<3.1	ug/kg	6.2	1		02/06/18 17:13	71-55-6	
1,1,2-Trichloroethane	<3.1	ug/kg	6.2	1		02/06/18 17:13	79-00-5	
Trichloroethene	<3.1	ug/kg	6.2	1		02/06/18 17:13	79-01-6	
Trichlorofluoromethane	<3.1	ug/kg	6.2	1		02/06/18 17:13	75-69-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: **SB-14 (3-5)** Lab ID: **60262831001** Collected: 01/25/18 09:00 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260								
1,2,3-Trichloropropane	<3.1	ug/kg	6.2	1		02/06/18 17:13	96-18-4	
1,2,4-Trimethylbenzene	<3.1	ug/kg	6.2	1		02/06/18 17:13	95-63-6	
1,3,5-Trimethylbenzene	<3.1	ug/kg	6.2	1		02/06/18 17:13	108-67-8	
Vinyl chloride	<3.1	ug/kg	6.2	1		02/06/18 17:13	75-01-4	
Xylene (Total)	<3.1	ug/kg	6.2	1		02/06/18 17:13	1330-20-7	
Surrogates								
Toluene-d8 (S)	98	%	78-122	1		02/06/18 17:13	2037-26-5	
4-Bromofluorobenzene (S)	97	%	69-133	1		02/06/18 17:13	460-00-4	
1,2-Dichloroethane-d4 (S)	108	%	80-123	1		02/06/18 17:13	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974								
Percent Moisture	23.9	%	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045								
pH at 25 Degrees C	7.0	Std. Units	0.10	1		02/01/18 13:20		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Sulfate	88.9J	mg/kg	132	10	02/05/18 08:00	02/06/18 05:05	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Nitrate as N	18.5	mg/kg	13.2	10	02/05/18 19:33	02/06/18 05:05	14797-55-8	
Nitrite as N	<6.6	mg/kg	13.2	10	02/05/18 19:33	02/06/18 05:05	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-14 (13-15) Lab ID: 60262831002 Collected: 01/25/18 09:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546								
Aldrin	<0.68	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:01	309-00-2	
alpha-BHC	<0.30	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:01	319-84-6	
beta-BHC	<1.0	ug/kg	3.2	1	02/02/18 13:00	02/05/18 22:01	319-85-7	
delta-BHC	<0.92	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:01	319-86-8	
gamma-BHC (Lindane)	<0.86	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:01	58-89-9	
Chlordane (Technical)	<54.1	ug/kg	288	1	02/02/18 13:00	02/05/18 22:01	57-74-9	
alpha-Chlordane	<0.77	ug/kg	3.2	1	02/02/18 13:00	02/05/18 22:01	5103-71-9	
gamma-Chlordane	<1.3	ug/kg	3.2	1	02/02/18 13:00	02/05/18 22:01	5103-74-2	
4,4'-DDD	<0.63	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:01	72-54-8	
4,4'-DDE	<0.60	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:01	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:01	50-29-3	
Dieldrin	<0.83	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:01	60-57-1	
Endosulfan I	<0.89	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:01	959-98-8	
Endosulfan II	<0.62	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:01	33213-65-9	
Endosulfan sulfate	<0.88	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:01	1031-07-8	
Endrin	<0.89	ug/kg	3.2	1	02/02/18 13:00	02/05/18 22:01	72-20-8	
Endrin aldehyde	<0.89	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:01	7421-93-4	
Endrin ketone	<1.1	ug/kg	3.8	1	02/02/18 13:00	02/05/18 22:01	53494-70-5	
Heptachlor	<1.5	ug/kg	3.8	1	02/02/18 13:00	02/05/18 22:01	76-44-8	
Heptachlor epoxide	<3.8	ug/kg	9.6	1	02/02/18 13:00	02/05/18 22:01	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.8	1	02/02/18 13:00	02/05/18 22:01	72-43-5	
Toxaphene	<99.7	ug/kg	288	1	02/02/18 13:00	02/05/18 22:01	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	72	%.	70-130	1	02/02/18 13:00	02/05/18 22:01	877-09-8	
Decachlorobiphenyl (S)	81	%.	70-130	1	02/02/18 13:00	02/05/18 22:01	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546								
Stirophos (Tetrachlorvinphos)	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 02:41	22248-79-9	
Azinphos, methyl (Guthion)	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 02:41	86-50-0	
Bolstar	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 02:41	35400-43-2	
Chlorpyrifos	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 02:41	2921-88-2	
Coumaphos	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 02:41	56-72-4	
Diazinon	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 02:41	333-41-5	
Dichlorvos	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 02:41	62-73-7	
Dimethoate	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 02:41	60-51-5	
Disulfoton	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 02:41	298-04-4	
EPN (ENT)	<4.1	ug/kg	6.4	1	02/02/18 13:00	02/06/18 02:41	2104-64-5	
Ethoprop	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 02:41	13194-48-4	
Fensulfothion	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 02:41	115-90-2	
Fenthion	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 02:41	55-38-9	
Malathion	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 02:41	121-75-5	
Methyl parathion	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 02:41	298-00-0	
Mevinphos	<3.8	ug/kg	6.4	1	02/02/18 13:00	02/06/18 02:41	7786-34-7	
Parathion (Ethyl parathion)	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 02:41	56-38-2	
Phorate	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 02:41	298-02-2	
Ronnel	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 02:41	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-14 (13-15) **Lab ID: 60262831002** Collected: 01/25/18 09:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546								
Sulfotep (Thiodiphosphoric Ac	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 02:41	3689-24-5	
Tokuthion (Prothiofos)	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 02:41	34643-46-4	
Trichloronate	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 02:41	327-98-0	
Total Demeton	<5.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 02:41	8065-48-3	N2
Total Merphos	<6.4	ug/kg	25.6	1	02/02/18 13:00	02/06/18 02:41	150-50-5	N2
Surrogates								
Triphenylphosphate (S)	95	%.	11-137	1	02/02/18 13:00	02/06/18 02:41	115-86-6	
Tributylphosphate (S)	109	%.	17-125	1	02/02/18 13:00	02/06/18 02:41	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546								
2,4-D	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 15:53	94-75-7	
Dalapon	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 15:53	75-99-0	
2,4-DB	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 15:53	94-82-6	
Dicamba	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 15:53	1918-00-9	
Dichloroprop	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 15:53	15165-67-0	
Dinoseb	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 15:53	88-85-7	
MCPA	<318	ug/kg	318	1	02/06/18 12:15	02/07/18 15:53	94-74-6	
MCPP	<318	ug/kg	318	1	02/06/18 12:15	02/07/18 15:53	7085-19-0	
2,4,5-T	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 15:53	93-76-5	
2,4,5-TP (Silvex)	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 15:53	93-72-1	
Surrogates								
2,4-DCAA (S)	3	%.	10-188	1	02/06/18 12:15	02/07/18 15:53	19719-28-9	S1
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050								
Arsenic	8.3	mg/kg	1.2	1	01/30/18 14:45	02/06/18 15:55	7440-38-2	
Barium	209	mg/kg	0.61	1	01/30/18 14:45	02/06/18 15:55	7440-39-3	
Cadmium	0.13J	mg/kg	0.61	1	01/30/18 14:45	02/06/18 15:55	7440-43-9	
Chromium	17.2	mg/kg	0.61	1	01/30/18 14:45	02/06/18 15:55	7440-47-3	
Lead	11.8	mg/kg	0.61	1	01/30/18 14:45	02/06/18 15:55	7439-92-1	
Selenium	<0.91	mg/kg	1.8	1	01/30/18 14:45	02/06/18 15:55	7782-49-2	
Silver	<0.20	mg/kg	0.85	1	01/30/18 14:45	02/06/18 15:55	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471								
Mercury	0.021J	mg/kg	0.063	1	02/02/18 09:59	02/02/18 14:28	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
Acenaphthene	<44.9	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	83-32-9	
Acenaphthylene	<39.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	208-96-8	
Anthracene	<44.9	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	120-12-7	
Benzo(a)anthracene	<38.5	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	56-55-3	
Benzo(a)pyrene	<33.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	50-32-8	
Benzo(b)fluoranthene	<29.5	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	205-99-2	
Benzo(g,h,i)perylene	<41.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	191-24-2	
Benzo(k)fluoranthene	<50.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	207-08-9	
Benzoic acid	<39.8	ug/kg	2140	1	01/30/18 15:00	01/31/18 18:09	65-85-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-14 (13-15) Lab ID: 60262831002 Collected: 01/25/18 09:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Benzyl alcohol	<132	ug/kg	847	1	01/30/18 15:00	01/31/18 18:09	100-51-6	
4-Bromophenylphenyl ether	<33.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	101-55-3	
Butylbenzylphthalate	<55.2	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	85-68-7	
Carbazole	<34.7	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	86-74-8	
4-Chloro-3-methylphenol	<46.2	ug/kg	847	1	01/30/18 15:00	01/31/18 18:09	59-50-7	
4-Chloroaniline	<83.5	ug/kg	847	1	01/30/18 15:00	01/31/18 18:09	106-47-8	
bis(2-Chloroethoxy)methane	<33.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	111-91-1	
bis(2-Chloroethyl) ether	<33.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	111-44-4	
bis(2-Chloroisopropyl) ether	<33.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	39638-32-9	
2-Chloronaphthalene	<35.9	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	91-58-7	
2-Chlorophenol	<34.7	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	95-57-8	
4-Chlorophenylphenyl ether	<41.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	7005-72-3	
Chrysene	<35.9	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	218-01-9	
Dibenz(a,h)anthracene	<38.5	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	53-70-3	
Dibenzofuran	<38.5	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	132-64-9	
1,2-Dichlorobenzene	<32.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	95-50-1	
1,3-Dichlorobenzene	<35.9	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	541-73-1	
1,4-Dichlorobenzene	<37.2	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	106-46-7	
3,3'-Dichlorobenzidine	<145	ug/kg	847	1	01/30/18 15:00	01/31/18 18:09	91-94-1	
2,4-Dichlorophenol	<38.5	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	120-83-2	
Diethylphthalate	<39.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	84-66-2	
2,4-Dimethylphenol	<23.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	105-67-9	
Dimethylphthalate	<41.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	131-11-3	
Di-n-butylphthalate	<44.9	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	84-74-2	
4,6-Dinitro-2-methylphenol	<56.5	ug/kg	2140	1	01/30/18 15:00	01/31/18 18:09	534-52-1	
2,4-Dinitrophenol	<61.6	ug/kg	2140	1	01/30/18 15:00	01/31/18 18:09	51-28-5	
2,4-Dinitrotoluene	<35.9	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	121-14-2	
2,6-Dinitrotoluene	<43.7	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	606-20-2	
Di-n-octylphthalate	<50.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	117-84-0	
bis(2-Ethylhexyl)phthalate	<146	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	117-81-7	
Fluoranthene	<39.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	206-44-0	
Fluorene	<39.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	86-73-7	
Hexachloro-1,3-butadiene	<42.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	87-68-3	
Hexachlorobenzene	<41.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	118-74-1	
Hexachlorocyclopentadiene	<89.9	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	77-47-4	
Hexachloroethane	<32.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	67-72-1	
Indeno(1,2,3-cd)pyrene	<46.2	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	193-39-5	
Isophorone	<38.5	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	78-59-1	
2-Methylnaphthalene	<30.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	91-57-6	
2-Methylphenol(o-Cresol)	<39.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	95-48-7	
3&4-Methylphenol(m&p Cresol)	<46.2	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09		
Naphthalene	<33.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	91-20-3	
2-Nitroaniline	<71.9	ug/kg	847	1	01/30/18 15:00	01/31/18 18:09	88-74-4	
3-Nitroaniline	<128	ug/kg	847	1	01/30/18 15:00	01/31/18 18:09	99-09-2	
4-Nitroaniline	<109	ug/kg	847	1	01/30/18 15:00	01/31/18 18:09	100-01-6	
Nitrobenzene	<39.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	98-95-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-14 (13-15) Lab ID: 60262831002 Collected: 01/25/18 09:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
2-Nitrophenol	<59.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	88-75-5	
4-Nitrophenol	<66.8	ug/kg	2140	1	01/30/18 15:00	01/31/18 18:09	100-02-7	
N-Nitroso-di-n-propylamine	<42.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	621-64-7	
N-Nitrosodiphenylamine	<33.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	86-30-6	
Pentachlorophenol	<39.8	ug/kg	2140	1	01/30/18 15:00	01/31/18 18:09	87-86-5	
Phenanthrene	<39.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	85-01-8	
Phenol	<33.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	108-95-2	
Pyrene	<42.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	129-00-0	
Pyridine	<34.7	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	110-86-1	
1,2,4-Trichlorobenzene	<38.5	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	120-82-1	
2,4,5-Trichlorophenol	<38.5	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	95-95-4	
2,4,6-Trichlorophenol	<39.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:09	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	81	%	41-114	1	01/30/18 15:00	01/31/18 18:09	4165-60-0	
2-Fluorobiphenyl (S)	83	%	61-109	1	01/30/18 15:00	01/31/18 18:09	321-60-8	
Terphenyl-d14 (S)	82	%	48-120	1	01/30/18 15:00	01/31/18 18:09	1718-51-0	
Phenol-d6 (S)	81	%	48-102	1	01/30/18 15:00	01/31/18 18:09	13127-88-3	
2-Fluorophenol (S)	79	%	46-102	1	01/30/18 15:00	01/31/18 18:09	367-12-4	
2,4,6-Tribromophenol (S)	87	%	39-114	1	01/30/18 15:00	01/31/18 18:09	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546								
TPH-ORO	11.9J	mg/kg	19.4	1	01/30/18 15:00	01/31/18 23:47		B
TPH-DRO	<1.6	mg/kg	19.4	1	01/30/18 15:00	01/31/18 23:47		
Surrogates								
Nitrobenzene-d5 (S)	71	%	41-114	1	01/30/18 15:00	01/31/18 23:47	4165-60-0	
2-Fluorobiphenyl (S)	70	%	61-109	1	01/30/18 15:00	01/31/18 23:47	321-60-8	
Terphenyl-d14 (S)	66	%	48-120	1	01/30/18 15:00	01/31/18 23:47	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260								
TPH-GRO	<0.32	mg/kg	0.65	1		02/06/18 17:29		
8260 MSV 5035A VOA Analytical Method: EPA 8260								
Acetone	<12.9	ug/kg	25.8	1		02/06/18 17:29	67-64-1	
Benzene	<3.2	ug/kg	6.5	1		02/06/18 17:29	71-43-2	
Bromobenzene	<3.2	ug/kg	6.5	1		02/06/18 17:29	108-86-1	
Bromochloromethane	<3.2	ug/kg	6.5	1		02/06/18 17:29	74-97-5	
Bromodichloromethane	<3.2	ug/kg	6.5	1		02/06/18 17:29	75-27-4	
Bromoform	<3.2	ug/kg	6.5	1		02/06/18 17:29	75-25-2	
Bromomethane	<3.2	ug/kg	6.5	1		02/06/18 17:29	74-83-9	
2-Butanone (MEK)	<6.5	ug/kg	12.9	1		02/06/18 17:29	78-93-3	
n-Butylbenzene	<3.2	ug/kg	6.5	1		02/06/18 17:29	104-51-8	
sec-Butylbenzene	<3.2	ug/kg	6.5	1		02/06/18 17:29	135-98-8	
tert-Butylbenzene	<3.2	ug/kg	6.5	1		02/06/18 17:29	98-06-6	
Carbon disulfide	<3.2	ug/kg	6.5	1		02/06/18 17:29	75-15-0	
Carbon tetrachloride	<3.2	ug/kg	6.5	1		02/06/18 17:29	56-23-5	
Chlorobenzene	<3.2	ug/kg	6.5	1		02/06/18 17:29	108-90-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-14 (13-15) Lab ID: 60262831002 Collected: 01/25/18 09:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260						
Chloroethane	<3.2	ug/kg	6.5	1		02/06/18 17:29	75-00-3	
Chloroform	<3.2	ug/kg	6.5	1		02/06/18 17:29	67-66-3	
Chloromethane	<3.2	ug/kg	6.5	1		02/06/18 17:29	74-87-3	
2-Chlorotoluene	<3.2	ug/kg	6.5	1		02/06/18 17:29	95-49-8	
4-Chlorotoluene	<3.2	ug/kg	6.5	1		02/06/18 17:29	106-43-4	
1,2-Dibromo-3-chloropropane	<6.5	ug/kg	12.9	1		02/06/18 17:29	96-12-8	
Dibromochloromethane	<3.2	ug/kg	6.5	1		02/06/18 17:29	124-48-1	
1,2-Dibromoethane (EDB)	<3.2	ug/kg	6.5	1		02/06/18 17:29	106-93-4	
Dibromomethane	<3.2	ug/kg	6.5	1		02/06/18 17:29	74-95-3	
1,2-Dichlorobenzene	<3.2	ug/kg	6.5	1		02/06/18 17:29	95-50-1	
1,3-Dichlorobenzene	<3.2	ug/kg	6.5	1		02/06/18 17:29	541-73-1	
1,4-Dichlorobenzene	<3.2	ug/kg	6.5	1		02/06/18 17:29	106-46-7	
Dichlorodifluoromethane	<3.2	ug/kg	6.5	1		02/06/18 17:29	75-71-8	
1,1-Dichloroethane	<3.2	ug/kg	6.5	1		02/06/18 17:29	75-34-3	
1,2-Dichloroethane	<3.2	ug/kg	6.5	1		02/06/18 17:29	107-06-2	
1,2-Dichloroethene (Total)	<3.2	ug/kg	6.5	1		02/06/18 17:29	540-59-0	
1,1-Dichloroethene	<3.2	ug/kg	6.5	1		02/06/18 17:29	75-35-4	
cis-1,2-Dichloroethene	<3.2	ug/kg	6.5	1		02/06/18 17:29	156-59-2	
trans-1,2-Dichloroethene	<3.2	ug/kg	6.5	1		02/06/18 17:29	156-60-5	
1,2-Dichloropropane	<3.2	ug/kg	6.5	1		02/06/18 17:29	78-87-5	
1,3-Dichloropropane	<3.2	ug/kg	6.5	1		02/06/18 17:29	142-28-9	
2,2-Dichloropropane	<3.2	ug/kg	6.5	1		02/06/18 17:29	594-20-7	
1,1-Dichloropropene	<3.2	ug/kg	6.5	1		02/06/18 17:29	563-58-6	
cis-1,3-Dichloropropene	<3.2	ug/kg	6.5	1		02/06/18 17:29	10061-01-5	
trans-1,3-Dichloropropene	<3.2	ug/kg	6.5	1		02/06/18 17:29	10061-02-6	
Ethylbenzene	<3.2	ug/kg	6.5	1		02/06/18 17:29	100-41-4	
Hexachloro-1,3-butadiene	<3.2	ug/kg	6.5	1		02/06/18 17:29	87-68-3	
2-Hexanone	<12.9	ug/kg	25.8	1		02/06/18 17:29	591-78-6	
Isopropylbenzene (Cumene)	<3.2	ug/kg	6.5	1		02/06/18 17:29	98-82-8	
p-Isopropyltoluene	<3.2	ug/kg	6.5	1		02/06/18 17:29	99-87-6	
Methylene chloride	<3.2	ug/kg	6.5	1		02/06/18 17:29	75-09-2	
4-Methyl-2-pentanone (MIBK)	<6.5	ug/kg	12.9	1		02/06/18 17:29	108-10-1	
Methyl-tert-butyl ether	<3.2	ug/kg	6.5	1		02/06/18 17:29	1634-04-4	
Naphthalene	<6.5	ug/kg	12.9	1		02/06/18 17:29	91-20-3	
n-Propylbenzene	<3.2	ug/kg	6.5	1		02/06/18 17:29	103-65-1	
Styrene	<3.2	ug/kg	6.5	1		02/06/18 17:29	100-42-5	
1,1,1,2-Tetrachloroethane	<3.2	ug/kg	6.5	1		02/06/18 17:29	630-20-6	
1,1,2,2-Tetrachloroethane	<3.2	ug/kg	6.5	1		02/06/18 17:29	79-34-5	
Tetrachloroethene	<3.2	ug/kg	6.5	1		02/06/18 17:29	127-18-4	
Toluene	<3.2	ug/kg	6.5	1		02/06/18 17:29	108-88-3	
1,2,3-Trichlorobenzene	<3.2	ug/kg	6.5	1		02/06/18 17:29	87-61-6	
1,2,4-Trichlorobenzene	<3.2	ug/kg	6.5	1		02/06/18 17:29	120-82-1	
1,1,1-Trichloroethane	<3.2	ug/kg	6.5	1		02/06/18 17:29	71-55-6	
1,1,2-Trichloroethane	<3.2	ug/kg	6.5	1		02/06/18 17:29	79-00-5	
Trichloroethene	<3.2	ug/kg	6.5	1		02/06/18 17:29	79-01-6	
Trichlorofluoromethane	<3.2	ug/kg	6.5	1		02/06/18 17:29	75-69-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-14 (13-15) **Lab ID: 60262831002** Collected: 01/25/18 09:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260								
1,2,3-Trichloropropane	<3.2	ug/kg	6.5	1		02/06/18 17:29	96-18-4	
1,2,4-Trimethylbenzene	<3.2	ug/kg	6.5	1		02/06/18 17:29	95-63-6	
1,3,5-Trimethylbenzene	<3.2	ug/kg	6.5	1		02/06/18 17:29	108-67-8	
Vinyl chloride	<3.2	ug/kg	6.5	1		02/06/18 17:29	75-01-4	
Xylene (Total)	<3.2	ug/kg	6.5	1		02/06/18 17:29	1330-20-7	
Surrogates								
Toluene-d8 (S)	98	%	78-122	1		02/06/18 17:29	2037-26-5	
4-Bromofluorobenzene (S)	98	%	69-133	1		02/06/18 17:29	460-00-4	
1,2-Dichloroethane-d4 (S)	106	%	80-123	1		02/06/18 17:29	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974								
Percent Moisture	23.7	%	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045								
pH at 25 Degrees C	7.1	Std. Units	0.10	1		02/01/18 13:20		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Sulfate	82.6J	mg/kg	131	10	02/05/18 08:00	02/06/18 05:19	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Nitrate as N	<6.6	mg/kg	13.1	10	02/05/18 19:33	02/06/18 05:19	14797-55-8	
Nitrite as N	<6.6	mg/kg	13.1	10	02/05/18 19:33	02/06/18 05:19	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15 (3-5) Lab ID: 60262831003 Collected: 01/25/18 10:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3546						
Aldrin	<0.64	ug/kg	1.8	1	02/02/18 13:00	02/05/18 22:15	309-00-2	
alpha-BHC	<0.29	ug/kg	1.8	1	02/02/18 13:00	02/05/18 22:15	319-84-6	
beta-BHC	<0.95	ug/kg	3.0	1	02/02/18 13:00	02/05/18 22:15	319-85-7	
delta-BHC	<0.86	ug/kg	2.5	1	02/02/18 13:00	02/05/18 22:15	319-86-8	
gamma-BHC (Lindane)	<0.81	ug/kg	2.5	1	02/02/18 13:00	02/05/18 22:15	58-89-9	
Chlordane (Technical)	<50.8	ug/kg	271	1	02/02/18 13:00	02/05/18 22:15	57-74-9	
alpha-Chlordane	<0.72	ug/kg	3.0	1	02/02/18 13:00	02/05/18 22:15	5103-71-9	
gamma-Chlordane	<1.2	ug/kg	3.0	1	02/02/18 13:00	02/05/18 22:15	5103-74-2	
4,4'-DDD	<0.59	ug/kg	1.8	1	02/02/18 13:00	02/05/18 22:15	72-54-8	
4,4'-DDE	<0.57	ug/kg	1.8	1	02/02/18 13:00	02/05/18 22:15	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.5	1	02/02/18 13:00	02/05/18 22:15	50-29-3	
Dieldrin	<0.78	ug/kg	2.5	1	02/02/18 13:00	02/05/18 22:15	60-57-1	
Endosulfan I	<0.84	ug/kg	2.5	1	02/02/18 13:00	02/05/18 22:15	959-98-8	
Endosulfan II	<0.58	ug/kg	1.8	1	02/02/18 13:00	02/05/18 22:15	33213-65-9	
Endosulfan sulfate	<0.83	ug/kg	2.5	1	02/02/18 13:00	02/05/18 22:15	1031-07-8	
Endrin	<0.84	ug/kg	3.0	1	02/02/18 13:00	02/05/18 22:15	72-20-8	
Endrin aldehyde	<0.84	ug/kg	2.5	1	02/02/18 13:00	02/05/18 22:15	7421-93-4	
Endrin ketone	<0.99	ug/kg	3.6	1	02/02/18 13:00	02/05/18 22:15	53494-70-5	
Heptachlor	<1.4	ug/kg	3.6	1	02/02/18 13:00	02/05/18 22:15	76-44-8	
Heptachlor epoxide	<3.6	ug/kg	9.0	1	02/02/18 13:00	02/05/18 22:15	1024-57-3	
Methoxychlor	<1.0	ug/kg	3.6	1	02/02/18 13:00	02/05/18 22:15	72-43-5	
Toxaphene	<93.6	ug/kg	271	1	02/02/18 13:00	02/05/18 22:15	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	67	%.	70-130	1	02/02/18 13:00	02/05/18 22:15	877-09-8	S1
Decachlorobiphenyl (S)	77	%.	70-130	1	02/02/18 13:00	02/05/18 22:15	2051-24-3	
8141 O/P Pesticides Microwave		Analytical Method: EPA 8141A Preparation Method: EPA 3546						
Stirophos (Tetrachlorvinphos)	<6.0	ug/kg	12.0	1	02/02/18 13:00	02/06/18 03:09	22248-79-9	
Azinphos, methyl (Guthion)	<6.0	ug/kg	12.0	1	02/02/18 13:00	02/06/18 03:09	86-50-0	
Bolstar	<6.0	ug/kg	12.0	1	02/02/18 13:00	02/06/18 03:09	35400-43-2	
Chlorpyrifos	<6.0	ug/kg	12.0	1	02/02/18 13:00	02/06/18 03:09	2921-88-2	
Coumaphos	<6.0	ug/kg	12.0	1	02/02/18 13:00	02/06/18 03:09	56-72-4	
Diazinon	<6.0	ug/kg	12.0	1	02/02/18 13:00	02/06/18 03:09	333-41-5	
Dichlorvos	<3.0	ug/kg	6.0	1	02/02/18 13:00	02/06/18 03:09	62-73-7	
Dimethoate	<6.0	ug/kg	12.0	1	02/02/18 13:00	02/06/18 03:09	60-51-5	
Disulfoton	<3.0	ug/kg	6.0	1	02/02/18 13:00	02/06/18 03:09	298-04-4	
EPN (ENT)	<3.8	ug/kg	6.0	1	02/02/18 13:00	02/06/18 03:09	2104-64-5	
Ethoprop	<3.0	ug/kg	6.0	1	02/02/18 13:00	02/06/18 03:09	13194-48-4	
Fensulfothion	<6.0	ug/kg	12.0	1	02/02/18 13:00	02/06/18 03:09	115-90-2	
Fenthion	<3.0	ug/kg	6.0	1	02/02/18 13:00	02/06/18 03:09	55-38-9	
Malathion	<6.0	ug/kg	12.0	1	02/02/18 13:00	02/06/18 03:09	121-75-5	
Methyl parathion	<3.0	ug/kg	6.0	1	02/02/18 13:00	02/06/18 03:09	298-00-0	
Mevinphos	<3.6	ug/kg	6.0	1	02/02/18 13:00	02/06/18 03:09	7786-34-7	
Parathion (Ethyl parathion)	<6.0	ug/kg	12.0	1	02/02/18 13:00	02/06/18 03:09	56-38-2	
Phorate	<3.0	ug/kg	6.0	1	02/02/18 13:00	02/06/18 03:09	298-02-2	
Ronnel	<3.0	ug/kg	6.0	1	02/02/18 13:00	02/06/18 03:09	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15 (3-5) **Lab ID: 60262831003** Collected: 01/25/18 10:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546								
Sulfotep (Thiodiphosphoric Ac	<3.0	ug/kg	6.0	1	02/02/18 13:00	02/06/18 03:09	3689-24-5	
Tokuthion (Prothiofos)	<3.0	ug/kg	6.0	1	02/02/18 13:00	02/06/18 03:09	34643-46-4	
Trichloronate	<6.0	ug/kg	12.0	1	02/02/18 13:00	02/06/18 03:09	327-98-0	
Total Demeton	<4.9	ug/kg	6.0	1	02/02/18 13:00	02/06/18 03:09	8065-48-3	N2
Total Merphos	<6.0	ug/kg	24.1	1	02/02/18 13:00	02/06/18 03:09	150-50-5	N2
Surrogates								
Triphenylphosphate (S)	97	%.	11-137	1	02/02/18 13:00	02/06/18 03:09	115-86-6	
Tributylphosphate (S)	99	%.	17-125	1	02/02/18 13:00	02/06/18 03:09	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546								
2,4-D	<3.0	ug/kg	3.0	1	02/06/18 12:15	02/07/18 15:53	94-75-7	
Dalapon	<3.0	ug/kg	3.0	1	02/06/18 12:15	02/07/18 15:53	75-99-0	
2,4-DB	<3.0	ug/kg	3.0	1	02/06/18 12:15	02/07/18 15:53	94-82-6	
Dicamba	<3.0	ug/kg	3.0	1	02/06/18 12:15	02/07/18 15:53	1918-00-9	
Dichloroprop	<3.0	ug/kg	3.0	1	02/06/18 12:15	02/07/18 15:53	15165-67-0	
Dinoseb	<3.0	ug/kg	3.0	1	02/06/18 12:15	02/07/18 15:53	88-85-7	
MCPA	<298	ug/kg	298	1	02/06/18 12:15	02/07/18 15:53	94-74-6	
MCPP	<298	ug/kg	298	1	02/06/18 12:15	02/07/18 15:53	7085-19-0	
2,4,5-T	<3.0	ug/kg	3.0	1	02/06/18 12:15	02/07/18 15:53	93-76-5	
2,4,5-TP (Silvex)	<3.0	ug/kg	3.0	1	02/06/18 12:15	02/07/18 15:53	93-72-1	
Surrogates								
2,4-DCAA (S)	28	%.	10-188	1	02/06/18 12:15	02/07/18 15:53	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050								
Arsenic	6.1	mg/kg	1.0	1	01/30/18 14:45	02/06/18 15:57	7440-38-2	
Barium	147	mg/kg	0.50	1	01/30/18 14:45	02/06/18 15:57	7440-39-3	
Cadmium	0.040J	mg/kg	0.50	1	01/30/18 14:45	02/06/18 15:57	7440-43-9	
Chromium	19.8	mg/kg	0.50	1	01/30/18 14:45	02/06/18 15:57	7440-47-3	
Lead	11.9	mg/kg	0.50	1	01/30/18 14:45	02/06/18 15:57	7439-92-1	
Selenium	<0.75	mg/kg	1.5	1	01/30/18 14:45	02/06/18 15:57	7782-49-2	
Silver	<0.17	mg/kg	0.70	1	01/30/18 14:45	02/06/18 15:57	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471								
Mercury	0.034J	mg/kg	0.057	1	02/02/18 09:59	02/02/18 14:30	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
Acenaphthene	<42.3	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	83-32-9	
Acenaphthylene	<37.4	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	208-96-8	
Anthracene	<42.3	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	120-12-7	
Benzo(a)anthracene	<36.2	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	56-55-3	
Benzo(a)pyrene	<31.4	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	50-32-8	
Benzo(b)fluoranthene	<27.8	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	205-99-2	
Benzo(g,h,i)perylene	<38.6	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	191-24-2	
Benzo(k)fluoranthene	<47.1	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	207-08-9	
Benzoic acid	<37.4	ug/kg	2020	1	01/30/18 15:00	01/31/18 18:31	65-85-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15 (3-5) Lab ID: 60262831003 Collected: 01/25/18 10:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Benzyl alcohol	<124	ug/kg	797	1	01/30/18 15:00	01/31/18 18:31	100-51-6	
4-Bromophenylphenyl ether	<31.4	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	101-55-3	
Butylbenzylphthalate	<51.9	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	85-68-7	
Carbazole	<32.6	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	86-74-8	
4-Chloro-3-methylphenol	<43.5	ug/kg	797	1	01/30/18 15:00	01/31/18 18:31	59-50-7	
4-Chloroaniline	<78.5	ug/kg	797	1	01/30/18 15:00	01/31/18 18:31	106-47-8	
bis(2-Chloroethoxy)methane	<31.4	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	111-91-1	
bis(2-Chloroethyl) ether	<31.4	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	111-44-4	
bis(2-Chloroisopropyl) ether	<31.4	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	39638-32-9	
2-Chloronaphthalene	<33.8	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	91-58-7	
2-Chlorophenol	<32.6	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	95-57-8	
4-Chlorophenylphenyl ether	<38.6	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	7005-72-3	
Chrysene	<33.8	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	218-01-9	
Dibenz(a,h)anthracene	<36.2	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	53-70-3	
Dibenzofuran	<36.2	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	132-64-9	
1,2-Dichlorobenzene	<30.2	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	95-50-1	
1,3-Dichlorobenzene	<33.8	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	541-73-1	
1,4-Dichlorobenzene	<35.0	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	106-46-7	
3,3'-Dichlorobenzidine	<136	ug/kg	797	1	01/30/18 15:00	01/31/18 18:31	91-94-1	
2,4-Dichlorophenol	<36.2	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	120-83-2	
Diethylphthalate	<37.4	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	84-66-2	
2,4-Dimethylphenol	<21.7	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	105-67-9	
Dimethylphthalate	<38.6	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	131-11-3	
Di-n-butylphthalate	<42.3	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	84-74-2	
4,6-Dinitro-2-methylphenol	<53.1	ug/kg	2020	1	01/30/18 15:00	01/31/18 18:31	534-52-1	
2,4-Dinitrophenol	<58.0	ug/kg	2020	1	01/30/18 15:00	01/31/18 18:31	51-28-5	
2,4-Dinitrotoluene	<33.8	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	121-14-2	
2,6-Dinitrotoluene	<41.1	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	606-20-2	
Di-n-octylphthalate	<47.1	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	117-84-0	
bis(2-Ethylhexyl)phthalate	<138	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	117-81-7	
Fluoranthene	<37.4	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	206-44-0	
Fluorene	<37.4	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	86-73-7	
Hexachloro-1,3-butadiene	<39.8	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	87-68-3	
Hexachlorobenzene	<38.6	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	118-74-1	
Hexachlorocyclopentadiene	<84.5	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	77-47-4	
Hexachloroethane	<30.2	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	67-72-1	
Indeno(1,2,3-cd)pyrene	<43.5	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	193-39-5	
Isophorone	<36.2	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	78-59-1	
2-Methylnaphthalene	<29.0	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	91-57-6	
2-Methylphenol(o-Cresol)	<37.4	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	95-48-7	
3&4-Methylphenol(m&p Cresol)	<43.5	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31		
Naphthalene	<31.4	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	91-20-3	
2-Nitroaniline	<67.6	ug/kg	797	1	01/30/18 15:00	01/31/18 18:31	88-74-4	
3-Nitroaniline	<121	ug/kg	797	1	01/30/18 15:00	01/31/18 18:31	99-09-2	
4-Nitroaniline	<103	ug/kg	797	1	01/30/18 15:00	01/31/18 18:31	100-01-6	
Nitrobenzene	<37.4	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	98-95-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15 (3-5) Lab ID: 60262831003 Collected: 01/25/18 10:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
2-Nitrophenol	<55.5	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	88-75-5	
4-Nitrophenol	<62.8	ug/kg	2020	1	01/30/18 15:00	01/31/18 18:31	100-02-7	
N-Nitroso-di-n-propylamine	<39.8	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	621-64-7	
N-Nitrosodiphenylamine	<31.4	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	86-30-6	
Pentachlorophenol	<37.4	ug/kg	2020	1	01/30/18 15:00	01/31/18 18:31	87-86-5	
Phenanthrene	<37.4	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	85-01-8	
Phenol	<31.4	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	108-95-2	
Pyrene	<39.8	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	129-00-0	
Pyridine	<32.6	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	110-86-1	
1,2,4-Trichlorobenzene	<36.2	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	120-82-1	
2,4,5-Trichlorophenol	<36.2	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	95-95-4	
2,4,6-Trichlorophenol	<37.4	ug/kg	398	1	01/30/18 15:00	01/31/18 18:31	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	81	%	41-114	1	01/30/18 15:00	01/31/18 18:31	4165-60-0	
2-Fluorobiphenyl (S)	85	%	61-109	1	01/30/18 15:00	01/31/18 18:31	321-60-8	
Terphenyl-d14 (S)	87	%	48-120	1	01/30/18 15:00	01/31/18 18:31	1718-51-0	
Phenol-d6 (S)	83	%	48-102	1	01/30/18 15:00	01/31/18 18:31	13127-88-3	
2-Fluorophenol (S)	83	%	46-102	1	01/30/18 15:00	01/31/18 18:31	367-12-4	
2,4,6-Tribromophenol (S)	96	%	39-114	1	01/30/18 15:00	01/31/18 18:31	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546								
TPH-ORO	11.1J	mg/kg	18.3	1	01/30/18 15:00	02/01/18 12:35		B
TPH-DRO	2.0J	mg/kg	18.3	1	01/30/18 15:00	02/01/18 12:35		
Surrogates								
Nitrobenzene-d5 (S)	91	%	41-114	1	01/30/18 15:00	02/01/18 12:35	4165-60-0	
2-Fluorobiphenyl (S)	84	%	61-109	1	01/30/18 15:00	02/01/18 12:35	321-60-8	
Terphenyl-d14 (S)	74	%	48-120	1	01/30/18 15:00	02/01/18 12:35	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260								
TPH-GRO	<0.28	mg/kg	0.56	1		02/06/18 17:44		
8260 MSV 5035A VOA Analytical Method: EPA 8260								
Acetone	<11.3	ug/kg	22.5	1		02/06/18 17:44	67-64-1	
Benzene	<2.8	ug/kg	5.6	1		02/06/18 17:44	71-43-2	
Bromobenzene	<2.8	ug/kg	5.6	1		02/06/18 17:44	108-86-1	
Bromochloromethane	<2.8	ug/kg	5.6	1		02/06/18 17:44	74-97-5	
Bromodichloromethane	<2.8	ug/kg	5.6	1		02/06/18 17:44	75-27-4	
Bromoform	<2.8	ug/kg	5.6	1		02/06/18 17:44	75-25-2	
Bromomethane	<2.8	ug/kg	5.6	1		02/06/18 17:44	74-83-9	
2-Butanone (MEK)	<5.6	ug/kg	11.3	1		02/06/18 17:44	78-93-3	
n-Butylbenzene	<2.8	ug/kg	5.6	1		02/06/18 17:44	104-51-8	
sec-Butylbenzene	<2.8	ug/kg	5.6	1		02/06/18 17:44	135-98-8	
tert-Butylbenzene	<2.8	ug/kg	5.6	1		02/06/18 17:44	98-06-6	
Carbon disulfide	<2.8	ug/kg	5.6	1		02/06/18 17:44	75-15-0	
Carbon tetrachloride	<2.8	ug/kg	5.6	1		02/06/18 17:44	56-23-5	
Chlorobenzene	<2.8	ug/kg	5.6	1		02/06/18 17:44	108-90-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15 (3-5) Lab ID: 60262831003 Collected: 01/25/18 10:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260						
Chloroethane	<2.8	ug/kg	5.6	1		02/06/18 17:44	75-00-3	
Chloroform	<2.8	ug/kg	5.6	1		02/06/18 17:44	67-66-3	
Chloromethane	<2.8	ug/kg	5.6	1		02/06/18 17:44	74-87-3	
2-Chlorotoluene	<2.8	ug/kg	5.6	1		02/06/18 17:44	95-49-8	
4-Chlorotoluene	<2.8	ug/kg	5.6	1		02/06/18 17:44	106-43-4	
1,2-Dibromo-3-chloropropane	<5.6	ug/kg	11.3	1		02/06/18 17:44	96-12-8	
Dibromochloromethane	<2.8	ug/kg	5.6	1		02/06/18 17:44	124-48-1	
1,2-Dibromoethane (EDB)	<2.8	ug/kg	5.6	1		02/06/18 17:44	106-93-4	
Dibromomethane	<2.8	ug/kg	5.6	1		02/06/18 17:44	74-95-3	
1,2-Dichlorobenzene	<2.8	ug/kg	5.6	1		02/06/18 17:44	95-50-1	
1,3-Dichlorobenzene	<2.8	ug/kg	5.6	1		02/06/18 17:44	541-73-1	
1,4-Dichlorobenzene	<2.8	ug/kg	5.6	1		02/06/18 17:44	106-46-7	
Dichlorodifluoromethane	<2.8	ug/kg	5.6	1		02/06/18 17:44	75-71-8	
1,1-Dichloroethane	<2.8	ug/kg	5.6	1		02/06/18 17:44	75-34-3	
1,2-Dichloroethane	<2.8	ug/kg	5.6	1		02/06/18 17:44	107-06-2	
1,2-Dichloroethene (Total)	<2.8	ug/kg	5.6	1		02/06/18 17:44	540-59-0	
1,1-Dichloroethene	<2.8	ug/kg	5.6	1		02/06/18 17:44	75-35-4	
cis-1,2-Dichloroethene	<2.8	ug/kg	5.6	1		02/06/18 17:44	156-59-2	
trans-1,2-Dichloroethene	<2.8	ug/kg	5.6	1		02/06/18 17:44	156-60-5	
1,2-Dichloropropane	<2.8	ug/kg	5.6	1		02/06/18 17:44	78-87-5	
1,3-Dichloropropane	<2.8	ug/kg	5.6	1		02/06/18 17:44	142-28-9	
2,2-Dichloropropane	<2.8	ug/kg	5.6	1		02/06/18 17:44	594-20-7	
1,1-Dichloropropene	<2.8	ug/kg	5.6	1		02/06/18 17:44	563-58-6	
cis-1,3-Dichloropropene	<2.8	ug/kg	5.6	1		02/06/18 17:44	10061-01-5	
trans-1,3-Dichloropropene	<2.8	ug/kg	5.6	1		02/06/18 17:44	10061-02-6	
Ethylbenzene	<2.8	ug/kg	5.6	1		02/06/18 17:44	100-41-4	
Hexachloro-1,3-butadiene	<2.8	ug/kg	5.6	1		02/06/18 17:44	87-68-3	
2-Hexanone	<11.3	ug/kg	22.5	1		02/06/18 17:44	591-78-6	
Isopropylbenzene (Cumene)	<2.8	ug/kg	5.6	1		02/06/18 17:44	98-82-8	
p-Isopropyltoluene	<2.8	ug/kg	5.6	1		02/06/18 17:44	99-87-6	
Methylene chloride	4.9J	ug/kg	5.6	1		02/06/18 17:44	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.6	ug/kg	11.3	1		02/06/18 17:44	108-10-1	
Methyl-tert-butyl ether	<2.8	ug/kg	5.6	1		02/06/18 17:44	1634-04-4	
Naphthalene	<5.6	ug/kg	11.3	1		02/06/18 17:44	91-20-3	
n-Propylbenzene	<2.8	ug/kg	5.6	1		02/06/18 17:44	103-65-1	
Styrene	<2.8	ug/kg	5.6	1		02/06/18 17:44	100-42-5	
1,1,1,2-Tetrachloroethane	<2.8	ug/kg	5.6	1		02/06/18 17:44	630-20-6	
1,1,2,2-Tetrachloroethane	<2.8	ug/kg	5.6	1		02/06/18 17:44	79-34-5	
Tetrachloroethene	<2.8	ug/kg	5.6	1		02/06/18 17:44	127-18-4	
Toluene	<2.8	ug/kg	5.6	1		02/06/18 17:44	108-88-3	
1,2,3-Trichlorobenzene	<2.8	ug/kg	5.6	1		02/06/18 17:44	87-61-6	
1,2,4-Trichlorobenzene	<2.8	ug/kg	5.6	1		02/06/18 17:44	120-82-1	
1,1,1-Trichloroethane	<2.8	ug/kg	5.6	1		02/06/18 17:44	71-55-6	
1,1,2-Trichloroethane	<2.8	ug/kg	5.6	1		02/06/18 17:44	79-00-5	
Trichloroethene	<2.8	ug/kg	5.6	1		02/06/18 17:44	79-01-6	
Trichlorofluoromethane	<2.8	ug/kg	5.6	1		02/06/18 17:44	75-69-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15 (3-5) **Lab ID: 60262831003** Collected: 01/25/18 10:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260								
1,2,3-Trichloropropane	<2.8	ug/kg	5.6	1		02/06/18 17:44	96-18-4	
1,2,4-Trimethylbenzene	<2.8	ug/kg	5.6	1		02/06/18 17:44	95-63-6	
1,3,5-Trimethylbenzene	<2.8	ug/kg	5.6	1		02/06/18 17:44	108-67-8	
Vinyl chloride	<2.8	ug/kg	5.6	1		02/06/18 17:44	75-01-4	
Xylene (Total)	<2.8	ug/kg	5.6	1		02/06/18 17:44	1330-20-7	
Surrogates								
Toluene-d8 (S)	97	%	78-122	1		02/06/18 17:44	2037-26-5	
4-Bromofluorobenzene (S)	97	%	69-133	1		02/06/18 17:44	460-00-4	
1,2-Dichloroethane-d4 (S)	117	%	80-123	1		02/06/18 17:44	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974								
Percent Moisture	18.4	%	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045								
pH at 25 Degrees C	7.8	Std. Units	0.10	1		02/01/18 13:20		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Sulfate	<59.8	mg/kg	120	10	02/05/18 08:00	02/06/18 06:01	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Nitrate as N	<6.0	mg/kg	12.0	10	02/05/18 19:33	02/06/18 06:01	14797-55-8	
Nitrite as N	<6.0	mg/kg	12.0	10	02/05/18 19:33	02/06/18 06:01	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15 (13-14) **Lab ID: 60262831004** Collected: 01/25/18 10:20 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546								
Aldrin	<0.68	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:30	309-00-2	
alpha-BHC	<0.30	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:30	319-84-6	
beta-BHC	<1.0	ug/kg	3.2	1	02/02/18 13:00	02/05/18 22:30	319-85-7	
delta-BHC	<0.92	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:30	319-86-8	
gamma-BHC (Lindane)	<0.86	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:30	58-89-9	
Chlordane (Technical)	<54.1	ug/kg	289	1	02/02/18 13:00	02/05/18 22:30	57-74-9	
alpha-Chlordane	<0.77	ug/kg	3.2	1	02/02/18 13:00	02/05/18 22:30	5103-71-9	
gamma-Chlordane	<1.3	ug/kg	3.2	1	02/02/18 13:00	02/05/18 22:30	5103-74-2	
4,4'-DDD	<0.63	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:30	72-54-8	
4,4'-DDE	<0.60	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:30	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:30	50-29-3	
Dieldrin	<0.84	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:30	60-57-1	
Endosulfan I	<0.89	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:30	959-98-8	
Endosulfan II	<0.62	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:30	33213-65-9	
Endosulfan sulfate	<0.89	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:30	1031-07-8	
Endrin	<0.89	ug/kg	3.2	1	02/02/18 13:00	02/05/18 22:30	72-20-8	
Endrin aldehyde	<0.89	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:30	7421-93-4	
Endrin ketone	<1.1	ug/kg	3.9	1	02/02/18 13:00	02/05/18 22:30	53494-70-5	
Heptachlor	<1.5	ug/kg	3.9	1	02/02/18 13:00	02/05/18 22:30	76-44-8	
Heptachlor epoxide	<3.8	ug/kg	9.6	1	02/02/18 13:00	02/05/18 22:30	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.9	1	02/02/18 13:00	02/05/18 22:30	72-43-5	
Toxaphene	<99.9	ug/kg	289	1	02/02/18 13:00	02/05/18 22:30	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	76	%.	70-130	1	02/02/18 13:00	02/05/18 22:30	877-09-8	
Decachlorobiphenyl (S)	79	%.	70-130	1	02/02/18 13:00	02/05/18 22:30	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546								
Stirophos (Tetrachlorvinphos)	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 03:36	22248-79-9	
Azinphos, methyl (Guthion)	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 03:36	86-50-0	
Bolstar	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 03:36	35400-43-2	
Chlorpyrifos	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 03:36	2921-88-2	
Coumaphos	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 03:36	56-72-4	
Diazinon	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 03:36	333-41-5	
Dichlorvos	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 03:36	62-73-7	
Dimethoate	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 03:36	60-51-5	
Disulfoton	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 03:36	298-04-4	
EPN (ENT)	<4.1	ug/kg	6.4	1	02/02/18 13:00	02/06/18 03:36	2104-64-5	
Ethoprop	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 03:36	13194-48-4	
Fensulfothion	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 03:36	115-90-2	
Fenthion	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 03:36	55-38-9	
Malathion	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 03:36	121-75-5	
Methyl parathion	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 03:36	298-00-0	
Mevinphos	<3.8	ug/kg	6.4	1	02/02/18 13:00	02/06/18 03:36	7786-34-7	
Parathion (Ethyl parathion)	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 03:36	56-38-2	
Phorate	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 03:36	298-02-2	
Ronnel	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 03:36	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15 (13-14) Lab ID: 60262831004 Collected: 01/25/18 10:20 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546								
Sulfotep (Thiodiphosphoric Ac	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 03:36	3689-24-5	
Tokuthion (Prothiofos)	<3.2	ug/kg	6.4	1	02/02/18 13:00	02/06/18 03:36	34643-46-4	
Trichloronate	<6.4	ug/kg	12.8	1	02/02/18 13:00	02/06/18 03:36	327-98-0	
Total Demeton	<5.3	ug/kg	6.4	1	02/02/18 13:00	02/06/18 03:36	8065-48-3	N2
Total Merphos	<6.4	ug/kg	25.7	1	02/02/18 13:00	02/06/18 03:36	150-50-5	N2
Surrogates								
Triphenylphosphate (S)	99	%.	11-137	1	02/02/18 13:00	02/06/18 03:36	115-86-6	
Tributylphosphate (S)	75	%.	17-125	1	02/02/18 13:00	02/06/18 03:36	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546								
2,4-D	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 16:18	94-75-7	
Dalapon	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 16:18	75-99-0	
2,4-DB	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 16:18	94-82-6	
Dicamba	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 16:18	1918-00-9	
Dichloroprop	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 16:18	15165-67-0	
Dinoseb	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 16:18	88-85-7	
MCPA	<322	ug/kg	322	1	02/06/18 12:15	02/07/18 16:18	94-74-6	
MCPP	<322	ug/kg	322	1	02/06/18 12:15	02/07/18 16:18	7085-19-0	
2,4,5-T	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 16:18	93-76-5	
2,4,5-TP (Silvex)	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 16:18	93-72-1	
Surrogates								
2,4-DCAA (S)	23	%.	10-188	1	02/06/18 12:15	02/07/18 16:18	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050								
Arsenic	4.3	mg/kg	1.3	1	01/30/18 14:45	02/06/18 15:59	7440-38-2	
Barium	155	mg/kg	0.65	1	01/30/18 14:45	02/06/18 15:59	7440-39-3	
Cadmium	<0.048	mg/kg	0.65	1	01/30/18 14:45	02/06/18 15:59	7440-43-9	
Chromium	18.4	mg/kg	0.65	1	01/30/18 14:45	02/06/18 15:59	7440-47-3	
Lead	16.1	mg/kg	0.65	1	01/30/18 14:45	02/06/18 15:59	7439-92-1	
Selenium	<0.97	mg/kg	2.0	1	01/30/18 14:45	02/06/18 15:59	7782-49-2	
Silver	<0.22	mg/kg	0.91	1	01/30/18 14:45	02/06/18 15:59	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471								
Mercury	0.014J	mg/kg	0.059	1	02/02/18 09:59	02/02/18 14:32	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
Acenaphthene	294J	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	83-32-9	
Acenaphthylene	<39.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	208-96-8	
Anthracene	<45.0	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	120-12-7	
Benzo(a)anthracene	<38.5	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	56-55-3	
Benzo(a)pyrene	<33.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	50-32-8	
Benzo(b)fluoranthene	<29.5	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	205-99-2	
Benzo(g,h,i)perylene	<41.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	191-24-2	
Benzo(k)fluoranthene	<50.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	207-08-9	
Benzoic acid	<39.8	ug/kg	2150	1	01/30/18 15:00	01/31/18 18:53	65-85-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15 (13-14) **Lab ID: 60262831004** Collected: 01/25/18 10:20 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Benzyl alcohol	<132	ug/kg	848	1	01/30/18 15:00	01/31/18 18:53	100-51-6	
4-Bromophenylphenyl ether	<33.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	101-55-3	
Butylbenzylphthalate	<55.2	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	85-68-7	
Carbazole	<34.7	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	86-74-8	
4-Chloro-3-methylphenol	<46.2	ug/kg	848	1	01/30/18 15:00	01/31/18 18:53	59-50-7	
4-Chloroaniline	<83.5	ug/kg	848	1	01/30/18 15:00	01/31/18 18:53	106-47-8	
bis(2-Chloroethoxy)methane	<33.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	111-91-1	
bis(2-Chloroethyl) ether	<33.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	111-44-4	
bis(2-Chloroisopropyl) ether	<33.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	39638-32-9	
2-Chloronaphthalene	<36.0	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	91-58-7	
2-Chlorophenol	<34.7	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	95-57-8	
4-Chlorophenylphenyl ether	<41.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	7005-72-3	
Chrysene	<36.0	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	218-01-9	
Dibenz(a,h)anthracene	<38.5	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	53-70-3	
Dibenzofuran	<38.5	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	132-64-9	
1,2-Dichlorobenzene	<32.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	95-50-1	
1,3-Dichlorobenzene	<36.0	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	541-73-1	
1,4-Dichlorobenzene	<37.3	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	106-46-7	
3,3'-Dichlorobenzidine	<145	ug/kg	848	1	01/30/18 15:00	01/31/18 18:53	91-94-1	
2,4-Dichlorophenol	<38.5	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	120-83-2	
Diethylphthalate	<39.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	84-66-2	
2,4-Dimethylphenol	<23.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	105-67-9	
Dimethylphthalate	<41.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	131-11-3	
Di-n-butylphthalate	<45.0	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	84-74-2	
4,6-Dinitro-2-methylphenol	<56.5	ug/kg	2150	1	01/30/18 15:00	01/31/18 18:53	534-52-1	
2,4-Dinitrophenol	<61.7	ug/kg	2150	1	01/30/18 15:00	01/31/18 18:53	51-28-5	
2,4-Dinitrotoluene	<36.0	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	121-14-2	
2,6-Dinitrotoluene	<43.7	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	606-20-2	
Di-n-octylphthalate	<50.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	117-84-0	
bis(2-Ethylhexyl)phthalate	<146	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	117-81-7	
Fluoranthene	<39.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	206-44-0	
Fluorene	<39.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	86-73-7	
Hexachloro-1,3-butadiene	<42.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	87-68-3	
Hexachlorobenzene	<41.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	118-74-1	
Hexachlorocyclopentadiene	<89.9	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	77-47-4	
Hexachloroethane	<32.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	67-72-1	
Indeno(1,2,3-cd)pyrene	<46.2	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	193-39-5	
Isophorone	<38.5	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	78-59-1	
2-Methylnaphthalene	<30.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	91-57-6	
2-Methylphenol(o-Cresol)	<39.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	95-48-7	
3&4-Methylphenol(m&p Cresol)	<46.2	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53		
Naphthalene	<33.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	91-20-3	
2-Nitroaniline	<71.9	ug/kg	848	1	01/30/18 15:00	01/31/18 18:53	88-74-4	
3-Nitroaniline	<128	ug/kg	848	1	01/30/18 15:00	01/31/18 18:53	99-09-2	
4-Nitroaniline	<109	ug/kg	848	1	01/30/18 15:00	01/31/18 18:53	100-01-6	
Nitrobenzene	<39.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	98-95-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15 (13-14) Lab ID: 60262831004 Collected: 01/25/18 10:20 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
2-Nitrophenol	<59.1	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	88-75-5	
4-Nitrophenol	<66.8	ug/kg	2150	1	01/30/18 15:00	01/31/18 18:53	100-02-7	
N-Nitroso-di-n-propylamine	<42.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	621-64-7	
N-Nitrosodiphenylamine	<33.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	86-30-6	
Pentachlorophenol	<39.8	ug/kg	2150	1	01/30/18 15:00	01/31/18 18:53	87-86-5	
Phenanthrene	<39.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	85-01-8	
Phenol	<33.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	108-95-2	
Pyrene	<42.4	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	129-00-0	
Pyridine	<34.7	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	110-86-1	
1,2,4-Trichlorobenzene	<38.5	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	120-82-1	
2,4,5-Trichlorophenol	<38.5	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	95-95-4	
2,4,6-Trichlorophenol	<39.8	ug/kg	424	1	01/30/18 15:00	01/31/18 18:53	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	73	%	41-114	1	01/30/18 15:00	01/31/18 18:53	4165-60-0	
2-Fluorobiphenyl (S)	76	%	61-109	1	01/30/18 15:00	01/31/18 18:53	321-60-8	
Terphenyl-d14 (S)	74	%	48-120	1	01/30/18 15:00	01/31/18 18:53	1718-51-0	
Phenol-d6 (S)	76	%	48-102	1	01/30/18 15:00	01/31/18 18:53	13127-88-3	
2-Fluorophenol (S)	76	%	46-102	1	01/30/18 15:00	01/31/18 18:53	367-12-4	
2,4,6-Tribromophenol (S)	85	%	39-114	1	01/30/18 15:00	01/31/18 18:53	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546								
TPH-ORO	47.3	mg/kg	19.5	1	01/30/18 15:00	02/01/18 12:56		
TPH-DRO	1450	mg/kg	19.5	1	01/30/18 15:00	02/01/18 12:56		
Surrogates								
Nitrobenzene-d5 (S)	86	%	41-114	1	01/30/18 15:00	02/01/18 12:56	4165-60-0	
2-Fluorobiphenyl (S)	75	%	61-109	1	01/30/18 15:00	02/01/18 12:56	321-60-8	
Terphenyl-d14 (S)	76	%	48-120	1	01/30/18 15:00	02/01/18 12:56	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260								
TPH-GRO	1.3	mg/kg	0.53	1		02/06/18 18:00		
8260 MSV 5035A VOA Analytical Method: EPA 8260								
Acetone	<10.6	ug/kg	21.2	1		02/06/18 18:00	67-64-1	
Benzene	<2.7	ug/kg	5.3	1		02/06/18 18:00	71-43-2	
Bromobenzene	<2.7	ug/kg	5.3	1		02/06/18 18:00	108-86-1	
Bromochloromethane	<2.7	ug/kg	5.3	1		02/06/18 18:00	74-97-5	
Bromodichloromethane	<2.7	ug/kg	5.3	1		02/06/18 18:00	75-27-4	
Bromoform	<2.7	ug/kg	5.3	1		02/06/18 18:00	75-25-2	
Bromomethane	<2.7	ug/kg	5.3	1		02/06/18 18:00	74-83-9	
2-Butanone (MEK)	<5.3	ug/kg	10.6	1		02/06/18 18:00	78-93-3	
n-Butylbenzene	<2.7	ug/kg	5.3	1		02/06/18 18:00	104-51-8	
sec-Butylbenzene	<2.7	ug/kg	5.3	1		02/06/18 18:00	135-98-8	
tert-Butylbenzene	<2.7	ug/kg	5.3	1		02/06/18 18:00	98-06-6	
Carbon disulfide	7.2	ug/kg	5.3	1		02/06/18 18:00	75-15-0	
Carbon tetrachloride	<2.7	ug/kg	5.3	1		02/06/18 18:00	56-23-5	
Chlorobenzene	<2.7	ug/kg	5.3	1		02/06/18 18:00	108-90-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15 (13-14) Lab ID: 60262831004 Collected: 01/25/18 10:20 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260						
Chloroethane	<2.7	ug/kg	5.3	1		02/06/18 18:00	75-00-3	
Chloroform	<2.7	ug/kg	5.3	1		02/06/18 18:00	67-66-3	
Chloromethane	<2.7	ug/kg	5.3	1		02/06/18 18:00	74-87-3	
2-Chlorotoluene	<2.7	ug/kg	5.3	1		02/06/18 18:00	95-49-8	
4-Chlorotoluene	<2.7	ug/kg	5.3	1		02/06/18 18:00	106-43-4	
1,2-Dibromo-3-chloropropane	<5.3	ug/kg	10.6	1		02/06/18 18:00	96-12-8	
Dibromochloromethane	<2.7	ug/kg	5.3	1		02/06/18 18:00	124-48-1	
1,2-Dibromoethane (EDB)	<2.7	ug/kg	5.3	1		02/06/18 18:00	106-93-4	
Dibromomethane	<2.7	ug/kg	5.3	1		02/06/18 18:00	74-95-3	
1,2-Dichlorobenzene	<2.7	ug/kg	5.3	1		02/06/18 18:00	95-50-1	
1,3-Dichlorobenzene	<2.7	ug/kg	5.3	1		02/06/18 18:00	541-73-1	
1,4-Dichlorobenzene	<2.7	ug/kg	5.3	1		02/06/18 18:00	106-46-7	
Dichlorodifluoromethane	<2.7	ug/kg	5.3	1		02/06/18 18:00	75-71-8	
1,1-Dichloroethane	<2.7	ug/kg	5.3	1		02/06/18 18:00	75-34-3	
1,2-Dichloroethane	<2.7	ug/kg	5.3	1		02/06/18 18:00	107-06-2	
1,2-Dichloroethene (Total)	<2.7	ug/kg	5.3	1		02/06/18 18:00	540-59-0	
1,1-Dichloroethene	<2.7	ug/kg	5.3	1		02/06/18 18:00	75-35-4	
cis-1,2-Dichloroethene	<2.7	ug/kg	5.3	1		02/06/18 18:00	156-59-2	
trans-1,2-Dichloroethene	<2.7	ug/kg	5.3	1		02/06/18 18:00	156-60-5	
1,2-Dichloropropane	<2.7	ug/kg	5.3	1		02/06/18 18:00	78-87-5	
1,3-Dichloropropane	<2.7	ug/kg	5.3	1		02/06/18 18:00	142-28-9	
2,2-Dichloropropane	<2.7	ug/kg	5.3	1		02/06/18 18:00	594-20-7	
1,1-Dichloropropene	<2.7	ug/kg	5.3	1		02/06/18 18:00	563-58-6	
cis-1,3-Dichloropropene	<2.7	ug/kg	5.3	1		02/06/18 18:00	10061-01-5	
trans-1,3-Dichloropropene	<2.7	ug/kg	5.3	1		02/06/18 18:00	10061-02-6	
Ethylbenzene	<2.7	ug/kg	5.3	1		02/06/18 18:00	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/kg	5.3	1		02/06/18 18:00	87-68-3	
2-Hexanone	<10.6	ug/kg	21.2	1		02/06/18 18:00	591-78-6	
Isopropylbenzene (Cumene)	<2.7	ug/kg	5.3	1		02/06/18 18:00	98-82-8	
p-Isopropyltoluene	<2.7	ug/kg	5.3	1		02/06/18 18:00	99-87-6	
Methylene chloride	<2.7	ug/kg	5.3	1		02/06/18 18:00	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.3	ug/kg	10.6	1		02/06/18 18:00	108-10-1	
Methyl-tert-butyl ether	<2.7	ug/kg	5.3	1		02/06/18 18:00	1634-04-4	
Naphthalene	<5.3	ug/kg	10.6	1		02/06/18 18:00	91-20-3	
n-Propylbenzene	<2.7	ug/kg	5.3	1		02/06/18 18:00	103-65-1	
Styrene	<2.7	ug/kg	5.3	1		02/06/18 18:00	100-42-5	
1,1,1,2-Tetrachloroethane	<2.7	ug/kg	5.3	1		02/06/18 18:00	630-20-6	
1,1,2,2-Tetrachloroethane	<2.7	ug/kg	5.3	1		02/06/18 18:00	79-34-5	
Tetrachloroethene	<2.7	ug/kg	5.3	1		02/06/18 18:00	127-18-4	
Toluene	<2.7	ug/kg	5.3	1		02/06/18 18:00	108-88-3	
1,2,3-Trichlorobenzene	<2.7	ug/kg	5.3	1		02/06/18 18:00	87-61-6	
1,2,4-Trichlorobenzene	<2.7	ug/kg	5.3	1		02/06/18 18:00	120-82-1	
1,1,1-Trichloroethane	<2.7	ug/kg	5.3	1		02/06/18 18:00	71-55-6	
1,1,2-Trichloroethane	<2.7	ug/kg	5.3	1		02/06/18 18:00	79-00-5	
Trichloroethene	<2.7	ug/kg	5.3	1		02/06/18 18:00	79-01-6	
Trichlorofluoromethane	<2.7	ug/kg	5.3	1		02/06/18 18:00	75-69-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15 (13-14) **Lab ID: 60262831004** Collected: 01/25/18 10:20 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260								
1,2,3-Trichloropropane	<2.7	ug/kg	5.3	1		02/06/18 18:00	96-18-4	
1,2,4-Trimethylbenzene	<2.7	ug/kg	5.3	1		02/06/18 18:00	95-63-6	
1,3,5-Trimethylbenzene	<2.7	ug/kg	5.3	1		02/06/18 18:00	108-67-8	
Vinyl chloride	<2.7	ug/kg	5.3	1		02/06/18 18:00	75-01-4	
Xylene (Total)	<2.7	ug/kg	5.3	1		02/06/18 18:00	1330-20-7	
Surrogates								
Toluene-d8 (S)	99	%	78-122	1		02/06/18 18:00	2037-26-5	
4-Bromofluorobenzene (S)	91	%	69-133	1		02/06/18 18:00	460-00-4	
1,2-Dichloroethane-d4 (S)	111	%	80-123	1		02/06/18 18:00	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974								
Percent Moisture	23.2	%	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045								
pH at 25 Degrees C	8.8	Std. Units	0.10	1		02/01/18 13:20		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Sulfate	74.1J	mg/kg	128	10	02/05/18 08:00	02/06/18 06:15	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Nitrate as N	<6.4	mg/kg	12.8	10	02/05/18 19:33	02/06/18 06:15	14797-55-8	
Nitrite as N	<6.4	mg/kg	12.8	10	02/05/18 19:33	02/06/18 06:15	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15 (14-15) Lab ID: 60262831005 Collected: 01/25/18 10:30 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546								
Aldrin	<0.67	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:44	309-00-2	
alpha-BHC	<0.30	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:44	319-84-6	
beta-BHC	<1.0	ug/kg	3.2	1	02/02/18 13:00	02/05/18 22:44	319-85-7	
delta-BHC	<0.91	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:44	319-86-8	
gamma-BHC (Lindane)	<0.85	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:44	58-89-9	
Chlordane (Technical)	<53.5	ug/kg	286	1	02/02/18 13:00	02/05/18 22:44	57-74-9	
alpha-Chlordane	<0.76	ug/kg	3.2	1	02/02/18 13:00	02/05/18 22:44	5103-71-9	
gamma-Chlordane	<1.3	ug/kg	3.2	1	02/02/18 13:00	02/05/18 22:44	5103-74-2	
4,4'-DDD	<0.62	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:44	72-54-8	
4,4'-DDE	<0.60	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:44	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:44	50-29-3	
Dieldrin	<0.83	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:44	60-57-1	
Endosulfan I	<0.88	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:44	959-98-8	
Endosulfan II	<0.61	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:44	33213-65-9	
Endosulfan sulfate	<0.88	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:44	1031-07-8	
Endrin	<0.88	ug/kg	3.2	1	02/02/18 13:00	02/05/18 22:44	72-20-8	
Endrin aldehyde	<0.88	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:44	7421-93-4	
Endrin ketone	<1.0	ug/kg	3.8	1	02/02/18 13:00	02/05/18 22:44	53494-70-5	
Heptachlor	<1.5	ug/kg	3.8	1	02/02/18 13:00	02/05/18 22:44	76-44-8	
Heptachlor epoxide	<3.8	ug/kg	9.5	1	02/02/18 13:00	02/05/18 22:44	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.8	1	02/02/18 13:00	02/05/18 22:44	72-43-5	
Toxaphene	<98.7	ug/kg	286	1	02/02/18 13:00	02/05/18 22:44	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	71	%.	70-130	1	02/02/18 13:00	02/05/18 22:44	877-09-8	
Decachlorobiphenyl (S)	64	%.	70-130	1	02/02/18 13:00	02/05/18 22:44	2051-24-3	S1
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546								
Stirophos (Tetrachlorvinphos)	<6.3	ug/kg	12.7	1	02/02/18 13:00	02/06/18 04:03	22248-79-9	
Azinphos, methyl (Guthion)	<6.3	ug/kg	12.7	1	02/02/18 13:00	02/06/18 04:03	86-50-0	
Bolstar	<6.3	ug/kg	12.7	1	02/02/18 13:00	02/06/18 04:03	35400-43-2	
Chlorpyrifos	<6.3	ug/kg	12.7	1	02/02/18 13:00	02/06/18 04:03	2921-88-2	
Coumaphos	<6.3	ug/kg	12.7	1	02/02/18 13:00	02/06/18 04:03	56-72-4	
Diazinon	<6.3	ug/kg	12.7	1	02/02/18 13:00	02/06/18 04:03	333-41-5	
Dichlorvos	<3.2	ug/kg	6.3	1	02/02/18 13:00	02/06/18 04:03	62-73-7	
Dimethoate	<6.3	ug/kg	12.7	1	02/02/18 13:00	02/06/18 04:03	60-51-5	
Disulfoton	<3.2	ug/kg	6.3	1	02/02/18 13:00	02/06/18 04:03	298-04-4	
EPN (ENT)	<4.0	ug/kg	6.3	1	02/02/18 13:00	02/06/18 04:03	2104-64-5	
Ethoprop	<3.2	ug/kg	6.3	1	02/02/18 13:00	02/06/18 04:03	13194-48-4	
Fensulfothion	<6.3	ug/kg	12.7	1	02/02/18 13:00	02/06/18 04:03	115-90-2	
Fenthion	<3.2	ug/kg	6.3	1	02/02/18 13:00	02/06/18 04:03	55-38-9	
Malathion	<6.3	ug/kg	12.7	1	02/02/18 13:00	02/06/18 04:03	121-75-5	
Methyl parathion	<3.2	ug/kg	6.3	1	02/02/18 13:00	02/06/18 04:03	298-00-0	
Mevinphos	<3.7	ug/kg	6.3	1	02/02/18 13:00	02/06/18 04:03	7786-34-7	
Parathion (Ethyl parathion)	<6.3	ug/kg	12.7	1	02/02/18 13:00	02/06/18 04:03	56-38-2	
Phorate	<3.2	ug/kg	6.3	1	02/02/18 13:00	02/06/18 04:03	298-02-2	
Ronnel	<3.2	ug/kg	6.3	1	02/02/18 13:00	02/06/18 04:03	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15 (14-15) Lab ID: 60262831005 Collected: 01/25/18 10:30 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546								
Sulfotep (Thiodiphosphoric Ac	<3.2	ug/kg	6.3	1	02/02/18 13:00	02/06/18 04:03	3689-24-5	
Tokuthion (Prothiofos)	<3.2	ug/kg	6.3	1	02/02/18 13:00	02/06/18 04:03	34643-46-4	
Trichloronate	<6.3	ug/kg	12.7	1	02/02/18 13:00	02/06/18 04:03	327-98-0	
Total Demeton	<5.2	ug/kg	6.3	1	02/02/18 13:00	02/06/18 04:03	8065-48-3	N2
Total Merphos	<6.3	ug/kg	25.4	1	02/02/18 13:00	02/06/18 04:03	150-50-5	N2
Surrogates								
Triphenylphosphate (S)	97	%.	11-137	1	02/02/18 13:00	02/06/18 04:03	115-86-6	
Tributylphosphate (S)	105	%.	17-125	1	02/02/18 13:00	02/06/18 04:03	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546								
2,4-D	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 16:18	94-75-7	
Dalapon	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 16:18	75-99-0	
2,4-DB	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 16:18	94-82-6	
Dicamba	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 16:18	1918-00-9	
Dichloroprop	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 16:18	15165-67-0	
Dinoseb	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 16:18	88-85-7	
MCPA	<316	ug/kg	316	1	02/06/18 12:15	02/07/18 16:18	94-74-6	
MCPP	<316	ug/kg	316	1	02/06/18 12:15	02/07/18 16:18	7085-19-0	
2,4,5-T	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 16:18	93-76-5	
2,4,5-TP (Silvex)	<3.2	ug/kg	3.2	1	02/06/18 12:15	02/07/18 16:18	93-72-1	
Surrogates								
2,4-DCAA (S)	30	%.	10-188	1	02/06/18 12:15	02/07/18 16:18	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050								
Arsenic	8.3	mg/kg	1.2	1	01/30/18 14:45	02/06/18 16:01	7440-38-2	
Barium	174	mg/kg	0.58	1	01/30/18 14:45	02/06/18 16:01	7440-39-3	
Cadmium	0.13J	mg/kg	0.58	1	01/30/18 14:45	02/06/18 16:01	7440-43-9	
Chromium	19.7	mg/kg	0.58	1	01/30/18 14:45	02/06/18 16:01	7440-47-3	
Lead	10.8	mg/kg	0.58	1	01/30/18 14:45	02/06/18 16:01	7439-92-1	
Selenium	<0.86	mg/kg	1.7	1	01/30/18 14:45	02/06/18 16:01	7782-49-2	
Silver	<0.19	mg/kg	0.81	1	01/30/18 14:45	02/06/18 16:01	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471								
Mercury	0.015J	mg/kg	0.062	1	02/02/18 09:59	02/02/18 14:34	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
Acenaphthene	<44.7	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	83-32-9	
Acenaphthylene	<39.6	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	208-96-8	
Anthracene	<44.7	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	120-12-7	
Benzo(a)anthracene	<38.3	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	56-55-3	
Benzo(a)pyrene	<33.2	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	50-32-8	
Benzo(b)fluoranthene	<29.4	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	205-99-2	
Benzo(g,h,i)perylene	<40.9	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	191-24-2	
Benzo(k)fluoranthene	<49.8	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	207-08-9	
Benzoic acid	<39.6	ug/kg	2130	1	01/30/18 15:00	01/31/18 19:14	65-85-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15 (14-15) Lab ID: 60262831005 Collected: 01/25/18 10:30 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Benzyl alcohol	<132	ug/kg	843	1	01/30/18 15:00	01/31/18 19:14	100-51-6	
4-Bromophenylphenyl ether	<33.2	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	101-55-3	
Butylbenzylphthalate	<54.9	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	85-68-7	
Carbazole	<34.5	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	86-74-8	
4-Chloro-3-methylphenol	<46.0	ug/kg	843	1	01/30/18 15:00	01/31/18 19:14	59-50-7	
4-Chloroaniline	<83.1	ug/kg	843	1	01/30/18 15:00	01/31/18 19:14	106-47-8	
bis(2-Chloroethoxy)methane	<33.2	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	111-91-1	
bis(2-Chloroethyl) ether	<33.2	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	111-44-4	
bis(2-Chloroisopropyl) ether	<33.2	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	39638-32-9	
2-Chloronaphthalene	<35.8	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	91-58-7	
2-Chlorophenol	<34.5	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	95-57-8	
4-Chlorophenylphenyl ether	<40.9	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	7005-72-3	
Chrysene	<35.8	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	218-01-9	
Dibenz(a,h)anthracene	<38.3	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	53-70-3	
Dibenzofuran	<38.3	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	132-64-9	
1,2-Dichlorobenzene	<31.9	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	95-50-1	
1,3-Dichlorobenzene	<35.8	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	541-73-1	
1,4-Dichlorobenzene	<37.1	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	106-46-7	
3,3'-Dichlorobenzidine	<144	ug/kg	843	1	01/30/18 15:00	01/31/18 19:14	91-94-1	
2,4-Dichlorophenol	<38.3	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	120-83-2	
Diethylphthalate	<39.6	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	84-66-2	
2,4-Dimethylphenol	<23.0	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	105-67-9	
Dimethylphthalate	<40.9	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	131-11-3	
Di-n-butylphthalate	<44.7	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	84-74-2	
4,6-Dinitro-2-methylphenol	<56.2	ug/kg	2130	1	01/30/18 15:00	01/31/18 19:14	534-52-1	
2,4-Dinitrophenol	<61.3	ug/kg	2130	1	01/30/18 15:00	01/31/18 19:14	51-28-5	
2,4-Dinitrotoluene	<35.8	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	121-14-2	
2,6-Dinitrotoluene	<43.4	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	606-20-2	
Di-n-octylphthalate	<49.8	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	117-84-0	
bis(2-Ethylhexyl)phthalate	<146	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	117-81-7	
Fluoranthene	<39.6	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	206-44-0	
Fluorene	<39.6	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	86-73-7	
Hexachloro-1,3-butadiene	<42.2	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	87-68-3	
Hexachlorobenzene	<40.9	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	118-74-1	
Hexachlorocyclopentadiene	<89.4	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	77-47-4	
Hexachloroethane	<31.9	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	67-72-1	
Indeno(1,2,3-cd)pyrene	<46.0	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	193-39-5	
Isophorone	<38.3	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	78-59-1	
2-Methylnaphthalene	<30.7	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	91-57-6	
2-Methylphenol(o-Cresol)	<39.6	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	95-48-7	
3&4-Methylphenol(m&p Cresol)	<46.0	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14		
Naphthalene	<33.2	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	91-20-3	
2-Nitroaniline	<71.6	ug/kg	843	1	01/30/18 15:00	01/31/18 19:14	88-74-4	
3-Nitroaniline	<128	ug/kg	843	1	01/30/18 15:00	01/31/18 19:14	99-09-2	
4-Nitroaniline	<109	ug/kg	843	1	01/30/18 15:00	01/31/18 19:14	100-01-6	
Nitrobenzene	<39.6	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	98-95-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15 (14-15) Lab ID: 60262831005 Collected: 01/25/18 10:30 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
2-Nitrophenol	<58.8	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	88-75-5	
4-Nitrophenol	<66.4	ug/kg	2130	1	01/30/18 15:00	01/31/18 19:14	100-02-7	
N-Nitroso-di-n-propylamine	<42.2	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	621-64-7	
N-Nitrosodiphenylamine	<33.2	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	86-30-6	
Pentachlorophenol	<39.6	ug/kg	2130	1	01/30/18 15:00	01/31/18 19:14	87-86-5	
Phenanthrene	<39.6	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	85-01-8	
Phenol	<33.2	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	108-95-2	
Pyrene	<42.2	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	129-00-0	
Pyridine	<34.5	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	110-86-1	
1,2,4-Trichlorobenzene	<38.3	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	120-82-1	
2,4,5-Trichlorophenol	<38.3	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	95-95-4	
2,4,6-Trichlorophenol	<39.6	ug/kg	422	1	01/30/18 15:00	01/31/18 19:14	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	84	%	41-114	1	01/30/18 15:00	01/31/18 19:14	4165-60-0	
2-Fluorobiphenyl (S)	83	%	61-109	1	01/30/18 15:00	01/31/18 19:14	321-60-8	
Terphenyl-d14 (S)	82	%	48-120	1	01/30/18 15:00	01/31/18 19:14	1718-51-0	
Phenol-d6 (S)	88	%	48-102	1	01/30/18 15:00	01/31/18 19:14	13127-88-3	
2-Fluorophenol (S)	86	%	46-102	1	01/30/18 15:00	01/31/18 19:14	367-12-4	
2,4,6-Tribromophenol (S)	94	%	39-114	1	01/30/18 15:00	01/31/18 19:14	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546								
TPH-ORO	14.0J	mg/kg	19.2	1	01/30/18 15:00	02/01/18 13:17		B
TPH-DRO	26.1	mg/kg	19.2	1	01/30/18 15:00	02/01/18 13:17		
Surrogates								
Nitrobenzene-d5 (S)	79	%	41-114	1	01/30/18 15:00	02/01/18 13:17	4165-60-0	
2-Fluorobiphenyl (S)	79	%	61-109	1	01/30/18 15:00	02/01/18 13:17	321-60-8	
Terphenyl-d14 (S)	79	%	48-120	1	01/30/18 15:00	02/01/18 13:17	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260								
TPH-GRO	0.29J	mg/kg	0.52	1		02/06/18 18:15		
8260 MSV 5035A VOA Analytical Method: EPA 8260								
Acetone	<10.3	ug/kg	20.6	1		02/06/18 18:15	67-64-1	
Benzene	<2.6	ug/kg	5.2	1		02/06/18 18:15	71-43-2	
Bromobenzene	<2.6	ug/kg	5.2	1		02/06/18 18:15	108-86-1	
Bromochloromethane	<2.6	ug/kg	5.2	1		02/06/18 18:15	74-97-5	
Bromodichloromethane	<2.6	ug/kg	5.2	1		02/06/18 18:15	75-27-4	
Bromoform	<2.6	ug/kg	5.2	1		02/06/18 18:15	75-25-2	
Bromomethane	<2.6	ug/kg	5.2	1		02/06/18 18:15	74-83-9	
2-Butanone (MEK)	<5.2	ug/kg	10.3	1		02/06/18 18:15	78-93-3	
n-Butylbenzene	<2.6	ug/kg	5.2	1		02/06/18 18:15	104-51-8	
sec-Butylbenzene	<2.6	ug/kg	5.2	1		02/06/18 18:15	135-98-8	
tert-Butylbenzene	<2.6	ug/kg	5.2	1		02/06/18 18:15	98-06-6	
Carbon disulfide	<2.6	ug/kg	5.2	1		02/06/18 18:15	75-15-0	
Carbon tetrachloride	<2.6	ug/kg	5.2	1		02/06/18 18:15	56-23-5	
Chlorobenzene	<2.6	ug/kg	5.2	1		02/06/18 18:15	108-90-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15 (14-15) Lab ID: 60262831005 Collected: 01/25/18 10:30 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260						
Chloroethane	<2.6	ug/kg	5.2	1		02/06/18 18:15	75-00-3	
Chloroform	<2.6	ug/kg	5.2	1		02/06/18 18:15	67-66-3	
Chloromethane	<2.6	ug/kg	5.2	1		02/06/18 18:15	74-87-3	
2-Chlorotoluene	<2.6	ug/kg	5.2	1		02/06/18 18:15	95-49-8	
4-Chlorotoluene	<2.6	ug/kg	5.2	1		02/06/18 18:15	106-43-4	
1,2-Dibromo-3-chloropropane	<5.2	ug/kg	10.3	1		02/06/18 18:15	96-12-8	
Dibromochloromethane	<2.6	ug/kg	5.2	1		02/06/18 18:15	124-48-1	
1,2-Dibromoethane (EDB)	<2.6	ug/kg	5.2	1		02/06/18 18:15	106-93-4	
Dibromomethane	<2.6	ug/kg	5.2	1		02/06/18 18:15	74-95-3	
1,2-Dichlorobenzene	<2.6	ug/kg	5.2	1		02/06/18 18:15	95-50-1	
1,3-Dichlorobenzene	<2.6	ug/kg	5.2	1		02/06/18 18:15	541-73-1	
1,4-Dichlorobenzene	<2.6	ug/kg	5.2	1		02/06/18 18:15	106-46-7	
Dichlorodifluoromethane	<2.6	ug/kg	5.2	1		02/06/18 18:15	75-71-8	
1,1-Dichloroethane	<2.6	ug/kg	5.2	1		02/06/18 18:15	75-34-3	
1,2-Dichloroethane	<2.6	ug/kg	5.2	1		02/06/18 18:15	107-06-2	
1,2-Dichloroethene (Total)	<2.6	ug/kg	5.2	1		02/06/18 18:15	540-59-0	
1,1-Dichloroethene	<2.6	ug/kg	5.2	1		02/06/18 18:15	75-35-4	
cis-1,2-Dichloroethene	<2.6	ug/kg	5.2	1		02/06/18 18:15	156-59-2	
trans-1,2-Dichloroethene	<2.6	ug/kg	5.2	1		02/06/18 18:15	156-60-5	
1,2-Dichloropropane	<2.6	ug/kg	5.2	1		02/06/18 18:15	78-87-5	
1,3-Dichloropropane	<2.6	ug/kg	5.2	1		02/06/18 18:15	142-28-9	
2,2-Dichloropropane	<2.6	ug/kg	5.2	1		02/06/18 18:15	594-20-7	
1,1-Dichloropropene	<2.6	ug/kg	5.2	1		02/06/18 18:15	563-58-6	
cis-1,3-Dichloropropene	<2.6	ug/kg	5.2	1		02/06/18 18:15	10061-01-5	
trans-1,3-Dichloropropene	<2.6	ug/kg	5.2	1		02/06/18 18:15	10061-02-6	
Ethylbenzene	<2.6	ug/kg	5.2	1		02/06/18 18:15	100-41-4	
Hexachloro-1,3-butadiene	<2.6	ug/kg	5.2	1		02/06/18 18:15	87-68-3	
2-Hexanone	<10.3	ug/kg	20.6	1		02/06/18 18:15	591-78-6	
Isopropylbenzene (Cumene)	<2.6	ug/kg	5.2	1		02/06/18 18:15	98-82-8	
p-Isopropyltoluene	<2.6	ug/kg	5.2	1		02/06/18 18:15	99-87-6	
Methylene chloride	3.0J	ug/kg	5.2	1		02/06/18 18:15	75-09-2	B
4-Methyl-2-pentanone (MIBK)	<5.2	ug/kg	10.3	1		02/06/18 18:15	108-10-1	
Methyl-tert-butyl ether	<2.6	ug/kg	5.2	1		02/06/18 18:15	1634-04-4	
Naphthalene	<5.2	ug/kg	10.3	1		02/06/18 18:15	91-20-3	
n-Propylbenzene	<2.6	ug/kg	5.2	1		02/06/18 18:15	103-65-1	
Styrene	<2.6	ug/kg	5.2	1		02/06/18 18:15	100-42-5	
1,1,1,2-Tetrachloroethane	<2.6	ug/kg	5.2	1		02/06/18 18:15	630-20-6	
1,1,2,2-Tetrachloroethane	<2.6	ug/kg	5.2	1		02/06/18 18:15	79-34-5	
Tetrachloroethene	<2.6	ug/kg	5.2	1		02/06/18 18:15	127-18-4	
Toluene	<2.6	ug/kg	5.2	1		02/06/18 18:15	108-88-3	
1,2,3-Trichlorobenzene	<2.6	ug/kg	5.2	1		02/06/18 18:15	87-61-6	
1,2,4-Trichlorobenzene	<2.6	ug/kg	5.2	1		02/06/18 18:15	120-82-1	
1,1,1-Trichloroethane	<2.6	ug/kg	5.2	1		02/06/18 18:15	71-55-6	
1,1,2-Trichloroethane	<2.6	ug/kg	5.2	1		02/06/18 18:15	79-00-5	
Trichloroethene	<2.6	ug/kg	5.2	1		02/06/18 18:15	79-01-6	
Trichlorofluoromethane	<2.6	ug/kg	5.2	1		02/06/18 18:15	75-69-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: **SB-15 (14-15)** Lab ID: **60262831005** Collected: 01/25/18 10:30 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260								
1,2,3-Trichloropropane	<2.6	ug/kg	5.2	1		02/06/18 18:15	96-18-4	
1,2,4-Trimethylbenzene	<2.6	ug/kg	5.2	1		02/06/18 18:15	95-63-6	
1,3,5-Trimethylbenzene	<2.6	ug/kg	5.2	1		02/06/18 18:15	108-67-8	
Vinyl chloride	<2.6	ug/kg	5.2	1		02/06/18 18:15	75-01-4	
Xylene (Total)	<2.6	ug/kg	5.2	1		02/06/18 18:15	1330-20-7	
Surrogates								
Toluene-d8 (S)	101	%	78-122	1		02/06/18 18:15	2037-26-5	
4-Bromofluorobenzene (S)	97	%	69-133	1		02/06/18 18:15	460-00-4	
1,2-Dichloroethane-d4 (S)	112	%	80-123	1		02/06/18 18:15	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974								
Percent Moisture	22.4	%	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045								
pH at 25 Degrees C	8.9	Std. Units	0.10	1		02/01/18 13:20		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Sulfate	67.5J	mg/kg	131	10	02/05/18 08:00	02/06/18 06:29	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Nitrate as N	<6.5	mg/kg	13.1	10	02/05/18 19:33	02/06/18 06:29	14797-55-8	
Nitrite as N	<6.5	mg/kg	13.1	10	02/05/18 19:33	02/06/18 06:29	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-16 (3-5) Lab ID: 60262831006 Collected: 01/25/18 11:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546								
Aldrin	<0.67	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:59	309-00-2	
alpha-BHC	<0.30	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:59	319-84-6	
beta-BHC	<1.0	ug/kg	3.2	1	02/02/18 13:00	02/05/18 22:59	319-85-7	
delta-BHC	<0.91	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:59	319-86-8	
gamma-BHC (Lindane)	<0.85	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:59	58-89-9	
Chlordane (Technical)	<53.4	ug/kg	285	1	02/02/18 13:00	02/05/18 22:59	57-74-9	
alpha-Chlordane	<0.76	ug/kg	3.2	1	02/02/18 13:00	02/05/18 22:59	5103-71-9	
gamma-Chlordane	<1.3	ug/kg	3.2	1	02/02/18 13:00	02/05/18 22:59	5103-74-2	
4,4'-DDD	<0.62	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:59	72-54-8	
4,4'-DDE	<0.59	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:59	72-55-9	
4,4'-DDT	<1.2	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:59	50-29-3	
Dieldrin	<0.82	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:59	60-57-1	
Endosulfan I	<0.88	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:59	959-98-8	
Endosulfan II	<0.61	ug/kg	1.9	1	02/02/18 13:00	02/05/18 22:59	33213-65-9	
Endosulfan sulfate	<0.87	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:59	1031-07-8	
Endrin	<0.88	ug/kg	3.2	1	02/02/18 13:00	02/05/18 22:59	72-20-8	
Endrin aldehyde	<0.88	ug/kg	2.7	1	02/02/18 13:00	02/05/18 22:59	7421-93-4	
Endrin ketone	<1.0	ug/kg	3.8	1	02/02/18 13:00	02/05/18 22:59	53494-70-5	
Heptachlor	<1.4	ug/kg	3.8	1	02/02/18 13:00	02/05/18 22:59	76-44-8	
Heptachlor epoxide	<3.8	ug/kg	9.5	1	02/02/18 13:00	02/05/18 22:59	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.8	1	02/02/18 13:00	02/05/18 22:59	72-43-5	
Toxaphene	<98.5	ug/kg	285	1	02/02/18 13:00	02/05/18 22:59	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	67	%.	70-130	1	02/02/18 13:00	02/05/18 22:59	877-09-8	S1
Decachlorobiphenyl (S)	71	%.	70-130	1	02/02/18 13:00	02/05/18 22:59	2051-24-3	
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546								
Stirophos (Tetrachlorvinphos)	<6.2	ug/kg	12.5	1	02/02/18 13:00	02/09/18 14:12	22248-79-9	
Azinphos, methyl (Guthion)	<6.2	ug/kg	12.5	1	02/02/18 13:00	02/09/18 14:12	86-50-0	
Bolstar	<6.2	ug/kg	12.5	1	02/02/18 13:00	02/09/18 14:12	35400-43-2	
Chlorpyrifos	<6.2	ug/kg	12.5	1	02/02/18 13:00	02/09/18 14:12	2921-88-2	
Coumaphos	<6.2	ug/kg	12.5	1	02/02/18 13:00	02/09/18 14:12	56-72-4	
Diazinon	<6.2	ug/kg	12.5	1	02/02/18 13:00	02/09/18 14:12	333-41-5	
Dichlorvos	<3.1	ug/kg	6.2	1	02/02/18 13:00	02/09/18 14:12	62-73-7	
Dimethoate	<6.2	ug/kg	12.5	1	02/02/18 13:00	02/09/18 14:12	60-51-5	
Disulfoton	<3.1	ug/kg	6.2	1	02/02/18 13:00	02/09/18 14:12	298-04-4	
EPN (ENT)	<4.0	ug/kg	6.2	1	02/02/18 13:00	02/09/18 14:12	2104-64-5	
Ethoprop	<3.1	ug/kg	6.2	1	02/02/18 13:00	02/09/18 14:12	13194-48-4	
Fensulfothion	<6.2	ug/kg	12.5	1	02/02/18 13:00	02/09/18 14:12	115-90-2	
Fenthion	<3.1	ug/kg	6.2	1	02/02/18 13:00	02/09/18 14:12	55-38-9	
Malathion	<6.2	ug/kg	12.5	1	02/02/18 13:00	02/09/18 14:12	121-75-5	
Methyl parathion	<3.1	ug/kg	6.2	1	02/02/18 13:00	02/09/18 14:12	298-00-0	
Mevinphos	<3.7	ug/kg	6.2	1	02/02/18 13:00	02/09/18 14:12	7786-34-7	
Parathion (Ethyl parathion)	<6.2	ug/kg	12.5	1	02/02/18 13:00	02/09/18 14:12	56-38-2	
Phorate	<3.1	ug/kg	6.2	1	02/02/18 13:00	02/09/18 14:12	298-02-2	
Ronnel	<3.1	ug/kg	6.2	1	02/02/18 13:00	02/09/18 14:12	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-16 (3-5) **Lab ID: 60262831006** Collected: 01/25/18 11:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546								
Sulfotep (Thiodiphosphoric Ac	<3.1	ug/kg	6.2	1	02/02/18 13:00	02/09/18 14:12	3689-24-5	
Tokuthion (Prothiofos)	<3.1	ug/kg	6.2	1	02/02/18 13:00	02/09/18 14:12	34643-46-4	
Trichloronate	<6.2	ug/kg	12.5	1	02/02/18 13:00	02/09/18 14:12	327-98-0	
Total Demeton	<5.1	ug/kg	6.2	1	02/02/18 13:00	02/09/18 14:12	8065-48-3	N2
Total Merphos	<6.2	ug/kg	25.0	1	02/02/18 13:00	02/09/18 14:12	150-50-5	N2
Surrogates								
Triphenylphosphate (S)	96	%.	11-137	1	02/02/18 13:00	02/09/18 14:12	115-86-6	
Tributylphosphate (S)	113	%.	17-125	1	02/02/18 13:00	02/09/18 14:12	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546								
2,4-D	<3.1	ug/kg	3.1	1	02/06/18 12:15	02/07/18 16:43	94-75-7	
Dalapon	<3.1	ug/kg	3.1	1	02/06/18 12:15	02/07/18 16:43	75-99-0	
2,4-DB	<3.1	ug/kg	3.1	1	02/06/18 12:15	02/07/18 16:43	94-82-6	
Dicamba	<3.1	ug/kg	3.1	1	02/06/18 12:15	02/07/18 16:43	1918-00-9	
Dichloroprop	<3.1	ug/kg	3.1	1	02/06/18 12:15	02/07/18 16:43	15165-67-0	
Dinoseb	<3.1	ug/kg	3.1	1	02/06/18 12:15	02/07/18 16:43	88-85-7	
MCPA	<314	ug/kg	314	1	02/06/18 12:15	02/07/18 16:43	94-74-6	
MCPP	<314	ug/kg	314	1	02/06/18 12:15	02/07/18 16:43	7085-19-0	
2,4,5-T	<3.1	ug/kg	3.1	1	02/06/18 12:15	02/07/18 16:43	93-76-5	
2,4,5-TP (Silvex)	<3.1	ug/kg	3.1	1	02/06/18 12:15	02/07/18 16:43	93-72-1	
Surrogates								
2,4-DCAA (S)	25	%.	10-188	1	02/06/18 12:15	02/07/18 16:43	19719-28-9	
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050								
Arsenic	7.9	mg/kg	1.3	1	01/30/18 14:45	02/06/18 16:08	7440-38-2	
Barium	257	mg/kg	0.64	1	01/30/18 14:45	02/06/18 16:08	7440-39-3	
Cadmium	0.15J	mg/kg	0.64	1	01/30/18 14:45	02/06/18 16:08	7440-43-9	
Chromium	15.6	mg/kg	0.64	1	01/30/18 14:45	02/06/18 16:08	7440-47-3	
Lead	18.5	mg/kg	0.64	1	01/30/18 14:45	02/06/18 16:08	7439-92-1	
Selenium	<0.96	mg/kg	1.9	1	01/30/18 14:45	02/06/18 16:08	7782-49-2	
Silver	<0.21	mg/kg	0.90	1	01/30/18 14:45	02/06/18 16:08	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471								
Mercury	0.16	mg/kg	0.051	1	02/02/18 09:59	02/02/18 14:36	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
Acenaphthene	<44.2	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	83-32-9	
Acenaphthylene	<39.1	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	208-96-8	
Anthracene	<44.2	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	120-12-7	
Benzo(a)anthracene	<37.9	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	56-55-3	
Benzo(a)pyrene	<32.8	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	50-32-8	
Benzo(b)fluoranthene	<29.0	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	205-99-2	
Benzo(g,h,i)perylene	<40.4	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	191-24-2	
Benzo(k)fluoranthene	<49.2	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	207-08-9	
Benzoic acid	<39.1	ug/kg	2110	1	01/30/18 15:00	01/31/18 19:36	65-85-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-16 (3-5) Lab ID: 60262831006 Collected: 01/25/18 11:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Benzyl alcohol	<130	ug/kg	833	1	01/30/18 15:00	01/31/18 19:36	100-51-6	
4-Bromophenylphenyl ether	<32.8	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	101-55-3	
Butylbenzylphthalate	<54.3	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	85-68-7	
Carbazole	<34.1	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	86-74-8	
4-Chloro-3-methylphenol	<45.5	ug/kg	833	1	01/30/18 15:00	01/31/18 19:36	59-50-7	
4-Chloroaniline	<82.1	ug/kg	833	1	01/30/18 15:00	01/31/18 19:36	106-47-8	
bis(2-Chloroethoxy)methane	<32.8	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	111-91-1	
bis(2-Chloroethyl) ether	<32.8	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	111-44-4	
bis(2-Chloroisopropyl) ether	<32.8	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	39638-32-9	
2-Chloronaphthalene	<35.4	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	91-58-7	
2-Chlorophenol	<34.1	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	95-57-8	
4-Chlorophenylphenyl ether	<40.4	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	7005-72-3	
Chrysene	<35.4	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	218-01-9	
Dibenz(a,h)anthracene	<37.9	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	53-70-3	
Dibenzofuran	<37.9	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	132-64-9	
1,2-Dichlorobenzene	<31.6	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	95-50-1	
1,3-Dichlorobenzene	<35.4	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	541-73-1	
1,4-Dichlorobenzene	<36.6	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	106-46-7	
3,3'-Dichlorobenzidine	<143	ug/kg	833	1	01/30/18 15:00	01/31/18 19:36	91-94-1	
2,4-Dichlorophenol	<37.9	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	120-83-2	
Diethylphthalate	<39.1	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	84-66-2	
2,4-Dimethylphenol	<22.7	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	105-67-9	
Dimethylphthalate	<40.4	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	131-11-3	
Di-n-butylphthalate	<44.2	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	84-74-2	
4,6-Dinitro-2-methylphenol	<55.6	ug/kg	2110	1	01/30/18 15:00	01/31/18 19:36	534-52-1	
2,4-Dinitrophenol	<60.6	ug/kg	2110	1	01/30/18 15:00	01/31/18 19:36	51-28-5	
2,4-Dinitrotoluene	<35.4	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	121-14-2	
2,6-Dinitrotoluene	<42.9	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	606-20-2	
Di-n-octylphthalate	<49.2	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	117-84-0	
bis(2-Ethylhexyl)phthalate	<144	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	117-81-7	
Fluoranthene	<39.1	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	206-44-0	
Fluorene	<39.1	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	86-73-7	
Hexachloro-1,3-butadiene	<41.7	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	87-68-3	
Hexachlorobenzene	<40.4	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	118-74-1	
Hexachlorocyclopentadiene	<88.4	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	77-47-4	
Hexachloroethane	<31.6	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	67-72-1	
Indeno(1,2,3-cd)pyrene	<45.5	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	193-39-5	
Isophorone	<37.9	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	78-59-1	
2-Methylnaphthalene	<30.3	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	91-57-6	
2-Methylphenol(o-Cresol)	<39.1	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	95-48-7	
3&4-Methylphenol(m&p Cresol)	<45.5	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36		
Naphthalene	<32.8	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	91-20-3	
2-Nitroaniline	<70.7	ug/kg	833	1	01/30/18 15:00	01/31/18 19:36	88-74-4	
3-Nitroaniline	<126	ug/kg	833	1	01/30/18 15:00	01/31/18 19:36	99-09-2	
4-Nitroaniline	<107	ug/kg	833	1	01/30/18 15:00	01/31/18 19:36	100-01-6	
Nitrobenzene	<39.1	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	98-95-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-16 (3-5) **Lab ID: 60262831006** Collected: 01/25/18 11:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
2-Nitrophenol	<58.1	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	88-75-5	
4-Nitrophenol	<65.7	ug/kg	2110	1	01/30/18 15:00	01/31/18 19:36	100-02-7	
N-Nitroso-di-n-propylamine	<41.7	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	621-64-7	
N-Nitrosodiphenylamine	<32.8	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	86-30-6	
Pentachlorophenol	<39.1	ug/kg	2110	1	01/30/18 15:00	01/31/18 19:36	87-86-5	
Phenanthrene	<39.1	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	85-01-8	
Phenol	<32.8	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	108-95-2	
Pyrene	<41.7	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	129-00-0	
Pyridine	<34.1	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	110-86-1	
1,2,4-Trichlorobenzene	<37.9	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	120-82-1	
2,4,5-Trichlorophenol	<37.9	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	95-95-4	
2,4,6-Trichlorophenol	<39.1	ug/kg	417	1	01/30/18 15:00	01/31/18 19:36	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	78	%	41-114	1	01/30/18 15:00	01/31/18 19:36	4165-60-0	
2-Fluorobiphenyl (S)	84	%	61-109	1	01/30/18 15:00	01/31/18 19:36	321-60-8	
Terphenyl-d14 (S)	85	%	48-120	1	01/30/18 15:00	01/31/18 19:36	1718-51-0	
Phenol-d6 (S)	82	%	48-102	1	01/30/18 15:00	01/31/18 19:36	13127-88-3	
2-Fluorophenol (S)	80	%	46-102	1	01/30/18 15:00	01/31/18 19:36	367-12-4	
2,4,6-Tribromophenol (S)	90	%	39-114	1	01/30/18 15:00	01/31/18 19:36	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546								
TPH-ORO	28.0	mg/kg	19.0	1	01/30/18 15:00	02/01/18 13:38		B
TPH-DRO	2.1J	mg/kg	19.0	1	01/30/18 15:00	02/01/18 13:38		
Surrogates								
Nitrobenzene-d5 (S)	76	%	41-114	1	01/30/18 15:00	02/01/18 13:38	4165-60-0	
2-Fluorobiphenyl (S)	77	%	61-109	1	01/30/18 15:00	02/01/18 13:38	321-60-8	
Terphenyl-d14 (S)	71	%	48-120	1	01/30/18 15:00	02/01/18 13:38	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260								
TPH-GRO	<0.27	mg/kg	0.55	1		02/06/18 18:31		
8260 MSV 5035A VOA Analytical Method: EPA 8260								
Acetone	17.8J	ug/kg	21.8	1		02/06/18 18:31	67-64-1	
Benzene	<2.7	ug/kg	5.5	1		02/06/18 18:31	71-43-2	
Bromobenzene	<2.7	ug/kg	5.5	1		02/06/18 18:31	108-86-1	
Bromochloromethane	<2.7	ug/kg	5.5	1		02/06/18 18:31	74-97-5	
Bromodichloromethane	<2.7	ug/kg	5.5	1		02/06/18 18:31	75-27-4	
Bromoform	<2.7	ug/kg	5.5	1		02/06/18 18:31	75-25-2	
Bromomethane	<2.7	ug/kg	5.5	1		02/06/18 18:31	74-83-9	
2-Butanone (MEK)	<5.5	ug/kg	10.9	1		02/06/18 18:31	78-93-3	
n-Butylbenzene	<2.7	ug/kg	5.5	1		02/06/18 18:31	104-51-8	
sec-Butylbenzene	<2.7	ug/kg	5.5	1		02/06/18 18:31	135-98-8	
tert-Butylbenzene	<2.7	ug/kg	5.5	1		02/06/18 18:31	98-06-6	
Carbon disulfide	<2.7	ug/kg	5.5	1		02/06/18 18:31	75-15-0	
Carbon tetrachloride	<2.7	ug/kg	5.5	1		02/06/18 18:31	56-23-5	
Chlorobenzene	<2.7	ug/kg	5.5	1		02/06/18 18:31	108-90-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-16 (3-5) Lab ID: 60262831006 Collected: 01/25/18 11:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260						
Chloroethane	<2.7	ug/kg	5.5	1		02/06/18 18:31	75-00-3	
Chloroform	<2.7	ug/kg	5.5	1		02/06/18 18:31	67-66-3	
Chloromethane	<2.7	ug/kg	5.5	1		02/06/18 18:31	74-87-3	
2-Chlorotoluene	<2.7	ug/kg	5.5	1		02/06/18 18:31	95-49-8	
4-Chlorotoluene	<2.7	ug/kg	5.5	1		02/06/18 18:31	106-43-4	
1,2-Dibromo-3-chloropropane	<5.5	ug/kg	10.9	1		02/06/18 18:31	96-12-8	
Dibromochloromethane	<2.7	ug/kg	5.5	1		02/06/18 18:31	124-48-1	
1,2-Dibromoethane (EDB)	<2.7	ug/kg	5.5	1		02/06/18 18:31	106-93-4	
Dibromomethane	<2.7	ug/kg	5.5	1		02/06/18 18:31	74-95-3	
1,2-Dichlorobenzene	<2.7	ug/kg	5.5	1		02/06/18 18:31	95-50-1	
1,3-Dichlorobenzene	<2.7	ug/kg	5.5	1		02/06/18 18:31	541-73-1	
1,4-Dichlorobenzene	<2.7	ug/kg	5.5	1		02/06/18 18:31	106-46-7	
Dichlorodifluoromethane	<2.7	ug/kg	5.5	1		02/06/18 18:31	75-71-8	
1,1-Dichloroethane	<2.7	ug/kg	5.5	1		02/06/18 18:31	75-34-3	
1,2-Dichloroethane	<2.7	ug/kg	5.5	1		02/06/18 18:31	107-06-2	
1,2-Dichloroethene (Total)	<2.7	ug/kg	5.5	1		02/06/18 18:31	540-59-0	
1,1-Dichloroethene	<2.7	ug/kg	5.5	1		02/06/18 18:31	75-35-4	
cis-1,2-Dichloroethene	<2.7	ug/kg	5.5	1		02/06/18 18:31	156-59-2	
trans-1,2-Dichloroethene	<2.7	ug/kg	5.5	1		02/06/18 18:31	156-60-5	
1,2-Dichloropropane	<2.7	ug/kg	5.5	1		02/06/18 18:31	78-87-5	
1,3-Dichloropropane	<2.7	ug/kg	5.5	1		02/06/18 18:31	142-28-9	
2,2-Dichloropropane	<2.7	ug/kg	5.5	1		02/06/18 18:31	594-20-7	
1,1-Dichloropropene	<2.7	ug/kg	5.5	1		02/06/18 18:31	563-58-6	
cis-1,3-Dichloropropene	<2.7	ug/kg	5.5	1		02/06/18 18:31	10061-01-5	
trans-1,3-Dichloropropene	<2.7	ug/kg	5.5	1		02/06/18 18:31	10061-02-6	
Ethylbenzene	<2.7	ug/kg	5.5	1		02/06/18 18:31	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/kg	5.5	1		02/06/18 18:31	87-68-3	
2-Hexanone	<10.9	ug/kg	21.8	1		02/06/18 18:31	591-78-6	
Isopropylbenzene (Cumene)	<2.7	ug/kg	5.5	1		02/06/18 18:31	98-82-8	
p-Isopropyltoluene	<2.7	ug/kg	5.5	1		02/06/18 18:31	99-87-6	
Methylene chloride	4.0J	ug/kg	5.5	1		02/06/18 18:31	75-09-2	
4-Methyl-2-pentanone (MIBK)	<5.5	ug/kg	10.9	1		02/06/18 18:31	108-10-1	
Methyl-tert-butyl ether	<2.7	ug/kg	5.5	1		02/06/18 18:31	1634-04-4	
Naphthalene	<5.5	ug/kg	10.9	1		02/06/18 18:31	91-20-3	
n-Propylbenzene	<2.7	ug/kg	5.5	1		02/06/18 18:31	103-65-1	
Styrene	<2.7	ug/kg	5.5	1		02/06/18 18:31	100-42-5	
1,1,1,2-Tetrachloroethane	<2.7	ug/kg	5.5	1		02/06/18 18:31	630-20-6	
1,1,2,2-Tetrachloroethane	<2.7	ug/kg	5.5	1		02/06/18 18:31	79-34-5	
Tetrachloroethene	<2.7	ug/kg	5.5	1		02/06/18 18:31	127-18-4	
Toluene	<2.7	ug/kg	5.5	1		02/06/18 18:31	108-88-3	
1,2,3-Trichlorobenzene	<2.7	ug/kg	5.5	1		02/06/18 18:31	87-61-6	
1,2,4-Trichlorobenzene	<2.7	ug/kg	5.5	1		02/06/18 18:31	120-82-1	
1,1,1-Trichloroethane	<2.7	ug/kg	5.5	1		02/06/18 18:31	71-55-6	
1,1,2-Trichloroethane	<2.7	ug/kg	5.5	1		02/06/18 18:31	79-00-5	
Trichloroethene	<2.7	ug/kg	5.5	1		02/06/18 18:31	79-01-6	
Trichlorofluoromethane	<2.7	ug/kg	5.5	1		02/06/18 18:31	75-69-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: **SB-16 (3-5)** Lab ID: **60262831006** Collected: 01/25/18 11:10 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260								
1,2,3-Trichloropropane	<2.7	ug/kg	5.5	1		02/06/18 18:31	96-18-4	
1,2,4-Trimethylbenzene	<2.7	ug/kg	5.5	1		02/06/18 18:31	95-63-6	
1,3,5-Trimethylbenzene	<2.7	ug/kg	5.5	1		02/06/18 18:31	108-67-8	
Vinyl chloride	<2.7	ug/kg	5.5	1		02/06/18 18:31	75-01-4	
Xylene (Total)	<2.7	ug/kg	5.5	1		02/06/18 18:31	1330-20-7	
Surrogates								
Toluene-d8 (S)	99	%	78-122	1		02/06/18 18:31	2037-26-5	
4-Bromofluorobenzene (S)	105	%	69-133	1		02/06/18 18:31	460-00-4	
1,2-Dichloroethane-d4 (S)	112	%	80-123	1		02/06/18 18:31	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974								
Percent Moisture	22.0	%	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045								
pH at 25 Degrees C	7.7	Std. Units	0.10	1		02/01/18 14:00		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Sulfate	65.2J	mg/kg	129	10	02/05/18 08:00	02/06/18 06:42	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Nitrate as N	<6.4	mg/kg	12.9	10	02/05/18 19:33	02/06/18 06:42	14797-55-8	
Nitrite as N	<6.4	mg/kg	12.9	10	02/05/18 19:33	02/06/18 06:42	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-16 (13-15) Lab ID: 60262831007 Collected: 01/25/18 11:20 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides Analytical Method: EPA 8081 Preparation Method: EPA 3546								
Aldrin	<0.69	ug/kg	1.9	1	02/02/18 13:00	02/05/18 23:13	309-00-2	
alpha-BHC	<0.31	ug/kg	1.9	1	02/02/18 13:00	02/05/18 23:13	319-84-6	
beta-BHC	<1.0	ug/kg	3.2	1	02/02/18 13:00	02/05/18 23:13	319-85-7	
delta-BHC	<0.93	ug/kg	2.7	1	02/02/18 13:00	02/05/18 23:13	319-86-8	
gamma-BHC (Lindane)	<0.87	ug/kg	2.7	1	02/02/18 13:00	02/05/18 23:13	58-89-9	
Chlordane (Technical)	<54.7	ug/kg	292	1	02/02/18 13:00	02/05/18 23:13	57-74-9	
alpha-Chlordane	<0.77	ug/kg	3.2	1	02/02/18 13:00	02/05/18 23:13	5103-71-9	
gamma-Chlordane	<1.3	ug/kg	3.2	1	02/02/18 13:00	02/05/18 23:13	5103-74-2	
4,4'-DDD	<0.63	ug/kg	1.9	1	02/02/18 13:00	02/05/18 23:13	72-54-8	
4,4'-DDE	<0.61	ug/kg	1.9	1	02/02/18 13:00	02/05/18 23:13	72-55-9	
4,4'-DDT	<1.3	ug/kg	2.7	1	02/02/18 13:00	02/05/18 23:13	50-29-3	
Dieldrin	<0.84	ug/kg	2.7	1	02/02/18 13:00	02/05/18 23:13	60-57-1	
Endosulfan I	<0.90	ug/kg	2.7	1	02/02/18 13:00	02/05/18 23:13	959-98-8	
Endosulfan II	<0.62	ug/kg	1.9	1	02/02/18 13:00	02/05/18 23:13	33213-65-9	
Endosulfan sulfate	<0.89	ug/kg	2.7	1	02/02/18 13:00	02/05/18 23:13	1031-07-8	
Endrin	<0.90	ug/kg	3.2	1	02/02/18 13:00	02/05/18 23:13	72-20-8	
Endrin aldehyde	<0.90	ug/kg	2.7	1	02/02/18 13:00	02/05/18 23:13	7421-93-4	
Endrin ketone	<1.1	ug/kg	3.9	1	02/02/18 13:00	02/05/18 23:13	53494-70-5	
Heptachlor	<1.5	ug/kg	3.9	1	02/02/18 13:00	02/05/18 23:13	76-44-8	
Heptachlor epoxide	<3.9	ug/kg	9.7	1	02/02/18 13:00	02/05/18 23:13	1024-57-3	
Methoxychlor	<1.1	ug/kg	3.9	1	02/02/18 13:00	02/05/18 23:13	72-43-5	
Toxaphene	<101	ug/kg	292	1	02/02/18 13:00	02/05/18 23:13	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	68	%.	70-130	1	02/02/18 13:00	02/05/18 23:13	877-09-8	S1
Decachlorobiphenyl (S)	67	%.	70-130	1	02/02/18 13:00	02/05/18 23:13	2051-24-3	S1
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546								
Stirophos (Tetrachlorvinphos)	<6.5	ug/kg	12.9	1	02/02/18 13:00	02/06/18 14:36	22248-79-9	
Azinphos, methyl (Guthion)	<6.5	ug/kg	12.9	1	02/02/18 13:00	02/06/18 14:36	86-50-0	
Bolstar	<6.5	ug/kg	12.9	1	02/02/18 13:00	02/06/18 14:36	35400-43-2	
Chlorpyrifos	<6.5	ug/kg	12.9	1	02/02/18 13:00	02/06/18 14:36	2921-88-2	
Coumaphos	<6.5	ug/kg	12.9	1	02/02/18 13:00	02/06/18 14:36	56-72-4	
Diazinon	<6.5	ug/kg	12.9	1	02/02/18 13:00	02/06/18 14:36	333-41-5	
Dichlorvos	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 14:36	62-73-7	
Dimethoate	<6.5	ug/kg	12.9	1	02/02/18 13:00	02/06/18 14:36	60-51-5	
Disulfoton	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 14:36	298-04-4	
EPN (ENT)	<4.1	ug/kg	6.5	1	02/02/18 13:00	02/06/18 14:36	2104-64-5	
Ethoprop	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 14:36	13194-48-4	
Fensulfothion	<6.5	ug/kg	12.9	1	02/02/18 13:00	02/06/18 14:36	115-90-2	
Fenthion	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 14:36	55-38-9	
Malathion	<6.5	ug/kg	12.9	1	02/02/18 13:00	02/06/18 14:36	121-75-5	
Methyl parathion	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 14:36	298-00-0	
Mevinphos	<3.8	ug/kg	6.5	1	02/02/18 13:00	02/06/18 14:36	7786-34-7	
Parathion (Ethyl parathion)	<6.5	ug/kg	12.9	1	02/02/18 13:00	02/06/18 14:36	56-38-2	
Phorate	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 14:36	298-02-2	
Ronnel	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 14:36	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-16 (13-15) **Lab ID: 60262831007** Collected: 01/25/18 11:20 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546								
Sulfotep (Thiodiphosphoric Ac	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 14:36	3689-24-5	
Tokuthion (Prothiofos)	<3.2	ug/kg	6.5	1	02/02/18 13:00	02/06/18 14:36	34643-46-4	
Trichloronate	<6.5	ug/kg	12.9	1	02/02/18 13:00	02/06/18 14:36	327-98-0	
Total Demeton	<5.3	ug/kg	6.5	1	02/02/18 13:00	02/06/18 14:36	8065-48-3	N2
Total Merphos	<6.5	ug/kg	25.9	1	02/02/18 13:00	02/06/18 14:36	150-50-5	N2
Surrogates								
Triphenylphosphate (S)	95	%.	11-137	1	02/02/18 13:00	02/06/18 14:36	115-86-6	
Tributylphosphate (S)	111	%.	17-125	1	02/02/18 13:00	02/06/18 14:36	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546								
2,4-D	<3.1	ug/kg	3.1	1	02/06/18 12:15	02/07/18 16:43	94-75-7	
Dalapon	<3.1	ug/kg	3.1	1	02/06/18 12:15	02/07/18 16:43	75-99-0	
2,4-DB	<3.1	ug/kg	3.1	1	02/06/18 12:15	02/07/18 16:43	94-82-6	
Dicamba	<3.1	ug/kg	3.1	1	02/06/18 12:15	02/07/18 16:43	1918-00-9	
Dichloroprop	<3.1	ug/kg	3.1	1	02/06/18 12:15	02/07/18 16:43	15165-67-0	
Dinoseb	<3.1	ug/kg	3.1	1	02/06/18 12:15	02/07/18 16:43	88-85-7	
MCPA	<313	ug/kg	313	1	02/06/18 12:15	02/07/18 16:43	94-74-6	
MCP	<313	ug/kg	313	1	02/06/18 12:15	02/07/18 16:43	7085-19-0	
2,4,5-T	<3.1	ug/kg	3.1	1	02/06/18 12:15	02/07/18 16:43	93-76-5	
2,4,5-TP (Silvex)	<3.1	ug/kg	3.1	1	02/06/18 12:15	02/07/18 16:43	93-72-1	
Surrogates								
2,4-DCAA (S)	7	%.	10-188	1	02/06/18 12:15	02/07/18 16:43	19719-28-9	S1
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050								
Arsenic	7.3	mg/kg	1.2	1	01/30/18 14:45	02/06/18 16:10	7440-38-2	
Barium	198	mg/kg	0.62	1	01/30/18 14:45	02/06/18 16:10	7440-39-3	
Cadmium	0.086J	mg/kg	0.62	1	01/30/18 14:45	02/06/18 16:10	7440-43-9	
Chromium	17.8	mg/kg	0.62	1	01/30/18 14:45	02/06/18 16:10	7440-47-3	
Lead	10.7	mg/kg	0.62	1	01/30/18 14:45	02/06/18 16:10	7439-92-1	
Selenium	<0.92	mg/kg	1.9	1	01/30/18 14:45	02/06/18 16:10	7782-49-2	
Silver	<0.21	mg/kg	0.86	1	01/30/18 14:45	02/06/18 16:10	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471								
Mercury	0.011J	mg/kg	0.060	1	02/02/18 09:59	02/02/18 14:39	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
Acenaphthene	<45.1	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	83-32-9	
Acenaphthylene	<39.9	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	208-96-8	
Anthracene	<45.1	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	120-12-7	
Benzo(a)anthracene	<38.7	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	56-55-3	
Benzo(a)pyrene	<33.5	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	50-32-8	
Benzo(b)fluoranthene	<29.6	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	205-99-2	
Benzo(g,h,i)perylene	<41.2	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	191-24-2	
Benzo(k)fluoranthene	<50.2	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	207-08-9	
Benzoic acid	<39.9	ug/kg	2150	1	01/30/18 15:00	01/31/18 19:58	65-85-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-16 (13-15) Lab ID: 60262831007 Collected: 01/25/18 11:20 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Benzyl alcohol	<133	ug/kg	850	1	01/30/18 15:00	01/31/18 19:58	100-51-6	
4-Bromophenylphenyl ether	<33.5	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	101-55-3	
Butylbenzylphthalate	<55.4	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	85-68-7	
Carbazole	<34.8	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	86-74-8	
4-Chloro-3-methylphenol	<46.4	ug/kg	850	1	01/30/18 15:00	01/31/18 19:58	59-50-7	
4-Chloroaniline	<83.7	ug/kg	850	1	01/30/18 15:00	01/31/18 19:58	106-47-8	
bis(2-Chloroethoxy)methane	<33.5	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	111-91-1	
bis(2-Chloroethyl) ether	<33.5	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	111-44-4	
bis(2-Chloroisopropyl) ether	<33.5	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	39638-32-9	
2-Chloronaphthalene	<36.1	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	91-58-7	
2-Chlorophenol	<34.8	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	95-57-8	
4-Chlorophenylphenyl ether	<41.2	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	7005-72-3	
Chrysene	<36.1	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	218-01-9	
Dibenz(a,h)anthracene	<38.7	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	53-70-3	
Dibenzofuran	<38.7	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	132-64-9	
1,2-Dichlorobenzene	<32.2	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	95-50-1	
1,3-Dichlorobenzene	<36.1	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	541-73-1	
1,4-Dichlorobenzene	<37.4	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	106-46-7	
3,3'-Dichlorobenzidine	<146	ug/kg	850	1	01/30/18 15:00	01/31/18 19:58	91-94-1	
2,4-Dichlorophenol	<38.7	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	120-83-2	
Diethylphthalate	<39.9	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	84-66-2	
2,4-Dimethylphenol	<23.2	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	105-67-9	
Dimethylphthalate	<41.2	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	131-11-3	
Di-n-butylphthalate	<45.1	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	84-74-2	
4,6-Dinitro-2-methylphenol	<56.7	ug/kg	2150	1	01/30/18 15:00	01/31/18 19:58	534-52-1	
2,4-Dinitrophenol	<61.8	ug/kg	2150	1	01/30/18 15:00	01/31/18 19:58	51-28-5	
2,4-Dinitrotoluene	<36.1	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	121-14-2	
2,6-Dinitrotoluene	<43.8	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	606-20-2	
Di-n-octylphthalate	<50.2	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	117-84-0	
bis(2-Ethylhexyl)phthalate	<147	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	117-81-7	
Fluoranthene	<39.9	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	206-44-0	
Fluorene	<39.9	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	86-73-7	
Hexachloro-1,3-butadiene	<42.5	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	87-68-3	
Hexachlorobenzene	<41.2	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	118-74-1	
Hexachlorocyclopentadiene	<90.2	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	77-47-4	
Hexachloroethane	<32.2	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	67-72-1	
Indeno(1,2,3-cd)pyrene	<46.4	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	193-39-5	
Isophorone	<38.7	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	78-59-1	
2-Methylnaphthalene	<30.9	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	91-57-6	
2-Methylphenol(o-Cresol)	<39.9	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	95-48-7	
3&4-Methylphenol(m&p Cresol)	<46.4	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58		
Naphthalene	<33.5	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	91-20-3	
2-Nitroaniline	<72.2	ug/kg	850	1	01/30/18 15:00	01/31/18 19:58	88-74-4	
3-Nitroaniline	<129	ug/kg	850	1	01/30/18 15:00	01/31/18 19:58	99-09-2	
4-Nitroaniline	<110	ug/kg	850	1	01/30/18 15:00	01/31/18 19:58	100-01-6	
Nitrobenzene	<39.9	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	98-95-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-16 (13-15) Lab ID: 60262831007 Collected: 01/25/18 11:20 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
2-Nitrophenol	<59.3	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	88-75-5	
4-Nitrophenol	<67.0	ug/kg	2150	1	01/30/18 15:00	01/31/18 19:58	100-02-7	
N-Nitroso-di-n-propylamine	<42.5	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	621-64-7	
N-Nitrosodiphenylamine	<33.5	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	86-30-6	
Pentachlorophenol	<39.9	ug/kg	2150	1	01/30/18 15:00	01/31/18 19:58	87-86-5	
Phenanthrene	<39.9	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	85-01-8	
Phenol	<33.5	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	108-95-2	
Pyrene	<42.5	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	129-00-0	
Pyridine	<34.8	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	110-86-1	
1,2,4-Trichlorobenzene	<38.7	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	120-82-1	
2,4,5-Trichlorophenol	<38.7	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	95-95-4	
2,4,6-Trichlorophenol	<39.9	ug/kg	425	1	01/30/18 15:00	01/31/18 19:58	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	78	%	41-114	1	01/30/18 15:00	01/31/18 19:58	4165-60-0	
2-Fluorobiphenyl (S)	80	%	61-109	1	01/30/18 15:00	01/31/18 19:58	321-60-8	
Terphenyl-d14 (S)	82	%	48-120	1	01/30/18 15:00	01/31/18 19:58	1718-51-0	
Phenol-d6 (S)	80	%	48-102	1	01/30/18 15:00	01/31/18 19:58	13127-88-3	
2-Fluorophenol (S)	76	%	46-102	1	01/30/18 15:00	01/31/18 19:58	367-12-4	
2,4,6-Tribromophenol (S)	86	%	39-114	1	01/30/18 15:00	01/31/18 19:58	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546								
TPH-ORO	13.7J	mg/kg	19.6	1	01/30/18 15:00	02/01/18 13:59		B
TPH-DRO	<1.6	mg/kg	19.6	1	01/30/18 15:00	02/01/18 13:59		
Surrogates								
Nitrobenzene-d5 (S)	78	%	41-114	1	01/30/18 15:00	02/01/18 13:59	4165-60-0	
2-Fluorobiphenyl (S)	78	%	61-109	1	01/30/18 15:00	02/01/18 13:59	321-60-8	
Terphenyl-d14 (S)	68	%	48-120	1	01/30/18 15:00	02/01/18 13:59	1718-51-0	
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260								
TPH-GRO	<19.4	mg/kg	38.8	50		02/07/18 14:54		
8260 MSV 5035A VOA Analytical Method: EPA 8260								
Acetone	<776	ug/kg	1550	50		02/07/18 14:54	67-64-1	
Benzene	<194	ug/kg	388	50		02/07/18 14:54	71-43-2	
Bromobenzene	<194	ug/kg	388	50		02/07/18 14:54	108-86-1	
Bromochloromethane	<194	ug/kg	388	50		02/07/18 14:54	74-97-5	
Bromodichloromethane	<194	ug/kg	388	50		02/07/18 14:54	75-27-4	
Bromoform	<194	ug/kg	388	50		02/07/18 14:54	75-25-2	
Bromomethane	210J	ug/kg	388	50		02/07/18 14:54	74-83-9	
2-Butanone (MEK)	<388	ug/kg	776	50		02/07/18 14:54	78-93-3	
n-Butylbenzene	<194	ug/kg	388	50		02/07/18 14:54	104-51-8	
sec-Butylbenzene	<194	ug/kg	388	50		02/07/18 14:54	135-98-8	
tert-Butylbenzene	<194	ug/kg	388	50		02/07/18 14:54	98-06-6	
Carbon disulfide	<194	ug/kg	388	50		02/07/18 14:54	75-15-0	
Carbon tetrachloride	<194	ug/kg	388	50		02/07/18 14:54	56-23-5	
Chlorobenzene	<194	ug/kg	388	50		02/07/18 14:54	108-90-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-16 (13-15) Lab ID: 60262831007 Collected: 01/25/18 11:20 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260						
Chloroethane	<194	ug/kg	388	50		02/07/18 14:54	75-00-3	
Chloroform	<194	ug/kg	388	50		02/07/18 14:54	67-66-3	
Chloromethane	<194	ug/kg	388	50		02/07/18 14:54	74-87-3	
2-Chlorotoluene	<194	ug/kg	388	50		02/07/18 14:54	95-49-8	
4-Chlorotoluene	<194	ug/kg	388	50		02/07/18 14:54	106-43-4	
1,2-Dibromo-3-chloropropane	<388	ug/kg	776	50		02/07/18 14:54	96-12-8	
Dibromochloromethane	<194	ug/kg	388	50		02/07/18 14:54	124-48-1	
1,2-Dibromoethane (EDB)	<194	ug/kg	388	50		02/07/18 14:54	106-93-4	
Dibromomethane	<194	ug/kg	388	50		02/07/18 14:54	74-95-3	
1,2-Dichlorobenzene	<194	ug/kg	388	50		02/07/18 14:54	95-50-1	
1,3-Dichlorobenzene	<194	ug/kg	388	50		02/07/18 14:54	541-73-1	
1,4-Dichlorobenzene	<194	ug/kg	388	50		02/07/18 14:54	106-46-7	
Dichlorodifluoromethane	<194	ug/kg	388	50		02/07/18 14:54	75-71-8	
1,1-Dichloroethane	<194	ug/kg	388	50		02/07/18 14:54	75-34-3	
1,2-Dichloroethane	<194	ug/kg	388	50		02/07/18 14:54	107-06-2	
1,2-Dichloroethene (Total)	<194	ug/kg	388	50		02/07/18 14:54	540-59-0	
1,1-Dichloroethene	<194	ug/kg	388	50		02/07/18 14:54	75-35-4	
cis-1,2-Dichloroethene	<194	ug/kg	388	50		02/07/18 14:54	156-59-2	
trans-1,2-Dichloroethene	<194	ug/kg	388	50		02/07/18 14:54	156-60-5	
1,2-Dichloropropane	<194	ug/kg	388	50		02/07/18 14:54	78-87-5	
1,3-Dichloropropane	<194	ug/kg	388	50		02/07/18 14:54	142-28-9	
2,2-Dichloropropane	<194	ug/kg	388	50		02/07/18 14:54	594-20-7	
1,1-Dichloropropene	<194	ug/kg	388	50		02/07/18 14:54	563-58-6	
cis-1,3-Dichloropropene	<194	ug/kg	388	50		02/07/18 14:54	10061-01-5	
trans-1,3-Dichloropropene	<194	ug/kg	388	50		02/07/18 14:54	10061-02-6	
Ethylbenzene	<194	ug/kg	388	50		02/07/18 14:54	100-41-4	
Hexachloro-1,3-butadiene	<194	ug/kg	388	50		02/07/18 14:54	87-68-3	
2-Hexanone	<776	ug/kg	1550	50		02/07/18 14:54	591-78-6	
Isopropylbenzene (Cumene)	<194	ug/kg	388	50		02/07/18 14:54	98-82-8	
p-Isopropyltoluene	<194	ug/kg	388	50		02/07/18 14:54	99-87-6	
Methylene chloride	328J	ug/kg	388	50		02/07/18 14:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	<388	ug/kg	776	50		02/07/18 14:54	108-10-1	
Methyl-tert-butyl ether	<194	ug/kg	388	50		02/07/18 14:54	1634-04-4	
Naphthalene	<388	ug/kg	776	50		02/07/18 14:54	91-20-3	
n-Propylbenzene	<194	ug/kg	388	50		02/07/18 14:54	103-65-1	
Styrene	<194	ug/kg	388	50		02/07/18 14:54	100-42-5	
1,1,1,2-Tetrachloroethane	<194	ug/kg	388	50		02/07/18 14:54	630-20-6	
1,1,2,2-Tetrachloroethane	<194	ug/kg	388	50		02/07/18 14:54	79-34-5	
Tetrachloroethene	<194	ug/kg	388	50		02/07/18 14:54	127-18-4	
Toluene	<194	ug/kg	388	50		02/07/18 14:54	108-88-3	
1,2,3-Trichlorobenzene	<194	ug/kg	388	50		02/07/18 14:54	87-61-6	
1,2,4-Trichlorobenzene	<194	ug/kg	388	50		02/07/18 14:54	120-82-1	
1,1,1-Trichloroethane	<194	ug/kg	388	50		02/07/18 14:54	71-55-6	
1,1,2-Trichloroethane	<194	ug/kg	388	50		02/07/18 14:54	79-00-5	
Trichloroethene	<194	ug/kg	388	50		02/07/18 14:54	79-01-6	
Trichlorofluoromethane	<194	ug/kg	388	50		02/07/18 14:54	75-69-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-16 (13-15) **Lab ID: 60262831007** Collected: 01/25/18 11:20 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260								
1,2,3-Trichloropropane	<194	ug/kg	388	50		02/07/18 14:54	96-18-4	
1,2,4-Trimethylbenzene	<194	ug/kg	388	50		02/07/18 14:54	95-63-6	
1,3,5-Trimethylbenzene	<194	ug/kg	388	50		02/07/18 14:54	108-67-8	
Vinyl chloride	<194	ug/kg	388	50		02/07/18 14:54	75-01-4	
Xylene (Total)	<194	ug/kg	388	50		02/07/18 14:54	1330-20-7	
Surrogates								
Toluene-d8 (S)	101	%	78-122	50		02/07/18 14:54	2037-26-5	D3
4-Bromofluorobenzene (S)	99	%	69-133	50		02/07/18 14:54	460-00-4	
1,2-Dichloroethane-d4 (S)	103	%	80-123	50		02/07/18 14:54	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974								
Percent Moisture	23.6	%	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045								
pH at 25 Degrees C	7.7	Std. Units	0.10	1		02/01/18 14:00		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Sulfate	65.5J	mg/kg	127	10	02/05/18 08:00	02/06/18 06:56	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Nitrate as N	<6.4	mg/kg	12.7	10	02/05/18 19:33	02/06/18 06:56	14797-55-8	
Nitrite as N	<6.4	mg/kg	12.7	10	02/05/18 19:33	02/06/18 06:56	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-11		Lab ID: 60262831008		Collected: 01/25/18 08:30		Received: 01/26/18 10:25		Matrix: Water	
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual	
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3510							
Aldrin	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:21	309-00-2		
alpha-BHC	<0.0060	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:21	319-84-6		
beta-BHC	<0.010	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:21	319-85-7		
delta-BHC	<0.0090	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:21	319-86-8		
gamma-BHC (Lindane)	<0.0080	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:21	58-89-9		
Chlordane (Technical)	<0.090	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:21	57-74-9		
alpha-Chlordane	<0.024	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:21	5103-71-9		
gamma-Chlordane	<0.034	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:21	5103-74-2		
4,4'-DDD	<0.0050	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:21	72-54-8		
4,4'-DDE	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:21	72-55-9		
4,4'-DDT	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:21	50-29-3		
Dieldrin	<0.0060	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:21	60-57-1		
Endosulfan I	<0.021	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:21	959-98-8		
Endosulfan II	<0.0090	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:21	33213-65-9		
Endosulfan sulfate	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:21	1031-07-8		
Endrin	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:21	72-20-8		
Endrin aldehyde	<0.029	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:21	7421-93-4		
Endrin ketone	<0.025	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:21	53494-70-5		
Heptachlor	<0.0050	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:21	76-44-8		
Heptachlor epoxide	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:21	1024-57-3		
Methoxychlor	<0.0060	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:21	72-43-5		
Toxaphene	<0.61	ug/L	1.5	1	01/31/18 20:10	02/09/18 16:21	8001-35-2		
Surrogates									
Tetrachloro-m-xylene (S)	74	%.	54-127	1	01/31/18 20:10	02/09/18 16:21	877-09-8		
Decachlorobiphenyl (S)	37	%.	12-162	1	01/31/18 20:10	02/09/18 16:21	2051-24-3		
8141 GCS, O/P Pesticides		Analytical Method: EPA 8141A Preparation Method: EPA 3510							
Stirophos (Tetrachlorvinphos)	<0.072	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	22248-79-9		
Azinphos, methyl (Guthion)	<0.093	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	86-50-0		
Bolstar	<0.090	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	35400-43-2		
Chlorpyrifos	<0.067	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	2921-88-2		
Coumaphos	<0.092	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	56-72-4		
Diazinon	<0.078	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	333-41-5		
Dichlorvos	<0.073	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	62-73-7		
Dimethoate	<0.083	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	60-51-5		
Disulfoton	<0.071	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	298-04-4		
EPN (ENT)	<0.087	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	2104-64-5		
Ethoprop	<0.059	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	13194-48-4		
Fensulfthion	<0.087	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	115-90-2		
Fenthion	<0.088	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	55-38-9		
Malathion	<0.086	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	121-75-5		
Methyl parathion	<0.070	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	298-00-0		
Mevinphos	<0.065	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	7786-34-7		
Parathion (Ethyl parathion)	<0.060	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	56-38-2		
Phorate	<0.064	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	298-02-2		
Ronnel	<0.088	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	299-84-3		
Sulfotep (Thiodiphosphoric Ac	<0.061	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	3689-24-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-11		Lab ID: 60262831008		Collected: 01/25/18 08:30		Received: 01/26/18 10:25		Matrix: Water	
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual	
8141 GCS, O/P Pesticides		Analytical Method: EPA 8141A Preparation Method: EPA 3510							
Tokuthion (Prothiofos)	<0.081	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	34643-46-4		
Trichloronate	<0.087	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	327-98-0		
Total Demeton	<0.083	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	8065-48-3		
Total Merphos	<0.038	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:30	150-50-5		
Surrogates									
Triphenylphosphate (S)	93	%.	10-175	1	01/31/18 20:10	02/06/18 15:30	115-86-6		
Tributylphosphate (S)	116	%.	20-150	1	01/31/18 20:10	02/06/18 15:30	126-73-8		
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 8151							
2,4-D	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:21	94-75-7		
Dalapon	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:21	75-99-0		
2,4-DB	<0.34	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:21	94-82-6		
Dicamba	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:21	1918-00-9		
Dichloroprop	<0.29	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:21	15165-67-0		
Dinoseb	<0.50	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:21	88-85-7		
MCPA	<20.0	ug/L	20.0	1	02/01/18 16:00	02/07/18 11:21	94-74-6		
MCP	<20.0	ug/L	20.0	1	02/01/18 16:00	02/07/18 11:21	7085-19-0		
2,4,5-T	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:21	93-76-5		
2,4,5-TP (Silvex)	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:21	93-72-1		
Surrogates									
2,4-DCAA (S)	88	%.	47-166	1	02/01/18 16:00	02/07/18 11:21	19719-28-9		
6010 MET ICP		Analytical Method: EPA 6010 Preparation Method: EPA 3010							
Arsenic	170	ug/L	10.0	1	01/30/18 11:15	02/01/18 15:33	7440-38-2		
Barium	1720	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:33	7440-39-3		
Cadmium	3.1J	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:33	7440-43-9		
Chromium	130	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:33	7440-47-3		
Lead	148	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:33	7439-92-1		
Selenium	<3.4	ug/L	15.0	1	01/30/18 11:15	02/01/18 15:33	7782-49-2		
Silver	<1.9	ug/L	7.0	1	01/30/18 11:15	02/01/18 15:33	7440-22-4		
6010 MET ICP, Dissolved (LF)		Analytical Method: EPA 6010 Preparation Method: EPA 3010							
Arsenic, Dissolved	18.8	ug/L	10.0	1	01/30/18 10:10	01/31/18 17:43	7440-38-2		
Barium, Dissolved	652	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:43	7440-39-3		
Cadmium, Dissolved	<0.64	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:43	7440-43-9		
Chromium, Dissolved	<0.72	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:43	7440-47-3		
Lead, Dissolved	<2.4	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:43	7439-92-1		
Selenium, Dissolved	<3.4	ug/L	15.0	1	01/30/18 10:10	01/31/18 17:43	7782-49-2		
Silver, Dissolved	<1.9	ug/L	7.0	1	01/30/18 10:10	01/31/18 17:43	7440-22-4		
7470 Mercury		Analytical Method: EPA 7470 Preparation Method: EPA 7470							
Mercury	0.32	ug/L	0.20	1	02/08/18 11:51	02/08/18 15:40	7439-97-6		
7470 Mercury, Dissolved (LF)		Analytical Method: EPA 7470 Preparation Method: EPA 7470							
Mercury, Dissolved	<0.046	ug/L	0.20	1	02/08/18 15:58	02/09/18 11:27	7439-97-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-11		Lab ID: 60262831008	Collected: 01/25/18 08:30	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic		Analytical Method: EPA 8270 Preparation Method: EPA 3510						
Acenaphthene	<0.33	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	83-32-9	1e
Acenaphthylene	<0.35	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	208-96-8	1e
Anthracene	<0.28	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	120-12-7	1e
Benzo(a)anthracene	<0.27	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	56-55-3	1e
Benzo(a)pyrene	<0.33	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	50-32-8	1e
Benzo(b)fluoranthene	<0.32	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	205-99-2	1e
Benzo(g,h,i)perylene	<0.37	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	191-24-2	1e
Benzo(k)fluoranthene	<0.39	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	207-08-9	1e
Benzoic acid	9.0J	ug/L	46.3	1	01/26/18 00:00	01/29/18 11:03	65-85-0	1e
Benzyl alcohol	<0.32	ug/L	18.5	1	01/26/18 00:00	01/29/18 11:03	100-51-6	1e
4-Bromophenylphenyl ether	<0.35	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	101-55-3	1e
Butylbenzylphthalate	<0.37	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	85-68-7	1e
Carbazole	<0.32	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	86-74-8	1e
4-Chloro-3-methylphenol	<0.23	ug/L	18.5	1	01/26/18 00:00	01/29/18 11:03	59-50-7	1e
4-Chloroaniline	<0.48	ug/L	18.5	1	01/26/18 00:00	01/29/18 11:03	106-47-8	1e
bis(2-Chloroethoxy)methane	<4.6	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	111-91-1	1e
bis(2-Chloroethyl) ether	<0.27	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	111-44-4	1e
bis(2-Chloroisopropyl) ether	<0.27	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	39638-32-9	1e
2-Chloronaphthalene	<0.32	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	91-58-7	1e
2-Chlorophenol	<0.28	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	95-57-8	1e
4-Chlorophenylphenyl ether	<0.28	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	7005-72-3	1e
Chrysene	<0.33	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	218-01-9	1e
Dibenz(a,h)anthracene	<0.42	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	53-70-3	1e
Dibenzofuran	<0.36	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	132-64-9	1e
1,2-Dichlorobenzene	<0.27	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	95-50-1	1e
1,3-Dichlorobenzene	<0.50	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	541-73-1	1e
1,4-Dichlorobenzene	<0.38	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	106-46-7	1e
3,3'-Dichlorobenzidine	<0.36	ug/L	18.5	1	01/26/18 00:00	01/29/18 11:03	91-94-1	1e
2,4-Dichlorophenol	<0.48	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	120-83-2	1e
Diethylphthalate	<0.42	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	84-66-2	1e
2,4-Dimethylphenol	<0.56	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	105-67-9	1e
Dimethylphthalate	<0.32	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	131-11-3	1e
Di-n-butylphthalate	0.72J	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	84-74-2	1e
4,6-Dinitro-2-methylphenol	<0.51	ug/L	46.3	1	01/26/18 00:00	01/29/18 11:03	534-52-1	1e
2,4-Dinitrophenol	<7.8	ug/L	46.3	1	01/26/18 00:00	01/29/18 11:03	51-28-5	1e
2,4-Dinitrotoluene	<0.31	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	121-14-2	1e
2,6-Dinitrotoluene	<0.26	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	606-20-2	1e
Di-n-octylphthalate	<0.46	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	117-84-0	1e
bis(2-Ethylhexyl)phthalate	<0.57	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	117-81-7	1e
Fluoranthene	<0.34	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	206-44-0	1e
Fluorene	<0.31	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	86-73-7	1e
Hexachloro-1,3-butadiene	<0.35	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	87-68-3	1e
Hexachlorobenzene	<0.28	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	118-74-1	1e
Hexachlorocyclopentadiene	<0.32	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	77-47-4	1e
Hexachloroethane	<0.27	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	67-72-1	1e
Indeno(1,2,3-cd)pyrene	<0.30	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	193-39-5	1e
Isophorone	<0.26	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	78-59-1	1e

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-11		Lab ID: 60262831008		Collected: 01/25/18 08:30		Received: 01/26/18 10:25		Matrix: Water	
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual	
8270 MSSV Semivolatile Organic		Analytical Method: EPA 8270 Preparation Method: EPA 3510							
2-Methylnaphthalene	<0.24	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	91-57-6	1e	
2-Methylphenol(o-Cresol)	<0.26	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	95-48-7	1e	
3&4-Methylphenol(m&p Cresol)	<4.6	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03		1e	
Naphthalene	<0.33	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	91-20-3	1e	
2-Nitroaniline	<0.39	ug/L	46.3	1	01/26/18 00:00	01/29/18 11:03	88-74-4	1e	
3-Nitroaniline	<0.32	ug/L	46.3	1	01/26/18 00:00	01/29/18 11:03	99-09-2	1e	
4-Nitroaniline	<0.32	ug/L	46.3	1	01/26/18 00:00	01/29/18 11:03	100-01-6	1e	
Nitrobenzene	<0.28	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	98-95-3	1e	
2-Nitrophenol	<0.26	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	88-75-5	1e	
4-Nitrophenol	<0.29	ug/L	46.3	1	01/26/18 00:00	01/29/18 11:03	100-02-7	1e	
N-Nitroso-di-n-propylamine	<0.25	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	621-64-7	1e	
N-Nitrosodiphenylamine	<0.37	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	86-30-6	1e	
Pentachlorophenol	<0.29	ug/L	46.3	1	01/26/18 00:00	01/29/18 11:03	87-86-5	1e	
Phenanthrene	<0.31	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	85-01-8	1e	
Phenol	<4.6	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	108-95-2	1e	
Pyrene	<0.26	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	129-00-0	1e	
Pyridine	<0.29	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	110-86-1	1e	
1,2,4-Trichlorobenzene	<0.31	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	120-82-1	1e	
2,4,5-Trichlorophenol	<0.31	ug/L	46.3	1	01/26/18 00:00	01/29/18 11:03	95-95-4	1e	
2,4,6-Trichlorophenol	<0.36	ug/L	9.3	1	01/26/18 00:00	01/29/18 11:03	88-06-2	1e	
Surrogates									
Nitrobenzene-d5 (S)	29	%	33-99	1	01/26/18 00:00	01/29/18 11:03	4165-60-0	S0	
2-Fluorobiphenyl (S)	34	%	30-103	1	01/26/18 00:00	01/29/18 11:03	321-60-8		
Terphenyl-d14 (S)	38	%	38-114	1	01/26/18 00:00	01/29/18 11:03	1718-51-0		
Phenol-d6 (S)	21	%	10-56	1	01/26/18 00:00	01/29/18 11:03	13127-88-3		
2-Fluorophenol (S)	24	%	10-68	1	01/26/18 00:00	01/29/18 11:03	367-12-4		
2,4,6-Tribromophenol (S)	35	%	21-124	1	01/26/18 00:00	01/29/18 11:03	118-79-6		
8270 MSSV DRO/ORO		Analytical Method: EPA 8270 Preparation Method: EPA 3510C							
TPH-ORO	<0.99	mg/L	0.99	1	01/29/18 15:00	01/31/18 19:53		1e	
TPH-DRO	<0.99	mg/L	0.99	1	01/29/18 15:00	01/31/18 19:53		1e	
Surrogates									
Nitrobenzene-d5 (S)	74	%	33-99	1	01/29/18 15:00	01/31/18 19:53	4165-60-0		
2-Fluorobiphenyl (S)	74	%	30-103	1	01/29/18 15:00	01/31/18 19:53	321-60-8		
Terphenyl-d14 (S)	84	%	38-114	1	01/29/18 15:00	01/31/18 19:53	1718-51-0		
8260 MSV		Analytical Method: EPA 5030B/8260							
Acetone	2.8J	ug/L	10.0	1		01/30/18 20:53	67-64-1		
Benzene	<0.060	ug/L	1.0	1		01/30/18 20:53	71-43-2		
Bromobenzene	<0.10	ug/L	1.0	1		01/30/18 20:53	108-86-1		
Bromochloromethane	<0.15	ug/L	1.0	1		01/30/18 20:53	74-97-5		
Bromodichloromethane	<0.19	ug/L	1.0	1		01/30/18 20:53	75-27-4		
Bromoform	<0.070	ug/L	1.0	1		01/30/18 20:53	75-25-2		
Bromomethane	<0.16	ug/L	5.0	1		01/30/18 20:53	74-83-9		
2-Butanone (MEK)	<0.59	ug/L	10.0	1		01/30/18 20:53	78-93-3		
n-Butylbenzene	<0.10	ug/L	1.0	1		01/30/18 20:53	104-51-8		
sec-Butylbenzene	<0.050	ug/L	1.0	1		01/30/18 20:53	135-98-8		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-11		Lab ID: 60262831008	Collected: 01/25/18 08:30	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260						
tert-Butylbenzene	<0.34	ug/L	1.0	1		01/30/18 20:53	98-06-6	
Carbon disulfide	<0.12	ug/L	5.0	1		01/30/18 20:53	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	1		01/30/18 20:53	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	1		01/30/18 20:53	108-90-7	
Chloroethane	<0.15	ug/L	1.0	1		01/30/18 20:53	75-00-3	
Chloroform	<0.14	ug/L	1.0	1		01/30/18 20:53	67-66-3	
Chloromethane	<0.080	ug/L	1.0	1		01/30/18 20:53	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	1		01/30/18 20:53	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	1		01/30/18 20:53	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	1		01/30/18 20:53	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	1		01/30/18 20:53	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	1		01/30/18 20:53	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	1		01/30/18 20:53	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	1		01/30/18 20:53	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	1		01/30/18 20:53	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	1		01/30/18 20:53	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	1		01/30/18 20:53	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	1		01/30/18 20:53	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	1		01/30/18 20:53	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	1		01/30/18 20:53	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	1		01/30/18 20:53	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	1		01/30/18 20:53	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	1		01/30/18 20:53	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	1		01/30/18 20:53	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	1		01/30/18 20:53	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	1		01/30/18 20:53	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	1		01/30/18 20:53	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	1		01/30/18 20:53	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	1		01/30/18 20:53	10061-02-6	
Ethylbenzene	<0.18	ug/L	1.0	1		01/30/18 20:53	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	1		01/30/18 20:53	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1		01/30/18 20:53	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	1		01/30/18 20:53	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	1		01/30/18 20:53	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	1		01/30/18 20:53	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	1		01/30/18 20:53	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	1		01/30/18 20:53	1634-04-4	
Naphthalene	<0.50	ug/L	10.0	1		01/30/18 20:53	91-20-3	
n-Propylbenzene	<0.10	ug/L	1.0	1		01/30/18 20:53	103-65-1	
Styrene	<0.12	ug/L	1.0	1		01/30/18 20:53	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	1		01/30/18 20:53	630-20-6	
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	1		01/30/18 20:53	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	1		01/30/18 20:53	127-18-4	
Toluene	<0.17	ug/L	1.0	1		01/30/18 20:53	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	1		01/30/18 20:53	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	1		01/30/18 20:53	120-82-1	
1,1,1-Trichloroethane	<0.11	ug/L	1.0	1		01/30/18 20:53	71-55-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-11		Lab ID: 60262831008		Collected: 01/25/18 08:30		Received: 01/26/18 10:25		Matrix: Water	
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 5030B/8260							
1,1,2-Trichloroethane	<0.20	ug/L	1.0	1		01/30/18 20:53	79-00-5		
Trichloroethene	<0.17	ug/L	1.0	1		01/30/18 20:53	79-01-6		
Trichlorofluoromethane	<0.34	ug/L	1.0	1		01/30/18 20:53	75-69-4		
1,2,3-Trichloropropane	<0.19	ug/L	2.5	1		01/30/18 20:53	96-18-4		
1,2,4-Trimethylbenzene	<0.090	ug/L	1.0	1		01/30/18 20:53	95-63-6		
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	1		01/30/18 20:53	108-67-8		
Vinyl chloride	<0.13	ug/L	1.0	1		01/30/18 20:53	75-01-4		
Xylene (Total)	<0.42	ug/L	3.0	1		01/30/18 20:53	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	101	%	80-119	1		01/30/18 20:53	460-00-4		
1,2-Dichloroethane-d4 (S)	97	%	80-117	1		01/30/18 20:53	17060-07-0		
Toluene-d8 (S)	98	%	80-115	1		01/30/18 20:53	2037-26-5		
Preservation pH	1.0		0.10	1		01/30/18 20:53			
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260							
TPH-GRO	<72.2	ug/L	500	1		02/02/18 17:20			
Surrogates									
Toluene-d8 (S)	100	%	80-115	1		02/02/18 17:20	2037-26-5		
4-Bromofluorobenzene (S)	99	%	80-119	1		02/02/18 17:20	460-00-4		
1,2-Dichloroethane-d4 (S)	104	%	87-117	1		02/02/18 17:20	17060-07-0		
4500H+ pH, Electrometric		Analytical Method: SM 4500-H+B							
pH at 25 Degrees C	7.3	Std. Units	0.10	1		02/02/18 11:38		H6	
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrogen, NO2 plus NO3	1.9	mg/L	0.10	1		01/29/18 15:03			
9056 IC Anions		Analytical Method: EPA 9056							
Sulfate	44.1	mg/L	5.0	5		02/09/18 09:33	14808-79-8		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-14		Lab ID: 60262831009		Collected: 01/25/18 13:20		Received: 01/26/18 10:25		Matrix: Water	
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual	
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3510							
Aldrin	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:36	309-00-2		
alpha-BHC	<0.0060	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:36	319-84-6		
beta-BHC	<0.010	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:36	319-85-7		
delta-BHC	<0.0090	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:36	319-86-8		
gamma-BHC (Lindane)	<0.0080	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:36	58-89-9		
Chlordane (Technical)	<0.090	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:36	57-74-9		
alpha-Chlordane	<0.024	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:36	5103-71-9		
gamma-Chlordane	<0.034	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:36	5103-74-2		
4,4'-DDD	<0.0050	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:36	72-54-8		
4,4'-DDE	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:36	72-55-9		
4,4'-DDT	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:36	50-29-3		
Dieldrin	<0.0060	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:36	60-57-1		
Endosulfan I	<0.021	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:36	959-98-8		
Endosulfan II	<0.0090	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:36	33213-65-9		
Endosulfan sulfate	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:36	1031-07-8		
Endrin	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:36	72-20-8		
Endrin aldehyde	<0.029	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:36	7421-93-4		
Endrin ketone	<0.025	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:36	53494-70-5		
Heptachlor	<0.0050	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:36	76-44-8		
Heptachlor epoxide	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:36	1024-57-3		
Methoxychlor	<0.0060	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:36	72-43-5		
Toxaphene	<0.61	ug/L	1.5	1	01/31/18 20:10	02/09/18 16:36	8001-35-2		
Surrogates									
Tetrachloro-m-xylene (S)	64	%.	54-127	1	01/31/18 20:10	02/09/18 16:36	877-09-8		
Decachlorobiphenyl (S)	32	%.	12-162	1	01/31/18 20:10	02/09/18 16:36	2051-24-3		
8141 GCS, O/P Pesticides		Analytical Method: EPA 8141A Preparation Method: EPA 3510							
Stirophos (Tetrachlorvinphos)	<0.072	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	22248-79-9		
Azinphos, methyl (Guthion)	<0.093	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	86-50-0		
Bolstar	<0.090	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	35400-43-2		
Chlorpyrifos	<0.067	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	2921-88-2		
Coumaphos	<0.092	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	56-72-4		
Diazinon	<0.078	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	333-41-5		
Dichlorvos	<0.073	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	62-73-7		
Dimethoate	<0.083	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	60-51-5		
Disulfoton	<0.071	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	298-04-4		
EPN (ENT)	<0.087	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	2104-64-5		
Ethoprop	<0.059	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	13194-48-4		
Fensulfothion	<0.087	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	115-90-2		
Fenthion	<0.088	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	55-38-9		
Malathion	<0.086	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	121-75-5		
Methyl parathion	<0.070	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	298-00-0		
Mevinphos	<0.065	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	7786-34-7		
Parathion (Ethyl parathion)	<0.060	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	56-38-2		
Phorate	<0.064	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	298-02-2		
Ronnel	<0.088	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	299-84-3		
Sulfotep (Thiodiphosphoric Ac	<0.061	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	3689-24-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-14		Lab ID: 60262831009		Collected: 01/25/18 13:20		Received: 01/26/18 10:25		Matrix: Water	
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual	
8141 GCS, O/P Pesticides		Analytical Method: EPA 8141A Preparation Method: EPA 3510							
Tokuthion (Prothiofos)	<0.081	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	34643-46-4		
Trichloronate	<0.087	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	327-98-0		
Total Demeton	<0.083	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	8065-48-3		
Total Merphos	<0.038	ug/L	0.10	1	01/31/18 20:10	02/06/18 15:58	150-50-5		
Surrogates									
Triphenylphosphate (S)	82	%.	10-175	1	01/31/18 20:10	02/06/18 15:58	115-86-6		
Tributylphosphate (S)	104	%.	20-150	1	01/31/18 20:10	02/06/18 15:58	126-73-8		
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 8151							
2,4-D	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:46	94-75-7		
Dalapon	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:46	75-99-0		
2,4-DB	<0.34	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:46	94-82-6	M1	
Dicamba	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:46	1918-00-9		
Dichloroprop	<0.29	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:46	15165-67-0	M1	
Dinoseb	<0.50	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:46	88-85-7	M1	
MCPA	<20.0	ug/L	20.0	1	02/01/18 16:00	02/07/18 11:46	94-74-6		
MCP	<20.0	ug/L	20.0	1	02/01/18 16:00	02/07/18 11:46	7085-19-0		
2,4,5-T	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:46	93-76-5		
2,4,5-TP (Silvex)	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:46	93-72-1		
Surrogates									
2,4-DCAA (S)	101	%.	47-166	1	02/01/18 16:00	02/07/18 11:46	19719-28-9		
6010 MET ICP		Analytical Method: EPA 6010 Preparation Method: EPA 3010							
Arsenic	45.1	ug/L	10.0	1	01/30/18 11:15	02/01/18 15:36	7440-38-2		
Barium	1280	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:36	7440-39-3		
Cadmium	5.4	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:36	7440-43-9		
Chromium	132	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:36	7440-47-3		
Lead	172	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:36	7439-92-1		
Selenium	<3.4	ug/L	15.0	1	01/30/18 11:15	02/01/18 15:36	7782-49-2		
Silver	<1.9	ug/L	7.0	1	01/30/18 11:15	02/01/18 15:36	7440-22-4		
6010 MET ICP, Dissolved (LF)		Analytical Method: EPA 6010 Preparation Method: EPA 3010							
Arsenic, Dissolved	<4.2	ug/L	10.0	1	01/30/18 10:10	01/31/18 17:46	7440-38-2		
Barium, Dissolved	64.7	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:46	7440-39-3		
Cadmium, Dissolved	0.88J	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:46	7440-43-9		
Chromium, Dissolved	1.4J	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:46	7440-47-3		
Lead, Dissolved	<2.4	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:46	7439-92-1		
Selenium, Dissolved	<3.4	ug/L	15.0	1	01/30/18 10:10	01/31/18 17:46	7782-49-2		
Silver, Dissolved	<1.9	ug/L	7.0	1	01/30/18 10:10	01/31/18 17:46	7440-22-4		
7470 Mercury		Analytical Method: EPA 7470 Preparation Method: EPA 7470							
Mercury	0.38	ug/L	0.20	1	02/08/18 11:51	02/08/18 15:42	7439-97-6		
7470 Mercury, Dissolved (LF)		Analytical Method: EPA 7470 Preparation Method: EPA 7470							
Mercury, Dissolved	<0.046	ug/L	0.20	1	02/08/18 15:58	02/09/18 11:29	7439-97-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-14		Lab ID: 60262831009	Collected: 01/25/18 13:20	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic		Analytical Method: EPA 8270 Preparation Method: EPA 3510						
Acenaphthene	<0.35	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	83-32-9	1e
Acenaphthylene	<0.37	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	208-96-8	1e
Anthracene	<0.29	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	120-12-7	1e
Benzo(a)anthracene	<0.28	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	56-55-3	1e
Benzo(a)pyrene	<0.35	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	50-32-8	1e
Benzo(b)fluoranthene	<0.34	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	205-99-2	1e
Benzo(g,h,i)perylene	<0.39	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	191-24-2	1e
Benzo(k)fluoranthene	<0.41	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	207-08-9	1e
Benzoic acid	31.0J	ug/L	49.0	1	01/31/18 15:00	02/01/18 11:38	65-85-0	1e
Benzyl alcohol	<0.34	ug/L	19.6	1	01/31/18 15:00	02/01/18 11:38	100-51-6	1e
4-Bromophenylphenyl ether	<0.37	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	101-55-3	1e
Butylbenzylphthalate	<0.39	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	85-68-7	1e
Carbazole	<0.34	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	86-74-8	1e
4-Chloro-3-methylphenol	<0.25	ug/L	19.6	1	01/31/18 15:00	02/01/18 11:38	59-50-7	1e
4-Chloroaniline	<0.51	ug/L	19.6	1	01/31/18 15:00	02/01/18 11:38	106-47-8	1e
bis(2-Chloroethoxy)methane	<4.9	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	111-91-1	1e
bis(2-Chloroethyl) ether	<0.28	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	111-44-4	1e
bis(2-Chloroisopropyl) ether	<0.28	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	39638-32-9	1e
2-Chloronaphthalene	<0.34	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	91-58-7	1e
2-Chlorophenol	<0.29	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	95-57-8	1e
4-Chlorophenylphenyl ether	<0.29	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	7005-72-3	1e
Chrysene	<0.35	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	218-01-9	1e
Dibenz(a,h)anthracene	<0.44	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	53-70-3	1e
Dibenzofuran	<0.38	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	132-64-9	1e
1,2-Dichlorobenzene	<0.28	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	95-50-1	1e
1,3-Dichlorobenzene	<0.53	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	541-73-1	1e
1,4-Dichlorobenzene	<0.40	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	106-46-7	1e
3,3'-Dichlorobenzidine	<0.38	ug/L	19.6	1	01/31/18 15:00	02/01/18 11:38	91-94-1	1e
2,4-Dichlorophenol	<0.51	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	120-83-2	1e
Diethylphthalate	<0.44	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	84-66-2	1e
2,4-Dimethylphenol	<0.59	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	105-67-9	1e
Dimethylphthalate	<0.34	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	131-11-3	1e
Di-n-butylphthalate	<0.38	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	84-74-2	1e
4,6-Dinitro-2-methylphenol	<0.54	ug/L	49.0	1	01/31/18 15:00	02/01/18 11:38	534-52-1	1e
2,4-Dinitrophenol	<8.2	ug/L	49.0	1	01/31/18 15:00	02/01/18 11:38	51-28-5	1e
2,4-Dinitrotoluene	<0.32	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	121-14-2	1e
2,6-Dinitrotoluene	<0.27	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	606-20-2	1e
Di-n-octylphthalate	<0.49	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	117-84-0	1e
bis(2-Ethylhexyl)phthalate	<0.61	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	117-81-7	1e
Fluoranthene	<0.36	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	206-44-0	1e
Fluorene	<0.33	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	86-73-7	1e
Hexachloro-1,3-butadiene	<0.37	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	87-68-3	1e
Hexachlorobenzene	<0.29	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	118-74-1	1e
Hexachlorocyclopentadiene	<0.34	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	77-47-4	1e
Hexachloroethane	<0.28	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	67-72-1	1e
Indeno(1,2,3-cd)pyrene	<0.31	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	193-39-5	1e
Isophorone	<0.27	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	78-59-1	1e

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-14		Lab ID: 60262831009		Collected: 01/25/18 13:20		Received: 01/26/18 10:25		Matrix: Water	
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual	
8270 MSSV Semivolatile Organic		Analytical Method: EPA 8270 Preparation Method: EPA 3510							
2-Methylnaphthalene	<0.25	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	91-57-6	1e	
2-Methylphenol(o-Cresol)	<0.27	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	95-48-7	1e	
3&4-Methylphenol(m&p Cresol)	5.5J	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38		1e	
Naphthalene	<0.35	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	91-20-3	1e	
2-Nitroaniline	<0.41	ug/L	49.0	1	01/31/18 15:00	02/01/18 11:38	88-74-4	1e	
3-Nitroaniline	<0.34	ug/L	49.0	1	01/31/18 15:00	02/01/18 11:38	99-09-2	1e	
4-Nitroaniline	<0.34	ug/L	49.0	1	01/31/18 15:00	02/01/18 11:38	100-01-6	1e	
Nitrobenzene	<0.29	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	98-95-3	1e	
2-Nitrophenol	<0.27	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	88-75-5	1e	
4-Nitrophenol	<0.30	ug/L	49.0	1	01/31/18 15:00	02/01/18 11:38	100-02-7	1e	
N-Nitroso-di-n-propylamine	<0.26	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	621-64-7	1e	
N-Nitrosodiphenylamine	<0.39	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	86-30-6	1e	
Pentachlorophenol	<0.30	ug/L	49.0	1	01/31/18 15:00	02/01/18 11:38	87-86-5	1e	
Phenanthrene	<0.33	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	85-01-8	1e	
Phenol	<4.9	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	108-95-2	1e	
Pyrene	<0.27	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	129-00-0	1e	
Pyridine	<0.30	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	110-86-1	1e	
1,2,4-Trichlorobenzene	<0.32	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	120-82-1	1e	
2,4,5-Trichlorophenol	<0.32	ug/L	49.0	1	01/31/18 15:00	02/01/18 11:38	95-95-4	1e	
2,4,6-Trichlorophenol	<0.38	ug/L	9.8	1	01/31/18 15:00	02/01/18 11:38	88-06-2	1e	
Surrogates									
Nitrobenzene-d5 (S)	30	%	33-99	1	01/31/18 15:00	02/01/18 11:38	4165-60-0	2e	
2-Fluorobiphenyl (S)	33	%	30-103	1	01/31/18 15:00	02/01/18 11:38	321-60-8		
Terphenyl-d14 (S)	32	%	38-114	1	01/31/18 15:00	02/01/18 11:38	1718-51-0	2e	
Phenol-d6 (S)	16	%	10-56	1	01/31/18 15:00	02/01/18 11:38	13127-88-3		
2-Fluorophenol (S)	17	%	10-68	1	01/31/18 15:00	02/01/18 11:38	367-12-4		
2,4,6-Tribromophenol (S)	20	%	21-124	1	01/31/18 15:00	02/01/18 11:38	118-79-6	2e	
8270 MSSV DRO/ORO		Analytical Method: EPA 8270 Preparation Method: EPA 3510C							
TPH-ORO	1.3	mg/L	0.91	1	01/29/18 15:00	01/31/18 20:14		1e	
TPH-DRO	<0.91	mg/L	0.91	1	01/29/18 15:00	01/31/18 20:14		1e	
Surrogates									
Nitrobenzene-d5 (S)	66	%	33-99	1	01/29/18 15:00	01/31/18 20:14	4165-60-0		
2-Fluorobiphenyl (S)	64	%	30-103	1	01/29/18 15:00	01/31/18 20:14	321-60-8		
Terphenyl-d14 (S)	82	%	38-114	1	01/29/18 15:00	01/31/18 20:14	1718-51-0		
8260 MSV		Analytical Method: EPA 5030B/8260							
Acetone	6.3J	ug/L	10.0	1		01/30/18 21:07	67-64-1		
Benzene	<0.060	ug/L	1.0	1		01/30/18 21:07	71-43-2		
Bromobenzene	<0.10	ug/L	1.0	1		01/30/18 21:07	108-86-1		
Bromochloromethane	<0.15	ug/L	1.0	1		01/30/18 21:07	74-97-5		
Bromodichloromethane	0.52J	ug/L	1.0	1		01/30/18 21:07	75-27-4		
Bromoform	<0.070	ug/L	1.0	1		01/30/18 21:07	75-25-2		
Bromomethane	<0.16	ug/L	5.0	1		01/30/18 21:07	74-83-9		
2-Butanone (MEK)	<0.59	ug/L	10.0	1		01/30/18 21:07	78-93-3		
n-Butylbenzene	<0.10	ug/L	1.0	1		01/30/18 21:07	104-51-8		
sec-Butylbenzene	<0.050	ug/L	1.0	1		01/30/18 21:07	135-98-8		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-14		Lab ID: 60262831009	Collected: 01/25/18 13:20	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260						
tert-Butylbenzene	<0.34	ug/L	1.0	1		01/30/18 21:07	98-06-6	
Carbon disulfide	<0.12	ug/L	5.0	1		01/30/18 21:07	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	1		01/30/18 21:07	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	1		01/30/18 21:07	108-90-7	
Chloroethane	<0.15	ug/L	1.0	1		01/30/18 21:07	75-00-3	
Chloroform	1.4	ug/L	1.0	1		01/30/18 21:07	67-66-3	
Chloromethane	<0.080	ug/L	1.0	1		01/30/18 21:07	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	1		01/30/18 21:07	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	1		01/30/18 21:07	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	1		01/30/18 21:07	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	1		01/30/18 21:07	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	1		01/30/18 21:07	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	1		01/30/18 21:07	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	1		01/30/18 21:07	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	1		01/30/18 21:07	541-73-1	
1,4-Dichlorobenzene	0.11J	ug/L	1.0	1		01/30/18 21:07	106-46-7	B
Dichlorodifluoromethane	<0.21	ug/L	1.0	1		01/30/18 21:07	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	1		01/30/18 21:07	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	1		01/30/18 21:07	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	1		01/30/18 21:07	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	1		01/30/18 21:07	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	1		01/30/18 21:07	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	1		01/30/18 21:07	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	1		01/30/18 21:07	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	1		01/30/18 21:07	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	1		01/30/18 21:07	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	1		01/30/18 21:07	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	1		01/30/18 21:07	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	1		01/30/18 21:07	10061-02-6	
Ethylbenzene	<0.18	ug/L	1.0	1		01/30/18 21:07	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	1		01/30/18 21:07	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1		01/30/18 21:07	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	1		01/30/18 21:07	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	1		01/30/18 21:07	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	1		01/30/18 21:07	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.66J	ug/L	10.0	1		01/30/18 21:07	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	1		01/30/18 21:07	1634-04-4	
Naphthalene	<0.50	ug/L	10.0	1		01/30/18 21:07	91-20-3	
n-Propylbenzene	<0.10	ug/L	1.0	1		01/30/18 21:07	103-65-1	
Styrene	<0.12	ug/L	1.0	1		01/30/18 21:07	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	1		01/30/18 21:07	630-20-6	
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	1		01/30/18 21:07	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	1		01/30/18 21:07	127-18-4	
Toluene	<0.17	ug/L	1.0	1		01/30/18 21:07	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	1		01/30/18 21:07	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	1		01/30/18 21:07	120-82-1	
1,1,1-Trichloroethane	<0.11	ug/L	1.0	1		01/30/18 21:07	71-55-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-14		Lab ID: 60262831009		Collected: 01/25/18 13:20		Received: 01/26/18 10:25		Matrix: Water	
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 5030B/8260							
1,1,2-Trichloroethane	<0.20	ug/L	1.0	1		01/30/18 21:07	79-00-5		
Trichloroethene	<0.17	ug/L	1.0	1		01/30/18 21:07	79-01-6		
Trichlorofluoromethane	<0.34	ug/L	1.0	1		01/30/18 21:07	75-69-4		
1,2,3-Trichloropropane	<0.19	ug/L	2.5	1		01/30/18 21:07	96-18-4		
1,2,4-Trimethylbenzene	<0.090	ug/L	1.0	1		01/30/18 21:07	95-63-6		
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	1		01/30/18 21:07	108-67-8		
Vinyl chloride	<0.13	ug/L	1.0	1		01/30/18 21:07	75-01-4		
Xylene (Total)	<0.42	ug/L	3.0	1		01/30/18 21:07	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	99	%	80-119	1		01/30/18 21:07	460-00-4		
1,2-Dichloroethane-d4 (S)	98	%	80-117	1		01/30/18 21:07	17060-07-0		
Toluene-d8 (S)	99	%	80-115	1		01/30/18 21:07	2037-26-5		
Preservation pH	1.0		0.10	1		01/30/18 21:07			
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260							
TPH-GRO	<72.2	ug/L	500	1		02/02/18 17:34			
Surrogates									
Toluene-d8 (S)	100	%	80-115	1		02/02/18 17:34	2037-26-5		
4-Bromofluorobenzene (S)	98	%	80-119	1		02/02/18 17:34	460-00-4		
1,2-Dichloroethane-d4 (S)	103	%	87-117	1		02/02/18 17:34	17060-07-0		
4500H+ pH, Electrometric		Analytical Method: SM 4500-H+B							
pH at 25 Degrees C	7.6	Std. Units	0.10	1		02/02/18 11:43		H6	
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrogen, NO2 plus NO3	0.78	mg/L	0.10	1		01/29/18 15:05			
9056 IC Anions		Analytical Method: EPA 9056							
Sulfate	155	mg/L	20.0	20		02/09/18 10:15	14808-79-8		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-16		Lab ID: 60262831010		Collected: 01/25/18 13:50		Received: 01/26/18 10:25		Matrix: Water	
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual	
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3510							
Aldrin	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:51	309-00-2		
alpha-BHC	<0.0060	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:51	319-84-6		
beta-BHC	<0.010	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:51	319-85-7		
delta-BHC	<0.0090	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:51	319-86-8		
gamma-BHC (Lindane)	<0.0080	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:51	58-89-9		
Chlordane (Technical)	<0.090	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:51	57-74-9		
alpha-Chlordane	<0.024	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:51	5103-71-9		
gamma-Chlordane	<0.034	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:51	5103-74-2		
4,4'-DDD	<0.0050	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:51	72-54-8		
4,4'-DDE	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:51	72-55-9		
4,4'-DDT	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:51	50-29-3		
Dieldrin	<0.0060	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:51	60-57-1		
Endosulfan I	<0.021	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:51	959-98-8		
Endosulfan II	<0.0090	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:51	33213-65-9		
Endosulfan sulfate	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:51	1031-07-8		
Endrin	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:51	72-20-8		
Endrin aldehyde	<0.029	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:51	7421-93-4		
Endrin ketone	<0.025	ug/L	0.10	1	01/31/18 20:10	02/09/18 16:51	53494-70-5		
Heptachlor	<0.0050	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:51	76-44-8		
Heptachlor epoxide	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:51	1024-57-3		
Methoxychlor	<0.0060	ug/L	0.010	1	01/31/18 20:10	02/09/18 16:51	72-43-5		
Toxaphene	<0.61	ug/L	1.5	1	01/31/18 20:10	02/09/18 16:51	8001-35-2		
Surrogates									
Tetrachloro-m-xylene (S)	77	%.	54-127	1	01/31/18 20:10	02/09/18 16:51	877-09-8		
Decachlorobiphenyl (S)	37	%.	12-162	1	01/31/18 20:10	02/09/18 16:51	2051-24-3		
8141 GCS, O/P Pesticides		Analytical Method: EPA 8141A Preparation Method: EPA 3510							
Stirophos (Tetrachlorvinphos)	<0.072	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	22248-79-9		
Azinphos, methyl (Guthion)	<0.093	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	86-50-0		
Bolstar	<0.090	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	35400-43-2		
Chlorpyrifos	<0.067	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	2921-88-2		
Coumaphos	<0.092	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	56-72-4		
Diazinon	<0.078	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	333-41-5		
Dichlorvos	<0.073	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	62-73-7		
Dimethoate	<0.083	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	60-51-5		
Disulfoton	<0.071	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	298-04-4		
EPN (ENT)	<0.087	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	2104-64-5		
Ethoprop	<0.059	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	13194-48-4		
Fensulfothion	<0.087	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	115-90-2		
Fenthion	<0.088	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	55-38-9		
Malathion	<0.086	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	121-75-5		
Methyl parathion	<0.070	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	298-00-0		
Mevinphos	<0.065	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	7786-34-7		
Parathion (Ethyl parathion)	<0.060	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	56-38-2		
Phorate	<0.064	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	298-02-2		
Ronnel	<0.088	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	299-84-3		
Sulfotep (Thiodiphosphoric Ac	<0.061	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	3689-24-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26
Pace Project No.: 60262831

Sample: SB-16		Lab ID: 60262831010	Collected: 01/25/18 13:50	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8141 GCS, O/P Pesticides		Analytical Method: EPA 8141A Preparation Method: EPA 3510						
Tokuthion (Prothiofos)	<0.081	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	34643-46-4	
Trichloronate	<0.087	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	327-98-0	
Total Demeton	<0.083	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	8065-48-3	
Total Merphos	<0.038	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:25	150-50-5	
Surrogates								
Triphenylphosphate (S)	98	%.	10-175	1	01/31/18 20:10	02/06/18 16:25	115-86-6	
Tributylphosphate (S)	123	%.	20-150	1	01/31/18 20:10	02/06/18 16:25	126-73-8	
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 8151						
2,4-D	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:46	94-75-7	
Dalapon	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:46	75-99-0	
2,4-DB	<0.34	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:46	94-82-6	
Dicamba	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:46	1918-00-9	
Dichloroprop	<0.29	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:46	15165-67-0	
Dinoseb	<0.50	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:46	88-85-7	
MCPA	<20.0	ug/L	20.0	1	02/01/18 16:00	02/07/18 11:46	94-74-6	
MCPP	<20.0	ug/L	20.0	1	02/01/18 16:00	02/07/18 11:46	7085-19-0	
2,4,5-T	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:46	93-76-5	
2,4,5-TP (Silvex)	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 11:46	93-72-1	
Surrogates								
2,4-DCAA (S)	197	%.	47-166	1	02/01/18 16:00	02/07/18 11:46	19719-28-9	S3
6010 MET ICP		Analytical Method: EPA 6010 Preparation Method: EPA 3010						
Arsenic	25.8	ug/L	10.0	1	01/30/18 11:15	02/01/18 15:38	7440-38-2	
Barium	1220	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:38	7440-39-3	
Cadmium	2.0J	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:38	7440-43-9	
Chromium	84.7	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:38	7440-47-3	
Lead	407	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:38	7439-92-1	
Selenium	3.7J	ug/L	15.0	1	01/30/18 11:15	02/01/18 15:38	7782-49-2	
Silver	2.9J	ug/L	7.0	1	01/30/18 11:15	02/01/18 15:38	7440-22-4	
6010 MET ICP, Dissolved (LF)		Analytical Method: EPA 6010 Preparation Method: EPA 3010						
Arsenic, Dissolved	<4.2	ug/L	10.0	1	01/30/18 10:10	01/31/18 17:48	7440-38-2	
Barium, Dissolved	94.6	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:48	7440-39-3	
Cadmium, Dissolved	<0.64	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:48	7440-43-9	
Chromium, Dissolved	2.4J	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:48	7440-47-3	
Lead, Dissolved	<2.4	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:48	7439-92-1	
Selenium, Dissolved	7.6J	ug/L	15.0	1	01/30/18 10:10	01/31/18 17:48	7782-49-2	
Silver, Dissolved	<1.9	ug/L	7.0	1	01/30/18 10:10	01/31/18 17:48	7440-22-4	
7470 Mercury		Analytical Method: EPA 7470 Preparation Method: EPA 7470						
Mercury	0.90	ug/L	0.20	1	02/08/18 11:51	02/08/18 15:44	7439-97-6	
7470 Mercury, Dissolved (LF)		Analytical Method: EPA 7470 Preparation Method: EPA 7470						
Mercury, Dissolved	<0.046	ug/L	0.20	1	02/08/18 15:58	02/09/18 11:31	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-16		Lab ID: 60262831010	Collected: 01/25/18 13:50	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic		Analytical Method: EPA 8270 Preparation Method: EPA 3510						
Acenaphthene	<0.33	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	83-32-9	1e
Acenaphthylene	<0.35	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	208-96-8	1e
Anthracene	<0.28	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	120-12-7	1e
Benzo(a)anthracene	<0.27	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	56-55-3	1e
Benzo(a)pyrene	<0.33	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	50-32-8	1e
Benzo(b)fluoranthene	<0.32	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	205-99-2	1e
Benzo(g,h,i)perylene	<0.37	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	191-24-2	1e
Benzo(k)fluoranthene	<0.39	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	207-08-9	1e
Benzoic acid	10.8J	ug/L	46.3	1	01/26/18 00:00	01/29/18 15:43	65-85-0	1e
Benzyl alcohol	<0.32	ug/L	18.5	1	01/26/18 00:00	01/29/18 15:43	100-51-6	1e
4-Bromophenylphenyl ether	<0.35	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	101-55-3	1e
Butylbenzylphthalate	<0.37	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	85-68-7	1e
Carbazole	<0.32	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	86-74-8	1e
4-Chloro-3-methylphenol	<0.23	ug/L	18.5	1	01/26/18 00:00	01/29/18 15:43	59-50-7	1e
4-Chloroaniline	<0.48	ug/L	18.5	1	01/26/18 00:00	01/29/18 15:43	106-47-8	1e
bis(2-Chloroethoxy)methane	<4.6	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	111-91-1	1e
bis(2-Chloroethyl) ether	<0.27	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	111-44-4	1e
bis(2-Chloroisopropyl) ether	<0.27	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	39638-32-9	1e
2-Chloronaphthalene	<0.32	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	91-58-7	1e
2-Chlorophenol	<0.28	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	95-57-8	1e
4-Chlorophenylphenyl ether	<0.28	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	7005-72-3	1e
Chrysene	<0.33	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	218-01-9	1e
Dibenz(a,h)anthracene	<0.42	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	53-70-3	1e
Dibenzofuran	<0.36	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	132-64-9	1e
1,2-Dichlorobenzene	<0.27	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	95-50-1	1e
1,3-Dichlorobenzene	<0.50	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	541-73-1	1e
1,4-Dichlorobenzene	<0.38	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	106-46-7	1e
3,3'-Dichlorobenzidine	<0.36	ug/L	18.5	1	01/26/18 00:00	01/29/18 15:43	91-94-1	1e
2,4-Dichlorophenol	<0.48	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	120-83-2	1e
Diethylphthalate	<0.42	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	84-66-2	1e
2,4-Dimethylphenol	<0.56	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	105-67-9	1e
Dimethylphthalate	<0.32	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	131-11-3	1e
Di-n-butylphthalate	0.49J	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	84-74-2	1e
4,6-Dinitro-2-methylphenol	<0.51	ug/L	46.3	1	01/26/18 00:00	01/29/18 15:43	534-52-1	1e
2,4-Dinitrophenol	<7.8	ug/L	46.3	1	01/26/18 00:00	01/29/18 15:43	51-28-5	1e
2,4-Dinitrotoluene	<0.31	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	121-14-2	1e
2,6-Dinitrotoluene	<0.26	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	606-20-2	1e
Di-n-octylphthalate	<0.46	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	117-84-0	1e
bis(2-Ethylhexyl)phthalate	<0.57	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	117-81-7	1e
Fluoranthene	<0.34	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	206-44-0	1e
Fluorene	<0.31	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	86-73-7	1e
Hexachloro-1,3-butadiene	<0.35	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	87-68-3	1e
Hexachlorobenzene	<0.28	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	118-74-1	1e
Hexachlorocyclopentadiene	<0.32	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	77-47-4	1e
Hexachloroethane	<0.27	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	67-72-1	1e
Indeno(1,2,3-cd)pyrene	<0.30	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	193-39-5	1e
Isophorone	<0.26	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	78-59-1	1e

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-16		Lab ID: 60262831010		Collected: 01/25/18 13:50		Received: 01/26/18 10:25		Matrix: Water	
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual	
8270 MSSV Semivolatile Organic		Analytical Method: EPA 8270 Preparation Method: EPA 3510							
2-Methylnaphthalene	<0.24	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	91-57-6	1e	
2-Methylphenol(o-Cresol)	<0.26	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	95-48-7	1e	
3&4-Methylphenol(m&p Cresol)	<4.6	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43		1e	
Naphthalene	<0.33	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	91-20-3	1e	
2-Nitroaniline	<0.39	ug/L	46.3	1	01/26/18 00:00	01/29/18 15:43	88-74-4	1e	
3-Nitroaniline	<0.32	ug/L	46.3	1	01/26/18 00:00	01/29/18 15:43	99-09-2	1e	
4-Nitroaniline	<0.32	ug/L	46.3	1	01/26/18 00:00	01/29/18 15:43	100-01-6	1e	
Nitrobenzene	<0.28	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	98-95-3	1e	
2-Nitrophenol	<0.26	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	88-75-5	1e	
4-Nitrophenol	<0.29	ug/L	46.3	1	01/26/18 00:00	01/29/18 15:43	100-02-7	1e	
N-Nitroso-di-n-propylamine	<0.25	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	621-64-7	1e	
N-Nitrosodiphenylamine	<0.37	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	86-30-6	1e	
Pentachlorophenol	<0.29	ug/L	46.3	1	01/26/18 00:00	01/29/18 15:43	87-86-5	1e	
Phenanthrene	<0.31	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	85-01-8	1e	
Phenol	<4.6	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	108-95-2	1e	
Pyrene	<0.26	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	129-00-0	1e	
Pyridine	<0.29	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	110-86-1	1e	
1,2,4-Trichlorobenzene	<0.31	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	120-82-1	1e	
2,4,5-Trichlorophenol	<0.31	ug/L	46.3	1	01/26/18 00:00	01/29/18 15:43	95-95-4	1e	
2,4,6-Trichlorophenol	<0.36	ug/L	9.3	1	01/26/18 00:00	01/29/18 15:43	88-06-2	1e	
Surrogates									
Nitrobenzene-d5 (S)	45	%	33-99	1	01/26/18 00:00	01/29/18 15:43	4165-60-0		
2-Fluorobiphenyl (S)	49	%	30-103	1	01/26/18 00:00	01/29/18 15:43	321-60-8		
Terphenyl-d14 (S)	49	%	38-114	1	01/26/18 00:00	01/29/18 15:43	1718-51-0		
Phenol-d6 (S)	20	%	10-56	1	01/26/18 00:00	01/29/18 15:43	13127-88-3		
2-Fluorophenol (S)	26	%	10-68	1	01/26/18 00:00	01/29/18 15:43	367-12-4		
2,4,6-Tribromophenol (S)	57	%	21-124	1	01/26/18 00:00	01/29/18 15:43	118-79-6		
8270 MSSV DRO/ORO		Analytical Method: EPA 8270 Preparation Method: EPA 3510C							
TPH-ORO	<0.96	mg/L	0.96	1	01/29/18 15:00	01/31/18 20:36		1e	
TPH-DRO	<0.96	mg/L	0.96	1	01/29/18 15:00	01/31/18 20:36		1e	
Surrogates									
Nitrobenzene-d5 (S)	80	%	33-99	1	01/29/18 15:00	01/31/18 20:36	4165-60-0		
2-Fluorobiphenyl (S)	80	%	30-103	1	01/29/18 15:00	01/31/18 20:36	321-60-8		
Terphenyl-d14 (S)	83	%	38-114	1	01/29/18 15:00	01/31/18 20:36	1718-51-0		
8260 MSV		Analytical Method: EPA 5030B/8260							
Acetone	3.2J	ug/L	10.0	1		01/30/18 21:21	67-64-1		
Benzene	<0.060	ug/L	1.0	1		01/30/18 21:21	71-43-2		
Bromobenzene	<0.10	ug/L	1.0	1		01/30/18 21:21	108-86-1		
Bromochloromethane	<0.15	ug/L	1.0	1		01/30/18 21:21	74-97-5		
Bromodichloromethane	<0.19	ug/L	1.0	1		01/30/18 21:21	75-27-4		
Bromoform	<0.070	ug/L	1.0	1		01/30/18 21:21	75-25-2		
Bromomethane	<0.16	ug/L	5.0	1		01/30/18 21:21	74-83-9		
2-Butanone (MEK)	<0.59	ug/L	10.0	1		01/30/18 21:21	78-93-3		
n-Butylbenzene	<0.10	ug/L	1.0	1		01/30/18 21:21	104-51-8		
sec-Butylbenzene	<0.050	ug/L	1.0	1		01/30/18 21:21	135-98-8		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-16		Lab ID: 60262831010	Collected: 01/25/18 13:50	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260						
tert-Butylbenzene	<0.34	ug/L	1.0	1		01/30/18 21:21	98-06-6	
Carbon disulfide	<0.12	ug/L	5.0	1		01/30/18 21:21	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	1		01/30/18 21:21	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	1		01/30/18 21:21	108-90-7	
Chloroethane	<0.15	ug/L	1.0	1		01/30/18 21:21	75-00-3	
Chloroform	<0.14	ug/L	1.0	1		01/30/18 21:21	67-66-3	
Chloromethane	<0.080	ug/L	1.0	1		01/30/18 21:21	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	1		01/30/18 21:21	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	1		01/30/18 21:21	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	1		01/30/18 21:21	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	1		01/30/18 21:21	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	1		01/30/18 21:21	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	1		01/30/18 21:21	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	1		01/30/18 21:21	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	1		01/30/18 21:21	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	1		01/30/18 21:21	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	1		01/30/18 21:21	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	1		01/30/18 21:21	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	1		01/30/18 21:21	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	1		01/30/18 21:21	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	1		01/30/18 21:21	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	1		01/30/18 21:21	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	1		01/30/18 21:21	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	1		01/30/18 21:21	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	1		01/30/18 21:21	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	1		01/30/18 21:21	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	1		01/30/18 21:21	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	1		01/30/18 21:21	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	1		01/30/18 21:21	10061-02-6	
Ethylbenzene	<0.18	ug/L	1.0	1		01/30/18 21:21	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	1		01/30/18 21:21	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1		01/30/18 21:21	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	1		01/30/18 21:21	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	1		01/30/18 21:21	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	1		01/30/18 21:21	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	1		01/30/18 21:21	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	1		01/30/18 21:21	1634-04-4	
Naphthalene	<0.50	ug/L	10.0	1		01/30/18 21:21	91-20-3	
n-Propylbenzene	<0.10	ug/L	1.0	1		01/30/18 21:21	103-65-1	
Styrene	<0.12	ug/L	1.0	1		01/30/18 21:21	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	1		01/30/18 21:21	630-20-6	
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	1		01/30/18 21:21	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	1		01/30/18 21:21	127-18-4	
Toluene	<0.17	ug/L	1.0	1		01/30/18 21:21	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	1		01/30/18 21:21	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	1		01/30/18 21:21	120-82-1	
1,1,1-Trichloroethane	<0.11	ug/L	1.0	1		01/30/18 21:21	71-55-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-16		Lab ID: 60262831010		Collected: 01/25/18 13:50		Received: 01/26/18 10:25		Matrix: Water	
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 5030B/8260							
1,1,2-Trichloroethane	<0.20	ug/L	1.0	1		01/30/18 21:21	79-00-5		
Trichloroethene	<0.17	ug/L	1.0	1		01/30/18 21:21	79-01-6		
Trichlorofluoromethane	<0.34	ug/L	1.0	1		01/30/18 21:21	75-69-4		
1,2,3-Trichloropropane	<0.19	ug/L	2.5	1		01/30/18 21:21	96-18-4		
1,2,4-Trimethylbenzene	<0.090	ug/L	1.0	1		01/30/18 21:21	95-63-6		
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	1		01/30/18 21:21	108-67-8		
Vinyl chloride	<0.13	ug/L	1.0	1		01/30/18 21:21	75-01-4		
Xylene (Total)	<0.42	ug/L	3.0	1		01/30/18 21:21	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	99	%	80-119	1		01/30/18 21:21	460-00-4		
1,2-Dichloroethane-d4 (S)	95	%	80-117	1		01/30/18 21:21	17060-07-0		
Toluene-d8 (S)	99	%	80-115	1		01/30/18 21:21	2037-26-5		
Preservation pH	1.0		0.10	1		01/30/18 21:21			
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260							
TPH-GRO	<72.2	ug/L	500	1		02/02/18 17:48			
Surrogates									
Toluene-d8 (S)	100	%	80-115	1		02/02/18 17:48	2037-26-5		
4-Bromofluorobenzene (S)	98	%	80-119	1		02/02/18 17:48	460-00-4		
1,2-Dichloroethane-d4 (S)	105	%	87-117	1		02/02/18 17:48	17060-07-0		
4500H+ pH, Electrometric		Analytical Method: SM 4500-H+B							
pH at 25 Degrees C	7.3	Std. Units	0.10	1		02/02/18 11:49		H6	
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrogen, NO2 plus NO3	3.8	mg/L	0.20	2		01/29/18 14:58			
9056 IC Anions		Analytical Method: EPA 9056							
Sulfate	63.5	mg/L	10.0	10		02/08/18 22:40	14808-79-8		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15		Lab ID: 60262831011	Collected: 01/25/18 14:20	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010 Preparation Method: EPA 3010						
Arsenic	1070	ug/L	50.0	5	01/30/18 11:15	02/01/18 15:40	7440-38-2	
Barium	10200	ug/L	25.0	5	01/30/18 11:15	02/01/18 15:40	7440-39-3	
Cadmium	147	ug/L	25.0	5	01/30/18 11:15	02/01/18 15:40	7440-43-9	
Chromium	1520	ug/L	25.0	5	01/30/18 11:15	02/01/18 15:40	7440-47-3	
Lead	6320	ug/L	25.0	5	01/30/18 11:15	02/01/18 15:40	7439-92-1	
Selenium	29.5J	ug/L	75.0	5	01/30/18 11:15	02/01/18 15:40	7782-49-2	
Silver	<9.6	ug/L	35.0	5	01/30/18 11:15	02/01/18 15:40	7440-22-4	D3
7470 Mercury		Analytical Method: EPA 7470 Preparation Method: EPA 7470						
Mercury	21.6	ug/L	1.0	5	02/08/18 11:51	02/08/18 16:26	7439-97-6	
8260 MSV		Analytical Method: EPA 5030B/8260						
Acetone	8.5J	ug/L	10.0	1		01/30/18 22:02	67-64-1	
Benzene	0.30J	ug/L	1.0	1		01/30/18 22:02	71-43-2	
Bromobenzene	<0.10	ug/L	1.0	1		01/30/18 22:02	108-86-1	
Bromochloromethane	<0.15	ug/L	1.0	1		01/30/18 22:02	74-97-5	
Bromodichloromethane	<0.19	ug/L	1.0	1		01/30/18 22:02	75-27-4	
Bromoform	<0.070	ug/L	1.0	1		01/30/18 22:02	75-25-2	
Bromomethane	<0.16	ug/L	5.0	1		01/30/18 22:02	74-83-9	
2-Butanone (MEK)	<0.59	ug/L	10.0	1		01/30/18 22:02	78-93-3	
n-Butylbenzene	0.16J	ug/L	1.0	1		01/30/18 22:02	104-51-8	
sec-Butylbenzene	0.080J	ug/L	1.0	1		01/30/18 22:02	135-98-8	
tert-Butylbenzene	<0.34	ug/L	1.0	1		01/30/18 22:02	98-06-6	
Carbon disulfide	1.2J	ug/L	5.0	1		01/30/18 22:02	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	1		01/30/18 22:02	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	1		01/30/18 22:02	108-90-7	
Chloroethane	<0.15	ug/L	1.0	1		01/30/18 22:02	75-00-3	
Chloroform	<0.14	ug/L	1.0	1		01/30/18 22:02	67-66-3	
Chloromethane	<0.080	ug/L	1.0	1		01/30/18 22:02	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	1		01/30/18 22:02	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	1		01/30/18 22:02	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	1		01/30/18 22:02	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	1		01/30/18 22:02	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	1		01/30/18 22:02	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	1		01/30/18 22:02	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	1		01/30/18 22:02	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	1		01/30/18 22:02	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	1		01/30/18 22:02	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	1		01/30/18 22:02	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	1		01/30/18 22:02	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	1		01/30/18 22:02	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	1		01/30/18 22:02	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	1		01/30/18 22:02	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	1		01/30/18 22:02	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	1		01/30/18 22:02	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	1		01/30/18 22:02	78-87-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-15		Lab ID: 60262831011		Collected: 01/25/18 14:20		Received: 01/26/18 10:25		Matrix: Water	
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 5030B/8260							
1,3-Dichloropropane	<0.17	ug/L	1.0	1		01/30/18 22:02	142-28-9		
2,2-Dichloropropane	<0.19	ug/L	1.0	1		01/30/18 22:02	594-20-7		
1,1-Dichloropropene	<0.090	ug/L	1.0	1		01/30/18 22:02	563-58-6		
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	1		01/30/18 22:02	10061-01-5		
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	1		01/30/18 22:02	10061-02-6		
Ethylbenzene	<0.18	ug/L	1.0	1		01/30/18 22:02	100-41-4		
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	1		01/30/18 22:02	87-68-3		
2-Hexanone	<1.2	ug/L	10.0	1		01/30/18 22:02	591-78-6		
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	1		01/30/18 22:02	98-82-8		
p-Isopropyltoluene	<0.10	ug/L	1.0	1		01/30/18 22:02	99-87-6		
Methylene chloride	<0.15	ug/L	1.0	1		01/30/18 22:02	75-09-2		
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	1		01/30/18 22:02	108-10-1		
Methyl-tert-butyl ether	<0.060	ug/L	1.0	1		01/30/18 22:02	1634-04-4		
Naphthalene	<0.50	ug/L	10.0	1		01/30/18 22:02	91-20-3		
n-Propylbenzene	<0.10	ug/L	1.0	1		01/30/18 22:02	103-65-1		
Styrene	<0.12	ug/L	1.0	1		01/30/18 22:02	100-42-5		
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	1		01/30/18 22:02	630-20-6		
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	1		01/30/18 22:02	79-34-5		
Tetrachloroethene	<0.10	ug/L	1.0	1		01/30/18 22:02	127-18-4		
Toluene	0.69J	ug/L	1.0	1		01/30/18 22:02	108-88-3		
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	1		01/30/18 22:02	87-61-6		
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	1		01/30/18 22:02	120-82-1		
1,1,1-Trichloroethane	0.20J	ug/L	1.0	1		01/30/18 22:02	71-55-6		
1,1,2-Trichloroethane	<0.20	ug/L	1.0	1		01/30/18 22:02	79-00-5		
Trichloroethene	<0.17	ug/L	1.0	1		01/30/18 22:02	79-01-6		
Trichlorofluoromethane	<0.34	ug/L	1.0	1		01/30/18 22:02	75-69-4		
1,2,3-Trichloropropane	<0.19	ug/L	2.5	1		01/30/18 22:02	96-18-4		
1,2,4-Trimethylbenzene	0.16J	ug/L	1.0	1		01/30/18 22:02	95-63-6		
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	1		01/30/18 22:02	108-67-8		
Vinyl chloride	<0.13	ug/L	1.0	1		01/30/18 22:02	75-01-4		
Xylene (Total)	<0.42	ug/L	3.0	1		01/30/18 22:02	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	101	%	80-119	1		01/30/18 22:02	460-00-4		
1,2-Dichloroethane-d4 (S)	98	%	80-117	1		01/30/18 22:02	17060-07-0		
Toluene-d8 (S)	101	%	80-115	1		01/30/18 22:02	2037-26-5		
Preservation pH	1.0		0.10	1		01/30/18 22:02			
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260							
TPH-GRO	<72.2	ug/L	500	1		02/07/18 19:14			
Surrogates									
Toluene-d8 (S)	99	%	80-115	1		02/07/18 19:14	2037-26-5		
4-Bromofluorobenzene (S)	101	%	80-119	1		02/07/18 19:14	460-00-4		
1,2-Dichloroethane-d4 (S)	105	%	87-117	1		02/07/18 19:14	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-11D		Lab ID: 60262831012		Collected: 01/25/18 16:10		Received: 01/26/18 10:25		Matrix: Water	
Parameters		Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010 Preparation Method: EPA 3010							
Arsenic	894	ug/L	50.0	5	01/30/18 11:15	02/01/18 15:43	7440-38-2		
Barium	18400	ug/L	25.0	5	01/30/18 11:15	02/01/18 15:43	7440-39-3		
Cadmium	39.3	ug/L	25.0	5	01/30/18 11:15	02/01/18 15:43	7440-43-9		
Chromium	3130	ug/L	25.0	5	01/30/18 11:15	02/01/18 15:43	7440-47-3		
Lead	2880	ug/L	25.0	5	01/30/18 11:15	02/01/18 15:43	7439-92-1		
Selenium	205	ug/L	75.0	5	01/30/18 11:15	02/01/18 15:43	7782-49-2		
Silver	<9.6	ug/L	35.0	5	01/30/18 11:15	02/01/18 15:43	7440-22-4		D3
6010 MET ICP, Dissolved (LF)		Analytical Method: EPA 6010 Preparation Method: EPA 3010							
Arsenic, Dissolved	<4.2	ug/L	10.0	1	01/30/18 10:10	01/31/18 17:50	7440-38-2		
Barium, Dissolved	333	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:50	7440-39-3		
Cadmium, Dissolved	<0.64	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:50	7440-43-9		
Chromium, Dissolved	<0.72	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:50	7440-47-3		
Lead, Dissolved	<2.4	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:50	7439-92-1		
Selenium, Dissolved	<3.4	ug/L	15.0	1	01/30/18 10:10	01/31/18 17:50	7782-49-2		
Silver, Dissolved	<1.9	ug/L	7.0	1	01/30/18 10:10	01/31/18 17:50	7440-22-4		
7470 Mercury		Analytical Method: EPA 7470 Preparation Method: EPA 7470							
Mercury	8.3	ug/L	0.20	1	02/08/18 11:51	02/08/18 15:49	7439-97-6		
7470 Mercury, Dissolved (LF)		Analytical Method: EPA 7470 Preparation Method: EPA 7470							
Mercury, Dissolved	<0.046	ug/L	0.20	1	02/08/18 15:58	02/09/18 11:33	7439-97-6		
8270 MSSV DRO/ORO		Analytical Method: EPA 8270 Preparation Method: EPA 3510C							
TPH-ORO	<1.1	mg/L	1.1	1	01/29/18 15:00	01/31/18 20:57			1e
TPH-DRO	<1.1	mg/L	1.1	1	01/29/18 15:00	01/31/18 20:57			1e
Surrogates									
Nitrobenzene-d5 (S)	61	%	33-99	1	01/29/18 15:00	01/31/18 20:57	4165-60-0		
2-Fluorobiphenyl (S)	62	%	30-103	1	01/29/18 15:00	01/31/18 20:57	321-60-8		
Terphenyl-d14 (S)	61	%	38-114	1	01/29/18 15:00	01/31/18 20:57	1718-51-0		
8260 MSV		Analytical Method: EPA 5030B/8260							
Acetone	6.9J	ug/L	10.0	1		01/30/18 21:35	67-64-1		
Benzene	0.28J	ug/L	1.0	1		01/30/18 21:35	71-43-2		
Bromobenzene	<0.10	ug/L	1.0	1		01/30/18 21:35	108-86-1		
Bromochloromethane	<0.15	ug/L	1.0	1		01/30/18 21:35	74-97-5		
Bromodichloromethane	<0.19	ug/L	1.0	1		01/30/18 21:35	75-27-4		
Bromoform	<0.070	ug/L	1.0	1		01/30/18 21:35	75-25-2		
Bromomethane	<0.16	ug/L	5.0	1		01/30/18 21:35	74-83-9		
2-Butanone (MEK)	<0.59	ug/L	10.0	1		01/30/18 21:35	78-93-3		
n-Butylbenzene	<0.10	ug/L	1.0	1		01/30/18 21:35	104-51-8		
sec-Butylbenzene	<0.050	ug/L	1.0	1		01/30/18 21:35	135-98-8		
tert-Butylbenzene	<0.34	ug/L	1.0	1		01/30/18 21:35	98-06-6		
Carbon disulfide	0.17J	ug/L	5.0	1		01/30/18 21:35	75-15-0		
Carbon tetrachloride	<0.18	ug/L	1.0	1		01/30/18 21:35	56-23-5		
Chlorobenzene	<0.21	ug/L	1.0	1		01/30/18 21:35	108-90-7		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-11D		Lab ID: 60262831012	Collected: 01/25/18 16:10	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260						
Chloroethane	<0.15	ug/L	1.0	1		01/30/18 21:35	75-00-3	
Chloroform	<0.14	ug/L	1.0	1		01/30/18 21:35	67-66-3	
Chloromethane	<0.080	ug/L	1.0	1		01/30/18 21:35	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	1		01/30/18 21:35	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	1		01/30/18 21:35	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	1		01/30/18 21:35	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	1		01/30/18 21:35	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	1		01/30/18 21:35	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	1		01/30/18 21:35	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	1		01/30/18 21:35	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	1		01/30/18 21:35	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	1		01/30/18 21:35	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	1		01/30/18 21:35	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	1		01/30/18 21:35	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	1		01/30/18 21:35	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	1		01/30/18 21:35	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	1		01/30/18 21:35	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	1		01/30/18 21:35	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	1		01/30/18 21:35	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	1		01/30/18 21:35	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	1		01/30/18 21:35	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	1		01/30/18 21:35	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	1		01/30/18 21:35	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	1		01/30/18 21:35	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	1		01/30/18 21:35	10061-02-6	
Ethylbenzene	0.24J	ug/L	1.0	1		01/30/18 21:35	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	1		01/30/18 21:35	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1		01/30/18 21:35	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	1		01/30/18 21:35	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	1		01/30/18 21:35	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	1		01/30/18 21:35	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	1		01/30/18 21:35	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	1		01/30/18 21:35	1634-04-4	
Naphthalene	<0.50	ug/L	10.0	1		01/30/18 21:35	91-20-3	
n-Propylbenzene	<0.10	ug/L	1.0	1		01/30/18 21:35	103-65-1	
Styrene	<0.12	ug/L	1.0	1		01/30/18 21:35	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	1		01/30/18 21:35	630-20-6	
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	1		01/30/18 21:35	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	1		01/30/18 21:35	127-18-4	
Toluene	0.51J	ug/L	1.0	1		01/30/18 21:35	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	1		01/30/18 21:35	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	1		01/30/18 21:35	120-82-1	
1,1,1-Trichloroethane	<0.11	ug/L	1.0	1		01/30/18 21:35	71-55-6	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	1		01/30/18 21:35	79-00-5	
Trichloroethene	<0.17	ug/L	1.0	1		01/30/18 21:35	79-01-6	
Trichlorofluoromethane	<0.34	ug/L	1.0	1		01/30/18 21:35	75-69-4	
1,2,3-Trichloropropane	<0.19	ug/L	2.5	1		01/30/18 21:35	96-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: SB-11D		Lab ID: 60262831012	Collected: 01/25/18 16:10	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260						
1,2,4-Trimethylbenzene	<0.090	ug/L	1.0	1		01/30/18 21:35	95-63-6	
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	1		01/30/18 21:35	108-67-8	
Vinyl chloride	<0.13	ug/L	1.0	1		01/30/18 21:35	75-01-4	
Xylene (Total)	<0.42	ug/L	3.0	1		01/30/18 21:35	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	99	%	80-119	1		01/30/18 21:35	460-00-4	
1,2-Dichloroethane-d4 (S)	102	%	80-117	1		01/30/18 21:35	17060-07-0	
Toluene-d8 (S)	100	%	80-115	1		01/30/18 21:35	2037-26-5	
Preservation pH	4.0		0.10	1		01/30/18 21:35		pH
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260						
TPH-GRO	<72.2	ug/L	500	1		02/07/18 19:28		
Surrogates								
Toluene-d8 (S)	98	%	80-115	1		02/07/18 19:28	2037-26-5	
4-Bromofluorobenzene (S)	99	%	80-119	1		02/07/18 19:28	460-00-4	
1,2-Dichloroethane-d4 (S)	104	%	87-117	1		02/07/18 19:28	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: EQUIPMENT BLANK		Lab ID: 60262831013	Collected: 01/25/18 16:50	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3510						
Aldrin	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:06	309-00-2	
alpha-BHC	<0.0060	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:06	319-84-6	
beta-BHC	<0.010	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:06	319-85-7	
delta-BHC	<0.0090	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:06	319-86-8	
gamma-BHC (Lindane)	<0.0080	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:06	58-89-9	
Chlordane (Technical)	<0.090	ug/L	0.10	1	01/31/18 20:10	02/09/18 17:06	57-74-9	
alpha-Chlordane	<0.024	ug/L	0.10	1	01/31/18 20:10	02/09/18 17:06	5103-71-9	
gamma-Chlordane	<0.034	ug/L	0.10	1	01/31/18 20:10	02/09/18 17:06	5103-74-2	
4,4'-DDD	<0.0050	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:06	72-54-8	
4,4'-DDE	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:06	72-55-9	
4,4'-DDT	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:06	50-29-3	
Dieldrin	<0.0060	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:06	60-57-1	
Endosulfan I	<0.021	ug/L	0.10	1	01/31/18 20:10	02/09/18 17:06	959-98-8	
Endosulfan II	<0.0090	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:06	33213-65-9	
Endosulfan sulfate	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:06	1031-07-8	
Endrin	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:06	72-20-8	
Endrin aldehyde	<0.029	ug/L	0.10	1	01/31/18 20:10	02/09/18 17:06	7421-93-4	
Endrin ketone	<0.025	ug/L	0.10	1	01/31/18 20:10	02/09/18 17:06	53494-70-5	
Heptachlor	<0.0050	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:06	76-44-8	
Heptachlor epoxide	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:06	1024-57-3	
Methoxychlor	<0.0060	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:06	72-43-5	
Toxaphene	<0.61	ug/L	1.5	1	01/31/18 20:10	02/09/18 17:06	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	7	%.	54-127	1	01/31/18 20:10	02/09/18 17:06	877-09-8	S1
Decachlorobiphenyl (S)	10	%.	12-162	1	01/31/18 20:10	02/09/18 17:06	2051-24-3	S1
8141 GCS, O/P Pesticides		Analytical Method: EPA 8141A Preparation Method: EPA 3510						
Stirophos (Tetrachlorvinphos)	<0.072	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	22248-79-9	
Azinphos, methyl (Guthion)	<0.093	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	86-50-0	
Bolstar	<0.090	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	35400-43-2	
Chlorpyrifos	<0.067	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	2921-88-2	
Coumaphos	<0.092	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	56-72-4	
Diazinon	<0.078	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	333-41-5	
Dichlorvos	<0.073	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	62-73-7	
Dimethoate	<0.083	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	60-51-5	
Disulfoton	<0.071	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	298-04-4	
EPN (ENT)	<0.087	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	2104-64-5	
Ethoprop	<0.059	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	13194-48-4	
Fensulfthion	<0.087	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	115-90-2	
Fenthion	<0.088	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	55-38-9	
Malathion	<0.086	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	121-75-5	
Methyl parathion	<0.070	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	298-00-0	
Mevinphos	<0.065	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	7786-34-7	
Parathion (Ethyl parathion)	<0.060	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	56-38-2	
Phorate	<0.064	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	298-02-2	
Ronnel	<0.088	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<0.061	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	3689-24-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: EQUIPMENT BLANK Lab ID: 60262831013 Collected: 01/25/18 16:50 Received: 01/26/18 10:25 Matrix: Water								
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8141 GCS, O/P Pesticides Analytical Method: EPA 8141A Preparation Method: EPA 3510								
Tokuthion (Prothiofos)	<0.081	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	34643-46-4	
Trichloronate	<0.087	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	327-98-0	
Total Demeton	<0.083	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	8065-48-3	
Total Merphos	<0.038	ug/L	0.10	1	01/31/18 20:10	02/06/18 16:52	150-50-5	
Surrogates								
Triphenylphosphate (S)	96	%.	10-175	1	01/31/18 20:10	02/06/18 16:52	115-86-6	
Tributylphosphate (S)	102	%.	20-150	1	01/31/18 20:10	02/06/18 16:52	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 8151								
2,4-D	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 12:11	94-75-7	
Dalapon	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 12:11	75-99-0	
2,4-DB	<0.34	ug/L	0.50	1	02/01/18 16:00	02/07/18 12:11	94-82-6	
Dicamba	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 12:11	1918-00-9	
Dichloroprop	<0.29	ug/L	0.50	1	02/01/18 16:00	02/07/18 12:11	15165-67-0	
Dinoseb	<0.50	ug/L	0.50	1	02/01/18 16:00	02/07/18 12:11	88-85-7	
MCPA	<20.0	ug/L	20.0	1	02/01/18 16:00	02/07/18 12:11	94-74-6	
MCP	<20.0	ug/L	20.0	1	02/01/18 16:00	02/07/18 12:11	7085-19-0	
2,4,5-T	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 12:11	93-76-5	
2,4,5-TP (Silvex)	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 12:11	93-72-1	
Surrogates								
2,4-DCAA (S)	75	%.	47-166	1	02/01/18 16:00	02/07/18 12:11	19719-28-9	
6010 MET ICP Analytical Method: EPA 6010 Preparation Method: EPA 3010								
Arsenic	<4.2	ug/L	10.0	1	01/30/18 11:15	02/01/18 15:50	7440-38-2	
Barium	<0.91	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:50	7440-39-3	
Cadmium	<0.64	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:50	7440-43-9	
Chromium	<0.72	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:50	7440-47-3	
Lead	<2.4	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:50	7439-92-1	
Selenium	<3.4	ug/L	15.0	1	01/30/18 11:15	02/01/18 15:50	7782-49-2	
Silver	<1.9	ug/L	7.0	1	01/30/18 11:15	02/01/18 15:50	7440-22-4	
6010 MET ICP, Dissolved (LF) Analytical Method: EPA 6010 Preparation Method: EPA 3010								
Arsenic, Dissolved	<4.2	ug/L	10.0	1	01/30/18 10:10	01/31/18 17:53	7440-38-2	
Barium, Dissolved	<0.91	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:53	7440-39-3	
Cadmium, Dissolved	<0.64	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:53	7440-43-9	
Chromium, Dissolved	<0.72	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:53	7440-47-3	
Lead, Dissolved	<2.4	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:53	7439-92-1	
Selenium, Dissolved	<3.4	ug/L	15.0	1	01/30/18 10:10	01/31/18 17:53	7782-49-2	
Silver, Dissolved	<1.9	ug/L	7.0	1	01/30/18 10:10	01/31/18 17:53	7440-22-4	
7470 Mercury Analytical Method: EPA 7470 Preparation Method: EPA 7470								
Mercury	<0.046	ug/L	0.20	1	02/08/18 11:51	02/08/18 15:51	7439-97-6	
7470 Mercury, Dissolved (LF) Analytical Method: EPA 7470 Preparation Method: EPA 7470								
Mercury, Dissolved	<0.046	ug/L	0.20	1	02/08/18 15:58	02/09/18 11:36	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: EQUIPMENT BLANK		Lab ID: 60262831013	Collected: 01/25/18 16:50	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic		Analytical Method: EPA 8270 Preparation Method: EPA 3510						
Acenaphthene	<0.35	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	83-32-9	1e
Acenaphthylene	<0.37	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	208-96-8	1e
Anthracene	<0.29	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	120-12-7	1e
Benzo(a)anthracene	<0.28	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	56-55-3	1e
Benzo(a)pyrene	<0.35	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	50-32-8	1e
Benzo(b)fluoranthene	<0.34	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	205-99-2	1e
Benzo(g,h,i)perylene	<0.38	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	191-24-2	1e
Benzo(k)fluoranthene	<0.40	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	207-08-9	1e
Benzoic acid	<2.4	ug/L	48.1	1	01/26/18 00:00	01/29/18 16:05	65-85-0	1e
Benzyl alcohol	<0.34	ug/L	19.2	1	01/26/18 00:00	01/29/18 16:05	100-51-6	1e
4-Bromophenylphenyl ether	<0.37	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	101-55-3	1e
Butylbenzylphthalate	<0.38	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	85-68-7	1e
Carbazole	<0.34	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	86-74-8	1e
4-Chloro-3-methylphenol	<0.24	ug/L	19.2	1	01/26/18 00:00	01/29/18 16:05	59-50-7	1e
4-Chloroaniline	<0.50	ug/L	19.2	1	01/26/18 00:00	01/29/18 16:05	106-47-8	1e
bis(2-Chloroethoxy)methane	<4.8	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	111-91-1	1e
bis(2-Chloroethyl) ether	<0.28	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	111-44-4	1e
bis(2-Chloroisopropyl) ether	<0.28	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	39638-32-9	1e
2-Chloronaphthalene	<0.34	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	91-58-7	1e
2-Chlorophenol	<0.29	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	95-57-8	1e
4-Chlorophenylphenyl ether	<0.29	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	7005-72-3	1e
Chrysene	<0.35	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	218-01-9	1e
Dibenz(a,h)anthracene	<0.43	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	53-70-3	1e
Dibenzofuran	<0.38	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	132-64-9	1e
1,2-Dichlorobenzene	<0.28	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	95-50-1	1e
1,3-Dichlorobenzene	<0.52	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	541-73-1	1e
1,4-Dichlorobenzene	<0.39	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	106-46-7	1e
3,3'-Dichlorobenzidine	<0.38	ug/L	19.2	1	01/26/18 00:00	01/29/18 16:05	91-94-1	1e
2,4-Dichlorophenol	<0.50	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	120-83-2	1e
Diethylphthalate	<0.43	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	84-66-2	1e
2,4-Dimethylphenol	<0.58	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	105-67-9	1e
Dimethylphthalate	<0.34	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	131-11-3	1e
Di-n-butylphthalate	<0.38	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	84-74-2	1e
4,6-Dinitro-2-methylphenol	<0.53	ug/L	48.1	1	01/26/18 00:00	01/29/18 16:05	534-52-1	1e
2,4-Dinitrophenol	<8.1	ug/L	48.1	1	01/26/18 00:00	01/29/18 16:05	51-28-5	1e
2,4-Dinitrotoluene	<0.32	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	121-14-2	1e
2,6-Dinitrotoluene	<0.27	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	606-20-2	1e
Di-n-octylphthalate	<0.48	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	117-84-0	1e
bis(2-Ethylhexyl)phthalate	<0.60	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	117-81-7	1e
Fluoranthene	<0.36	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	206-44-0	1e
Fluorene	<0.33	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	86-73-7	1e
Hexachloro-1,3-butadiene	<0.37	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	87-68-3	1e
Hexachlorobenzene	<0.29	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	118-74-1	1e
Hexachlorocyclopentadiene	<0.34	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	77-47-4	1e
Hexachloroethane	<0.28	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	67-72-1	1e
Indeno(1,2,3-cd)pyrene	<0.31	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	193-39-5	1e
Isophorone	<0.27	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	78-59-1	1e

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: EQUIPMENT BLANK		Lab ID: 60262831013	Collected: 01/25/18 16:50	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic		Analytical Method: EPA 8270 Preparation Method: EPA 3510						
2-Methylnaphthalene	<0.25	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	91-57-6	1e
2-Methylphenol(o-Cresol)	<0.27	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	95-48-7	1e
3&4-Methylphenol(m&p Cresol)	<4.8	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05		1e
Naphthalene	<0.35	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	91-20-3	1e
2-Nitroaniline	<0.40	ug/L	48.1	1	01/26/18 00:00	01/29/18 16:05	88-74-4	1e
3-Nitroaniline	<0.34	ug/L	48.1	1	01/26/18 00:00	01/29/18 16:05	99-09-2	1e
4-Nitroaniline	<0.34	ug/L	48.1	1	01/26/18 00:00	01/29/18 16:05	100-01-6	1e
Nitrobenzene	<0.29	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	98-95-3	1e
2-Nitrophenol	<0.27	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	88-75-5	1e
4-Nitrophenol	<0.30	ug/L	48.1	1	01/26/18 00:00	01/29/18 16:05	100-02-7	1e
N-Nitroso-di-n-propylamine	<0.26	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	621-64-7	1e
N-Nitrosodiphenylamine	<0.38	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	86-30-6	1e
Pentachlorophenol	<0.30	ug/L	48.1	1	01/26/18 00:00	01/29/18 16:05	87-86-5	1e
Phenanthrene	<0.33	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	85-01-8	1e
Phenol	<4.8	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	108-95-2	1e
Pyrene	<0.27	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	129-00-0	1e
Pyridine	<0.30	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	110-86-1	1e
1,2,4-Trichlorobenzene	<0.32	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	120-82-1	1e
2,4,5-Trichlorophenol	<0.32	ug/L	48.1	1	01/26/18 00:00	01/29/18 16:05	95-95-4	1e
2,4,6-Trichlorophenol	<0.38	ug/L	9.6	1	01/26/18 00:00	01/29/18 16:05	88-06-2	1e
Surrogates								
Nitrobenzene-d5 (S)	75	%	33-99	1	01/26/18 00:00	01/29/18 16:05	4165-60-0	
2-Fluorobiphenyl (S)	79	%	30-103	1	01/26/18 00:00	01/29/18 16:05	321-60-8	
Terphenyl-d14 (S)	81	%	38-114	1	01/26/18 00:00	01/29/18 16:05	1718-51-0	
Phenol-d6 (S)	44	%	10-56	1	01/26/18 00:00	01/29/18 16:05	13127-88-3	
2-Fluorophenol (S)	58	%	10-68	1	01/26/18 00:00	01/29/18 16:05	367-12-4	
2,4,6-Tribromophenol (S)	100	%	21-124	1	01/26/18 00:00	01/29/18 16:05	118-79-6	
8270 MSSV DRO/ORO		Analytical Method: EPA 8270 Preparation Method: EPA 3510C						
TPH-ORO	<0.96	mg/L	0.96	1	01/29/18 15:00	01/31/18 21:18		1e
TPH-DRO	<0.96	mg/L	0.96	1	01/29/18 15:00	01/31/18 21:18		1e
Surrogates								
Nitrobenzene-d5 (S)	73	%	33-99	1	01/29/18 15:00	01/31/18 21:18	4165-60-0	
2-Fluorobiphenyl (S)	75	%	30-103	1	01/29/18 15:00	01/31/18 21:18	321-60-8	
Terphenyl-d14 (S)	66	%	38-114	1	01/29/18 15:00	01/31/18 21:18	1718-51-0	
8260 MSV		Analytical Method: EPA 5030B/8260						
Acetone	4.7J	ug/L	10.0	1		01/30/18 19:01	67-64-1	
Benzene	<0.060	ug/L	1.0	1		01/30/18 19:01	71-43-2	
Bromobenzene	<0.10	ug/L	1.0	1		01/30/18 19:01	108-86-1	
Bromochloromethane	<0.15	ug/L	1.0	1		01/30/18 19:01	74-97-5	
Bromodichloromethane	<0.19	ug/L	1.0	1		01/30/18 19:01	75-27-4	
Bromoform	<0.070	ug/L	1.0	1		01/30/18 19:01	75-25-2	
Bromomethane	<0.16	ug/L	5.0	1		01/30/18 19:01	74-83-9	
2-Butanone (MEK)	<0.59	ug/L	10.0	1		01/30/18 19:01	78-93-3	
n-Butylbenzene	<0.10	ug/L	1.0	1		01/30/18 19:01	104-51-8	
sec-Butylbenzene	<0.050	ug/L	1.0	1		01/30/18 19:01	135-98-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: EQUIPMENT BLANK		Lab ID: 60262831013	Collected: 01/25/18 16:50	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260						
tert-Butylbenzene	<0.34	ug/L	1.0	1		01/30/18 19:01	98-06-6	
Carbon disulfide	<0.12	ug/L	5.0	1		01/30/18 19:01	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	1		01/30/18 19:01	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	1		01/30/18 19:01	108-90-7	
Chloroethane	<0.15	ug/L	1.0	1		01/30/18 19:01	75-00-3	
Chloroform	0.18J	ug/L	1.0	1		01/30/18 19:01	67-66-3	
Chloromethane	<0.080	ug/L	1.0	1		01/30/18 19:01	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	1		01/30/18 19:01	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	1		01/30/18 19:01	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	1		01/30/18 19:01	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	1		01/30/18 19:01	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	1		01/30/18 19:01	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	1		01/30/18 19:01	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	1		01/30/18 19:01	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	1		01/30/18 19:01	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	1		01/30/18 19:01	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	1		01/30/18 19:01	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	1		01/30/18 19:01	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	1		01/30/18 19:01	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	1		01/30/18 19:01	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	1		01/30/18 19:01	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	1		01/30/18 19:01	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	1		01/30/18 19:01	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	1		01/30/18 19:01	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	1		01/30/18 19:01	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	1		01/30/18 19:01	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	1		01/30/18 19:01	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	1		01/30/18 19:01	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	1		01/30/18 19:01	10061-02-6	
Ethylbenzene	<0.18	ug/L	1.0	1		01/30/18 19:01	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	1		01/30/18 19:01	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1		01/30/18 19:01	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	1		01/30/18 19:01	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	1		01/30/18 19:01	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	1		01/30/18 19:01	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	1		01/30/18 19:01	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	1		01/30/18 19:01	1634-04-4	
Naphthalene	<0.50	ug/L	10.0	1		01/30/18 19:01	91-20-3	
n-Propylbenzene	<0.10	ug/L	1.0	1		01/30/18 19:01	103-65-1	
Styrene	<0.12	ug/L	1.0	1		01/30/18 19:01	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	1		01/30/18 19:01	630-20-6	
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	1		01/30/18 19:01	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	1		01/30/18 19:01	127-18-4	
Toluene	0.20J	ug/L	1.0	1		01/30/18 19:01	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	1		01/30/18 19:01	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	1		01/30/18 19:01	120-82-1	
1,1,1-Trichloroethane	<0.11	ug/L	1.0	1		01/30/18 19:01	71-55-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: EQUIPMENT BLANK		Lab ID: 60262831013	Collected: 01/25/18 16:50	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260						
1,1,2-Trichloroethane	<0.20	ug/L	1.0	1		01/30/18 19:01	79-00-5	
Trichloroethene	<0.17	ug/L	1.0	1		01/30/18 19:01	79-01-6	
Trichlorofluoromethane	<0.34	ug/L	1.0	1		01/30/18 19:01	75-69-4	
1,2,3-Trichloropropane	<0.19	ug/L	2.5	1		01/30/18 19:01	96-18-4	
1,2,4-Trimethylbenzene	<0.090	ug/L	1.0	1		01/30/18 19:01	95-63-6	
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	1		01/30/18 19:01	108-67-8	
Vinyl chloride	<0.13	ug/L	1.0	1		01/30/18 19:01	75-01-4	
Xylene (Total)	<0.42	ug/L	3.0	1		01/30/18 19:01	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	100	%	80-119	1		01/30/18 19:01	460-00-4	
1,2-Dichloroethane-d4 (S)	95	%	80-117	1		01/30/18 19:01	17060-07-0	
Toluene-d8 (S)	99	%	80-115	1		01/30/18 19:01	2037-26-5	
Preservation pH	1.0		0.10	1		01/30/18 19:01		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260						
TPH-GRO	<72.2	ug/L	500	1		02/07/18 19:42		
Surrogates								
Toluene-d8 (S)	99	%	80-115	1		02/07/18 19:42	2037-26-5	
4-Bromofluorobenzene (S)	101	%	80-119	1		02/07/18 19:42	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	87-117	1		02/07/18 19:42	17060-07-0	
4500H+ pH, Electrometric		Analytical Method: SM 4500-H+B						
pH at 25 Degrees C	7.0	Std. Units	0.10	1		02/02/18 11:52		H6
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2						
Nitrogen, NO2 plus NO3	<0.050	mg/L	0.10	1		01/29/18 14:59		
9056 IC Anions		Analytical Method: EPA 9056						
Sulfate	<0.50	mg/L	1.0	1		02/07/18 22:43	14808-79-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: TRIP BLANK		Lab ID: 60262831014	Collected: 01/25/18 08:30	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260						
Acetone	<1.9	ug/L	10.0	1		01/30/18 18:47	67-64-1	
Benzene	<0.060	ug/L	1.0	1		01/30/18 18:47	71-43-2	
Bromobenzene	<0.10	ug/L	1.0	1		01/30/18 18:47	108-86-1	
Bromochloromethane	<0.15	ug/L	1.0	1		01/30/18 18:47	74-97-5	
Bromodichloromethane	<0.19	ug/L	1.0	1		01/30/18 18:47	75-27-4	
Bromoform	<0.070	ug/L	1.0	1		01/30/18 18:47	75-25-2	
Bromomethane	<0.16	ug/L	5.0	1		01/30/18 18:47	74-83-9	
2-Butanone (MEK)	<0.59	ug/L	10.0	1		01/30/18 18:47	78-93-3	
n-Butylbenzene	<0.10	ug/L	1.0	1		01/30/18 18:47	104-51-8	
sec-Butylbenzene	<0.050	ug/L	1.0	1		01/30/18 18:47	135-98-8	
tert-Butylbenzene	<0.34	ug/L	1.0	1		01/30/18 18:47	98-06-6	
Carbon disulfide	0.13J	ug/L	5.0	1		01/30/18 18:47	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	1		01/30/18 18:47	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	1		01/30/18 18:47	108-90-7	
Chloroethane	<0.15	ug/L	1.0	1		01/30/18 18:47	75-00-3	
Chloroform	<0.14	ug/L	1.0	1		01/30/18 18:47	67-66-3	
Chloromethane	<0.080	ug/L	1.0	1		01/30/18 18:47	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	1		01/30/18 18:47	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	1		01/30/18 18:47	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	1		01/30/18 18:47	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	1		01/30/18 18:47	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	1		01/30/18 18:47	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	1		01/30/18 18:47	74-95-3	
1,2-Dichlorobenzene	<0.050	ug/L	1.0	1		01/30/18 18:47	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	1		01/30/18 18:47	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	1		01/30/18 18:47	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	1		01/30/18 18:47	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	1		01/30/18 18:47	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	1		01/30/18 18:47	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	1		01/30/18 18:47	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	1		01/30/18 18:47	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	1		01/30/18 18:47	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	1		01/30/18 18:47	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	1		01/30/18 18:47	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	1		01/30/18 18:47	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	1		01/30/18 18:47	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	1		01/30/18 18:47	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	1		01/30/18 18:47	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	1		01/30/18 18:47	10061-02-6	
Ethylbenzene	<0.18	ug/L	1.0	1		01/30/18 18:47	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	1		01/30/18 18:47	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1		01/30/18 18:47	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	1		01/30/18 18:47	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	1		01/30/18 18:47	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	1		01/30/18 18:47	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/L	10.0	1		01/30/18 18:47	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	1		01/30/18 18:47	1634-04-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: TRIP BLANK		Lab ID: 60262831014		Collected: 01/25/18 08:30		Received: 01/26/18 10:25		Matrix: Water	
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 5030B/8260							
Naphthalene	<0.50	ug/L	10.0	1		01/30/18 18:47	91-20-3		
n-Propylbenzene	<0.10	ug/L	1.0	1		01/30/18 18:47	103-65-1		
Styrene	<0.12	ug/L	1.0	1		01/30/18 18:47	100-42-5		
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	1		01/30/18 18:47	630-20-6		
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	1		01/30/18 18:47	79-34-5		
Tetrachloroethene	<0.10	ug/L	1.0	1		01/30/18 18:47	127-18-4		
Toluene	<0.17	ug/L	1.0	1		01/30/18 18:47	108-88-3		
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	1		01/30/18 18:47	87-61-6		
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	1		01/30/18 18:47	120-82-1		
1,1,1-Trichloroethane	<0.11	ug/L	1.0	1		01/30/18 18:47	71-55-6		
1,1,2-Trichloroethane	<0.20	ug/L	1.0	1		01/30/18 18:47	79-00-5		
Trichloroethene	<0.17	ug/L	1.0	1		01/30/18 18:47	79-01-6		
Trichlorofluoromethane	<0.34	ug/L	1.0	1		01/30/18 18:47	75-69-4		
1,2,3-Trichloropropane	<0.19	ug/L	2.5	1		01/30/18 18:47	96-18-4		
1,2,4-Trimethylbenzene	<0.090	ug/L	1.0	1		01/30/18 18:47	95-63-6		
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	1		01/30/18 18:47	108-67-8		
Vinyl chloride	<0.13	ug/L	1.0	1		01/30/18 18:47	75-01-4		
Xylene (Total)	<0.42	ug/L	3.0	1		01/30/18 18:47	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	102	%	80-119	1		01/30/18 18:47	460-00-4		
1,2-Dichloroethane-d4 (S)	97	%	80-117	1		01/30/18 18:47	17060-07-0		
Toluene-d8 (S)	100	%	80-115	1		01/30/18 18:47	2037-26-5		
Preservation pH	1.0		0.10	1		01/30/18 18:47			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR DRAIN SEDIMENT Lab ID: 60262831015 Collected: 01/26/18 08:50 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3546						
Aldrin	<10.3	ug/kg	29.2	10	02/02/18 13:00	02/05/18 23:28	309-00-2	
alpha-BHC	62.1	ug/kg	29.2	10	02/02/18 13:00	02/05/18 23:28	319-84-6	
beta-BHC	<15.4	ug/kg	48.7	10	02/02/18 13:00	02/05/18 23:28	319-85-7	
delta-BHC	<14.0	ug/kg	40.9	10	02/02/18 13:00	02/05/18 23:28	319-86-8	
gamma-BHC (Lindane)	629	ug/kg	40.9	10	02/02/18 13:00	02/05/18 23:28	58-89-9	
Chlordane (Technical)	<822	ug/kg	4390	10	02/02/18 13:00	02/05/18 23:28	57-74-9	
alpha-Chlordane	34.2J	ug/kg	48.7	10	02/02/18 13:00	02/05/18 23:28	5103-71-9	
gamma-Chlordane	33.3J	ug/kg	48.7	10	02/02/18 13:00	02/05/18 23:28	5103-74-2	
4,4'-DDD	<9.5	ug/kg	29.2	10	02/02/18 13:00	02/05/18 23:28	72-54-8	
4,4'-DDE	<9.2	ug/kg	29.2	10	02/02/18 13:00	02/05/18 23:28	72-55-9	
4,4'-DDT	<18.9	ug/kg	40.9	10	02/02/18 13:00	02/05/18 23:28	50-29-3	
Dieldrin	<12.7	ug/kg	40.9	10	02/02/18 13:00	02/05/18 23:28	60-57-1	
Endosulfan I	<13.5	ug/kg	40.9	10	02/02/18 13:00	02/05/18 23:28	959-98-8	
Endosulfan II	<9.4	ug/kg	29.2	10	02/02/18 13:00	02/05/18 23:28	33213-65-9	
Endosulfan sulfate	<13.4	ug/kg	40.9	10	02/02/18 13:00	02/05/18 23:28	1031-07-8	
Endrin	<13.5	ug/kg	48.7	10	02/02/18 13:00	02/05/18 23:28	72-20-8	
Endrin aldehyde	<13.5	ug/kg	40.9	10	02/02/18 13:00	02/05/18 23:28	7421-93-4	
Endrin ketone	<16.1	ug/kg	58.5	10	02/02/18 13:00	02/05/18 23:28	53494-70-5	
Heptachlor	<22.3	ug/kg	58.5	10	02/02/18 13:00	02/05/18 23:28	76-44-8	
Heptachlor epoxide	<58.4	ug/kg	146	10	02/02/18 13:00	02/05/18 23:28	1024-57-3	
Methoxychlor	621	ug/kg	58.5	10	02/02/18 13:00	02/05/18 23:28	72-43-5	
Toxaphene	<1520	ug/kg	4390	10	02/02/18 13:00	02/05/18 23:28	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	18	%.	70-130	10	02/02/18 13:00	02/06/18 19:04	877-09-8	S2
Decachlorobiphenyl (S)	17	%.	70-130	10	02/02/18 13:00	02/06/18 19:04	2051-24-3	S2
8141 O/P Pesticides Microwave		Analytical Method: EPA 8141A Preparation Method: EPA 3546						
Stirophos (Tetrachlorvinphos)	<97.3	ug/kg	195	10	02/02/18 13:00	02/06/18 17:47	22248-79-9	
Azinphos, methyl (Guthion)	<97.3	ug/kg	195	10	02/02/18 13:00	02/06/18 17:47	86-50-0	
Bolstar	<97.3	ug/kg	195	10	02/02/18 13:00	02/06/18 17:47	35400-43-2	
Chlorpyrifos	2670	ug/kg	195	10	02/02/18 13:00	02/06/18 18:14	2921-88-2	
Coumaphos	<97.3	ug/kg	195	10	02/02/18 13:00	02/06/18 17:47	56-72-4	
Diazinon	<97.3	ug/kg	195	10	02/02/18 13:00	02/06/18 17:47	333-41-5	
Dichlorvos	<48.5	ug/kg	97.3	10	02/02/18 13:00	02/06/18 17:47	62-73-7	
Dimethoate	<97.3	ug/kg	195	10	02/02/18 13:00	02/06/18 17:47	60-51-5	
Disulfoton	<48.5	ug/kg	97.3	10	02/02/18 13:00	02/06/18 17:47	298-04-4	
EPN (ENT)	<62.0	ug/kg	97.3	10	02/02/18 13:00	02/06/18 17:47	2104-64-5	
Ethoprop	<48.5	ug/kg	97.3	10	02/02/18 13:00	02/06/18 17:47	13194-48-4	
Fensulfothion	<97.3	ug/kg	195	10	02/02/18 13:00	02/06/18 17:47	115-90-2	
Fenthion	<48.5	ug/kg	97.3	10	02/02/18 13:00	02/06/18 17:47	55-38-9	
Malathion	<97.3	ug/kg	195	10	02/02/18 13:00	02/06/18 17:47	121-75-5	
Methyl parathion	<48.5	ug/kg	97.3	10	02/02/18 13:00	02/06/18 17:47	298-00-0	
Mevinphos	<57.6	ug/kg	97.3	10	02/02/18 13:00	02/06/18 17:47	7786-34-7	
Parathion (Ethyl parathion)	<97.3	ug/kg	195	10	02/02/18 13:00	02/06/18 17:47	56-38-2	
Phorate	<48.5	ug/kg	97.3	10	02/02/18 13:00	02/06/18 17:47	298-02-2	
Ronnel	<48.5	ug/kg	97.3	10	02/02/18 13:00	02/06/18 17:47	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR DRAIN SEDIMENT Lab ID: 60262831015 Collected: 01/26/18 08:50 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546								
Sulfotep (Thiodiphosphoric Ac	<48.5	ug/kg	97.3	10	02/02/18 13:00	02/06/18 17:47	3689-24-5	
Tokuthion (Prothiofos)	<48.5	ug/kg	97.3	10	02/02/18 13:00	02/06/18 17:47	34643-46-4	
Trichloronate	<97.3	ug/kg	195	10	02/02/18 13:00	02/06/18 17:47	327-98-0	
Total Demeton	<79.8	ug/kg	97.3	10	02/02/18 13:00	02/06/18 17:47	8065-48-3	N2
Total Merphos	<97.3	ug/kg	389	10	02/02/18 13:00	02/06/18 17:47	150-50-5	N2
Surrogates								
Triphenylphosphate (S)	49	%.	11-137	10	02/02/18 13:00	02/06/18 18:14	115-86-6	
Tributylphosphate (S)	71	%.	17-125	10	02/02/18 13:00	02/06/18 18:14	126-73-8	
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546								
2,4-D	<488	ug/kg	488	100	02/06/18 12:15	02/07/18 18:22	94-75-7	
Dalapon	<488	ug/kg	488	100	02/06/18 12:15	02/07/18 18:22	75-99-0	
2,4-DB	<488	ug/kg	488	100	02/06/18 12:15	02/07/18 18:22	94-82-6	
Dicamba	<488	ug/kg	488	100	02/06/18 12:15	02/07/18 18:22	1918-00-9	
Dichloroprop	<488	ug/kg	488	100	02/06/18 12:15	02/07/18 18:22	15165-67-0	
Dinoseb	<488	ug/kg	488	100	02/06/18 12:15	02/07/18 18:22	88-85-7	
MCPA	<48800	ug/kg	48800	100	02/06/18 12:15	02/07/18 18:22	94-74-6	
MCPP	<48800	ug/kg	48800	100	02/06/18 12:15	02/07/18 18:22	7085-19-0	
2,4,5-T	<488	ug/kg	488	100	02/06/18 12:15	02/07/18 18:22	93-76-5	
2,4,5-TP (Silvex)	<488	ug/kg	488	100	02/06/18 12:15	02/07/18 18:22	93-72-1	
Surrogates								
2,4-DCAA (S)	182	%.	10-188	100	02/06/18 12:15	02/07/18 18:22	19719-28-9	D3
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050								
Arsenic	187	mg/kg	1.8	1	01/30/18 14:45	02/06/18 16:13	7440-38-2	
Barium	1580	mg/kg	0.88	1	01/30/18 14:45	02/06/18 16:13	7440-39-3	
Cadmium	2.1	mg/kg	0.88	1	01/30/18 14:45	02/06/18 16:13	7440-43-9	
Chromium	59.2	mg/kg	0.88	1	01/30/18 14:45	02/06/18 16:13	7440-47-3	
Lead	173	mg/kg	0.88	1	01/30/18 14:45	02/06/18 16:13	7439-92-1	
Selenium	2.2J	mg/kg	2.6	1	01/30/18 14:45	02/06/18 16:13	7782-49-2	
Silver	0.48J	mg/kg	1.2	1	01/30/18 14:45	02/06/18 16:13	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471								
Mercury	0.63	mg/kg	0.082	1	02/02/18 09:59	02/02/18 14:41	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
Acenaphthene	<2000	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	83-32-9	
Acenaphthylene	<1770	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	208-96-8	
Anthracene	<2000	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	120-12-7	
Benzo(a)anthracene	<1710	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	56-55-3	
Benzo(a)pyrene	<1480	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	50-32-8	
Benzo(b)fluoranthene	2080J	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	205-99-2	
Benzo(g,h,i)perylene	<1820	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	191-24-2	
Benzo(k)fluoranthene	<2220	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	207-08-9	
Benzoic acid	<1770	ug/kg	95200	5	01/30/18 15:00	02/01/18 12:43	65-85-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR DRAIN SEDIMENT Lab ID: 60262831015 Collected: 01/26/18 08:50 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Benzyl alcohol	<5870	ug/kg	37600	5	01/30/18 15:00	02/01/18 12:43	100-51-6	
4-Bromophenylphenyl ether	<1480	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	101-55-3	
Butylbenzylphthalate	<2450	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	85-68-7	
Carbazole	<1540	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	86-74-8	
4-Chloro-3-methylphenol	<2050	ug/kg	37600	5	01/30/18 15:00	02/01/18 12:43	59-50-7	
4-Chloroaniline	<3710	ug/kg	37600	5	01/30/18 15:00	02/01/18 12:43	106-47-8	
bis(2-Chloroethoxy)methane	<1480	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	111-91-1	
bis(2-Chloroethyl) ether	<1480	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	111-44-4	
bis(2-Chloroisopropyl) ether	<1480	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	39638-32-9	
2-Chloronaphthalene	<1600	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	91-58-7	
2-Chlorophenol	<1540	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	95-57-8	
4-Chlorophenylphenyl ether	<1820	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	7005-72-3	
Chrysene	<1600	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	218-01-9	
Dibenz(a,h)anthracene	<1710	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	53-70-3	
Dibenzofuran	<1710	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	132-64-9	
1,2-Dichlorobenzene	<1430	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	95-50-1	
1,3-Dichlorobenzene	<1600	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	541-73-1	
1,4-Dichlorobenzene	5560J	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	106-46-7	
3,3'-Dichlorobenzidine	<6440	ug/kg	37600	5	01/30/18 15:00	02/01/18 12:43	91-94-1	
2,4-Dichlorophenol	<1710	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	120-83-2	
Diethylphthalate	<1770	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	84-66-2	
2,4-Dimethylphenol	<1030	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	105-67-9	
Dimethylphthalate	<1820	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	131-11-3	
Di-n-butylphthalate	<2000	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	84-74-2	
4,6-Dinitro-2-methylphenol	<2510	ug/kg	95200	5	01/30/18 15:00	02/01/18 12:43	534-52-1	
2,4-Dinitrophenol	<2740	ug/kg	95200	5	01/30/18 15:00	02/01/18 12:43	51-28-5	
2,4-Dinitrotoluene	<1600	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	121-14-2	
2,6-Dinitrotoluene	<1940	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	606-20-2	
Di-n-octylphthalate	<2220	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	117-84-0	
bis(2-Ethylhexyl)phthalate	9200J	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	117-81-7	
Fluoranthene	<1770	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	206-44-0	
Fluorene	<1770	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	86-73-7	
Hexachloro-1,3-butadiene	<1880	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	87-68-3	
Hexachlorobenzene	<1820	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	118-74-1	
Hexachlorocyclopentadiene	<3990	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	77-47-4	
Hexachloroethane	<1430	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	67-72-1	
Indeno(1,2,3-cd)pyrene	<2050	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	193-39-5	
Isophorone	<1710	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	78-59-1	
2-Methylnaphthalene	8290J	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	91-57-6	
2-Methylphenol(o-Cresol)	<1770	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	95-48-7	
3&4-Methylphenol(m&p Cresol)	<2050	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43		
Naphthalene	<1480	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	91-20-3	
2-Nitroaniline	<3190	ug/kg	37600	5	01/30/18 15:00	02/01/18 12:43	88-74-4	
3-Nitroaniline	<5700	ug/kg	37600	5	01/30/18 15:00	02/01/18 12:43	99-09-2	
4-Nitroaniline	<4850	ug/kg	37600	5	01/30/18 15:00	02/01/18 12:43	100-01-6	
Nitrobenzene	<1770	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	98-95-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR DRAIN SEDIMENT Lab ID: 60262831015 Collected: 01/26/18 08:50 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
2-Nitrophenol	<2620	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	88-75-5	
4-Nitrophenol	<2960	ug/kg	95200	5	01/30/18 15:00	02/01/18 12:43	100-02-7	
N-Nitroso-di-n-propylamine	<1880	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	621-64-7	
N-Nitrosodiphenylamine	<1480	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	86-30-6	
Pentachlorophenol	<1770	ug/kg	95200	5	01/30/18 15:00	02/01/18 12:43	87-86-5	
Phenanthrene	<1770	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	85-01-8	
Phenol	<1480	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	108-95-2	
Pyrene	<1880	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	129-00-0	
Pyridine	<1540	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	110-86-1	
1,2,4-Trichlorobenzene	<1710	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	120-82-1	
2,4,5-Trichlorophenol	<1710	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	95-95-4	
2,4,6-Trichlorophenol	<1770	ug/kg	18800	5	01/30/18 15:00	02/01/18 12:43	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	76	%	41-114	5	01/30/18 15:00	02/01/18 12:43	4165-60-0	D3
2-Fluorobiphenyl (S)	87	%	61-109	5	01/30/18 15:00	02/01/18 12:43	321-60-8	
Terphenyl-d14 (S)	94	%	48-120	5	01/30/18 15:00	02/01/18 12:43	1718-51-0	
Phenol-d6 (S)	79	%	48-102	5	01/30/18 15:00	02/01/18 12:43	13127-88-3	
2-Fluorophenol (S)	78	%	46-102	5	01/30/18 15:00	02/01/18 12:43	367-12-4	
2,4,6-Tribromophenol (S)	95	%	39-114	5	01/30/18 15:00	02/01/18 12:43	118-79-6	
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546								
TPH-ORO	9360	mg/kg	1710	10	01/30/18 15:00	02/01/18 14:20		
TPH-DRO	6230	mg/kg	1710	10	01/30/18 15:00	02/01/18 14:20		
Surrogates								
Nitrobenzene-d5 (S)	0	%	41-114	10	01/30/18 15:00	02/01/18 14:20	4165-60-0	S4
2-Fluorobiphenyl (S)	0	%	61-109	10	01/30/18 15:00	02/01/18 14:20	321-60-8	S4
Terphenyl-d14 (S)	0	%	48-120	10	01/30/18 15:00	02/01/18 14:20	1718-51-0	S4
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260								
TPH-GRO	<0.71	mg/kg	1.4	1		02/06/18 19:02		
8260 MSV 5035A VOA Analytical Method: EPA 8260								
Acetone	171	ug/kg	56.8	1		02/06/18 19:02	67-64-1	
Benzene	<7.1	ug/kg	14.2	1		02/06/18 19:02	71-43-2	
Bromobenzene	<7.1	ug/kg	14.2	1		02/06/18 19:02	108-86-1	
Bromochloromethane	<7.1	ug/kg	14.2	1		02/06/18 19:02	74-97-5	
Bromodichloromethane	<7.1	ug/kg	14.2	1		02/06/18 19:02	75-27-4	
Bromoform	<7.1	ug/kg	14.2	1		02/06/18 19:02	75-25-2	
Bromomethane	<7.1	ug/kg	14.2	1		02/06/18 19:02	74-83-9	
2-Butanone (MEK)	42.2	ug/kg	28.4	1		02/06/18 19:02	78-93-3	
n-Butylbenzene	<7.1	ug/kg	14.2	1		02/06/18 19:02	104-51-8	
sec-Butylbenzene	<7.1	ug/kg	14.2	1		02/06/18 19:02	135-98-8	
tert-Butylbenzene	<7.1	ug/kg	14.2	1		02/06/18 19:02	98-06-6	
Carbon disulfide	<7.1	ug/kg	14.2	1		02/06/18 19:02	75-15-0	
Carbon tetrachloride	<7.1	ug/kg	14.2	1		02/06/18 19:02	56-23-5	
Chlorobenzene	<7.1	ug/kg	14.2	1		02/06/18 19:02	108-90-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR DRAIN SEDIMENT Lab ID: 60262831015 Collected: 01/26/18 08:50 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260						
Chloroethane	<7.1	ug/kg	14.2	1		02/06/18 19:02	75-00-3	
Chloroform	<7.1	ug/kg	14.2	1		02/06/18 19:02	67-66-3	
Chloromethane	<7.1	ug/kg	14.2	1		02/06/18 19:02	74-87-3	
2-Chlorotoluene	<7.1	ug/kg	14.2	1		02/06/18 19:02	95-49-8	
4-Chlorotoluene	<7.1	ug/kg	14.2	1		02/06/18 19:02	106-43-4	
1,2-Dibromo-3-chloropropane	<14.2	ug/kg	28.4	1		02/06/18 19:02	96-12-8	
Dibromochloromethane	<7.1	ug/kg	14.2	1		02/06/18 19:02	124-48-1	
1,2-Dibromoethane (EDB)	<7.1	ug/kg	14.2	1		02/06/18 19:02	106-93-4	
Dibromomethane	<7.1	ug/kg	14.2	1		02/06/18 19:02	74-95-3	
1,2-Dichlorobenzene	<7.1	ug/kg	14.2	1		02/06/18 19:02	95-50-1	
1,3-Dichlorobenzene	<7.1	ug/kg	14.2	1		02/06/18 19:02	541-73-1	
1,4-Dichlorobenzene	<7.1	ug/kg	14.2	1		02/06/18 19:02	106-46-7	
Dichlorodifluoromethane	<7.1	ug/kg	14.2	1		02/06/18 19:02	75-71-8	
1,1-Dichloroethane	<7.1	ug/kg	14.2	1		02/06/18 19:02	75-34-3	
1,2-Dichloroethane	<7.1	ug/kg	14.2	1		02/06/18 19:02	107-06-2	
1,2-Dichloroethene (Total)	<7.1	ug/kg	14.2	1		02/06/18 19:02	540-59-0	
1,1-Dichloroethene	<7.1	ug/kg	14.2	1		02/06/18 19:02	75-35-4	
cis-1,2-Dichloroethene	<7.1	ug/kg	14.2	1		02/06/18 19:02	156-59-2	
trans-1,2-Dichloroethene	<7.1	ug/kg	14.2	1		02/06/18 19:02	156-60-5	
1,2-Dichloropropane	<7.1	ug/kg	14.2	1		02/06/18 19:02	78-87-5	
1,3-Dichloropropane	<7.1	ug/kg	14.2	1		02/06/18 19:02	142-28-9	
2,2-Dichloropropane	<7.1	ug/kg	14.2	1		02/06/18 19:02	594-20-7	
1,1-Dichloropropene	<7.1	ug/kg	14.2	1		02/06/18 19:02	563-58-6	
cis-1,3-Dichloropropene	<7.1	ug/kg	14.2	1		02/06/18 19:02	10061-01-5	
trans-1,3-Dichloropropene	<7.1	ug/kg	14.2	1		02/06/18 19:02	10061-02-6	
Ethylbenzene	<7.1	ug/kg	14.2	1		02/06/18 19:02	100-41-4	
Hexachloro-1,3-butadiene	<7.1	ug/kg	14.2	1		02/06/18 19:02	87-68-3	
2-Hexanone	<28.4	ug/kg	56.8	1		02/06/18 19:02	591-78-6	
Isopropylbenzene (Cumene)	<7.1	ug/kg	14.2	1		02/06/18 19:02	98-82-8	
p-Isopropyltoluene	<7.1	ug/kg	14.2	1		02/06/18 19:02	99-87-6	
Methylene chloride	<7.1	ug/kg	14.2	1		02/06/18 19:02	75-09-2	
4-Methyl-2-pentanone (MIBK)	<14.2	ug/kg	28.4	1		02/06/18 19:02	108-10-1	
Methyl-tert-butyl ether	<7.1	ug/kg	14.2	1		02/06/18 19:02	1634-04-4	
Naphthalene	<14.2	ug/kg	28.4	1		02/06/18 19:02	91-20-3	
n-Propylbenzene	<7.1	ug/kg	14.2	1		02/06/18 19:02	103-65-1	
Styrene	<7.1	ug/kg	14.2	1		02/06/18 19:02	100-42-5	
1,1,1,2-Tetrachloroethane	<7.1	ug/kg	14.2	1		02/06/18 19:02	630-20-6	
1,1,2,2-Tetrachloroethane	<7.1	ug/kg	14.2	1		02/06/18 19:02	79-34-5	
Tetrachloroethene	<7.1	ug/kg	14.2	1		02/06/18 19:02	127-18-4	
Toluene	<7.1	ug/kg	14.2	1		02/06/18 19:02	108-88-3	
1,2,3-Trichlorobenzene	<7.1	ug/kg	14.2	1		02/06/18 19:02	87-61-6	
1,2,4-Trichlorobenzene	<7.1	ug/kg	14.2	1		02/06/18 19:02	120-82-1	
1,1,1-Trichloroethane	<7.1	ug/kg	14.2	1		02/06/18 19:02	71-55-6	
1,1,2-Trichloroethane	<7.1	ug/kg	14.2	1		02/06/18 19:02	79-00-5	
Trichloroethene	<7.1	ug/kg	14.2	1		02/06/18 19:02	79-01-6	
Trichlorofluoromethane	<7.1	ug/kg	14.2	1		02/06/18 19:02	75-69-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR DRAIN SEDIMENT **Lab ID: 60262831015** Collected: 01/26/18 08:50 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260								
1,2,3-Trichloropropane	<7.1	ug/kg	14.2	1		02/06/18 19:02	96-18-4	
1,2,4-Trimethylbenzene	<7.1	ug/kg	14.2	1		02/06/18 19:02	95-63-6	
1,3,5-Trimethylbenzene	<7.1	ug/kg	14.2	1		02/06/18 19:02	108-67-8	
Vinyl chloride	<7.1	ug/kg	14.2	1		02/06/18 19:02	75-01-4	
Xylene (Total)	<7.1	ug/kg	14.2	1		02/06/18 19:02	1330-20-7	
Surrogates								
Toluene-d8 (S)	100	%	78-122	1		02/06/18 19:02	2037-26-5	
4-Bromofluorobenzene (S)	103	%	69-133	1		02/06/18 19:02	460-00-4	
1,2-Dichloroethane-d4 (S)	118	%	80-123	1		02/06/18 19:02	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974								
Percent Moisture	49.4	%	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045								
pH at 25 Degrees C	7.0	Std. Units	0.10	1		02/01/18 14:00		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Sulfate	1500	mg/kg	196	10	02/05/18 08:00	02/06/18 07:10	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Nitrate as N	<9.8	mg/kg	19.6	10	02/05/18 19:33	02/06/18 07:10	14797-55-8	
Nitrite as N	<9.8	mg/kg	19.6	10	02/05/18 19:33	02/06/18 07:10	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR SWEEPING Lab ID: 60262831016 Collected: 01/26/18 09:00 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3546						
Aldrin	<10.2	ug/kg	28.8	10	02/02/18 13:00	02/06/18 19:49	309-00-2	
alpha-BHC	<4.6	ug/kg	28.8	10	02/02/18 13:00	02/06/18 19:49	319-84-6	
beta-BHC	<15.2	ug/kg	48.0	10	02/02/18 13:00	02/06/18 19:49	319-85-7	
delta-BHC	<13.8	ug/kg	40.4	10	02/02/18 13:00	02/06/18 19:49	319-86-8	
gamma-BHC (Lindane)	631	ug/kg	40.4	10	02/02/18 13:00	02/06/18 19:49	58-89-9	
Chlordane (Technical)	21300J	ug/kg	21600	50	02/02/18 13:00	02/06/18 19:34	57-74-9	
alpha-Chlordane	2960	ug/kg	240	50	02/02/18 13:00	02/06/18 19:34	5103-71-9	
gamma-Chlordane	4820	ug/kg	240	50	02/02/18 13:00	02/06/18 19:34	5103-74-2	
4,4'-DDD	198	ug/kg	28.8	10	02/02/18 13:00	02/06/18 19:49	72-54-8	
4,4'-DDE	268	ug/kg	28.8	10	02/02/18 13:00	02/06/18 19:49	72-55-9	
4,4'-DDT	582	ug/kg	40.4	10	02/02/18 13:00	02/06/18 19:49	50-29-3	
Dieldrin	<12.5	ug/kg	40.4	10	02/02/18 13:00	02/06/18 19:49	60-57-1	
Endosulfan I	77.7	ug/kg	40.4	10	02/02/18 13:00	02/06/18 19:49	959-98-8	
Endosulfan II	<9.3	ug/kg	28.8	10	02/02/18 13:00	02/06/18 19:49	33213-65-9	
Endosulfan sulfate	<13.3	ug/kg	40.4	10	02/02/18 13:00	02/06/18 19:49	1031-07-8	
Endrin	<13.4	ug/kg	48.0	10	02/02/18 13:00	02/06/18 19:49	72-20-8	
Endrin aldehyde	<13.4	ug/kg	40.4	10	02/02/18 13:00	02/06/18 19:49	7421-93-4	
Endrin ketone	<15.9	ug/kg	57.7	10	02/02/18 13:00	02/06/18 19:49	53494-70-5	
Heptachlor	<22.0	ug/kg	57.7	10	02/02/18 13:00	02/06/18 19:49	76-44-8	
Heptachlor epoxide	<57.6	ug/kg	144	10	02/02/18 13:00	02/06/18 19:49	1024-57-3	
Methoxychlor	71.1	ug/kg	57.7	10	02/02/18 13:00	02/06/18 19:49	72-43-5	
Toxaphene	<1500	ug/kg	4330	10	02/02/18 13:00	02/06/18 19:49	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	156	%.	70-130	10	02/02/18 13:00	02/06/18 19:49	877-09-8	S2
Decachlorobiphenyl (S)	130	%.	70-130	10	02/02/18 13:00	02/06/18 19:49	2051-24-3	
8141 O/P Pesticides Microwave		Analytical Method: EPA 8141A Preparation Method: EPA 3546						
Stirophos (Tetrachlorvinphos)	<96.0	ug/kg	192	10	02/02/18 13:00	02/06/18 18:14	22248-79-9	
Azinphos, methyl (Guthion)	<96.0	ug/kg	192	10	02/02/18 13:00	02/06/18 18:14	86-50-0	
Bolstar	<96.0	ug/kg	192	10	02/02/18 13:00	02/06/18 18:14	35400-43-2	
Chlorpyrifos	24400	ug/kg	960	50	02/02/18 13:00	02/08/18 22:06	2921-88-2	
Coumaphos	<96.0	ug/kg	192	10	02/02/18 13:00	02/06/18 18:14	56-72-4	
Diazinon	114J	ug/kg	192	10	02/02/18 13:00	02/06/18 18:14	333-41-5	
Dichlorvos	<47.9	ug/kg	96.0	10	02/02/18 13:00	02/06/18 18:14	62-73-7	
Dimethoate	<96.0	ug/kg	192	10	02/02/18 13:00	02/06/18 18:14	60-51-5	
Disulfoton	<47.9	ug/kg	96.0	10	02/02/18 13:00	02/06/18 18:14	298-04-4	
EPN (ENT)	<61.1	ug/kg	96.0	10	02/02/18 13:00	02/06/18 18:14	2104-64-5	
Ethoprop	<47.9	ug/kg	96.0	10	02/02/18 13:00	02/06/18 18:14	13194-48-4	
Fensulfothion	<96.0	ug/kg	192	10	02/02/18 13:00	02/06/18 18:14	115-90-2	
Fenthion	<47.9	ug/kg	96.0	10	02/02/18 13:00	02/06/18 18:14	55-38-9	
Malathion	<96.0	ug/kg	192	10	02/02/18 13:00	02/06/18 18:14	121-75-5	
Methyl parathion	<47.9	ug/kg	96.0	10	02/02/18 13:00	02/06/18 18:14	298-00-0	
Mevinphos	<56.8	ug/kg	96.0	10	02/02/18 13:00	02/06/18 18:14	7786-34-7	
Parathion (Ethyl parathion)	<96.0	ug/kg	192	10	02/02/18 13:00	02/06/18 18:14	56-38-2	
Phorate	<47.9	ug/kg	96.0	10	02/02/18 13:00	02/06/18 18:14	298-02-2	
Ronnel	<47.9	ug/kg	96.0	10	02/02/18 13:00	02/06/18 18:14	299-84-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR SWEEPING **Lab ID: 60262831016** Collected: 01/26/18 09:00 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8141 O/P Pesticides Microwave Analytical Method: EPA 8141A Preparation Method: EPA 3546								
Sulfotep (Thiodiphosphoric Ac	<47.9	ug/kg	96.0	10	02/02/18 13:00	02/06/18 18:14	3689-24-5	
Tokuthion (Prothiofos)	<47.9	ug/kg	96.0	10	02/02/18 13:00	02/06/18 18:14	34643-46-4	
Trichloronate	<96.0	ug/kg	192	10	02/02/18 13:00	02/06/18 18:14	327-98-0	
Total Demeton	<78.7	ug/kg	96.0	10	02/02/18 13:00	02/06/18 18:14	8065-48-3	N2
Total Merphos	<96.0	ug/kg	384	10	02/02/18 13:00	02/06/18 18:14	150-50-5	N2
Surrogates								
Triphenylphosphate (S)	226	%.	11-137	10	02/02/18 13:00	02/06/18 18:14	115-86-6	S4
Tributylphosphate (S)	161	%.	17-125	10	02/02/18 13:00	02/06/18 18:14	126-73-8	S4
8151 Chlorinated Herbicides Analytical Method: EPA 8151 Preparation Method: EPA 3546								
2,4-D	<482	ug/kg	482	100	02/06/18 12:15	02/07/18 18:46	94-75-7	
Dalapon	<482	ug/kg	482	100	02/06/18 12:15	02/07/18 18:46	75-99-0	
2,4-DB	<482	ug/kg	482	100	02/06/18 12:15	02/07/18 18:46	94-82-6	
Dicamba	<482	ug/kg	482	100	02/06/18 12:15	02/07/18 18:46	1918-00-9	
Dichloroprop	<482	ug/kg	482	100	02/06/18 12:15	02/07/18 18:46	15165-67-0	
Dinoseb	<482	ug/kg	482	100	02/06/18 12:15	02/07/18 18:46	88-85-7	
MCPA	<48200	ug/kg	48200	100	02/06/18 12:15	02/07/18 18:46	94-74-6	
MCPP	<48200	ug/kg	48200	100	02/06/18 12:15	02/07/18 18:46	7085-19-0	
2,4,5-T	<482	ug/kg	482	100	02/06/18 12:15	02/07/18 18:46	93-76-5	
2,4,5-TP (Silvex)	<482	ug/kg	482	100	02/06/18 12:15	02/07/18 18:46	93-72-1	
Surrogates								
2,4-DCAA (S)	114	%.	10-188	100	02/06/18 12:15	02/07/18 18:46	19719-28-9	D3
6010 MET ICP Red. Interference Analytical Method: EPA 6010 Preparation Method: EPA 3050								
Arsenic	14.1	mg/kg	1.7	1	01/30/18 14:45	02/06/18 16:17	7440-38-2	
Barium	115	mg/kg	0.84	1	01/30/18 14:45	02/06/18 16:17	7440-39-3	
Cadmium	3.3	mg/kg	0.84	1	01/30/18 14:45	02/06/18 16:17	7440-43-9	
Chromium	32.6	mg/kg	0.84	1	01/30/18 14:45	02/06/18 16:17	7440-47-3	
Lead	857	mg/kg	0.84	1	01/30/18 14:45	02/06/18 16:17	7439-92-1	
Selenium	1.3J	mg/kg	2.5	1	01/30/18 14:45	02/06/18 16:17	7782-49-2	
Silver	0.67J	mg/kg	1.2	1	01/30/18 14:45	02/06/18 16:17	7440-22-4	
7471 Mercury Analytical Method: EPA 7471 Preparation Method: EPA 7471								
Mercury	2.6	mg/kg	0.16	2	02/02/18 09:59	02/02/18 15:06	7439-97-6	
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
Acenaphthene	<1830	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	83-32-9	M1
Acenaphthylene	<1620	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	208-96-8	M1
Anthracene	<1830	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	120-12-7	
Benzo(a)anthracene	<1570	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	56-55-3	
Benzo(a)pyrene	<1360	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	50-32-8	
Benzo(b)fluoranthene	<1210	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	205-99-2	
Benzo(g,h,i)perylene	<1680	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	191-24-2	
Benzo(k)fluoranthene	<2040	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	207-08-9	
Benzoic acid	<1620	ug/kg	87500	5	01/30/18 15:00	02/01/18 13:04	65-85-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR SWEEPING Lab ID: 60262831016 Collected: 01/26/18 09:00 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles		Analytical Method: EPA 8270 Preparation Method: EPA 3546						
Benzyl alcohol	<5400	ug/kg	34600	5	01/30/18 15:00	02/01/18 13:04	100-51-6	M1
4-Bromophenylphenyl ether	<1360	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	101-55-3	M1
Butylbenzylphthalate	<2250	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	85-68-7	
Carbazole	<1410	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	86-74-8	M1
4-Chloro-3-methylphenol	<1890	ug/kg	34600	5	01/30/18 15:00	02/01/18 13:04	59-50-7	M1
4-Chloroaniline	<3410	ug/kg	34600	5	01/30/18 15:00	02/01/18 13:04	106-47-8	
bis(2-Chloroethoxy)methane	<1360	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	111-91-1	M1
bis(2-Chloroethyl) ether	<1360	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	111-44-4	M1
bis(2-Chloroisopropyl) ether	<1360	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	39638-32-9	M1
2-Chloronaphthalene	<1470	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	91-58-7	M1
2-Chlorophenol	<1410	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	95-57-8	M1
4-Chlorophenylphenyl ether	<1680	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	7005-72-3	M1
Chrysene	<1470	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	218-01-9	
Dibenz(a,h)anthracene	<1570	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	53-70-3	
Dibenzofuran	<1570	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	132-64-9	M1
1,2-Dichlorobenzene	<1310	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	95-50-1	M1
1,3-Dichlorobenzene	<1470	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	541-73-1	M1
1,4-Dichlorobenzene	<1520	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	106-46-7	M1
3,3'-Dichlorobenzidine	<5920	ug/kg	34600	5	01/30/18 15:00	02/01/18 13:04	91-94-1	M1
2,4-Dichlorophenol	<1570	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	120-83-2	M1
Diethylphthalate	<1620	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	84-66-2	M1
2,4-Dimethylphenol	<943	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	105-67-9	
Dimethylphthalate	<1680	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	131-11-3	M1
Di-n-butylphthalate	<1830	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	84-74-2	
4,6-Dinitro-2-methylphenol	<2310	ug/kg	87500	5	01/30/18 15:00	02/01/18 13:04	534-52-1	M1
2,4-Dinitrophenol	<2520	ug/kg	87500	5	01/30/18 15:00	02/01/18 13:04	51-28-5	M1
2,4-Dinitrotoluene	<1470	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	121-14-2	
2,6-Dinitrotoluene	<1780	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	606-20-2	
Di-n-octylphthalate	<2040	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	117-84-0	
bis(2-Ethylhexyl)phthalate	<5970	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	117-81-7	
Fluoranthene	<1620	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	206-44-0	
Fluorene	<1620	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	86-73-7	
Hexachloro-1,3-butadiene	<1730	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	87-68-3	M1
Hexachlorobenzene	<1680	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	118-74-1	M1
Hexachlorocyclopentadiene	<3670	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	77-47-4	M1
Hexachloroethane	<1310	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	67-72-1	M1
Indeno(1,2,3-cd)pyrene	<1890	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	193-39-5	
Isophorone	<1570	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	78-59-1	M1
2-Methylnaphthalene	<1260	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	91-57-6	M1
2-Methylphenol(o-Cresol)	<1620	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	95-48-7	
3&4-Methylphenol(m&p Cresol)	<1890	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04		
Naphthalene	<1360	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	91-20-3	M1
2-Nitroaniline	<2930	ug/kg	34600	5	01/30/18 15:00	02/01/18 13:04	88-74-4	
3-Nitroaniline	<5240	ug/kg	34600	5	01/30/18 15:00	02/01/18 13:04	99-09-2	
4-Nitroaniline	<4450	ug/kg	34600	5	01/30/18 15:00	02/01/18 13:04	100-01-6	
Nitrobenzene	<1620	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	98-95-3	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR SWEEPING Lab ID: 60262831016 Collected: 01/26/18 09:00 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatiles Analytical Method: EPA 8270 Preparation Method: EPA 3546								
2-Nitrophenol	<2410	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	88-75-5	
4-Nitrophenol	<2730	ug/kg	87500	5	01/30/18 15:00	02/01/18 13:04	100-02-7	
N-Nitroso-di-n-propylamine	<1730	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	621-64-7	M1
N-Nitrosodiphenylamine	<1360	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	86-30-6	
Pentachlorophenol	<1620	ug/kg	87500	5	01/30/18 15:00	02/01/18 13:04	87-86-5	
Phenanthrene	<1620	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	85-01-8	M1
Phenol	<1360	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	108-95-2	M1
Pyrene	<1730	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	129-00-0	
Pyridine	<1410	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	110-86-1	
1,2,4-Trichlorobenzene	<1570	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	120-82-1	M1
2,4,5-Trichlorophenol	<1570	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	95-95-4	M1
2,4,6-Trichlorophenol	<1620	ug/kg	17300	5	01/30/18 15:00	02/01/18 13:04	88-06-2	M1
Surrogates								
Nitrobenzene-d5 (S)	35	%	41-114	5	01/30/18 15:00	02/01/18 13:04	4165-60-0	D3,S2
2-Fluorobiphenyl (S)	36	%	61-109	5	01/30/18 15:00	02/01/18 13:04	321-60-8	S2
Terphenyl-d14 (S)	39	%	48-120	5	01/30/18 15:00	02/01/18 13:04	1718-51-0	S2
Phenol-d6 (S)	34	%	48-102	5	01/30/18 15:00	02/01/18 13:04	13127-88-3	S2
2-Fluorophenol (S)	33	%	46-102	5	01/30/18 15:00	02/01/18 13:04	367-12-4	S2
2,4,6-Tribromophenol (S)	36	%	39-114	5	01/30/18 15:00	02/01/18 13:04	118-79-6	S2
8270 MSSV DRO/ORO Analytical Method: EPA 8270 Preparation Method: EPA 3546								
TPH-ORO	29800	mg/kg	1670	10	01/30/18 15:00	02/01/18 14:41		
TPH-DRO	5410	mg/kg	1670	10	01/30/18 15:00	02/01/18 14:41		
Surrogates								
Nitrobenzene-d5 (S)	0	%	41-114	10	01/30/18 15:00	02/01/18 14:41	4165-60-0	S4
2-Fluorobiphenyl (S)	0	%	61-109	10	01/30/18 15:00	02/01/18 14:41	321-60-8	S4
Terphenyl-d14 (S)	0	%	48-120	10	01/30/18 15:00	02/01/18 14:41	1718-51-0	S4
8260 MSV GRO and Oxygenates Analytical Method: EPA 5035A/8260								
TPH-GRO	<0.62	mg/kg	1.2	1		02/07/18 15:10		
8260 MSV 5035A VOA Analytical Method: EPA 8260								
Acetone	639	ug/kg	49.4	1		02/07/18 15:10	67-64-1	
Benzene	18.2	ug/kg	12.4	1		02/07/18 15:10	71-43-2	
Bromobenzene	<6.2	ug/kg	12.4	1		02/07/18 15:10	108-86-1	
Bromochloromethane	<6.2	ug/kg	12.4	1		02/07/18 15:10	74-97-5	
Bromodichloromethane	<6.2	ug/kg	12.4	1		02/07/18 15:10	75-27-4	
Bromoform	<6.2	ug/kg	12.4	1		02/07/18 15:10	75-25-2	
Bromomethane	<6.2	ug/kg	12.4	1		02/07/18 15:10	74-83-9	
2-Butanone (MEK)	105	ug/kg	24.7	1		02/07/18 15:10	78-93-3	
n-Butylbenzene	<6.2	ug/kg	12.4	1		02/07/18 15:10	104-51-8	
sec-Butylbenzene	<6.2	ug/kg	12.4	1		02/07/18 15:10	135-98-8	
tert-Butylbenzene	<6.2	ug/kg	12.4	1		02/07/18 15:10	98-06-6	
Carbon disulfide	24.0	ug/kg	12.4	1		02/07/18 15:10	75-15-0	
Carbon tetrachloride	<6.2	ug/kg	12.4	1		02/07/18 15:10	56-23-5	
Chlorobenzene	<6.2	ug/kg	12.4	1		02/07/18 15:10	108-90-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR SWEEPING Lab ID: 60262831016 Collected: 01/26/18 09:00 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA		Analytical Method: EPA 8260						
Chloroethane	<6.2	ug/kg	12.4	1		02/07/18 15:10	75-00-3	
Chloroform	<6.2	ug/kg	12.4	1		02/07/18 15:10	67-66-3	
Chloromethane	<6.2	ug/kg	12.4	1		02/07/18 15:10	74-87-3	
2-Chlorotoluene	<6.2	ug/kg	12.4	1		02/07/18 15:10	95-49-8	
4-Chlorotoluene	<6.2	ug/kg	12.4	1		02/07/18 15:10	106-43-4	
1,2-Dibromo-3-chloropropane	<12.4	ug/kg	24.7	1		02/07/18 15:10	96-12-8	
Dibromochloromethane	<6.2	ug/kg	12.4	1		02/07/18 15:10	124-48-1	
1,2-Dibromoethane (EDB)	<6.2	ug/kg	12.4	1		02/07/18 15:10	106-93-4	
Dibromomethane	<6.2	ug/kg	12.4	1		02/07/18 15:10	74-95-3	
1,2-Dichlorobenzene	<6.2	ug/kg	12.4	1		02/07/18 15:10	95-50-1	
1,3-Dichlorobenzene	<6.2	ug/kg	12.4	1		02/07/18 15:10	541-73-1	
1,4-Dichlorobenzene	<6.2	ug/kg	12.4	1		02/07/18 15:10	106-46-7	
Dichlorodifluoromethane	<6.2	ug/kg	12.4	1		02/07/18 15:10	75-71-8	
1,1-Dichloroethane	<6.2	ug/kg	12.4	1		02/07/18 15:10	75-34-3	
1,2-Dichloroethane	<6.2	ug/kg	12.4	1		02/07/18 15:10	107-06-2	
1,2-Dichloroethene (Total)	<6.2	ug/kg	12.4	1		02/07/18 15:10	540-59-0	
1,1-Dichloroethene	<6.2	ug/kg	12.4	1		02/07/18 15:10	75-35-4	
cis-1,2-Dichloroethene	<6.2	ug/kg	12.4	1		02/07/18 15:10	156-59-2	
trans-1,2-Dichloroethene	<6.2	ug/kg	12.4	1		02/07/18 15:10	156-60-5	
1,2-Dichloropropane	<6.2	ug/kg	12.4	1		02/07/18 15:10	78-87-5	
1,3-Dichloropropane	<6.2	ug/kg	12.4	1		02/07/18 15:10	142-28-9	
2,2-Dichloropropane	<6.2	ug/kg	12.4	1		02/07/18 15:10	594-20-7	
1,1-Dichloropropene	<6.2	ug/kg	12.4	1		02/07/18 15:10	563-58-6	
cis-1,3-Dichloropropene	<6.2	ug/kg	12.4	1		02/07/18 15:10	10061-01-5	
trans-1,3-Dichloropropene	<6.2	ug/kg	12.4	1		02/07/18 15:10	10061-02-6	
Ethylbenzene	<6.2	ug/kg	12.4	1		02/07/18 15:10	100-41-4	
Hexachloro-1,3-butadiene	<6.2	ug/kg	12.4	1		02/07/18 15:10	87-68-3	
2-Hexanone	<24.7	ug/kg	49.4	1		02/07/18 15:10	591-78-6	
Isopropylbenzene (Cumene)	<6.2	ug/kg	12.4	1		02/07/18 15:10	98-82-8	
p-Isopropyltoluene	<6.2	ug/kg	12.4	1		02/07/18 15:10	99-87-6	
Methylene chloride	<6.2	ug/kg	12.4	1		02/07/18 15:10	75-09-2	
4-Methyl-2-pentanone (MIBK)	<12.4	ug/kg	24.7	1		02/07/18 15:10	108-10-1	
Methyl-tert-butyl ether	<6.2	ug/kg	12.4	1		02/07/18 15:10	1634-04-4	
Naphthalene	<12.4	ug/kg	24.7	1		02/07/18 15:10	91-20-3	
n-Propylbenzene	<6.2	ug/kg	12.4	1		02/07/18 15:10	103-65-1	
Styrene	<6.2	ug/kg	12.4	1		02/07/18 15:10	100-42-5	
1,1,1,2-Tetrachloroethane	<6.2	ug/kg	12.4	1		02/07/18 15:10	630-20-6	
1,1,2,2-Tetrachloroethane	<6.2	ug/kg	12.4	1		02/07/18 15:10	79-34-5	
Tetrachloroethene	<6.2	ug/kg	12.4	1		02/07/18 15:10	127-18-4	
Toluene	12.3J	ug/kg	12.4	1		02/07/18 15:10	108-88-3	
1,2,3-Trichlorobenzene	<6.2	ug/kg	12.4	1		02/07/18 15:10	87-61-6	
1,2,4-Trichlorobenzene	10.7J	ug/kg	12.4	1		02/07/18 15:10	120-82-1	
1,1,1-Trichloroethane	<6.2	ug/kg	12.4	1		02/07/18 15:10	71-55-6	
1,1,2-Trichloroethane	<6.2	ug/kg	12.4	1		02/07/18 15:10	79-00-5	
Trichloroethene	<6.2	ug/kg	12.4	1		02/07/18 15:10	79-01-6	
Trichlorofluoromethane	<6.2	ug/kg	12.4	1		02/07/18 15:10	75-69-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR SWEEPING **Lab ID: 60262831016** Collected: 01/26/18 09:00 Received: 01/26/18 10:25 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5035A VOA Analytical Method: EPA 8260								
1,2,3-Trichloropropane	<6.2	ug/kg	12.4	1		02/07/18 15:10	96-18-4	
1,2,4-Trimethylbenzene	10.8J	ug/kg	12.4	1		02/07/18 15:10	95-63-6	
1,3,5-Trimethylbenzene	<6.2	ug/kg	12.4	1		02/07/18 15:10	108-67-8	
Vinyl chloride	<6.2	ug/kg	12.4	1		02/07/18 15:10	75-01-4	
Xylene (Total)	<6.2	ug/kg	12.4	1		02/07/18 15:10	1330-20-7	
Surrogates								
Toluene-d8 (S)	121	%	78-122	1		02/07/18 15:10	2037-26-5	3e
4-Bromofluorobenzene (S)	152	%	69-133	1		02/07/18 15:10	460-00-4	S1
1,2-Dichloroethane-d4 (S)	122	%	80-123	1		02/07/18 15:10	17060-07-0	
Percent Moisture Analytical Method: ASTM D2974								
Percent Moisture	48.5	%	0.50	1		01/31/18 00:00		
9045 pH Soil Analytical Method: EPA 9045								
pH at 25 Degrees C	7.3	Std. Units	0.10	1		02/01/18 14:00		
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Sulfate	353	mg/kg	189	10	02/05/18 08:00	02/06/18 07:24	14808-79-8	
9056 IC Anions Analytical Method: EPA 9056 Preparation Method: EPA 9056								
Nitrate as N	24.9	mg/kg	18.9	10	02/05/18 19:33	02/06/18 07:24	14797-55-8	
Nitrite as N	<9.4	mg/kg	18.9	10	02/05/18 19:33	02/06/18 07:24	14797-65-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR DRAIN WATER		Lab ID: 60262831017	Collected: 01/26/18 10:00	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3510						
Aldrin	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:32	309-00-2	
alpha-BHC	<0.0060	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:32	319-84-6	
beta-BHC	<0.010	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:32	319-85-7	
delta-BHC	<0.0090	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:32	319-86-8	
gamma-BHC (Lindane)	0.40	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:32	58-89-9	
Chlordane (Technical)	1.3	ug/L	0.10	1	01/31/18 20:10	02/09/18 17:32	57-74-9	
alpha-Chlordane	0.14	ug/L	0.10	1	01/31/18 20:10	02/09/18 17:32	5103-71-9	
gamma-Chlordane	0.14	ug/L	0.10	1	01/31/18 20:10	02/09/18 17:32	5103-74-2	
4,4'-DDD	0.011	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:32	72-54-8	
4,4'-DDE	0.052	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:32	72-55-9	
4,4'-DDT	0.036	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:32	50-29-3	
Dieldrin	<0.0060	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:32	60-57-1	
Endosulfan I	<0.021	ug/L	0.10	1	01/31/18 20:10	02/09/18 17:32	959-98-8	
Endosulfan II	<0.0090	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:32	33213-65-9	
Endosulfan sulfate	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:32	1031-07-8	
Endrin	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:32	72-20-8	
Endrin aldehyde	<0.029	ug/L	0.10	1	01/31/18 20:10	02/09/18 17:32	7421-93-4	
Endrin ketone	<0.025	ug/L	0.10	1	01/31/18 20:10	02/09/18 17:32	53494-70-5	
Heptachlor	<0.0050	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:32	76-44-8	
Heptachlor epoxide	<0.0070	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:32	1024-57-3	
Methoxychlor	<0.0060	ug/L	0.010	1	01/31/18 20:10	02/09/18 17:32	72-43-5	
Toxaphene	<0.61	ug/L	1.5	1	01/31/18 20:10	02/09/18 17:32	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	86	%.	54-127	1	01/31/18 20:10	02/09/18 17:32	877-09-8	
Decachlorobiphenyl (S)	53	%.	12-162	1	01/31/18 20:10	02/09/18 17:32	2051-24-3	
8141 GCS, O/P Pesticides		Analytical Method: EPA 8141A Preparation Method: EPA 3510						
Stirophos (Tetrachlorvinphos)	<0.36	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	22248-79-9	
Azinphos, methyl (Guthion)	<0.46	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	86-50-0	
Bolstar	<0.45	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	35400-43-2	
Chlorpyrifos	0.76	ug/L	0.50	5	01/31/18 20:10	02/06/18 19:08	2921-88-2	
Coumaphos	<0.46	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	56-72-4	
Diazinon	<0.39	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	333-41-5	
Dichlorvos	<0.36	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	62-73-7	
Dimethoate	<0.42	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	60-51-5	
Disulfoton	<0.36	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	298-04-4	
EPN (ENT)	<0.44	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	2104-64-5	
Ethoprop	<0.30	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	13194-48-4	
Fensulfthion	<0.44	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	115-90-2	
Fenthion	<0.44	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	55-38-9	
Malathion	<0.43	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	121-75-5	
Methyl parathion	<0.35	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	298-00-0	
Mevinphos	<0.32	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	7786-34-7	
Parathion (Ethyl parathion)	<0.30	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	56-38-2	
Phorate	<0.32	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	298-02-2	
Ronnel	<0.44	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	299-84-3	
Sulfotep (Thiodiphosphoric Ac	<0.30	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	3689-24-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR DRAIN WATER		Lab ID: 60262831017	Collected: 01/26/18 10:00	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8141 GCS, O/P Pesticides		Analytical Method: EPA 8141A Preparation Method: EPA 3510						
Tokuthion (Prothiofos)	<0.40	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	34643-46-4	
Trichloronate	<0.44	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	327-98-0	
Total Demeton	<0.42	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	8065-48-3	
Total Merphos	<0.19	ug/L	0.50	5	01/31/18 20:10	02/06/18 18:41	150-50-5	
Surrogates								
Triphenylphosphate (S)	118	%.	10-175	5	01/31/18 20:10	02/06/18 18:41	115-86-6	
Tributylphosphate (S)	133	%.	20-150	5	01/31/18 20:10	02/06/18 18:41	126-73-8	
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 8151						
2,4-D	10	ug/L	5.0	10	02/01/18 16:00	02/08/18 13:47	94-75-7	
Dalapon	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 12:11	75-99-0	
2,4-DB	<0.34	ug/L	0.50	1	02/01/18 16:00	02/07/18 12:11	94-82-6	
Dicamba	2.5	ug/L	0.50	1	02/01/18 16:00	02/07/18 12:11	1918-00-9	
Dichloroprop	22.3	ug/L	5.0	10	02/01/18 16:00	02/08/18 13:47	15165-67-0	
Dinoseb	<0.50	ug/L	0.50	1	02/01/18 16:00	02/07/18 12:11	88-85-7	
MCPA	<20.0	ug/L	20.0	1	02/01/18 16:00	02/07/18 12:11	94-74-6	
MCP	<20.0	ug/L	20.0	1	02/01/18 16:00	02/07/18 12:11	7085-19-0	
2,4,5-T	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 12:11	93-76-5	
2,4,5-TP (Silvex)	<0.25	ug/L	0.50	1	02/01/18 16:00	02/07/18 12:11	93-72-1	
Surrogates								
2,4-DCAA (S)	33	%.	47-166	10	02/01/18 16:00	02/08/18 13:47	19719-28-9	S1
6010 MET ICP		Analytical Method: EPA 6010 Preparation Method: EPA 3010						
Arsenic	11.1	ug/L	10.0	1	01/30/18 11:15	02/01/18 15:45	7440-38-2	
Barium	52.3	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:45	7440-39-3	
Cadmium	2.3J	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:45	7440-43-9	
Chromium	10.6	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:45	7440-47-3	
Lead	30.0	ug/L	5.0	1	01/30/18 11:15	02/01/18 15:45	7439-92-1	
Selenium	<3.4	ug/L	15.0	1	01/30/18 11:15	02/01/18 15:45	7782-49-2	
Silver	<1.9	ug/L	7.0	1	01/30/18 11:15	02/01/18 15:45	7440-22-4	
6010 MET ICP, Dissolved (LF)		Analytical Method: EPA 6010 Preparation Method: EPA 3010						
Arsenic, Dissolved	4.9J	ug/L	10.0	1	01/30/18 10:10	01/31/18 17:55	7440-38-2	
Barium, Dissolved	13.8	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:55	7440-39-3	
Cadmium, Dissolved	2.1J	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:55	7440-43-9	
Chromium, Dissolved	3.0J	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:55	7440-47-3	
Lead, Dissolved	<2.4	ug/L	5.0	1	01/30/18 10:10	01/31/18 17:55	7439-92-1	
Selenium, Dissolved	<3.4	ug/L	15.0	1	01/30/18 10:10	01/31/18 17:55	7782-49-2	
Silver, Dissolved	<1.9	ug/L	7.0	1	01/30/18 10:10	01/31/18 17:55	7440-22-4	
7470 Mercury		Analytical Method: EPA 7470 Preparation Method: EPA 7470						
Mercury	0.43	ug/L	0.20	1	02/08/18 11:51	02/08/18 15:54	7439-97-6	
7470 Mercury, Dissolved (LF)		Analytical Method: EPA 7470 Preparation Method: EPA 7470						
Mercury, Dissolved	<0.046	ug/L	0.20	1	02/08/18 15:58	02/09/18 11:38	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR DRAIN WATER		Lab ID: 60262831017	Collected: 01/26/18 10:00	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic		Analytical Method: EPA 8270 Preparation Method: EPA 3510						
Acenaphthene	<0.33	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	83-32-9	1e
Acenaphthylene	<0.35	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	208-96-8	1e
Anthracene	<0.27	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	120-12-7	1e
Benzo(a)anthracene	<0.26	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	56-55-3	1e
Benzo(a)pyrene	<0.33	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	50-32-8	1e
Benzo(b)fluoranthene	<0.32	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	205-99-2	1e
Benzo(g,h,i)perylene	<0.36	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	191-24-2	1e
Benzo(k)fluoranthene	<0.38	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	207-08-9	1e
Benzoic acid	12.2J	ug/L	45.5	1	01/26/18 00:00	01/29/18 16:26	65-85-0	1e
Benzyl alcohol	<0.32	ug/L	18.2	1	01/26/18 00:00	01/29/18 16:26	100-51-6	1e
4-Bromophenylphenyl ether	<0.35	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	101-55-3	1e
Butylbenzylphthalate	<0.36	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	85-68-7	1e
Carbazole	<0.32	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	86-74-8	1e
4-Chloro-3-methylphenol	<0.23	ug/L	18.2	1	01/26/18 00:00	01/29/18 16:26	59-50-7	1e
4-Chloroaniline	<0.47	ug/L	18.2	1	01/26/18 00:00	01/29/18 16:26	106-47-8	1e
bis(2-Chloroethoxy)methane	<4.5	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	111-91-1	1e
bis(2-Chloroethyl) ether	<0.26	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	111-44-4	1e
bis(2-Chloroisopropyl) ether	<0.26	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	39638-32-9	1e
2-Chloronaphthalene	<0.32	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	91-58-7	1e
2-Chlorophenol	<0.27	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	95-57-8	1e
4-Chlorophenylphenyl ether	<0.27	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	7005-72-3	1e
Chrysene	<0.33	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	218-01-9	1e
Dibenz(a,h)anthracene	<0.41	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	53-70-3	1e
Dibenzofuran	<0.35	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	132-64-9	1e
1,2-Dichlorobenzene	<0.26	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	95-50-1	1e
1,3-Dichlorobenzene	<0.49	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	541-73-1	1e
1,4-Dichlorobenzene	<0.37	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	106-46-7	1e
3,3'-Dichlorobenzidine	<0.35	ug/L	18.2	1	01/26/18 00:00	01/29/18 16:26	91-94-1	1e
2,4-Dichlorophenol	<0.47	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	120-83-2	1e
Diethylphthalate	<0.41	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	84-66-2	1e
2,4-Dimethylphenol	<0.55	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	105-67-9	1e
Dimethylphthalate	<0.32	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	131-11-3	1e
Di-n-butylphthalate	<0.35	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	84-74-2	1e
4,6-Dinitro-2-methylphenol	<0.50	ug/L	45.5	1	01/26/18 00:00	01/29/18 16:26	534-52-1	1e
2,4-Dinitrophenol	<7.6	ug/L	45.5	1	01/26/18 00:00	01/29/18 16:26	51-28-5	1e
2,4-Dinitrotoluene	<0.30	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	121-14-2	1e
2,6-Dinitrotoluene	<0.25	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	606-20-2	1e
Di-n-octylphthalate	<0.45	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	117-84-0	1e
bis(2-Ethylhexyl)phthalate	<0.56	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	117-81-7	1e
Fluoranthene	<0.34	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	206-44-0	1e
Fluorene	<0.31	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	86-73-7	1e
Hexachloro-1,3-butadiene	<0.35	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	87-68-3	1e
Hexachlorobenzene	<0.27	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	118-74-1	1e
Hexachlorocyclopentadiene	<0.32	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	77-47-4	1e
Hexachloroethane	<0.26	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	67-72-1	1e
Indeno(1,2,3-cd)pyrene	<0.29	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	193-39-5	1e
Isophorone	<0.25	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	78-59-1	1e

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR DRAIN WATER		Lab ID: 60262831017	Collected: 01/26/18 10:00	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic		Analytical Method: EPA 8270 Preparation Method: EPA 3510						
2-Methylnaphthalene	<0.24	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	91-57-6	1e
2-Methylphenol(o-Cresol)	<0.25	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	95-48-7	1e
3&4-Methylphenol(m&p Cresol)	<4.5	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26		1e
Naphthalene	<0.33	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	91-20-3	1e
2-Nitroaniline	<0.38	ug/L	45.5	1	01/26/18 00:00	01/29/18 16:26	88-74-4	1e
3-Nitroaniline	<0.32	ug/L	45.5	1	01/26/18 00:00	01/29/18 16:26	99-09-2	1e
4-Nitroaniline	<0.32	ug/L	45.5	1	01/26/18 00:00	01/29/18 16:26	100-01-6	1e
Nitrobenzene	<0.27	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	98-95-3	1e
2-Nitrophenol	<0.25	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	88-75-5	1e
4-Nitrophenol	<0.28	ug/L	45.5	1	01/26/18 00:00	01/29/18 16:26	100-02-7	1e
N-Nitroso-di-n-propylamine	<0.25	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	621-64-7	1e
N-Nitrosodiphenylamine	<0.36	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	86-30-6	1e
Pentachlorophenol	<0.28	ug/L	45.5	1	01/26/18 00:00	01/29/18 16:26	87-86-5	1e
Phenanthrene	<0.31	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	85-01-8	1e
Phenol	<4.5	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	108-95-2	1e
Pyrene	<0.25	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	129-00-0	1e
Pyridine	<0.28	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	110-86-1	1e
1,2,4-Trichlorobenzene	<0.30	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	120-82-1	1e
2,4,5-Trichlorophenol	<0.30	ug/L	45.5	1	01/26/18 00:00	01/29/18 16:26	95-95-4	1e
2,4,6-Trichlorophenol	<0.35	ug/L	9.1	1	01/26/18 00:00	01/29/18 16:26	88-06-2	1e
Surrogates								
Nitrobenzene-d5 (S)	68	%	33-99	1	01/26/18 00:00	01/29/18 16:26	4165-60-0	
2-Fluorobiphenyl (S)	72	%	30-103	1	01/26/18 00:00	01/29/18 16:26	321-60-8	
Terphenyl-d14 (S)	79	%	38-114	1	01/26/18 00:00	01/29/18 16:26	1718-51-0	
Phenol-d6 (S)	41	%	10-56	1	01/26/18 00:00	01/29/18 16:26	13127-88-3	
2-Fluorophenol (S)	51	%	10-68	1	01/26/18 00:00	01/29/18 16:26	367-12-4	
2,4,6-Tribromophenol (S)	101	%	21-124	1	01/26/18 00:00	01/29/18 16:26	118-79-6	
8270 MSSV DRO/ORO		Analytical Method: EPA 8270 Preparation Method: EPA 3510C						
TPH-ORO	1.2	mg/L	0.91	1	01/29/18 15:00	01/31/18 21:40		1e
TPH-DRO	<0.91	mg/L	0.91	1	01/29/18 15:00	01/31/18 21:40		1e
Surrogates								
Nitrobenzene-d5 (S)	71	%	33-99	1	01/29/18 15:00	01/31/18 21:40	4165-60-0	
2-Fluorobiphenyl (S)	71	%	30-103	1	01/29/18 15:00	01/31/18 21:40	321-60-8	
Terphenyl-d14 (S)	88	%	38-114	1	01/29/18 15:00	01/31/18 21:40	1718-51-0	
8260 MSV		Analytical Method: EPA 5030B/8260						
Acetone	7.8J	ug/L	10.0	1		01/30/18 21:48	67-64-1	
Benzene	0.13J	ug/L	1.0	1		01/30/18 21:48	71-43-2	
Bromobenzene	<0.10	ug/L	1.0	1		01/30/18 21:48	108-86-1	
Bromochloromethane	<0.15	ug/L	1.0	1		01/30/18 21:48	74-97-5	
Bromodichloromethane	<0.19	ug/L	1.0	1		01/30/18 21:48	75-27-4	
Bromoform	<0.070	ug/L	1.0	1		01/30/18 21:48	75-25-2	
Bromomethane	<0.16	ug/L	5.0	1		01/30/18 21:48	74-83-9	
2-Butanone (MEK)	<0.59	ug/L	10.0	1		01/30/18 21:48	78-93-3	
n-Butylbenzene	<0.10	ug/L	1.0	1		01/30/18 21:48	104-51-8	
sec-Butylbenzene	<0.050	ug/L	1.0	1		01/30/18 21:48	135-98-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR DRAIN WATER		Lab ID: 60262831017	Collected: 01/26/18 10:00	Received: 01/26/18 10:25	Matrix: Water			
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260						
tert-Butylbenzene	<0.34	ug/L	1.0	1		01/30/18 21:48	98-06-6	
Carbon disulfide	<0.12	ug/L	5.0	1		01/30/18 21:48	75-15-0	
Carbon tetrachloride	<0.18	ug/L	1.0	1		01/30/18 21:48	56-23-5	
Chlorobenzene	<0.21	ug/L	1.0	1		01/30/18 21:48	108-90-7	
Chloroethane	<0.15	ug/L	1.0	1		01/30/18 21:48	75-00-3	
Chloroform	<0.14	ug/L	1.0	1		01/30/18 21:48	67-66-3	
Chloromethane	<0.080	ug/L	1.0	1		01/30/18 21:48	74-87-3	
2-Chlorotoluene	<0.12	ug/L	1.0	1		01/30/18 21:48	95-49-8	
4-Chlorotoluene	<0.14	ug/L	1.0	1		01/30/18 21:48	106-43-4	
1,2-Dibromo-3-chloropropane	<0.59	ug/L	2.5	1		01/30/18 21:48	96-12-8	
Dibromochloromethane	<0.21	ug/L	1.0	1		01/30/18 21:48	124-48-1	
1,2-Dibromoethane (EDB)	<0.17	ug/L	1.0	1		01/30/18 21:48	106-93-4	
Dibromomethane	<0.18	ug/L	1.0	1		01/30/18 21:48	74-95-3	
1,2-Dichlorobenzene	0.26J	ug/L	1.0	1		01/30/18 21:48	95-50-1	
1,3-Dichlorobenzene	<0.070	ug/L	1.0	1		01/30/18 21:48	541-73-1	
1,4-Dichlorobenzene	<0.060	ug/L	1.0	1		01/30/18 21:48	106-46-7	
Dichlorodifluoromethane	<0.21	ug/L	1.0	1		01/30/18 21:48	75-71-8	
1,1-Dichloroethane	<0.050	ug/L	1.0	1		01/30/18 21:48	75-34-3	
1,2-Dichloroethane	<0.12	ug/L	1.0	1		01/30/18 21:48	107-06-2	
1,2-Dichloroethene (Total)	<0.28	ug/L	1.0	1		01/30/18 21:48	540-59-0	
1,1-Dichloroethene	<0.20	ug/L	1.0	1		01/30/18 21:48	75-35-4	
cis-1,2-Dichloroethene	<0.080	ug/L	1.0	1		01/30/18 21:48	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/L	1.0	1		01/30/18 21:48	156-60-5	
1,2-Dichloropropane	<0.16	ug/L	1.0	1		01/30/18 21:48	78-87-5	
1,3-Dichloropropane	<0.17	ug/L	1.0	1		01/30/18 21:48	142-28-9	
2,2-Dichloropropane	<0.19	ug/L	1.0	1		01/30/18 21:48	594-20-7	
1,1-Dichloropropene	<0.090	ug/L	1.0	1		01/30/18 21:48	563-58-6	
cis-1,3-Dichloropropene	<0.14	ug/L	1.0	1		01/30/18 21:48	10061-01-5	
trans-1,3-Dichloropropene	<0.12	ug/L	1.0	1		01/30/18 21:48	10061-02-6	
Ethylbenzene	<0.18	ug/L	1.0	1		01/30/18 21:48	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	1		01/30/18 21:48	87-68-3	
2-Hexanone	<1.2	ug/L	10.0	1		01/30/18 21:48	591-78-6	
Isopropylbenzene (Cumene)	<0.070	ug/L	1.0	1		01/30/18 21:48	98-82-8	
p-Isopropyltoluene	<0.10	ug/L	1.0	1		01/30/18 21:48	99-87-6	
Methylene chloride	<0.15	ug/L	1.0	1		01/30/18 21:48	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.53J	ug/L	10.0	1		01/30/18 21:48	108-10-1	
Methyl-tert-butyl ether	<0.060	ug/L	1.0	1		01/30/18 21:48	1634-04-4	
Naphthalene	<0.50	ug/L	10.0	1		01/30/18 21:48	91-20-3	
n-Propylbenzene	<0.10	ug/L	1.0	1		01/30/18 21:48	103-65-1	
Styrene	<0.12	ug/L	1.0	1		01/30/18 21:48	100-42-5	
1,1,1,2-Tetrachloroethane	<0.15	ug/L	1.0	1		01/30/18 21:48	630-20-6	
1,1,2,2-Tetrachloroethane	<0.15	ug/L	1.0	1		01/30/18 21:48	79-34-5	
Tetrachloroethene	<0.10	ug/L	1.0	1		01/30/18 21:48	127-18-4	
Toluene	0.61J	ug/L	1.0	1		01/30/18 21:48	108-88-3	
1,2,3-Trichlorobenzene	<0.12	ug/L	1.0	1		01/30/18 21:48	87-61-6	
1,2,4-Trichlorobenzene	<0.10	ug/L	1.0	1		01/30/18 21:48	120-82-1	
1,1,1-Trichloroethane	<0.11	ug/L	1.0	1		01/30/18 21:48	71-55-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Sample: FLOOR DRAIN WATER		Lab ID: 60262831017	Collected: 01/26/18 10:00		Received: 01/26/18 10:25		Matrix: Water	
Parameters	Results	Units	PQL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260						
1,1,2-Trichloroethane	<0.20	ug/L	1.0	1		01/30/18 21:48	79-00-5	
Trichloroethene	<0.17	ug/L	1.0	1		01/30/18 21:48	79-01-6	
Trichlorofluoromethane	<0.34	ug/L	1.0	1		01/30/18 21:48	75-69-4	
1,2,3-Trichloropropane	<0.19	ug/L	2.5	1		01/30/18 21:48	96-18-4	
1,2,4-Trimethylbenzene	0.23J	ug/L	1.0	1		01/30/18 21:48	95-63-6	
1,3,5-Trimethylbenzene	<0.10	ug/L	1.0	1		01/30/18 21:48	108-67-8	
Vinyl chloride	<0.13	ug/L	1.0	1		01/30/18 21:48	75-01-4	
Xylene (Total)	<0.42	ug/L	3.0	1		01/30/18 21:48	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	103	%	80-119	1		01/30/18 21:48	460-00-4	
1,2-Dichloroethane-d4 (S)	96	%	80-117	1		01/30/18 21:48	17060-07-0	
Toluene-d8 (S)	100	%	80-115	1		01/30/18 21:48	2037-26-5	
Preservation pH	1.0		0.10	1		01/30/18 21:48		
8260 MSV GRO and Oxygenates		Analytical Method: EPA 8260						
TPH-GRO	<72.2	ug/L	500	1		02/07/18 19:56		
Surrogates								
Toluene-d8 (S)	99	%	80-115	1		02/07/18 19:56	2037-26-5	
4-Bromofluorobenzene (S)	99	%	80-119	1		02/07/18 19:56	460-00-4	
1,2-Dichloroethane-d4 (S)	104	%	87-117	1		02/07/18 19:56	17060-07-0	
4500H+ pH, Electrometric		Analytical Method: SM 4500-H+B						
pH at 25 Degrees C	8.0	Std. Units	0.10	1		02/02/18 11:55		H6
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2						
Nitrogen, NO2 plus NO3	6.2	mg/L	0.20	2		01/29/18 14:59		M1
9056 IC Anions		Analytical Method: EPA 9056						
Sulfate	96.0	mg/L	10.0	10		02/08/18 23:21	14808-79-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch:	513439	Analysis Method:	EPA 7470
QC Batch Method:	EPA 7470	Analysis Description:	7470 Mercury
Associated Lab Samples:	60262831008, 60262831009, 60262831010, 60262831011, 60262831012, 60262831013, 60262831017		

METHOD BLANK:	2101718	Matrix:	Water
Associated Lab Samples:	60262831008, 60262831009, 60262831010, 60262831011, 60262831012, 60262831013, 60262831017		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	<0.046	0.20	02/08/18 15:00	

LABORATORY CONTROL SAMPLE: 2101719

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	5	4.9	99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2101720 2101721

Parameter	Units	60263480001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	ug/L	ND	5	5	4.6	4.8	92	96	75-125	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch: 513471 Analysis Method: EPA 7470
QC Batch Method: EPA 7470 Analysis Description: 7470 Mercury ,Dissolved
Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831012, 60262831013, 60262831017

METHOD BLANK: 2101839 Matrix: Water
Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831012, 60262831013, 60262831017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury, Dissolved	ug/L	<0.046	0.20	02/09/18 10:41	

LABORATORY CONTROL SAMPLE: 2101840

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury, Dissolved	ug/L	5	4.6	91	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2101841 2101842

Parameter	Units	60262644016 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury, Dissolved	ug/L	<0.046	5	5	5.3	5.0	106	100	75-125	6	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch:	512704	Analysis Method:	EPA 7471
QC Batch Method:	EPA 7471	Analysis Description:	7471 Mercury
Associated Lab Samples:	60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016		

METHOD BLANK:	2098850	Matrix:	Solid
Associated Lab Samples:	60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/kg	<0.0066	0.050	02/02/18 14:10	

LABORATORY CONTROL SAMPLE: 2098851

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	.5	0.45	89	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2098852 2098853

Parameter	Units	60262797001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	ND	.52	.57	0.50	0.53	94	90	75-125	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

QC Project No.: 60262831

QC Batch:	512402	Analysis Method:	EPA 6010
QC Batch Method:	EPA 3050	Analysis Description:	6010 MET
Associated Lab Samples:	60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016		

METHOD BLANK: 2097801 Matrix: Solid
Associated Lab Samples: 60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/kg	<0.41	1.0	02/06/18 15:23	
Barium	mg/kg	<0.031	0.50	02/06/18 15:23	
Cadmium	mg/kg	<0.037	0.50	02/06/18 15:23	
Chromium	mg/kg	<0.10	0.50	02/06/18 15:23	
Lead	mg/kg	<0.21	0.50	02/06/18 15:23	
Selenium	mg/kg	<0.75	1.5	02/06/18 15:23	
Silver	mg/kg	<0.17	0.70	02/06/18 15:23	

LABORATORY CONTROL SAMPLE: 2097802

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	100	95.5	95	80-120	
Barium	mg/kg	100	101	101	80-120	
Cadmium	mg/kg	100	97.1	97	80-120	
Chromium	mg/kg	100	98.4	98	80-120	
Lead	mg/kg	100	100	100	80-120	
Selenium	mg/kg	100	95.2	95	80-120	
Silver	mg/kg	50	48.3	97	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2097803 2097804

Parameter	Units	60262738001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Arsenic	mg/kg	6.1	110	117	106	110	91	89	75-125	3	20	
Barium	mg/kg	231	110	117	344	337	102	91	75-125	2	20	
Cadmium	mg/kg	0.11J	110	117	103	108	93	92	75-125	4	20	
Chromium	mg/kg	16.5	110	117	126	130	100	97	75-125	3	20	
Lead	mg/kg	12.0	110	117	116	127	95	99	75-125	9	20	
Selenium	mg/kg	<0.84	110	117	99.0	103	90	89	75-125	4	20	
Silver	mg/kg	<0.19	55.1	58.3	52.6	54.6	95	94	75-125	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch: 513465 Analysis Method: EPA 6010
QC Batch Method: EPA 3010 Analysis Description: 6010 MET
Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831011, 60262831012, 60262831013, 60262831017

METHOD BLANK: 2101809 Matrix: Water
Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831011, 60262831012, 60262831013, 60262831017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	ug/L	<4.2	10.0	02/01/18 14:54	
Barium	ug/L	<0.91	5.0	02/01/18 14:54	
Cadmium	ug/L	<0.64	5.0	02/01/18 14:54	
Chromium	ug/L	<0.72	5.0	02/01/18 14:54	
Lead	ug/L	<2.4	5.0	02/01/18 14:54	
Selenium	ug/L	<3.4	15.0	02/01/18 14:54	
Silver	ug/L	<1.9	7.0	02/01/18 14:54	

LABORATORY CONTROL SAMPLE: 2101810

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	1000	954	95	80-120	
Barium	ug/L	1000	983	98	80-120	
Cadmium	ug/L	1000	972	97	80-120	
Chromium	ug/L	1000	1010	101	80-120	
Lead	ug/L	1000	989	99	80-120	
Selenium	ug/L	1000	995	100	80-120	
Silver	ug/L	500	510	102	80-120	

MATRIX SPIKE SAMPLE: 2101811

Parameter	Units	60262831017 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	11.1	1000	975	96	75-125	
Barium	ug/L	52.3	1000	1030	98	75-125	
Cadmium	ug/L	2.3J	1000	970	97	75-125	
Chromium	ug/L	10.6	1000	996	98	75-125	
Lead	ug/L	30.0	1000	984	95	75-125	
Selenium	ug/L	<3.4	1000	999	100	75-125	
Silver	ug/L	<1.9	500	503	101	75-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch: 513463 Analysis Method: EPA 6010
QC Batch Method: EPA 3010 Analysis Description: 6010 MET Dissolved
Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831012, 60262831013, 60262831017

METHOD BLANK: 2101805 Matrix: Water
Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831012, 60262831013, 60262831017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic, Dissolved	ug/L	<4.2	10.0	01/31/18 17:00	
Barium, Dissolved	ug/L	<0.91	5.0	01/31/18 17:00	
Cadmium, Dissolved	ug/L	<0.64	5.0	01/31/18 17:00	
Chromium, Dissolved	ug/L	<0.72	5.0	01/31/18 17:00	
Lead, Dissolved	ug/L	<2.4	5.0	01/31/18 17:00	
Selenium, Dissolved	ug/L	<3.4	15.0	01/31/18 17:00	
Silver, Dissolved	ug/L	<1.9	7.0	01/31/18 17:00	

LABORATORY CONTROL SAMPLE: 2101806

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic, Dissolved	ug/L	1000	956	96	80-120	
Barium, Dissolved	ug/L	1000	991	99	80-120	
Cadmium, Dissolved	ug/L	1000	988	99	80-120	
Chromium, Dissolved	ug/L	1000	1020	102	80-120	
Lead, Dissolved	ug/L	1000	1030	103	80-120	
Selenium, Dissolved	ug/L	1000	1010	101	80-120	
Silver, Dissolved	ug/L	500	494	99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2101807 2101808

Parameter	Units	60262644015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Arsenic, Dissolved	ug/L	<4.2	1000	1000	985	974	98	97	75-125	1	20	
Barium, Dissolved	ug/L	70.2	1000	1000	1050	1030	98	96	75-125	1	20	
Cadmium, Dissolved	ug/L	<0.64	1000	1000	988	976	99	98	75-125	1	20	
Chromium, Dissolved	ug/L	1.4J	1000	1000	996	986	99	98	75-125	1	20	
Lead, Dissolved	ug/L	<2.4	1000	1000	966	961	97	96	75-125	0	20	
Selenium, Dissolved	ug/L	4.5J	1000	1000	1020	1010	101	100	75-125	1	20	
Silver, Dissolved	ug/L	<1.9	500	500	493	487	99	97	75-125	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch:	512196	Analysis Method:	EPA 5035A/8260
QC Batch Method:	EPA 5035A/8260	Analysis Description:	8260 MSV GRO and Oxygenates
Associated Lab Samples:	60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831015		

METHOD BLANK:	2097223	Matrix:	Solid
Associated Lab Samples:	60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831015		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-GRO	mg/kg	<0.25	0.50	02/06/18 14:53	

LABORATORY CONTROL SAMPLE: 2097224

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	mg/kg	4	4.7	119	61-140	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch:	513194	Analysis Method:	EPA 5035A/8260
QC Batch Method:	EPA 5035A/8260	Analysis Description:	8260 MSV GRO and Oxygenates
Associated Lab Samples:	60262831007, 60262831016		

METHOD BLANK: 2100786 Matrix: Solid

Associated Lab Samples: 60262831007, 60262831016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-GRO	mg/kg	<0.25	0.50	02/07/18 12:19	
1,2-Dichloroethane-d4 (S)	%	102	80-123	02/07/18 12:19	
4-Bromofluorobenzene (S)	%	98	69-133	02/07/18 12:19	
Toluene-d8 (S)	%	99	78-122	02/07/18 12:19	

LABORATORY CONTROL SAMPLE: 2100787

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	mg/kg	4	4.5	113	61-140	
1,2-Dichloroethane-d4 (S)	%			96	80-123	
4-Bromofluorobenzene (S)	%			98	69-133	
Toluene-d8 (S)	%			103	78-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100788 2100789

Parameter	Units	60263335001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,2-Dichloroethane-d4 (S)	%						97	99	80-123			
4-Bromofluorobenzene (S)	%						92	95	69-133			
Toluene-d8 (S)	%						102	101	78-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Project No.: 60262831

QC Batch:	512379	Analysis Method:	EPA 5030B/8260
QC Batch Method:	EPA 5030B/8260	Analysis Description:	8260 MSV Water 10 mL Purge
Associated Lab Samples:	60262831008, 60262831009, 60262831010, 60262831011, 60262831012, 60262831013, 60262831014, 60262831017		

METHOD BLANK:	2097739	Matrix:	Water
Associated Lab Samples:	60262831008, 60262831009, 60262831010, 60262831011, 60262831012, 60262831013, 60262831014, 60262831017		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.15	1.0	01/30/18 18:33	
1,1,1-Trichloroethane	ug/L	<0.11	1.0	01/30/18 18:33	
1,1,2,2-Tetrachloroethane	ug/L	<0.15	1.0	01/30/18 18:33	
1,1,2-Trichloroethane	ug/L	<0.20	1.0	01/30/18 18:33	
1,1-Dichloroethane	ug/L	<0.050	1.0	01/30/18 18:33	
1,1-Dichloroethene	ug/L	<0.20	1.0	01/30/18 18:33	
1,1-Dichloropropene	ug/L	<0.090	1.0	01/30/18 18:33	
1,2,3-Trichlorobenzene	ug/L	0.33J	1.0	01/30/18 18:33	
1,2,3-Trichloropropane	ug/L	<0.19	2.5	01/30/18 18:33	
1,2,4-Trichlorobenzene	ug/L	0.16J	1.0	01/30/18 18:33	
1,2,4-Trimethylbenzene	ug/L	<0.090	1.0	01/30/18 18:33	
1,2-Dibromo-3-chloropropane	ug/L	<0.59	2.5	01/30/18 18:33	
1,2-Dibromoethane (EDB)	ug/L	<0.17	1.0	01/30/18 18:33	
1,2-Dichlorobenzene	ug/L	<0.050	1.0	01/30/18 18:33	
1,2-Dichloroethane	ug/L	<0.12	1.0	01/30/18 18:33	
1,2-Dichloroethene (Total)	ug/L	<0.28	1.0	01/30/18 18:33	
1,2-Dichloropropane	ug/L	<0.16	1.0	01/30/18 18:33	
1,3,5-Trimethylbenzene	ug/L	<0.10	1.0	01/30/18 18:33	
1,3-Dichlorobenzene	ug/L	<0.070	1.0	01/30/18 18:33	
1,3-Dichloropropane	ug/L	<0.17	1.0	01/30/18 18:33	
1,4-Dichlorobenzene	ug/L	0.11J	1.0	01/30/18 18:33	
2,2-Dichloropropane	ug/L	<0.19	1.0	01/30/18 18:33	
2-Butanone (MEK)	ug/L	<0.59	10.0	01/30/18 18:33	
2-Chlorotoluene	ug/L	<0.12	1.0	01/30/18 18:33	
2-Hexanone	ug/L	<1.2	10.0	01/30/18 18:33	
4-Chlorotoluene	ug/L	<0.14	1.0	01/30/18 18:33	
4-Methyl-2-pentanone (MIBK)	ug/L	<0.42	10.0	01/30/18 18:33	
Acetone	ug/L	<1.9	10.0	01/30/18 18:33	
Benzene	ug/L	<0.060	1.0	01/30/18 18:33	
Bromobenzene	ug/L	<0.10	1.0	01/30/18 18:33	
Bromochloromethane	ug/L	<0.15	1.0	01/30/18 18:33	
Bromodichloromethane	ug/L	<0.19	1.0	01/30/18 18:33	
Bromoform	ug/L	<0.070	1.0	01/30/18 18:33	
Bromomethane	ug/L	<0.16	5.0	01/30/18 18:33	
Carbon disulfide	ug/L	<0.12	5.0	01/30/18 18:33	
Carbon tetrachloride	ug/L	<0.18	1.0	01/30/18 18:33	
Chlorobenzene	ug/L	<0.21	1.0	01/30/18 18:33	
Chloroethane	ug/L	<0.15	1.0	01/30/18 18:33	
Chloroform	ug/L	<0.14	1.0	01/30/18 18:33	
Chloromethane	ug/L	<0.080	1.0	01/30/18 18:33	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

METHOD BLANK: 2097739

Matrix: Water

Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831011, 60262831012, 60262831013, 60262831014, 60262831017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ug/L	<0.080	1.0	01/30/18 18:33	
cis-1,3-Dichloropropene	ug/L	<0.14	1.0	01/30/18 18:33	
Dibromochloromethane	ug/L	<0.21	1.0	01/30/18 18:33	
Dibromomethane	ug/L	<0.18	1.0	01/30/18 18:33	
Dichlorodifluoromethane	ug/L	<0.21	1.0	01/30/18 18:33	
Ethylbenzene	ug/L	<0.18	1.0	01/30/18 18:33	
Hexachloro-1,3-butadiene	ug/L	0.34J	1.0	01/30/18 18:33	
Isopropylbenzene (Cumene)	ug/L	<0.070	1.0	01/30/18 18:33	
Methyl-tert-butyl ether	ug/L	<0.060	1.0	01/30/18 18:33	
Methylene chloride	ug/L	<0.15	1.0	01/30/18 18:33	
n-Butylbenzene	ug/L	<0.10	1.0	01/30/18 18:33	
n-Propylbenzene	ug/L	<0.10	1.0	01/30/18 18:33	
Naphthalene	ug/L	<0.50	10.0	01/30/18 18:33	
p-Isopropyltoluene	ug/L	<0.10	1.0	01/30/18 18:33	
sec-Butylbenzene	ug/L	<0.050	1.0	01/30/18 18:33	
Styrene	ug/L	<0.12	1.0	01/30/18 18:33	
tert-Butylbenzene	ug/L	<0.34	1.0	01/30/18 18:33	
Tetrachloroethene	ug/L	<0.10	1.0	01/30/18 18:33	
Toluene	ug/L	<0.17	1.0	01/30/18 18:33	
trans-1,2-Dichloroethene	ug/L	<0.20	1.0	01/30/18 18:33	
trans-1,3-Dichloropropene	ug/L	<0.12	1.0	01/30/18 18:33	
Trichloroethene	ug/L	<0.17	1.0	01/30/18 18:33	
Trichlorofluoromethane	ug/L	<0.34	1.0	01/30/18 18:33	
Vinyl chloride	ug/L	<0.13	1.0	01/30/18 18:33	
Xylene (Total)	ug/L	<0.42	3.0	01/30/18 18:33	
1,2-Dichloroethane-d4 (S)	%	94	80-117	01/30/18 18:33	
4-Bromofluorobenzene (S)	%	96	80-119	01/30/18 18:33	
Toluene-d8 (S)	%	98	80-115	01/30/18 18:33	

LABORATORY CONTROL SAMPLE: 2097740

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	22.1	111	86-115	
1,1,1-Trichloroethane	ug/L	20	21.2	106	87-122	
1,1,2,2-Tetrachloroethane	ug/L	20	20.2	101	74-121	
1,1,2-Trichloroethane	ug/L	20	21.6	108	83-119	
1,1-Dichloroethane	ug/L	20	22.1	111	85-128	
1,1-Dichloroethene	ug/L	20	22.9	114	85-123	
1,1-Dichloropropene	ug/L	20	21.0	105	87-124	
1,2,3-Trichlorobenzene	ug/L	20	21.8	109	74-122	
1,2,3-Trichloropropane	ug/L	20	19.9	100	76-125	
1,2,4-Trichlorobenzene	ug/L	20	21.6	108	80-120	
1,2,4-Trimethylbenzene	ug/L	20	20.3	101	83-121	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

LABORATORY CONTROL SAMPLE: 2097740

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dibromo-3-chloropropane	ug/L	20	18.1	90	64-132	
1,2-Dibromoethane (EDB)	ug/L	20	21.9	110	84-118	
1,2-Dichlorobenzene	ug/L	20	20.8	104	83-118	
1,2-Dichloroethane	ug/L	20	21.4	107	77-120	
1,2-Dichloroethene (Total)	ug/L	40	44.0	110	85-120	
1,2-Dichloropropane	ug/L	20	22.0	110	81-126	
1,3,5-Trimethylbenzene	ug/L	20	21.1	106	82-120	
1,3-Dichlorobenzene	ug/L	20	20.7	104	84-118	
1,3-Dichloropropane	ug/L	20	21.6	108	79-132	
1,4-Dichlorobenzene	ug/L	20	21.1	106	83-118	
2,2-Dichloropropane	ug/L	20	19.9	100	64-129	
2-Butanone (MEK)	ug/L	100	101	101	65-134	
2-Chlorotoluene	ug/L	20	21.0	105	85-115	
2-Hexanone	ug/L	100	110	110	68-132	
4-Chlorotoluene	ug/L	20	20.8	104	85-118	
4-Methyl-2-pentanone (MIBK)	ug/L	100	111	111	66-139	
Acetone	ug/L	100	106	106	62-142	
Benzene	ug/L	20	21.7	108	81-118	
Bromobenzene	ug/L	20	20.5	102	82-116	
Bromochloromethane	ug/L	20	21.5	108	82-129	
Bromodichloromethane	ug/L	20	21.1	105	85-123	
Bromoform	ug/L	20	21.0	105	83-123	
Bromomethane	ug/L	20	21.5	107	39-149	
Carbon disulfide	ug/L	20	22.6	113	85-124	
Carbon tetrachloride	ug/L	20	21.8	109	85-126	
Chlorobenzene	ug/L	20	21.6	108	87-118	
Chloroethane	ug/L	20	19.5	97	73-134	
Chloroform	ug/L	20	21.1	105	85-119	
Chloromethane	ug/L	20	23.7	118	20-174	
cis-1,2-Dichloroethene	ug/L	20	21.2	106	84-121	
cis-1,3-Dichloropropene	ug/L	20	22.8	114	80-124	
Dibromochloromethane	ug/L	20	22.3	111	83-122	
Dibromomethane	ug/L	20	22.0	110	82-125	
Dichlorodifluoromethane	ug/L	20	28.8	144	67-149	
Ethylbenzene	ug/L	20	21.2	106	80-118	
Hexachloro-1,3-butadiene	ug/L	20	20.9	104	75-117	
Isopropylbenzene (Cumene)	ug/L	20	21.8	109	89-120	
Methyl-tert-butyl ether	ug/L	20	22.4	112	82-119	
Methylene chloride	ug/L	20	20.1	100	81-126	
n-Butylbenzene	ug/L	20	21.7	109	80-116	
n-Propylbenzene	ug/L	20	21.1	105	83-119	
Naphthalene	ug/L	20	23.3	116	71-121	
p-Isopropyltoluene	ug/L	20	20.6	103	82-117	
sec-Butylbenzene	ug/L	20	22.5	112	81-113	
Styrene	ug/L	20	22.6	113	85-120	
tert-Butylbenzene	ug/L	20	21.2	106	85-116	
Tetrachloroethene	ug/L	20	21.7	108	87-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

LABORATORY CONTROL SAMPLE: 2097740

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	20	21.7	109	82-118	
trans-1,2-Dichloroethene	ug/L	20	22.8	114	83-121	
trans-1,3-Dichloropropene	ug/L	20	21.8	109	80-122	
Trichloroethene	ug/L	20	22.6	113	82-120	
Trichlorofluoromethane	ug/L	20	22.9	114	86-133	
Vinyl chloride	ug/L	20	27.0	135	74-147	
Xylene (Total)	ug/L	60	65.1	109	81-120	
1,2-Dichloroethane-d4 (S)	%			98	80-117	
4-Bromofluorobenzene (S)	%			100	80-119	
Toluene-d8 (S)	%			102	80-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch:	512870	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV MO GRO Oxygenates
Associated Lab Samples:	60262831008, 60262831009, 60262831010		

METHOD BLANK: 2099505 Matrix: Water

Associated Lab Samples: 60262831008, 60262831009, 60262831010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-GRO	ug/L	<72.2	500	02/02/18 12:53	
1,2-Dichloroethane-d4 (S)	%	103	87-117	02/02/18 12:53	
4-Bromofluorobenzene (S)	%	99	80-119	02/02/18 12:53	
Toluene-d8 (S)	%	100	80-115	02/02/18 12:53	

LABORATORY CONTROL SAMPLE: 2099506

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	ug/L	4000	4570	114	77-146	
1,2-Dichloroethane-d4 (S)	%			96	87-117	
4-Bromofluorobenzene (S)	%			101	80-119	
Toluene-d8 (S)	%			101	80-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch:	513300	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV MO GRO Oxygenates
Associated Lab Samples: 60262831011, 60262831012, 60262831013, 60262831017			

METHOD BLANK:	2101235	Matrix:	Water
Associated Lab Samples: 60262831011, 60262831012, 60262831013, 60262831017			

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-GRO	ug/L	<72.2	500	02/07/18 17:35	
1,2-Dichloroethane-d4 (S)	%	100	87-117	02/07/18 17:35	
4-Bromofluorobenzene (S)	%	101	80-119	02/07/18 17:35	
Toluene-d8 (S)	%	100	80-115	02/07/18 17:35	

LABORATORY CONTROL SAMPLE: 2101236

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-GRO	ug/L	4000	4590	115	77-146	
1,2-Dichloroethane-d4 (S)	%			101	87-117	
4-Bromofluorobenzene (S)	%			98	80-119	
Toluene-d8 (S)	%			99	80-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch: 513132 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV 5035A Volatile Organics
Associated Lab Samples: 60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831015

METHOD BLANK: 2100603 Matrix: Solid
Associated Lab Samples: 60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<2.5	5.0	02/06/18 12:34	
1,1,1-Trichloroethane	ug/kg	<2.5	5.0	02/06/18 12:34	
1,1,2,2-Tetrachloroethane	ug/kg	<2.5	5.0	02/06/18 12:34	
1,1,2-Trichloroethane	ug/kg	<2.5	5.0	02/06/18 12:34	
1,1-Dichloroethane	ug/kg	<2.5	5.0	02/06/18 12:34	
1,1-Dichloroethene	ug/kg	<2.5	5.0	02/06/18 12:34	
1,1-Dichloropropene	ug/kg	<2.5	5.0	02/06/18 12:34	
1,2,3-Trichlorobenzene	ug/kg	<2.5	5.0	02/06/18 12:34	
1,2,3-Trichloropropane	ug/kg	<2.5	5.0	02/06/18 12:34	
1,2,4-Trichlorobenzene	ug/kg	<2.5	5.0	02/06/18 12:34	
1,2,4-Trimethylbenzene	ug/kg	<2.5	5.0	02/06/18 12:34	
1,2-Dibromo-3-chloropropane	ug/kg	<5.0	10.0	02/06/18 12:34	
1,2-Dibromoethane (EDB)	ug/kg	<2.5	5.0	02/06/18 12:34	
1,2-Dichlorobenzene	ug/kg	<2.5	5.0	02/06/18 12:34	
1,2-Dichloroethane	ug/kg	<2.5	5.0	02/06/18 12:34	
1,2-Dichloroethene (Total)	ug/kg	<2.5	5.0	02/06/18 12:34	
1,2-Dichloropropane	ug/kg	<2.5	5.0	02/06/18 12:34	
1,3,5-Trimethylbenzene	ug/kg	<2.5	5.0	02/06/18 12:34	
1,3-Dichlorobenzene	ug/kg	<2.5	5.0	02/06/18 12:34	
1,3-Dichloropropane	ug/kg	<2.5	5.0	02/06/18 12:34	
1,4-Dichlorobenzene	ug/kg	<2.5	5.0	02/06/18 12:34	
2,2-Dichloropropane	ug/kg	<2.5	5.0	02/06/18 12:34	
2-Butanone (MEK)	ug/kg	<5.0	10.0	02/06/18 12:34	
2-Chlorotoluene	ug/kg	<2.5	5.0	02/06/18 12:34	
2-Hexanone	ug/kg	<10.0	20.0	02/06/18 12:34	
4-Chlorotoluene	ug/kg	<2.5	5.0	02/06/18 12:34	
4-Methyl-2-pentanone (MIBK)	ug/kg	<5.0	10.0	02/06/18 12:34	
Acetone	ug/kg	<10.0	20.0	02/06/18 12:34	
Benzene	ug/kg	<2.5	5.0	02/06/18 12:34	
Bromobenzene	ug/kg	<2.5	5.0	02/06/18 12:34	
Bromochloromethane	ug/kg	<2.5	5.0	02/06/18 12:34	
Bromodichloromethane	ug/kg	<2.5	5.0	02/06/18 12:34	
Bromoform	ug/kg	<2.5	5.0	02/06/18 12:34	
Bromomethane	ug/kg	<2.5	5.0	02/06/18 12:34	
Carbon disulfide	ug/kg	<2.5	5.0	02/06/18 12:34	
Carbon tetrachloride	ug/kg	<2.5	5.0	02/06/18 12:34	
Chlorobenzene	ug/kg	<2.5	5.0	02/06/18 12:34	
Chloroethane	ug/kg	<2.5	5.0	02/06/18 12:34	
Chloroform	ug/kg	<2.5	5.0	02/06/18 12:34	
Chloromethane	ug/kg	<2.5	5.0	02/06/18 12:34	
cis-1,2-Dichloroethene	ug/kg	<2.5	5.0	02/06/18 12:34	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

METHOD BLANK: 2100603

Matrix: Solid

Associated Lab Samples: 60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,3-Dichloropropene	ug/kg	<2.5	5.0	02/06/18 12:34	
Dibromochloromethane	ug/kg	<2.5	5.0	02/06/18 12:34	
Dibromomethane	ug/kg	<2.5	5.0	02/06/18 12:34	
Dichlorodifluoromethane	ug/kg	<2.5	5.0	02/06/18 12:34	
Ethylbenzene	ug/kg	<2.5	5.0	02/06/18 12:34	
Hexachloro-1,3-butadiene	ug/kg	<2.5	5.0	02/06/18 12:34	
Isopropylbenzene (Cumene)	ug/kg	<2.5	5.0	02/06/18 12:34	
Methyl-tert-butyl ether	ug/kg	<2.5	5.0	02/06/18 12:34	
Methylene chloride	ug/kg	2.6J	5.0	02/06/18 12:34	
n-Butylbenzene	ug/kg	<2.5	5.0	02/06/18 12:34	
n-Propylbenzene	ug/kg	<2.5	5.0	02/06/18 12:34	
Naphthalene	ug/kg	<5.0	10.0	02/06/18 12:34	
p-Isopropyltoluene	ug/kg	<2.5	5.0	02/06/18 12:34	
sec-Butylbenzene	ug/kg	<2.5	5.0	02/06/18 12:34	
Styrene	ug/kg	<2.5	5.0	02/06/18 12:34	
tert-Butylbenzene	ug/kg	<2.5	5.0	02/06/18 12:34	
Tetrachloroethene	ug/kg	<2.5	5.0	02/06/18 12:34	
Toluene	ug/kg	<2.5	5.0	02/06/18 12:34	
trans-1,2-Dichloroethene	ug/kg	<2.5	5.0	02/06/18 12:34	
trans-1,3-Dichloropropene	ug/kg	<2.5	5.0	02/06/18 12:34	
Trichloroethene	ug/kg	<2.5	5.0	02/06/18 12:34	
Trichlorofluoromethane	ug/kg	<2.5	5.0	02/06/18 12:34	
Vinyl chloride	ug/kg	<2.5	5.0	02/06/18 12:34	
Xylene (Total)	ug/kg	<2.5	5.0	02/06/18 12:34	
1,2-Dichloroethane-d4 (S)	%	103	80-123	02/06/18 12:34	
4-Bromofluorobenzene (S)	%	102	69-133	02/06/18 12:34	
Toluene-d8 (S)	%	101	78-122	02/06/18 12:34	

LABORATORY CONTROL SAMPLE: 2100604

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	100	102	102	79-131	
1,1,1-Trichloroethane	ug/kg	100	102	102	75-138	
1,1,2,2-Tetrachloroethane	ug/kg	100	96.1	96	71-127	
1,1,2-Trichloroethane	ug/kg	100	99.7	100	77-118	
1,1-Dichloroethane	ug/kg	100	91.3	91	79-127	
1,1-Dichloroethene	ug/kg	100	89.7	90	66-135	
1,1-Dichloropropene	ug/kg	100	107	107	69-143	
1,2,3-Trichlorobenzene	ug/kg	100	99.1	99	78-122	
1,2,3-Trichloropropane	ug/kg	100	97.2	97	74-119	
1,2,4-Trichlorobenzene	ug/kg	100	98.9	99	71-129	
1,2,4-Trimethylbenzene	ug/kg	100	99.0	99	73-130	
1,2-Dibromo-3-chloropropane	ug/kg	100	112	112	72-139	
1,2-Dibromoethane (EDB)	ug/kg	100	90.0	90	81-121	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

LABORATORY CONTROL SAMPLE: 2100604

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/kg	100	100	100	74-123	
1,2-Dichloroethane	ug/kg	100	88.3	88	77-117	
1,2-Dichloroethene (Total)	ug/kg	200	204	102	77-127	
1,2-Dichloropropane	ug/kg	100	95.4	95	70-126	
1,3,5-Trimethylbenzene	ug/kg	100	101	101	74-131	
1,3-Dichlorobenzene	ug/kg	100	98.4	98	75-124	
1,3-Dichloropropane	ug/kg	100	91.2	91	80-121	
1,4-Dichlorobenzene	ug/kg	100	97.6	98	74-125	
2,2-Dichloropropane	ug/kg	100	106	106	70-146	
2-Butanone (MEK)	ug/kg	500	467	93	66-121	
2-Chlorotoluene	ug/kg	100	102	102	75-127	
2-Hexanone	ug/kg	500	495	99	67-124	
4-Chlorotoluene	ug/kg	100	100	100	70-130	
4-Methyl-2-pentanone (MIBK)	ug/kg	500	485	97	70-120	
Acetone	ug/kg	500	519	104	60-134	
Benzene	ug/kg	100	99.8	100	77-122	
Bromobenzene	ug/kg	100	100	100	79-121	
Bromochloromethane	ug/kg	100	94.9	95	74-123	
Bromodichloromethane	ug/kg	100	102	102	80-133	
Bromoform	ug/kg	100	106	106	76-150	
Bromomethane	ug/kg	100	84.7	85	24-174	
Carbon disulfide	ug/kg	100	89.0	89	59-145	
Carbon tetrachloride	ug/kg	100	108	108	73-150	
Chlorobenzene	ug/kg	100	99.0	99	76-123	
Chloroethane	ug/kg	100	71.7	72	34-164	
Chloroform	ug/kg	100	93.1	93	80-122	
Chloromethane	ug/kg	100	81.3	81	10-170	
cis-1,2-Dichloroethene	ug/kg	100	95.2	95	81-121	
cis-1,3-Dichloropropene	ug/kg	100	102	102	71-137	
Dibromochloromethane	ug/kg	100	100	100	78-137	
Dibromomethane	ug/kg	100	95.6	96	82-119	
Dichlorodifluoromethane	ug/kg	100	115	115	10-186	
Ethylbenzene	ug/kg	100	101	101	74-126	
Hexachloro-1,3-butadiene	ug/kg	100	106	106	68-146	
Isopropylbenzene (Cumene)	ug/kg	100	106	106	75-133	
Methyl-tert-butyl ether	ug/kg	100	96.1	96	74-120	
Methylene chloride	ug/kg	100	91.9	92	64-138	
n-Butylbenzene	ug/kg	100	107	107	70-140	
n-Propylbenzene	ug/kg	100	104	104	72-134	
Naphthalene	ug/kg	100	101	101	73-117	
p-Isopropyltoluene	ug/kg	100	101	101	72-135	
sec-Butylbenzene	ug/kg	100	111	111	72-132	
Styrene	ug/kg	100	108	108	77-127	
tert-Butylbenzene	ug/kg	100	105	105	74-133	
Tetrachloroethene	ug/kg	100	103	103	75-135	
Toluene	ug/kg	100	101	101	73-122	
trans-1,2-Dichloroethene	ug/kg	100	109	109	71-134	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

LABORATORY CONTROL SAMPLE: 2100604

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
trans-1,3-Dichloropropene	ug/kg	100	99.6	100	72-142	
Trichloroethene	ug/kg	100	105	105	73-127	
Trichlorofluoromethane	ug/kg	100	95.9	96	55-155	
Vinyl chloride	ug/kg	100	98.8	99	36-162	
Xylene (Total)	ug/kg	300	306	102	75-123	
1,2-Dichloroethane-d4 (S)	%			99	80-123	
4-Bromofluorobenzene (S)	%			101	69-133	
Toluene-d8 (S)	%			101	78-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100605 2100606

Parameter	Units	60263077004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/kg	ND	114	114	94.5	96.5	83	84	33-130	2	34
1,1,1-Trichloroethane	ug/kg	ND	114	114	93.0	96.1	82	84	45-129	3	45
1,1,2,2-Tetrachloroethane	ug/kg	ND	114	114	84.7	90.5	75	79	5-157	7	41
1,1,2-Trichloroethane	ug/kg	ND	114	114	100	102	88	89	28-133	1	32
1,1-Dichloroethane	ug/kg	ND	114	114	81.9	88.1	72	77	43-126	7	32
1,1-Dichloroethene	ug/kg	ND	114	114	84.2	82.1	74	72	33-132	2	38
1,1-Dichloropropene	ug/kg	ND	114	114	91.1	97.6	80	85	36-132	7	36
1,2,3-Trichlorobenzene	ug/kg	ND	114	114	59.6	62.5	52	55	10-135	5	45
1,2,3-Trichloropropane	ug/kg	ND	114	114	92.9	92.0	82	80	15-153	1	35
1,2,4-Trichlorobenzene	ug/kg	ND	114	114	59.2	65.5	52	57	10-135	10	43
1,2,4-Trimethylbenzene	ug/kg	ND	114	114	76.7	81.1	68	71	15-129	6	41
1,2-Dibromo-3-chloropropane	ug/kg	ND	114	114	87.8	93.6	77	82	10-155	6	38
1,2-Dibromoethane (EDB)	ug/kg	ND	114	114	93.8	92.6	83	81	38-128	1	32
1,2-Dichlorobenzene	ug/kg	ND	114	114	72.2	78.3	64	68	12-132	8	38
1,2-Dichloroethane	ug/kg	ND	114	114	87.8	92.0	77	80	45-117	5	29
1,2-Dichloroethene (Total)	ug/kg	ND	227	229	173	262	75	114	37-127	41	33 R1
1,2-Dichloropropane	ug/kg	ND	114	114	90.6	96.4	80	84	46-116	6	31
1,3,5-Trimethylbenzene	ug/kg	ND	114	114	76.8	83.8	68	73	19-130	9	38
1,3-Dichlorobenzene	ug/kg	ND	114	114	72.4	75.9	64	66	14-130	5	39
1,3-Dichloropropane	ug/kg	ND	114	114	92.9	95.1	82	83	38-124	2	31
1,4-Dichlorobenzene	ug/kg	ND	114	114	70.7	75.4	62	66	12-130	6	39
2,2-Dichloropropane	ug/kg	ND	114	114	89.9	96.5	79	84	37-135	7	33
2-Butanone (MEK)	ug/kg	ND	568	572	477	475	84	83	32-130	0	33
2-Chlorotoluene	ug/kg	ND	114	114	79.5	86.0	70	75	18-133	8	38
2-Hexanone	ug/kg	ND	568	572	498	508	88	89	31-131	2	32
4-Chlorotoluene	ug/kg	ND	114	114	77.1	82.0	68	72	24-128	6	39
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	568	572	487	497	86	87	38-129	2	30
Acetone	ug/kg	ND	568	572	587	541	102	93	25-143	8	39
Benzene	ug/kg	ND	114	114	90.4	94.2	80	82	51-124	4	28
Bromobenzene	ug/kg	ND	114	114	81.0	87.9	71	77	21-130	8	39
Bromochloromethane	ug/kg	ND	114	114	90.2	90.5	79	79	40-124	0	29

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100605 2100606											
Parameter	Units	60263077004		MS		MSD		MS		MSD	
		Result	Conc.	Spike	Conc.	Result	Conc.	% Rec	% Rec	Limits	Max
										RPD	RPD
											Qual
Bromodichloromethane	ug/kg	ND	114	114	94.6	99.6	83	87	37-130	5	30
Bromoform	ug/kg	ND	114	114	94.4	97.8	83	85	25-142	4	37
Bromomethane	ug/kg	ND	114	114	74.7	83.5	66	73	10-158	11	47
Carbon disulfide	ug/kg	ND	114	114	79.9	78.5	70	69	26-133	2	41
Carbon tetrachloride	ug/kg	ND	114	114	92.8	96.5	82	84	40-136	4	35
Chlorobenzene	ug/kg	ND	114	114	85.3	91.5	75	80	25-133	7	36
Chloroethane	ug/kg	ND	114	114	69.7	68.2	61	60	10-160	2	42
Chloroform	ug/kg	ND	114	114	91.0	93.1	80	81	47-119	2	31
Chloromethane	ug/kg	ND	114	114	77.2	76.6	68	67	10-143	1	38
cis-1,2-Dichloroethene	ug/kg	ND	114	114	87.0	92.7	76	80	45-125	6	32
cis-1,3-Dichloropropene	ug/kg	ND	114	114	93.7	98.0	83	86	43-125	4	36
Dibromochloromethane	ug/kg	ND	114	114	94.6	100	83	87	46-129	6	34
Dibromomethane	ug/kg	ND	114	114	93.0	95.4	82	83	38-124	3	30
Dichlorodifluoromethane	ug/kg	ND	114	114	92.7	109	82	96	10-156	17	40
Ethylbenzene	ug/kg	ND	114	114	88.8	96.5	78	84	38-131	8	32
Hexachloro-1,3-butadiene	ug/kg	ND	114	114	58.6	62.9	52	55	10-134	7	44
Isopropylbenzene (Cumene)	ug/kg	ND	114	114	88.2	93.1	78	81	26-129	5	37
Methyl-tert-butyl ether	ug/kg	ND	114	114	86.0	155	76	135	49-120	57	41 M1,R1
Methylene chloride	ug/kg	ND	114	114	92.0	87.0	78	73	37-123	6	36
n-Butylbenzene	ug/kg	ND	114	114	71.5	78.3	63	68	10-132	9	39
n-Propylbenzene	ug/kg	ND	114	114	82.2	87.9	72	77	26-130	7	38
Naphthalene	ug/kg	ND	114	114	68.7	72.6	60	63	10-144	6	41
p-Isopropyltoluene	ug/kg	ND	114	114	74.4	79.6	66	69	14-130	7	39
sec-Butylbenzene	ug/kg	ND	114	114	81.5	86.7	72	76	15-131	6	38
Styrene	ug/kg	ND	114	114	87.8	94.9	77	83	29-128	8	38
tert-Butylbenzene	ug/kg	ND	114	114	82.0	86.7	72	76	26-133	6	39
Tetrachloroethene	ug/kg	ND	114	114	93.1	96.8	82	85	31-132	4	38
Toluene	ug/kg	ND	114	114	93.1	98.8	82	86	40-129	6	30
trans-1,2-Dichloroethene	ug/kg	ND	114	114	85.5	169	75	148	40-126	66	36 M1,R1
trans-1,3-Dichloropropene	ug/kg	ND	114	114	92.9	97.9	82	85	30-131	5	39
Trichloroethene	ug/kg	ND	114	114	95.6	101	84	88	34-129	5	35
Trichlorofluoromethane	ug/kg	ND	114	114	89.7	87.3	79	76	30-139	3	40
Vinyl chloride	ug/kg	ND	114	114	94.1	92.1	83	80	17-139	2	42
Xylene (Total)	ug/kg	ND	341	343	264	282	77	82	32-133	7	43
1,2-Dichloroethane-d4 (S)	%							103	101	80-123	
4-Bromofluorobenzene (S)	%							96	95	69-133	
Toluene-d8 (S)	%							100	101	78-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch: 513197

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV 5035A Volatile Organics

Associated Lab Samples: 60262831007, 60262831016

METHOD BLANK: 2100802

Matrix: Solid

Associated Lab Samples: 60262831007, 60262831016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<2.5	5.0	02/07/18 12:19	
1,1,1-Trichloroethane	ug/kg	<2.5	5.0	02/07/18 12:19	
1,1,2,2-Tetrachloroethane	ug/kg	<2.5	5.0	02/07/18 12:19	
1,1,2-Trichloroethane	ug/kg	<2.5	5.0	02/07/18 12:19	
1,1-Dichloroethane	ug/kg	<2.5	5.0	02/07/18 12:19	
1,1-Dichloroethene	ug/kg	<2.5	5.0	02/07/18 12:19	
1,1-Dichloropropene	ug/kg	<2.5	5.0	02/07/18 12:19	
1,2,3-Trichlorobenzene	ug/kg	<2.5	5.0	02/07/18 12:19	
1,2,3-Trichloropropane	ug/kg	<2.5	5.0	02/07/18 12:19	
1,2,4-Trichlorobenzene	ug/kg	<2.5	5.0	02/07/18 12:19	
1,2,4-Trimethylbenzene	ug/kg	<2.5	5.0	02/07/18 12:19	
1,2-Dibromo-3-chloropropane	ug/kg	<5.0	10.0	02/07/18 12:19	
1,2-Dibromoethane (EDB)	ug/kg	<2.5	5.0	02/07/18 12:19	
1,2-Dichlorobenzene	ug/kg	<2.5	5.0	02/07/18 12:19	
1,2-Dichloroethane	ug/kg	<2.5	5.0	02/07/18 12:19	
1,2-Dichloroethene (Total)	ug/kg	<2.5	5.0	02/07/18 12:19	
1,2-Dichloropropane	ug/kg	<2.5	5.0	02/07/18 12:19	
1,3,5-Trimethylbenzene	ug/kg	<2.5	5.0	02/07/18 12:19	
1,3-Dichlorobenzene	ug/kg	<2.5	5.0	02/07/18 12:19	
1,3-Dichloropropane	ug/kg	<2.5	5.0	02/07/18 12:19	
1,4-Dichlorobenzene	ug/kg	<2.5	5.0	02/07/18 12:19	
2,2-Dichloropropane	ug/kg	<2.5	5.0	02/07/18 12:19	
2-Butanone (MEK)	ug/kg	<5.0	10.0	02/07/18 12:19	
2-Chlorotoluene	ug/kg	<2.5	5.0	02/07/18 12:19	
2-Hexanone	ug/kg	<10.0	20.0	02/07/18 12:19	
4-Chlorotoluene	ug/kg	<2.5	5.0	02/07/18 12:19	
4-Methyl-2-pentanone (MIBK)	ug/kg	<5.0	10.0	02/07/18 12:19	
Acetone	ug/kg	<10.0	20.0	02/07/18 12:19	
Benzene	ug/kg	<2.5	5.0	02/07/18 12:19	
Bromobenzene	ug/kg	<2.5	5.0	02/07/18 12:19	
Bromochloromethane	ug/kg	<2.5	5.0	02/07/18 12:19	
Bromodichloromethane	ug/kg	<2.5	5.0	02/07/18 12:19	
Bromoform	ug/kg	<2.5	5.0	02/07/18 12:19	
Bromomethane	ug/kg	<2.5	5.0	02/07/18 12:19	
Carbon disulfide	ug/kg	<2.5	5.0	02/07/18 12:19	
Carbon tetrachloride	ug/kg	<2.5	5.0	02/07/18 12:19	
Chlorobenzene	ug/kg	<2.5	5.0	02/07/18 12:19	
Chloroethane	ug/kg	<2.5	5.0	02/07/18 12:19	
Chloroform	ug/kg	<2.5	5.0	02/07/18 12:19	
Chloromethane	ug/kg	<2.5	5.0	02/07/18 12:19	
cis-1,2-Dichloroethene	ug/kg	<2.5	5.0	02/07/18 12:19	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

METHOD BLANK: 2100802

Matrix: Solid

Associated Lab Samples: 60262831007, 60262831016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,3-Dichloropropene	ug/kg	<2.5	5.0	02/07/18 12:19	
Dibromochloromethane	ug/kg	<2.5	5.0	02/07/18 12:19	
Dibromomethane	ug/kg	<2.5	5.0	02/07/18 12:19	
Dichlorodifluoromethane	ug/kg	<2.5	5.0	02/07/18 12:19	
Ethylbenzene	ug/kg	<2.5	5.0	02/07/18 12:19	
Hexachloro-1,3-butadiene	ug/kg	<2.5	5.0	02/07/18 12:19	
Isopropylbenzene (Cumene)	ug/kg	<2.5	5.0	02/07/18 12:19	
Methyl-tert-butyl ether	ug/kg	<2.5	5.0	02/07/18 12:19	
Methylene chloride	ug/kg	2.8J	5.0	02/07/18 12:19	
n-Butylbenzene	ug/kg	<2.5	5.0	02/07/18 12:19	
n-Propylbenzene	ug/kg	<2.5	5.0	02/07/18 12:19	
Naphthalene	ug/kg	<5.0	10.0	02/07/18 12:19	
p-Isopropyltoluene	ug/kg	<2.5	5.0	02/07/18 12:19	
sec-Butylbenzene	ug/kg	<2.5	5.0	02/07/18 12:19	
Styrene	ug/kg	<2.5	5.0	02/07/18 12:19	
tert-Butylbenzene	ug/kg	<2.5	5.0	02/07/18 12:19	
Tetrachloroethene	ug/kg	<2.5	5.0	02/07/18 12:19	
Toluene	ug/kg	<2.5	5.0	02/07/18 12:19	
trans-1,2-Dichloroethene	ug/kg	<2.5	5.0	02/07/18 12:19	
trans-1,3-Dichloropropene	ug/kg	<2.5	5.0	02/07/18 12:19	
Trichloroethene	ug/kg	<2.5	5.0	02/07/18 12:19	
Trichlorofluoromethane	ug/kg	<2.5	5.0	02/07/18 12:19	
Vinyl chloride	ug/kg	<2.5	5.0	02/07/18 12:19	
Xylene (Total)	ug/kg	<2.5	5.0	02/07/18 12:19	
1,2-Dichloroethane-d4 (S)	%	102	80-123	02/07/18 12:19	
4-Bromofluorobenzene (S)	%	98	69-133	02/07/18 12:19	
Toluene-d8 (S)	%	99	78-122	02/07/18 12:19	

LABORATORY CONTROL SAMPLE: 2100803

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	100	114	114	79-131	
1,1,1-Trichloroethane	ug/kg	100	109	109	75-138	
1,1,2,2-Tetrachloroethane	ug/kg	100	106	106	71-127	
1,1,2-Trichloroethane	ug/kg	100	112	112	77-118	
1,1-Dichloroethane	ug/kg	100	99.5	99	79-127	
1,1-Dichloroethene	ug/kg	100	108	108	66-135	
1,1-Dichloropropene	ug/kg	100	110	110	69-143	
1,2,3-Trichlorobenzene	ug/kg	100	112	112	78-122	
1,2,3-Trichloropropane	ug/kg	100	104	104	74-119	
1,2,4-Trichlorobenzene	ug/kg	100	110	110	71-129	
1,2,4-Trimethylbenzene	ug/kg	100	110	110	73-130	
1,2-Dibromo-3-chloropropane	ug/kg	100	107	107	72-139	
1,2-Dibromoethane (EDB)	ug/kg	100	99.1	99	81-121	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

LABORATORY CONTROL SAMPLE: 2100803

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/kg	100	110	110	74-123	
1,2-Dichloroethane	ug/kg	100	94.5	95	77-117	
1,2-Dichloroethene (Total)	ug/kg	200	204	102	77-127	
1,2-Dichloropropane	ug/kg	100	103	103	70-126	
1,3,5-Trimethylbenzene	ug/kg	100	111	111	74-131	
1,3-Dichlorobenzene	ug/kg	100	108	108	75-124	
1,3-Dichloropropane	ug/kg	100	101	101	80-121	
1,4-Dichlorobenzene	ug/kg	100	107	107	74-125	
2,2-Dichloropropane	ug/kg	100	112	112	70-146	
2-Butanone (MEK)	ug/kg	500	468	94	66-121	
2-Chlorotoluene	ug/kg	100	110	110	75-127	
2-Hexanone	ug/kg	500	546	109	67-124	
4-Chlorotoluene	ug/kg	100	111	111	70-130	
4-Methyl-2-pentanone (MIBK)	ug/kg	500	504	101	70-120	
Acetone	ug/kg	500	587	117	60-134	
Benzene	ug/kg	100	108	108	77-122	
Bromobenzene	ug/kg	100	112	112	79-121	
Bromochloromethane	ug/kg	100	101	101	74-123	
Bromodichloromethane	ug/kg	100	111	111	80-133	
Bromoform	ug/kg	100	117	117	76-150	
Bromomethane	ug/kg	100	92.1	92	24-174	
Carbon disulfide	ug/kg	100	106	106	59-145	
Carbon tetrachloride	ug/kg	100	112	112	73-150	
Chlorobenzene	ug/kg	100	110	110	76-123	
Chloroethane	ug/kg	100	86.5	86	34-164	
Chloroform	ug/kg	100	101	101	80-122	
Chloromethane	ug/kg	100	93.4	93	10-170	
cis-1,2-Dichloroethene	ug/kg	100	102	102	81-121	
cis-1,3-Dichloropropene	ug/kg	100	110	110	71-137	
Dibromochloromethane	ug/kg	100	114	114	78-137	
Dibromomethane	ug/kg	100	100	100	82-119	
Dichlorodifluoromethane	ug/kg	100	121	121	10-186	
Ethylbenzene	ug/kg	100	113	113	74-126	
Hexachloro-1,3-butadiene	ug/kg	100	116	116	68-146	
Isopropylbenzene (Cumene)	ug/kg	100	118	118	75-133	
Methyl-tert-butyl ether	ug/kg	100	96.8	97	74-120	
Methylene chloride	ug/kg	100	93.2	93	64-138	
n-Butylbenzene	ug/kg	100	118	118	70-140	
n-Propylbenzene	ug/kg	100	112	112	72-134	
Naphthalene	ug/kg	100	110	110	73-117	
p-Isopropyltoluene	ug/kg	100	111	111	72-135	
sec-Butylbenzene	ug/kg	100	121	121	72-132	
Styrene	ug/kg	100	121	121	77-127	
tert-Butylbenzene	ug/kg	100	116	116	74-133	
Tetrachloroethene	ug/kg	100	114	114	75-135	
Toluene	ug/kg	100	113	113	73-122	
trans-1,2-Dichloroethene	ug/kg	100	102	102	71-134	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

LABORATORY CONTROL SAMPLE: 2100803

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
trans-1,3-Dichloropropene	ug/kg	100	111	111	72-142	
Trichloroethene	ug/kg	100	113	113	73-127	
Trichlorofluoromethane	ug/kg	100	121	121	55-155	
Vinyl chloride	ug/kg	100	117	117	36-162	
Xylene (Total)	ug/kg	300	344	115	75-123	
1,2-Dichloroethane-d4 (S)	%			96	80-123	
4-Bromofluorobenzene (S)	%			98	69-133	
Toluene-d8 (S)	%			103	78-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100804 2100805

Parameter	Units	60262797001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/kg	ND	120	119	106	110	89	92	33-130	3	34
1,1,1-Trichloroethane	ug/kg	ND	120	119	109	115	91	97	45-129	6	45
1,1,2,2-Tetrachloroethane	ug/kg	ND	120	119	92.9	99.0	78	83	5-157	6	41
1,1,2-Trichloroethane	ug/kg	ND	120	119	106	113	88	95	28-133	7	32
1,1-Dichloroethane	ug/kg	ND	120	119	97.5	109	81	92	43-126	12	32
1,1-Dichloroethene	ug/kg	ND	120	119	107	104	89	87	33-132	2	38
1,1-Dichloropropene	ug/kg	ND	120	119	107	109	89	92	36-132	2	36
1,2,3-Trichlorobenzene	ug/kg	ND	120	119	76.3	68.9	64	58	10-135	10	45
1,2,3-Trichloropropane	ug/kg	ND	120	119	95.9	108	80	90	15-153	11	35
1,2,4-Trichlorobenzene	ug/kg	ND	120	119	77.6	72.8	65	61	10-135	6	43
1,2,4-Trimethylbenzene	ug/kg	ND	120	119	93.6	93.7	77	77	15-129	0	41
1,2-Dibromo-3-chloropropane	ug/kg	ND	120	119	95.8	102	80	86	10-155	7	38
1,2-Dibromoethane (EDB)	ug/kg	ND	120	119	96.9	103	81	86	38-128	6	32
1,2-Dichlorobenzene	ug/kg	ND	120	119	90.8	88.7	76	74	12-132	2	38
1,2-Dichloroethane	ug/kg	ND	120	119	96.1	102	80	86	45-117	6	29
1,2-Dichloroethene (Total)	ug/kg	ND	239	238	202	229	84	96	37-127	13	33
1,2-Dichloropropane	ug/kg	ND	120	119	93.6	104	78	87	46-116	11	31
1,3,5-Trimethylbenzene	ug/kg	ND	120	119	95.4	96.1	80	81	19-130	1	38
1,3-Dichlorobenzene	ug/kg	ND	120	119	89.4	88.2	75	74	14-130	1	39
1,3-Dichloropropane	ug/kg	ND	120	119	96.1	104	80	87	38-124	8	31
1,4-Dichlorobenzene	ug/kg	ND	120	119	87.2	86.8	73	73	12-130	0	39
2,2-Dichloropropane	ug/kg	ND	120	119	106	111	89	93	37-135	4	33
2-Butanone (MEK)	ug/kg	ND	599	597	491	512	82	86	32-130	4	33
2-Chlorotoluene	ug/kg	ND	120	119	95.7	97.9	80	82	18-133	2	38
2-Hexanone	ug/kg	ND	599	597	529	535	88	90	31-131	1	32
4-Chlorotoluene	ug/kg	ND	120	119	93.5	95.4	78	80	24-128	2	39
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	599	597	494	530	82	89	38-129	7	30
Acetone	ug/kg	ND	599	597	600	612	100	102	25-143	2	39
Benzene	ug/kg	ND	120	119	102	111	85	93	51-124	8	28
Bromobenzene	ug/kg	ND	120	119	98.4	101	82	84	21-130	2	39
Bromochloromethane	ug/kg	ND	120	119	98.6	103	82	87	40-124	5	29

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100804 2100805											
Parameter	Units	60262797001		MS		MSD		MS		MSD	
		Result	Conc.	Spike	Conc.	Result	Conc.	% Rec	% Rec	Limits	Max
										RPD	RPD
Bromodichloromethane	ug/kg	ND	120	119	106	110	88	92	37-130	4	30
Bromoform	ug/kg	ND	120	119	109	113	91	95	25-142	4	37
Bromomethane	ug/kg	ND	120	119	89.7	91.8	73	75	10-158	2	47
Carbon disulfide	ug/kg	ND	120	119	102	97.1	85	81	26-133	5	41
Carbon tetrachloride	ug/kg	ND	120	119	107	113	90	95	40-136	5	35
Chlorobenzene	ug/kg	ND	120	119	99.9	102	83	85	25-133	2	36
Chloroethane	ug/kg	ND	120	119	82.7	82.2	69	69	10-160	1	42
Chloroform	ug/kg	ND	120	119	101	110	84	92	47-119	8	31
Chloromethane	ug/kg	ND	120	119	86.4	98.4	72	82	10-143	13	38
cis-1,2-Dichloroethene	ug/kg	ND	120	119	99.7	108	83	91	45-125	8	32
cis-1,3-Dichloropropene	ug/kg	ND	120	119	102	101	85	85	43-125	1	36
Dibromochloromethane	ug/kg	ND	120	119	107	112	90	94	46-129	4	34
Dibromomethane	ug/kg	ND	120	119	99.7	106	83	89	38-124	6	30
Dichlorodifluoromethane	ug/kg	ND	120	119	113	125	95	104	10-156	10	40
Ethylbenzene	ug/kg	ND	120	119	105	106	88	89	38-131	1	32
Hexachloro-1,3-butadiene	ug/kg	ND	120	119	79.4	70.3	66	59	10-134	12	44
Isopropylbenzene (Cumene)	ug/kg	ND	120	119	105	105	88	88	26-129	0	37
Methyl-tert-butyl ether	ug/kg	ND	120	119	94.4	116	79	97	49-120	20	41
Methylene chloride	ug/kg	3.7J	120	119	113	116	91	94	37-123	3	36
n-Butylbenzene	ug/kg	ND	120	119	90.7	87.4	76	73	10-132	4	39
n-Propylbenzene	ug/kg	ND	120	119	99.8	102	83	85	26-130	2	38
Naphthalene	ug/kg	ND	120	119	85.8	81.2	72	68	10-144	5	41
p-Isopropyltoluene	ug/kg	ND	120	119	91.9	90.0	77	75	14-130	2	39
sec-Butylbenzene	ug/kg	ND	120	119	100	101	84	85	15-131	1	38
Styrene	ug/kg	ND	120	119	106	106	89	89	29-128	0	38
tert-Butylbenzene	ug/kg	ND	120	119	101	99.6	84	83	26-133	1	39
Tetrachloroethene	ug/kg	ND	120	119	109	110	91	92	31-132	1	38
Toluene	ug/kg	ND	120	119	109	113	91	94	40-129	3	30
trans-1,2-Dichloroethene	ug/kg	ND	120	119	102	121	85	102	40-126	17	36
trans-1,3-Dichloropropene	ug/kg	ND	120	119	97.2	99.8	81	84	30-131	3	39
Trichloroethene	ug/kg	ND	120	119	113	115	94	96	34-129	2	35
Trichlorofluoromethane	ug/kg	ND	120	119	112	109	94	91	30-139	3	40
Vinyl chloride	ug/kg	ND	120	119	116	118	97	99	17-139	1	42
Xylene (Total)	ug/kg	ND	360	359	315	326	88	91	32-133	3	43
1,2-Dichloroethane-d4 (S)	%						98	100	80-123		
4-Bromofluorobenzene (S)	%						96	97	69-133		
Toluene-d8 (S)	%						101	101	78-122		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Project No.: 60262831

QC Batch:	91580	Analysis Method:	EPA 8081
QC Batch Method:	EPA 3546	Analysis Description:	8081 GCS Pesticides
Associated Lab Samples:	60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016		

METHOD BLANK: 405973

Matrix: Solid

Associated Lab Samples: 60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
4,4'-DDD	ug/kg	<0.33	1.0	02/05/18 18:09	
4,4'-DDE	ug/kg	<0.31	1.0	02/05/18 18:09	
4,4'-DDT	ug/kg	<0.65	1.4	02/05/18 18:09	
Aldrin	ug/kg	<0.35	1.0	02/05/18 18:09	
alpha-BHC	ug/kg	<0.16	1.0	02/05/18 18:09	
alpha-Chlordane	ug/kg	<0.40	1.7	02/05/18 18:09	
beta-BHC	ug/kg	<0.53	1.7	02/05/18 18:09	
Chlordane (Technical)	ug/kg	<28.1	150	02/05/18 18:09	
delta-BHC	ug/kg	<0.48	1.4	02/05/18 18:09	
Dieldrin	ug/kg	<0.43	1.4	02/05/18 18:09	
Endosulfan I	ug/kg	<0.46	1.4	02/05/18 18:09	
Endosulfan II	ug/kg	<0.32	1.0	02/05/18 18:09	
Endosulfan sulfate	ug/kg	<0.46	1.4	02/05/18 18:09	
Endrin	ug/kg	<0.46	1.7	02/05/18 18:09	
Endrin aldehyde	ug/kg	<0.46	1.4	02/05/18 18:09	
Endrin ketone	ug/kg	<0.55	2.0	02/05/18 18:09	
gamma-BHC (Lindane)	ug/kg	<0.45	1.4	02/05/18 18:09	
gamma-Chlordane	ug/kg	<0.66	1.7	02/05/18 18:09	
Heptachlor	ug/kg	<0.76	2.0	02/05/18 18:09	
Heptachlor epoxide	ug/kg	<2.0	5.0	02/05/18 18:09	
Methoxychlor	ug/kg	<0.57	2.0	02/05/18 18:09	
Toxaphene	ug/kg	<51.8	150	02/05/18 18:09	
Decachlorobiphenyl (S)	%	100	70-130	02/05/18 18:09	
Tetrachloro-m-xylene (S)	%	90	70-130	02/05/18 18:09	

LABORATORY CONTROL SAMPLE: 405974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	ug/kg	33.3	31.7	95	70-130	
4,4'-DDE	ug/kg	33.3	31.8	96	70-130	
4,4'-DDT	ug/kg	33.3	31.3	94	70-130	
Aldrin	ug/kg	33.3	29.9	90	70-130	
alpha-BHC	ug/kg	33.3	31.5	95	70-130	
alpha-Chlordane	ug/kg	33.3	29.8	90	70-130	
beta-BHC	ug/kg	33.3	27.8	83	70-130	
delta-BHC	ug/kg	33.3	28.8	87	70-130	
Dieldrin	ug/kg	33.3	28.5	86	70-130	
Endosulfan I	ug/kg	33.3	28.0	84	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

LABORATORY CONTROL SAMPLE: 405974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endosulfan II	ug/kg	33.3	29.5	89	70-130	
Endosulfan sulfate	ug/kg	33.3	27.5	83	70-130	
Endrin	ug/kg	33.3	30.1	90	70-130	
Endrin aldehyde	ug/kg	33.3	27.9	84	70-130	
Endrin ketone	ug/kg	33.3	28.0	84	70-130	
gamma-BHC (Lindane)	ug/kg	33.3	30.1	90	70-130	
gamma-Chlordane	ug/kg	33.3	32.0	96	70-130	
Heptachlor	ug/kg	33.3	29.4	88	70-130	
Heptachlor epoxide	ug/kg	33.3	28.1	85	70-130	
Methoxychlor	ug/kg	33.3	29.5	88	70-130	
Decachlorobiphenyl (S)	%.			93	70-130	
Tetrachloro-m-xylene (S)	%.			97	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 405975 405976

Parameter	Units	60262738001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
4,4'-DDD	ug/kg	<0.58	60.4	60.5	45.3	46.3	75	77	70-130	2	40	
4,4'-DDE	ug/kg	<0.56	60.4	60.5	54.7	55.9	90	92	70-130	2	40	
4,4'-DDT	ug/kg	<1.2	60.4	60.5	44.8	45.2	74	75	70-130	1	40	
Aldrin	ug/kg	<0.64	60.4	60.5	44.6	45.4	74	75	70-130	2	40	
alpha-BHC	ug/kg	<0.28	60.4	60.5	49.1	50.4	81	83	70-130	3	40	
alpha-Chlordane	ug/kg	<0.71	60.4	60.5	45.6	46.3	75	77	70-130	2	40	
beta-BHC	ug/kg	<0.95	60.4	60.5	49.4	51.4	82	85	70-130	4	40	
delta-BHC	ug/kg	<0.86	60.4	60.5	47.7	47.2	79	78	70-130	1	40	
Dieldrin	ug/kg	<0.78	60.4	60.5	41.5	42.1	69	70	70-130	1	40	M1
Endosulfan I	ug/kg	<0.83	60.4	60.5	38.2	38.2	63	63	70-130	0	40	M1
Endosulfan II	ug/kg	<0.58	60.4	60.5	42.6	43.2	71	71	70-130	1	40	
Endosulfan sulfate	ug/kg	<0.83	60.4	60.5	38.4	39.5	64	65	70-130	3	40	M1
Endrin	ug/kg	<0.83	60.4	60.5	46.2	45.9	76	76	70-130	1	40	
Endrin aldehyde	ug/kg	<0.83	60.4	60.5	42.5	42.9	70	71	70-130	1	40	
Endrin ketone	ug/kg	<0.99	60.4	60.5	39.3	40.2	64	66	70-130	2	40	M1
gamma-BHC (Lindane)	ug/kg	<0.81	60.4	60.5	48.5	49.8	80	82	70-130	3	40	
gamma-Chlordane	ug/kg	<1.2	60.4	60.5	42.0	42.4	70	70	70-130	1	40	
Heptachlor	ug/kg	<1.4	60.4	60.5	43.0	43.7	71	72	70-130	2	40	
Heptachlor epoxide	ug/kg	<3.6	60.4	60.5	42.8	43.8	71	72	70-130	2	40	
Methoxychlor	ug/kg	<1.0	60.4	60.5	44.6	47.0	74	78	70-130	5	40	
Decachlorobiphenyl (S)	%.						71	72	70-130			
Tetrachloro-m-xylene (S)	%.						75	75	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch: 91634 Analysis Method: EPA 8081
QC Batch Method: EPA 3510 Analysis Description: 8081 GCS Pesticides
Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831013, 60262831017

METHOD BLANK: 406236 Matrix: Water
Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831013, 60262831017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
4,4'-DDD	ug/L	<0.0050	0.010	02/09/18 13:36	
4,4'-DDE	ug/L	<0.0070	0.010	02/09/18 13:36	
4,4'-DDT	ug/L	<0.0070	0.010	02/09/18 13:36	
Aldrin	ug/L	<0.0070	0.010	02/09/18 13:36	
alpha-BHC	ug/L	<0.0060	0.010	02/09/18 13:36	
alpha-Chlordane	ug/L	<0.024	0.10	02/09/18 13:36	
beta-BHC	ug/L	<0.010	0.010	02/09/18 13:36	
Chlordane (Technical)	ug/L	<0.090	0.10	02/09/18 13:36	
delta-BHC	ug/L	<0.0090	0.010	02/09/18 13:36	
Dieldrin	ug/L	<0.0060	0.010	02/09/18 13:36	
Endosulfan I	ug/L	<0.021	0.10	02/09/18 13:36	
Endosulfan II	ug/L	<0.0090	0.010	02/09/18 13:36	
Endosulfan sulfate	ug/L	<0.0070	0.010	02/09/18 13:36	
Endrin	ug/L	<0.0070	0.010	02/09/18 13:36	
Endrin aldehyde	ug/L	<0.029	0.10	02/09/18 13:36	
Endrin ketone	ug/L	<0.025	0.10	02/09/18 13:36	
gamma-BHC (Lindane)	ug/L	<0.0080	0.010	02/09/18 13:36	
gamma-Chlordane	ug/L	<0.034	0.10	02/09/18 13:36	
Heptachlor	ug/L	<0.0050	0.010	02/09/18 13:36	
Heptachlor epoxide	ug/L	<0.0070	0.010	02/09/18 13:36	
Methoxychlor	ug/L	<0.0060	0.010	02/09/18 13:36	
Toxaphene	ug/L	<0.61	1.5	02/09/18 13:36	
Decachlorobiphenyl (S)	%	51	12-162	02/09/18 13:36	
Tetrachloro-m-xylene (S)	%	60	54-127	02/09/18 13:36	

LABORATORY CONTROL SAMPLE: 406237

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	ug/L	1	1.0	100	68-149	
4,4'-DDE	ug/L	1	0.84	84	70-135	
4,4'-DDT	ug/L	1	0.93	93	30-174	
Aldrin	ug/L	1	0.75	75	60-137	
alpha-BHC	ug/L	1	0.95	95	73-136	
alpha-Chlordane	ug/L	1	0.88	88	24-176	
beta-BHC	ug/L	1	0.85	85	50-174	
delta-BHC	ug/L	1	0.89	89	18-200	
Dieldrin	ug/L	1	0.88	88	62-148	
Endosulfan I	ug/L	1	0.87	87	38-171	
Endosulfan II	ug/L	1	0.93	93	36-178	
Endosulfan sulfate	ug/L	1	0.88	88	64-131	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

LABORATORY CONTROL SAMPLE: 406237

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endrin	ug/L	1	0.96	96	56-152	
Endrin aldehyde	ug/L	1	0.85	85	52-162	
Endrin ketone	ug/L	1	1.1	106	22-187	
gamma-BHC (Lindane)	ug/L	1	0.92	92	70-135	
gamma-Chlordane	ug/L	1	0.90	90	52-155	
Heptachlor	ug/L	1	0.75	75	59-139	
Heptachlor epoxide	ug/L	1	0.86	86	65-138	
Methoxychlor	ug/L	1	0.93	93	39-160	
Decachlorobiphenyl (S)	%			53	12-162	
Tetrachloro-m-xylene (S)	%			58	54-127	

MATRIX SPIKE SAMPLE: 406238

Parameter	Units	60262738009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	ug/L	<0.0050	1	0.94	94	24-177	
4,4'-DDE	ug/L	<0.0070	1	0.73	73	22-161	
4,4'-DDT	ug/L	<0.0070	1	0.64	64	10-180	
Aldrin	ug/L	<0.0070	1	0.65	65	10-156	
alpha-BHC	ug/L	<0.0060	1	0.94	94	71-143	
alpha-Chlordane	ug/L	<0.024	1	0.79	79	15-174	
beta-BHC	ug/L	<0.010	1	0.82	82	72-149	
delta-BHC	ug/L	<0.0090	1	0.90	90	44-151	
Dieldrin	ug/L	<0.0060	1	0.86	86	33-166	
Endosulfan I	ug/L	<0.021	1	0.78	78	27-167	
Endosulfan II	ug/L	<0.0090	1	0.83	83	37-173	
Endosulfan sulfate	ug/L	<0.0070	1	0.77	77	33-167	
Endrin	ug/L	<0.0070	1	0.92	92	39-173	
Endrin aldehyde	ug/L	<0.029	1	0.84	84	14-180	
Endrin ketone	ug/L	<0.025	1	0.98	98	29-180	
gamma-BHC (Lindane)	ug/L	0.011	1	0.91	90	69-139	
gamma-Chlordane	ug/L	<0.034	1	0.82	82	20-166	
Heptachlor	ug/L	<0.0050	1	0.70	70	48-141	
Heptachlor epoxide	ug/L	<0.0070	1	0.85	85	28-164	
Methoxychlor	ug/L	<0.0060	1	0.75	75	20-178	
Decachlorobiphenyl (S)	%				39	12-162	
Tetrachloro-m-xylene (S)	%				58	54-127	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Project No.: 60262831

QC Batch:	91581	Analysis Method:	EPA 8141A
QC Batch Method:	EPA 3546	Analysis Description:	Organophos Pests in soil by 8141
Associated Lab Samples:	60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016		

METHOD BLANK:	405989	Matrix:	Solid
Associated Lab Samples:	60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Azinphos, methyl (Guthion)	ug/kg	<3.3	6.7	02/05/18 17:09	
Bolstar	ug/kg	<3.3	6.7	02/05/18 17:09	
Chlorpyrifos	ug/kg	<3.3	6.7	02/05/18 17:09	
Coumaphos	ug/kg	<3.3	6.7	02/05/18 17:09	
Diazinon	ug/kg	<3.3	6.7	02/05/18 17:09	
Dichlorvos	ug/kg	<1.7	3.3	02/05/18 17:09	
Dimethoate	ug/kg	<3.3	6.7	02/05/18 17:09	
Disulfoton	ug/kg	<1.7	3.3	02/05/18 17:09	
EPN (ENT)	ug/kg	<2.1	3.3	02/05/18 17:09	
Ethoprop	ug/kg	<1.7	3.3	02/05/18 17:09	
Fensulfothion	ug/kg	<3.3	6.7	02/05/18 17:09	
Fenthion	ug/kg	<1.7	3.3	02/05/18 17:09	
Malathion	ug/kg	<3.3	6.7	02/05/18 17:09	
Methyl parathion	ug/kg	<1.7	3.3	02/05/18 17:09	
Mevinphos	ug/kg	<2.0	3.3	02/05/18 17:09	
Parathion (Ethyl parathion)	ug/kg	<3.3	6.7	02/05/18 17:09	
Phorate	ug/kg	<1.7	3.3	02/05/18 17:09	
Ronnel	ug/kg	<1.7	3.3	02/05/18 17:09	
Stirophos (Tetrachlorvinphos)	ug/kg	<3.3	6.7	02/05/18 17:09	
Sulfotep (Thiodiphosphoric Ac	ug/kg	<1.7	3.3	02/05/18 17:09	
Tokuthion (Prothiofos)	ug/kg	<1.7	3.3	02/05/18 17:09	
Total Demeton	ug/kg	<2.7	3.3	02/05/18 17:09	N2
Total Merphos	ug/kg	<3.3	13.3	02/05/18 17:09	N2
Trichloronate	ug/kg	<3.3	6.7	02/05/18 17:09	
Tributylphosphate (S)	%	122	17-125	02/05/18 17:09	
Triphenylphosphate (S)	%	99	11-137	02/05/18 17:09	

LABORATORY CONTROL SAMPLE: 405990

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Azinphos, methyl (Guthion)	ug/kg	8.3	7.9	95	45-142	
Bolstar	ug/kg	8.3	6.9	83	58-97	
Chlorpyrifos	ug/kg	8.3	6.4	77	58-97	
Coumaphos	ug/kg	8.3	8.4	101	59-123	
Diazinon	ug/kg	8.3	6.7	81	51-100	
Dichlorvos	ug/kg	8.3	6.0	72	40-117	
Dimethoate	ug/kg	8.3	6.7	80	32-130	
Disulfoton	ug/kg	8.3	5.9	71	32-108	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

LABORATORY CONTROL SAMPLE: 405990

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
EPN (ENT)	ug/kg	8.3	7.4	89	51-117	
Ethoprop	ug/kg	8.3	7.1	86	49-108	
Fensulfothion	ug/kg	8.3	8.4	101	47-148	
Fenthion	ug/kg	8.3	7.0	84	58-111	
Malathion	ug/kg	8.3	7.0	85	55-112	
Methyl parathion	ug/kg	8.3	6.9	83	49-113	
Mevinphos	ug/kg	8.3	6.8	81	43-121	
Parathion (Ethyl parathion)	ug/kg	8.3	6.7	81	50-114	
Phorate	ug/kg	8.3	6.4	77	42-108	
Ronnel	ug/kg	8.3	6.5	78	54-106	
Stirophos (Tetrachlorvinphos)	ug/kg	8.3	7.2	87	54-115	
Sulfotep (Thiodiphosphoric Ac	ug/kg	8.3	6.6	80	46-108	
Tokuthion (Prothiofos)	ug/kg	8.3	7.1	85	59-104	
Total Demeton	ug/kg	8.3	5.8	70	32-106	N2
Total Merphos	ug/kg	8.3	5.8	70	10-144	N2
Trichloronate	ug/kg	8.3	6.7	81	59-100	
Tributylphosphate (S)	%.			84	17-125	
Triphenylphosphate (S)	%.			87	11-137	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 405991

405992

Parameter	Units	60262738002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
Azinphos, methyl (Guthion)	ug/kg	<6.3	15.9	15.7	14.2	13.4	90	85	20-146	6	40
Bolstar	ug/kg	<6.3	15.9	15.7	12.1	11.3	76	72	13-120	7	40
Chlorpyrifos	ug/kg	<6.3	15.9	15.7	10.9	10.5	69	67	10-147	4	40
Coumaphos	ug/kg	<6.3	15.9	15.7	14.6	13.5	92	86	28-126	8	40
Diazinon	ug/kg	<6.3	15.9	15.7	11.3	10.6	71	67	10-136	6	40
Dichlorvos	ug/kg	<3.2	15.9	15.7	10.5	9.8	66	63	10-135	6	40
Dimethoate	ug/kg	<6.3	15.9	15.7	11.1	11.1	57	58	10-133	0	40
Disulfoton	ug/kg	<3.2	15.9	15.7	10.1	9.7	64	62	10-130	4	40
EPN (ENT)	ug/kg	<4.0	15.9	15.7	12.7	12.4	80	79	10-133	3	40
Ethoprop	ug/kg	<3.2	15.9	15.7	12.0	11.8	76	75	15-119	2	40
Fensulfothion	ug/kg	<6.3	15.9	15.7	14.4	14.1	91	90	16-143	2	40
Fenthion	ug/kg	<3.2	15.9	15.7	12.5	11.6	72	67	14-133	7	40
Malathion	ug/kg	<6.3	15.9	15.7	12.1	11.5	76	73	31-112	5	40
Methyl parathion	ug/kg	<3.2	15.9	15.7	12.1	11.5	76	73	10-147	5	40
Mevinphos	ug/kg	<3.7	15.9	15.7	11.5	11.5	73	73	10-136	0	40
Parathion (Ethyl parathion)	ug/kg	<6.3	15.9	15.7	11.7	11.5	70	70	10-142	2	40
Phorate	ug/kg	<3.2	15.9	15.7	11.1	10.8	70	69	10-130	2	40
Ronnel	ug/kg	<3.2	15.9	15.7	11.2	10.8	71	69	13-125	4	40
Stirophos	ug/kg	<6.3	15.9	15.7	12.3	11.9	77	76	16-136	3	40
(Tetrachlorvinphos)											
Sulfotep (Thiodiphosphoric Ac	ug/kg	<3.2	15.9	15.7	11.4	11.0	72	70	10-122	4	40
Tokuthion (Prothiofos)	ug/kg	<3.2	15.9	15.7	12.1	11.5	76	73	10-125	5	40

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 405991 405992												
Parameter	Units	60262738002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
Total Demeton	ug/kg	<5.2	15.9	15.7	9.2	9.4	58	60	10-119	2	40	N2
Total Merphos	ug/kg	<6.3	15.9	15.7	12.8	12.2	80	78	10-122	4	40	N2
Trichloronate	ug/kg	<6.3	15.9	15.7	11.6	11.0	73	70	13-120	5	40	
Tributylphosphate (S)	%.						68	66	17-125			
Triphenylphosphate (S)	%.						76	73	11-137			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch: 91635 Analysis Method: EPA 8141A
QC Batch Method: EPA 3510 Analysis Description: 8141 GCS, O/P Pesticides
Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831013, 60262831017

METHOD BLANK: 406239 Matrix: Water
Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831013, 60262831017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Azinphos, methyl (Guthion)	ug/L	<0.093	0.10	02/05/18 17:36	
Bolstar	ug/L	<0.090	0.10	02/05/18 17:36	
Chlorpyrifos	ug/L	<0.067	0.10	02/05/18 17:36	
Coumaphos	ug/L	<0.092	0.10	02/05/18 17:36	
Diazinon	ug/L	<0.078	0.10	02/05/18 17:36	
Dichlorvos	ug/L	<0.073	0.10	02/05/18 17:36	
Dimethoate	ug/L	<0.083	0.10	02/05/18 17:36	
Disulfoton	ug/L	<0.071	0.10	02/05/18 17:36	
EPN (ENT)	ug/L	<0.087	0.10	02/05/18 17:36	
Ethoprop	ug/L	<0.059	0.10	02/05/18 17:36	
Fensulfothion	ug/L	<0.087	0.10	02/05/18 17:36	
Fenthion	ug/L	<0.088	0.10	02/05/18 17:36	
Malathion	ug/L	<0.086	0.10	02/05/18 17:36	
Methyl parathion	ug/L	<0.070	0.10	02/05/18 17:36	
Mevinphos	ug/L	<0.065	0.10	02/05/18 17:36	
Parathion (Ethyl parathion)	ug/L	<0.060	0.10	02/05/18 17:36	
Phorate	ug/L	<0.064	0.10	02/05/18 17:36	
Ronnel	ug/L	<0.088	0.10	02/05/18 17:36	
Stirophos (Tetrachlorvinphos)	ug/L	<0.072	0.10	02/05/18 17:36	
Sulfotep (Thiodiphosphoric Ac	ug/L	<0.061	0.10	02/05/18 17:36	
Tokuthion (Prothiofos)	ug/L	<0.081	0.10	02/05/18 17:36	
Total Demeton	ug/L	<0.083	0.10	02/05/18 17:36	
Total Merphos	ug/L	<0.038	0.10	02/05/18 17:36	
Trichloronate	ug/L	<0.087	0.10	02/05/18 17:36	
Tributylphosphate (S)	%	113	20-150	02/05/18 17:36	
Triphenylphosphate (S)	%	105	10-175	02/05/18 17:36	

LABORATORY CONTROL SAMPLE: 406240

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Azinphos, methyl (Guthion)	ug/L	.25	0.25	101	32-136	
Bolstar	ug/L	.25	0.21	83	45-115	
Chlorpyrifos	ug/L	.25	0.20	78	44-113	
Coumaphos	ug/L	.25	0.25	101	42-135	
Diazinon	ug/L	.25	0.21	85	35-117	
Dichlorvos	ug/L	.25	0.21	83	24-129	
Dimethoate	ug/L	.25	0.18	71	43-120	
Disulfoton	ug/L	.25	0.18	71	34-111	
EPN (ENT)	ug/L	.25	0.23	91	34-133	
Ethoprop	ug/L	.25	0.23	93	42-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

LABORATORY CONTROL SAMPLE: 406240

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Fensulfothion	ug/L	.25	0.25	100	37-153	
Fenthion	ug/L	.25	0.21	84	43-128	
Malathion	ug/L	.25	0.22	88	42-125	
Methyl parathion	ug/L	.25	0.22	88	41-127	
Mevinphos	ug/L	.25	0.22	87	16-142	
Parathion (Ethyl parathion)	ug/L	.25	0.21	85	42-118	
Phorate	ug/L	.25	0.20	80	42-122	
Ronnel	ug/L	.25	0.21	85	45-116	
Stirophos (Tetrachlorvinphos)	ug/L	.25	0.23	91	40-131	
Sulfotep (Thiodiphosphoric Ac	ug/L	.25	0.21	85	42-111	
Tokuthion (Prothiofos)	ug/L	.25	0.21	85	42-118	
Total Demeton	ug/L	.25	0.11	44	19-126	
Total Merphos	ug/L	.25	0.25	102	10-143	
Trichloronate	ug/L	.25	0.21	82	43-116	
Tributylphosphate (S)	%			82	20-150	
Triphenylphosphate (S)	%			91	10-175	

MATRIX SPIKE SAMPLE: 406241

Parameter	Units	60262738011 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Azinphos, methyl (Guthion)	ug/L	<0.093	.25	0.24	98	40-140	
Bolstar	ug/L	<0.090	.25	0.17	70	40-140	
Chlorpyrifos	ug/L	<0.067	.25	0.16	66	40-140	
Coumaphos	ug/L	<0.092	.25	0.24	95	40-140	
Diazinon	ug/L	<0.078	.25	0.16	64	40-140	
Dichlorvos	ug/L	<0.073	.25	0.17	67	40-140	
Dimethoate	ug/L	<0.083	.25	0.17	50	40-140	
Disulfoton	ug/L	<0.071	.25	0.21	84	10-140	
EPN (ENT)	ug/L	<0.087	.25	0.20	81	40-140	
Ethoprop	ug/L	<0.059	.25	0.22	88	40-140	
Fensulfothion	ug/L	<0.087	.25	0.25	99	40-140	
Fenthion	ug/L	<0.088	.25	0.21	86	40-140	
Malathion	ug/L	<0.086	.25	0.23	91	40-140	
Methyl parathion	ug/L	<0.070	.25	0.19	77	40-140	
Mevinphos	ug/L	<0.065	.25	0.19	75	40-140	
Parathion (Ethyl parathion)	ug/L	<0.060	.25	0.20	82	40-140	
Phorate	ug/L	<0.064	.25	0.18	72	40-140	
Ronnel	ug/L	<0.088	.25	0.17	67	40-140	
Stirophos (Tetrachlorvinphos)	ug/L	<0.072	.25	0.21	82	40-140	
Sulfotep (Thiodiphosphoric Ac	ug/L	<0.061	.25	0.18	74	40-140	
Tokuthion (Prothiofos)	ug/L	<0.081	.25	0.16	66	40-140	
Total Demeton	ug/L	<0.083	.25	0.12	48	10-140	
Total Merphos	ug/L	<0.038	.25	0.19	75	10-140	
Trichloronate	ug/L	<0.087	.25	0.17	67	40-140	
Tributylphosphate (S)	%				72	20-150	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

MATRIX SPIKE SAMPLE:		406241					
		60262738011	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Triphenylphosphate (S)	%.				87	10-175	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch:	91886	Analysis Method:	EPA 8151
QC Batch Method:	EPA 3546	Analysis Description:	8151 GCS Herbicides
Associated Lab Samples:	60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016		

METHOD BLANK: 407446

Matrix: Solid

Associated Lab Samples: 60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
2,4,5-T	ug/kg	<1.7	1.7	02/07/18 13:25	
2,4,5-TP (Silvex)	ug/kg	<1.7	1.7	02/07/18 13:25	
2,4-D	ug/kg	<1.7	1.7	02/07/18 13:25	
2,4-DB	ug/kg	<1.7	1.7	02/07/18 13:25	
Dalapon	ug/kg	<1.7	1.7	02/07/18 13:25	
Dicamba	ug/kg	<1.7	1.7	02/07/18 13:25	
Dichloroprop	ug/kg	<1.7	1.7	02/07/18 13:25	
Dinoseb	ug/kg	<1.7	1.7	02/07/18 13:25	
MCPA	ug/kg	<165	165	02/07/18 13:25	
MCP	ug/kg	<165	165	02/07/18 13:25	
2,4-DCAA (S)	%	34	10-188	02/07/18 13:25	

LABORATORY CONTROL SAMPLE: 407447

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4,5-T	ug/kg	66.5	52.4	79	61-151	
2,4,5-TP (Silvex)	ug/kg	66.5	43.1	65	58-135	
2,4-D	ug/kg	66.5	48.7	73	15-155	
2,4-DB	ug/kg	66.5	45.3	68	26-159	
Dalapon	ug/kg	66.5	18.4	28	10-172	
Dicamba	ug/kg	66.5	50.9	77	55-111	
Dichloroprop	ug/kg	66.5	49.7	75	28-167	
Dinoseb	ug/kg	66.5	69.0	104	28-200	
MCPA	ug/kg	6650	5710	86	26-131	
MCP	ug/kg	6650	6850	103	10-158	
2,4-DCAA (S)	%			46	10-188	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 407448

407449

Parameter	Units	60262738005		MS		MSD		MS		MSD		MS		MSD		% Rec		Max		Qual
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	% Rec	% Rec	Limits	RPD	RPD	RPD	Limits	RPD	RPD	RPD	
2,4,5-T	ug/kg	<3.2	128	128	128	49.1	44.7	38	35	10-146	9	40								
2,4,5-TP (Silvex)	ug/kg	<3.2	128	128	128	46.3	69.2	36	54	10-139	40	40								
2,4-D	ug/kg	<3.2	128	128	128	38.0	30.9	30	24	10-166	21	40								
2,4-DB	ug/kg	<3.2	128	128	128	71.2	91.8	56	72	10-200	25	40								
Dalapon	ug/kg	<3.2	128	128	128	5.8	5.4	5	4	10-154	7	40 M1								
Dicamba	ug/kg	<3.2	128	128	128	3.5	6.4	3	5	10-140	58	40 M1, R1								

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 407448 407449											
Parameter	Units	60262738005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
Dichloroprop	ug/kg	<3.2	128	128	28.5	21.8	22	17	10-194	27	40
Dinoseb	ug/kg	<3.2	128	128	5.4	17.0	4	13	10-200	104	40 M1, R1
MCPA	ug/kg	<318	12800	12800	5030	3360	39	26	10-200	40	40
MCPP	ug/kg	<318	12800	12800	2180	1180	17	9	10-175	60	40 M1, R1
2,4-DCAA (S)	%.						12	10	10-188		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch: 91703 Analysis Method: EPA 8151
QC Batch Method: EPA 8151 Analysis Description: 8151A GCS Herbicides
Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831013, 60262831017

METHOD BLANK: 406514 Matrix: Water
Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831013, 60262831017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
2,4,5-T	ug/L	<0.25	0.50	02/07/18 10:57	
2,4,5-TP (Silvex)	ug/L	<0.25	0.50	02/07/18 10:57	
2,4-D	ug/L	<0.25	0.50	02/07/18 10:57	
2,4-DB	ug/L	<0.34	0.50	02/07/18 10:57	
Dalapon	ug/L	<0.25	0.50	02/07/18 10:57	
Dicamba	ug/L	<0.25	0.50	02/07/18 10:57	
Dichloroprop	ug/L	<0.29	0.50	02/07/18 10:57	
Dinoseb	ug/L	<0.50	0.50	02/07/18 10:57	
MCPA	ug/L	<20.0	20.0	02/07/18 10:57	
MCP	ug/L	<20.0	20.0	02/07/18 10:57	
2,4-DCAA (S)	%	74	47-166	02/07/18 10:57	

LABORATORY CONTROL SAMPLE: 406515

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4,5-T	ug/L	2	2.2	110	61-151	
2,4,5-TP (Silvex)	ug/L	2	2.2	109	58-135	
2,4-D	ug/L	2	1.9	96	52-152	
2,4-DB	ug/L	2	2.1	104	50-156	
Dalapon	ug/L	2	1.0	50	10-167	
Dicamba	ug/L	2	2.0	98	49-128	
Dichloroprop	ug/L	2	1.7	85	59-143	
Dinoseb	ug/L	2	2.6	131	33-200	
MCPA	ug/L	200	253	126	45-148	
MCP	ug/L	200	216	108	63-149	
2,4-DCAA (S)	%			145	47-166	

MATRIX SPIKE SAMPLE: 406516

Parameter	Units	60262831009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
2,4,5-T	ug/L	<0.25	2	2.4	120	65-153	
2,4,5-TP (Silvex)	ug/L	<0.25	2	2.2	108	10-179	
2,4-D	ug/L	<0.25	2	3.5	174	10-200	
2,4-DB	ug/L	<0.34	2	3.9	194	68-171	M1
Dalapon	ug/L	<0.25	2	1.0	52	10-156	
Dicamba	ug/L	<0.25	2	2.3	116	68-151	
Dichloroprop	ug/L	<0.29	2	1.6	81	85-151	M1
Dinoseb	ug/L	<0.50	2	4.1	203	83-152	E,M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

MATRIX SPIKE SAMPLE:		406516					
		60262831009	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
MCPA	ug/L	<20.0	200	307	153	54-160	
MCP	ug/L	<20.0	200	291	145	10-200	
2,4-DCAA (S)	%				107	47-166	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Project No.: 60262831

QC Batch:	512424	Analysis Method:	EPA 8270
QC Batch Method:	EPA 3546	Analysis Description:	8270 Solid MSSV Microwave
Associated Lab Samples:	60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016		

METHOD BLANK:	2097904	Matrix:	Solid
Associated Lab Samples:	60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	<29.9	329	01/31/18 16:42	
1,2-Dichlorobenzene	ug/kg	<24.9	329	01/31/18 16:42	
1,3-Dichlorobenzene	ug/kg	<27.9	329	01/31/18 16:42	
1,4-Dichlorobenzene	ug/kg	<28.9	329	01/31/18 16:42	
2,4,5-Trichlorophenol	ug/kg	<29.9	329	01/31/18 16:42	
2,4,6-Trichlorophenol	ug/kg	<30.9	329	01/31/18 16:42	
2,4-Dichlorophenol	ug/kg	<29.9	329	01/31/18 16:42	
2,4-Dimethylphenol	ug/kg	<18.0	329	01/31/18 16:42	
2,4-Dinitrophenol	ug/kg	<47.9	1670	01/31/18 16:42	
2,4-Dinitrotoluene	ug/kg	<27.9	329	01/31/18 16:42	
2,6-Dinitrotoluene	ug/kg	<33.9	329	01/31/18 16:42	
2-Chloronaphthalene	ug/kg	<27.9	329	01/31/18 16:42	
2-Chlorophenol	ug/kg	<26.9	329	01/31/18 16:42	
2-Methylnaphthalene	ug/kg	<23.9	329	01/31/18 16:42	
2-Methylphenol(o-Cresol)	ug/kg	<30.9	329	01/31/18 16:42	
2-Nitroaniline	ug/kg	<55.9	658	01/31/18 16:42	
2-Nitrophenol	ug/kg	<45.9	329	01/31/18 16:42	
3&4-Methylphenol(m&p Cresol)	ug/kg	<35.9	329	01/31/18 16:42	
3,3'-Dichlorobenzidine	ug/kg	<113	658	01/31/18 16:42	
3-Nitroaniline	ug/kg	<99.7	658	01/31/18 16:42	
4,6-Dinitro-2-methylphenol	ug/kg	<43.9	1670	01/31/18 16:42	
4-Bromophenylphenyl ether	ug/kg	<25.9	329	01/31/18 16:42	
4-Chloro-3-methylphenol	ug/kg	<35.9	658	01/31/18 16:42	
4-Chloroaniline	ug/kg	<64.8	658	01/31/18 16:42	
4-Chlorophenylphenyl ether	ug/kg	<31.9	329	01/31/18 16:42	
4-Nitroaniline	ug/kg	<84.8	658	01/31/18 16:42	
4-Nitrophenol	ug/kg	<51.9	1670	01/31/18 16:42	
Acenaphthene	ug/kg	<34.9	329	01/31/18 16:42	
Acenaphthylene	ug/kg	<30.9	329	01/31/18 16:42	
Anthracene	ug/kg	<34.9	329	01/31/18 16:42	
Benzo(a)anthracene	ug/kg	<29.9	329	01/31/18 16:42	
Benzo(a)pyrene	ug/kg	<25.9	329	01/31/18 16:42	
Benzo(b)fluoranthene	ug/kg	<22.9	329	01/31/18 16:42	
Benzo(g,h,i)perylene	ug/kg	<31.9	329	01/31/18 16:42	
Benzo(k)fluoranthene	ug/kg	<38.9	329	01/31/18 16:42	
Benzoic acid	ug/kg	<30.9	1670	01/31/18 16:42	
Benzyl alcohol	ug/kg	<103	658	01/31/18 16:42	
bis(2-Chloroethoxy)methane	ug/kg	<25.9	329	01/31/18 16:42	
bis(2-Chloroethyl) ether	ug/kg	<25.9	329	01/31/18 16:42	
bis(2-Chloroisopropyl) ether	ug/kg	<25.9	329	01/31/18 16:42	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

METHOD BLANK: 2097904

Matrix: Solid

Associated Lab Samples: 60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
bis(2-Ethylhexyl)phthalate	ug/kg	<114	329	01/31/18 16:42	
Butylbenzylphthalate	ug/kg	<42.9	329	01/31/18 16:42	
Carbazole	ug/kg	<26.9	329	01/31/18 16:42	
Chrysene	ug/kg	<27.9	329	01/31/18 16:42	
Di-n-butylphthalate	ug/kg	<34.9	329	01/31/18 16:42	
Di-n-octylphthalate	ug/kg	<38.9	329	01/31/18 16:42	
Dibenz(a,h)anthracene	ug/kg	<29.9	329	01/31/18 16:42	
Dibenzofuran	ug/kg	<29.9	329	01/31/18 16:42	
Diethylphthalate	ug/kg	<30.9	329	01/31/18 16:42	
Dimethylphthalate	ug/kg	<31.9	329	01/31/18 16:42	
Fluoranthene	ug/kg	<30.9	329	01/31/18 16:42	
Fluorene	ug/kg	<30.9	329	01/31/18 16:42	
Hexachloro-1,3-butadiene	ug/kg	<32.9	329	01/31/18 16:42	
Hexachlorobenzene	ug/kg	<31.9	329	01/31/18 16:42	
Hexachlorocyclopentadiene	ug/kg	<69.8	329	01/31/18 16:42	
Hexachloroethane	ug/kg	<24.9	329	01/31/18 16:42	
Indeno(1,2,3-cd)pyrene	ug/kg	<35.9	329	01/31/18 16:42	
Isophorone	ug/kg	<29.9	329	01/31/18 16:42	
N-Nitroso-di-n-propylamine	ug/kg	<32.9	329	01/31/18 16:42	
N-Nitrosodiphenylamine	ug/kg	<25.9	329	01/31/18 16:42	
Naphthalene	ug/kg	<25.9	329	01/31/18 16:42	
Nitrobenzene	ug/kg	<30.9	329	01/31/18 16:42	
Pentachlorophenol	ug/kg	<30.9	1670	01/31/18 16:42	
Phenanthrene	ug/kg	<30.9	329	01/31/18 16:42	
Phenol	ug/kg	<25.9	329	01/31/18 16:42	
Pyrene	ug/kg	<32.9	329	01/31/18 16:42	
Pyridine	ug/kg	<26.9	329	01/31/18 16:42	
2,4,6-Tribromophenol (S)	%	106	39-114	01/31/18 16:42	
2-Fluorobiphenyl (S)	%	94	61-109	01/31/18 16:42	
2-Fluorophenol (S)	%	93	46-102	01/31/18 16:42	
Nitrobenzene-d5 (S)	%	89	41-114	01/31/18 16:42	
Phenol-d6 (S)	%	95	48-102	01/31/18 16:42	
Terphenyl-d14 (S)	%	96	48-120	01/31/18 16:42	

LABORATORY CONTROL SAMPLE: 2097905

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/kg	1620	1240	76	55-105	
1,2-Dichlorobenzene	ug/kg	1620	1220	75	55-100	
1,3-Dichlorobenzene	ug/kg	1620	1200	74	53-100	
1,4-Dichlorobenzene	ug/kg	1620	1200	74	54-100	
2,4,5-Trichlorophenol	ug/kg	1620	1350	83	55-113	
2,4,6-Trichlorophenol	ug/kg	1620	1330	82	56-111	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

LABORATORY CONTROL SAMPLE: 2097905

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dichlorophenol	ug/kg	1620	1270	79	58-108	
2,4-Dimethylphenol	ug/kg	1620	1190	74	54-107	
2,4-Dinitrophenol	ug/kg	1620	1080J	66	11-133	
2,4-Dinitrotoluene	ug/kg	1620	1380	85	57-114	
2,6-Dinitrotoluene	ug/kg	1620	1360	84	56-113	
2-Chloronaphthalene	ug/kg	1620	1280	79	54-107	
2-Chlorophenol	ug/kg	1620	1270	78	57-104	
2-Methylnaphthalene	ug/kg	1620	1220	75	57-105	
2-Methylphenol(o-Cresol)	ug/kg	1620	1250	77	57-104	
2-Nitroaniline	ug/kg	1620	1350	83	46-124	
2-Nitrophenol	ug/kg	1620	1290	79	51-113	
3&4-Methylphenol(m&p Cresol)	ug/kg	1620	1250	77	57-105	
3,3'-Dichlorobenzidine	ug/kg	1620	1150	71	3-152	
3-Nitroaniline	ug/kg	1620	1320	82	29-122	
4,6-Dinitro-2-methylphenol	ug/kg	1620	1290J	79	22-125	
4-Bromophenylphenyl ether	ug/kg	1620	1340	83	57-110	
4-Chloro-3-methylphenol	ug/kg	1620	1300	80	61-108	
4-Chloroaniline	ug/kg	1620	1080	66	10-112	
4-Chlorophenylphenyl ether	ug/kg	1620	1320	82	57-109	
4-Nitroaniline	ug/kg	1620	1350	83	47-117	
4-Nitrophenol	ug/kg	1620	1320J	81	53-118	
Acenaphthene	ug/kg	1620	1290	79	56-108	
Acenaphthylene	ug/kg	1620	1270	78	56-107	
Anthracene	ug/kg	1620	1330	82	58-111	
Benzo(a)anthracene	ug/kg	1620	1360	84	58-111	
Benzo(a)pyrene	ug/kg	1620	1380	85	58-109	
Benzo(b)fluoranthene	ug/kg	1620	1400	86	58-113	
Benzo(g,h,i)perylene	ug/kg	1620	1310	80	54-108	
Benzo(k)fluoranthene	ug/kg	1620	1350	83	56-111	
Benzoic acid	ug/kg	1620	836J	51	10-105	
Benzyl alcohol	ug/kg	1620	1300	80	58-106	
bis(2-Chloroethoxy)methane	ug/kg	1620	1210	75	56-104	
bis(2-Chloroethyl) ether	ug/kg	1620	1190	74	53-103	
bis(2-Chloroisopropyl) ether	ug/kg	1620	1170	72	55-102	
bis(2-Ethylhexyl)phthalate	ug/kg	1620	1320	82	58-117	
Butylbenzylphthalate	ug/kg	1620	1310	81	58-115	
Carbazole	ug/kg	1620	1330	82	58-112	
Chrysene	ug/kg	1620	1340	83	57-112	
Di-n-butylphthalate	ug/kg	1620	1350	83	61-112	
Di-n-octylphthalate	ug/kg	1620	1360	84	55-122	
Dibenz(a,h)anthracene	ug/kg	1620	1320	81	54-111	
Dibenzofuran	ug/kg	1620	1290	79	55-109	
Diethylphthalate	ug/kg	1620	1280	79	59-108	
Dimethylphthalate	ug/kg	1620	1300	80	58-106	
Fluoranthene	ug/kg	1620	1370	84	62-110	
Fluorene	ug/kg	1620	1290	80	57-109	
Hexachloro-1,3-butadiene	ug/kg	1620	1260	77	56-103	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

LABORATORY CONTROL SAMPLE: 2097905

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Hexachlorobenzene	ug/kg	1620	1390	86	56-111	
Hexachlorocyclopentadiene	ug/kg	3250	1470	45	22-62	
Hexachloroethane	ug/kg	1620	1190	73	54-99	
Indeno(1,2,3-cd)pyrene	ug/kg	1620	1320	81	54-109	
Isophorone	ug/kg	1620	1200	74	57-100	
N-Nitroso-di-n-propylamine	ug/kg	1620	1210	75	57-98	
N-Nitrosodiphenylamine	ug/kg	1620	1330	82	58-109	
Naphthalene	ug/kg	1620	1230	76	56-104	
Nitrobenzene	ug/kg	1620	1230	76	57-104	
Pentachlorophenol	ug/kg	1620	1410J	87	46-118	
Phenanthrene	ug/kg	1620	1330	82	57-111	
Phenol	ug/kg	1620	1260	77	55-105	
Pyrene	ug/kg	1620	1310	81	58-112	
Pyridine	ug/kg	1620	903	56	41-71	
2,4,6-Tribromophenol (S)	%			95	39-114	
2-Fluorobiphenyl (S)	%			82	61-109	
2-Fluorophenol (S)	%			82	46-102	
Nitrobenzene-d5 (S)	%			77	41-114	
Phenol-d6 (S)	%			82	48-102	
Terphenyl-d14 (S)	%			87	48-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2097906 2097907

Parameter	Units	60262831016		MS		MSD		MS		MSD		MS		MSD		% Rec		Max		Qual
		Result	Spike Conc.	Spike Conc.	Result	Result	Result	% Rec	% Rec	% Rec	% Rec	Limits	RPD	RPD	RPD	Limits	RPD	RPD	RPD	
1,2,4-Trichlorobenzene	ug/kg	<1570	18300	18300	9570J	7690J	52	42	49-100	26	M1									
1,2-Dichlorobenzene	ug/kg	<1310	18300	18300	8710J	6830J	48	37	48-98	26	M1									
1,3-Dichlorobenzene	ug/kg	<1470	18300	18300	8050J	6620J	44	36	48-95	26	M1									
1,4-Dichlorobenzene	ug/kg	<1520	18300	18300	8090J	6610J	44	36	48-96	26	M1									
2,4,5-Trichlorophenol	ug/kg	<1570	18300	18300	9770J	7720J	53	42	51-111	27	M1									
2,4,6-Trichlorophenol	ug/kg	<1620	18300	18300	9900J	7650J	54	42	44-112	29	M1									
2,4-Dichlorophenol	ug/kg	<1570	18300	18300	9080J	7260J	50	40	51-105	27	M1									
2,4-Dimethylphenol	ug/kg	<943	18300	18300	8830J	7280J	48	40	18-118	34										
2,4-Dinitrophenol	ug/kg	<2520	18300	18300	<54.9	<54.8	0	0	10-131	12	M1									
2,4-Dinitrotoluene	ug/kg	<1470	18300	18300	8820J	6700J	48	37	25-132	27										
2,6-Dinitrotoluene	ug/kg	<1780	18300	18300	8520J	6610J	47	36	31-125	27										
2-Chloronaphthalene	ug/kg	<1470	18300	18300	9510J	7670J	52	42	47-106	29	M1									
2-Chlorophenol	ug/kg	<1410	18300	18300	8780J	6980J	48	38	47-103	28	M1									
2-Methylnaphthalene	ug/kg	<1260	18300	18300	9230J	7280J	50	40	48-105	29	M1									
2-Methylphenol(o-Cresol)	ug/kg	<1620	18300	18300	9230J	7260J	50	40	40-105	28										
2-Nitroaniline	ug/kg	<2930	18300	18300	9660J	8590J	53	47	38-130	27										
2-Nitrophenol	ug/kg	<2410	18300	18300	8900J	6200J	49	34	22-129	29										
3&4-Methylphenol(m&p Cresol)	ug/kg	<1890	18300	18300	14200J	11100J	78	61	37-110	27										
3,3'-Dichlorobenzidine	ug/kg	<5920	18300	18300	<54.9	<54.8	0	0	10-138	38	M1									

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2097906											
2097907											
Parameter	Units	60262831016 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
3-Nitroaniline	ug/kg	<5240	18300	18300	6800J	5750J	37	32	23-126	32	
4,6-Dinitro-2-methylphenol	ug/kg	<2310	18300	18300	<54.9	<54.8	0	0	10-139	67	M1
4-Bromophenylphenyl ether	ug/kg	<1360	18300	18300	10100J	7910J	55	43	51-108	28	M1
4-Chloro-3-methylphenol	ug/kg	<1890	18300	18300	9050J	7240J	49	40	50-108	30	M1
4-Chloroaniline	ug/kg	<3410	18300	18300	5050J	4070J	28	22	17-91	32	
4-Chlorophenylphenyl ether	ug/kg	<1680	18300	18300	9830J	8250J	54	45	48-107	27	M1
4-Nitroaniline	ug/kg	<4450	18300	18300	8380J	9320J	46	51	20-122	28	
4-Nitrophenol	ug/kg	<2730	18300	18300	11600J	9430J	64	52	47-113	26	
Acenaphthene	ug/kg	<1830	18300	18300	9520J	7710J	52	42	43-112	27	M1
Acenaphthylene	ug/kg	<1620	18300	18300	9530J	7730J	52	42	45-108	27	M1
Anthracene	ug/kg	<1830	18300	18300	9710J	7910J	53	43	39-118	27	
Benzo(a)anthracene	ug/kg	<1570	18300	18300	9580J	7930J	52	43	43-112	29	
Benzo(a)pyrene	ug/kg	<1360	18300	18300	9520J	7750J	52	42	39-112	30	
Benzo(b)fluoranthene	ug/kg	<1210	18300	18300	9880J	8270J	54	45	41-114	33	
Benzo(g,h,i)perylene	ug/kg	<1680	18300	18300	10100J	8070J	55	44	30-111	31	
Benzo(k)fluoranthene	ug/kg	<2040	18300	18300	9880J	7700J	54	42	33-120	28	
Benzoic acid	ug/kg	<1620	18300	18300	8590J	7790J	47	43	10-126	17	
Benzyl alcohol	ug/kg	<5400	18300	18300	8350J	6860J	46	38	50-109	27	M1
bis(2-Chloroethoxy)methane	ug/kg	<1360	18300	18300	8500J	6850J	46	38	48-101	27	M1
bis(2-Chloroethyl) ether	ug/kg	<1360	18300	18300	9160J	7450J	50	41	47-102	26	M1
bis(2-Chloroisopropyl) ether	ug/kg	<1360	18300	18300	8180J	6370J	45	35	44-103	25	M1
bis(2-Ethylhexyl)phthalate	ug/kg	<5970	18300	18300	17200J	14400J	66	51	41-132	25	
Butylbenzylphthalate	ug/kg	<2250	18300	18300	11700J	13100J	64	72	42-133	26	
Carbazole	ug/kg	<1410	18300	18300	9750J	7730J	53	42	45-110	25	M1
Chrysene	ug/kg	<1470	18300	18300	10000J	8420J	55	46	45-110	29	
Di-n-butylphthalate	ug/kg	<1830	18300	18300	10900J	8870J	60	49	49-115	27	
Di-n-octylphthalate	ug/kg	<2040	18300	18300	10900J	9000J	59	49	41-138	25	
Dibenz(a,h)anthracene	ug/kg	<1570	18300	18300	10600J	7740J	58	42	39-110	29	
Dibenzofuran	ug/kg	<1570	18300	18300	9540J	7890J	52	43	47-107	27	M1
Diethylphthalate	ug/kg	<1620	18300	18300	9750J	8070J	53	44	48-108	26	M1
Dimethylphthalate	ug/kg	<1680	18300	18300	9090J	7480J	50	41	47-106	26	M1
Fluoranthene	ug/kg	<1620	18300	18300	9480J	7770J	52	43	34-121	34	
Fluorene	ug/kg	<1620	18300	18300	9550J	7920J	52	43	42-112	28	
Hexachloro-1,3-butadiene	ug/kg	<1730	18300	18300	9530J	7110J	52	39	48-100	27	M1
Hexachlorobenzene	ug/kg	<1680	18300	18300	9800J	7360J	54	40	47-107	27	M1
Hexachlorocyclopentadiene	ug/kg	<3670	36500	36500	<54.9	<54.8	0	0	10-68	36	M1
Hexachloroethane	ug/kg	<1310	18300	18300	8280J	6250J	45	34	37-101	29	M1
Indeno(1,2,3-cd)pyrene	ug/kg	<1890	18300	18300	9890J	7710J	54	42	32-113	29	
Isophorone	ug/kg	<1570	18300	18300	8490J	6690J	46	37	47-99	27	M1
N-Nitroso-di-n-propylamine	ug/kg	<1730	18300	18300	8550J	7060J	47	39	45-105	27	M1
N-Nitrosodiphenylamine	ug/kg	<1360	18300	18300	9760J	8090J	53	44	43-110	28	
Naphthalene	ug/kg	<1360	18300	18300	9430J	7220J	52	40	46-106	28	M1
Nitrobenzene	ug/kg	<1620	18300	18300	9380J	7460J	51	41	45-105	29	M1
Pentachlorophenol	ug/kg	<1620	18300	18300	8260J	6420J	45	35	27-124	18	
Phenanthrene	ug/kg	<1620	18300	18300	9910J	7700J	54	42	49-110	26	M1
Phenol	ug/kg	<1360	18300	18300	8710J	7130J	48	39	45-103	27	M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2097906 2097907											
Parameter	Units	60262831016 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
Pyrene	ug/kg	<1730	18300	18300	12200J	9870J	67	54	47-117	30	
Pyridine	ug/kg	<1410	18300	18300	6150J	5020J	34	27	10-85	28	
2,4,6-Tribromophenol (S)	%						54	43	39-114		
2-Fluorobiphenyl (S)	%						51	43	61-109		S2
2-Fluorophenol (S)	%						49	37	46-102		S2
Nitrobenzene-d5 (S)	%						50	39	41-114		D3,S2
Phenol-d6 (S)	%						50	39	48-102		S2
Terphenyl-d14 (S)	%						59	48	48-120		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Project No.: 60262831

QC Batch: 512013 Analysis Method: EPA 8270
QC Batch Method: EPA 3510 Analysis Description: 8270 Water MSSV, RV
Associated Lab Samples: 60262831008, 60262831010, 60262831013, 60262831017

METHOD BLANK: 2096408 Matrix: Water
Associated Lab Samples: 60262831008, 60262831010, 60262831013, 60262831017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/L	<0.33	10.0	01/29/18 10:19	
1,2-Dichlorobenzene	ug/L	<0.29	10.0	01/29/18 10:19	
1,3-Dichlorobenzene	ug/L	<0.54	10.0	01/29/18 10:19	
1,4-Dichlorobenzene	ug/L	<0.41	10.0	01/29/18 10:19	
2,4,5-Trichlorophenol	ug/L	<0.33	50.0	01/29/18 10:19	
2,4,6-Trichlorophenol	ug/L	<0.39	10.0	01/29/18 10:19	
2,4-Dichlorophenol	ug/L	<0.52	10.0	01/29/18 10:19	
2,4-Dimethylphenol	ug/L	<0.60	10.0	01/29/18 10:19	
2,4-Dinitrophenol	ug/L	<8.4	50.0	01/29/18 10:19	
2,4-Dinitrotoluene	ug/L	<0.33	10.0	01/29/18 10:19	
2,6-Dinitrotoluene	ug/L	<0.28	10.0	01/29/18 10:19	
2-Chloronaphthalene	ug/L	<0.35	10.0	01/29/18 10:19	
2-Chlorophenol	ug/L	<0.30	10.0	01/29/18 10:19	
2-Methylnaphthalene	ug/L	<0.26	10.0	01/29/18 10:19	
2-Methylphenol(o-Cresol)	ug/L	<0.28	10.0	01/29/18 10:19	
2-Nitroaniline	ug/L	<0.42	50.0	01/29/18 10:19	
2-Nitrophenol	ug/L	<0.28	10.0	01/29/18 10:19	
3&4-Methylphenol(m&p Cresol)	ug/L	<5.0	10.0	01/29/18 10:19	
3,3'-Dichlorobenzidine	ug/L	<0.39	20.0	01/29/18 10:19	
3-Nitroaniline	ug/L	<0.35	50.0	01/29/18 10:19	
4,6-Dinitro-2-methylphenol	ug/L	<0.55	50.0	01/29/18 10:19	
4-Bromophenylphenyl ether	ug/L	<0.38	10.0	01/29/18 10:19	
4-Chloro-3-methylphenol	ug/L	<0.25	20.0	01/29/18 10:19	
4-Chloroaniline	ug/L	<0.52	20.0	01/29/18 10:19	
4-Chlorophenylphenyl ether	ug/L	<0.30	10.0	01/29/18 10:19	
4-Nitroaniline	ug/L	<0.35	50.0	01/29/18 10:19	
4-Nitrophenol	ug/L	<0.31	50.0	01/29/18 10:19	
Acenaphthene	ug/L	<0.36	10.0	01/29/18 10:19	
Acenaphthylene	ug/L	<0.38	10.0	01/29/18 10:19	
Anthracene	ug/L	<0.30	10.0	01/29/18 10:19	
Benzo(a)anthracene	ug/L	<0.29	10.0	01/29/18 10:19	
Benzo(a)pyrene	ug/L	<0.36	10.0	01/29/18 10:19	
Benzo(b)fluoranthene	ug/L	<0.35	10.0	01/29/18 10:19	
Benzo(g,h,i)perylene	ug/L	<0.40	10.0	01/29/18 10:19	
Benzo(k)fluoranthene	ug/L	<0.42	10.0	01/29/18 10:19	
Benzoic acid	ug/L	<2.5	50.0	01/29/18 10:19	
Benzyl alcohol	ug/L	<0.35	20.0	01/29/18 10:19	
bis(2-Chloroethoxy)methane	ug/L	<5.0	10.0	01/29/18 10:19	
bis(2-Chloroethyl) ether	ug/L	<0.29	10.0	01/29/18 10:19	
bis(2-Chloroisopropyl) ether	ug/L	<0.29	10.0	01/29/18 10:19	
bis(2-Ethylhexyl)phthalate	ug/L	<0.62	10.0	01/29/18 10:19	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

METHOD BLANK: 2096408

Matrix: Water

Associated Lab Samples: 60262831008, 60262831010, 60262831013, 60262831017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Butylbenzylphthalate	ug/L	<0.40	10.0	01/29/18 10:19	
Carbazole	ug/L	<0.35	10.0	01/29/18 10:19	
Chrysene	ug/L	<0.36	10.0	01/29/18 10:19	
Di-n-butylphthalate	ug/L	<0.39	10.0	01/29/18 10:19	
Di-n-octylphthalate	ug/L	<0.50	10.0	01/29/18 10:19	
Dibenz(a,h)anthracene	ug/L	<0.45	10.0	01/29/18 10:19	
Dibenzofuran	ug/L	<0.39	10.0	01/29/18 10:19	
Diethylphthalate	ug/L	<0.45	10.0	01/29/18 10:19	
Dimethylphthalate	ug/L	<0.35	10.0	01/29/18 10:19	
Fluoranthene	ug/L	<0.37	10.0	01/29/18 10:19	
Fluorene	ug/L	<0.34	10.0	01/29/18 10:19	
Hexachloro-1,3-butadiene	ug/L	<0.38	10.0	01/29/18 10:19	
Hexachlorobenzene	ug/L	<0.30	10.0	01/29/18 10:19	
Hexachlorocyclopentadiene	ug/L	<0.35	10.0	01/29/18 10:19	
Hexachloroethane	ug/L	<0.29	10.0	01/29/18 10:19	
Indeno(1,2,3-cd)pyrene	ug/L	<0.32	10.0	01/29/18 10:19	
Isophorone	ug/L	<0.28	10.0	01/29/18 10:19	
N-Nitroso-di-n-propylamine	ug/L	<0.27	10.0	01/29/18 10:19	
N-Nitrosodiphenylamine	ug/L	<0.40	10.0	01/29/18 10:19	
Naphthalene	ug/L	<0.36	10.0	01/29/18 10:19	
Nitrobenzene	ug/L	<0.30	10.0	01/29/18 10:19	
Pentachlorophenol	ug/L	<0.31	50.0	01/29/18 10:19	
Phenanthrene	ug/L	<0.34	10.0	01/29/18 10:19	
Phenol	ug/L	<5.0	10.0	01/29/18 10:19	
Pyrene	ug/L	<0.28	10.0	01/29/18 10:19	
Pyridine	ug/L	<0.31	10.0	01/29/18 10:19	
2,4,6-Tribromophenol (S)	%	99	21-124	01/29/18 10:19	
2-Fluorobiphenyl (S)	%	85	30-103	01/29/18 10:19	
2-Fluorophenol (S)	%	62	10-68	01/29/18 10:19	
Nitrobenzene-d5 (S)	%	81	33-99	01/29/18 10:19	
Phenol-d6 (S)	%	46	10-56	01/29/18 10:19	
Terphenyl-d14 (S)	%	89	38-114	01/29/18 10:19	

LABORATORY CONTROL SAMPLE: 2096409

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	100	84.8	85	27-115	
1,2-Dichlorobenzene	ug/L	100	77.5	78	27-111	
1,3-Dichlorobenzene	ug/L	100	76.6	77	26-109	
1,4-Dichlorobenzene	ug/L	100	77.1	77	26-109	
2,4,5-Trichlorophenol	ug/L	100	84.0	84	30-128	
2,4,6-Trichlorophenol	ug/L	100	84.7	85	29-128	
2,4-Dichlorophenol	ug/L	100	82.3	82	29-121	
2,4-Dimethylphenol	ug/L	100	73.5	73	29-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

LABORATORY CONTROL SAMPLE: 2096409

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrophenol	ug/L	100	88.6	89	19-142	
2,4-Dinitrotoluene	ug/L	100	84.9	85	31-135	
2,6-Dinitrotoluene	ug/L	100	85.3	85	31-132	
2-Chloronaphthalene	ug/L	100	81.1	81	29-122	
2-Chlorophenol	ug/L	100	72.3	72	26-111	
2-Methylnaphthalene	ug/L	100	80.6	81	30-121	
2-Methylphenol(o-Cresol)	ug/L	100	70.3	70	26-100	
2-Nitroaniline	ug/L	100	77.1	77	30-132	
2-Nitrophenol	ug/L	100	83.4	83	27-128	
3&4-Methylphenol(m&p Cresol)	ug/L	100	66.3	66	22-95	
3,3'-Dichlorobenzidine	ug/L	100	95.2	95	18-189	
3-Nitroaniline	ug/L	100	82.8	83	31-149	
4,6-Dinitro-2-methylphenol	ug/L	100	91.4	91	25-141	
4-Bromophenylphenyl ether	ug/L	100	87.1	87	30-131	
4-Chloro-3-methylphenol	ug/L	100	79.2	79	29-124	
4-Chloroaniline	ug/L	100	78.3	78	26-142	
4-Chlorophenylphenyl ether	ug/L	100	85.4	85	31-127	
4-Nitroaniline	ug/L	100	85.6	86	29-136	
4-Nitrophenol	ug/L	100	46.6J	47	10-60	
Acenaphthene	ug/L	100	79.7	80	30-127	
Acenaphthylene	ug/L	100	81.0	81	29-126	
Anthracene	ug/L	100	84.0	84	32-131	
Benzo(a)anthracene	ug/L	100	83.7	84	32-131	
Benzo(a)pyrene	ug/L	100	84.4	84	30-131	
Benzo(b)fluoranthene	ug/L	100	83.2	83	31-134	
Benzo(g,h,i)perylene	ug/L	100	85.6	86	29-133	
Benzo(k)fluoranthene	ug/L	100	84.7	85	30-133	
Benzoic acid	ug/L	100	36.6J	37	10-64	
Benzyl alcohol	ug/L	100	69.9	70	19-106	
bis(2-Chloroethoxy)methane	ug/L	100	78.6	79	29-122	
bis(2-Chloroethyl) ether	ug/L	100	77.4	77	25-122	
bis(2-Chloroisopropyl) ether	ug/L	100	64.5	65	26-121	
bis(2-Ethylhexyl)phthalate	ug/L	100	81.6	82	34-139	
Butylbenzylphthalate	ug/L	100	79.7	80	30-142	
Carbazole	ug/L	100	82.3	82	31-133	
Chrysene	ug/L	100	83.8	84	32-133	
Di-n-butylphthalate	ug/L	100	84.2	84	35-135	
Di-n-octylphthalate	ug/L	100	80.0	80	31-139	
Dibenz(a,h)anthracene	ug/L	100	85.6	86	30-133	
Dibenzofuran	ug/L	100	81.6	82	30-126	
Diethylphthalate	ug/L	100	81.6	82	34-129	
Dimethylphthalate	ug/L	100	81.2	81	34-127	
Fluoranthene	ug/L	100	87.9	88	32-134	
Fluorene	ug/L	100	83.8	84	31-128	
Hexachloro-1,3-butadiene	ug/L	100	87.5	87	25-112	
Hexachlorobenzene	ug/L	100	87.8	88	30-130	
Hexachlorocyclopentadiene	ug/L	200	99.8	50	10-61	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

LABORATORY CONTROL SAMPLE: 2096409

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Hexachloroethane	ug/L	100	72.5	73	24-107	
Indeno(1,2,3-cd)pyrene	ug/L	100	85.0	85	30-131	
Isophorone	ug/L	100	77.8	78	29-125	
N-Nitroso-di-n-propylamine	ug/L	100	75.0	75	29-123	
N-Nitrosodiphenylamine	ug/L	100	84.0	84	31-129	
Naphthalene	ug/L	100	79.6	80	30-118	
Nitrobenzene	ug/L	100	79.3	79	28-123	
Pentachlorophenol	ug/L	100	95.4	95	27-136	
Phenanthrene	ug/L	100	82.9	83	32-130	
Phenol	ug/L	100	44.4	44	10-61	
Pyrene	ug/L	100	80.2	80	32-132	
Pyridine	ug/L	100	36.0	36	10-66	
2,4,6-Tribromophenol (S)	%			96	21-124	
2-Fluorobiphenyl (S)	%			81	30-103	
2-Fluorophenol (S)	%			58	10-68	
Nitrobenzene-d5 (S)	%			77	33-99	
Phenol-d6 (S)	%			43	10-56	
Terphenyl-d14 (S)	%			86	38-114	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26
Pace Project No.: 60262831

QC Batch:	512591	Analysis Method:	EPA 8270
QC Batch Method:	EPA 3510	Analysis Description:	8270 Water MSSV, RV
Associated Lab Samples:	60262831009		

METHOD BLANK:	2098507	Matrix:	Water
Associated Lab Samples:	60262831009		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/L	<0.33	10.0	02/01/18 10:54	
1,2-Dichlorobenzene	ug/L	<0.29	10.0	02/01/18 10:54	
1,3-Dichlorobenzene	ug/L	<0.54	10.0	02/01/18 10:54	
1,4-Dichlorobenzene	ug/L	<0.41	10.0	02/01/18 10:54	
2,4,5-Trichlorophenol	ug/L	<0.33	50.0	02/01/18 10:54	
2,4,6-Trichlorophenol	ug/L	<0.39	10.0	02/01/18 10:54	
2,4-Dichlorophenol	ug/L	<0.52	10.0	02/01/18 10:54	
2,4-Dimethylphenol	ug/L	<0.60	10.0	02/01/18 10:54	
2,4-Dinitrophenol	ug/L	<8.4	50.0	02/01/18 10:54	
2,4-Dinitrotoluene	ug/L	<0.33	10.0	02/01/18 10:54	
2,6-Dinitrotoluene	ug/L	<0.28	10.0	02/01/18 10:54	
2-Chloronaphthalene	ug/L	<0.35	10.0	02/01/18 10:54	
2-Chlorophenol	ug/L	<0.30	10.0	02/01/18 10:54	
2-Methylnaphthalene	ug/L	<0.26	10.0	02/01/18 10:54	
2-Methylphenol(o-Cresol)	ug/L	<0.28	10.0	02/01/18 10:54	
2-Nitroaniline	ug/L	<0.42	50.0	02/01/18 10:54	
2-Nitrophenol	ug/L	<0.28	10.0	02/01/18 10:54	
3&4-Methylphenol(m&p Cresol)	ug/L	<5.0	10.0	02/01/18 10:54	
3,3'-Dichlorobenzidine	ug/L	<0.39	20.0	02/01/18 10:54	
3-Nitroaniline	ug/L	<0.35	50.0	02/01/18 10:54	
4,6-Dinitro-2-methylphenol	ug/L	<0.55	50.0	02/01/18 10:54	
4-Bromophenylphenyl ether	ug/L	<0.38	10.0	02/01/18 10:54	
4-Chloro-3-methylphenol	ug/L	<0.25	20.0	02/01/18 10:54	
4-Chloroaniline	ug/L	<0.52	20.0	02/01/18 10:54	
4-Chlorophenylphenyl ether	ug/L	<0.30	10.0	02/01/18 10:54	
4-Nitroaniline	ug/L	<0.35	50.0	02/01/18 10:54	
4-Nitrophenol	ug/L	<0.31	50.0	02/01/18 10:54	
Acenaphthene	ug/L	<0.36	10.0	02/01/18 10:54	
Acenaphthylene	ug/L	<0.38	10.0	02/01/18 10:54	
Anthracene	ug/L	<0.30	10.0	02/01/18 10:54	
Benzo(a)anthracene	ug/L	<0.29	10.0	02/01/18 10:54	
Benzo(a)pyrene	ug/L	<0.36	10.0	02/01/18 10:54	
Benzo(b)fluoranthene	ug/L	<0.35	10.0	02/01/18 10:54	
Benzo(g,h,i)perylene	ug/L	<0.40	10.0	02/01/18 10:54	
Benzo(k)fluoranthene	ug/L	<0.42	10.0	02/01/18 10:54	
Benzoic acid	ug/L	<2.5	50.0	02/01/18 10:54	
Benzyl alcohol	ug/L	<0.35	20.0	02/01/18 10:54	
bis(2-Chloroethoxy)methane	ug/L	<5.0	10.0	02/01/18 10:54	
bis(2-Chloroethyl) ether	ug/L	<0.29	10.0	02/01/18 10:54	
bis(2-Chloroisopropyl) ether	ug/L	<0.29	10.0	02/01/18 10:54	
bis(2-Ethylhexyl)phthalate	ug/L	<0.62	10.0	02/01/18 10:54	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

METHOD BLANK: 2098507

Matrix: Water

Associated Lab Samples: 60262831009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Butylbenzylphthalate	ug/L	<0.40	10.0	02/01/18 10:54	
Carbazole	ug/L	<0.35	10.0	02/01/18 10:54	
Chrysene	ug/L	<0.36	10.0	02/01/18 10:54	
Di-n-butylphthalate	ug/L	<0.39	10.0	02/01/18 10:54	
Di-n-octylphthalate	ug/L	<0.50	10.0	02/01/18 10:54	
Dibenz(a,h)anthracene	ug/L	<0.45	10.0	02/01/18 10:54	
Dibenzofuran	ug/L	<0.39	10.0	02/01/18 10:54	
Diethylphthalate	ug/L	<0.45	10.0	02/01/18 10:54	
Dimethylphthalate	ug/L	<0.35	10.0	02/01/18 10:54	
Fluoranthene	ug/L	<0.37	10.0	02/01/18 10:54	
Fluorene	ug/L	<0.34	10.0	02/01/18 10:54	
Hexachloro-1,3-butadiene	ug/L	<0.38	10.0	02/01/18 10:54	
Hexachlorobenzene	ug/L	<0.30	10.0	02/01/18 10:54	
Hexachlorocyclopentadiene	ug/L	<0.35	10.0	02/01/18 10:54	
Hexachloroethane	ug/L	<0.29	10.0	02/01/18 10:54	
Indeno(1,2,3-cd)pyrene	ug/L	<0.32	10.0	02/01/18 10:54	
Isophorone	ug/L	<0.28	10.0	02/01/18 10:54	
N-Nitroso-di-n-propylamine	ug/L	<0.27	10.0	02/01/18 10:54	
N-Nitrosodiphenylamine	ug/L	<0.40	10.0	02/01/18 10:54	
Naphthalene	ug/L	<0.36	10.0	02/01/18 10:54	
Nitrobenzene	ug/L	<0.30	10.0	02/01/18 10:54	
Pentachlorophenol	ug/L	<0.31	50.0	02/01/18 10:54	
Phenanthrene	ug/L	<0.34	10.0	02/01/18 10:54	
Phenol	ug/L	<5.0	10.0	02/01/18 10:54	
Pyrene	ug/L	<0.28	10.0	02/01/18 10:54	
Pyridine	ug/L	<0.31	10.0	02/01/18 10:54	
2,4,6-Tribromophenol (S)	%	93	21-124	02/01/18 10:54	
2-Fluorobiphenyl (S)	%	83	30-103	02/01/18 10:54	
2-Fluorophenol (S)	%	50	10-68	02/01/18 10:54	
Nitrobenzene-d5 (S)	%	81	33-99	02/01/18 10:54	
Phenol-d6 (S)	%	31	10-56	02/01/18 10:54	
Terphenyl-d14 (S)	%	85	38-114	02/01/18 10:54	

LABORATORY CONTROL SAMPLE: 2098508

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	100	80.3	80	27-115	
1,2-Dichlorobenzene	ug/L	100	81.2	81	27-111	
1,3-Dichlorobenzene	ug/L	100	79.0	79	26-109	
1,4-Dichlorobenzene	ug/L	100	79.3	79	26-109	
2,4,5-Trichlorophenol	ug/L	100	89.6	90	30-128	
2,4,6-Trichlorophenol	ug/L	100	87.0	87	29-128	
2,4-Dichlorophenol	ug/L	100	82.4	82	29-121	
2,4-Dimethylphenol	ug/L	100	81.0	81	29-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

LABORATORY CONTROL SAMPLE: 2098508

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrophenol	ug/L	100	80.1	80	19-142	
2,4-Dinitrotoluene	ug/L	100	93.0	93	31-135	
2,6-Dinitrotoluene	ug/L	100	89.8	90	31-132	
2-Chloronaphthalene	ug/L	100	84.3	84	29-122	
2-Chlorophenol	ug/L	100	77.4	77	26-111	
2-Methylnaphthalene	ug/L	100	80.2	80	30-121	
2-Methylphenol(o-Cresol)	ug/L	100	70.0	70	26-100	
2-Nitroaniline	ug/L	100	90.0	90	30-132	
2-Nitrophenol	ug/L	100	88.0	88	27-128	
3&4-Methylphenol(m&p Cresol)	ug/L	100	63.4	63	22-95	
3,3'-Dichlorobenzidine	ug/L	100	98.8	99	18-189	
3-Nitroaniline	ug/L	100	97.7	98	31-149	
4,6-Dinitro-2-methylphenol	ug/L	100	89.9	90	25-141	
4-Bromophenylphenyl ether	ug/L	100	85.7	86	30-131	
4-Chloro-3-methylphenol	ug/L	100	82.3	82	29-124	
4-Chloroaniline	ug/L	100	93.9	94	26-142	
4-Chlorophenylphenyl ether	ug/L	100	85.6	86	31-127	
4-Nitroaniline	ug/L	100	92.3	92	29-136	
4-Nitrophenol	ug/L	100	35.7J	36	10-60	
Acenaphthene	ug/L	100	84.3	84	30-127	
Acenaphthylene	ug/L	100	84.8	85	29-126	
Anthracene	ug/L	100	84.1	84	32-131	
Benzo(a)anthracene	ug/L	100	86.5	86	32-131	
Benzo(a)pyrene	ug/L	100	78.5	78	30-131	
Benzo(b)fluoranthene	ug/L	100	89.4	89	31-134	
Benzo(g,h,i)perylene	ug/L	100	87.8	88	29-133	
Benzo(k)fluoranthene	ug/L	100	87.1	87	30-133	
Benzoic acid	ug/L	100	28.1J	28	10-64	
Benzyl alcohol	ug/L	100	68.7	69	19-106	
bis(2-Chloroethoxy)methane	ug/L	100	82.9	83	29-122	
bis(2-Chloroethyl) ether	ug/L	100	83.9	84	25-122	
bis(2-Chloroisopropyl) ether	ug/L	100	79.3	79	26-121	
bis(2-Ethylhexyl)phthalate	ug/L	100	88.0	88	34-139	
Butylbenzylphthalate	ug/L	100	86.9	87	30-142	
Carbazole	ug/L	100	86.7	87	31-133	
Chrysene	ug/L	100	88.2	88	32-133	
Di-n-butylphthalate	ug/L	100	88.6	89	35-135	
Di-n-octylphthalate	ug/L	100	87.1	87	31-139	
Dibenz(a,h)anthracene	ug/L	100	89.6	90	30-133	
Dibenzofuran	ug/L	100	84.9	85	30-126	
Diethylphthalate	ug/L	100	87.6	88	34-129	
Dimethylphthalate	ug/L	100	86.8	87	34-127	
Fluoranthene	ug/L	100	87.0	87	32-134	
Fluorene	ug/L	100	85.7	86	31-128	
Hexachloro-1,3-butadiene	ug/L	100	77.3	77	25-112	
Hexachlorobenzene	ug/L	100	88.3	88	30-130	
Hexachlorocyclopentadiene	ug/L	200	60.4	30	10-61	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

LABORATORY CONTROL SAMPLE: 2098508

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Hexachloroethane	ug/L	100	76.7	77	24-107	
Indeno(1,2,3-cd)pyrene	ug/L	100	86.9	87	30-131	
Isophorone	ug/L	100	83.4	83	29-125	
N-Nitroso-di-n-propylamine	ug/L	100	86.0	86	29-123	
N-Nitrosodiphenylamine	ug/L	100	87.0	87	31-129	
Naphthalene	ug/L	100	82.0	82	30-118	
Nitrobenzene	ug/L	100	84.0	84	28-123	
Pentachlorophenol	ug/L	100	94.4	94	27-136	
Phenanthrene	ug/L	100	84.9	85	32-130	
Phenol	ug/L	100	34.8	35	10-61	
Pyrene	ug/L	100	84.2	84	32-132	
Pyridine	ug/L	100	23.5	23	10-66	
2,4,6-Tribromophenol (S)	%			100	21-124	
2-Fluorobiphenyl (S)	%			85	30-103	
2-Fluorophenol (S)	%			49	10-68	
Nitrobenzene-d5 (S)	%			83	33-99	
Phenol-d6 (S)	%			31	10-56	
Terphenyl-d14 (S)	%			91	38-114	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch:	512423	Analysis Method:	EPA 8270
QC Batch Method:	EPA 3546	Analysis Description:	8270 MSSV TPH ORO
Associated Lab Samples:	60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016		

METHOD BLANK: 2097900 Matrix: Solid
Associated Lab Samples: 60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-DRO	mg/kg	<1.2	14.6	01/31/18 22:01	
TPH-ORO	mg/kg	3.5J	14.6	01/31/18 22:01	
2-Fluorobiphenyl (S)	%	82	61-109	01/31/18 22:01	
Nitrobenzene-d5 (S)	%	82	41-114	01/31/18 22:01	
Terphenyl-d14 (S)	%	75	48-120	01/31/18 22:01	

LABORATORY CONTROL SAMPLE: 2097901

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-DRO	mg/kg	332	327	98	56-129	
2-Fluorobiphenyl (S)	%			83	61-109	
Nitrobenzene-d5 (S)	%			84	41-114	
Terphenyl-d14 (S)	%			78	48-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2097902 2097903

Parameter	Units	60262831001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
TPH-DRO	mg/kg	2.0J	435	424	434	418	99	98	17-150	4	26	
2-Fluorobiphenyl (S)	%						81	77	61-109			
Nitrobenzene-d5 (S)	%						83	82	41-114			
Terphenyl-d14 (S)	%						75	72	48-120			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch: 512078 Analysis Method: EPA 8270
QC Batch Method: EPA 3510C Analysis Description: 8270 MSSV TPH ORO
Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831012, 60262831013, 60262831017

METHOD BLANK: 2097000 Matrix: Water
Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831012, 60262831013, 60262831017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-DRO	mg/L	<1.0	1.0	01/31/18 19:10	
TPH-ORO	mg/L	<1.0	1.0	01/31/18 19:10	
2-Fluorobiphenyl (S)	%	82	30-103	01/31/18 19:10	
Nitrobenzene-d5 (S)	%	82	33-99	01/31/18 19:10	
Terphenyl-d14 (S)	%	77	38-114	01/31/18 19:10	

LABORATORY CONTROL SAMPLE: 2097001

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-DRO	mg/L	100	91.2	91	37-133	
2-Fluorobiphenyl (S)	%			82	30-103	
Nitrobenzene-d5 (S)	%			79	33-99	
Terphenyl-d14 (S)	%			89	38-114	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch:	512470	Analysis Method:	ASTM D2974
QC Batch Method:	ASTM D2974	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016		

METHOD BLANK:	2098148	Matrix:	Solid
Associated Lab Samples:	60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Percent Moisture	%	<0.50	0.50	01/31/18 00:00	

SAMPLE DUPLICATE: 2098149

Parameter	Units	60262738001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	17.5	17.6	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch: 512835 Analysis Method: SM 4500-H+B

QC Batch Method: SM 4500-H+B Analysis Description: 4500H+B pH

Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831013, 60262831017

SAMPLE DUPLICATE: 2099303

Parameter	Units	60262708006 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	8.5	8.5	0	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch:	512529	Analysis Method:	EPA 9045
QC Batch Method:	EPA 9045	Analysis Description:	9045 pH
Associated Lab Samples: 60262831001, 60262831002, 60262831003, 60262831004, 60262831005			

SAMPLE DUPLICATE: 2098334

Parameter	Units	60262297001 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	6.8	6.8	0	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch: 512694 Analysis Method: EPA 9045

QC Batch Method: EPA 9045 Analysis Description: 9045 pH

Associated Lab Samples: 60262831006, 60262831007, 60262831015, 60262831016

SAMPLE DUPLICATE: 2098810

Parameter	Units	60262831006 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.7	7.7	0	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch: 512195 Analysis Method: EPA 353.2
QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved
Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831013, 60262831017

METHOD BLANK: 2097218 Matrix: Water
Associated Lab Samples: 60262831008, 60262831009, 60262831010, 60262831013, 60262831017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.050	0.10	01/29/18 14:45	

LABORATORY CONTROL SAMPLE: 2097219

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2	2.0	99	90-110	

MATRIX SPIKE SAMPLE: 2097221

Parameter	Units	60262677005 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	0.098J	2	2.0	95	90-110	

MATRIX SPIKE SAMPLE: 2097222

Parameter	Units	60262831017 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	6.2	4	9.2	77	90-110	M1

SAMPLE DUPLICATE: 2097220

Parameter	Units	60262758002 Result	Dup Result	RPD	Max RPD	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	9.2	10.8	16	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch:	513199	Analysis Method:	EPA 9056
QC Batch Method:	EPA 9056	Analysis Description:	9056 IC Anions
Associated Lab Samples:	60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016		

METHOD BLANK: 2100810 Matrix: Solid
Associated Lab Samples: 60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/kg	<50.0	100	02/06/18 03:14	

LABORATORY CONTROL SAMPLE: 2100811

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/kg	500	504	101	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100812 2100813

Parameter	Units	60262738006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/kg	74.3J	657	657	735	728	101	100	80-120	1	15	

SAMPLE DUPLICATE: 2100814

Parameter	Units	60262738007 Result	Dup Result	RPD	Max RPD	Qualifiers
Sulfate	mg/kg	77.8J	76.4J		15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch:	513100	Analysis Method:	EPA 9056
QC Batch Method:	EPA 9056	Analysis Description:	9056 IC Anions
Associated Lab Samples:	60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016		

METHOD BLANK:	2100493	Matrix:	Solid
Associated Lab Samples:	60262831001, 60262831002, 60262831003, 60262831004, 60262831005, 60262831006, 60262831007, 60262831015, 60262831016		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrate as N	mg/kg	<5.0	10.0	02/06/18 03:14	
Nitrite as N	mg/kg	<5.0	10.0	02/06/18 03:14	

LABORATORY CONTROL SAMPLE: 2100494

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrate as N	mg/kg	200	193	96	80-120	
Nitrite as N	mg/kg	200	188	94	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2100495 2100496

Parameter	Units	60262738006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrate as N	mg/kg	<6.6	263	263	268	268	102	102	80-120	0	15	
Nitrite as N	mg/kg	<6.6	263	263	266	265	101	101	80-120	0	15	

SAMPLE DUPLICATE: 2100497

Parameter	Units	60262738007 Result	Dup Result	RPD	Max RPD	Qualifiers
Nitrate as N	mg/kg	<6.3	<6.3		15	
Nitrite as N	mg/kg	<6.3	<6.3		15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch:	513339	Analysis Method:	EPA 9056
QC Batch Method:	EPA 9056	Analysis Description:	9056 IC Anions
Associated Lab Samples:	60262831008, 60262831009, 60262831010, 60262831013, 60262831017		

METHOD BLANK:	2101344	Matrix:	Water
Associated Lab Samples:	60262831008, 60262831009, 60262831010, 60262831013, 60262831017		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<0.50	1.0	02/07/18 20:51	

LABORATORY CONTROL SAMPLE: 2101345

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	5	5.2	103	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch: 513454

Analysis Method: EPA 9056

QC Batch Method: EPA 9056

Analysis Description: 9056 IC Anions

Associated Lab Samples: 60262831010, 60262831017

METHOD BLANK: 2101775

Matrix: Water

Associated Lab Samples: 60262831010, 60262831017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<0.50	1.0	02/08/18 21:02	

LABORATORY CONTROL SAMPLE: 2101776

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	5	5.0	99	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

QC Batch: 513534 Analysis Method: EPA 9056
QC Batch Method: EPA 9056 Analysis Description: 9056 IC Anions
Associated Lab Samples: 60262831008, 60262831009

METHOD BLANK: 2102084 Matrix: Water

Associated Lab Samples: 60262831008, 60262831009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<0.50	1.0	02/09/18 08:51	

LABORATORY CONTROL SAMPLE: 2102085

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	5	5.1	101	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2102086 2102087

Parameter	Units	60262831008 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	44.1	25	25	70.1	70.8	104	107	80-120	1	15	

SAMPLE DUPLICATE: 2102088

Parameter	Units	60262831009 Result	Dup Result	RPD	Max RPD	Qualifiers
Sulfate	mg/L	155	162	4	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-D Pace Analytical Services - Dallas

PASI-K Pace Analytical Services - Kansas City

BATCH QUALIFIERS

Batch: 512013

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 512078

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 512196

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 512379

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 512591

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 512870

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 513300

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

ANALYTE QUALIFIERS

1e	A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.
2e	Surrogate recovery outside laboratory control limits due to matrix interferences (confirmed by similar results from sample re-extraction and re-analysis).
3e	The internal standard response was outside the laboratory acceptance limits confirmed by reanalysis.
B	Analyte was detected in the associated method blank.
D3	Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
E	Analyte concentration exceeded the calibration range. The reported result is estimated.
H6	Analysis initiated outside of the 15 minute EPA required holding time.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
N2	The lab does not hold NELAC/TNI accreditation for this parameter.
R1	RPD value was outside control limits.
S0	Surrogate recovery outside laboratory control limits.
S1	Surrogate recovery outside laboratory control limits (confirmed by re-analysis).
S2	Surrogate recovery outside laboratory control limits due to matrix interferences (confirmed by similar results from sample re-analysis).
S3	Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated sample.
S4	Surrogate recovery not evaluated against control limits due to sample dilution.
pH	Post-analysis pH measurement indicates insufficient VOA sample preservation.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262831001	SB-14 (3-5)	EPA 3546	91580	EPA 8081	91850
60262831002	SB-14 (13-15)	EPA 3546	91580	EPA 8081	91850
60262831003	SB-15 (3-5)	EPA 3546	91580	EPA 8081	91850
60262831004	SB-15 (13-14)	EPA 3546	91580	EPA 8081	91850
60262831005	SB-15 (14-15)	EPA 3546	91580	EPA 8081	91850
60262831006	SB-16 (3-5)	EPA 3546	91580	EPA 8081	91850
60262831007	SB-16 (13-15)	EPA 3546	91580	EPA 8081	91850
60262831015	FLOOR DRAIN SEDIMENT	EPA 3546	91580	EPA 8081	91850
60262831016	FLOOR SWEEPING	EPA 3546	91580	EPA 8081	91850
60262831008	SB-11	EPA 3510	91634	EPA 8081	92029
60262831009	SB-14	EPA 3510	91634	EPA 8081	92029
60262831010	SB-16	EPA 3510	91634	EPA 8081	92029
60262831013	EQUIPMENT BLANK	EPA 3510	91634	EPA 8081	92029
60262831017	FLOOR DRAIN WATER	EPA 3510	91634	EPA 8081	92029
60262831001	SB-14 (3-5)	EPA 3546	91581	EPA 8141A	91875
60262831002	SB-14 (13-15)	EPA 3546	91581	EPA 8141A	91875
60262831003	SB-15 (3-5)	EPA 3546	91581	EPA 8141A	91875
60262831004	SB-15 (13-14)	EPA 3546	91581	EPA 8141A	91875
60262831005	SB-15 (14-15)	EPA 3546	91581	EPA 8141A	91875
60262831006	SB-16 (3-5)	EPA 3546	91581	EPA 8141A	91875
60262831007	SB-16 (13-15)	EPA 3546	91581	EPA 8141A	91875
60262831015	FLOOR DRAIN SEDIMENT	EPA 3546	91581	EPA 8141A	91875
60262831016	FLOOR SWEEPING	EPA 3546	91581	EPA 8141A	91875
60262831008	SB-11	EPA 3510	91635	EPA 8141A	91876
60262831009	SB-14	EPA 3510	91635	EPA 8141A	91876
60262831010	SB-16	EPA 3510	91635	EPA 8141A	91876
60262831013	EQUIPMENT BLANK	EPA 3510	91635	EPA 8141A	91876
60262831017	FLOOR DRAIN WATER	EPA 3510	91635	EPA 8141A	91876
60262831001	SB-14 (3-5)	EPA 3546	91886	EPA 8151	92035
60262831002	SB-14 (13-15)	EPA 3546	91886	EPA 8151	92035
60262831003	SB-15 (3-5)	EPA 3546	91886	EPA 8151	92035
60262831004	SB-15 (13-14)	EPA 3546	91886	EPA 8151	92035
60262831005	SB-15 (14-15)	EPA 3546	91886	EPA 8151	92035
60262831006	SB-16 (3-5)	EPA 3546	91886	EPA 8151	92035
60262831007	SB-16 (13-15)	EPA 3546	91886	EPA 8151	92035
60262831015	FLOOR DRAIN SEDIMENT	EPA 3546	91886	EPA 8151	92035
60262831016	FLOOR SWEEPING	EPA 3546	91886	EPA 8151	92035
60262831008	SB-11	EPA 8151	91703	EPA 8151	92006
60262831009	SB-14	EPA 8151	91703	EPA 8151	92006
60262831010	SB-16	EPA 8151	91703	EPA 8151	92006
60262831013	EQUIPMENT BLANK	EPA 8151	91703	EPA 8151	92006
60262831017	FLOOR DRAIN WATER	EPA 8151	91703	EPA 8151	92006
60262831001	SB-14 (3-5)	EPA 3050	512402	EPA 6010	512563
60262831002	SB-14 (13-15)	EPA 3050	512402	EPA 6010	512563
60262831003	SB-15 (3-5)	EPA 3050	512402	EPA 6010	512563
60262831004	SB-15 (13-14)	EPA 3050	512402	EPA 6010	512563

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262831005	SB-15 (14-15)	EPA 3050	512402	EPA 6010	512563
60262831006	SB-16 (3-5)	EPA 3050	512402	EPA 6010	512563
60262831007	SB-16 (13-15)	EPA 3050	512402	EPA 6010	512563
60262831015	FLOOR DRAIN SEDIMENT	EPA 3050	512402	EPA 6010	512563
60262831016	FLOOR SWEEPING	EPA 3050	512402	EPA 6010	512563
60262831008	SB-11	EPA 3010	513465	EPA 6010	513615
60262831009	SB-14	EPA 3010	513465	EPA 6010	513615
60262831010	SB-16	EPA 3010	513465	EPA 6010	513615
60262831011	SB-15	EPA 3010	513465	EPA 6010	513615
60262831012	SB-11D	EPA 3010	513465	EPA 6010	513615
60262831013	EQUIPMENT BLANK	EPA 3010	513465	EPA 6010	513615
60262831017	FLOOR DRAIN WATER	EPA 3010	513465	EPA 6010	513615
60262831008	SB-11	EPA 3010	513463	EPA 6010	513595
60262831009	SB-14	EPA 3010	513463	EPA 6010	513595
60262831010	SB-16	EPA 3010	513463	EPA 6010	513595
60262831012	SB-11D	EPA 3010	513463	EPA 6010	513595
60262831013	EQUIPMENT BLANK	EPA 3010	513463	EPA 6010	513595
60262831017	FLOOR DRAIN WATER	EPA 3010	513463	EPA 6010	513595
60262831008	SB-11	EPA 7470	513439	EPA 7470	513467
60262831009	SB-14	EPA 7470	513439	EPA 7470	513467
60262831010	SB-16	EPA 7470	513439	EPA 7470	513467
60262831011	SB-15	EPA 7470	513439	EPA 7470	513467
60262831012	SB-11D	EPA 7470	513439	EPA 7470	513467
60262831013	EQUIPMENT BLANK	EPA 7470	513439	EPA 7470	513467
60262831017	FLOOR DRAIN WATER	EPA 7470	513439	EPA 7470	513467
60262831008	SB-11	EPA 7470	513471	EPA 7470	513506
60262831009	SB-14	EPA 7470	513471	EPA 7470	513506
60262831010	SB-16	EPA 7470	513471	EPA 7470	513506
60262831012	SB-11D	EPA 7470	513471	EPA 7470	513506
60262831013	EQUIPMENT BLANK	EPA 7470	513471	EPA 7470	513506
60262831017	FLOOR DRAIN WATER	EPA 7470	513471	EPA 7470	513506
60262831001	SB-14 (3-5)	EPA 7471	512704	EPA 7471	512861
60262831002	SB-14 (13-15)	EPA 7471	512704	EPA 7471	512861
60262831003	SB-15 (3-5)	EPA 7471	512704	EPA 7471	512861
60262831004	SB-15 (13-14)	EPA 7471	512704	EPA 7471	512861
60262831005	SB-15 (14-15)	EPA 7471	512704	EPA 7471	512861
60262831006	SB-16 (3-5)	EPA 7471	512704	EPA 7471	512861
60262831007	SB-16 (13-15)	EPA 7471	512704	EPA 7471	512861
60262831015	FLOOR DRAIN SEDIMENT	EPA 7471	512704	EPA 7471	512861
60262831016	FLOOR SWEEPING	EPA 7471	512704	EPA 7471	512861
60262831001	SB-14 (3-5)	EPA 3546	512424	EPA 8270	512594
60262831002	SB-14 (13-15)	EPA 3546	512424	EPA 8270	512594
60262831003	SB-15 (3-5)	EPA 3546	512424	EPA 8270	512594
60262831004	SB-15 (13-14)	EPA 3546	512424	EPA 8270	512594
60262831005	SB-15 (14-15)	EPA 3546	512424	EPA 8270	512594
60262831006	SB-16 (3-5)	EPA 3546	512424	EPA 8270	512594

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262831007	SB-16 (13-15)	EPA 3546	512424	EPA 8270	512594
60262831015	FLOOR DRAIN SEDIMENT	EPA 3546	512424	EPA 8270	512594
60262831016	FLOOR SWEEPING	EPA 3546	512424	EPA 8270	512594
60262831008	SB-11	EPA 3510	512013	EPA 8270	512150
60262831009	SB-14	EPA 3510	512591	EPA 8270	512653
60262831010	SB-16	EPA 3510	512013	EPA 8270	512150
60262831013	EQUIPMENT BLANK	EPA 3510	512013	EPA 8270	512150
60262831017	FLOOR DRAIN WATER	EPA 3510	512013	EPA 8270	512150
60262831001	SB-14 (3-5)	EPA 3546	512423	EPA 8270	512560
60262831002	SB-14 (13-15)	EPA 3546	512423	EPA 8270	512560
60262831003	SB-15 (3-5)	EPA 3546	512423	EPA 8270	512560
60262831004	SB-15 (13-14)	EPA 3546	512423	EPA 8270	512560
60262831005	SB-15 (14-15)	EPA 3546	512423	EPA 8270	512560
60262831006	SB-16 (3-5)	EPA 3546	512423	EPA 8270	512560
60262831007	SB-16 (13-15)	EPA 3546	512423	EPA 8270	512560
60262831015	FLOOR DRAIN SEDIMENT	EPA 3546	512423	EPA 8270	512560
60262831016	FLOOR SWEEPING	EPA 3546	512423	EPA 8270	512560
60262831008	SB-11	EPA 3510C	512078	EPA 8270	512559
60262831009	SB-14	EPA 3510C	512078	EPA 8270	512559
60262831010	SB-16	EPA 3510C	512078	EPA 8270	512559
60262831012	SB-11D	EPA 3510C	512078	EPA 8270	512559
60262831013	EQUIPMENT BLANK	EPA 3510C	512078	EPA 8270	512559
60262831017	FLOOR DRAIN WATER	EPA 3510C	512078	EPA 8270	512559
60262831001	SB-14 (3-5)	EPA 5035A/8260	512196		
60262831002	SB-14 (13-15)	EPA 5035A/8260	512196		
60262831003	SB-15 (3-5)	EPA 5035A/8260	512196		
60262831004	SB-15 (13-14)	EPA 5035A/8260	512196		
60262831005	SB-15 (14-15)	EPA 5035A/8260	512196		
60262831006	SB-16 (3-5)	EPA 5035A/8260	512196		
60262831007	SB-16 (13-15)	EPA 5035A/8260	513194		
60262831015	FLOOR DRAIN SEDIMENT	EPA 5035A/8260	512196		
60262831016	FLOOR SWEEPING	EPA 5035A/8260	513194		
60262831008	SB-11	EPA 5030B/8260	512379		
60262831009	SB-14	EPA 5030B/8260	512379		
60262831010	SB-16	EPA 5030B/8260	512379		
60262831011	SB-15	EPA 5030B/8260	512379		
60262831012	SB-11D	EPA 5030B/8260	512379		
60262831013	EQUIPMENT BLANK	EPA 5030B/8260	512379		
60262831014	TRIP BLANK	EPA 5030B/8260	512379		
60262831017	FLOOR DRAIN WATER	EPA 5030B/8260	512379		
60262831008	SB-11	EPA 8260	512870		
60262831009	SB-14	EPA 8260	512870		
60262831010	SB-16	EPA 8260	512870		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262831011	SB-15	EPA 8260	513300		
60262831012	SB-11D	EPA 8260	513300		
60262831013	EQUIPMENT BLANK	EPA 8260	513300		
60262831017	FLOOR DRAIN WATER	EPA 8260	513300		
60262831001	SB-14 (3-5)	EPA 8260	513132		
60262831002	SB-14 (13-15)	EPA 8260	513132		
60262831003	SB-15 (3-5)	EPA 8260	513132		
60262831004	SB-15 (13-14)	EPA 8260	513132		
60262831005	SB-15 (14-15)	EPA 8260	513132		
60262831006	SB-16 (3-5)	EPA 8260	513132		
60262831007	SB-16 (13-15)	EPA 8260	513197		
60262831015	FLOOR DRAIN SEDIMENT	EPA 8260	513132		
60262831016	FLOOR SWEEPING	EPA 8260	513197		
60262831001	SB-14 (3-5)	ASTM D2974	512470		
60262831002	SB-14 (13-15)	ASTM D2974	512470		
60262831003	SB-15 (3-5)	ASTM D2974	512470		
60262831004	SB-15 (13-14)	ASTM D2974	512470		
60262831005	SB-15 (14-15)	ASTM D2974	512470		
60262831006	SB-16 (3-5)	ASTM D2974	512470		
60262831007	SB-16 (13-15)	ASTM D2974	512470		
60262831015	FLOOR DRAIN SEDIMENT	ASTM D2974	512470		
60262831016	FLOOR SWEEPING	ASTM D2974	512470		
60262831008	SB-11	SM 4500-H+B	512835		
60262831009	SB-14	SM 4500-H+B	512835		
60262831010	SB-16	SM 4500-H+B	512835		
60262831013	EQUIPMENT BLANK	SM 4500-H+B	512835		
60262831017	FLOOR DRAIN WATER	SM 4500-H+B	512835		
60262831001	SB-14 (3-5)	EPA 9045	512529		
60262831002	SB-14 (13-15)	EPA 9045	512529		
60262831003	SB-15 (3-5)	EPA 9045	512529		
60262831004	SB-15 (13-14)	EPA 9045	512529		
60262831005	SB-15 (14-15)	EPA 9045	512529		
60262831006	SB-16 (3-5)	EPA 9045	512694		
60262831007	SB-16 (13-15)	EPA 9045	512694		
60262831015	FLOOR DRAIN SEDIMENT	EPA 9045	512694		
60262831016	FLOOR SWEEPING	EPA 9045	512694		
60262831008	SB-11	EPA 353.2	512195		
60262831009	SB-14	EPA 353.2	512195		
60262831010	SB-16	EPA 353.2	512195		
60262831013	EQUIPMENT BLANK	EPA 353.2	512195		
60262831017	FLOOR DRAIN WATER	EPA 353.2	512195		
60262831001	SB-14 (3-5)	EPA 9056	513199	EPA 9056	513203
60262831002	SB-14 (13-15)	EPA 9056	513199	EPA 9056	513203
60262831003	SB-15 (3-5)	EPA 9056	513199	EPA 9056	513203

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Meade Hansen Building 1/25-26

Pace Project No.: 60262831

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60262831004	SB-15 (13-14)	EPA 9056	513199	EPA 9056	513203
60262831005	SB-15 (14-15)	EPA 9056	513199	EPA 9056	513203
60262831006	SB-16 (3-5)	EPA 9056	513199	EPA 9056	513203
60262831007	SB-16 (13-15)	EPA 9056	513199	EPA 9056	513203
60262831015	FLOOR DRAIN SEDIMENT	EPA 9056	513199	EPA 9056	513203
60262831016	FLOOR SWEEPING	EPA 9056	513199	EPA 9056	513203
60262831001	SB-14 (3-5)	EPA 9056	513100	EPA 9056	513103
60262831002	SB-14 (13-15)	EPA 9056	513100	EPA 9056	513103
60262831003	SB-15 (3-5)	EPA 9056	513100	EPA 9056	513103
60262831004	SB-15 (13-14)	EPA 9056	513100	EPA 9056	513103
60262831005	SB-15 (14-15)	EPA 9056	513100	EPA 9056	513103
60262831006	SB-16 (3-5)	EPA 9056	513100	EPA 9056	513103
60262831007	SB-16 (13-15)	EPA 9056	513100	EPA 9056	513103
60262831015	FLOOR DRAIN SEDIMENT	EPA 9056	513100	EPA 9056	513103
60262831016	FLOOR SWEEPING	EPA 9056	513100	EPA 9056	513103
60262831008	SB-11	EPA 9056	513339		
60262831008	SB-11	EPA 9056	513534		
60262831009	SB-14	EPA 9056	513339		
60262831009	SB-14	EPA 9056	513534		
60262831010	SB-16	EPA 9056	513339		
60262831010	SB-16	EPA 9056	513454		
60262831013	EQUIPMENT BLANK	EPA 9056	513339		
60262831017	FLOOR DRAIN WATER	EPA 9056	513339		
60262831017	FLOOR DRAIN WATER	EPA 9056	513454		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Sample Condition Upon Receipt

WO# : 60262831



60262831

Client Name: Tetra Tech EMI

Courier: FedEx ☐ UPS ☐ VIA ☐ Clay ☒ PEX ☐ ECI ☐ Pace ☐ Xroads ☐ Client ☐ Other ☐

Tracking #: _____ Pace Shipping Label Used? Yes ☐ No ☒

Custody Seal on Cooler/Box Present: Yes ☒ No ☐ Seals intact: Yes ☒ No ☐

Packing Material: Bubble Wrap ☐ Bubble Bags ☒ Foam ☐ None ☐ Other ☐

Thermometer Used: T-266 / T-239 Type of Ice: Wet Blue None

Cooler Temperature (°C): As-read 1-9/24/2.3 Corr. Factor CF+0.2 CF-0.1 Corrected 2-1/26/2.5

Date and initials of person examining contents:

Temperature should be above freezing to 6°C 2-8/36/2-9/5.0/1.2

3-0/3.8/3.1/60/1.4 p/1/26/18

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Chain of Custody relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Short Hold Time analyses (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	<u>p/1/26</u> <u>PH 102 103</u>
Rush Turn Around Time requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Sufficient volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Correct containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Unpreserved 5035A / TX1005/1006 soils frozen in 48hrs?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Sample labels match COC: Date / time / ID / analyses	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples contain multiple phases? Matrix: <u>SL/WT</u>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers requiring pH preservation in compliance? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH>9 Sulfide, NaOH>10 Cyanide) (Exceptions: VOA, Micro, O&G, KS TPH, OK-DRO)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Cyanide water sample checks:	<input checked="" type="checkbox"/> N/A	
Lead acetate strip turns dark? (Record only)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Potassium iodide test strip turns blue/purple? (Preserve)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Trip Blank present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Headspace in VOA vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Samples from USDA Regulated Area: State: <u>MO</u>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Additional labels attached to 5035A / TX1005 vials in the field?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	<u>p/1/26</u>

Client Notification/ Resolution: Copy COC to Client? Y / N Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: JMS

Date: 1/26/18

Section A

Section B

Section C

Required Client Information:

Company:

Tetra Tech EMI

Address:

415 Oak

Email To:

Emily.Fisher@tetratech.com

Phone:

(816) 412-1755

Requested Due Date/TAT:

Standard

Required Project Information:

Report To:

Emily Fisher

Copy To:

John Simpson

Purchase Order No.:

1146252

Project Name:

Mead Hansen Building Site

Project Number:

Accounts Payable

Company Name:

Tetra Tech, Inc.

Address:

415 Oak St. Kansas City, MO 64106

Reference:

Jeffrey Shopper 913-563-1408

Pace Profile #:

970

REGULATORY AGENCY

NPDES

GROUND WATER

DRINKING WATER

UST

RCRA

OTHER

Site Location

MO

STATE:

Valid Matrix Codes

MATRIX CODE

DRINKING WATER

WT

WASTE WATER

WW

PRODUCT

P

SOILS/SOLID

SL

OIL

OL

TYPE

WP

AIR

AR

OTHER

OT

TISSUE

TS

Section D

Required Client Information

SAMPLE ID

(A-Z, 0-9 / -)

Sample IDs MUST BE UNIQUE

COLLECTED

COMPOSITE START

DATE

TIME

COMPOSITE END/GRAB

DATE

TIME

MATRIX CODE

(see valid codes to left)

SAMPLE TYPE

(G=GRAB C=COMP)

SAMPLE TEMP AT COLLECTION

OF CONTAINERS

Preservatives

Unpreserved

H₂SO₄

HNO₃

HCl

NaOH

Na₂S₂O₃

Methanol

Other

Requested Analysis Filtered (Y/N)

Analysis Test

8260 VOCs

8270 SVOCs

RCRA 8 Metals

8081 OC Pesticides

8141 OP Pesticides

8151 Herbicides

8270 DRO/ORO

8260 GRO

353.2 Nitrogen NO₂/NO₃

9056 Sulfate

pH

Dissolved RCRA 8 Metals

Residual Chlorine (Y/N)

Pace Project No./ Lab I.D.

20742

ADDITIONAL COMMENTS

RELINQUISHED BY / AFFILIATION

DATE

TIME

ACCEPTED BY / AFFILIATION

DATE

TIME

SAMPLE CONDITIONS

Received on

Ice (Y/N)

Cooler (Y/N)

Samples Intact (Y/N)

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

JOHN R. SIMPSON

SIGNATURE of SAMPLER:

[Signature]

DATE Signed (MM/DD/YYYY):

10/25/18

Page 210 of 21


Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company:	Tetra Tech EMI	Report To:	Emily Fisher	Attention:	Accounts Payable
Address:	415 Oak	Copy To:	John Simpson	Company Name:	Tetra Tech, Inc.
	Kansas City, MO 64106			Address:	415 Oak St. Kansas City, MO 64106
Email To:	Emily.Fisher@tetratech.com	Purchase Order No.:	1146252	Pace Order Reference:	
Phone:	(816) 412-1755	Project Name:	Mead Hansen Building Site	Pace Project Manager:	Jeffrey Shopper 913-563-1408
Requested Due Date/TAT:	Standard	Project Number:		Pace Profile #:	970

Page: 2 of 2

REGULATORY AGENCY			
<input type="checkbox"/> NPDES	<input type="checkbox"/> GROUND WATER	<input type="checkbox"/> DRINKING WATER	
<input type="checkbox"/> UST	<input type="checkbox"/> RCRA	<input type="checkbox"/> OTHER	

Site Location MO	STATE:
----------------------------	---------------

[illegible]

	Document Name: Sample Condition Upon Receipt	Document Revised: 09-26-17 Page 1 of 1
	Document No.: F-DAL-C-001-rev.07	Issuing Authority: Pace Dallas Quality Office

Sample Condition Upon Receipt

☒ Dallas ☐ Ft Worth

WO#: 7581224



7581224

Client Name: Pace KS

Project Work order: _____

Courier: FedEx ☒ UPS ☐ USPS ☐ Client ☐ LSO ☐ PACE ☐ Other: _____

Tracking #: 4122 4942 6837, 4122 4942 6815, 4122 4942 6818, 4122 4942 6826

Custody Seal on Cooler/Box: Yes ☐ No ☒ Seals Intact: Yes ☐ No ☐ NA ☒

Packing Material: Bubble Wrap ☐ Bubble Bags ☒ Foam ☐ None ☐ Other ☐

Thermometer Used: IR- CS4 Type of Ice: Wet ☒ Blue ☐ None ☐ Sample Received on ice, cooling process has begun ☒

Cooler Temp °C: 0.8 (Recorded) -0.5 (Correction Factor) 0.3 (Actual) ☐ (Thermal preservation not required)

1.2, 0.6, 0.5 Temp should be above freezing to 6°C 0.7, 0.1, 0.5

Chain of Custody Present	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	1
Chain of Custody filled out	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	2
Chain of Custody relinquished	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	3
Sampler name & signature on COC	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	4
Sample received within HT	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	5
Short HT analyses (<72 hrs)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	6
Rush TAT requested	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	7
Sufficient Volume received	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	8
Correct Container used	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	9
Pace Container used	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	10
Container Intact	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	10
Unpreserved 5035A soil frozen within 48 hrs	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	11
Filtered volume received for Dissolved tests	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	12
Sample labels match COC	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	13
Include date/time/ID/analyses Matrix: <u>water/soil</u>		
All containers needing preservation have been checked and found to be in Compliance with EPA recommendation (includes residual chlorine checks)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	14a. pH Strip Lot #: _____ Original pH: pH<2 <input type="checkbox"/> pH>9 <input type="checkbox"/> pH>12 <input type="checkbox"/> Neutral <input type="checkbox"/> Lot# of Iodine strip: _____ Lot# of Lead Acetate strip: _____
Exception: VOA, coliform, O&G	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Do containers require preservation at the lab	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	14b. Preservation: Lot# and adjusted pH: pH<2 <input type="checkbox"/> pH>9 <input type="checkbox"/> pH>12
Are soil samples (volatiles) received in Bulk <input type="checkbox"/> Terracore <input type="checkbox"/> EnCore <input type="checkbox"/> NA <input checked="" type="checkbox"/>		15.
Trip Blank present	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	16.
Trip Blank Custody Seals Intact	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	
Pace Trip Blank Lot# (if purchased):		
Headspace in VOA (>6mm)	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	17.
Project sampled in USDA Regulated Area:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	18. List State

Triage Person: DOP Date: 1/30/18 Login Person: TS Date: 1/30/18 Labeling Person: TS Date: 1/30/18

Client Notification/Resolution/Comments:

Person Contacted: _____ Date: _____

Comments/Resolution: _____

Project Manager Review: [Signature]

Chain of Custody

7581224



☐ Samples were sent directly to the Subcontracting Laboratory.

Workorder: 60262831 Workorder Name: Meade Hansen Building Site Owner Received Date: 1/26/2018 Results Requested By: 2/9/2018

Report To						Subcontract To						Requested Analysis																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Jeffrey Shopper Pace Analytical Kansas 9608 Loiret Blvd. Lenexa, KS 66219 Phone 1(913)563-1408						Pace Analytical Dallas 400 West Bethany Drive Suite 190 Allen, TX 75013 Phone (972)727-1123						8081 Pesticides	8141 Pesticides	8151 Herbicides																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

						Comments											
Transfers	Released By	Date/Time	Received By	Date/Time		J-Flag results and report to MDL											
1	<i>[Signature]</i>	1/29/18 12:00	Daniel Palom	1/30/18 09:30													
2																	
3																	
Cooler Temperature on Receipt		0.7 °C	Custody Seal	Y or N		Received on Ice		Y or N		Samples Intact							

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.

This chain of custody is considered complete as is since this information is available in the owner laboratory.

APPENDIX D
ECOLOGICAL RISK FORM

**Ecological Risk Assessment
Screening Checklist for Potential Receptors and Habitat
Level 1, Checklist A**

1. Is the boundary of the contaminated area less than ½ mile to a surface water body (stream, river, pond, lake, etc.)? Yes, 0.45 miles to the Missouri River.
2. Are wetlands (as defined by the 1987 Corps of Engineers' Delineation Manual) on or adjacent to the site? No
3. Are contaminated soils uncovered or otherwise accessible to ecological receptors and the elements? No, site is paved.
4. Are there karstic features (see Ecological Risk Assessment Figure #2 for definition) on or within 1/2 mile of the boundary of the contaminated area? No

Note: A professional opinion may be necessary to make this determination. The Missouri Environmental Geology Atlas (MEGA), published recently by the Department of Natural Resources, Division of Geology and Land Survey (DGLS) provides several statewide, karst-related data sets, as well as others related to geology and hydrology, in a geographic information system format that can assist in this determination. MEGA, including software to view the data sets, may be obtained from DGLS by calling (573) 368-2125.

5. Are there federal or state rare, threatened, or endangered species on or within ½ mile of the contaminated area? (Note: The ½ mile criterion does not apply to situations where a hydrological connection exists between the site and karstic features. Contact the Missouri Department of Conservation for state-listed species and the U.S. Fish and Wildlife Service for federally listed species.) See attached list for species likely to be in the Missouri River.
6. Are there one or more environmentally sensitive areas (see Ecological Risk Assessment Figure #1 for definition) at or within ½ mile of the contaminated area? No – site is in the Central Business District of St. Joseph, Missouri.
7. Are commercially or recreationally important species (fauna or flora) on or within ½ mile of the contaminated area? No

If the answer is “Yes” to any of the above questions, then complete Ecological Risk Assessment Checklist for Potential Exposure Pathways, Checklist B.

**Ecological Risk Assessment
Screening Checklist for Potential Receptors and Habitat
Level 1, Checklist B**

- 1.a.) Can contaminants associated with the site leach, dissolve, or otherwise migrate to groundwater? Limited contaminants, predominantly metals, are found in site groundwater. Other organics have been identified at trace levels.
- 1.b.) Are contaminants associated with the site mobile in groundwater? No, most metals are non-detected in dissolved phase of groundwater samples. Indicates detected metals are associated with particles.
- 1.c.) Does groundwater from the site discharge to ecological receptor habitat?

Question 1: Could contaminants associated with the site reach ecological receptors via groundwater? No

- 2.a.) Is Non-Aqueous Phase Liquid (NAPL) present at the site? No
- 2.b.) Is NAPL migrating? Not applicable.
- 2.c.) Could NAPL discharge occur where ecological receptors are found? No

Question 2: Could contaminants from the site reach ecological receptors via migration of NAPL? No

- 3.a.) Are contaminants present in surface soils? Yes
- 3.b.) Can contaminants be leached from or be transported by erosion of surface soils?
No

Question 3: Could contaminants reach ecological receptors via erosional transport of contaminated soils or via precipitation runoff? No. Contaminated soils are beneath the build or other paved areas.

- 4.a.) Are contaminants present in surface soil or on the surface of the ground? No
- 4.b.) Are potential ecological receptors on the site? No, urban site.

Question 4: Could contaminants reach ecological receptors via direct contact? No, contamination is beneath the building or paved areas.

- 5.a.) Are contaminants present on the site volatile? No
- 5.b.) Could contaminants on the site be transported in air as dust or particulate matter? No

Question 5: Could contaminants reach ecological receptors via inhalation of volatilized contaminants or contaminants adhered to dust in ambient air or in subsurface burrows? No, contamination either beneath building or pavement.

- 6.a.) Are contaminants present in surface and shallow subsurface soils or on the surface of the ground? Yes
- 6.b.) Are contaminants found in soil on the site taken up by plants growing on the site? No, the site is in an urban setting and no plants are at the site.
- 6.c.) Do potential ecological receptors on or near the site feed on plants (e.g., grasses, shrubs, forbs, trees, etc.) found on the site? No
- 6.d.) Do contaminants found on the site bioaccumulate? Yes

Question 6: Could contaminants reach ecological receptors via direct ingestion of soil, plants, animals or contaminants? No

- 7.a.) Are there karstic features (see Ecological Risk Assessment Figure #2 for definition) on or within $\frac{1}{2}$ mile of the contaminated area? No
- 7.b.) Is there a hydrogeological connection between the site and karstic features such as seeps, springs, streams or other surface water bodies? No

Question 7: Could contaminants reach ecological receptors via transport through a karst system? No

Note: A professional opinion may be necessary to answer 7.a, 7.b, and Question 7. The Missouri Environmental Geology Atlas (MEGA), published recently by the Missouri Department of Natural Resources, Division of Geology and Land Survey (DGLS), provides several statewide, karst-related data sets, as well as others related to geology and hydrology, in a geographic information system format, that can assist in answering these questions. MEGA, including software to view the data sets, can be obtained from DGLS by calling (573) 3682125. The determination of proximity to karst features/topography under questions 7b and 7 of Checklist B does not always require a field determination. However, in some cases, a field determination may be appropriate.

If the answer to one or more of the seven above questions is “Yes”, the department may require further assessment to determine whether the site poses an unacceptable risk to ecological receptors.



Missouri Department of Conservation

Missouri Department of Conservation's Mission is to protect and manage the forest, fish, and wildlife resources of the state and to facilitate and provide opportunities for all citizens to use, enjoy and learn about these resources.

Natural Heritage Review Level Three Report: Species Listed Under the Federal Endangered Species Act

There are records for species listed under the Federal Endangered Species Act, and possibly also records for species listed Endangered by the state, or Missouri Species and/or Natural Communities of Conservation Concern within or near the the defined Project Area. Please contact the U.S. Fish and Wildlife Service and the Missouri Department of Conservation for further coordination.

Foreword: Thank you for accessing the Missouri Natural Heritage Review Website developed by the Missouri Department of Conservation with assistance from the U.S. Fish and Wildlife Service, the U.S. Army Corps of Engineers, Missouri Department of Transportation and NatureServe. The purpose of this website is to provide information to federal, state and local agencies, organizations, municipalities, corporations and consultants regarding sensitive fish, wildlife, plants, natural communities and habitats to assist in planning, designing and permitting stages of projects.

PROJECT INFORMATION

Project Name and ID Number: Mead Hanson Building #5155

User Project Number: 103X9025140002043

Project Description: Brownfields -Tier 1 Risk Assessment

Project Type: Development Within Municipalities (Urban Growth), Commercial/industrial (mall) and associated infrastructure, Maintenance/expansion/rehabilitation of existing facilities

Contact Person: David Homer

Contact Information: david.homer@tetrattech.com or 8164121762

Disclaimer: The NATURAL HERITAGE REVIEW REPORT produced by this website identifies if a species tracked by the Natural Heritage Program is known to occur within or near the area submitted for your project, and shares suggested recommendations on ways to avoid or minimize project impacts to sensitive species or special habitats. If an occurrence record is present, or the proposed project might affect federally listed species, the user must contact the Department of Conservation or U.S. Fish and Wildlife Service for more information. The Natural Heritage Program tracks occurrences of sensitive species and natural communities where the species or natural community has been found. Lack of an occurrence record does not mean that a sensitive plant, animal or natural community is not present on or near the project area. Depending on the project, current habitat conditions, and geographic location in the state, surveys may be necessary. Additionally, because land use conditions change and animals move, the existence of an occurrence record does not mean the species/habitat is still present. Therefore, Reports include information about records near but not necessarily on the project site.

The Natural Heritage Report is not a site clearance letter for the project. It provides an indication of whether or not public lands and sensitive resources are known to be (or are likely to be) located close to the proposed project. Incorporating information from the Natural Heritage Program into project plans is an important step that can help reduce unnecessary impacts to Missouri's sensitive fish, forest and wildlife resources. However, the Natural Heritage Program is only one reference that should be used to evaluate potential adverse project impacts. Other types of information, such as wetland and soils maps and on-site inspections or surveys, should be considered. Reviewing current landscape and habitat information, and species' biological characteristics would additionally ensure that Missouri Species of Conservation Concern are appropriately identified and addressed in planning efforts.

U.S. Fish and Wildlife Service – Endangered Species Act (ESA) Coordination: Lack of a Natural Heritage Program occurrence record for federally listed species in your project area does not mean the species is not present, as the area may never have been surveyed. Presence of a Natural Heritage Program occurrence record does not mean the project will result in negative impacts. The information within this report is not intended to replace Endangered Species Act consultation with the U.S. Fish and Wildlife Service (USFWS) for listed species. Direct contact with the USFWS may be necessary to complete consultation and it is required for actions with a federal connection, such as federal funding or a federal permit; direct contact is also required if ESA concurrence is necessary. Visit the USFWS Information for Planning and Conservation (IPaC) website at <https://ecos.fws.gov/ipac/> for further information. This site was developed to help streamline the USFWS environmental review process and is a first step in ESA coordination. The Columbia Missouri Ecological Field Services Office may be reached at 573-234-2132, or by mail at 101 Park Deville Drive, Suite A, Columbia, MO 65203.

Transportation Projects: If the project involves the use of Federal Highway Administration transportation funds, these recommendations may not fulfill all contract requirements. Please contact the Missouri Department of Transportation at 573-526-4778 or www.modot.mo.gov/ehp/index.htm for additional information on recommendations.


Mead Hanson Building



December 5, 2018

1:19,201

- Project Boundary
- Buffered Project Boundary



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS User Community

Species or Communities of Conservation Concern within the Area:

There are records for species listed under the Federal Endangered Species Act, and possibly also records for species listed Endangered by the state, or Missouri Species and/or Natural Communities of Conservation Concern within or near the the defined Project Area. Please contact the U.S. Fish and Wildlife Service and the Missouri Department of Conservation for further coordination.

MDC Natural Heritage Review
Resource Science Division
P.O. Box 180
Jefferson City, MO
65102-0180
Phone: 573-522-4115 ext. 3182
NaturalHeritageReview@mdc.mo.gov

U.S. Fish and Wildlife Service
Ecological Service
101 Park Deville Drive
Suite A
Columbia, MO
65203-0007
Phone: 573-234-2132

Other Special Search Results:

No results have been identified for this project location.

Project Type Recommendations:

No recommendations have been identified for this project type.

Project Location and/or Species Recommendations:

Endangered Species Act Coordination - Indiana bats (*Myotis sodalis*, federal- and state-listed endangered) and **Northern long-eared bats** (*Myotis septentrionalis*, federal-listed threatened) may occur near the project area. Both of these species of bats hibernate during winter months in caves and mines. During the summer months, they roost and raise young under the bark of trees in wooded areas, often riparian forests and upland forests near perennial streams. During project activities, avoid degrading stream quality and where possible leave snags standing and preserve mature forest canopy. Do not enter caves known to harbor Indiana bats or Northern long-eared bats, especially from September to April. **If any trees need to be removed for your project, please contact the U.S. Fish and Wildlife Service (Ecological Services, 101 Park Deville Drive, Suite A, Columbia, Missouri 65203-0007; Phone 573-234-2132 ext. 100 for Ecological Services) for further coordination under the Endangered Species Act.**

The project location submitted and evaluated is within the geographic range of nesting Bald Eagles in Missouri. Bald Eagles (*Haliaeetus leucocephalus*) may nest near streams or water bodies in the project area. Nests are large and fairly easy to identify. Adults begin nesting activity in late December and January and young birds leave the nest in late spring to early summer. While no longer listed as endangered, eagles continue to be protected by the federal government under the Bald and Golden Eagle Protection Act. Work managers should be alert for nesting areas within 1500 meters of project activities, and follow federal guidelines at: <http://www.fws.gov/midwest/MidwestBird/EaglePermits/index.html> if eagle nests are seen.

The project location submitted and evaluated is located within or adjacent to the Mississippi or Missouri rivers. Pallid Sturgeons (*Scaphirhynchus albus*, federal- and state-listed endangered) are big river fish that range widely in the Mississippi and Missouri River system (including parts of some major tributaries). Any project that modifies big river habitat or impacts water quality should consider the possible impact to pallid sturgeon populations. See <http://mdc.mo.gov/124> for Best Management Practices. Additional coordination with the U.S. Fish and Wildlife Service under the Endangered Species Act may be necessary (U.S. Fish and Wildlife Service, Ecological Services, 101 Park DeVille Drive, Suite A, Columbia, Missouri 65203-0007; phone 573-234-2132.)

Invasive exotic species are a significant issue for fish, wildlife and agriculture in Missouri. Seeds, eggs, and larvae may be moved to new sites on boats or construction equipment. Please inspect and clean equipment thoroughly before moving between project sites. See <http://mdc.mo.gov/9633> for more information.

- Remove any mud, soil, trash, plants or animals from equipment before leaving any water body or work area.
- Drain water from boats and machinery that have operated in water, checking motor cavities, live-well, bilge and transom wells, tracks, buckets, and any other water reservoirs.
- When possible, wash and rinse equipment thoroughly with hard spray or HOT water (?140° F, typically available at do-it-yourself car wash sites), and dry in the hot sun before using again.

Streams and Wetlands – Clean Water Act Permits: Streams and wetlands in the project area should be protected from activities that degrade habitat conditions. For example, soil erosion, water pollution, placement of fill, dredging, in-stream activities, and riparian corridor removal, can modify or diminish aquatic habitats. Streams and wetlands may be protected under the Clean Water Act and require a permit for any activities that result in fill or other modifications to the site. Conditions provided within the U.S. Army Corps of Engineers (USACE) Clean Water Act Section 404 permit (<http://www.nwk.usace.army.mil/Missions/RegulatoryBranch.aspx>) and the Missouri Department of Natural Resources (DNR) issued Clean Water Act Section 401 Water Quality Certification (<http://dnr.mo.gov/env/wpp/401/index.html>), if required, should help minimize impacts to the aquatic organisms and aquatic habitat within the area. Depending on your project type, additional permits may be required by the Missouri Department of Natural Resources, such as permits for stormwater, wastewater treatment facilities, and confined animal feeding operations. Visit <http://dnr.mo.gov/env/wpp/permits/index.html> for more information on DNR permits. Visit both the USACE and DNR for more information on Clean Water Act permitting.

For further coordination with the Missouri Department of Conservation and the U.S. Fish and Wildlife Services, please see the contact information below.

MDC Natural Heritage Review
Resource Science Division
P.O. Box 180
Jefferson City, MO
65102-0180
Phone: 573-522-4115 ext. 3182
NaturalHeritageReview@mdc.mo.gov

U.S. Fish and Wildlife Service
Ecological Service
101 Park Deville Drive
Suite A
Columbia, MO
65203-0007
Phone: 573-234-2132

Miscellaneous Information

FEDERAL Concerns are species/habitats protected under the Federal Endangered Species Act and that have been known near enough to the project site to warrant consideration. For these, project managers must contact the U.S. Fish and Wildlife Service Ecological Services (101 Park Deville Drive Suite A, Columbia, Missouri 65203-0007; Phone 573-234-2132; Fax 573-234-2181) for consultation.

STATE Concerns are species/habitats known to exist near enough to the project site to warrant concern and that are protected under the Wildlife Code of Missouri (RSMo 3 CSR 1 0). "State Endangered Status" is determined by the Missouri Conservation Commission under constitutional authority, with requirements expressed in the Missouri Wildlife Code, rule 3CSR 1 0-4.111. Species tracked by the Natural Heritage Program have a "State Rank" which is a numeric rank of relative rarity. Species tracked by this program and all native Missouri wildlife are protected under rule 3CSR 10-4.110 General Provisions of the Wildlife Code.

Additional information on Missouri's sensitive species may be found at <http://mdc.mo.gov/discover-nature/field-guide/endangered-species>. Detailed information about the animals and some plants mentioned may be accessed at http://mdc4.mdc.mo.gov/applications/mofwis/mofwis_search1.aspx. If you would like printed copies of best management practices cited as internet URLs, please contact the Missouri Department of Conservation.