

**Attention: Brad Hartwell**

TETRA TECH  
25213 Dequindre Road  
Madison Heights, MI  
USA 48071

**Report Date: 02/06/2019**

Report #: R5585097

Version: 1 - Final

**ANALYTICAL REPORT**

**MAXXAM JOB #: B929903**

**Received: 02/04/2019, 00:00**

Sample Matrix: Air  
# Samples Received: 3

Analyses	Quantity	Date Analyzed	Laboratory Method	Reference
Canister Pressure (TO-15)	3	N/A		EPA TO-15A
Volatile Organic Compounds - EPA TO15	3	02/06/2019		EPA TO-15A
Volatile Organic Compounds EPA TO15 TICS	3	02/06/2019		EPA TO-15A

This report shall not be reproduced except in full, without the written approval of the laboratory.

Results relate only to the items tested.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

**Encryption Key**

Please direct all questions regarding this Analytical Report to your Project Manager.

Karen Coonan, CS

Email: KCoonan@maxxamlabs.com

Phone# (248)344-2671

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports.

### ANALYTICAL RESULTS

Client ID:	OAKWOOD/SANDERS_020319					Matrix:	Air
Maxxam ID:	IXD664					Sample Media:	Canister
Date Sampled:	02/03/2019						
Initial Pressure:	-1.5 psig						
ANALYTE	Result ug/m3	RL ug/m3	Result ppb	RL ppb	Test Method	Date Analyzed	QC Batch
1,1,1-Trichloroethane	<2.7	2.7	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,1,2,2-Tetrachloroethane	<3.4	3.4	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,1,2-Trichloroethane	<2.7	2.7	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,1-Dichloroethane	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,1-Dichloroethylene	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,2,4-Trichlorobenzene	<3.7	3.7	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,2,4-Trimethylbenzene	<2.5	2.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Ethylene Dibromide	<3.8	3.8	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,2-Dichlorobenzene	<3.0	3.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,2-Dichloroethane	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,2-Dichloropropane	<2.3	2.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,3,5-Trimethylbenzene	<2.5	2.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,3-Butadiene	<1.1	1.1	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,3-Dichlorobenzene	<3.0	3.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,4-Dichlorobenzene	<3.0	3.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,4-Dioxane	<7.2	7.2	<2.0	2.0	EPA TO-15A	02/06/2019	5959837
2,2,4-Trimethylpentane	<2.3	2.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Methyl Ethyl Ketone (2-Butanone)	<1.5	1.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Methyl Butyl Ketone (2-Hexanone)	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
4-ethyltoluene	<2.5	2.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Methyl Isobutyl Ketone	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Acetone (2-Propanone)	14	2.4	6.0	1.0	EPA TO-15A	02/06/2019	5959837
Allyl chloride	<1.6	1.6	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Benzene	<1.6	1.6	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Benzyl chloride	<2.6	2.6	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Bromodichloromethane	<3.4	3.4	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Vinyl Bromide	<2.2	2.2	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Bromoform	<5.2	5.2	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Bromomethane	<1.9	1.9	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Carbon Disulfide	3.4	1.6	1.1	0.50	EPA TO-15A	02/06/2019	5959837
Carbon Tetrachloride	<3.1	3.1	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Chlorobenzene	<2.3	2.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Chloroethane	<1.3	1.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Chloroform	<2.4	2.4	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Chloromethane	1.1	1.0	0.51	0.50	EPA TO-15A	02/06/2019	5959837
cis-1,2-Dichloroethylene	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
cis-1,3-Dichloropropene	<2.3	2.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Cyclohexane	<1.7	1.7	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Dibromochloromethane	<4.3	4.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Dichlorodifluoromethane (FREON 12)	<2.5	2.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Dichlorotetrafluoroethane(Freon114)	<3.5	3.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Ethyl Acetate	<1.8	1.8	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Ethylbenzene	<2.2	2.2	<0.50	0.50	EPA TO-15A	02/06/2019	5959837

### ANALYTICAL RESULTS

Client ID: OAKWOOD/SANDERS_020319					Matrix: Air		
Maxxam ID: IXD664					Sample Media: Canister		
Date Sampled: 02/03/2019							
Initial Pressure: -1.5 psig							
ANALYTE	Result ug/m3	RL ug/m3	Result ppb	RL ppb	Test Method	Date Analyzed	QC Batch
Heptane	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Hexachlorobutadiene	<5.3	5.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Hexane	3.3	1.8	0.93	0.50	EPA TO-15A	02/06/2019	5959837
2-Propanol (Isopropyl Alcohol)	<2.5	2.5	<1.0	1.0	EPA TO-15A	02/06/2019	5959837
p+m-Xylene	<2.2	2.2	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Methyl t-butyl ether (MTBE)	<1.8	1.8	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Methylene Chloride(Dichloromethane)	3.5	1.7	1.0	0.50	EPA TO-15A	02/06/2019	5959837
Naphthalene	<2.6	2.6	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
o-Xylene	<2.2	2.2	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Propene	<0.86	0.86	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Styrene	<2.1	2.1	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Tetrachloroethylene	<3.4	3.4	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Tetrahydrofuran	<1.5	1.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Toluene	<1.9	1.9	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
trans-1,2-Dichloroethylene	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
trans-1,3-Dichloropropene	<2.3	2.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Trichloroethylene	<2.7	2.7	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Trichlorofluoromethane (FREON 11)	<2.8	2.8	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Trichlorotrifluoroethane	<3.8	3.8	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Vinyl Acetate	<1.8	1.8	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Vinyl Chloride	<1.3	1.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
ANALYTE	Result ug/m3	RL ug/m3	Result ppb	RL ppb	Test Method	Date Analyzed	QC Batch
Butane	--	N/A	3.5 T	N/A	EPA TO-15A	02/06/2019	5960450
Pentane	--	N/A	3.6 T	N/A	EPA TO-15A	02/06/2019	5960450
Pentane, 2-methyl-	--	N/A	1.1 T	N/A	EPA TO-15A	02/06/2019	5960450
Propane	--	N/A	3.9 T	N/A	EPA TO-15A	02/06/2019	5960450
Propane, 2-methyl-	--	N/A	4.9 T	N/A	EPA TO-15A	02/06/2019	5960450
QC Batch = Quality Control Batch							
N/A = Not Applicable							
RL = Reporting Limit							
T = Tentatively Identified Compound							

Client ID: DUMFRIES/GREYFRIARS_020319					Matrix: Air		
Maxxam ID: IXD665					Sample Media: Canister		
Date Sampled: 02/03/2019							
Initial Pressure: -3.1 psig							
ANALYTE	Result ug/m3	RL ug/m3	Result ppb	RL ppb	Test Method	Date Analyzed	QC Batch
1,1,1-Trichloroethane	<2.7	2.7	<0.50	0.50	EPA TO-15A	02/06/2019	5959837

### ANALYTICAL RESULTS

Client ID:	DUMFRIES/GREYFRIARS_020319					Matrix:	Air
Maxxam ID:	IXD665					Sample Media:	Canister
Date Sampled:	02/03/2019						
Initial Pressure:	-3.1 psig						
ANALYTE	Result ug/m3	RL ug/m3	Result ppb	RL ppb	Test Method	Date Analyzed	QC Batch
1,1,2,2-Tetrachloroethane	<3.4	3.4	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,1,2-Trichloroethane	<2.7	2.7	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,1-Dichloroethane	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,1-Dichloroethylene	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,2,4-Trichlorobenzene	<3.7	3.7	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,2,4-Trimethylbenzene	<2.5	2.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Ethylene Dibromide	<3.8	3.8	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,2-Dichlorobenzene	<3.0	3.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,2-Dichloroethane	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,2-Dichloropropane	<2.3	2.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,3,5-Trimethylbenzene	<2.5	2.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,3-Butadiene	<1.1	1.1	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,3-Dichlorobenzene	<3.0	3.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,4-Dichlorobenzene	<3.0	3.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,4-Dioxane	<7.2	7.2	<2.0	2.0	EPA TO-15A	02/06/2019	5959837
2,2,4-Trimethylpentane	<2.3	2.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Methyl Ethyl Ketone (2-Butanone)	1.8	1.5	0.62	0.50	EPA TO-15A	02/06/2019	5959837
Methyl Butyl Ketone (2-Hexanone)	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
4-ethyltoluene	<2.5	2.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Methyl Isobutyl Ketone	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Acetone (2-Propanone)	15	2.4	6.4	1.0	EPA TO-15A	02/06/2019	5959837
Allyl chloride	<1.6	1.6	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Benzene	<1.6	1.6	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Benzyl chloride	<2.6	2.6	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Bromodichloromethane	<3.4	3.4	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Vinyl Bromide	<2.2	2.2	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Bromoform	<5.2	5.2	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Bromomethane	<1.9	1.9	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Carbon Disulfide	<1.6	1.6	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Carbon Tetrachloride	<3.1	3.1	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Chlorobenzene	<2.3	2.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Chloroethane	<1.3	1.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Chloroform	<2.4	2.4	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Chloromethane	1.1	1.0	0.52	0.50	EPA TO-15A	02/06/2019	5959837
cis-1,2-Dichloroethylene	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
cis-1,3-Dichloropropene	<2.3	2.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Cyclohexane	<1.7	1.7	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Dibromochloromethane	<4.3	4.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Dichlorodifluoromethane (FREON 12)	<2.5	2.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Dichlorotetrafluoroethane(Freon114)	<3.5	3.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Ethyl Acetate	<1.8	1.8	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Ethylbenzene	<2.2	2.2	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Heptane	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837

### ANALYTICAL RESULTS

Client ID: DUMFRIES/GREYFRIARS_020319					Matrix: Air		
Maxxam ID: IXD665					Sample Media: Canister		
Date Sampled: 02/03/2019							
Initial Pressure: -3.1 psig							
ANALYTE	Result ug/m3	RL ug/m3	Result ppb	RL ppb	Test Method	Date Analyzed	QC Batch
Hexachlorobutadiene	<5.3	5.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Hexane	1.8	1.8	0.52	0.50	EPA TO-15A	02/06/2019	5959837
2-Propanol (Isopropyl Alcohol)	62	6.1	25	2.5	EPA TO-15A	02/06/2019	5959837
p+m-Xylene	3.9	2.2	0.90	0.50	EPA TO-15A	02/06/2019	5959837
Methyl t-butyl ether (MTBE)	<1.8	1.8	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Methylene Chloride(Dichloromethane)	<1.7	1.7	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Naphthalene	<2.6	2.6	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
o-Xylene	<2.2	2.2	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Propene	<0.86	0.86	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Styrene	<2.1	2.1	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Tetrachloroethylene	<3.4	3.4	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Tetrahydrofuran	<1.5	1.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Toluene	2.7	1.9	0.71	0.50	EPA TO-15A	02/06/2019	5959837
trans-1,2-Dichloroethylene	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
trans-1,3-Dichloropropene	<2.3	2.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Trichloroethylene	<2.7	2.7	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Trichlorofluoromethane (FREON 11)	<2.8	2.8	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Trichlorotrifluoroethane	<3.8	3.8	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Vinyl Acetate	<1.8	1.8	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Vinyl Chloride	<1.3	1.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
ANALYTE	Result ug/m3	RL ug/m3	Result ppb	RL ppb	Test Method	Date Analyzed	QC Batch
Butane	--	N/A	2.8 T	N/A	EPA TO-15A	02/06/2019	5960450
Pentane	--	N/A	2.6 T	N/A	EPA TO-15A	02/06/2019	5960450
Propane, 2-methyl-	--	N/A	3.3 T	N/A	EPA TO-15A	02/06/2019	5960450
QC Batch = Quality Control Batch							
N/A = Not Applicable							
RL = Reporting Limit							
T = Tentatively Identified Compound							

Client ID: DIX/OAKWOOD BLVD_020319					Matrix: Air		
Maxxam ID: IXD666					Sample Media: Canister		
Date Sampled: 02/03/2019							
Initial Pressure: -0.43 psig							
ANALYTE	Result ug/m3	RL ug/m3	Result ppb	RL ppb	Test Method	Date Analyzed	QC Batch
1,1,1-Trichloroethane	<2.7	2.7	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,1,1,2-Tetrachloroethane	<3.4	3.4	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,1,2-Trichloroethane	<2.7	2.7	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,1-Dichloroethane	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837

### ANALYTICAL RESULTS

Client ID:	DIX/OAKWOOD BLVD_020319					Matrix:	Air
Maxxam ID:	IXD666					Sample Media:	Canister
Date Sampled:	02/03/2019						
Initial Pressure:	-0.43 psig						
ANALYTE	Result ug/m3	RL ug/m3	Result ppb	RL ppb	Test Method	Date Analyzed	QC Batch
1,1-Dichloroethylene	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,2,4-Trichlorobenzene	<3.7	3.7	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,2,4-Trimethylbenzene	<2.5	2.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Ethylene Dibromide	<3.8	3.8	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,2-Dichlorobenzene	<3.0	3.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,2-Dichloroethane	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,2-Dichloropropane	3.3	2.3	0.72	0.50	EPA TO-15A	02/06/2019	5959837
1,3,5-Trimethylbenzene	<2.5	2.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,3-Butadiene	<1.1	1.1	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,3-Dichlorobenzene	<3.0	3.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,4-Dichlorobenzene	<3.0	3.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
1,4-Dioxane	<7.2	7.2	<2.0	2.0	EPA TO-15A	02/06/2019	5959837
2,2,4-Trimethylpentane	<2.3	2.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Methyl Ethyl Ketone (2-Butanone)	4.1	1.5	1.4	0.50	EPA TO-15A	02/06/2019	5959837
Methyl Butyl Ketone (2-Hexanone)	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
4-ethyltoluene	<2.5	2.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Methyl Isobutyl Ketone	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Acetone (2-Propanone)	66	47	28	20	EPA TO-15A	02/06/2019	5959837
Allyl chloride	<1.6	1.6	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Benzene	<1.6	1.6	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Benzyl chloride	<2.6	2.6	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Bromodichloromethane	<3.4	3.4	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Vinyl Bromide	<2.2	2.2	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Bromoform	<5.2	5.2	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Bromomethane	<1.9	1.9	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Carbon Disulfide	2.4	1.6	0.77	0.50	EPA TO-15A	02/06/2019	5959837
Carbon Tetrachloride	<3.1	3.1	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Chlorobenzene	<2.3	2.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Chloroethane	<1.3	1.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Chloroform	<2.4	2.4	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Chloromethane	1.1	1.0	0.55	0.50	EPA TO-15A	02/06/2019	5959837
cis-1,2-Dichloroethylene	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
cis-1,3-Dichloropropene	<2.3	2.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Cyclohexane	<1.7	1.7	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Dibromochloromethane	<4.3	4.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Dichlorodifluoromethane (FREON 12)	<2.5	2.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Dichlorotetrafluoroethane(Freon114)	<3.5	3.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Ethyl Acetate	20	1.8	5.7	0.50	EPA TO-15A	02/06/2019	5959837
Ethylbenzene	3.8	2.2	0.87	0.50	EPA TO-15A	02/06/2019	5959837
Heptane	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Hexachlorobutadiene	<5.3	5.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Hexane	3.1	1.8	0.87	0.50	EPA TO-15A	02/06/2019	5959837
2-Propanol (Isopropyl Alcohol)	500	49	200	20	EPA TO-15A	02/06/2019	5959837

### ANALYTICAL RESULTS

Client ID: DIX/OAKWOOD BLVD_020319					Matrix: Air		
Maxxam ID: IXD666					Sample Media: Canister		
Date Sampled: 02/03/2019							
Initial Pressure: -0.43 psig							
ANALYTE	Result ug/m3	RL ug/m3	Result ppb	RL ppb	Test Method	Date Analyzed	QC Batch
p+m-Xylene	14	2.2	3.2	0.50	EPA TO-15A	02/06/2019	5959837
Methyl t-butyl ether (MTBE)	<1.8	1.8	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Methylene Chloride(Dichloromethane)	<1.7	1.7	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Naphthalene	<2.6	2.6	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
o-Xylene	5.2	2.2	1.2	0.50	EPA TO-15A	02/06/2019	5959837
Propene	<0.86	0.86	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Styrene	<2.1	2.1	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Tetrachloroethylene	<3.4	3.4	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Tetrahydrofuran	<1.5	1.5	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Toluene	11	1.9	2.9	0.50	EPA TO-15A	02/06/2019	5959837
trans-1,2-Dichloroethylene	<2.0	2.0	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
trans-1,3-Dichloropropene	<2.3	2.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Trichloroethylene	<2.7	2.7	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Trichlorofluoromethane (FREON 11)	<2.8	2.8	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Trichlorotrifluoroethane	<3.8	3.8	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Vinyl Acetate	<1.8	1.8	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
Vinyl Chloride	<1.3	1.3	<0.50	0.50	EPA TO-15A	02/06/2019	5959837
ANALYTE	Result ug/m3	RL ug/m3	Result ppb	RL ppb	Test Method	Date Analyzed	QC Batch
Butane	--	N/A	6.1 T	N/A	EPA TO-15A	02/06/2019	5960450
Cyclotetrasiloxane, octamethyl-	--	N/A	1.4 T	N/A	EPA TO-15A	02/06/2019	5960450
Cyclotrisiloxane, hexamethyl-	--	N/A	2.9 T	N/A	EPA TO-15A	02/06/2019	5960450
Ethanol	--	N/A	2.9 T	N/A	EPA TO-15A	02/06/2019	5960450
Nonane	--	N/A	1.0 T	N/A	EPA TO-15A	02/06/2019	5960450
Octane	--	N/A	1.1 T	N/A	EPA TO-15A	02/06/2019	5960450
Pentane	--	N/A	6.7 T	N/A	EPA TO-15A	02/06/2019	5960450
Pentane, 2-methyl-	--	N/A	0.89 T	N/A	EPA TO-15A	02/06/2019	5960450
Propane, 2-methyl-	--	N/A	8.1 T	N/A	EPA TO-15A	02/06/2019	5960450
QC Batch = Quality Control Batch							
N/A = Not Applicable							
RL = Reporting Limit							
T = Tentatively Identified Compound							

### GENERAL COMMENTS

Unless otherwise noted below the following statements apply: 1) all samples were received in acceptable condition, 2) all quality control results associated with this sample set were within acceptable limits and /or do not adversely affect the reported results and 3) the industrial hygiene results have not been blank corrected.

**Results relate only to the items tested.**



### QUALITY ASSURANCE REPORT

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
5960450	DSX	LCS	Parts Per 1,1,1-Trichloroethane	02/06/2019		98	%	61 - 134
			Parts Per 1,1,2,2-Tetrachloroethane	02/06/2019		104	%	61 - 142
			Parts Per 1,1,2-Trichloroethane	02/06/2019		97	%	71 - 133
			Parts Per 1,1-Dichloroethane	02/06/2019		96	%	71 - 126
			Parts Per 1,1-Dichloroethylene	02/06/2019		98	%	72 - 123
			Parts Per 1,2,4-Trichlorobenzene	02/06/2019		80	%	41 - 142
			Parts Per 1,2,4-Trimethylbenzene	02/06/2019		110	%	67 - 138
			Parts Per Ethylene Dibromide	02/06/2019		101	%	65 - 144
			Parts Per 1,2-Dichlorobenzene	02/06/2019		108	%	47 - 146
			Parts Per 1,2-Dichloroethane	02/06/2019		97	%	60 - 137
			Parts Per 1,2-Dichloropropane	02/06/2019		96	%	70 - 131
			Parts Per 1,3,5-Trimethylbenzene	02/06/2019		114	%	62 - 150
			Parts Per 1,3-Butadiene	02/06/2019		99	%	61 - 146
			Parts Per 1,3-Dichlorobenzene	02/06/2019		108	%	51 - 146
			Parts Per 1,4-Dichlorobenzene	02/06/2019		112	%	51 - 147
			Parts Per 1,4-Dioxane	02/06/2019		100	%	79 - 133
			Parts Per 2,2,4-Trimethylpentane	02/06/2019		103	%	69 - 132
			Parts Per Methyl Ethyl Ketone (2-Butanone)	02/06/2019		104	%	72 - 125
			Parts Per Methyl Butyl Ketone (2-Hexanone)	02/06/2019		106	%	59 - 150
			Parts Per 4-ethyltoluene	02/06/2019		102	%	65 - 143
			Parts Per Methyl Isobutyl Ketone	02/06/2019		102	%	67 - 145
			Parts Per Acetone (2-Propanone)	02/06/2019		92	%	53 - 148
			Parts Per Allyl chloride	02/06/2019		98	%	76 - 122
			Parts Per Benzene	02/06/2019		98	%	70 - 135
			Parts Per Benzyl chloride	02/06/2019		115	%	58 - 144
			Parts Per Bromodichloromethane	02/06/2019		100	%	67 - 135
			Parts Per Vinyl Bromide	02/06/2019		94	%	62 - 142
			Parts Per Bromoform	02/06/2019		116	%	46 - 150
			Parts Per Bromomethane	02/06/2019		94	%	54 - 150
			Parts Per Carbon Disulfide	02/06/2019		97	%	68 - 126
			Parts Per Carbon Tetrachloride	02/06/2019		98	%	57 - 140
			Parts Per Chlorobenzene	02/06/2019		99	%	67 - 144
			Parts Per Chloroethane	02/06/2019		91	%	56 - 149
			Parts Per Chloroform	02/06/2019		97	%	58 - 141
			Parts Per Chloromethane	02/06/2019		96	%	57 - 149
			Parts Per cis-1,2-Dichloroethylene	02/06/2019		98	%	70 - 130
			Parts Per cis-1,3-Dichloropropene	02/06/2019		102	%	70 - 137
			Parts Per Cyclohexane	02/06/2019		102	%	72 - 127
			Parts Per Dibromochloromethane	02/06/2019		103	%	64 - 143
			Parts Per Dichlorodifluoromethane (FREON 12)	02/06/2019		91	%	50 - 147
			Parts Per Dichlorotetrafluoroethane(Freon114)	02/06/2019		90	%	47 - 150
			Parts Per Ethyl Acetate	02/06/2019		103	%	66 - 132
			Parts Per Ethylbenzene	02/06/2019		104	%	72 - 136
			Parts Per Heptane	02/06/2019		101	%	74 - 129
			Parts Per Hexachlorobutadiene	02/06/2019		79	%	33 - 144
			Parts Per Hexane	02/06/2019		97	%	71 - 123
			Parts Per 2-Propanol (Isopropyl Alcohol)	02/06/2019		91	%	63 - 139
			Parts Per p+m-Xylene	02/06/2019		106	%	60 - 140
			Parts Per Methyl t-butyl ether (MTBE)	02/06/2019		101	%	71 - 129
			Parts Per Methylene Chloride(Dichloromethane)	02/06/2019		95	%	65 - 123
			Parts Per Naphthalene	02/06/2019		88	%	65 - 142
			Parts Per o-Xylene	02/06/2019		106	%	64 - 140
			Parts Per Propene	02/06/2019		105	%	57 - 140
			Parts Per Styrene	02/06/2019		85	%	61 - 150
			Parts Per Tetrachloroethylene	02/06/2019		98	%	61 - 137

**QUALITY ASSURANCE REPORT(CONT'D)**

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
5960450	DSX	LCS DUP	Parts Per Tetrahydrofuran	02/06/2019		103	%	72 - 129
			Parts Per Toluene	02/06/2019		91	%	71 - 133
			Parts Per trans-1,2-Dichloroethylene	02/06/2019		99	%	69 - 128
			Parts Per trans-1,3-Dichloropropene	02/06/2019		102	%	62 - 149
			Parts Per Trichloroethylene	02/06/2019		98	%	70 - 134
			Parts Per Trichlorofluoromethane (FREON 11)	02/06/2019		94	%	47 - 150
			Parts Per Trichlorotrifluoroethane	02/06/2019		94	%	67 - 132
			Parts Per Vinyl Acetate	02/06/2019		101	%	67 - 136
			Parts Per Vinyl Chloride	02/06/2019		85	%	56 - 149
			Parts Per 1,1,1-Trichloroethane	02/06/2019		96	%	61 - 134
			Parts Per 1,1,2,2-Tetrachloroethane	02/06/2019		104	%	61 - 142
			Parts Per 1,1,2-Trichloroethane	02/06/2019		95	%	71 - 133
			Parts Per 1,1-Dichloroethane	02/06/2019		95	%	71 - 126
			Parts Per 1,1-Dichloroethylene	02/06/2019		95	%	72 - 123
			Parts Per 1,2,4-Trichlorobenzene	02/06/2019		83	%	41 - 142
			Parts Per 1,2,4-Trimethylbenzene	02/06/2019		113	%	67 - 138
			Parts Per Ethylene Dibromide	02/06/2019		99	%	65 - 144
			Parts Per 1,2-Dichlorobenzene	02/06/2019		107	%	47 - 146
			Parts Per 1,2-Dichloroethane	02/06/2019		96	%	60 - 137
			Parts Per 1,2-Dichloropropane	02/06/2019		94	%	70 - 131
			Parts Per 1,3,5-Trimethylbenzene	02/06/2019		114	%	62 - 150
			Parts Per 1,3-Butadiene	02/06/2019		94	%	61 - 146
			Parts Per 1,3-Dichlorobenzene	02/06/2019		109	%	51 - 146
			Parts Per 1,4-Dichlorobenzene	02/06/2019		113	%	51 - 147
			Parts Per 1,4-Dioxane	02/06/2019		98	%	79 - 133
			Parts Per 2,2,4-Trimethylpentane	02/06/2019		101	%	69 - 132
			Parts Per Methyl Ethyl Ketone (2-Butanone)	02/06/2019		103	%	72 - 125
			Parts Per Methyl Butyl Ketone (2-Hexanone)	02/06/2019		103	%	59 - 150
			Parts Per 4-ethyltoluene	02/06/2019		101	%	65 - 143
			Parts Per Methyl Isobutyl Ketone	02/06/2019		99	%	67 - 145
			Parts Per Acetone (2-Propanone)	02/06/2019		90	%	53 - 148
			Parts Per Allyl chloride	02/06/2019		97	%	76 - 122
			Parts Per Benzene	02/06/2019		96	%	70 - 135
			Parts Per Benzyl chloride	02/06/2019		117	%	58 - 144
			Parts Per Bromodichloromethane	02/06/2019		97	%	67 - 135
			Parts Per Vinyl Bromide	02/06/2019		90	%	62 - 142
			Parts Per Bromoform	02/06/2019		115	%	46 - 150
			Parts Per Bromomethane	02/06/2019		90	%	54 - 150
			Parts Per Carbon Disulfide	02/06/2019		96	%	68 - 126
			Parts Per Carbon Tetrachloride	02/06/2019		96	%	57 - 140
			Parts Per Chlorobenzene	02/06/2019		99	%	67 - 144
			Parts Per Chloroethane	02/06/2019		91	%	56 - 149
			Parts Per Chloroform	02/06/2019		97	%	58 - 141
			Parts Per Chloromethane	02/06/2019		97	%	57 - 149
			Parts Per cis-1,2-Dichloroethylene	02/06/2019		97	%	70 - 130
			Parts Per cis-1,3-Dichloropropene	02/06/2019		100	%	70 - 137
			Parts Per Cyclohexane	02/06/2019		100	%	72 - 127
			Parts Per Dibromochloromethane	02/06/2019		102	%	64 - 143
			Parts Per Dichlorodifluoromethane (FREON 12)	02/06/2019		97	%	50 - 147
			Parts Per Dichlorotetrafluoroethane(Freon114)	02/06/2019		93	%	47 - 150
			Parts Per Ethyl Acetate	02/06/2019		99	%	66 - 132
			Parts Per Ethylbenzene	02/06/2019		104	%	72 - 136
			Parts Per Heptane	02/06/2019		98	%	74 - 129
			Parts Per Hexachlorobutadiene	02/06/2019		85	%	33 - 144
			Parts Per Hexane	02/06/2019		99	%	71 - 123

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
5960450	DSX	LCS/LCSD RPD	Parts Per 2-Propanol (Isopropyl Alcohol)	02/06/2019		91	%	63 - 139
			Parts Per p+m-Xylene	02/06/2019		105	%	60 - 140
			Parts Per Methyl t-butyl ether (MTBE)	02/06/2019		101	%	71 - 129
			Parts Per Methylene Chloride(Dichloromethane	02/06/2019		97	%	65 - 123
			Parts Per Naphthalene	02/06/2019		87	%	65 - 142
			Parts Per o-Xylene	02/06/2019		106	%	64 - 140
			Parts Per Propene	02/06/2019		92	%	57 - 140
			Parts Per Styrene	02/06/2019		83	%	61 - 150
			Parts Per Tetrachloroethylene	02/06/2019		96	%	61 - 137
			Parts Per Tetrahydrofuran	02/06/2019		102	%	72 - 129
			Parts Per Toluene	02/06/2019		88	%	71 - 133
			Parts Per trans-1,2-Dichloroethylene	02/06/2019		96	%	69 - 128
			Parts Per trans-1,3-Dichloropropene	02/06/2019		99	%	62 - 149
			Parts Per Trichloroethylene	02/06/2019		97	%	70 - 134
			Parts Per Trichlorofluoromethane (FREON 11)	02/06/2019		92	%	47 - 150
			Parts Per Trichlorotrifluoroethane	02/06/2019		93	%	67 - 132
			Parts Per Vinyl Acetate	02/06/2019		99	%	67 - 136
			Parts Per Vinyl Chloride	02/06/2019		83	%	56 - 149
			Parts Per 1,1,1-Trichloroethane	02/06/2019	2.5		%	14
			Parts Per 1,1,2,2-Tetrachloroethane	02/06/2019	0.38		%	11
			Parts Per 1,1,2-Trichloroethane	02/06/2019	1.9		%	16
			Parts Per 1,1-Dichloroethane	02/06/2019	1.7		%	12
			Parts Per 1,1-Dichloroethylene	02/06/2019	3.1		%	9
			Parts Per 1,2,4-Trichlorobenzene	02/06/2019	3.9		%	22
			Parts Per 1,2,4-Trimethylbenzene	02/06/2019	2.2		%	10
			Parts Per Ethylene Dibromide	02/06/2019	2.2		%	14
			Parts Per 1,2-Dichlorobenzene	02/06/2019	0.37		%	13
			Parts Per 1,2-Dichloroethane	02/06/2019	0.83		%	17
			Parts Per 1,2-Dichloropropane	02/06/2019	1.9		%	15
			Parts Per 1,3,5-Trimethylbenzene	02/06/2019	0.35		%	10
			Parts Per 1,3-Butadiene	02/06/2019	4.8		%	26
			Parts Per 1,3-Dichlorobenzene	02/06/2019	0.37		%	13
			Parts Per 1,4-Dichlorobenzene	02/06/2019	1.2		%	13
			Parts Per 1,4-Dioxane	02/06/2019	1.8		%	12
			Parts Per 2,2,4-Trimethylpentane	02/06/2019	1.4		%	12
			Parts Per Methyl Ethyl Ketone (2-Butanone)	02/06/2019	1.5		%	16
			Parts Per Methyl Butyl Ketone (2-Hexanone)	02/06/2019	2.9		%	11
			Parts Per 4-ethyltoluene	02/06/2019	0.98		%	12
			Parts Per Methyl Isobutyl Ketone	02/06/2019	2.6		%	15
			Parts Per Acetone (2-Propanone)	02/06/2019	2.9		%	30
			Parts Per Allyl chloride	02/06/2019	0.82		%	11
			Parts Per Benzene	02/06/2019	1.8		%	9
			Parts Per Benzyl chloride	02/06/2019	1.7		%	13
			Parts Per Bromodichloromethane	02/06/2019	3.5		%	12
			Parts Per Vinyl Bromide	02/06/2019	3.9		%	26
			Parts Per Bromoform	02/06/2019	0.35		%	13
			Parts Per Bromomethane	02/06/2019	4.8		%	24
			Parts Per Carbon Disulfide	02/06/2019	0.21		%	9
			Parts Per Carbon Tetrachloride	02/06/2019	2.5		%	13
			Parts Per Chlorobenzene	02/06/2019	0.20		%	11
			Parts Per Chloroethane	02/06/2019	0.88		%	25
			Parts Per Chloroform	02/06/2019	0.21		%	13
			Parts Per Chloromethane	02/06/2019	1.7		%	28
			Parts Per cis-1,2-Dichloroethylene	02/06/2019	0.61		%	12
			Parts Per cis-1,3-Dichloropropene	02/06/2019	2.0		%	11

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
5960450	DSX	Method Blank	Parts Per Cyclohexane	02/06/2019	2.4		%	14
			Parts Per Dibromochloromethane	02/06/2019	1.8		%	14
			Parts Per Dichlorodifluoromethane (FREON 12)	02/06/2019	6.6		%	28
			Parts Per Dichlorotetrafluoroethane(Freon114)	02/06/2019	3.3		%	32
			Parts Per Ethyl Acetate	02/06/2019	4.4		%	16
			Parts Per Ethylbenzene	02/06/2019	0.39		%	11
			Parts Per Heptane	02/06/2019	3.8		%	11
			Parts Per Hexachlorobutadiene	02/06/2019	6.3		%	18
			Parts Per Hexane	02/06/2019	1.4		%	12
			Parts Per 2-Propanol (Isopropyl Alcohol)	02/06/2019	0		%	30
			Parts Per p+m-Xylene	02/06/2019	1.0		%	11
			Parts Per Methyl t-butyl ether (MTBE)	02/06/2019	0		%	13
			Parts Per Methylene Chloride(Dichloromethane	02/06/2019	1.7		%	13
			Parts Per Naphthalene	02/06/2019	1.1		%	20
			Parts Per o-Xylene	02/06/2019	0.19		%	17
			Parts Per Propene	02/06/2019	13		%	35
			Parts Per Styrene	02/06/2019	2.9		%	14
			Parts Per Tetrachloroethylene	02/06/2019	2.1		%	17
			Parts Per Tetrahydrofuran	02/06/2019	0.78		%	15
			Parts Per Toluene	02/06/2019	3.8		%	10
			Parts Per trans-1,2-Dichloroethylene	02/06/2019	2.9		%	10
			Parts Per trans-1,3-Dichloropropene	02/06/2019	3.0		%	14
			Parts Per Trichloroethylene	02/06/2019	1.2		%	12
			Parts Per Trichlorofluoromethane (FREON 11)	02/06/2019	2.4		%	23
			Parts Per Trichlorotrifluoroethane	02/06/2019	0.86		%	15
			Parts Per Vinyl Acetate	02/06/2019	2.2		%	16
			Parts Per Vinyl Chloride	02/06/2019	1.9		%	27
			Parts Per 1,1,1-Trichloroethane	02/06/2019	<0.50		ppbv	
			Parts Per 1,1,2,2-Tetrachloroethane	02/06/2019	<0.50		ppbv	
			Parts Per 1,1,2-Trichloroethane	02/06/2019	<0.50		ppbv	
			Parts Per 1,1-Dichloroethane	02/06/2019	<0.50		ppbv	
			Parts Per 1,1-Dichloroethylene	02/06/2019	<0.50		ppbv	
			Parts Per 1,2,4-Trichlorobenzene	02/06/2019	<0.50		ppbv	
			Parts Per 1,2,4-Trimethylbenzene	02/06/2019	<0.50		ppbv	
			Parts Per Ethylene Dibromide	02/06/2019	<0.50		ppbv	
			Parts Per 1,2-Dichlorobenzene	02/06/2019	<0.50		ppbv	
			Parts Per 1,2-Dichloroethane	02/06/2019	<0.50		ppbv	
			Parts Per 1,2-Dichloropropane	02/06/2019	<0.50		ppbv	
			Parts Per 1,3,5-Trimethylbenzene	02/06/2019	<0.50		ppbv	
			Parts Per 1,3-Butadiene	02/06/2019	<0.50		ppbv	
			Parts Per 1,3-Dichlorobenzene	02/06/2019	<0.50		ppbv	
			Parts Per 1,4-Dichlorobenzene	02/06/2019	<0.50		ppbv	
			Parts Per 1,4-Dioxane	02/06/2019	<2.0		ppbv	
			Parts Per 2,2,4-Trimethylpentane	02/06/2019	<0.50		ppbv	
			Parts Per Methyl Ethyl Ketone (2-Butanone)	02/06/2019	<0.50		ppbv	
			Parts Per Methyl Butyl Ketone (2-Hexanone)	02/06/2019	<0.50		ppbv	
			Parts Per 4-ethyltoluene	02/06/2019	<0.50		ppbv	
			Parts Per Methyl Isobutyl Ketone	02/06/2019	<0.50		ppbv	
			Parts Per Acetone (2-Propanone)	02/06/2019	<1.0		ppbv	
			Parts Per Allyl chloride	02/06/2019	<0.50		ppbv	
			Parts Per Benzene	02/06/2019	<0.50		ppbv	
			Parts Per Benzyl chloride	02/06/2019	<0.50		ppbv	
			Parts Per Bromodichloromethane	02/06/2019	<0.50		ppbv	
			Parts Per Vinyl Bromide	02/06/2019	<0.50		ppbv	
			Parts Per Bromoform	02/06/2019	<0.50		ppbv	

### QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	% Recovery	UNITS	QC Limits
			Parts Per Bromomethane	02/06/2019	<0.50		ppbv	
			Parts Per Carbon Disulfide	02/06/2019	<0.50		ppbv	
			Parts Per Carbon Tetrachloride	02/06/2019	<0.50		ppbv	
			Parts Per Chlorobenzene	02/06/2019	<0.50		ppbv	
			Parts Per Chloroethane	02/06/2019	<0.50		ppbv	
			Parts Per Chloroform	02/06/2019	<0.50		ppbv	
			Parts Per Chloromethane	02/06/2019	<0.50		ppbv	
			Parts Per cis-1,2-Dichloroethylene	02/06/2019	<0.50		ppbv	
			Parts Per cis-1,3-Dichloropropene	02/06/2019	<0.50		ppbv	
			Parts Per Cyclohexane	02/06/2019	<0.50		ppbv	
			Parts Per Dibromochloromethane	02/06/2019	<0.50		ppbv	
			Parts Per Dichlorodifluoromethane (FREON 12)	02/06/2019	<0.50		ppbv	
			Parts Per Dichlorotetrafluoroethane(Freon114)	02/06/2019	<0.50		ppbv	
			Parts Per Ethyl Acetate	02/06/2019	<0.50		ppbv	
			Parts Per Ethylbenzene	02/06/2019	<0.50		ppbv	
			Parts Per Heptane	02/06/2019	<0.50		ppbv	
			Parts Per Hexachlorobutadiene	02/06/2019	<0.50		ppbv	
			Parts Per Hexane	02/06/2019	<0.50		ppbv	
			Parts Per 2-Propanol (Isopropyl Alcohol)	02/06/2019	<1.0		ppbv	
			Parts Per p+m-Xylene	02/06/2019	<0.50		ppbv	
			Parts Per Methyl t-butyl ether (MTBE)	02/06/2019	<0.50		ppbv	
			Parts Per Methylene Chloride(Dichloromethane)	02/06/2019	<0.50		ppbv	
			Parts Per Naphthalene	02/06/2019	<0.50		ppbv	
			Parts Per o-Xylene	02/06/2019	<0.50		ppbv	
			Parts Per Propene	02/06/2019	<0.50		ppbv	
			Parts Per Styrene	02/06/2019	<0.50		ppbv	
			Parts Per Tetrachloroethylene	02/06/2019	<0.50		ppbv	
			Parts Per Tetrahydrofuran	02/06/2019	<0.50		ppbv	
			Parts Per Toluene	02/06/2019	<0.50		ppbv	
			Parts Per trans-1,2-Dichloroethylene	02/06/2019	<0.50		ppbv	
			Parts Per trans-1,3-Dichloropropene	02/06/2019	<0.50		ppbv	
			Parts Per Trichloroethylene	02/06/2019	<0.50		ppbv	
			Parts Per Trichlorofluoromethane (FREON 11)	02/06/2019	<0.50		ppbv	
			Parts Per Trichlorotrifluoroethane	02/06/2019	<0.50		ppbv	
			Parts Per Vinyl Acetate	02/06/2019	<0.50		ppbv	
			Parts Per Vinyl Chloride	02/06/2019	<0.50		ppbv	
			Parts Per Tentatively Identified Compounds	02/06/2019	<0.50		ppbv	
Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.								
LCS: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.								

**For Maxxam Analytics Use Only**  
Maxxam Analytics Lab Project No.

B929903



**Detroit Lab**  
22345 Roethel Drive  
Novi, MI 48375  
(800) 806-5887  
(248) 344-2652  
FAX (248) 344-2655

**Atlanta Lab**  
3380 Chastain Meadows Pky., Suite 300  
Kennesaw, GA 30144  
(800) 252-9919  
(770) 499-7500  
FAX (770) 499-7511

**Chicago Lab**  
95 Oakwood Road  
Lake Zurich, IL 60047  
(888) 576-7522  
(847) 726-3320  
FAX (847) 726-3323

**CONTACT LAB IN ADVANCE**

Need Results by: 2 / 5 / 19

**RUSH Charges Authorized?** ☒ Yes, ☐ No

(If yes, Initial here) RJH

☒ Email Results to See instructions below

[illegible]