

## Air Monitoring Summary Tables

The tables below summarize preliminary air monitoring data collected using Handheld DustTrak, SPM Flex, and MultiRAE Pro instruments.

**Project Name:** Morris Industrial Fire ER  
**Date/Time:** 07/24/21 07:36 to 07/24/21 18:03

### Weather

**Temperature:** 88°F, low of 72°F  
**Wind Speed:** 6 to 18 miles per hour  
**Wind Direction:** West / Southwest  
**Conditions:** Partially Cloudy

Fixed Discrete Air Monitoring Location 010 - Upwind					
Instrument	Analyte	Morris Industrial Fire Public Health Screening Level <sup>1</sup>	Public Health Screening Level Exceeded?	Number of Measurements	Concentration Range
MultiRAE Pro	H <sub>2</sub> S (ppm)	0.1 ppm	No	4	0.000 to 0.000
	CO (ppm)	--	No	4	0.00 to 0.00
	O <sub>2</sub> (%)	--	No	4	20.9 to 20.9
	LEL (%)	--	No	4	0.000 to 0.000
	VOC (ppm)	1 ppm	No	4	0.000 to 0.000
SPM Flex	HF	1 ppm	No	12	0.000 to 0.000
Handheld DustTrak	PM <sub>2.5</sub> (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup>	Yes	4	0.028 to 0.050
	PM <sub>10</sub> (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>	Yes	4	0.030 to 0.051

Fixed Discrete Air Monitoring Location 011 - Downwind					
Instrument	Analyte	Morris Industrial Fire Public Health Screening Level <sup>1</sup>	Public Health Screening Level Exceeded?	Number of Measurements	Concentration Range
MultiRAE Pro	H <sub>2</sub> S (ppm)	0.1 ppm	No	6	0.000 to 0.000
	CO (ppm)	--	No	6	0.00 to 0.00
	O <sub>2</sub> (%)	--	No	6	20.9 to 20.9
	LEL (%)	--	No	6	0.000 to 0.000
	VOC (ppm)	1 ppm	No	6	0.000 to 0.000
SPM Flex	HF	1 ppm	No	18	0.000 to 0.000
Handheld DustTrak	PM <sub>2.5</sub> (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup>	Yes	6	0.026 to 0.078
	PM <sub>10</sub> (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>	Yes	6	0.024 to 0.079

Fixed Discrete Air Monitoring Location 012 - Downwind					
Instrument	Analyte	Morris Industrial Fire Public Health Screening Level <sup>1</sup>	Public Health Screening Level Exceeded?	Number of Measurements	Concentration Range
MultiRAE Pro	H <sub>2</sub> S (ppm)	0.1 ppm	No	5	0.000 to 0.000
	CO (ppm)	--	No	5	0.00 to 0.00
	O <sub>2</sub> (%)	--	No	5	20.9 to 20.9
	LEL (%)	--	No	5	0.000 to 0.000
	VOC (ppm)	1 ppm	No	5	0.000 to 0.000
SPM Flex	HF	1 ppm	No	15	0.000 to 0.000
Handheld DustTrak	PM <sub>2.5</sub> (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup>	Yes	5	0.028 to 0.065
	PM <sub>10</sub> (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>	Yes	5	0.028 to 0.065

Notes: See last page.

## Air Monitoring Summary Tables

The tables below summarize preliminary air monitoring data collected using Handheld DustTrak, SPM Flex, and MultiRAE Pro instruments.

**Project Name:** Morris Industrial Fire ER  
**Date/Time:** 07/24/21 07:36 to 07/24/21 18:03

### Weather

**Temperature:** 88°F, low of 72°F  
**Wind Speed:** 6 to 18 miles per hour  
**Wind Direction:** West / Southwest  
**Conditions:** Partially Cloudy

Fixed Discrete Air Monitoring Location 013 - Upwind					
Instrument	Analyte	Morris Industrial Fire Public Health Screening Level <sup>1</sup>	Public Health Screening Level Exceeded?	Number of Measurements	Concentration Range
MultiRAE Pro	H <sub>2</sub> S (ppm)	0.1 ppm	No	4	0.000 to 0.000
	CO (ppm)	--	No	4	0.00 to 0.00
	O <sub>2</sub> (%)	--	No	4	20.9 to 20.9
	LEL (%)	--	No	4	0.000 to 0.000
	VOC (ppm)	1 ppm	No	4	0.000 to 0.000
SPM Flex	HF	1 ppm	No	12	0.000 to 0.000
Handheld DustTrak	PM <sub>2.5</sub> (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup>	Yes	4	0.025 to 0.070
	PM <sub>10</sub> (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>	Yes	4	0.025 to 0.070

Fixed Discrete Air Monitoring Location 014 - Upwind					
Instrument	Analyte	Morris Industrial Fire Public Health Screening Level <sup>1</sup>	Public Health Screening Level Exceeded?	Number of Measurements	Concentration Range
MultiRAE Pro	H <sub>2</sub> S (ppm)	0.1 ppm	No	4	0.000 to 0.000
	CO (ppm)	--	No	4	0.00 to 0.00
	O <sub>2</sub> (%)	--	No	4	20.9 to 20.9
	LEL (%)	--	No	4	0.000 to 0.000
	VOC (ppm)	1 ppm	No	4	0.000 to 0.000
SPM Flex	HF	1 ppm	No	18	0.000 to 0.000
Handheld DustTrak	PM <sub>2.5</sub> (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup>	Yes	6	0.025 to 0.082
	PM <sub>10</sub> (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>	Yes	6	0.027 to 0.083

Fixed Discrete Air Monitoring Location 015 - Upwind					
Instrument	Analyte	Morris Industrial Fire Public Health Screening Level <sup>1</sup>	Public Health Screening Level Exceeded?	Number of Measurements	Concentration Range
MultiRAE Pro	H <sub>2</sub> S (ppm)	0.1 ppm	No	5	0.000 to 0.000
	CO (ppm)	--	No	5	0.00 to 0.00
	O <sub>2</sub> (%)	--	No	5	20.9 to 20.9
	LEL (%)	--	No	5	0.000 to 0.000
	VOC (ppm)	1 ppm	No	5	0.000 to 0.000
SPM Flex	HF	1 ppm	No	15	0.000 to 0.000
Handheld DustTrak	PM <sub>2.5</sub> (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup>	Yes	5	0.026 to 0.060
	PM <sub>10</sub> (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>	Yes	5	0.028 to 0.064

Notes: See last page.

## Air Monitoring Summary Tables

The tables below summarize preliminary air monitoring data collected using Handheld DustTrak, SPM Flex, and MultiRAE Pro instruments.

**Project Name:** Morris Industrial Fire ER  
**Date/Time:** 07/24/21 07:36 to 07/24/21 18:03

### Weather

**Temperature:** 88°F, low of 72°F  
**Wind Speed:** 6 to 18 miles per hour  
**Wind Direction:** West / Southwest  
**Conditions:** Partially Cloudy


Fixed Discrete Air Monitoring Location 016 - Downwind					
Instrument	Analyte	Morris Industrial Fire Public Health Screening Level <sup>1</sup>	Public Health Screening Level Exceeded?	Number of Measurements	Concentration Range
MultiRAE Pro	H <sub>2</sub> S (ppm)	0.1 ppm	No	5	0.000 to 0.000
	CO (ppm)	--	No	5	0.00 to 0.00
	O <sub>2</sub> (%)	--	No	5	20.9 to 20.9
	LEL (%)	--	No	5	0.000 to 0.000
	VOC (ppm)	1 ppm	No	5	0.000 to 0.000
SPM Flex	HF	1 ppm	No	15	0.000 to 0.000
Handheld DustTrak	PM <sub>2.5</sub> (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup>	Yes	5	0.023 to 0.076
	PM <sub>10</sub> (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>	Yes	5	0.023 to 0.076

Fixed Discrete Air Monitoring Location 017 - Upwind/Crosswind					
Instrument	Analyte	Morris Industrial Fire Public Health Screening Level <sup>1</sup>	Public Health Screening Level Exceeded?	Number of Measurements	Concentration Range
MultiRAE Pro	H <sub>2</sub> S (ppm)	0.1 ppm	No	5	0.000 to 0.000
	CO (ppm)	--	No	5	0.00 to 0.00
	O <sub>2</sub> (%)	--	No	5	20.9 to 20.9
	LEL (%)	--	No	5	0.000 to 0.000
	VOC (ppm)	1 ppm	No	5	0.000 to 0.000
SPM Flex	HF	1 ppm	No	15	0.000 to 0.000
Handheld DustTrak	PM <sub>2.5</sub> (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup>	Yes	5	0.028 to 0.068
	PM <sub>10</sub> (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>	Yes	5	0.028 to 0.068

Comments
Start and stop times for each air monitoring instrument varies. The monitoring period is based on the earliest start time and latest stop time out of all units.
1 - Site-Specific Public Health Screening Levels are based on 1-hour time-weighted averages and were established by ATSDR. Fixed discrete monitoring readings are discrete readings, and so do not represent conditions over a full 1-hour period.
2 - PM <sub>2.5</sub> and PM <sub>10</sub> exceedances of site-specific screening levels were observed at the fixed discrete air monitoring locations during the monitoring period. There was no active fire, smoke or site activities conducted at the facility during the monitoring period.

### Notes:

CO - Carbon Monoxide  
H<sub>2</sub>S - Hydrogen Sulfide  
LEL - Lower Explosive Limit  
HF - Hydrogen Fluoride  
mg/m<sup>3</sup> - milligrams per cubic meter  
O<sub>2</sub> - Oxygen  
PM<sub>2.5</sub> - particles that are 2.5 micrometers and smaller  
PM<sub>10</sub> - particles that are 10 micrometers and smaller  
ppb - Parts per billion  
ppm - Parts per million  
VOC - Volatile organic compounds



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community




### Legend

-  Fire Location
-  Fixed Discrete Air Monitoring Locations
-  Former Approximate Evacuation Zone

Source: Esri 2020

Note: Air monitoring locations subject to change based on site conditions and response objectives



Morris Industrial Fire ER  
Morris, Illinois

**Figure 1**  
**Air Monitoring Stations**  
07/24/21 07:36 to 07/24/21 18:03



Prepared For: USEPA

Prepared By: Tetra Tech Inc.