

# Air Monitoring Summary Tables

The tables below summarize preliminary air monitoring data collected using EPA AreaRAE Pro and DustTrak DRX instruments.

**Project Name:** Morris Industrial Fire Site  
**Date/Time:** 07/18/2022 06:41 to 07/22/2022 16:49

Northeast Air Monitoring Station					
Instrument	Analyte	Morris Industrial Fire Public Health Screening Level <sup>1</sup>	Public Health Screening Level Exceeded?	1-Hour Period Concentration Range	Average of All 1-Hour Periods
<b>DustTrak</b> (S/N: 8533153912)	PM <sub>2.5</sub> (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup>	Yes (see comment 2)	0.003 to 0.059	0.017
	PM <sub>10</sub> (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>	Yes (see comment 2)	0.004 to 0.060	0.017
<b>AreaRAE Pro</b> (S/N: W01A00002413)	VOC (ppm)	0.5 ppm	No	0.0 to 0.0	0.0
	CO (ppm)	--	No	0.0 to 0.0	0.0
	H <sub>2</sub> S (ppm)	0.1 ppm	No	0.0 to 0.0	0.0
	HF (ppm)	0.2 ppm	Yes (see comment 3)	0.0 to 0.3	0.0

Northwest Air Monitoring Station					
Instrument	Analyte	Morris Industrial Fire Public Health Screening Level <sup>1</sup>	Public Health Screening Level Exceeded?	1-Hour Period Concentration Range	Average of All 1-Hour Periods
<b>DustTrak</b> (S/N: 8533153917)	PM <sub>2.5</sub> (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup>	Yes (see comment 2)	0.001 to 0.062	0.012
	PM <sub>10</sub> (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>	Yes (see comment 2)	0.003 to 0.067	0.013
<b>AreaRAE Pro</b> (S/N: W01A00002412)	VOC (ppm)	0.5 ppm	No	0.0 to 0.1	0.0
	CO (ppm)	--	No	0.0 to 0.4	0.0
	H <sub>2</sub> S (ppm)	0.1 ppm	No	0.0 to 0.0	0.0
	HF (ppm)	0.2 ppm	No	0.0 to 0.0	0.0

Southeast Air Monitoring Station					
Instrument	Analyte	Morris Industrial Fire Public Health Screening Level <sup>1</sup>	Public Health Screening Level Exceeded?	1-Hour Period Concentration Range	Average of All 1-Hour Periods
<b>DustTrak</b> (S/N: 8533153910)	PM <sub>2.5</sub> (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup>	Yes (see comment 2)	0.002 to 0.064	0.017
	PM <sub>10</sub> (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>	Yes (see comment 2)	0.003 to 0.065	0.017
<b>AreaRAE Pro</b> (S/N: W01A00002410)	VOC (ppm)	0.5 ppm	No	0.0 to 0.3	0.0
	CO (ppm)	--	No	0.0 to 0.7	0.0
	H <sub>2</sub> S (ppm)	0.1 ppm	No	0.0 to 0.0	0.0
	HF (ppm)	0.2 ppm	No	0.0 to 0.0	0.0

Notes: See last page.

# Air Monitoring Summary Tables

The tables below summarize preliminary air monitoring data collected using EPA AreaRAE Pro and DustTrak DRX instruments.

**Project Name:** Morris Industrial Fire Site  
**Date/Time:** 07/18/2022 06:41 to 07/22/2022 16:49

Southwest Air Monitoring Station					
Instrument	Analyte	Morris Industrial Fire Public Health Screening Level <sup>1</sup>	Public Health Screening Level Exceeded?	1-Hour Period Concentration Range	Average of All 1-Hour Periods
<b>DustTrak</b> (S/N: 8533154003)	PM <sub>2.5</sub> (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup>	Yes (see comment 2)	0.002 to 0.062	0.014
	PM <sub>10</sub> (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>	Yes (see comment 2)	0.003 to 0.063	0.014
<b>AreaRAE Pro</b> (S/N: W01A00002411)	VOC (ppm)	0.5 ppm	No	0.0 to 0.1	0.0
	CO (ppm)	--	No	0.0 to 0.0	0.0
	H <sub>2</sub> S (ppm)	0.1 ppm	No	0.0 to 0.0	0.0
	HF (ppm)	0.2 ppm	No	0.0 to 0.0	0.0

Comments
Air monitoring measurements have been averaged over a 1-hour time period and summarized above.
Start and stop times for each air monitoring instrument varies. The monitoring period is based on the earliest start time and latest stop time out of all units.
Air monitoring is not performed during inclement weather conditions/rain and thunderstorms.
1 - Morris Industrial Fire Public Health Screening Levels are based on 1-hour time-weighted averages and were established by Agency for Toxic Substances and Disease Registry (ATSDR).
2 - PM <sub>2.5</sub> and PM <sub>10</sub> 1-hour TWAs were greater than the Action Level at multiple stations throughout the week. Upwind/off-site elevated levels PM <sub>2.5</sub> and PM <sub>10</sub> impacted downwind air monitoring stations.
3 - The HF exceedance for the northeast station is likely due to leftover calibration gas remaining in the chamber.
<b>Notes:</b> °F - Degrees Fahrenheit CO - Carbon Monoxide ERRS - Emergency and Rapid Response Services H <sub>2</sub> S - Hydrogen Sulfide HF - Hydrogen Fluoride LEL - Lower Explosive Limit mg/m <sup>3</sup> - Milligrams per cubic meter PM <sub>2.5</sub> - Particles that are 2.5 micrometers and smaller PM <sub>10</sub> - Particles that are 10 micrometers and smaller ppm - Parts per million S/N - Serial number VOC - Volatile organic compounds