




WATER SAMPLES:

Surface water samples were collected on August 12, 2023 at 3 locations downstream on Duck Creek. The result from one sample at the dammed area found a low level exceedance of the Texas Commission on Environmental Quality (TCEQ) water quality level for lead. None of the downstream sample found exceedances of the TCEQ water quality levels. No exceedance of the measured PFAS chemicals were found.

LEGEND

- Site Location
- Dam Location
- CTEH Surface Water Samples

**SHERWIN-WILLIAMS
PLANT FIRE RESPONSE
SAMPLE LOCATION MAP
08/12/2023 OPERATIONS**



For Official Use Only



Analyte	CAS.NO	Units	Active SL	TCEQ RBEL (Water + Fish)	NRWQC - Human Health Water + Organism	EPA SW Recreator	Residential GW May 2023 GWGWClass3	RSL 1.0 Tapwater 05/2023 MCL	Sample ID Date Type	GATX0812W003 8/12/2023 FS	GATX0812W005 8/12/2023 FS	GATX0812W006 8/12/2023 FS
Metals - 200.8												
Arsenic	7440-38-2	ug/L	10	10	0.018	2.35	1000	10	--	3.04	1.44	1.82
Barium	7440-39-3	ug/L	2000	2000	1000	14400	200000	2000	--	69.8	48.4	51.5
Cadmium	7440-43-9	ug/L	5	5		6.15	500	5	--	0.16 U	0.16 U	0.16 U
Chromium	7440-47-3	ug/L	10000				10000	100	--	5.6 U	5.6 U	5.6 U
Lead	7439-92-1	ug/L	1.15	1.15			1500	15	--	2.83	0.513 U	0.513 U
Selenium	7782-49-2	ug/L	50	50	170	602	5000	50	--	0.438 J	0.437 U	0.437 U
Silver	7440-22-4	ug/L	353			353	12000		--	0.144 U	0.144 U	0.144 U
Mercury - 245.1												
Mercury	7439-97-6	ug/L	0.0122	0.0122			200	2	--	0.1 U	0.1 U	0.1 U
Ammonia Nitrogen - 350.1												
Ammonia Nitrogen	7664-41-7	ug/L							--	117 U	254	117 U
Nonhalonated Organics - 8015												
Ethylene glycol	107-21-1	ug/L	46744	46744		101000	4900000		--	1900 U	1900 U	1900 U
Nonhalonated Organics - 8015M												
Methanol	67-56-1	ug/L	249000			249000	4900000		--	4950 U	4950 U	4950 U
Volatile Organic Compounds - 8260B												
butyl acrylate	141-32-2	ug/L	22000				22000		--	1 U	1 U	1 U
Volatile Organic Compounds - 8260D												
1,1,1-Trichloroethane	71-55-6	ug/L	200	200	10000	149000	20000	200	--	0.149 U	0.149 U	0.149 U
1,1,2,2-Tetrachloroethane	79-34-5	ug/L	1.64	1.64	0.2	12.1	460		--	0.133 U	0.133 U	0.133 U
1,1,2-Trichloroethane	79-00-5	ug/L	5	5	0.55	47.8	500	5	--	0.158 U	0.158 U	0.158 U
1,1-Dichloroethane	75-34-3	ug/L	442			442	490000		--	0.1 U	0.1 U	0.1 U
1,1-Dichloroethene	75-35-4	ug/L	7	7	300	3880	700	7	--	0.188 U	0.188 U	0.188 U
1,2,3-Trichloropropane	96-18-4	ug/L	0.0145			0.0145	3		--	0.237 U	0.237 U	0.237 U
1,2,4-Trimethylbenzene	95-63-6	ug/L	262			262	83000		--	0.322 U	0.322 U	0.322 U
1,2-Dibromoethane	106-93-4	ug/L	0.17	0.17		1.53	5	0.05	--	0.126 U	0.126 U	0.126 U
1,2-Dichlorobenzene	95-50-1	ug/L	600	600	1000	3470	60000	600	--	0.107 U	0.107 U	0.107 U
1,2-Dichloroethane	107-06-2	ug/L	5	5	9.9	31.6	500	5	--	0.0819 U	0.0819 U	0.0819 U
1,2-Dichloropropane	78-87-5	ug/L	5	5	0.9	65.4	500	5	--	0.149 U	0.149 U	0.149 U
1,3-Dichlorobenzene	541-73-1	ug/L	322	322	7		73000		--	0.11 U	0.11 U	0.11 U
1,4-Dichlorobenzene	106-46-7	ug/L	75	75	300	170	7500	75	--	0.12 U	0.12 U	0.12 U
1,4-Dioxane	123-91-1	ug/L	36.9			36.9	910		--	36 U	36 U	36 U
2-Butanone (MEK)	78-93-3	ug/L	13865	13865		72200	1500000		--	4.05 J	1.19 U	1.19 U
2-Chloroethyl vinyl ether	110-75-8	ug/L	83				83		--	0.575 U	0.575 UJ6	0.575 U
2-Hexanone	591-78-6	ug/L	529			529	120000		--	0.787 U	0.787 U	0.787 U
4-Methyl-2-pentanone (MIBK)	108-10-1	ug/L	200000				200000		--	0.478 U	0.478 U	0.478 U
Acetone	67-64-1	ug/L	111000			111000	2200000		--	27.4 J	11.3 U	11.3 U
Acrolein	107-02-8	ug/L	3	3	3	60.9	1200		--	2.54 UC3	2.54 UC3	2.54 UC3
Acrylonitrile	107-13-1	ug/L	1	1	0.061	6.45	170		--	0.671 U	0.671 U	0.671 U
Allyl chloride	107-05-1	ug/L	99.5			99.5	24000		--	0.5 U	0.5 UJ6	0.5 U
Benzene	71-43-2	ug/L	5	5		33.3	500	5	--	0.0941 U	0.0941 U	0.0941 U
Bromodichloromethane	75-27-4	ug/L	10.2	10.2		46.1	8000	80	--	0.136 U	0.299 J	0.136 U
Bromoform	75-25-2	ug/L	66.9	66.9	7	385	8000	80	--	0.129 U	0.129 U	0.129 U
Bromomethane	74-83-9	ug/L	100	100		153	3400		--	0.605 UJ4	0.605 UJ4J5	0.605 UJ4
Carbon disulfide	75-15-0	ug/L	7860			7860	240000		--	0.193 J	0.0962 U	0.0962 U
Carbon tetrachloride	56-23-5	ug/L	4.5	4.5	0.4	24.1	500	5	--	0.128 U	0.128 U	0.128 U
Chlorobenzene	108-90-7	ug/L	100	100	100	1030	10000	100	--	0.116 U	0.116 U	0.116 U
Chlorodibromomethane	124-48-1	ug/L	7.5	7.5	0.8	35.8	8000	80	--	0.14 U	0.14 U	0.14 U
Chloroethane	75-00-3	ug/L	980000				980000		--	0.192 UJ4	0.192 UJ4J5	0.192 UJ4



Analyte	CAS.NO	Units	Active SL	TCEQ RBEL (Water + Fish)	NRWQC - Human Health Water + Organism	EPA SW Recreator	Residential GW May 2023 GWGWClass3	RSL 1.0 Tapwater 05/2023 MCL	Sample ID Date Type	GATX0812W003 8/12/2023 FS	GATX0812W005 8/12/2023 FS	GATX0812W006 8/12/2023 FS
Chloroform	67-66-3	ug/L	70	70	60	80.5	8000	80	--	0.111 U	1.36 J	0.331 J
Chloromethane	74-87-3	ug/L	7000				7000		--	0.96 UC3	0.96 UC3	0.96 UC3
Chloroprene	126-99-8	ug/L	1130			1130			--	1.45 U	1.45 U	1.45 U
cis-1,2-Dichloroethene	156-59-2	ug/L	159			159	7000	70	--	0.126 U	0.126 U	0.126 U
cis-1,3-Dichloropropene	10061-01-5	ug/L	170				170		--	0.111 U	0.111 U	0.111 U
Cyclohexane	110-82-7	ug/L	12000000				12000000		--	0.188 U	0.188 U	0.188 U
Dibromomethane	74-95-3	ug/L	12000				12000		--	0.122 U	0.122 U	0.122 U
Dichlorodifluoromethane	75-71-8	ug/L	16900			16900	490000		--	0.374 U	0.374 U	0.374 U
Ethyl methacrylate	97-63-2	ug/L	220000				220000		--	1.48 U	1.48 U	1.48 U
Ethylbenzene	100-41-4	ug/L	700	700	68	81.2	70000	700	--	0.137 U	0.137 U	0.137 U
Iodomethane	74-88-4	ug/L	3400				3400		--	6 U	6 U	6 U
Isobutanol	78-83-1	ug/L	34400			34400	730000		--	42.1 U	42.1 U	42.1 U
Isopropylbenzene	98-82-8	ug/L	2540			2540	240000		--	0.105 U	0.105 U	0.105 U
m&p-Xylenes	1330-20-7	ug/L	7390			7390	1000000	10000	--	0.43 U	0.43 U	0.43 U
Methacrylonitrile	126-98-7	ug/L	11.5			11.5	120000		--	14.2 U	14.2 U	14.2 U
Methyl methacrylate	80-62-6	ug/L	148000			148000	3400000		--	1.52 U	1.52 U	1.52 U
Methylene Chloride	75-09-2	ug/L	5	5	20	265	500	5	--	0.43 U	0.43 U	0.43 U
Naphthalene	91-20-3	ug/L	7.63			7.63	49000		--	1 UC3	1 UC3	1 UC3
n-Butanol	71-36-3	ug/L	11200			11200	240000		--	1760	150 U	150 U
o-Xylene	95-47-6	ug/L	7660			7660	1000000		--	0.174 U	0.174 U	0.174 U
Pentachloroethane	76-01-7	ug/L	18			18	1000		--	2.3 U	2.3 U	2.3 U
Propionitrile	107-12-0	ug/L	980				980		--	16.2 U	16.2 U	16.2 U
Styrene	100-42-5	ug/L	8820			8820	10000	100	--	0.118 U	0.118 U	0.118 U
tert-Butyl alcohol	75-65-0	ug/L	7020			7020	220000		--	127	4.06 U	4.06 U
Tetrachloroethene	127-18-4	ug/L	5	5	10	269	500	5	--	0.3 U	0.3 U	0.3 U
Toluene	108-88-3	ug/L	1000	1000	57	3920	100000	1000	--	0.313 J	0.278 U	0.278 U
trans-1,2-Dichloroethene	156-60-5	ug/L	100	100	100	1590	10000	100	--	0.149 U	0.149 U	0.149 U
trans-1,3-Dichloropropene	10061-02-6	ug/L	910				910		--	0.118 U	0.118 U	0.118 U
trans-1,4-Dichloro-2-butene	110-57-6	ug/L							--	0.467 UC3	0.467 UC3	0.467 UC3
Trichloroethene	79-01-6	ug/L	5	5	0.6	23.2	500	5	--	0.19 U	0.19 U	0.19 U
Trichlorofluoromethane	75-69-4	ug/L	22200			22200	730000		--	0.16 U	0.16 U	0.16 U
Vinyl acetate	108-05-4	ug/L	117000			117000	2400000		--	0.692 U	0.692 U	0.692 U
Vinyl chloride	75-01-4	ug/L	0.23	0.23	0.022	0.00994	200	2	--	0.234 U	0.234 U	0.234 U
Xylenes, Total	1330-20-7	ug/L	7390			7390	1000000	10000	--	0.174 U	0.174 U	0.174 U
Semi-Volatile Organic Compounds - 8270C												
1,2,4-Trichlorobenzene	120-82-1	ug/L	0.07	0.07	0.071	22.1	7000	70	--	0.0698 U	0.0698 UJ3	0.0698 U
2,2-Oxybis(1-Chloropropane)	108-60-1	ug/L	200	200		3480	1300		--	0.21 U	0.21 UJ3	0.21 U
2,4,6-Trichlorophenol	88-06-2	ug/L	15	15	1.5	41.8	2400		--	0.1 U	0.1 UJ3	0.1 U
2,4-Dichlorophenol	120-83-2	ug/L	10	10	10	176	7300		--	0.102 U	0.102 UJ3	0.102 U
2,4-Dimethylphenol	105-67-9	ug/L	444	444	100	1580	49000		--	0.0636 U	0.0636 U	0.0636 U
2,4-Dinitrophenol	51-28-5	ug/L	10	10		227	4900		--	5.93 U	5.93 UJ3	5.93 U
2,4-Dinitrotoluene	121-14-2	ug/L	0.49	0.49		9.7	130		--	0.0983 U	0.0983 UJ3	0.0983 U
2,6-Dinitrotoluene	606-20-2	ug/L	1.93			1.93	130		--	0.25 U	0.25 UJ3	0.25 U
2-Chloronaphthalene	91-58-7	ug/L	800	800		2170	200000		--	0.0648 U	0.0648 UJ3	0.0648 U
2-Chlorophenol	95-57-8	ug/L	30	30	30	437	12000		--	0.133 U	0.133 UJ3	0.133 U
2-Nitrophenol	88-75-5	ug/L	4900				4900		--	0.117 U	0.117 UJ3	0.117 U
3,3-Dichlorobenzidine	91-94-1	ug/L	0.79	0.79	0.049	3.65	200		--	0.212 U	0.212 UJ6	0.212 U
4,6-Dinitro-2-methylphenol	534-52-1	ug/L	2	2	2	8.43	240		--	1.12 U	1.12 U	1.12 U
4-Bromophenyl-phenylether	101-55-3	ug/L	6.1				6.1		--	0.0877 U	0.0877 UJ3	0.0877 U
4-Chloro-3-methylphenol	59-50-7	ug/L	500	500	500	5020	12000		--	0.131 U	0.131 UJ3	0.131 U



Analyte	CAS.NO	Units	Active SL	TCEQ RBEL (Water + Fish)	NRWQC - Human Health Water + Organism	EPA SW Recreator	Residential GW May 2023 GWGWClass3	RSL 1.0 Tapwater 05/2023 MCL	Sample ID Date Type	GATX0812W003 8/12/2023 FS	GATX0812W005 8/12/2023 FS	GATX0812W006 8/12/2023 FS
4-Chlorophenyl-phenylether	7005-72-3	ug/L	6.1				6.1		--	0.0926 U	0.0926 UJ3	0.0926 U
4-Nitrophenol	100-02-7	ug/L	4900				4900		--	0.143 U	0.143 U	0.143 U
Acenaphthene	83-32-9	ug/L	70	70	70	1510	150000		--	0.0886 U	0.0886 UJ3	0.0886 U
Acenaphthylene	208-96-8	ug/L	150000				150000		--	0.0921 U	0.0921 UJ3	0.0921 U
Anthracene	120-12-7	ug/L	1109	1109		5100	730000		--	0.0804 U	0.0804 UJ3	0.0804 U
Benzidine	92-87-5	ug/L	0.0015	0.0015	0.00014	0.0026	0.4		--	3.74 UJ4	3.74 UJ4J6	3.74 UJ4
Benzo(a)anthracene	56-55-3	ug/L	0.024	0.024	0.0012	6.46	910		--	0.199 U	0.199 UJ3	0.199 U
Benzo(a)pyrene	50-32-8	ug/L	0.0025	0.0025	0.00012	0.646	20	0.2	--	0.0381 U	0.0381 UJ3	0.0381 U
Benzo(b)fluoranthene	205-99-2	ug/L	0.012	0.012	0.0012	6.46	910		--	0.13 U	0.13 UJ3	0.13 U
Benzo(g,h,i)perylene	191-24-2	ug/L	73000				73000		--	0.121 U	0.121 UJ3	0.121 U
Benzo(k)fluoranthene	207-08-9	ug/L	0.12	0.12	0.012	64.6	9100		--	0.12 U	0.12 UJ3	0.12 U
Benzylbutyl phthalate	85-68-7	ug/L	1	1	0.1	343	48000		--	0.765 U	0.765 UJ3	0.765 U
Bis(2-chlorethoxy)methane	111-91-1	ug/L	354			354	83		--	0.116 U	0.116 UJ3	0.116 U
Bis(2-chloroethyl)ether	111-44-4	ug/L	0.6	0.6	0.03	3.01	83		--	0.137 U	0.137 UJ3	0.137 U
Bis(2-ethylhexyl)phthalate	117-81-7	ug/L	6	6	0.32	270	600	6	--	0.895 U	0.895 UJ3	0.895 U
Chrysene	218-01-9	ug/L	2.45	2.45	0.12	646	91000		--	0.13 U	0.13 UJ3	0.13 U
Dibenz(a,h)anthracene	53-70-3	ug/L	0.0012	0.0012	0.00012	0.646	20		--	0.0644 U	0.0644 UJ3	0.0644 U
Diethyl phthalate	84-66-2	ug/L	600	600		81300	2000000		--	0.287 U	0.287 UJ3	0.287 U
Dimethyl phthalate	131-11-3	ug/L	2000	2000	2000		2000000		--	0.26 U	0.26 UJ3	0.26 U
Di-n-butyl phthalate	84-74-2	ug/L	88.9	88.9	20	3030	240000		--	1.86 J	0.453 UJ3	0.453 U
Di-n-octyl phthalate	117-84-0	ug/L	1270			1270	24000		--	0.932 U	0.932 UJ3	0.932 U
Fluoranthene	206-44-0	ug/L	20	20		5070	98000		--	0.102 U	0.102 UJ3	0.102 U
Fluorene	86-73-7	ug/L	50	50		836	98000		--	0.0844 U	0.0844 UJ3	0.0844 U
Hexachloro-1,3-butadiene	87-68-3	ug/L	0.21	0.21	0.01	5.86	1200		--	0.0968 U	0.0968 U	0.0968 U
Hexachlorobenzene	118-74-1	ug/L	0.00068	0.00068	0.000079	1.27	100	1	--	0.0755 U	0.0755 UJ3	0.0755 U
Hexachlorocyclopentadiene	77-47-4	ug/L	10.7	10.7	4	90.7	5000	50	--	0.0598 U	0.0598 U	0.0598 U
Hexachloroethane	67-72-1	ug/L	1.84	1.84	0.1	20	1700		--	0.127 U	0.127 U	0.127 U
Indeno(1,2,3-cd)pyrene	193-39-5	ug/L	0.012	0.012	0.0012	6.46	910		--	0.279 U	0.279 UJ3	0.279 U
Isophorone	78-59-1	ug/L	340	340	34	3120	96000		--	0.259 J	0.143 UJ3	0.143 U
Naphthalene	91-20-3	ug/L	7.63			7.63	49000		--	0.159 U	0.159 U	0.159 U
Nitrobenzene	98-95-3	ug/L	45.7	45.7	10	194	4900		--	0.297 U	0.297 UJ3	0.297 U
n-Nitrosodimethylamine	62-75-9	ug/L	0.0069	0.0069	0.00069	0.0125	1.8		--	0.998 U	0.998 U	0.998 U
n-Nitrosodi-n-propylamine	621-64-7	ug/L	0.05	0.05	0.005	0.457	13		--	0.261 U	0.261 UJ3	0.261 U
n-Nitrosodiphenylamine	86-30-6	ug/L	33	33	3.3	349	19000		--	2.37 U	2.37 UJ3	2.37 U
Pentachlorophenol	87-86-5	ug/L	0.22	0.22	0.03	0.741	100	1	--	0.313 U	0.313 U	0.313 U
Phenanthrene	85-01-8	ug/L	73000				73000		--	0.112 U	0.112 UJ3	0.112 U
Phenol	108-95-2	ug/L	4000	4000	4000	30700	730000		--	5.26 J	4.33 U	4.33 U
Pyrene	129-00-0	ug/L	20	20		357	73000		--	0.107 U	0.107 UJ3	0.107 U
Total Petroleum Hydrocarbons - TCEQ Method 1005												
TPH C12 - C28	TPH C12 - C28	ug/L	98000				98000		--	600 U	600 U	600 U
TPH C28 - C35	TPH C28 - C35	ug/L	98000				98000		--	600 U	600 U	600 U
TPH C6 - C12	TPH C6 - C12	ug/L	98000				98000		--	600 U	600 U	600 U
TPH C6 - C35	TPH C6 - C35	ug/L							--	600 U	600 U	600 U



PFAS

Analyte	CAS.NO	Units	Active SL	Residential GW May 2023 GWGWClass1	Residential GW May 2023 GWGWClass3	Sample ID Date Type	GATX0812W003P 8/12/2023 Field Sample	GATX0812W005P 8/12/2023 Field Sample	GATX0812W006P 8/12/2023 Field Sample
Per- and Polyfluoroalkyl Substances (PFAS) - EPA 537 Mod									
10:2 FTS	120226-60-0	ug/L				--	0.0389 U	0.004 U	0.004 U
11CI-PF3OUdS	763051-92-9	ug/L				--	0.0389 U	0.004 U	0.004 U
4:2 FTS	757124-72-4	ug/L				--	0.034 J	0.004 U	0.004 U
6:2 FTS	27619-97-2	ug/L				--	7.72	0.196	0.582
8:2 FTS	39108-34-4	ug/L				--	0.0389 U	0.004 U	0.004 U
9CI-PF3ONS	756426-58-1	ug/L				--	0.0389 U	0.004 U	0.004 U
ADONA	919005-14-4	ug/L				--	0.0389 U	0.004 U	0.004 U
HFPO-DA	13252-13-6	ug/L				--	0.195 U	0.0198 U	0.0199 U
NEtFOSA	4151-50-2	ug/L				--	0.0778 U	0.0079 U	0.0079 U
NEtFOSAA	2991-50-6	ug/L				--	0.0778 U	0.0079 U	0.0079 U
NEtFOSE	1691-99-2	ug/L				--	0.0778 U	0.0079 U	0.0079 U
NFDHA	151772-58-6	ug/L				--	0.0389 U	0.004 U	0.004 U
NMeFOSA	31506-32-8	ug/L				--	0.0778 U	0.0079 U	0.0079 U
NMeFOSAA	2355-31-9	ug/L				--	0.0778 U	0.00095 J	0.001 J
NMeFOSE	24448-09-7	ug/L				--	0.0778 U	0.0079 U	0.0079 U
Perfluorobutanesulfonic acid	375-73-5	ug/L	34	34	3400	--	0.013 J	0.0073	0.0102
Perfluorodecanoic acid	335-76-2	ug/L	0.37	0.37	37	--	0.0389 U	0.004 U	0.004 U
Perfluorododecanoic acid	307-55-1	ug/L	0.29	0.29	29	--	0.0389 U	0.004 U	0.004 U
Perfluoroheptanoic acid	375-85-9	ug/L	0.56	0.56	56	--	0.0592	0.0044	0.0091
Perfluorohexanesulfonic acid	355-46-4	ug/L	0.093	0.093	9.3	--	0.0124 J	0.0032 J	0.0031 J
Perfluorohexanoic acid	307-24-4	ug/L	12	12	1200	--	2.18	0.0258	0.0523
Perfluorononanoic acid	375-95-1	ug/L	0.29	0.29	29	--	0.0389 U	0.004 U	0.004 U
Perfluorooctanesulfonic acid	1763-23-1	ug/L	0.56	0.56	56	--	0.0184 J	0.0044	0.0047
Perfluorooctanoic acid	335-67-1	ug/L	0.29	0.29	29	--	0.0121 J	0.0056	0.0059
Perfluorotetradecanoic acid	376-06-7	ug/L	0.29	0.29	29	--	0.0389 U	0.004 U	0.004 U
Perfluorotridecanoic acid	72629-94-8	ug/L	0.29	0.29	29	--	0.0389 U	0.004 U	0.004 U
Perfluoroundecanoic acid	2058-94-8	ug/L	0.29	0.29	29	--	0.0389 U	0.004 U	0.004 U
PFBA	375-22-4	ug/L	24	24	2400	--	0.774	0.01	0.0162
PFDoS	79780-39-5	ug/L				--	0.0389 U	0.004 U	0.004 U
PFDS	335-77-3	ug/L	0.29	0.29	29	--	0.0389 U	0.004 U	0.004 U
PFEESA	113507-82-7	ug/L				--	0.0389 U	0.004 U	0.004 U
PFHpS	375-92-8	ug/L				--	0.0389 U	0.004 U	0.004 U
PFHxDA	67905-19-5	ug/L				--	0.0389 U	0.004 U	0.004 U
PFMBA	863090-89-5	ug/L				--	0.0389 U	0.004 U	0.004 U
PFMPA	377-73-1	ug/L				--	0.0389 U	0.004 U	0.004 U
PFNS	68259-12-1	ug/L				--	0.0389 U	0.004 U	0.004 U
PFOSA	754-91-6	ug/L	0.29	0.29	29	--	0.0389 U	0.004 U	0.004 U
PFPeA	2706-90-3	ug/L	12	12	1200	--	1.55	0.0202	0.0566
PFPeS	2706-91-4	ug/L				--	0.0389 U	0.004 U	0.004 U

