

Cherokee County SW Remedial Site - Residential Screening

Property Address: [REDACTED]

EPA Site #: [REDACTED]

Date of Access: 8/17/2023

Date of Screening: 2/13/2024

Site Map



Map Legend

- Fence
- Visual Barrier
- Screening Cell
- Features**
- Building
- Driveway
- Walkway
- Other

Screening Cell Acronyms

- C Cell
- LS Landscaping
- RE Road Easement
- DW Driveway
- GA Gravel Area
- G Garden
- DZ Drip Zone
- PA Play Area
- AE Alley Easement

Screening Results: XRF I.D.: C00722 Date: 2/19/24 Operator: KG

Screening Cell	Analysis Completed By	Cadmium	Lead	Area (sq ft)
C1	Average XRF	<8.9 ppm	197 ppm	1786
C2	Average XRF	<9.8 ppm	178 ppm	3516
C3	Average XRF	<9.2 ppm	180 ppm	7272
C4	Average XRF	<9.8 ppm	563 ppm	4010
G1	Average XRF	<7.5 ppm	38 ppm	120
PA1	Average XRF	<9.3 ppm	485 ppm	775
DZ1	Average XRF	<9.4 ppm	2158 ppm	673
RE1	Average XRF	<9.4 ppm	141 ppm	2823
AE1	Average XRF	<9.6 ppm	328 ppm	1038

Screening Results Notes:

ppm parts per million EPA Remedial Action Level for lead = 400 ppm
 XRF X-Ray Fluorescence EPA Remedial Action Level for cadmium = 75 ppm