

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 1
 July 26, 2004
 Submission # 407000137
 Order # 54188
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-106
 Collected: 07/01/04 16:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	42000	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)			MEDF	1			
Arsenic, Total	0.034	mg/L	4.1.3/200.7	0.008	07/05/2004	07/08/2004	MAH/MG
Barium, Total	BDL	mg/L	4.1.3/200.7	0.100	07/05/2004	07/08/2004	MAH/MG
Cadmium, Total	BDL	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Chromium, Total	0.049	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Lead, Total	0.033	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Selenium, Total	0.022	mg/L	4.1.3/200.7	0.010	07/05/2004	07/08/2004	MAH/MG
Silver, Total	BDL	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(1)	07/03/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER			MEDF	12.5			
a-BHC	BDL	ug/L	EPA 608/8081	0.125	07/06/2004	07/09/2004	JT
b-BHC	BDL	ug/L	EPA 608/8081	0.125	07/06/2004	07/09/2004	JT
g-BHC (lindane)	BDL	ug/L	EPA 608/8081	0.125	07/06/2004	07/09/2004	JT
d-BHC	BDL	ug/L	EPA 608/8081	0.125	07/06/2004	07/09/2004	JT
Heptachlor	BDL	ug/L	EPA 608/8081	0.125	07/06/2004	07/09/2004	JT
Aldrin	BDL	ug/L	EPA 608/8081	0.125	07/06/2004	07/09/2004	JT



10445650

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 2
 July 26, 2004
 Submission # 407000137
 Order # 54188
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-106
 Collected: 07/01/04 16:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/L	EPA 608/8081	1.125	07/06/2004	07/09/2004	JT
Endosulfan I	BDL	ug/L	EPA 608/8081	0.125	07/06/2004	07/09/2004	JT
Dieldrin	BDL	ug/L	EPA 608/8081	0.125	07/06/2004	07/09/2004	JT
4,4-DDE	BDL	ug/L	EPA 608/8081	0.125	07/06/2004	07/09/2004	JT
Endrin	BDL	ug/L	EPA 608/8081	0.125	07/06/2004	07/09/2004	JT
Endosulfan II	BDL	ug/L	EPA 608/8081	0.125	07/06/2004	07/09/2004	JT
4,4-DDD	BDL	ug/L	EPA 608/8081	0.125	07/06/2004	07/09/2004	JT
Endrin Aldehyde	BDL	ug/L	EPA 608/8081	0.250	07/06/2004	07/09/2004	JT
Endosulfan Sulfate	BDL	ug/L	EPA 608/8081	0.125	07/06/2004	07/09/2004	JT
4,4-DDT	BDL	ug/L	EPA 608/8081	0.125	07/06/2004	07/09/2004	JT
Methoxychlor (Screen Only)	BDL	ug/L	EPA 608/8081	0.125	07/06/2004	07/09/2004	JT
Aroclor 1016	BDL	ug/L	EPA 608/8081	0.875	07/06/2004	07/09/2004	JT
Aroclor 1221	BDL	ug/L	EPA 608/8081	0.875	07/06/2004	07/09/2004	JT
Aroclor 1232	BDL	ug/L	EPA 608/8081	0.875	07/06/2004	07/09/2004	JT
Aroclor 1242	BDL	ug/L	EPA 608/8081	0.875	07/06/2004	07/09/2004	JT
Aroclor 1248	BDL	ug/L	EPA 608/8081	0.875	07/06/2004	07/09/2004	JT
Aroclor 1254	BDL	ug/L	EPA 608/8081	0.875	07/06/2004	07/09/2004	JT
Aroclor 1260	BDL	ug/L	EPA 608/8081	0.875	07/06/2004	07/09/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 3
 July 26, 2004
 Submission # 407000137
 Order # 54188
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-106
 Collected: 07/01/04 16:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/L	EPA 608/8081	3.125	07/06/2004	07/09/2004	JT
Chlordane	BDL	ug/L	EPA 608/8081	0.125	07/06/2004	07/09/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
614 Organophosphorus Pesticides in Water			MEDF	1			
Demeton	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Disulfoton	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Diazinon	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Malathion	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Parathion, Methyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Parathion, Ethyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Ethion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Azinphos, Methyl (Guthion)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Mirex	BDL	ug/L	614/8141	0.001	07/06/2004	07/08/2004	YA
Fenthion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Chlorpyrifos (Dursban)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Surrogate: Stirophos	20.90	%					
615 Chlorophenoxy Acid Herbicides in Water			MEDF	10			

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 4
 July 26, 2004
 Submission # 407000137
 Order # 54188
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-106
 Collected: 07/01/04 16:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dalapon	BDL	ug/L	615/8151	58.000	07/07/2004	07/10/2004	JT
Dicamba	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4-D	BDL	ug/L	615/8151	12.000	07/07/2004	07/10/2004	JT
2,4,5-TP (silvex)	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Dinoseb	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Pentachlorophenol	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4,5 T	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Picloram	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Dichloroprop	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4-DB	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
MCPP	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
MCPA	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Surrogate: Acifluorfen	0.00	%					
8260.B Volatile Organics in Water by GC/MS			MEDF	1000			
Acetone	BDL	ug/L	5030/8:260B	100000.00	07/06/2004	07/06/2004	ME
Acrolein	BDL	ug/L	5030/8:260B	15000.000	07/06/2004	07/06/2004	ME
Acrylonitrile	BDL	ug/L	5030/8:260B	15000.000	07/06/2004	07/06/2004	ME
Methyl Ethyl Ketone	BDL	ug/L	5030/8:260B	10000.000	07/06/2004	07/06/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 5
 July 26, 2004
 Submission # 407000137
 Order # 54188
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-106
 Collected: 07/01/04 16:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dichlorodifluoromethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Chloromethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Vinyl Chloride	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Bromomethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Chloroethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Trichlorofluoromethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,1-Dichloroethene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Methylene Chloride	I-341	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Trans-1,2-Dichloroethene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Methyl-Tert-Butyl Ether	1400	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,1-Dichloroethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
2,2-Dichloropropane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Cis-1,2-Dichloroethene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Chloroform	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Bromochloromethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,1,1-Trichloroethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,1-Dichloropropene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Carbon Tetrachloride	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 6
 July 26, 2004
 Submission # 407000137
 Order # 54188
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-106
 Collected: 07/01/04 16:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzene	1820	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,2-Dichloroethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Trichloroethene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,2-Dichloropropane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Bromodichloromethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
2-Chloroethylvinyl Ether	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Dibromomethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Cis-1,3-Dichloropropene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Toluene	25400	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Trans-1,3-Dichloropropene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,1,2-Trichloroethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,3-Dichloropropane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Tetrachloroethene	1480	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Dibromochloromethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,2-Dibromoethane (EDB)	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Bromobenzene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Chlorobenzene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Ethylbenzene	5970	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 7
 July 26, 2004
 Submission # 407000137
 Order # 54188
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-106
 Collected: 07/01/04 16:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,1,2-Tetrachloroethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
m & p-Xylene	35500	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
o-Xylene	10900	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Total Xylene	46400	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Styrene	1-353	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Isopropylbenzene	1630	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Bromoform	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,1,2,2-Tetrachloroethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,2,3-Trichloropropane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,3,5-Trimethylbenzene	8710	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
2-Chlorotoluene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
4-Chlorotoluene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Tert-Butylbenzene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,2,4-Trimethylbenzene	54800	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Sec-Butylbenzene	1-820	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
P-Isopropyltoluene	1-996	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,3-Dichlorobenzene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,4-Dichlorobenzene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 8
 July 26, 2004
 Submission # 407000137
 Order # 54188
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-106
 Collected: 07/01/04 16:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
n-Butylbenzene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
n-PropylBenzene	4180	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,2-Dichlorobenzene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,2,4-Trichlorobenzene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Hexachlorobutadiene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Naphthalene	14100	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,2,3-Trichlorobenzene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
SURROGATE: Diethyl ether	105.50	%					
SURROGATE: Toluene-D8	91.25	%					
SURROGATE: Bromofluorobenzene	122.00	%					
8270.C Semivolatile Organics in Water by GC-MS			MEDF	1.25			
N-Nitrosodimethylamine	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Phenol	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
Bis (2-Chloroethyl) Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Chlorophenol	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
1,3-Dichlorobenzene	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
1,4-Dichlorobenzene	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 9
 July 26, 2004
 Submission # 407000137
 Order # 54188
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-106
 Collected: 07/01/04 16:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzyl Alcohol	100	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
1,2-Dichlorobenzene	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
N-Nitrosodi-N-Propylamine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Hexachloroethane	BDL	ug/L	3510/8270C	3.125	07/06/2004	07/09/2004	ME
Nitrobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Isophorone	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
2-Nitrophenol	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
2,4-Dimethylphenol	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
Bis (2-Chloroethoxy)methane	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
2,4-Dichlorophenol	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
1,2,3-Trichlorobenzene	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
1,2,4-Trichlorobenzene	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Naphthalene	20.8	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Hexachlorobutadiene	BDL	ug/L	3510/8270C	1.250	07/06/2004	07/09/2004	ME
4-Chloro-3-Methylphenol	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
1-Methylnaphthalene	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 10
 July 26, 2004
 Submission # 407000137
 Order # 54188
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-106
 Collected: 07/01/04 16:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
2-Methylphenol (o-cresol)	BDL	ug/L	3510/8:270C	2.500	07/06/2004	07/09/2004	ME
Hexachlorocyclopentadiene	BDL	ug/L	3510/8:270C	6.250	07/06/2004	07/09/2004	ME
3-Methylphenol (m-cresol)	BDL	ug/L	3510/8:270C	2.500	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	BDL	ug/L	3510/8:270C	2.500	07/06/2004	07/09/2004	ME
2,3,6-Trichlorophenol	BDL	ug/L	3510/8:270C	2.500	07/06/2004	07/09/2004	ME
2,4,5-Trichlorophenol	BDL	ug/L	3510/8:270C	2.500	07/06/2004	07/09/2004	ME
2,4,6-Trichlorophenol	BDL	ug/L	3510/8:270C	2.500	07/06/2004	07/09/2004	ME
2-Chloronaphthalene	BDL	ug/L	3510/8:270C	6.250	07/06/2004	07/09/2004	ME
Dimethyl Phthalate	BDL	ug/L	3510/8:270C	6.250	07/06/2004	07/09/2004	ME
Acenaphthylene	BDL	ug/L	3510/8:270C	3.750	07/06/2004	07/09/2004	ME
2,6-Dinitrotoluene	BDL	ug/L	3510/8:270C	1.250	07/06/2004	07/09/2004	ME
Acenaphthene	BDL	ug/L	3510/8:270C	3.750	07/06/2004	07/09/2004	ME
2,4-Dinitrophenol	BDL	ug/L	3510/8:270C	2.500	07/06/2004	07/09/2004	ME
2,4-Dinitrotoluene	BDL	ug/L	3510/8:270C	1.250	07/06/2004	07/09/2004	ME
4-Nitrophenol	BDL	ug/L	3510/8:270C	2.500	07/06/2004	07/09/2004	ME
Diethyl Phthalate	BDL	ug/L	3510/8:270C	6.250	07/06/2004	07/09/2004	ME
Fluorene	BDL	ug/L	3510/8:270C	6.250	07/06/2004	07/09/2004	ME
4-Chlorophenyl Phenyl Ether	BDL	ug/L	3510/8:270C	6.250	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 11
 July 26, 2004
 Submission # 407000137
 Order # 54188
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-106
 Collected: 07/01/04 16:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4,6-Dinitro-2-Methylphenol	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
N-Nitrosodiphenylamine	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
4-Bromophenyl Phenyl Ether	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Hexachlorobenzene	BDL	ug/L	3510/8270C	1.250	07/06/2004	07/09/2004	ME
Pentachlorophenol	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
Phenanthrene	6.63	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Anthracene	BDL	ug/L	3510/8270C	0.375	07/06/2004	07/09/2004	ME
Di-N-Butyl Phthalate	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Fluoranthene	BDL	ug/L	3510/8270C	0.375	07/06/2004	07/09/2004	ME
Benzidine	BDL	ug/L	3510/8270C	12.500	07/06/2004	07/09/2004	ME
Pyrene	BDL	ug/L	3510/8270C	0.375	07/06/2004	07/09/2004	ME
Butyl Benzyl Phthalate	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Benzo(A)Anthracene	BDL	ug/L	3510/8270C	0.250	07/06/2004	07/09/2004	ME
3,3-Dichlorobenzidine	BDL	ug/L	3510/8270C	1.250	07/06/2004	07/09/2004	ME
Chrysene	BDL	ug/L	3510/8270C	1.250	07/06/2004	07/09/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Di-N-Octyl Phthalate	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Benzo(B)Fluoranthene	BDL	ug/L	3510/8270C	0.250	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 12
 July 26, 2004
 Submission # 407000137
 Order # 54188
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-106
 Collected: 07/01/04 16:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(K)Fluoranthene	BDL	ug/L	3510/8270C	0.625	07/06/2004	07/09/2004	ME
Benzo(A)Pyrene	BDL	ug/L	3510/8270C	0.250	07/06/2004	07/09/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	ug/L	3510/8270C	0.250	07/06/2004	07/09/2004	ME
Dibenzo(A,H,I)Anthracene	BDL	ug/L	3510/8270C	0.250	07/06/2004	07/09/2004	ME
Benzo(G,H,I)Perylene	BDL	ug/L	3510/8270C	0.250	07/06/2004	07/09/2004	ME
Bis-2-ethylhexyl Adipate	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Aldrin (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
alpha-BHC (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
beta-BHC (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
delta-BHC (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
gamma-BHC (Lindane) (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Chlordane (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
4,4'-DDD (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
4,4'-DDE (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
4,4'-DDT (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Dieldrin (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Endosulfan I (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Endosulfan II (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 13
 July 26, 2004
 Submission # 407000137
 Order # 54188
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-106
 Collected: 07/01/04 16:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan Sulfate (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Endrin (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Endrin Aldehyde (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Heptachlor (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Heptachlor Epoxide (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Toxaphene (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
PCB-1016 (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
PCB-1221 (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
PCB-1232 (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
PCB-1242 (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
PCB-1248 (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
PCB-1254 (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
PCB-1260 (screen)	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Dioxin (screen)	BDL	ug/L	3510/8270C	12.500	07/06/2004	07/09/2004	ME
Azobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Methoxychlor	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Benzoic Acid	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Aniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 14
 July 26, 2004
 Submission # 407000137
 Order # 54188
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-106
 Collected: 07/01/04 16:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chloroaniline	BDL	ug/L	3510/8270C	3.125	07/06/2004	07/09/2004	ME
Dibenzofuran	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
2-Nitroaniline	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
3-Nitroaniline	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
4-Nitroaniline	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Carbazole	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2,6-Dichlorophenol	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
Pyridine	BDL	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
SURROGATE: 2-Fluorophenol	59.00	%					
SURROGATE: Phenol-D6	120.50	%					
SURROGATE: 2,4,6-Tribromophenol	97.00	%					
SURROGATE: D5-Nitrobenzene	56.00	%					
SURROGATE: 2-Fluorobiphenyl	145.00	%					
SURROGATE: 4-Terphenyl-D14	125.00	%					
FL-PRO (Petroleum Residual Organic w/ranges)-WATER			MEDF	1.25			
GRO (C8-C10) Range	12.8	mg/L	FL-PRO	0.625	07/06/2004	07/07/2004	JT

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 15
July 26, 2004
Submission # 407000137
Order # 54188
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
FL.
BCX

Sample I.D.: BCX-106
Collected: 07/01/04 16:30
Received: 07/03/04 10:00
Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
DRO (C10-C28) Range	70.8	mg/L	FL-PRO	0.625	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	2.47	mg/L	FL-PRO	0.625	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	86.1	mg/L	FL-PRO	0.625	07/06/2004	07/07/2004	JT
SURROGATE : n-Nonatracontane(C-39)	37.60	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries,please contact the representative who signed this report, or the QA department.

* HEAVY EMULSION. MATRIX INTERFERES WITH SURROGATE.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 16
 July 26, 2004
 Submission # 407000137
 Order # 54189
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@28'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	2540	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)			MEDF	1			
Arsenic, Total	0.059	mg/L	4.1.3/200.7	0.008	07/05/2004	07/08/2004	MAH/MG
Barium, Total	0.50	mg/L	4.1.3/200.7	0.100	07/05/2004	07/08/2004	MAH/MG
Cadmium, Total	0.045	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Chromium, Total	0.493	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Lead, Total	0.922	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Selenium, Total	0.026	mg/L	4.1.3/200.7	0.010	07/05/2004	07/08/2004	MAH/MG
Silver, Total	BDL	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(I)	07/03/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER			MEDF	20			
a-BHC	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
b-BHC	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
g-BHC (lindane)	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
d-BHC	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
Heptachlor	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
Aldrin	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 17
 July 26, 2004
 Submission # 407000137
 Order # 54189
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@28'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/L	EPA 608/8081	1.800	07/06/2004	07/09/2004	JT
Endosulfan I	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
Dieldrin	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
4,4-DDE	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
Endrin	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
Endosulfan II	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
4,4-DDD	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
Endrin Aldehyde	BDL	ug/L	EPA 608/8081	0.400	07/06/2004	07/09/2004	JT
Endosulfan Sulfate	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
4,4-DDT	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
Methoxychlor (Screen Only)	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
Aroclor 1016	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/09/2004	JT
Aroclor 1221	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/09/2004	JT
Aroclor 1232	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/09/2004	JT
Aroclor 1242	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/09/2004	JT
Aroclor 1248	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/09/2004	JT
Aroclor 1254	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/09/2004	JT
Aroclor 1260	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/09/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 18
 July 26, 2004
 Submission # 407000137
 Order # 54189
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@28'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/L	EPA 608/8081	5.000	07/06/2004	07/09/2004	JT
Chlordane	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
614 Organophosphorus Pesticides in Water			MEDF	1			
Demeton	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Disulfoton	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Diazinon	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Malathion	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Parathion, Methyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Parathion, Ethyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Ethion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Azinphos, Methyl (Guthion)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Mirex	BDL	ug/L	614/8141	0.001	07/06/2004	07/08/2004	YA
Fenthion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Chlorpyrifos (Dursban)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Surrogate: Stirophos	18.60	%					
615 Chlorophenoxy Acid Herbicides in Water			MEDF	10			

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 19
 July 26, 2004
 Submission # 407000137
 Order # 54189
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@28'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dalapon	BDL	ug/L	615/8151	58.000	07/07/2004	07/10/2004	JT
Dicamba	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4-D	BDL	ug/L	615/8151	12.000	07/07/2004	07/10/2004	JT
2,4,5-TP (silvex)	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Dinoseb	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Pentachlorophenol	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4,5 T	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Picloram	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Dichloroprop	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4-DB	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
MCPP	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
MCPA	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Surrogate: Acifluorfen	0.00	%					
8260.B Volatile Organics in Water by GC/MS			MEDF	100			
Acetone	20000	ug/L	5030/8260B	10000.000	07/06/2004	07/06/2004	PMD
Acrolein	BDL	ug/L	5030/8260B	1500.000	07/06/2004	07/06/2004	PMD
Acrylonitrile	BDL	ug/L	5030/8260B	1500.000	07/06/2004	07/06/2004	PMD
Methyl Ethyl Ketone	6600	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 20
 July 26, 2004
 Submission # 407000137
 Order # 54189
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@28'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dichlorodifluoromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Chloromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Vinyl Chloride	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromomethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Chloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Trichlorofluoromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1-Dichloroethene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Methylene Chloride	1820	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Trans-1,2-Dichloroethene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Methyl-Tert-Butyl Ether	8820	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1-Dichloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
2,2-Dichloropropane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Cis-1,2-Dichloroethene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Chloroform	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromochloromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1,1-Trichloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1-Dichloropropene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Carbon Tetrachloride	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 21
 July 26, 2004
 Submission # 407000137
 Order # 54189
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@28'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzene	238	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dichloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Trichloroethene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dichloropropane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromodichloromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
2-Chloroethylvinyl Ether	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Dibromomethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Cis-1,3-Dichloropropene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Toluene	671	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Trans-1,3-Dichloropropene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1,2-Trichloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,3-Dichloropropane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Tetrachloroethene	232	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Dibromochloromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dibromoethane (EDB)	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Chlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Ethylbenzene	1-66.8	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 22
 July 26, 2004
 Submission # 407000137
 Order # 54189
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@28'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,1,2-Tetrachloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
m & p-Xylene	229	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
o-Xylene	118	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Total Xylene	347	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Styrene	I-30.5	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Isopropylbenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromoform	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1,1,2-Tetrachloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,3-Trichloropropane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,3,5-Trimethylbenzene	I-30.1	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
2-Chlorotoluene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
4-Chlorotoluene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Tert-Butylbenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,4-Trimethylbenzene	177	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Sec-Butylbenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
P-Isopropyltoluene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,3-Dichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,4-Dichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 23
 July 26, 2004
 Submission # 407000137
 Order # 54189
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@28'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
n-Butylbenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
n-PropylBenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,4-Trichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Hexachlorobutadiene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Naphthalene	1070	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,3-Trichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
SURROGATE: Diethyl ether	106.25	%					
SURROGATE: Toluene-D8	97.25	%					
SURROGATE: Bromofluorobenzene	108.00	%					
8270.C Semivolatile Organics in Water by GC-MS			MEDF	40			
N-Nitrosodimethylamine	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Phenol	552	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethyl) Ether	BDL	ug/L	3510/8270C	160.000	07/06/2004	07/09/2004	ME
2-Chlorophenol	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
1,3-Dichlorobenzene	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
1,4-Dichlorobenzene	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 24
 July 26, 2004
 Submission # 407000137
 Order # 54189
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@28'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzyl Alcohol	1440	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
1,2-Dichlorobenzene	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
N-Nitrosodi-N-Propylamine	BDL	ug/L	3510/8270C	160.000	07/06/2004	07/09/2004	ME
Hexachloroethane	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Nitrobenzene	BDL	ug/L	3510/8270C	160.000	07/06/2004	07/09/2004	ME
Isophorone	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
2-Nitrophenol	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
2,4-Dimethylphenol	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethoxy)methane	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
2,4-Dichlorophenol	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
1,2,3-Trichlorobenzene	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
1,2,4-Trichlorobenzene	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Naphthalene	I-134	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Hexachlorobutadiene	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
4-Chloro-3-Methylphenol	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
1-Methylnaphthalene	I-139	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	356	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 25
 July 26, 2004
 Submission # 407000137
 Order # 54189
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@28'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
2-Methylphenol (o-cresol)	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
Hexachlorocyclopentadiene	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
3-Methylphenol (m-cresol)	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
2,3,6-Trichlorophenol	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
2,4,5-Trichlorophenol	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
2,4,6-Trichlorophenol	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
2-Chloronaphthalene	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Dimethyl Phthalate	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Acenaphthylene	BDL	ug/L	3510/8270C	120.000	07/06/2004	07/09/2004	ME
2,6-Dinitrotoluene	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
Acenaphthene	BDL	ug/L	3510/8270C	120.000	07/06/2004	07/09/2004	ME
2,4-Dinitrophenol	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
2,4-Dinitrotoluene	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
4-Nitrophenol	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
Diethyl Phthalate	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Fluorene	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
4-Chlorophenyl Phenyl Ether	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 26
 July 26, 2004
 Submission # 407000137
 Order # 54189
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@28'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4,6-Dinitro-2-Methylphenol	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
N-Nitrosodiphenylamine	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
4-Bromophenyl Phenyl Ether	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Hexachlorobenzene	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
Pentachlorophenol	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
Phenanthrene	1-96.1	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Anthracene	BDL	ug/L	3510/8270C	12.000	07/06/2004	07/09/2004	ME
Di-N-Butyl Phthalate	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Fluoranthene	BDL	ug/L	3510/8270C	12.000	07/06/2004	07/09/2004	ME
Benidine	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
Pyrene	BDL	ug/L	3510/8270C	12.000	07/06/2004	07/09/2004	ME
Butyl Benzyl Phthalate	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Benzo(A)Anthracene	BDL	ug/L	3510/8270C	8.000	07/06/2004	07/09/2004	ME
3,3-Dichlorobenzidine	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
Chrysene	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Di-N-Octyl Phthalate	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Benzo(B)Fluoranthene	BDL	ug/L	3510/8270C	8.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 27
 July 26, 2004
 Submission # 407000137
 Order # 54189
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@28'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(K)Fluoranthene	BDL	ug/L	3510/8270C	20.000	07/06/2004	07/09/2004	ME
Benzo(A)Pyrene	BDL	ug/L	3510/8270C	8.000	07/06/2004	07/09/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	ug/L	3510/8270C	8.000	07/06/2004	07/09/2004	ME
Dibenzo(A,H,I)Anthracene	BDL	ug/L	3510/8270C	8.000	07/06/2004	07/09/2004	ME
Benzo(G,H,I)Perylene	BDL	ug/L	3510/8270C	8.000	07/06/2004	07/09/2004	ME
Bis-2-ethylhexyl Adipate	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Aldrin (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
alpha-BHC (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
beta-BHC (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
delta-BHC (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
gamma-BHC (Lindane) (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Chlordane (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
4,4'-DDD (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
4,4'-DDE (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
4,4'-DDT (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Dieldrin (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Endosulfan I (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Endosulfan II (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 28
 July 26, 2004
 Submission # 407000137
 Order # 54189
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@28'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan Sulfate (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Endrin (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Endrin Aldehyde (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Heptachlor (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Heptachlor Epoxide (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Toxaphene (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
PCB-1016 (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
PCB-1221 (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
PCB-1232 (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
PCB-1242 (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
PCB-1248 (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
PCB-1254 (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
PCB-1260 (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Dioxin (screen)	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
Azobenzene	BDL	ug/L	3510/8270C	160.000	07/06/2004	07/09/2004	ME
Methoxychlor	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Benzoic Acid	464	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Aniline	BDL	ug/L	3510/8270C	160.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 29
 July 26, 2004
 Submission # 407000137
 Order # 54189
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@28'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chloroaniline	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Dibenzofuran	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
2-Nitroaniline	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
3-Nitroaniline	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
4-Nitroaniline	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Carbazole	BDL	ug/L	3510/8270C	160.000	07/06/2004	07/09/2004	ME
2,6-Dichlorophenol	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
Pyridine	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
SURROGATE: 2-Fluorophenol	49.50	%					
SURROGATE: Phenol-D6	99.00	%					
SURROGATE: 2,4,6-Tribromophenol	0.00	%					
SURROGATE: D5-Nitrobenzene	18.90	%					
SURROGATE: 2-Fluorobiphenyl	17.40	%					
SURROGATE: 4-Terphenyl-D14	32.30	%					
FL-PRO (Petroleum Residual Organic w/ranges)-WATER			MEDF	2.0			
GRO (C8-C10) Range	19.4	mg/L	FL-PRO	1.000	07/06/2004	07/07/2004	JT

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 30
July 26, 2004
Submission # 407000137
Order # 54189
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
FL.
BCX

Sample I.D.: BCX-2@28'
Collected: 07/01/04 16:40
Received: 07/03/04 10:00
Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
DRO (C10-C28) Range	296	mg/L	FL-PRO	1.000	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	138	mg/L	FL-PRO	1.000	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	453	mg/L	FL-PRO	1.000	07/06/2004	07/07/2004	JT
SURROGATE : n-Nonatracantane(C-39)	0.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries,please contact the representative who signed this report, or the QA department.

* HEAVY EMULSION. MATRIX INTERFERES WITH SURROGATE.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 31
 July 26, 2004
 Submission # 407000137
 Order # 54190
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@30'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	480	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02)	BDL	BTU	PARF.		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)			MEDF	1			
Arsenic, Total	BDL	mg/L	4.1.3/200.7	0.008	07/05/2004	07/08/2004	MAH/MG
Barium, Total	BDL	mg/L	4.1.3/200.7	0.100	07/05/2004	07/08/2004	MAH/MG
Cadmium, Total	BDL	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Chromium, Total	0.046	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Lead, Total	BDL	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Selenium, Total	0.012	mg/L	4.1.3/200.7	0.010	07/05/2004	07/08/2004	MAH/MG
Silver, Total	BDL	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(l)	07/03/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER			MEDF	10			
a-BHC	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
b-BHC	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
g-BHC (lindane)	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
d-BHC	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Heptachlor	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Aldrin	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 32
 July 26, 2004
 Submission # 407000137
 Order # 54190
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@30'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/L	EPA 608/8081	0.900	07/06/2004	07/09/2004	JT
Endosulfan I	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Dieldrin	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
4,4-DDE	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Endrin	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Endosulfan II	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
4,4-DDD	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Endrin Aldehyde	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
Endosulfan Sulfate	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
4,4-DDT	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Methoxychlor (Screen Only)	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Aroclor 1016	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1221	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1232	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1242	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1248	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1254	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1260	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 33
 July 26, 2004
 Submission # 407000137
 Order # 54190
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@30'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/L	EPA 608/3081	2.500	07/06/2004	07/09/2004	JT
Chlordane	BDL	ug/L	EPA 608/3081	0.100	07/06/2004	07/09/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
614 Organophosphorus Pesticides in Water			MEDF	1			
Demeton	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Disulfoton	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Diazinon	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Malathion	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Parathion, Methyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Parathion, Ethyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Ethion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Azinphos, Methyl (Guthion)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Mirex	BDL	ug/L	614/8141	0.001	07/06/2004	07/08/2004	YA
Fenthion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Chlorpyrifos (Dursban)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Surrogate: Stirophos	29.30	%					
615 Chlorophenoxy Acid Herbicides in Water			MEDF	10			

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 34
 July 26, 2004
 Submission # 407000137
 Order # 54190
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@30'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dalapon	BDL	ug/L	615/8151	58.000	07/07/2004	07/10/2004	JT
Dicamba	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4-D	BDL	ug/L	615/8151	12.000	07/07/2004	07/10/2004	JT
2,4,5-TP (silvex)	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Dinoseb	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Pentachlorophenol	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4,5 T	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Picloram	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Dichloroprop	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4-DB	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
MCPP	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
MCPA	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Surrogate: Acifluorfen	0.00	%					
8260.B Volatile Organics in Water by GC/MS			MEDF	100			
Acetone	19500	ug/L	5030/8260B	10000.000	07/06/2004	07/06/2004	PMD
Acrolein	BDL	ug/L	5030/8260B	1500.000	07/06/2004	07/06/2004	PMD
Acrylonitrile	BDL	ug/L	5030/8260B	1500.000	07/06/2004	07/06/2004	PMD
Methyl Ethyl Ketone	2270	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 35
 July 26, 2004
 Submission # 407000137
 Order # 54190
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@30'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dichlorodifluoromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Chloromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Vinyl Chloride	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromomethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Chloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Trichlorofluoromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1-Dichloroethene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Methylene Chloride	1050	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Trans-1,2-Dichloroethene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Methyl-Tert-Butyl Ether	1280	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1-Dichloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
2,2-Dichloropropane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Cis-1,2-Dichloroethene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Chloroform	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromochloromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1,1-Trichloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1-Dichloropropene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Carbon Tetrachloride	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 36
 July 26, 2004
 Submission # 407000137
 Order # 54190
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@30'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzene	1-23.8	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dichloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Trichloroethene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dichloropropane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromodichloromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
2-Chloroethylvinyl Ether	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Dibromomethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Cis-1,3-Dichloropropene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Toluene	1-56.0	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Trans-1,3-Dichloropropene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1,2-Trichloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,3-Dichloropropane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Tetrachloroethene	196	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Dibromochloromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dibromoethane (EDB)	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Chlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Ethylbenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 37
 July 26, 2004
 Submission # 407000137
 Order # 54190
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@30'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,1,2-Tetrachloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
m & p-Xylene	I-10.9	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
o-Xylene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Total Xylene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Styrene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Isopropylbenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromoform	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1,2,2-Tetrachloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,3-Trichloropropane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,3,5-Trimethylbenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
2-Chlorotoluene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
4-Chlorotoluene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Tert-Butylbenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,4-Trimethylbenzene	I-35.8	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Sec-Butylbenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
P-Isopropyltoluene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,3-Dichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,4-Dichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 38
 July 26, 2004
 Submission # 407000137
 Order # 54190
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@30'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
n-Butylbenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
n-PropylBenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,4-Trichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Hexachlorobutadiene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Naphthalene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,3-Trichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
SURROGATE: Diethyl ether	91.75	%					
SURROGATE: Toluene-D8	92.75	%					
SURROGATE: Bromofluorobenzene	108.00	%					
8270.C Semivolatile Organics in Water by GC-MS			MEDF	1			
N-Nitrosodimethylamine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Phenol	280	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethyl) Ether	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2-Chlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
1,3-Dichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1,4-Dichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 39
 July 26, 2004
 Submission # 407000137
 Order # 54190
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@30'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzyl Alcohol	101	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1,2-Dichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
N-Nitrosodi-N-Propylamine	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Hexachloroethane	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
Nitrobenzene	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Isophorone	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Nitrophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4-Dimethylphenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethoxy)methane	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2,4-Dichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
1,2,3-Trichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1,2,4-Trichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Naphthalene	70.1	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Hexachlorobutadiene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
4-Chloro-3-Methylphenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
1-Methylnaphthalene	119	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	188	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 40
 July 26, 2004
 Submission # 407000137
 Order # 54190
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@30'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
2-Methylphenol (o-cresol)	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Hexachlorocyclopentadiene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
3-Methylphenol (m-cresol)	72.7	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	72.7	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,3,6-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4,5-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4,6-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2-Chloronaphthalene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dimethyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Acenaphthylene	BDL	ug/L	3510/8270C	3.000	07/06/2004	07/09/2004	ME
2,6-Dinitrotoluene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Acenaphthene	BDL	ug/L	3510/8270C	3.000	07/06/2004	07/09/2004	ME
2,4-Dinitrophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4-Dinitrotoluene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
4-Nitrophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Diethyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Fluorene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Chlorophenyl Phenyl Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 41
 July 26, 2004
 Submission # 407000137
 Order # 54190
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@30'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4,6-Dinitro-2-Methylphenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
N-Nitrosodiphenylamine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Bromophenyl Phenyl Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Hexachlorobenzene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Pentachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Phenanthrene	124	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Anthracene	BDL	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Di-N-Butyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Fluoranthene	BDL	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Benzidine	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Pyrene	50.7	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Butyl Benzyl Phthalate	206	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzo(A)Anthracene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
3,3-Dichlorobenzidine	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Chrysene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Di-N-Octyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzo(B)Fluoranthene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 42
 July 26, 2004
 Submission # 407000137
 Order # 54190
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@30'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(K)Fluoranthene	BDL	ug/L	3510/8270C	0.500	07/06/2004	07/09/2004	ME
Benzo(A)Pyrene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Dibenzo(A,H,)Anthracene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Benzo(G,H,I)Perylene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Bis-2-ethylhexyl Adipate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Aldrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
alpha-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
beta-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
delta-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
gamma-BHC (Lindane) (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Chlordane (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDD (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDE (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDT (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dieldrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endosulfan I (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endosulfan II (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 43
 July 26, 2004
 Submission # 407000137
 Order # 54190
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@30'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan Sulfate (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endrin Aldehyde (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Heptachlor (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Heptachlor Epoxide (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Toxaphene (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1016 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1221 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1232 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1242 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1248 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1254 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1260 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dioxin (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Azobenzene	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Methoxychlor	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzoic Acid	464	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Aniline	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 44
 July 26, 2004
 Submission # 407000137
 Order # 54190
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@30'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chloroaniline	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
Dibenzofuran	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
3-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Carbazole	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2,6-Dichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Pyridine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
SURROGATE: 2-Fluorophenol	56.00	%					
SURROGATE: Phenol-D6	57.50	%					
SURROGATE: 2,4,6-Tribromophenol	0.00	%					
SURROGATE: D5-Nitrobenzene	19.80	%					
SURROGATE: 2-Fluorobiphenyl	17.10	%					
SURROGATE: 4-Terphenyl-D14	0.00	%					
FL-PRO (Petroleum Residual Organic w/ranges)-WATER			MEDF	1			
GRO (C8-C10) Range	7.69	mg/L	FL-PRO	0.500	07/06/2004	07/08/2004	JT

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 45
July 26, 2004
Submission # 407000137
Order # 54190
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
FL.
BCX

Sample I.D.: BCX-107@30'
Collected: 07/01/04 17:30
Received: 07/03/04 10:00
Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
DRO (C10-C28) Range	296	mg/L	FL-PRO	0.500	07/06/2004	07/08/2004	JT
TRO (C28-C40) Range	132	mg/L	FL-PRO	0.500	07/06/2004	07/08/2004	JT
TOTAL PRO (C8-C40)	436	mg/L	FL-PRO	0.500	07/06/2004	07/08/2004	JT
SURROGATE : n-Nonatracontane(C-39)	19.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion, the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries, please contact the representative who signed this report, or the QA department.

* HEAVY EMULSION. MATRIX INTERFERES WITH SURROGATE.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 46
 July 26, 2004
 Submission # 407000137
 Order # 54191
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-108@28'
 Collected: 07/01/04 19:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	1020	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)			MEDF	1			
Arsenic, Total	BDL	mg/L	4.1.3/200.7	0.008	07/05/2004	07/08/2004	MAH/MG
Barium, Total	0.16	mg/L	4.1.3/200.7	0.100	07/05/2004	07/08/2004	MAH/MG
Cadmium, Total	0.191	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Chromium, Total	0.235	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Lead, Total	0.073	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Selenium, Total	BDL	mg/L	4.1.3/200.7	0.010	07/05/2004	07/08/2004	MAH/MG
Silver, Total	BDL	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(I)	07/03/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER			MEDF	10			
a-BHC	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
b-BHC	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
g-BHC (lindane)	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
d-BHC	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Heptachlor	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Aldrin	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 47
 July 26, 2004
 Submission # 407000137
 Order # 54191
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-108@28'
 Collected: 07/01/04 19:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/L	EPA 608/8081	0.900	07/06/2004	07/09/2004	JT
Endosulfan I	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Dieldrin	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
4,4-DDE	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Endrin	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Endosulfan II	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
4,4-DDD	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Endrin Aldehyde	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
Endosulfan Sulfate	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
4,4-DDT	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Methoxychlor (Screen Only)	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Aroclor 1016	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1221	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1232	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1242	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1248	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1254	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1260	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 48
 July 26, 2004
 Submission # 407000137
 Order # 54191
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-108@28'
 Collected: 07/01/04 19:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/L	EPA 608/3081	2.500	07/06/2004	07/09/2004	JT
Chlordane	BDL	ug/L	EPA 608/3081	0.100	07/06/2004	07/09/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
614 Organophosphorus Pesticides in Water			MEDF	1			
Demeton	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Disulfoton	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Diazinon	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Malathion	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Parathion, Methyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Parathion, Ethyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Ethion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Azinphos, Methyl (Guthion)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Mirex	BDL	ug/L	614/8141	0.001	07/06/2004	07/08/2004	YA
Fenthion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Chlorpyrifos (Dursban)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Surrogate: Stirophos	41.40	%					
615 Chlorophenoxy Acid Herbicides in Water			MEDF	10			

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 49
 July 26, 2004
 Submission # 407000137
 Order # 54191
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-108@28'
 Collected: 07/01/04 19:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dalapon	BDL	ug/L	615/8151	58.000	07/07/2004	07/10/2004	JT
Dicamba	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4-D	BDL	ug/L	615/8151	12.000	07/07/2004	07/10/2004	JT
2,4,5-TP (silvex)	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Dinoseb	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Pentachlorophenol	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4,5 T	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Picloram	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Dichloroprop	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4-DB	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
MCPD	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
MCPA	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Surrogate: Acifluorfen	0.00	%					
8260.B Volatile Organics in Water by GC/MS			MEDF	100			
Acetone	BDL	ug/L	5030/8260B	10000.000	07/06/2004	07/06/2004	PMD
Acrolein	BDL	ug/L	5030/8260B	1500.000	07/06/2004	07/06/2004	PMD
Acrylonitrile	BDL	ug/L	5030/8260B	1500.000	07/06/2004	07/06/2004	PMD
Methyl Ethyl Ketone	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 50
 July 26, 2004
 Submission # 407000137
 Order # 54191
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-108@28'
 Collected: 07/01/04 19:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dichlorodifluoromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Chloromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Vinyl Chloride	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromomethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Chloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Trichlorofluoromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1-Dichloroethene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Methylene Chloride	1870	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Trans-1,2-Dichloroethene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Methyl-Tert-Butyl Ether	555	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1-Dichloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
2,2-Dichloropropane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Cis-1,2-Dichloroethene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Chloroform	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromochloromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1,1-Trichloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1-Dichloropropene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Carbon Tetrachloride	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 51
 July 26, 2004
 Submission # 407000137
 Order # 54191
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-108@28'
 Collected: 07/01/04 19:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzene	I-12.4	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dichloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Trichloroethene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dichloropropane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromodichloromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
2-Chloroethylvinyl Ether	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Dibromomethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Cis-1,3-Dichloropropene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Toluene	I-99.3	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Trans-1,3-Dichloropropene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1,2-Trichloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,3-Dichloropropane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Tetrachloroethene	228	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Dibromochloromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dibromoethane (EDB)	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Chlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Ethylbenzene	I-27.9	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 52
 July 26, 2004
 Submission # 407000137
 Order # 54191
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-108@28'
 Collected: 07/01/04 19:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,1,2-Tetrachloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
m & p-Xylene	142	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
o-Xylene	1-71.5	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Total Xylene	142	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Styrene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Isopropylbenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromoform	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1,2,2-Tetrachloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,3-Trichloropropane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,3,5-Trimethylbenzene	1-64.1	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
2-Chlorotoluene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
4-Chlorotoluene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Tert-Butylbenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,4-Trimethylbenzene	352	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Sec-Butylbenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
P-Isopropyltoluene	1-43.0	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,3-Dichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,4-Dichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 53
 July 26, 2004
 Submission # 407000137
 Order # 54191
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-108@28'
 Collected: 07/01/04 19:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
n-Butylbenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
n-PropylBenzene	1-23.0	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,4-Trichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Hexachlorobutadiene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Naphthalene	3750	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,3-Trichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
SURROGATE: Diethyl ether	107.75	%					
SURROGATE: Toluene-D8	101.50	%					
SURROGATE: Bromofluorobenzene	106.40	%					
8270.C Semivolatile Organics in Water by GC-MS			MEDF	1.02			
N-Nitrosodimethylamine	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Phenol	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
Bis (2-Chloroethyl) Ether	BDL	ug/L	3510/8270C	4.080	07/06/2004	07/09/2004	MD
2-Chlorophenol	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
1,3-Dichlorobenzene	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
1,4-Dichlorobenzene	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 54
 July 26, 2004
 Submission # 407000137
 Order # 54191
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-108@28'
 Collected: 07/01/04 19:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzyl Alcohol	4390	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
1,2-Dichlorobenzene	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Bis (2-Chloroisopropyl) Ether	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
N-Nitrosodi-N-Propylamine	BDL	ug/L	3510/8270C	4.080	07/06/2004	07/09/2004	MD
Hexachloroethane	BDL	ug/L	3510/8270C	2.550	07/06/2004	07/09/2004	MD
Nitrobenzene	BDL	ug/L	3510/8270C	4.080	07/06/2004	07/09/2004	MD
Isophorone	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
2-Nitrophenol	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
2,4-Dimethylphenol	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
Bis (2-Chloroethoxy)methane	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
2,4-Dichlorophenol	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
1,2,3-Trichlorobenzene	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
1,2,4-Trichlorobenzene	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Naphthalene	64.3	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Hexachlorobutadiene	BDL	ug/L	3510/8270C	1.020	07/06/2004	07/09/2004	MD
4-Chloro-3-Methylphenol	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
1-Methylnaphthalene	78.2	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
2-Methylnaphthalene	108	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 55
 July 26, 2004
 Submission # 407000137
 Order # 54191
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-108@28'
 Collected: 07/01/04 19:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
2-Methylphenol (o-cresol)	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
Hexachlorocyclopentadiene	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
3-Methylphenol (m-cresol)	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
4-Methylphenol (p-cresol)	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
2,3,6-Trichlorophenol	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
2,4,5-Trichlorophenol	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
2,4,6-Trichlorophenol	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
2-Chloronaphthalene	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Dimethyl Phthalate	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Acenaphthylene	BDL	ug/L	3510/8270C	3.060	07/06/2004	07/09/2004	MD
2,6-Dinitrotoluene	BDL	ug/L	3510/8270C	1.020	07/06/2004	07/09/2004	MD
Acenaphthene	BDL	ug/L	3510/8270C	3.060	07/06/2004	07/09/2004	MD
2,4-Dinitrophenol	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
2,4-Dinitrotoluene	BDL	ug/L	3510/8270C	1.020	07/06/2004	07/09/2004	MD
4-Nitrophenol	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
Diethyl Phthalate	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Fluorene	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
4-Chlorophenyl Phenyl Ether	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 56
 July 26, 2004
 Submission # 407000137
 Order # 54191
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-108@28'
 Collected: 07/01/04 19:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4,6-Dinitro-2-Methylphenol	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
N-Nitrosodiphenylamine	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
4-Bromophenyl Phenyl Ether	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Hexachlorobenzene	BDL	ug/L	3510/8270C	1.020	07/06/2004	07/09/2004	MD
Pentachlorophenol	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
Phenanthrene	104	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Anthracene	68.0	ug/L	3510/8270C	0.306	07/06/2004	07/09/2004	MD
Di-N-Butyl Phthalate	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Fluoranthene	BDL	ug/L	3510/8270C	0.306	07/06/2004	07/09/2004	MD
Benzidine	BDL	ug/L	3510/8270C	10.200	07/06/2004	07/09/2004	MD
Pyrene	71.6	ug/L	3510/8270C	0.306	07/06/2004	07/09/2004	MD
Butyl Benzyl Phthalate	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Benzo(A)Anthracene	BDL	ug/L	3510/8270C	0.204	07/06/2004	07/09/2004	MD
3,3-Dichlorobenzidine	BDL	ug/L	3510/8270C	1.020	07/06/2004	07/09/2004	MD
Chrysene	BDL	ug/L	3510/8270C	1.020	07/06/2004	07/09/2004	MD
Bis (2 Ethylhexyl) Phthalate	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Di-N-Octyl Phthalate	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Benzo(B)Fluoranthene	BDL	ug/L	3510/8270C	0.204	07/06/2004	07/09/2004	MD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 57
 July 26, 2004
 Submission # 407000137
 Order # 54191
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-108@28'
 Collected: 07/01/04 19:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(K)Fluoranthene	BDL	ug/L	3510/8270C	0.510	07/06/2004	07/09/2004	MD
Benzo(A)Pyrene	BDL	ug/L	3510/8270C	0.204	07/06/2004	07/09/2004	MD
Indeno(1,2,3-CD)Pyrene	BDL	ug/L	3510/8270C	0.204	07/06/2004	07/09/2004	MD
Dibenzo(A,H,I)Anthracene	BDL	ug/L	3510/8270C	0.204	07/06/2004	07/09/2004	MD
Benzo(G,H,I)Perylene	BDL	ug/L	3510/8270C	0.204	07/06/2004	07/09/2004	MD
Bis-2-ethylhexyl Adipate	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Aldrin (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
alpha-BHC (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
beta-BHC (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
delta-BHC (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
gamma-BHC (Lindane) (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Chlordane (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
4,4'-DDD (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
4,4'-DDE (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
4,4'-DDT (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Dieldrin (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Endosulfan I (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Endosulfan II (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 58
 July 26, 2004
 Submission # 407000137
 Order # 54191
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-108@28'
 Collected: 07/01/04 19:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan Sulfate (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Endrin (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Endrin Aldehyde (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Heptachlor (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Heptachlor Epoxide (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Toxaphene (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
PCB-1016 (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
PCB-1221 (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
PCB-1232 (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
PCB-1242 (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
PCB-1248 (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
PCB-1254 (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
PCB-1260 (screen)	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Dioxin (screen)	BDL	ug/L	3510/8270C	10.200	07/06/2004	07/09/2004	MD
Azobenzene	BDL	ug/L	3510/8270C	4.080	07/06/2004	07/09/2004	MD
Methoxychlor	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Benzoic Acid	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Aniline	BDL	ug/L	3510/8270C	4.080	07/06/2004	07/09/2004	MD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 59
 July 26, 2004
 Submission # 407000137
 Order # 54191
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-108@28'
 Collected: 07/01/04 19:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chloroaniline	BDL	ug/L	3510/8270C	2.550	07/06/2004	07/09/2004	MD
Dibenzofuran	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
2-Nitroaniline	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
3-Nitroaniline	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
4-Nitroaniline	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Carbazole	BDL	ug/L	3510/8270C	4.080	07/06/2004	07/09/2004	MD
2,6-Dichlorophenol	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
Pyridine	BDL	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
2,3,4,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
2,3,5,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	2.040	07/06/2004	07/09/2004	MD
SURROGATE: 2-Fluorophenol	92.00	%					
SURROGATE: Phenol-D6	113.50	%					
SURROGATE: 2,4,6-Tribromophenol	247.50	%					
SURROGATE: D5-Nitrobenzene	21.00	%					
SURROGATE: 2-Fluorobiphenyl	17.60	%					
SURROGATE: 4-Terphenyl-D14	64.70	%					
FL-PRO (Petroleum Residual Organic w/ranges)-WATER			MEDF	1			
GRO (C8-C10) Range	15.1	mg/L	FL-PRO	0.500	07/06/2004	07/08/2004	JT

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 60
July 26, 2004
Submission # 407000137
Order # 54191
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
FL.
BCX

Sample I.D.: BCX-108@28'
Collected: 07/01/04 19:00
Received: 07/03/04 10:00
Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
DRO (C10-C28) Range	108	mg/L	FL-PRO	0.500	07/06/2004	07/08/2004	JT
TRO (C28-C40) Range	39.4	mg/L	FL-PRO	0.500	07/06/2004	07/08/2004	JT
TOTAL PRO (C8-C40)	163	mg/L	FL-PRO	0.500	07/06/2004	07/08/2004	JT
SURROGATE : n-Nonatraicontane(C-39)	13.73	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries,please contact the representative who signed this report, or the QA department.

* HEAVY EMULSION. MATRIX INTERFERES WITH SURROGATE.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 61
 July 26, 2004
 Submission # 407000137
 Order # 54192
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-109@20'
 Collected: 07/01/04 19:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	4400	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)			MEDF	1			
Arsenic, Total	0.216	mg/L	4.1.3/200.7	0.008	07/05/2004	07/08/2004	MAH/MG
Barium, Total	0.19	mg/L	4.1.3/200.7	0.100	07/05/2004	07/08/2004	MAH/MG
Cadmium, Total	BDL	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Chromium, Total	0.266	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Lead, Total	0.038	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Selenium, Total	0.014	mg/L	4.1.3/200.7	0.010	07/05/2004	07/08/2004	MAH/MG
Silver, Total	BDL	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(I)	07/03/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER			MEDF	20			
a-BHC	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
b-BHC	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
g-BHC (lindane)	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
d-BHC	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
Heptachlor	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
Aldrin	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 62
 July 26, 2004
 Submission # 407000137
 Order # 54192
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-109@20'
 Collected: 07/01/04 19:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/L	EPA 608/8081	1.800	07/06/2004	07/10/2004	JT
Endosulfan I	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
Dieldrin	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
4,4-DDE	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
Endrin	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
Endosulfan II	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
4,4-DDD	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
Endrin Aldehyde	BDL	ug/L	EPA 608/8081	0.400	07/06/2004	07/10/2004	JT
Endosulfan Sulfate	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
4,4-DDT	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
Methoxychlor (Screen Only)	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
Aroclor 1016	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/10/2004	JT
Aroclor 1221	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/10/2004	JT
Aroclor 1232	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/10/2004	JT
Aroclor 1242	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/10/2004	JT
Aroclor 1248	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/10/2004	JT
Aroclor 1254	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/10/2004	JT
Aroclor 1260	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/10/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 63
 July 26, 2004
 Submission # 407000137
 Order # 54192
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-109@20'
 Collected: 07/01/04 19:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/L	EPA 608/8081	5.000	07/06/2004	07/10/2004	JT
Chlordane	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
614 Organophosphorus Pesticides in Water			MEDF	2			
Demeton	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Disulfoton	BDL	ug/L	614/8141	0.400	07/06/2004	07/08/2004	YA
Diazinon	BDL	ug/L	614/8141	0.400	07/06/2004	07/08/2004	YA
Malathion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Parathion, Methyl	BDL	ug/L	614/8141	0.080	07/06/2004	07/08/2004	YA
Parathion, Ethyl	BDL	ug/L	614/8141	0.080	07/06/2004	07/08/2004	YA
Ethion	BDL	ug/L	614/8141	0.400	07/06/2004	07/08/2004	YA
Azinphos, Methyl (Guthion)	BDL	ug/L	614/8141	0.400	07/06/2004	07/08/2004	YA
Mirex	BDL	ug/L	614/8141	0.002	07/06/2004	07/08/2004	YA
Fenthion	BDL	ug/L	614/8141	0.400	07/06/2004	07/08/2004	YA
Chlorpyrifos (Dursban)	BDL	ug/L	614/8141	0.400	07/06/2004	07/08/2004	YA
Surrogate: Stirophos	39.00	%					
615 Chlorophenoxy Acid Herbicides in Water			MEDF	1000			

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 64
 July 26, 2004
 Submission # 407000137
 Order # 54192
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-109@20'
 Collected: 07/01/04 19:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dalapon	BDL	ug/L	615/8151	5800.000	07/07/2004	07/14/2004	JT
Dicamba	BDL	ug/L	615/8151	200.000	07/07/2004	07/14/2004	JT
2,4-D	BDL	ug/L	615/8151	1200.000	07/07/2004	07/14/2004	JT
2,4,5-TP (silvex)	BDL	ug/L	615/8151	200.000	07/07/2004	07/14/2004	JT
Dinoseb	BDL	ug/L	615/8151	200.000	07/07/2004	07/14/2004	JT
Pentachlorophenol	BDL	ug/L	615/8151	200.000	07/07/2004	07/14/2004	JT
2,4,5 T	BDL	ug/L	615/8151	200.000	07/07/2004	07/14/2004	JT
Picloram	BDL	ug/L	615/8151	200.000	07/07/2004	07/14/2004	JT
Dichloroprop	BDL	ug/L	615/8151	200.000	07/07/2004	07/14/2004	JT
2,4-DB	BDL	ug/L	615/8151	200.000	07/07/2004	07/14/2004	JT
MCPPP	BDL	ug/L	615/8151	200.000	07/07/2004	07/14/2004	JT
MCPA	BDL	ug/L	615/8151	200.000	07/07/2004	07/14/2004	JT
Surrogate: Acifluorfen	0.00	%					
8260.B Volatile Organics in Water by GC/MS			MEDF	1000			
Acetone	BDL	ug/L	5030/8260B	100000.00	07/06/2004	07/06/2004	PMD
Acrolein	BDL	ug/L	5030/8260B	15000.000	07/06/2004	07/06/2004	PMD
Acrylonitrile	BDL	ug/L	5030/8260B	15000.000	07/06/2004	07/06/2004	PMD
Methyl Ethyl Ketone	BDL	ug/L	5030/8260B	10000.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 65
 July 26, 2004
 Submission # 407000137
 Order # 54192
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-109@20'
 Collected: 07/01/04 19:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dichlorodifluoromethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Chloromethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Vinyl Chloride	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Bromomethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Chloroethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Trichlorofluoromethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,1-Dichloroethene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Methylene Chloride	I-327	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Trans-1,2-Dichloroethene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Methyl-Tert-Butyl Ether	I-798	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,1-Dichloroethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
2,2-Dichloropropane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Cis-1,2-Dichloroethene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Chloroform	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Bromochloromethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,1,1-Trichloroethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,1-Dichloropropene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Carbon Tetrachloride	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 66
 July 26, 2004
 Submission # 407000137
 Order # 54192
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL
 BCX

Sample I.D.: BCX-109@20'
 Collected: 07/01/04 19:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzene	192.0	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,2-Dichloroethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Trichloroethene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,2-Dichloropropane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Bromodichloromethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
2-Chloroethylvinyl Ether	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Dibromomethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Cis-1,3-Dichloropropene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Toluene	2050	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Trans-1,3-Dichloropropene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,1,2-Trichloroethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,3-Dichloropropane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Tetrachloroethene	4770	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Dibromochloromethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,2-Dibromoethane (EDB)	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Bromobenzene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Chlorobenzene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Ethylbenzene	1260	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 67
 July 26, 2004
 Submission # 407000137
 Order # 54192
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-109@20'
 Collected: 07/01/04 19:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,1,2-Tetrachloroethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
m & p-Xylene	5730	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
o-Xylene	3120	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Total Xylene	8850	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Styrene	1-98.5	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Isopropylbenzene	1-405	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Bromoform	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,1,2,2-Tetrachloroethane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,2,3-Trichloropropane	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,3,5-Trimethylbenzene	3440	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
2-Chlorotoluene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
4-Chlorotoluene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Tert-Butylbenzene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,2,4-Trimethylbenzene	21100	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Sec-Butylbenzene	1-679	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
P-Isopropyltoluene	1-639	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,3-Dichlorobenzene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,4-Dichlorobenzene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 68
 July 26, 2004
 Submission # 407000137
 Order # 54192
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-109@20'
 Collected: 07/01/04 19:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
n-Butylbenzene	2380	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
n-PropylBenzene	1440	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,2-Dichlorobenzene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,2,4-Trichlorobenzene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Hexachlorobutadiene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Naphthalene	19600	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,2,3-Trichlorobenzene	BDL	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
SURROGATE: Diethyl ether	87.38	%					
SURROGATE: Toluene-D8	95.75	%					
SURROGATE: Bromofluorobenzene	120.40	%					
8270.C Semivolatile Organics in Water by GC-MS			MEDF	200			
N-Nitrosodimethylamine	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Phenol	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethyl) Ether	BDL	ug/L	3510/8270C	800.000	07/06/2004	07/09/2004	ME
2-Chlorophenol	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
1,3-Dichlorobenzene	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
1,4-Dichlorobenzene	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 69
 July 26, 2004
 Submission # 407000137
 Order # 54192
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-109@20'
 Collected: 07/01/04 19:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzyl Alcohol	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
1,2-Dichlorobenzene	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
N-Nitrosodi-N-Propylamine	BDL	ug/L	3510/8270C	800.000	07/06/2004	07/09/2004	ME
Hexachloroethane	BDL	ug/L	3510/8270C	500.000	07/06/2004	07/09/2004	ME
Nitrobenzene	BDL	ug/L	3510/8270C	800.000	07/06/2004	07/09/2004	ME
Isophorone	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
2-Nitrophenol	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
2,4-Dimethylphenol	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethoxy)methane	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
2,4-Dichlorophenol	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
1,2,3-Trichlorobenzene	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
1,2,4-Trichlorobenzene	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Naphthalene	1450	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Hexachlorobutadiene	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
4-Chloro-3-Methylphenol	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
1-Methylnaphthalene	1300	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	4080	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 70
 July 26, 2004
 Submission # 407000137
 Order # 54192
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-109@20'
 Collected: 07/01/04 19:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
2-Methylphenol (o-cresol)	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
Hexachlorocyclopentadiene	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
3-Methylphenol (m-cresol)	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
2,3,6-Trichlorophenol	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
2,4,5-Trichlorophenol	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
2,4,6-Trichlorophenol	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
2-Chloronaphthalene	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Dimethyl Phthalate	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Acenaphthylene	BDL	ug/L	3510/8270C	600.000	07/06/2004	07/09/2004	ME
2,6-Dinitrotoluene	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Acenaphthene	BDL	ug/L	3510/8270C	600.000	07/06/2004	07/09/2004	ME
2,4-Dinitrophenol	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
2,4-Dinitrotoluene	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
4-Nitrophenol	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
Diethyl Phthalate	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Fluorene	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
4-Chlorophenyl Phenyl Ether	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 71
 July 26, 2004
 Submission # 407000137
 Order # 54192
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-109@20'
 Collected: 07/01/04 19:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4,6-Dinitro-2-Methylphenol	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
N-Nitrosodiphenylamine	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
4-Bromophenyl Phenyl Ether	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Hexachlorobenzene	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Pentachlorophenol	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
Phenanthrene	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Anthracene	BDL	ug/L	3510/8270C	60.000	07/06/2004	07/09/2004	ME
Di-N-Butyl Phthalate	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Fluoranthene	BDL	ug/L	3510/8270C	60.000	07/06/2004	07/09/2004	ME
Benzidine	BDL	ug/L	3510/8270C	2000.000	07/06/2004	07/09/2004	ME
Pyrene	BDL	ug/L	3510/8270C	60.000	07/06/2004	07/09/2004	ME
Butyl Benzyl Phthalate	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Benzo(A)Anthracene	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
3,3-Dichlorobenzidine	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Chrysene	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Di-N-Octyl Phthalate	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Benzo(B)Fluoranthene	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 72
 July 26, 2004
 Submission # 407000137
 Order # 54192
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-109@20'
 Collected: 07/01/04 19:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(K)Fluoranthene	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Benzo(A)Pyrene	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
Dibenzo(A,H,I)Anthracene	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
Benzo(G,H,I)Perylene	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
Bis-2-ethylhexyl Adipate	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Aldrin (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
alpha-BHC (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
beta-BHC (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
delta-BHC (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
gamma-BHC (Lindane) (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Chlordane (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
4,4'-DDD (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
4,4'-DDE (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
4,4'-DDT (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Dieldrin (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Endosulfan I (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Endosulfan II (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 73
 July 26, 2004
 Submission # 407000137
 Order # 54192
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-109@20'
 Collected: 07/01/04 19:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan Sulfate (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Endrin (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Endrin Aldehyde (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Heptachlor (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Heptachlor Epoxide (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Toxaphene (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
PCB-1016 (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
PCB-1221 (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
PCB-1232 (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
PCB-1242 (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
PCB-1248 (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
PCB-1254 (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
PCB-1260 (screen)	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Dioxin (screen)	BDL	ug/L	3510/8270C	2000.000	07/06/2004	07/09/2004	ME
Azobenzene	BDL	ug/L	3510/8270C	800.000	07/06/2004	07/09/2004	ME
Methoxychlor	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Benzoic Acid	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Aniline	BDL	ug/L	3510/8270C	800.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 74
 July 26, 2004
 Submission # 407000137
 Order # 54192
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-109@20'
 Collected: 07/01/04 19:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chloroaniline	BDL	ug/L	3510/8270C	500.000	07/06/2004	07/09/2004	ME
Dibenzofuran	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
2-Nitroaniline	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
3-Nitroaniline	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
4-Nitroaniline	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
Carbazole	BDL	ug/L	3510/8270C	800.000	07/06/2004	07/09/2004	ME
2,6-Dichlorophenol	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
Pyridine	BDL	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	400.000	07/06/2004	07/09/2004	ME
SURROGATE: 2-Fluorophenol	94.50	%					
SURROGATE: Phenol-D6	0.00	%					
SURROGATE: 2,4,6-Tribromophenol	0.00	%					
SURROGATE: D5-Nitrobenzene	0.00	%					
SURROGATE: 2-Fluorobiphenyl	0.00	%					
SURROGATE: 4-Terphenyl-D14	0.00	%					
FL-PRO (Petroleum Residual Organic w/ranges)-WATER			MEDF	2.0			
GRO (C8-C10) Range	64.4	mg/L	FL-PRO	1.000	07/06/2004	07/08/2004	JT

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 75
July 26, 2004
Submission # 407000137
Order # 54192
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
FL.
BCX

Sample I.D.: BCX-109@20'
Collected: 07/01/04 19:30
Received: 07/03/04 10:00
Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
DRO (C10-C28) Range	2690	mg/L	FL-PRO	1.000	07/06/2004	07/08/2004	JT
TRO (C28-C40) Range	1450	mg/L	FL-PRO	1.000	07/06/2004	07/08/2004	JT
TOTAL PRO (C8-C40)	4200	mg/L	FL-PRO	1.000	07/06/2004	07/08/2004	JT
SURROGATE : n-Nonatracontane(C-39)	0.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion, the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries, please contact the representative who signed this report, or the QA department.

* HEAVY EMULSION. MATRIX INTERFERES WITH SURROGATE.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 76
 July 26, 2004
 Submission # 407000137
 Order # 54193
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@25'
 Collected: 07/01/04 20:10
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	2960	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02)	794	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)			MEDF	1			
Arsenic, Total	0.117	mg/L	4.1.3/200.7	0.008	07/03/2004	07/06/2004	MG
Barium, Total	BDL	mg/L	4.1.3/200.7	0.100	07/03/2004	07/06/2004	MG
Cadmium, Total	BDL	mg/L	4.1.3/200.7	0.005	07/03/2004	07/06/2004	MG
Chromium, Total	0.075	mg/L	4.1.3/200.7	0.005	07/03/2004	07/06/2004	MG
Lead, Total	0.015	mg/L	4.1.3/200.7	0.005	07/03/2004	07/06/2004	MG
Selenium, Total	0.030	mg/L	4.1.3/200.7	0.010	07/03/2004	07/06/2004	MG
Silver, Total	BDL	mg/L	4.1.3/200.7	0.005	07/03/2004	07/06/2004	MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(I)	07/03/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER			MEDF	20			
a-BHC	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
b-BHC	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
g-BHC (lindane)	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
d-BHC	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
Heptachlor	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
Aldrin	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 77
 July 26, 2004
 Submission # 407000137
 Order # 54193
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@25'
 Collected: 07/01/04 20:10
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/L	EPA 608/8081	1.800	07/06/2004	07/10/2004	JT
Endosulfan I	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
Dieldrin	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
4,4-DDE	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
Endrin	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
Endosulfan II	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
4,4-DDD	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
Endrin Aldehyde	BDL	ug/L	EPA 608/8081	0.400	07/06/2004	07/10/2004	JT
Endosulfan Sulfate	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
4,4-DDT	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
Methoxychlor (Screen Only)	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
Aroclor 1016	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/10/2004	JT
Aroclor 1221	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/10/2004	JT
Aroclor 1232	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/10/2004	JT
Aroclor 1242	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/10/2004	JT
Aroclor 1248	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/10/2004	JT
Aroclor 1254	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/10/2004	JT
Aroclor 1260	BDL	ug/L	EPA 608/8081	1.400	07/06/2004	07/10/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 78
 July 26, 2004
 Submission # 407000137
 Order # 54193
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@25'
 Collected: 07/01/04 20:10
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/L	EPA 608/8081	5.000	07/06/2004	07/10/2004	JT
Chlordane	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/10/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
614 Organophosphorus Pesticides in Water			MEDF	2			
Demeton	BDL	ug/L	614/814.1	0.200	07/06/2004	07/08/2004	YA
Disulfoton	BDL	ug/L	614/814.1	0.400	07/06/2004	07/08/2004	YA
Diazinon	BDL	ug/L	614/814.1	0.400	07/06/2004	07/08/2004	YA
Malathion	BDL	ug/L	614/814.1	0.200	07/06/2004	07/08/2004	YA
Parathion, Methyl	BDL	ug/L	614/814.1	0.080	07/06/2004	07/08/2004	YA
Parathion, Ethyl	BDL	ug/L	614/814.1	0.080	07/06/2004	07/08/2004	YA
Ethion	BDL	ug/L	614/814.1	0.400	07/06/2004	07/08/2004	YA
Azinphos, Methyl (Guthion)	BDL	ug/L	614/814.1	0.400	07/06/2004	07/08/2004	YA
Mirex	BDL	ug/L	614/814.1	0.002	07/06/2004	07/08/2004	YA
Fenthion	BDL	ug/L	614/814.1	0.400	07/06/2004	07/08/2004	YA
Chlorpyrifos (Dursban)	BDL	ug/L	614/814.1	0.400	07/06/2004	07/08/2004	YA
Surrogate: Stirophos	20.20	%					
615 Chlorophenoxy Acid Herbicides in Water			MEDF	20			

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 79
 July 26, 2004
 Submission # 407000137
 Order # 54193
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@25'
 Collected: 07/01/04 20:10
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dalapon	BDL	ug/L	615/8151	116.000	07/07/2004	07/10/2004	JT
Dicamba	BDL	ug/L	615/8151	4.000	07/07/2004	07/10/2004	JT
2,4-D	BDL	ug/L	615/8151	24.000	07/07/2004	07/10/2004	JT
2,4,5-TP (silvex)	BDL	ug/L	615/8151	4.000	07/07/2004	07/10/2004	JT
Dinoseb	BDL	ug/L	615/8151	4.000	07/07/2004	07/10/2004	JT
Pentachlorophenol	BDL	ug/L	615/8151	4.000	07/07/2004	07/10/2004	JT
2,4,5 T	BDL	ug/L	615/8151	4.000	07/07/2004	07/10/2004	JT
Picloram	BDL	ug/L	615/8151	4.000	07/07/2004	07/10/2004	JT
Dichloroprop	BDL	ug/L	615/8151	4.000	07/07/2004	07/10/2004	JT
2,4-DB	BDL	ug/L	615/8151	4.000	07/07/2004	07/10/2004	JT
MCPP	BDL	ug/L	615/8151	4.000	07/07/2004	07/10/2004	JT
MCPA	BDL	ug/L	615/8151	4.000	07/07/2004	07/10/2004	JT
Surrogate: Acifluorfen	0.00	%					
8260.B Volatile Organics in Water by GC/MS			MEDF	100			
Acetone	37200	ug/L	5030/8260B	10000.000	07/06/2004	07/06/2004	PMD
Acrolein	BDL	ug/L	5030/8260B	1500.000	07/06/2004	07/06/2004	PMD
Acrylonitrile	BDL	ug/L	5030/8260B	1500.000	07/06/2004	07/06/2004	PMD
Methyl Ethyl Ketone	3300	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 80
 July 26, 2004
 Submission # 407000137
 Order # 54193
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@25'
 Collected: 07/01/04 20:10
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dichlorodifluoromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Chloromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Vinyl Chloride	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromomethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Chloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Trichlorofluoromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1-Dichloroethene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Methylene Chloride	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Trans-1,2-Dichloroethene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Methyl-Tert-Butyl Ether	I-374	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1-Dichloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
2,2-Dichloropropane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Cis-1,2-Dichloroethene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Chloroform	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromochloromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1,1-Trichloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1-Dichloropropene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Carbon Tetrachloride	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 81
 July 26, 2004
 Submission # 407000137
 Order # 54193
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@25'
 Collected: 07/01/04 20:10
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzene	1-21.9	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dichloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Trichloroethene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dichloropropane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromodichloromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
2-Chloroethylvinyl Ether	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Dibromomethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Cis-1,3-Dichloropropene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Toluene	309	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Trans-1,3-Dichloropropene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1,2-Trichloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,3-Dichloropropane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Tetrachloroethene	223	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Dibromochloromethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dibromoethane (EDB)	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Chlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Ethylbenzene	1-83.8	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 82
 July 26, 2004
 Submission # 407000137
 Order # 54193
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@25'
 Collected: 07/01/04 20:10
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,1,2-Tetrachloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
m & p-Xylene	304	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
o-Xylene	147	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Total Xylene	451	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Styrene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Isopropylbenzene	I-12.9	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Bromoform	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,1,2,2-Tetrachloroethane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,3-Trichloropropane	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,3,5-Trimethylbenzene	I-65.4	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
2-Chlorotoluene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
4-Chlorotoluene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Tert-Butylbenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,4-Trimethylbenzene	351	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Sec-Butylbenzene	I-10.1	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
P-Isopropyltoluene	I-14.5	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,3-Dichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,4-Dichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 83
 July 26, 2004
 Submission # 407000137
 Order # 54193
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@25'
 Collected: 07/01/04 20:10
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
n-Butylbenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
n-PropylBenzene	1-22.1	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,4-Trichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Hexachlorobutadiene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Naphthalene	2440	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,3-Trichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
SURROGATE: Diethyl ether	102.25	%					
SURROGATE: Toluene-D8	92.25	%					
SURROGATE: Bromofluorobenzene	98.00	%					
8270.C Semivolatile Organics in Water by GC-MS			MEDIA	2			
N-Nitrosodimethylamine	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Phenol	648	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethyl) Ether	BDL	ug/L	3510/8270C	8.000	07/06/2004	07/09/2004	ME
2-Chlorophenol	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
1,3-Dichlorobenzene	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
1,4-Dichlorobenzene	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 84
 July 26, 2004
 Submission # 407000137
 Order # 54193
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@25'
 Collected: 07/01/04 20:10
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzyl Alcohol	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
1,2-Dichlorobenzene	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
N-Nitrosodi-N-Propylamine	BDL	ug/L	3510/8270C	8.000	07/06/2004	07/09/2004	ME
Hexachloroethane	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Nitrobenzene	BDL	ug/L	3510/8270C	8.000	07/06/2004	07/09/2004	ME
Isophorone	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
2-Nitrophenol	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2,4-Dimethylphenol	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethoxy)methane	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
2,4-Dichlorophenol	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
1,2,3-Trichlorobenzene	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
1,2,4-Trichlorobenzene	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Naphthalene	29.5	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Hexachlorobutadiene	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
4-Chloro-3-Methylphenol	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
1-Methylnaphthalene	290	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	382	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 85
 July 26, 2004
 Submission # 407000137
 Order # 54193
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@25'
 Collected: 07/01/04 20:10
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
2-Methylphenol (o-cresol)	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Hexachlorocyclopentadiene	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
3-Methylphenol (m-cresol)	269	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	269	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2,3,6-Trichlorophenol	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2,4,5-Trichlorophenol	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2,4,6-Trichlorophenol	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2-Chloronaphthalene	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Dimethyl Phthalate	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Acenaphthylene	BDL	ug/L	3510/8270C	6.000	07/06/2004	07/09/2004	ME
2,6-Dinitrotoluene	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Acenaphthene	BDL	ug/L	3510/8270C	6.000	07/06/2004	07/09/2004	ME
2,4-Dinitrophenol	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2,4-Dinitrotoluene	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
4-Nitrophenol	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Diethyl Phthalate	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Fluorene	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
4-Chlorophenyl Phenyl Ether	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 86
 July 26, 2004
 Submission # 407000137
 Order # 54193
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@25'
 Collected: 07/01/04 20:10
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4,6-Dinitro-2-Methylphenol	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
N-Nitrosodiphenylamine	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
4-Bromophenyl Phenyl Ether	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Hexachlorobenzene	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Pentachlorophenol	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Phenanthrene	225	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Anthracene	BDL	ug/L	3510/8270C	0.600	07/06/2004	07/09/2004	ME
Di-N-Butyl Phthalate	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Fluoranthene	BDL	ug/L	3510/8270C	0.600	07/06/2004	07/09/2004	ME
Benzidine	BDL	ug/L	3510/8270C	20.000	07/06/2004	07/09/2004	ME
Pyrene	BDL	ug/L	3510/8270C	0.600	07/06/2004	07/09/2004	ME
Butyl Benzyl Phthalate	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Benzo(A)Anthracene	BDL	ug/L	3510/8270C	0.400	07/06/2004	07/09/2004	ME
3,3-Dichlorobenzidine	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Chrysene	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Bis (2 Ethylhexyl) Phthalate	281	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Di-N-Octyl Phthalate	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Benzo(B)Fluoranthene	BDL	ug/L	3510/8270C	0.400	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 87
 July 26, 2004
 Submission # 407000137
 Order # 54193
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@25'
 Collected: 07/01/04 20:10
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(K)Fluoranthene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Benzo(A)Pyrene	BDL	ug/L	3510/8270C	0.400	07/06/2004	07/09/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	ug/L	3510/8270C	0.400	07/06/2004	07/09/2004	ME
Dibenzo(A,H,)Anthracene	BDL	ug/L	3510/8270C	0.400	07/06/2004	07/09/2004	ME
Benzo(G,H,I)Perylene	BDL	ug/L	3510/8270C	0.400	07/06/2004	07/09/2004	ME
Bis-2-ethylhexyl Adipate	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Aldrin (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
alpha-BHC (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
beta-BHC (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
delta-BHC (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
gamma-BHC (Lindane) (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Chlordane (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
4,4'-DDD (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
4,4'-DDE (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
4,4'-DDT (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Dieldrin (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Endosulfan I (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Endosulfan II (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 88
 July 26, 2004
 Submission # 407000137
 Order # 54193
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@25'
 Collected: 07/01/04 20:10
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan Sulfate (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Endrin (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Endrin Aldehyde (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Heptachlor (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Heptachlor Epoxide (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Toxaphene (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
PCB-1016 (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
PCB-1221 (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
PCB-1232 (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
PCB-1242 (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
PCB-1248 (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
PCB-1254 (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
PCB-1260 (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Dioxin (screen)	BDL	ug/L	3510/8270C	20.000	07/06/2004	07/09/2004	ME
Azobenzene	BDL	ug/L	3510/8270C	8.000	07/06/2004	07/09/2004	ME
Methoxychlor	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Benzoic Acid	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Aniline	BDL	ug/L	3510/8270C	8.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 89
 July 26, 2004
 Submission # 407000137
 Order # 54193
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@25'
 Collected: 07/01/04 20:10
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chloroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dibenzofuran	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
2-Nitroaniline	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
3-Nitroaniline	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
4-Nitroaniline	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Carbazole	BDL	ug/L	3510/8270C	8.000	07/06/2004	07/09/2004	ME
2,6-Dichlorophenol	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Pyridine	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
SURROGATE: 2-Fluorophenol	130.00	%					
SURROGATE: Phenol-D6	0.00	%					
SURROGATE: 2,4,6-Tribromophenol	0.00	%					
SURROGATE: D5-Nitrobenzene	42.30	%					
SURROGATE: 2-Fluorobiphenyl	41.00	%					
SURROGATE: 4-Terphenyl-D14	41.50	%					
FL-PRO (Petroleum Residual Organic w/ranges)-WATER			MEDF	2.0			
GRO (C8-C10) Range	3.27	mg/L	FL-PRO	1.000	07/06/2004	07/08/2004	JT

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 90
July 26, 2004
Submission # 407000137
Order # 54193
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
FL.
BCX

Sample I.D.: BCX-12@25'
Collected: 07/01/04 20:10
Received: 07/03/04 10:00
Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
DRO (C10-C28) Range	516	mg/L	FL-PRO	1.000	07/06/2004	07/08/2004	JT
TRO (C28-C40) Range	166	mg/L	FL-PRO	1.000	07/06/2004	07/08/2004	JT
TOTAL PRO (C8-C40)	685	mg/L	FL-PRO	1.000	07/06/2004	07/08/2004	JT
SURROGATE : n-Nonatracantane(C-39)	0.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion, the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries, please contact the representative who signed this report, or the QA department.

* HEAVY EMULSION. MATRIX INTERFERES WITH SURROGATE.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 91
 July 26, 2004
 Submission # 407000137
 Order # 54194
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@25'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	18444	BTU	PARR	40.0	07/09/2004	07/09/2004	EP
Karlfisher % Water in Soils & Wastes(02)	BDL	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}			MEDF	1			
Arsenic, Total	BDL	mg/Kg	3050/6010	0.700	07/06/2004	07/08/2004	MAH/SB
Barium, Total	1.6	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Cadmium, Total	BDL	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Chromium, Total	2.0	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Lead, Total	3.2	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Selenium, Total	1.2	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Silver, Total	BDL	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA)	BDL	mg/Kg	7471A	0.100	07/03/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids			MEDF	1			
a-BHC	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
b-BHC	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
g-BHC (lindane)	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
d-BHC	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
Heptachlor	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
Aldrin	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 92
 July 26, 2004
 Submission # 407000137
 Order # 54194
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@25'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
Endosulfan I	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
Dieldrin	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT
4,4-DDE	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
Endrin	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
Endosulfan II	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
4,4-DDD	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
Endrin Aldehyde	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT
Endosulfan Sulfate	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
4,4-DDT	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
Methoxychlor	BDL	ug/Kg	3550/8081-82	180.000	07/07/2004	07/08/2004	JT
Aroclor 1016	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT
Aroclor 1221	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT
Aroclor 1232	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT
Aroclor 1242	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT
Aroclor 1248	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT
Aroclor 1254	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT
Aroclor 1260	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 93
 July 26, 2004
 Submission # 407000137
 Order # 54194
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@25'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/Kg	3550/80&1-82	250.000	07/07/2004	07/08/2004	JT
Chlordane	BDL	ug/Kg	3550/80&1-82	10.000	07/07/2004	07/08/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
8141A Organophosphorus Pesticides in Soils			MEDF	30			
Demeton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Disulfoton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Diazinon	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Malathion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Methyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Ethyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Ethion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Azinphos, Methyl (Guthion)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Fenthion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Chlorpyrifos (Dursban)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Simazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Atrazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Surrogate: Stirophos	0.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 94
 July 26, 2004
 Submission # 407000137
 Order # 54194
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@25'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
8151A Chlorophenoxy Herbicides in Soil, Wastes			MEDF	30			
Dalapon	BDL	ug/Kg	8151A	34800.000	07/08/2004	07/13/2004	JT
Dicamba	BDL	ug/Kg	8151A	1620.000	07/08/2004	07/13/2004	JT
2,4-D	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Pentachlorophenol	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
2,4,5-TP (silvex)	BDL	ug/Kg	8151A	1020.000	07/08/2004	07/13/2004	JT
2,4,5-T	BDL	ug/Kg	8151A	900.000	07/08/2004	07/13/2004	JT
Dinoseb	BDL	ug/Kg	8151A	420.000	07/08/2004	07/13/2004	JT
Picloram	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Dichloroprop	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
2,4-DB	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
MCP	BDL	ug/Kg	8151A	19800.000	07/08/2004	07/13/2004	JT
MCPA	BDL	ug/Kg	8151A	12900.000	07/08/2004	07/13/2004	JT
Surrogate: Acifluorfen	0.00	%					
8260.B Volatile Org.in Solids & Waste by GC/MS			MEDF	100			
Acetone	BDL	mg/Kg	5035/8260B	100.000	07/14/2004	07/14/2004	SKL
Acrolein	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Acrylonitrile	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 95
 July 26, 2004
 Submission # 407000137
 Order # 54194
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@25'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Methyl Ethyl Ketone	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Dichlorodifluoromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Chloromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Vinyl Chloride	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromomethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Chloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Trichlorofluoromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1-Dichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Methylene Chloride	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Trans-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Methyl-Tert-Butyl Ether	1-5.84	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1-Dichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
2,2-Dichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Cis-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Chloroform	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromochloromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1,1-Trichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1-Dichloropropene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 96
 July 26, 2004
 Submission # 407000137
 Order # 54194
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@25'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Benzene	1-3.38	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Trichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromodichloromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
2-Chloroethylvinyl Ether	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Dibromomethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Cis-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Toluene	97.6	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Trans-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1,2-Trichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,3-Dichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Tetrachloroethene	36.1	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Dibromochloromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dibromoethane (EDB)	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Chlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 97
 July 26, 2004
 Submission # 407000137
 Order # 54194
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@25'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Ethylbenzene	26.6	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
m & p-Xylene	104	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
o-Xylene	39.0	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Total Xylene	143	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Styrene	1-3.01	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Isopropylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromoform	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,3-Trichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,3,5-Trimethylbenzene	29.6	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
2-Chlorotoluene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
4-Chlorotoluene	1-3.81	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Tert-Butylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,4-Trimethylbenzene	125	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Sec-Butylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
P-Isopropyltoluene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,3-Dichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 98
 July 26, 2004
 Submission # 407000137
 Order # 54194
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@25'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,4-Dichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
n-Butylbenzene	25.5	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
n-Propylbenzene	1-7.09	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,4-Trichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Hexachlorobutadiene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Naphthalene	84.2	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,3-Trichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
SURROGATE: Diethyl ether	102.00	%					
SURROGATE: Toluene-D8	99.50	%					
SURROGATE: Bromofluorobenzene	105.20	%					
8270.C Semivol. Org. in Solids & Waste by GC/MS			MEDF	10			
N-Nitrosodimethylamine	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Phenol	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
2-MethylPhenol (o-cresol)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
3-Methyl Phenol (m-cresol)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
4-MethylPhenol (p-cresol)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 99
 July 26, 2004
 Submission # 407000137
 Order # 54194
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@25'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bis (2-Chloroethyl) Ether	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
2-Chlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
1,3-Dichlorobenzene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
1,4-Dichlorobenzene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Benzyl Alcohol	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
1,2-Dichlorobenzene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
N-Nitrosodi-N-Propylamine	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Hexachloroethane	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Nitrobenzene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Isophorone	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
2-Nitrophenol	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
2,4-Dimethylphenol	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Bis (2-Chloroethoxy)methane	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
2,4-Dichlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
1,2,3-Trichlorobenzene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
1,2,4-Trichlorobenzene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Naphthalene	787	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 100
 July 26, 2004
 Submission # 407000137
 Order # 54194
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@25'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Hexachlorobutadiene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
4-Chloro-3-Methylphenol	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
1-Methylnaphthalene	836	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
2-Methylnaphthalene	1430	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Hexachlorocyclopentadiene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
2,3,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
2,4,5-Trichlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
2,4,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
2-Chloronaphthalene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Dimethyl Phthalate	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Acenaphthylene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
2,6-Dinitrotoluene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Acenaphthene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
2,4-Dinitrophenol	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
2,4-Dinitrotoluene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
4-Nitrophenol	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Diethyl Phthalate	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Fluorene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 101
 July 26, 2004
 Submission # 407000137
 Order # 54194
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@25'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chlorophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
4,6-Dinitro-2-Methylphenol	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
N-Nitrosodiphenylamine	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
4-Bromophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Hexachlorobenzene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Pentachlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Phenanthrene	326	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Anthracene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Di-N-Butyl Phthalate	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Fluoranthene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Benzidine	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Pyrene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Butyl Benzyl Phthalate	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Benzo(A)Anthracene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
3,3-Dichlorobenzidine	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Chrysene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Di-N-Octyl Phthalate	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 102
 July 26, 2004
 Submission # 407000137
 Order # 54194
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@25'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(B)Fluoranthene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Benzo(K)Fluoranthene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Benzo(A)Pyrene	BDL	mg/Kg	3550/8270C	1.000	07/06/2004	07/08/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Dibenzo (A,H) Anthracene	BDL	mg/Kg	3550/8270C	1.000	07/06/2004	07/08/2004	ME
Benzo(G,H,I)Perylene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Bis-2-ethylhexyl Adipate	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Aldrin (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
α -BHC (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
β -BHC (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
δ -BHC (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
γ -BHC (Lindane)(screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Chlordane (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
4,4'-DDD (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
4,4'-DDE (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
4,4'-DDT (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Dieldrin (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Endosulfan I (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 103
 July 26, 2004
 Submission # 407000137
 Order # 54194
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@25'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan II (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Endosulfan Sulfate (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Endrin (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Endrin Aldehyde (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Heptachlor (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Heptachlor Epoxide (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Toxaphene (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
PCB-1016 (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
PCB-1221 (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
PCB-1232 (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
PCB-1242 (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
PCB-1248 (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
PCB-1254 (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
PCB-1260 (screen)	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Dioxin (screen)	BDL	mg/Kg	3550/8270C	10.000	07/06/2004	07/08/2004	ME
Azobenzene	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Methoxychlor	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Benzoic Acid	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 104
 July 26, 2004
 Submission # 407000137
 Order # 54194
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@25'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Aniline	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
4-Chloroaniline	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Dibenzofuran	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
2-Nitroaniline	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
3-Nitroaniline	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
4-Nitroaniline	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Carbazole	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
2,6-Dichlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
Pyridine	BDL	mg/Kg	3550/8270C	3.300	07/06/2004	07/08/2004	ME
SURROGATE: 2-Fluorophenol	0.00	%					
SURROGATE: Phenol-D6	0.00	%					
SURROGATE: 2,4,6-Tribromophenyl	0.00	%					
SURROGATE: D5-Nitrobenzene	0.00	%					
SURROGATE: 2-Fluorobiphenyl	0.00	%					
SURROGATE: 4-Terphenyl-D14	0.00	%					
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL			MEDF	1			

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 105
July 26, 2004
Submission # 407000137
Order # 54194
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
FL.
BCX

Sample I.D.: BCX-10@25'
Collected: 07/01/04 18:20
Received: 07/03/04 10:00
Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
GRO (C8-C10) Range	27800	mg/Kg	FL-PRO	2.000	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	462000	mg/Kg	FL-PRO	2.000	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	299000	mg/Kg	FL-PRO	2.000	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	789000	mg/Kg	FL-PRO	2.000	07/06/2004	07/07/2004	JT
SURROGATE: n-Nonatriacontane(C-39)	0.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as: "certification in-process"

coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries,please contact the representative who signed this report, or the QA department.

* SAMPLE PREPARED BY DILUTION, NO SURROGATE ADDED.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 106
 July 26, 2004
 Submission # 407000137
 Order # 54195
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@30'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU	PARR	40.0	07/09/2004	07/09/2004	EP
Karlfisher %Water in Soils & Wastes(02)	87.6	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}			MEDF	1			
Arsenic, Total	BDL	mg/Kg	3050/6010	0.700	07/06/2004	07/08/2004	MAH/SB
Barium, Total	71.3	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Cadmium, Total	1.9	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Chromium, Total	17.8	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Lead, Total	41.2	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Selenium, Total	BDL	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Silver, Total	BDL	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA)	0.165	mg/Kg	7471A	0.100	07/03/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids			MEDF	30			
a-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
b-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
g-BHC (lindane)	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
d-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Heptachlor	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Aldrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 107
 July 26, 2004
 Submission # 407000137
 Order # 54195
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@30'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endosulfan I	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Dieldrin	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
4,4-DDE	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endosulfan II	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
4,4-DDD	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endrin Aldehyde	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Endosulfan Sulfate	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
4,4-DDT	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Methoxychlor	BDL	ug/Kg	3550/8081-82	5400.000	07/07/2004	07/08/2004	JT
Aroclor 1016	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1221	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1232	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1242	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1248	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1254	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1260	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 108
 July 26, 2004
 Submission # 407000137
 Order # 54195
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@30'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/Kg	3550/8081-82	7500.000	07/07/2004	07/08/2004	JT
Chlordane	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
8141A Organophosphorus Pesticides in Soils			MEDF	30			
Demeton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Disulfoton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Diazinon	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Malathion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Methyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Ethyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Ethion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Azinphos, Methyl (Guthion)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Fenthion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Chlorpyrifos (Dursban)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Simazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Atrazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Surrogate: Stirophos	78.90	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 109
 July 26, 2004
 Submission # 407000137
 Order # 54195
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@30'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
8151A Chlorophenoxy Herbicides in Soil, Wastes			MEDF	30			
Dalapon	BDL	ug/Kg	8151A	34800.000	07/08/2004	07/13/2004	JT
Dicamba	BDL	ug/Kg	8151A	1620.000	07/08/2004	07/13/2004	JT
2,4-D	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Pentachlorophenol	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
2,4,5-TP (silvex)	BDL	ug/Kg	8151A	1020.000	07/08/2004	07/13/2004	JT
2,4,5-T	BDL	ug/Kg	8151A	900.000	07/08/2004	07/13/2004	JT
Dinoseb	BDL	ug/Kg	8151A	420.000	07/08/2004	07/13/2004	JT
Picloram	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Dichloroprop	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
2,4-DB	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
MCPPP	BDL	ug/Kg	8151A	19800.000	07/08/2004	07/13/2004	JT
MCPA	BDL	ug/Kg	8151A	12900.000	07/08/2004	07/13/2004	JT
Surrogate: Acifluorfen	14.35	%					
8260.B Volatile Org.in Solids & Waste by GC/MS			MEDF	100			
Acetone	BDL	mg/Kg	5035/8260B	100.000	07/14/2004	07/14/2004	SKL
Acrolein	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Acrylonitrile	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 110
 July 26, 2004
 Submission # 407000137
 Order # 54195
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@30'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Methyl Ethyl Ketone	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Dichlorodifluoromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Chloromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Vinyl Chloride	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromomethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Chloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Trichlorofluoromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1-Dichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Methylene Chloride	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Trans-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Methyl-Tert-Butyl Ether	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1-Dichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
2,2-Dichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Cis-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Chloroform	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromochloromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1,1-Trichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1-Dichloropropene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 111
 July 26, 2004
 Submission # 407000137
 Order # 54195
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@30'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Benzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Trichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromodichloromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
2-Chloroethylvinyl Ether	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Dibromomethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Cis-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Toluene	10.0	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Trans-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1,2-Trichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,3-Dichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Tetrachloroethene	15.3	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Dibromochloromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dibromoethane (EDB)	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Chlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 112
 July 26, 2004
 Submission # 407000137
 Order # 54195
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@30'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Ethylbenzene	39.9	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
m & p-Xylene	223	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
o-Xylene	123	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Total Xylene	346	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Styrene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Isopropylbenzene	1-6.62	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromoform	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,3-Trichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,3,5-Trimethylbenzene	181	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
2-Chlorotoluene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
4-Chlorotoluene	43.8	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Tert-Butylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,4-Trimethylbenzene	708	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Sec-Butylbenzene	17.2	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
P-Isopropyltoluene	62.9	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,3-Dichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 113
 July 26, 2004
 Submission # 407000137
 Order # 54195
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@30'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,4-Dichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
n-Butylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
n-Propylbenzene	70.9	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,4-Trichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Hexachlorobutadiene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Naphthalene	368	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,3-Trichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
SURROGATE: Diethyl ether	102.88	%					
SURROGATE: Toluene-D8	100.00	%					
SURROGATE: Bromofluorobenzene	94.00	%					
8270.C Semivol. Org. in Solids & Waste by GC/MS			MEDF	30			
N-Nitrosodimethylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Phenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-MethylPhenol (o-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
3-Methyl Phenol (m-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-MethylPhenol (p-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 114
 July 26, 2004
 Submission # 407000137
 Order # 54195
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@30'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bis (2-Chloroethyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Chlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,3-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,4-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzyl Alcohol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,2-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
N-Nitrosodi-N-Propylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Hexachloroethane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Nitrobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Isophorone	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dimethylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis (2-Chloroethoxy)methane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,2,3-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,2,4-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Naphthalene	2010	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 115
 July 26, 2004
 Submission # 407000137
 Order # 54195
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@30'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Hexachlorobutadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Chloro-3-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1-Methylnaphthalene	1430	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Methylnaphthalene	3650	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Hexachlorocyclopentadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,3,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4,5-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Chloronaphthalene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dimethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Acenaphthylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,6-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Acenaphthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dinitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Diethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Fluorene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 116
 July 26, 2004
 Submission # 407000137
 Order # 54195
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@30'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chlorophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,6-Dinitro-2-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
N-Nitrosodiphenylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Bromophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Hexachlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Pentachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Phenanthrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Di-N-Butyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Butyl Benzyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzo(A)Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
3,3-Dichlorobenzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Chrysene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Di-N-Octyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 117
 July 26, 2004
 Submission # 407000137
 Order # 54195
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@30'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(B)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzo(K)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzo(A)Pyrene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/08/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dibenzo (A,H) Anthracene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/08/2004	ME
Benzo(G,H,I)Perylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis-2-ethylhexyl Adipate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Aldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
α -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
β -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
δ -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
γ -BHC (Lindane)(screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Chlordane (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,4'-DDD (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,4'-DDE (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,4'-DDT (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dieldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endosulfan I (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 118
 July 26, 2004
 Submission # 407000137
 Order # 54195
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@30'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan II (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endosulfan Sulfate (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endrin Aldehyde (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Heptachlor (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Heptachlor Epoxide (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Toxaphene (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1016 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1221 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1232 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1242 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1248 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1254 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1260 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dioxin (screen)	BDL	mg/Kg	3550/8270C	30.000	07/06/2004	07/08/2004	ME
Azobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Methoxychlor	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzoic Acid	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 119
 July 26, 2004
 Submission # 407000137
 Order # 54195
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-2@30'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Aniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Chloroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dibenzofuran	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
3-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Carbazole	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,6-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Pyridine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
SURROGATE: 2-Fluorophenol	69.50	%					
SURROGATE: Phenol-D6	73.50	%					
SURROGATE: 2,4,6-Tribromophenyl	80.50	%					
SURROGATE: D5-Nitrobenzene	72.90	%					
SURROGATE: 2-Fluorobiphenyl	78.20	%					
SURROGATE: 4-Terphenyl-D14	0.00	%					
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL			MEDF	30			

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 120
July 26, 2004
Submission # 407000137
Order # 54195
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
FL.
BCX

Sample I.D.: BCX-2@30'
Collected: 07/01/04 16:40
Received: 07/03/04 10:00
Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
GRO (C8-C10) Range	3440	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	50400	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	27200	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	81000	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
SURROGATE: n-Nonatriacontane(C-39)	15.10	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field


Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries, please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 121
 July 26, 2004
 Submission # 407000137
 Order # 54196
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@35'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU	PARR	40.0	07/09/2004	07/09/2004	EP
Karlfisher %Water in Soils & Wastes(02)	96.9	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}			MEDF	1			
Arsenic, Total	BDL	mg/Kg	3050/6010	0.700	07/06/2004	07/08/2004	MAH/SB
Barium, Total	68.8	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Cadmium, Total	1.2	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Chromium, Total	4.2	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Lead, Total	9.7	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Selenium, Total	BDL	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Silver, Total	BDL	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA)	BDL	mg/Kg	7471A	0.100	07/03/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids			MEDF	30			
a-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
b-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
g-BHC (lindane)	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
d-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Heptachlor	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Aldrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 122
 July 26, 2004
 Submission # 407000137
 Order # 54196
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@35'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endosulfan I	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Dieldrin	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
4,4-DDE	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endosulfan II	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
4,4-DDD	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endrin Aldehyde	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Endosulfan Sulfate	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
4,4-DDT	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Methoxychlor	BDL	ug/Kg	3550/8081-82	5400.000	07/07/2004	07/08/2004	JT
Aroclor 1016	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1221	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1232	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1242	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1248	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1254	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1260	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 123
 July 26, 2004
 Submission # 407000137
 Order # 54196
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@35'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/Kg	3550/8031-82	7500.000	07/07/2004	07/08/2004	JT
Chlordane	BDL	ug/Kg	3550/8031-82	300.000	07/07/2004	07/08/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
8141A Organophosphorus Pesticides in Soils			MEDF	30			
Demeton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Disulfoton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Diazinon	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Malathion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Methyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Ethyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Ethion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Azinphos, Methyl (Guthion)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Fenthion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Chlorpyrifos (Dursban)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Simazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Atrazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Surrogate: Stirophos	113.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 124
 July 26, 2004
 Submission # 407000137
 Order # 54196
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@35'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
8151A Chlorophenoxy Herbicides in Soil, Wastes			MEDF	30			
Dalapon	BDL	ug/Kg	8151A	34800.000	07/08/2004	07/13/2004	JT
Dicamba	BDL	ug/Kg	8151A	1620.000	07/08/2004	07/13/2004	JT
2,4-D	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Pentachlorophenol	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
2,4,5-TP (silvex)	BDL	ug/Kg	8151A	1020.000	07/08/2004	07/13/2004	JT
2,4,5-T	BDL	ug/Kg	8151A	900.000	07/08/2004	07/13/2004	JT
Dinoseb	BDL	ug/Kg	8151A	420.000	07/08/2004	07/13/2004	JT
Picloram	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Dichloroprop	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
2,4-DB	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
MCPD	BDL	ug/Kg	8151A	19800.000	07/08/2004	07/13/2004	JT
MCPA	BDL	ug/Kg	8151A	12900.000	07/08/2004	07/13/2004	JT
Surrogate: Acifluorfen	26.25	%					
8260.B Volatile Org.in Solids & Waste by GC/MS			MEDF	100			
Acetone	BDL	mg/Kg	5035/8260B	100.000	07/14/2004	07/14/2004	SKL
Acrolein	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Acrylonitrile	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 125
 July 26, 2004
 Submission # 407000137
 Order # 54196
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@35'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Methyl Ethyl Ketone	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Dichlorodifluoromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Chloromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Vinyl Chloride	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromomethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Chloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Trichlorofluoromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1-Dichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Methylene Chloride	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Trans-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Methyl-Tert-Butyl Ether	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1-Dichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
2,2-Dichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Cis-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Chloroform	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromochloromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1,1-Trichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1-Dichloropropene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 126
 July 26, 2004
 Submission # 407000137
 Order # 54196
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@35'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Benzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Trichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromodichloromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
2-Chloroethylvinyl Ether	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Dibromomethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Cis-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Toluene	1-5.06	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Trans-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1,2-Trichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,3-Dichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Tetrachloroethene	13.1	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Dibromochloromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dibromoethane (EDB)	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Chlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 127
 July 26, 2004
 Submission # 407000137
 Order # 54196
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@35'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Ethylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
m & p-Xylene	1-1.36	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
o-Xylene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Total Xylene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Styrene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Isopropylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromoform	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,3-Trichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,3,5-Trimethylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
2-Chlorotoluene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
4-Chlorotoluene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Tert-Butylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,4-Trimethylbenzene	16.0	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Sec-Butylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
P-Isopropyltoluene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,3-Dichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 128
 July 26, 2004
 Submission # 407000137
 Order # 54196
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@35'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,4-Dichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
n-Butylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
n-Propylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,4-Trichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Hexachlorobutadiene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Naphthalene	15.7	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,3-Trichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
SURROGATE: Diethyl ether	100.38	%					
SURROGATE: Toluene-D8	101.75	%					
SURROGATE: Bromofluorobenzene	59.20	%					
8270.C Semivol. Org. in Solids & Waste by GC/MS			MEDF	30			
N-Nitrosodimethylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Phenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-MethylPhenol (o-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
3-Methyl Phenol (m-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-MethylPhenol (p-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 129
 July 26, 2004
 Submission # 407000137
 Order # 54196
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@35'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bis (2-Chloroethyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Chlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,3-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,4-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzyl Alcohol	151	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,2-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
N-Nitrosodi-N-Propylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Hexachloroethane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Nitrobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Isophorone	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dimethylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis (2-Chloroethoxy)methane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,2,3-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,2,4-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Naphthalene	428	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 130
 July 26, 2004
 Submission # 407000137
 Order # 54196
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@35'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Hexachlorobutadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Chloro-3-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1-Methylnaphthalene	359	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Methylnaphthalene	1210	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Hexachlorocyclopentadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,3,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4,5-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Chloronaphthalene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dimethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Acenaphthylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,6-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Acenaphthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dinitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Diethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Fluorene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 131
 July 26, 2004
 Submission # 407000137
 Order # 54196
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@35'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chlorophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,6-Dinitro-2-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
N-Nitrosodiphenylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Bromophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Hexachlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Pentachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Phenanthrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Di-N-Butyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Butyl Benzyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzo(A)Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
3,3-Dichlorobenzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Chrysene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Di-N-Octyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 132
 July 26, 2004
 Submission # 407000137
 Order # 54196
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@35'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(B)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzo(K)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzo(A)Pyrene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/08/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dibenzo (A,H) Anthracene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/08/2004	ME
Benzo(G,H,I)Perylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis-2-ethylhexyl Adipate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Aldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
α -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
β -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
δ -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
γ -BHC (Lindane)(screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Chlordane (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,4'-DDD (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,4'-DDE (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,4'-DDT (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dieldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endosulfan I (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 133
 July 26, 2004
 Submission # 407000137
 Order # 54196
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@35'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan II (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endosulfan Sulfate (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endrin Aldehyde (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Heptachlor (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Heptachlor Epoxide (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Toxaphene (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1016 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1221 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1232 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1242 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1248 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1254 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1260 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dioxin (screen)	BDL	mg/Kg	3550/8270C	30.000	07/06/2004	07/08/2004	ME
Azobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Methoxychlor	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzoic Acid	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 134
 July 26, 2004
 Submission # 407000137
 Order # 54196
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-107@35'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Aniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Chloroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dibenzofuran	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
3-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Carbazole	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,6-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Pyridine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
SURROGATE: 2-Fluorophenol	69.50	%					
SURROGATE: Phenol-D6	71.50	%					
SURROGATE: 2,4,6-Tribromophenyl	79.00	%					
SURROGATE: D5-Nitrobenzene	63.90	%					
SURROGATE: 2-Fluorobiphenyl	71.40	%					
SURROGATE: 4-Terphenyl-D14	0.00	%					
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL			MEDF	30			

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 135
July 26, 2004
Submission # 407000137
Order # 54196
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
FL.
BCX

Sample I.D.: BCX-107@35'
Collected: 07/01/04 17:30
Received: 07/03/04 10:00
Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
GRO (C8-C10) Range	2390	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	21000	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	11700	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	35100	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
SURROGATE: n-Nonatriacontane(C-39)	26.70	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion, the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries, please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 136
 July 26, 2004
 Submission # 407000137
 Order # 54197
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@3'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU	PARR	40.0	07/09/2004	07/09/2004	EP
Karlfisher % Water in Soils & Wastes(02)	75.1	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}			MEDF	1			
Arsenic, Total	BDL	mg/Kg	3050/6010	0.700	07/06/2004	07/08/2004	MAH/SB
Barium, Total	97.1	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Cadmium, Total	2.2	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Chromium, Total	16.2	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Lead, Total	28.9	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Selenium, Total	BDL	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Silver, Total	BDL	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA)	BDL	mg/Kg	7471A	0.100	07/03/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids			MEDF	30			
a-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
b-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
g-BHC (lindane)	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
d-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Heptachlor	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Aldrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 137
 July 26, 2004
 Submission # 407000137
 Order # 54197
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@3'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endosulfan I	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Dieldrin	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
4,4-DDE	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endosulfan II	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
4,4-DDD	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endrin Aldehyde	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Endosulfan Sulfate	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
4,4-DDT	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Methoxychlor	BDL	ug/Kg	3550/8081-82	5400.000	07/07/2004	07/08/2004	JT
Aroclor 1016	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1221	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1232	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1242	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1248	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1254	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1260	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 138
 July 26, 2004
 Submission # 407000137
 Order # 54197
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@3'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/Kg	3550/8081-82	7500.000	07/07/2004	07/08/2004	JT
Chlordane	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
8141A Organophosphorus Pesticides in Soils			MEDF	30			
Demeton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Disulfoton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Diazinon	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Malathion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Methyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Ethyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Ethion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Azinphos, Methyl (Guthion)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Fenthion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Chlorpyrifos (Dursban)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Simazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Atrazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Surrogate: Stirophos	78.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 139
 July 26, 2004
 Submission # 407000137
 Order # 54197
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@3'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
8151A Chlorophenoxy Herbicides in Soil, Wastes			MEDF	30			
Dalapon	BDL	ug/Kg	8151A	34800.000	07/08/2004	07/13/2004	JT
Dicamba	BDL	ug/Kg	8151A	1620.000	07/08/2004	07/13/2004	JT
2,4-D	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Pentachlorophenol	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
2,4,5-TP (silvex)	BDL	ug/Kg	8151A	1020.000	07/08/2004	07/13/2004	JT
2,4,5-T	BDL	ug/Kg	8151A	900.000	07/08/2004	07/13/2004	JT
Dinoseb	BDL	ug/Kg	8151A	420.000	07/08/2004	07/13/2004	JT
Picloram	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Dichloroprop	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
2,4-DB	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
MCP	BDL	ug/Kg	8151A	19800.000	07/08/2004	07/13/2004	JT
MCPA	BDL	ug/Kg	8151A	12900.000	07/08/2004	07/13/2004	JT
Surrogate: Acifluorfen	9.80	%					
8260.B Volatile Org.in Solids & Waste by GC/MS			MEDF	100			
Acetone	BDL	mg/Kg	5035/8260B	100.000	07/14/2004	07/14/2004	SKL
Acrolein	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Acrylonitrile	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 140
 July 26, 2004
 Submission # 407000137
 Order # 54197
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@3'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Methyl Ethyl Ketone	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Dichlorodifluoromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Chloromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Vinyl Chloride	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromomethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Chloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Trichlorofluoromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1-Dichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Methylene Chloride	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Trans-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Methyl-Tert-Butyl Ether	1-3.63	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1-Dichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
2,2-Dichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Cis-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Chloroform	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromochloromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1,1-Trichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1-Dichloropropene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 141
 July 26, 2004
 Submission # 407000137
 Order # 54197
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@3'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Benzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Trichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromodichloromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
2-Chloroethylvinyl Ether	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Dibromomethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Cis-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Toluene	85.1	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Trans-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1,2-Trichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,3-Dichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Tetrachloroethene	17.7	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Dibromochloromethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dibromoethane (EDB)	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Chlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 142
 July 26, 2004
 Submission # 407000137
 Order # 54197
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@3'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Ethylbenzene	34.0	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
m & p-Xylene	149	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
o-Xylene	66.0	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Total Xylene	215	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Styrene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Isopropylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Bromoform	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,3-Trichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,3,5-Trimethylbenzene	46.2	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
2-Chlorotoluene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
4-Chlorotoluene	1-9.19	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Tert-Butylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,4-Trimethylbenzene	187	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Sec-Butylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
P-Isopropyltoluene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,3-Dichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 143
 July 26, 2004
 Submission # 407000137
 Order # 54197
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@3'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,4-Dichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
n-Butylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
n-Propylbenzene	16.7	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,4-Trichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Hexachlorobutadiene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Naphthalene	49.8	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,3-Trichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
SURROGATE: Diethyl ether	95.88	%					
SURROGATE: Toluene-D8	103.50	%					
SURROGATE: Bromofluorobenzene	63.20	%					
8270.C Semivol. Org. in Solids & Waste by GC/MS			MEDF	300			
N-Nitrosodimethylamine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Phenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-MethylPhenol (o-cresol)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
3-Methyl Phenol (m-cresol)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-MethylPhenol (p-cresol)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 144
 July 26, 2004
 Submission # 407000137
 Order # 54197
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@3'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bis (2-Chloroethyl) Ether	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Chlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1,3-Dichlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1,4-Dichlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzyl Alcohol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1,2-Dichlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
N-Nitrosodi-N-Propylamine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Hexachloroethane	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Nitrobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Isophorone	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Nitrophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4-Dimethylphenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Bis (2-Chloroethoxy)methane	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4-Dichlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1,2,3-Trichlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1,2,4-Trichlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Naphthalene	1720	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 145
 July 26, 2004
 Submission # 407000137
 Order # 54197
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@3'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Hexachlorobutadiene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-Chloro-3-Methylphenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1-Methylnaphthalene	1260	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Methylnaphthalene	3700	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Hexachlorocyclopentadiene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,3,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4,5-Trichlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Chloronaphthalene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Dimethyl Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Acenaphthylene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,6-Dinitrotoluene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Acenaphthene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4-Dinitrophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4-Dinitrotoluene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-Nitrophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Diethyl Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Fluorene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 146
 July 26, 2004
 Submission # 407000137
 Order # 54197
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@3'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chlorophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4,6-Dinitro-2-Methylphenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
N-Nitrosodiphenylamine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-Bromophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Hexachlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Pentachlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Phenanthrene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Anthracene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Di-N-Butyl Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Fluoranthene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzidine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Pyrene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Butyl Benzyl Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzo(A)Anthracene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
3,3-Dichlorobenzidine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Chrysene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Di-N-Octyl Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 147
 July 26, 2004
 Submission # 407000137
 Order # 54197
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@3'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(B)Fluoranthene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzo(K)Fluoranthene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzo(A)Pyrene	BDL	mg/Kg	3550/8270C	30.000	07/06/2004	07/08/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Dibenzo (A,H) Anthracene	BDL	mg/Kg	3550/8270C	30.000	07/06/2004	07/08/2004	ME
Benzo(G,H,I)Perylene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Bis-2-ethylhexyl Adipate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Aldrin (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
α -BHC (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
β -BHC (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
δ -BHC (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
γ -BHC (Lindane)(screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Chlordane (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4,4'-DDD (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4,4'-DDE (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4,4'-DDT (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Dieldrin (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Endosulfan I (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 148
 July 26, 2004
 Submission # 407000137
 Order # 54197
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@3'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan II (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Endosulfan Sulfate (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Endrin (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Endrin Aldehyde (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Heptachlor (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Heptachlor Epoxide (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Toxaphene (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1016 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1221 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1232 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1242 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1248 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1254 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1260 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Dioxin (screen)	BDL	mg/Kg	3550/8270C	300.000	07/06/2004	07/08/2004	ME
Azobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Methoxychlor	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzoic Acid	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 149
 July 26, 2004
 Submission # 407000137
 Order # 54197
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-10@3'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Aniline	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-Chloroaniline	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Dibenzofuran	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Nitroaniline	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
3-Nitroaniline	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-Nitroaniline	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Carbazole	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,6-Dichlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Pyridine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
SURROGATE: 2-Fluorophenol	71.50	%					
SURROGATE: Phenol-D6	78.50	%					
SURROGATE: 2,4,6-Tribromophenyl	80.00	%					
SURROGATE: D5-Nitrobenzene	23.20	%					
SURROGATE: 2-Fluorobiphenyl	19.80	%					
SURROGATE: 4-Terphenyl-D14	24.10	%					
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL			MEDF	30			

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 150
July 26, 2004
Submission # 407000137
Order # 54197
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
FL.
BCX

Sample I.D.: BCX-10@3'
Collected: 07/01/04 18:20
Received: 07/03/04 10:00
Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
GRO (C8-C10) Range	3040	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	72100	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	38300	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	11300	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
SURROGATE: n-Nonatriacontane(C-39)	27.50	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries,please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 151
 July 26, 2004
 Submission # 407000137
 Order # 54198
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@30'
 Collected: 07/01/04 20:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU	PARR	40.0	07/09/2004	07/09/2004	EP
Karlfisher %Water in Soils & Wastes(02)	90.9	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}			MEDF	1			
Arsenic, Total	BDL	mg/Kg	3050/6010	0.700	07/06/2004	07/08/2004	MAH/SB
Barium, Total	89.9	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Cadmium, Total	2.3	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Chromium, Total	27.1	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Lead, Total	32.3	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Selenium, Total	BDL	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Silver, Total	BDL	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA)	BDL	mg/Kg	7471A	0.100	07/03/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids			MEDF	30			
a-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
b-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
g-BHC (lindane)	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
d-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Heptachlor	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Aldrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 152
 July 26, 2004
 Submission # 407000137
 Order # 54198
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@30'
 Collected: 07/01/04 20:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endosulfan I	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Dieldrin	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
4,4-DDE	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endosulfan II	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
4,4-DDD	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endrin Aldehyde	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Endosulfan Sulfate	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
4,4-DDT	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Methoxychlor	BDL	ug/Kg	3550/8081-82	5400.000	07/07/2004	07/08/2004	JT
Aroclor 1016	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1221	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1232	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1242	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1248	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1254	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1260	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 153
 July 26, 2004
 Submission # 407000137
 Order # 54198
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@30'
 Collected: 07/01/04 20:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/Kg	3550/8081-82	7500.000	07/07/2004	07/08/2004	JT
Chlordane	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
8141A Organophosphorus Pesticides in Soils			MEDF	30			
Demeton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Disulfoton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Diazinon	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Malathion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Methyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Ethyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Ethion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Azinphos, Methyl (Guthion)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Fenthion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Chlorpyrifos (Dursban)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Simazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Atrazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Surrogate: Stirophos	78.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 154
 July 26, 2004
 Submission # 407000137
 Order # 54198
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@30'
 Collected: 07/01/04 20:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
8151A Chlorophenoxy Herbicides in Soil, Wastes			MEDF	30			
Dalapon	BDL	ug/Kg	8151A	34800.000	07/08/2004	07/13/2004	JT
Dicamba	BDL	ug/Kg	8151A	1620.000	07/08/2004	07/13/2004	JT
2,4-D	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Pentachlorophenol	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
2,4,5-TP (silvex)	BDL	ug/Kg	8151A	1020.000	07/08/2004	07/13/2004	JT
2,4,5-T	BDL	ug/Kg	8151A	900.000	07/08/2004	07/13/2004	JT
Dinoseb	BDL	ug/Kg	8151A	420.000	07/08/2004	07/13/2004	JT
Picloram	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Dichloroprop	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
2,4-DB	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
MCPPP	BDL	ug/Kg	8151A	19800.000	07/08/2004	07/13/2004	JT
MCPA	BDL	ug/Kg	8151A	12900.000	07/08/2004	07/13/2004	JT
Surrogate: Acifluorfen	11.00	%					
8260.B Volatile Org.in Solids & Waste by GC/MS			MEDF	100			
Acetone	BDL	mg/Kg	5035/8260B	100.000	07/13/2004	07/13/2004	SKL
Acrolein	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Acrylonitrile	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 155
 July 26, 2004
 Submission # 407000137
 Order # 54198
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@30'
 Collected: 07/01/04 20:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Methyl Ethyl Ketone	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Dichlorodifluoromethane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Chloromethane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Vinyl Chloride	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Bromomethane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Chloroethane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Trichlorofluoromethane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,1-Dichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Methylene Chloride	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Trans-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Methyl-Tert-Butyl Ether	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,1-Dichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
2,2-Dichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Cis-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Chloroform	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Bromochloromethane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,1,1-Trichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,1-Dichloropropene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 156
 July 26, 2004
 Submission # 407000137
 Order # 54198
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@30'
 Collected: 07/01/04 20:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Benzene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,2-Dichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Trichloroethene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,2-Dichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Bromodichloromethane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
2-Chloroethylvinyl Ether	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Dibromomethane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Cis-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Toluene	16.3	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Trans-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,1,2-Trichloroethane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,3-Dichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Tetrachloroethene	13.8	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Dibromochloromethane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,2-Dibromoethane (EDB)	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Bromobenzene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Chlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 157
 July 26, 2004
 Submission # 407000137
 Order # 54198
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@30'
 Collected: 07/01/04 20:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Ethylbenzene	1-2.23	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
m & p-Xylene	25.3	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
o-Xylene	1-8.8	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Total Xylene	25.3	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Styrene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Isopropylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Bromoform	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,2,3-Trichloropropane	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,3,5-Trimethylbenzene	1-7.8	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
2-Chlorotoluene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
4-Chlorotoluene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Tert-Butylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,2,4-Trimethylbenzene	63.8	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Sec-Butylbenzene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
P-Isopropyltoluene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,3-Dichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 158
 July 26, 2004
 Submission # 407000137
 Order # 54198
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@30'
 Collected: 07/01/04 20:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,4-Dichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
n-Butylbenzene	1-7.88	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
n-PropylBenzene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,2-Dichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,2,4-Trichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Hexachlorobutadiene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Naphthalene	20.6	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,2,3-Trichlorobenzene	BDL	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
SURROGATE: Diethyl ether	100.63	%					
SURROGATE: Toluene-D8	99.00	%					
SURROGATE: Bromofluorobenzene	74.40	%					
8270.C Semivol. Org. in Solids & Waste by GC/MS			MEDF	300			
N-Nitrosodimethylamine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Phenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-MethylPhenol (o-cresol)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
3-Methyl Phenol (m-cresol)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-MethylPhenol (p-cresol)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 159
 July 26, 2004
 Submission # 407000137
 Order # 54198
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@30'
 Collected: 07/01/04 20:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bis (2-Chloroethyl) Ether	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Chlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1,3-Dichlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1,4-Dichlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzyl Alcohol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1,2-Dichlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
N-Nitrosodi-N-Propylamine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Hexachloroethane	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Nitrobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Isophorone	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Nitrophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4-Dimethylphenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Bis (2-Chloroethoxy)methane	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4-Dichlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1,2,3-Trichlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1,2,4-Trichlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Naphthalene	540	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 160
 July 26, 2004
 Submission # 407000137
 Order # 54198
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@30'
 Collected: 07/01/04 20:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Hexachlorobutadiene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-Chloro-3-Methylphenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1-Methylnaphthalene	522	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Methylnaphthalene	1540	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Hexachlorocyclopentadiene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,3,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4,5-Trichlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Chloronaphthalene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Dimethyl Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Acenaphthylene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,6-Dinitrotoluene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Acenaphthene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4-Dinitrophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4-Dinitrotoluene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-Nitrophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Diethyl Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Fluorene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 161
 July 26, 2004
 Submission # 407000137
 Order # 54198
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@30'
 Collected: 07/01/04 20:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chlorophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4,6-Dinitro-2-Methylphenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
N-Nitrosodiphenylamine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-Bromophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Hexachlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Pentachlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Phenanthrene	427	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Anthracene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Di-N-Butyl Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Fluoranthene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzidine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Pyrene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Butyl Benzyl Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzo(A)Anthracene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
3,3-Dichlorobenzidine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Chrysene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Di-N-Octyl Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 162
 July 26, 2004
 Submission # 407000137
 Order # 54198
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@30'
 Collected: 07/01/04 20:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(B)Fluoranthene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzo(K)Fluoranthene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzo(A)Pyrene	BDL	mg/Kg	3550/8270C	30.000	07/06/2004	07/08/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Dibenzo (A,H) Anthracene	BDL	mg/Kg	3550/8270C	30.000	07/06/2004	07/08/2004	ME
Benzo(G,H,I)Perylene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Bis-2-ethylhexyl Adipate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Aldrin (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
α -BHC (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
β -BHC (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
δ -BHC (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
γ -BHC (Lindane)(screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Chlordane (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4,4'-DDD (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4,4'-DDE (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4,4'-DDT (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Dieldrin (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Endosulfan I (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 163
 July 26, 2004
 Submission # 407000137
 Order # 54198
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@30'
 Collected: 07/01/04 20:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan II (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Endosulfan Sulfate (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Endrin (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Endrin Aldehyde (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Heptachlor (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Heptachlor Epoxide (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Toxaphene (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1016 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1221 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1232 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1242 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1248 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1254 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1260 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Dioxin (screen)	BDL	mg/Kg	3550/8270C	300.000	07/06/2004	07/08/2004	ME
Azobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Methoxychlor	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzoic Acid	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 164
 July 26, 2004
 Submission # 407000137
 Order # 54198
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 FL.
 BCX

Sample I.D.: BCX-12@30'
 Collected: 07/01/04 20:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Aniline	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-Chloroaniline	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Dibenzofuran	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Nitroaniline	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
3-Nitroaniline	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-Nitroaniline	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Carbazole	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,6-Dichlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Pyridine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
SURROGATE: 2-Fluorophenol	52.00	%					
SURROGATE: Phenol-D6	62.50	%					
SURROGATE: 2,4,6-Tribromophenyl	80.00	%					
SURROGATE: D5-Nitrobenzene	16.00	%					
SURROGATE: 2-Fluorobiphenyl	14.00	%					
SURROGATE: 4-Terphenyl-D14	17.30	%					
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL			MEDF	30			

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 165
July 26, 2004
Submission # 407000137
Order # 54198
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
FL.
BCX

Sample I.D.: BCX-12@30'
Collected: 07/01/04 20:00
Received: 07/03/04 10:00
Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
GRO (C8-C10) Range	1820	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	40300	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	20800	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	62900	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
SURROGATE: n-Nonatriacontane(C-39)	22.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries,please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE.


Project Manager

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 166
July 26, 2004
Submission # 407000137
Order # 54646
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project

BCX

Sample I.D.: BCX-SC

Collected: 07/01/04 08:30

Received: 07/03/04 10:00

Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	90.0	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries,please contact the representative who signed this report, or the QA department.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 1
 July 26, 2004
 Submission # 407000137
 Order # 54188
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Site Location/Project
 FL.
 BCX
 Order # 54188

Sample I.D.: BCX-106
 Collected: 07/01/04 16:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	42000	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)		DONE	MEDF	1	07/05/2004	07/08/2004	MAH/MG
Arsenic, Total	0.034	mg/L	4.1.3/200.7	0.008	07/05/2004	07/08/2004	MAH/MG
Chromium, Total	0.049	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Lead, Total	0.033	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Selenium, Total	0.022	mg/L	4.1.3/200.7	0.010	07/05/2004	07/08/2004	MAH/MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(I)	07/03/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER		DONE	MEDF	12.5	07/06/2004	07/09/2004	JT
614 Organophosphorus Pesticides in Water		DONE	MEDF	1	07/06/2004	07/08/2004	YA
615 Chlorophenoxy Acid Herbicides in Water		DONE	MEDF	10	07/07/2004	07/10/2004	JT
8260.B Volatile Organics in Water by GC/MS		DONE	MEDF	1000	07/06/2004	07/06/2004	ME
Methylene Chloride	I-341	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Methyl-Tert-Butyl Ether	1400	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Benzene	1820	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Toluene	25400	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Tetrachloroethene	1480	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Ethylbenzene	5970	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
m & p-Xylene	35500	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 2
 July 26, 2004
 Submission # 407000137
 Order # 54188
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

o-Xylene	10900	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Total Xylene	46400	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Styrene	1-353	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Isopropylbenzene	1630	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,3,5-Trimethylbenzene	8710	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
1,2,4-Trimethylbenzene	54800	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Sec-Butylbenzene	1-820	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
P-Isopropyltoluene	1-996	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
n-PropylBenzene	4180	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
Naphthalene	14100	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	ME
8270.C Semivolatile Organics in Water by GC-MS		DONE	MEDF	1.25	07/06/2004	07/09/2004	ME
Benzyl Alcohol	100	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Naphthalene	20.8	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
Phenanthrene	6.63	ug/L	3510/8270C	6.250	07/06/2004	07/09/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-WATER		DONE	MEDF	1.25	07/06/2004	07/07/2004	JT
GRO (C8-C10) Range	12.8	mg/L	FL-PRO	0.625	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	70.8	mg/L	FL-PRO	0.625	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	2.47	mg/L	FL-PRO	0.625	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	86.1	mg/L	FL-PRO	0.625	07/06/2004	07/07/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 3
 July 26, 2004
 Submission # 407000137
 Order # 54189
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Site Location/Project
 FL.
 BCX
 Order # 54189

Sample I.D.: BCX-2@28'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	2540	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)		DONE	MEDF	1	07/05/2004	07/08/2004	MAH/MG
Arsenic, Total	0.059	mg/L	4.1.3/200.7	0.008	07/05/2004	07/08/2004	MAH/MG
Barium, Total	0.50	mg/L	4.1.3/200.7	0.100	07/05/2004	07/08/2004	MAH/MG
Cadmium, Total	0.045	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Chromium, Total	0.493	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Lead, Total	0.922	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Selenium, Total	0.026	mg/L	4.1.3/200.7	0.010	07/05/2004	07/08/2004	MAH/MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(1)	07/03/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER		DONE	MEDF	20	07/06/2004	07/09/2004	JT
614 Organophosphorus Pesticides in Water		DONE	MEDF	1	07/06/2004	07/08/2004	YA
615 Chlorophenoxy Acid Herbicides in Water		DONE	MEDF	10	07/07/2004	07/10/2004	JT
8260.B Volatile Organics in Water by GC/MS		DONE	MEDF	100	07/06/2004	07/06/2004	PMD
Acetone	20000	ug/L	5030/8260B	10000.000	07/06/2004	07/06/2004	PMD
Methyl Ethyl Ketone	6600	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Methylene Chloride	1820	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Methyl-Tert-Butyl Ether	8820	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Benzene	238	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 4
 July 26, 2004
 Submission # 407000137
 Order # 54189
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Toluene	671	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Tetrachloroethene	232	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Ethylbenzene	1-66.8	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
m & p-Xylene	229	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
o-Xylene	118	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Total Xylene	347	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Styrene	1-30.5	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,3,5-Trimethylbenzene	1-30.1	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,4-Trimethylbenzene	177	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Naphthalene	1070	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
8270.C Semivolatile Organics in Water by GC-MS		DONE	MEDF	40	07/06/2004	07/09/2004	ME
Phenol	552	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
Benzyl Alcohol	1440	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Naphthalene	1-134	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
1-Methylnaphthalene	1-139	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	356	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Phenanthrene	1-96.1	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Benzoic Acid	464	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-WATER		DONE	MEDF	2.0	07/06/2004	07/07/2004	JT
GRO (C8-C10) Range	19.4	mg/L	FL-PRO	1.000	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	296	mg/L	FL-PRO	1.000	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	138	mg/L	FL-PRO	1.000	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	453	mg/L	FL-PRO	1.000	07/06/2004	07/07/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 5
 July 26, 2004
 Submission # 407000137
 Order # 54190
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Site Location/Project
 FL.
 BCX
 Order # 54190

Sample I.D.: BCX-107@30'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	480	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02) 200.7 Metals in Environmental Waters(Group 7)	BDL	BTU DONE	PARR MEDF	1	07/09/2004 07/05/2004	07/09/2004 07/08/2004	EP MAH/MG
Chromium, Total	0.046	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Selenium, Total	0.012	mg/L	4.1.3/200.7	0.010	07/05/2004	07/08/2004	MAH/MG
Mercury 608 Chlorinated Pesticides & PCBs in WATER	BDL	mg/L DONE	SM3112B (245.1) MEDF	0.0002(I) 10	07/03/2004 07/06/2004	07/05/2004 07/09/2004	MG JT
614 Organophosphorus Pesticides in Water		DONE	MEDF	1	07/06/2004	07/08/2004	YA
615 Chlorophenoxy Acid Herbicides in Water		DONE	MEDF	10	07/07/2004	07/10/2004	JT
8260.B Volatile Organics in Water by GC/MS		DONE	MEDF	100	07/06/2004	07/06/2004	PMD
Acetone	19500	ug/L	5030/8260B	10000.000	07/06/2004	07/06/2004	PMD
Methyl Ethyl Ketone	2270	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Methylene Chloride	1050	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Methyl-Tert-Butyl Ether	1280	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Benzene	1-23.8	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Toluene	1-56.0	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Tetrachloroethene	196	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
m & p-Xylene	1-10.9	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,4-Trimethylbenzene	1-35.8	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 6
 July 26, 2004
 Submission # 407000137
 Order # 54190
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

8270.C Semivolatile Organics in Water by GC-MS		DONE	MEDF	1	07/06/2004	07/09/2004	ME
Phenol	280	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Benzyl Alcohol	101	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Naphthalene	70.1	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1-Methylnaphthalene	119	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	188	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
3-Methylphenol (m-cresol)	72.7	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	72.7	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Phenanthrene	124	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Pyrene	50.7	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Butyl Benzyl Phthalate	206	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzoic Acid	464	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-WATER		DONE	MEDF	1	07/06/2004	07/08/2004	JT
GRO (C8-C10) Range	7.69	mg/L	FL-PRO	0.500	07/06/2004	07/08/2004	JT
DRO (C10-C28) Range	296	mg/L	FL-PRO	0.500	07/06/2004	07/08/2004	JT
TRO (C28-C40) Range	132	mg/L	FL-PRO	0.500	07/06/2004	07/08/2004	JT
TOTAL PRO (C8-C40)	436	mg/L	FL-PRO	0.500	07/06/2004	07/08/2004	JT

Site Location/Project
 FL.
 BCX
 Order # 54191

Sample I.D.: BCX-108@28'
 Collected: 07/01/04 19:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	1020	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 7
 July 26, 2004
 Submission # 407000137
 Order # 54191
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

200.7 Metals in Environmental Waters(Group 7)		DONE	MEDF	1	07/05/2004	07/08/2004	MAH/MG
Barium, Total	0.16	mg/L	4.1.3/200.7	0.100	07/05/2004	07/08/2004	MAH/MG
Cadmium, Total	0.191	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Chromium, Total	0.235	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Lead, Total	0.073	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(I)	07/03/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER		DONE	MEDF	10	07/06/2004	07/09/2004	JT
614 Organophosphorus Pesticides in Water		DONE	MEDF	1	07/06/2004	07/08/2004	YA
615 Chlorophenoxy Acid Herbicides in Water		DONE	MEDF	10	07/07/2004	07/10/2004	JT
8260.B Volatile Organics in Water by GC/MS		DONE	MEDF	100	07/06/2004	07/06/2004	PMD
Methylene Chloride	1870	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Methyl-Tert-Butyl Ether	555	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Benzene	I-12.4	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Toluene	I-99.3	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Tetrachloroethene	228	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Ethylbenzene	I-27.9	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
m & p-Xylene	142	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
o-Xylene	I-71.5	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Total Xylene	142	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,3,5-Trimethylbenzene	I-64.1	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
1,2,4-Trimethylbenzene	352	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
P-Isopropyltoluene	I-43.0	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
n-PropylBenzene	I-23.0	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
Naphthalene	3750	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 8
 July 26, 2004
 Submission # 407000137
 Order # 54191
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

8270.C Semivolatile Organics in Water by GC-MS		DONE	MEDF	1.02	07/06/2004	07/09/2004	MD
Benzyl Alcohol	4390	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Naphthalene	64.3	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
1-Methylnaphthalene	78.2	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
2-Methylnaphthalene	108	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Phenanthrene	104	ug/L	3510/8270C	5.100	07/06/2004	07/09/2004	MD
Anthracene	68.0	ug/L	3510/8270C	0.306	07/06/2004	07/09/2004	MD
Pyrene	71.6	ug/L	3510/8270C	0.306	07/06/2004	07/09/2004	MD
FL-PRO (Petroleum Residual Organic w/ranges)-WATER		DONE	MEDF	1	07/06/2004	07/08/2004	JT
GRO (C8-C10) Range	15.1	mg/L	FL-PRO	0.500	07/06/2004	07/08/2004	JT
DRO (C10-C28) Range	108	mg/L	FL-PRO	0.500	07/06/2004	07/08/2004	JT
TRO (C28-C40) Range	39.4	mg/L	FL-PRO	0.500	07/06/2004	07/08/2004	JT
TOTAL PRO (C8-C40)	163	mg/L	FL-PRO	0.500	07/06/2004	07/08/2004	JT

Site Location/Project
 FL.
 BCX
 Order # 54192

Sample I.D.: BCX-109@20'
 Collected: 07/01/04 19:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	4400	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)		DONE	MEDF	1	07/05/2004	07/08/2004	MAH/MG
Arsenic, Total	0.216	mg/L	4.1.3/200.7	0.008	07/05/2004	07/08/2004	MAH/MG
Barium, Total	0.19	mg/L	4.1.3/200.7	0.100	07/05/2004	07/08/2004	MAH/MG
Chromium, Total	0.266	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 9
 July 26, 2004
 Submission # 407000137
 Order # 54192
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Lead, Total	0.038	mg/L	4.1.3/200.7	0.005	07/05/2004	07/08/2004	MAH/MG
Selenium, Total	0.014	mg/L	4.1.3/200.7	0.010	07/05/2004	07/08/2004	MAH/MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(1)	07/03/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER	DONE	DONE	MEDF	20	07/06/2004	07/10/2004	JT
614 Organophosphorus Pesticides in Water		DONE	MEDF	2	07/06/2004	07/08/2004	YA
615 Chlorophenoxy Acid Herbicides in Water		DONE	MEDF	1000	07/07/2004	07/14/2004	JT
8260.B Volatile Organics in Water by GC/MS		DONE	MEDF	1000	07/06/2004	07/06/2004	PMD
Methylene Chloride	I-327	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Methyl-Tert-Butyl Ether	I-798	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Benzene	I-92.0	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Toluene	2050	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Tetrachloroethene	4770	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Ethylbenzene	1260	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
m & p-Xylene	5730	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
o-Xylene	3120	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Total Xylene	8850	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Styrene	I-98.5	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Isopropylbenzene	I-405	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,3,5-Trimethylbenzene	3440	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
1,2,4-Trimethylbenzene	21100	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
Sec-Butylbenzene	I-679	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
P-Isopropyltoluene	I-639	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
n-Butylbenzene	2380	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
n-PropylBenzene	1440	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 10
 July 26, 2004
 Submission # 407000137
 Order # 54192
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Naphthalene	19600	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
8270.C Semivolatile Organics in Water by GC-MS		DONE	MEDF	200	07/06/2004	07/09/2004	ME
Naphthalene	1450	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
1-Methylnaphthalene	1300	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	4080	ug/L	3510/8270C	1000.000	07/06/2004	07/09/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-WATER		DONE	MEDF	2.0	07/06/2004	07/08/2004	JT
GRO (C8-C10) Range	64.4	mg/L	FL-PRO	1.000	07/06/2004	07/08/2004	JT
DRO (C10-C28) Range	2690	mg/L	FL-PRO	1.000	07/06/2004	07/08/2004	JT
TRO (C28-C40) Range	1450	mg/L	FL-PRO	1.000	07/06/2004	07/08/2004	JT
TOTAL PRO (C8-C40)	4200	mg/L	FL-PRO	1.000	07/06/2004	07/08/2004	JT

Site Location/Project
 FL.
 BCX
 Order # 54193

Sample I.D.: BCX-12@25'
 Collected: 07/01/04 20:10
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	2960	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02)	794	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)		DONE	MEDF	1	07/03/2004	07/06/2004	MG
Arsenic, Total	0.117	mg/L	4.1.3/200.7	0.008	07/03/2004	07/06/2004	MG
Chromium, Total	0.075	mg/L	4.1.3/200.7	0.005	07/03/2004	07/06/2004	MG
Lead, Total	0.015	mg/L	4.1.3/200.7	0.005	07/03/2004	07/06/2004	MG
Selenium, Total	0.030	mg/L	4.1.3/200.7	0.010	07/03/2004	07/06/2004	MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(I)	07/03/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER		DONE	MEDF	20	07/06/2004	07/10/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 11
 July 26, 2004
 Submission # 407000137
 Order # 54193
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

614	Organophosphorus Pesticides in Water		DONE	MEDF	2	07/06/2004	07/08/2004	YA
615	Chlorophenoxy Acid Herbicides in Water		DONE	MEDF	20	07/07/2004	07/10/2004	JT
8260.B	Volatile Organics in Water by GC/MS		DONE	MEDF	100	07/06/2004	07/06/2004	PMD
	Acetone	37200	ug/L	5030/8260B	10000.000	07/06/2004	07/06/2004	PMD
	Methyl Ethyl Ketone	3300	ug/L	5030/8260B	1000.000	07/06/2004	07/06/2004	PMD
	Methyl-Tert-Butyl Ether	I-374	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
	Benzene	I-21.9	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
	Toluene	309	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
	Tetrachloroethene	223	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
	Ethylbenzene	I-83.8	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
	m & p-Xylene	304	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
	o-Xylene	147	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
	Total Xylene	451	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
	Isopropylbenzene	I-12.9	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
	1,3,5-Trimethylbenzene	I-65.4	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
	1,2,4-Trimethylbenzene	351	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
	Sec-Butylbenzene	I-10.1	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
	P-Isopropyltoluene	I-14.5	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
	n-PropylBenzene	I-22.1	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
	Naphthalene	2440	ug/L	5030/8260B	100.000	07/06/2004	07/06/2004	PMD
8270.C	Semivolatile Organics in Water by GC-MS		DONE	MEDF	2	07/06/2004	07/09/2004	ME
	Phenol	648	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
	Naphthalene	29.5	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
	1-Methylnaphthalene	290	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 12
 July 26, 2004
 Submission # 407000137
 Order # 54193
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

2-Methylnaphthalene	382	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
3-MethylPhenol (m-cresol)	269	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	269	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Phenanthrene	225	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Bis (2 Ethylhexyl) Phthalate	281	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-WATER		DONE	MEDF	2.0	07/06/2004	07/08/2004	JT
GRO (C8-C10) Range	3.27	mg/L	FL-PRO	1.000	07/06/2004	07/08/2004	JT
DRO (C10-C28) Range	516	mg/L	FL-PRO	1.000	07/06/2004	07/08/2004	JT
TRO (C28-C40) Range	166	mg/L	FL-PRO	1.000	07/06/2004	07/08/2004	JT
TOTAL PRO (C8-C40)	685	mg/L	FL-PRO	1.000	07/06/2004	07/08/2004	JT

Site Location/Project
 FL.
 BCX
 Order # 54194

Sample I.D.: BCX-10@25'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	18444	BTU	PARR	40.0	07/09/2004	07/09/2004	EP
Karlfisher %Water in Soils & Waste	BDL	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}		DONE	MEDF	1	07/06/2004	07/08/2004	MAH/SB
Barium, Total	1.6	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Chromium, Total	2.0	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Lead, Total	3.2	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Selenium, Total	1.2	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA)	BDL	mg/Kg	7471A	0.100	07/03/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids		DONE	MEDF	1	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 13
 July 26, 2004
 Submission # 407000137
 Order # 54194
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

8141A	Organophosphorus Pesticides in Soils		DONE	MEDF	30	07/07/2004	07/12/2004	JT
8151A	Chlorophenoxy Herbicides in Soil, Wastes		DONE	MEDF	30	07/08/2004	07/13/2004	JT
8260.B	Volatile Org.in Solids & Waste by GC/MS		DONE	MEDF	100	07/14/2004	07/14/2004	SKL
	Methyl-Tert-Butyl Ether	I-5.84	mg/Kg	5035/82:60B	10.000	07/14/2004	07/14/2004	SKL
	Benzene	I-3.38	mg/Kg	5035/82:60B	10.000	07/14/2004	07/14/2004	SKL
	Toluene	97.6	mg/Kg	5035/82:60B	10.000	07/14/2004	07/14/2004	SKL
	Tetrachloroethene	36.1	mg/Kg	5035/82:60B	10.000	07/14/2004	07/14/2004	SKL
	Ethylbenzene	26.6	mg/Kg	5035/82:60B	10.000	07/14/2004	07/14/2004	SKL
	m & p-Xylene	104	mg/Kg	5035/82:60B	10.000	07/14/2004	07/14/2004	SKL
	o-Xylene	39.0	mg/Kg	5035/82:60B	10.000	07/14/2004	07/14/2004	SKL
	Total Xylene	143	mg/Kg	5035/82:60B	10.000	07/14/2004	07/14/2004	SKL
	Styrene	I-3.01	mg/Kg	5035/82:60B	10.000	07/14/2004	07/14/2004	SKL
	1,3,5-Trimethylbenzene	29.6	mg/Kg	5035/82:60B	10.000	07/14/2004	07/14/2004	SKL
	4-Chlorotoluene	I-3.81	mg/Kg	5035/82:60B	10.000	07/14/2004	07/14/2004	SKL
	1,2,4-Trimethylbenzene	125	mg/Kg	5035/82:60B	10.000	07/14/2004	07/14/2004	SKL
	n-Butylbenzene	25.5	mg/Kg	5035/82:60B	10.000	07/14/2004	07/14/2004	SKL
	n-PropylBenzene	I-7.09	mg/Kg	5035/82:60B	10.000	07/14/2004	07/14/2004	SKL
	Naphthalene	84.2	mg/Kg	5035/82:60B	10.000	07/14/2004	07/14/2004	SKL
8270.C	Semivol. Org. in Solids & Waste by GC/MS		DONE	MEDF	10	07/06/2004	07/08/2004	ME
	Naphthalene	787	mg/Kg	3550/82:70C	3.300	07/06/2004	07/08/2004	ME
	1-Methylnaphthalene	836	mg/Kg	3550/82:70C	3.300	07/06/2004	07/08/2004	ME
	2-Methylnaphthalene	1430	mg/Kg	3550/82:70C	3.300	07/06/2004	07/08/2004	ME
	Phenanthrene	326	mg/Kg	3550/82:70C	3.300	07/06/2004	07/08/2004	ME
FL-PRO	(Petroleum Residual Organic w/ranges)-SOIL		DONE	MEDF	1	07/06/2004	07/07/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 14
 July 26, 2004
 Submission # 407000137
 Order # 54194
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

GRO (C8-C10) Range	27800	mg/Kg	FL-PRO	2.000	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	462000	mg/Kg	FL-PRO	2.000	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	299000	mg/Kg	FL-PRO	2.000	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	789000	mg/Kg	FL-PRO	2.000	07/06/2004	07/07/2004	JT

Site Location/Project
 FL.
 BCX
 Order # 54195

Sample I.D.: BCX-2@30'
 Collected: 07/01/04 16:40
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU	PARR	40.0	07/09/2004	07/09/2004	EP
Karlfisher %Water in Soils & Waste	87.6	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}	DONE	DONE	MEDF	1	07/06/2004	07/08/2004	MAH/SB
Barium, Total	71.3	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Cadmium, Total	1.9	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Chromium, Total	17.8	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Lead, Total	41.2	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA)	0.165	mg/Kg	7471A	0.100	07/03/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids	DONE	DONE	MEDF	30	07/07/2004	07/08/2004	JT
8141A Organophosphorus Pesticides in Soils	DONE	DONE	MEDF	30	07/07/2004	07/12/2004	JT
8151A Chlorophenoxy Herbicides in Soil, Wastes	DONE	DONE	MEDF	30	07/08/2004	07/13/2004	JT
8260.B Volatile Org.in Solids & Waste by GC/MS	DONE	DONE	MEDF	100	07/14/2004	07/14/2004	SKL
Toluene	10.0	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Tetrachloroethene	15.3	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Ethylbenzene	39.9	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 15
 July 26, 2004
 Submission # 407000137
 Order # 54195
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

m & p-Xylene	223	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
o-Xylene	123	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Total Xylene	346	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Isopropylbenzene	1-6.62	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,3,5-Trimethylbenzene	181	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
4-Chlorotoluene	43.8	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,4-Trimethylbenzene	708	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Sec-Butylbenzene	17.2	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
P-Isopropyltoluene	62.9	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
n-Propylbenzene	70.9	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Naphthalene	368	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
8270.C Semivol. Org. in Solids & Waste by GC/MS		DONE	MEDF	30	07/06/2004	07/08/2004	ME
Naphthalene	2010	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1-Methylnaphthalene	1430	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Methylnaphthalene	3650	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL		DONE	MEDF	30	07/06/2004	07/07/2004	JT
GRO (C8-C10) Range	3440	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	50400	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	27200	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	81000	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 16
 July 26, 2004
 Submission # 407000137
 Order # 54196
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Site Location/Project
 FL.
 BCX
 Order # 54196

Sample I.D.: BCX-107@35'
 Collected: 07/01/04 17:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02) Karlfisher %Water in Soils & Waste	BDL 96.9	BTU %	PARR Karl Fischer	40.0 0.5	07/09/2004 07/09/2004	07/09/2004 07/09/2004	EP RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}		DONE	MEDF	1	07/06/2004	07/08/2004	MAH/SB
Barium, Total	68.8	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Cadmium, Total	1.2	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Chromium, Total	4.2	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Lead, Total	9.7	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA) 8081 Chlorinated Pesticides & PCBs in Solids	BDL	mg/Kg DONE	7471A MEDF	0.100 30	07/03/2004 07/07/2004	07/05/2004 07/08/2004	MG JT
8141A Organophosphorus Pesticides in Soils		DONE	MEDF	30	07/07/2004	07/12/2004	JT
8151A Chlorophenoxy Herbicides in Soil, Wastes		DONE	MEDF	30	07/08/2004	07/13/2004	JT
8260.B Volatile Org.in Solids & Waste by GC/MS		DONE	MEDF	100	07/14/2004	07/14/2004	SKL
Toluene	1-5.06	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Tetrachloroethene	13.1	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
m & p-Xylene	1-1.36	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,4-Trimethylbenzene	16.0	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Naphthalene	15.7	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
8270.C Semivol. Org. in Solids & Waste by GC/MS		DONE	MEDF	30	07/06/2004	07/08/2004	ME
Benzyl Alcohol	151	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 17
 July 26, 2004
 Submission # 407000137
 Order # 54196
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Naphthalene	428	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1-Methylnaphthalene	359	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Methylnaphthalene	1210	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL		DONE	MEDF	30	07/06/2004	07/07/2004	JT
GRO (C8-C10) Range	2390	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	21000	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	11700	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	35100	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT

Site Location/Project
 FL.
 BCX
 Order # 54197

Sample I.D.: BCX-10@3'
 Collected: 07/01/04 18:20
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU	PARR	40.0	07/09/2004	07/09/2004	EP
Karlfisher %Water in Soils & Waste	75.1	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}		DONE	MEDF	1	07/06/2004	07/08/2004	MAH/SB
Barium, Total	97.1	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Cadmium, Total	2.2	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Chromium, Total	16.2	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Lead, Total	28.9	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA)	BDL	mg/Kg	7471A	0.100	07/03/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids		DONE	MEDF	30	07/07/2004	07/08/2004	JT
8141A Organophosphorus Pesticides in Soils		DONE	MEDF	30	07/07/2004	07/12/2004	JT
8151A Chlorophenoxy Herbicides in Soil, Wastes		DONE	MEDF	30	07/08/2004	07/13/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 18
 July 26, 2004
 Submission # 407000137
 Order # 54197
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

8260.B Volatile Org.in Solids & Waste by GC/MS		DONE	MEDF	100	07/14/2004	07/14/2004	SKL
Methyl-Tert-Butyl Ether	I-3.63	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Toluene	85.1	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Tetrachloroethene	17.7	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Ethylbenzene	34.0	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
m & p-Xylene	149	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
o-Xylene	66.0	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Total Xylene	215	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,3,5-Trimethylbenzene	46.2	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
4-Chlorotoluene	1-9.19	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
1,2,4-Trimethylbenzene	187	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
n-PropylBenzene	16.7	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
Naphthalene	49.8	mg/Kg	5035/8260B	10.000	07/14/2004	07/14/2004	SKL
8270.C Semivol. Org. in Solids & Waste by GC/MS		DONE	MEDF	300	07/06/2004	07/08/2004	ME
Naphthalene	1720	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1-Methylnaphthalene	1260	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Methylnaphthalene	3700	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL		DONE	MEDF	30	07/06/2004	07/07/2004	JT
GRO (C8-C10) Range	3040	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	72100	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	38300	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	11300	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 19
 July 26, 2004
 Submission # 407000137
 Order # 54198
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Site Location/Project
 FL.
 BCX
 Order # 54198

Sample I.D.: BCX-12@30'
 Collected: 07/01/04 20:00
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU	PARR	40.0	07/09/2004	07/09/2004	EP
Karlfisher %Water in Soils & Waste	90.9	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}		DONE	MEDF	1	07/06/2004	07/08/2004	MAH/SB
Barium, Total	89.9	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Cadmium, Total	2.3	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Chromium, Total	27.1	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Lead, Total	32.3	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA)	BDL	mg/Kg	7471A	0.100	07/03/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids		DONE	MEDF	30	07/07/2004	07/08/2004	JT
8141A Organophosphorus Pesticides in Soils		DONE	MEDF	30	07/07/2004	07/12/2004	JT
8151A Chlorophenoxy Herbicides in Soil, Wastes		DONE	MEDF	30	07/08/2004	07/13/2004	JT
8260.B Volatile Org.in Solids & Waste by GC/MS		DONE	MEDF	100	07/13/2004	07/13/2004	SKL
Toluene	16.3	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Tetrachloroethene	13.8	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Ethylbenzene	1-2.23	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
m & p-Xylene	25.3	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
o-Xylene	1-8.8	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Total Xylene	25.3	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
1,3,5-Trimethylbenzene	1-7.8	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 20
 July 26, 2004
 Submission # 407000137
 Order # 54198
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

1,2,4-Trimethylbenzene	63.8	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
n-Butylbenzene	1-7.88	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
Naphthalene	20.6	mg/Kg	5035/8260B	10.000	07/13/2004	07/13/2004	SKL
8270.C Semivol. Org. in Solids & Waste by GC/MS		DONE	MEDF	300	07/06/2004	07/08/2004	ME
Naphthalene	540	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1-Methylnaphthalene	522	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Methylnaphthalene	1540	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Phenanthrene	427	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL		DONE	MEDF	30	07/06/2004	07/07/2004	JT
GRO (C8-C10) Range	1820	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	40300	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	20800	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	62900	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT

Site Location/Project

BCX
 Order # 54646

Sample I.D.: BCX-SC

Collected: 07/01/04 08:30
 Received: 07/03/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	90.0	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 21
July 26, 2004
Submission # 407000137
Order # 54646
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

***FINAL NELAC COMPLIANT REPORT WILL FOLLOW.
BDL: Indicates Analyte is Below Detection Limit
Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field
Qualifier following result conforms to FAC 62-160 Table 7
Unless otherwise noted, mg/Kg denotes wet weight
MEDF: Matrix Effect Dilution Factor



Project Manager

Authorized Laboratory Management

04/07-0137; 54/88 - 54/98

Serial Number 12403

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

SEVERN
TRENT

STL

STL Tallahassee
2846 Industrial Plaza Drive
Tallahassee, FL 32301

Website: www.stl-inc.com
Phone: (850) 878-3994
Fax: (850) 878-9504

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE BCX		PROJECT NO.	PROJECT LOCATION (STATE) FL	MATRIX TYPE	REQUIRED ANALYSIS										PAGE	OF				
SAMPLER'S SIGNATURE <i>[Signature]</i>		P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE AQUEOUS (WATER) SOLID OR SEMISOLID AIR NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	VOC 8260	SEM - 8270	BTU Valve	PST-8081	PCB-8082	9141-8151	BRCR4	METALS	FL-PRO	H20 by anal	FISH	TSS	STANDARD REPORT DELIVERY <input type="radio"/>			
CLIENT (SITE) PM Mr Brown		CLIENT PHONE 770-335-3612	CLIENT FAX														DATE DUE			
CLIENT NAME WR3		CLIENT E-MAIL JBrown@wresic.com															EXPEDITED REPORT DELIVERY (SURCHARGE) <input type="radio"/>			
CLIENT ADDRESS 221 202nd St Suite 109 Tampa FL 33611		COMPANY CONTRACTING THIS WORK (if applicable)															DATE DUE			
SAMPLE		SAMPLE IDENTIFICATION										NUMBER OF CONTAINERS SUBMITTED					REMARKS			
DATE	TIME																			
7-1-04	4:30pm	BCX-106										X	X	X	X	X	X	X	54/88	Please remove the metals and FL-PRO from the amber bottles
	4:40pm	BCX-2 @ 28'										X	X	X	X	X	X	X	54/89	
	5:30pm	BCX-107 @ 30'										X	X	X	X	X	X	X	54/90	
	6:20pm	BCX-10 @ 25' * Waste.										X	X	X	X	X	X	X	54/94	
	7:10pm	BCX-108 @ 28'										X	X	X	X	X	X	X	54/91	
	7:30pm	BCX-109 @ 20'										X	X	X	X	X	X	X	54/92	
	8:40pm	BCX-12 @ 25'										X	X	X	X	X	X	X	54/93	
RELINQUISHED BY: (SIGNATURE) EMPTY CONTAINERS		DATE	TIME	RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>		DATE	TIME	RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>		DATE	TIME	RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>		DATE	TIME					
RECEIVED BY: (SIGNATURE) EMPTY CONTAINERS		DATE	TIME	RECEIVED BY: (SIGNATURE) <i>[Signature]</i>		DATE	TIME	RECEIVED BY: (SIGNATURE) <i>[Signature]</i>		DATE	TIME	RECEIVED BY: (SIGNATURE) <i>[Signature]</i>		DATE	TIME					
RECEIVED FOR LABORATORY BY: (SIGNATURE)		DATE	TIME	CUSTODY INTACT YES <input type="radio"/> NO <input type="radio"/>		CUSTODY SEAL NO.		STL TALLAHASSEE LOG NO.		LABORATORY REMARKS										

① 04/07-0137; 54195-54198

Serial Number 12402

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

SEVERN
TRENT

STL

STL Tallahassee
2846 Industrial Plaza Drive
Tallahassee, FL 32301

Website: www.stl-inc.com
Phone: (850) 878-3994
Fax: (850) 878-9504

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE		PROJECT NO.	PROJECT LOCATION (STATE)	MATRIX TYPE	REQUIRED ANALYSIS										PAGE	OF
BCX																
SAMPLER'S SIGNATURE Bernardo Padman		P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE AQUEOUS (WATER) SOLID OR SEMISOLID AIR NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	VOC 8220	Semi 8270	BTU-Valve	8081/8082	8241/8151	BRCRAMTALS	PL-PRO	STANDARD REPORT DELIVERY				
CLIENT (SITE) PM Jeff Brown		CLIENT PHONE 770-335-3612	CLIENT FAX									DATE DUE				
CLIENT NAME WRS		CLIENT E-MAIL JBROWN@WRSie.COM	EXEDITED REPORT DELIVERY (SURCHARGE)													
CLIENT ADDRESS 221 Hobbs St Suite 108 ramp 6 R L33619		NUMBER OF COOLERS SUBMITTED PER SHIPMENT:														
COMPANY CONTRACTING THIS WORK (if applicable) Bernardo Padman 813-376-4521												DATE DUE				
SAMPLE		SAMPLE IDENTIFICATION										REMARKS				
DATE	TIME															
21-04	7:40 PM	BCX-2 @ 30'										54195. Re-take the				
7-1-04	5:30 PM	BCX-107 @ 35'										54196 re-take and PL-PRO				
7-1-04	6:20 PM	BCX-10 @ 3'										54197 Re-take 3				
7-1-04	8:00 PM	BCX-12 @ 30'										54198 BP				
ok to add Sample BCX-SC and analyze for VBS as per Bernardo 7/6/04 ① DR# 54646 collected 7/1 @ 8:30																
RELINQUISHED BY: (SIGNATURE) Bernardo Padman		DATE 7-20-04	TIME 9:00 AM	RELINQUISHED BY: (SIGNATURE) [Signature]		DATE 7-20-04	TIME 1:00 PM	RELINQUISHED BY: (SIGNATURE)		DATE	TIME					
RECEIVED BY: (SIGNATURE) [Signature]		DATE 7-20-04	TIME 9:00	RECEIVED BY: (SIGNATURE) [Signature]		DATE 7/3	TIME 10:00	RECEIVED BY: (SIGNATURE)		DATE	TIME					
LABORATORY USE ONLY																
RECEIVED FOR LABORATORY BY: (SIGNATURE)		DATE	TIME	CUSTODY INTACT YES <input type="radio"/> NO <input type="radio"/>	CUSTODY SEAL NO.	STL TALLAHASSEE LOG NO.	LABORATORY REMARKS									