



STL

SITE: BCX Tank
BREAK: 2.2
OTHER: v. 3

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 1
July 30, 2004
Submission # 407000100
Order # 53959
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-17
Collected: 06/30/04 15:30
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU/Lb.	PARF	40.0	07/10/2004	07/10/2004	EP
Karlfisher % Water in Soils & Wastes(02)	89.7	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}			MEDF	1			
Arsenic, Total	BDL	mg/Kg	3050/6010	0.700	07/05/2004	07/08/2004	MAH/SB
Barium, Total	136	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Cadmium, Total	2.7	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Chromium, Total	10.8	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Lead, Total	19.1	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Selenium, Total	BDL	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Silver, Total	BDL	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA)	BDL	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids			MEDF	30			
a-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
b-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
g-BHC (lindane)	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
d-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Heptachlor	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Aldrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT



10445647

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 2
 July 30, 2004
 Submission # 407000100
 Order # 53959
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-17
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endosulfan I	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Dieldrin	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
4,4-DDE	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endosulfan II	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
4,4-DDD	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endrin Aldehyde	BDL	ug/Kg	3550/8031-82	600.000	07/07/2004	07/08/2004	JT
Endosulfan Sulfate	BDL	ug/Kg	3550/8031-82	300.000	07/07/2004	07/08/2004	JT
4,4-DDT	BDL	ug/Kg	3550/8031-82	300.000	07/07/2004	07/08/2004	JT
Methoxychlor	BDL	ug/Kg	3550/8081-82	5400.000	07/07/2004	07/08/2004	JT
Aroclor 1016	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1221	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1232	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1242	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1248	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1254	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1260	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 3
 July 30, 2004
 Submission # 407000100
 Order # 53959
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-17
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/Kg	3550/8081-82	7500.000	07/07/2004	07/08/2004	JT
Chlordane	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
8141A Organophosphorus Pesticides in Soils			MEDF	30			
Demeton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Disulfoton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Diazinon	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Malathion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Methyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Ethyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Ethion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Azinphos, Methyl (Guthion)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Fenthion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Chlorpyrifos (Dursban)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Simazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Atrazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Surrogate: Stirophos	93.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 4
 July 30, 2004
 Submission # 407000100
 Order # 53959
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-17
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
8151A Chlorophenoxy Herbicides in Soil, Wastes			MEDF	30			
Dalapon	BDL	ug/Kg	8151A	34800.000	07/08/2004	07/13/2004	JT
Dicamba	BDL	ug/Kg	8151A	1620.000	07/08/2004	07/13/2004	JT
2,4-D	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Pentachlorophenol	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
2,4,5-TP (silvex)	BDL	ug/Kg	8151A	1020.000	07/08/2004	07/13/2004	JT
2,4,5-T	BDL	ug/Kg	8151A	900.000	07/08/2004	07/13/2004	JT
Dinoseb	BDL	ug/Kg	8151A	420.000	07/08/2004	07/13/2004	JT
Picloram	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Dichloroprop	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
2,4-DB	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
MCPPP	BDL	ug/Kg	8151A	19800.000	07/08/2004	07/13/2004	JT
MCPA	BDL	ug/Kg	8151A	12900.000	07/08/2004	07/13/2004	JT
Surrogate: Acifluorfen	0.00	%					
8260.B Volatile Org.in Solids & Waste by GC/MS			MEDF	10			
Acetone	BDL	mg/Kg	5035/8260B	10.000	07/05/2004	07/05/2004	PMD
Acrolein	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Acrylonitrile	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 5
 July 30, 2004
 Submission # 407000100
 Order # 53959
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-17
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Methyl Ethyl Ketone	16.0	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dichlorodifluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Vinyl Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trichlorofluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methylene Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trans-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methyl-Tert-Butyl Ether	3.83	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Cis-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloroform	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,1-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 6
 July 30, 2004
 Submission # 407000100
 Order # 53959
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-17
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Benzene	4.27	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromodichloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2-Chloroethylvinyl Ether	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dibromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Cis-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Toluene	60.7	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trans-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,2-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tetrachloroethene	9.02	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dibromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dibromoethane (EDB)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 7
 July 30, 2004
 Submission # 407000100
 Order # 53959
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-17
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Ethylbenzene	21.5	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,1,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
m & p-Xylene	81.0	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
o-Xylene	34.9	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Total Xylene	116	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Styrene	1.64	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Isopropylbenzene	3.81	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromoform	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,2,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,3-Trichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3,5-Trimethylbenzene	25.0	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
4-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tert-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trimethylbenzene	80.7	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Sec-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
P-Isopropyltoluene	8.43	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 8
 July 30, 2004
 Submission # 407000100
 Order # 53959
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-17
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,4-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-PropylBenzene	12.1	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Hexachlorobutadiene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Naphthalene	27.7	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,3-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
SURROGATE: Diethyl ether	86.75	%					
SURROGATE: Toluene-D8	102.75	%					
SURROGATE: Bromofluorobenzene	123.20	%					
8270.C Semivol. Org. in Solids & Waste by GC/MS			MEDF	30			
N-Nitrosodimethylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Phenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-MethylPhenol (o-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
3-Methyl Phenol (m-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-MethylPhenol (p-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 9
 July 30, 2004
 Submission # 407000100
 Order # 53959
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-17
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bis (2-Chloroethyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Chlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,3-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,4-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzyl Alcohol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,2-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
N-Nitrosodi-N-Propylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Hexachloroethane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Nitrobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Isophorone	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dimethylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis (2-Chloroethoxy)methane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,2,3-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,2,4-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Naphthalene	695	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 10
 July 30, 2004
 Submission # 407000100
 Order # 53959
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-17
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Hexachlorobutadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Chloro-3-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1-Methylnaphthalene	669	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Methylnaphthalene	1970	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Hexachlorocyclopentadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,3,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4,5-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Chloronaphthalene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dimethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Acenaphthylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,6-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Acenaphthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dinitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Diethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Fluorene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 11
 July 30, 2004
 Submission # 407000100
 Order # 53959
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-17
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chlorophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,6-Dinitro-2-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
N-Nitrosodiphenylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Bromophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Hexachlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Pentachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Phenanthrene	432	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Di-N-Butyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Butyl Benzyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzo(A)Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
3,3-Dichlorobenzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Chrysene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Di-N-Octyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 12
 July 30, 2004
 Submission # 407000100
 Order # 53959
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-17
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(B)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzo(K)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzo(A)Pyrene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/07/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dibenzo (A,H) Anthracene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/07/2004	ME
Benzo(G,H,I)Perylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis-2-ethylhexyl Adipate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Aldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
α -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
β -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
δ -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
γ -BHC (Lindane)(screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Chlordane (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,4'-DDD (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,4'-DDE (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,4'-DDT (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dieldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endosulfan I (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 13
 July 30, 2004
 Submission # 407000100
 Order # 53959
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-17
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan II (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endosulfan Sulfate (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endrin Aldehyde (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Heptachlor (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Heptachlor Epoxide (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Toxaphene (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1016 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1221 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1232 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1242 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1248 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1254 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1260 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dioxin (screen)	BDL	mg/Kg	3550/8270C	30.000	07/06/2004	07/07/2004	ME
Azobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Methoxychlor	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzoic Acid	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 14
 July 30, 2004
 Submission # 407000100
 Order # 53959
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-17
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Aniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Chloroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dibenzofuran	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
3-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Carbazole	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,6-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Pyridine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
SURROGATE: 2-Fluorophenol	61.50	%					
SURROGATE: Phenol-D6	63.00	%					
SURROGATE: 2,4,6-Tribromophenyl	76.00	%					
SURROGATE: D5-Nitrobenzene	61.70	%					
SURROGATE: 2-Fluorobiphenyl	75.00	%					
SURROGATE: 4-Terphenyl-D14	96.20	%					
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL			MEDF	30			

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 15
July 30, 2004
Submission # 407000100
Order # 53959
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-17
Collected: 06/30/04 15:30
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
GRO (C8-C10) Range	1900	mg/Kg	FL-PRO	60.000	07/06/2004	07/06/2004	JRV
DRO (C10-C28) Range	31600	mg/Kg	FL-PRO	60.000	07/06/2004	07/06/2004	JRV
TRO (C28-C40) Range	16900	mg/Kg	FL-PRO	60.000	07/06/2004	07/06/2004	JRV
TOTAL PRO (C8-C40)	50400	mg/Kg	FL-PRO	60.000	07/06/2004	07/06/2004	JRV
SURROGATE: n-Nonatriacontane(C-39)	21.20	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries, please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE. DILUTION NEEDED.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 16
 July 30, 2004
 Submission # 407000100
 Order # 53960
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@30'
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU/Lb.	PARR	40.0	07/10/2004	07/10/2004	EP
Karlfisher % Water in Soils & Wastes(02)	98.7	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP (No Hg)			MEDF	1			
Arsenic, Total	BDL	mg/Kg	3050/6010	0.700	07/05/2004	07/08/2004	MAH/SB
Barium, Total	11.7	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Cadmium, Total	BDL	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Chromium, Total	5.6	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Lead, Total	4.2	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Selenium, Total	BDL	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Silver, Total	BDL	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA)	BDL	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids			MEDF	3			
a-BHC	BDL	ug/Kg	3550/8081-82	30.000	07/07/2004	07/14/2004	JT
b-BHC	BDL	ug/Kg	3550/8081-82	30.000	07/07/2004	07/14/2004	JT
g-BHC (lindane)	BDL	ug/Kg	3550/8081-82	30.000	07/07/2004	07/14/2004	JT
d-BHC	BDL	ug/Kg	3550/8081-82	30.000	07/07/2004	07/14/2004	JT
Heptachlor	BDL	ug/Kg	3550/8081-82	30.000	07/07/2004	07/14/2004	JT
Aldrin	BDL	ug/Kg	3550/8081-82	30.000	07/07/2004	07/14/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 17
 July 30, 2004
 Submission # 407000100
 Order # 53960
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@30'
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/Kg	3550/8081-82	30.000	07/07/2004	07/14/2004	JT
Endosulfan I	BDL	ug/Kg	3550/8081-82	30.000	07/07/2004	07/14/2004	JT
Dieldrin	BDL	ug/Kg	3550/8081-82	60.000	07/07/2004	07/14/2004	JT
4,4-DDE	BDL	ug/Kg	3550/8081-82	30.000	07/07/2004	07/14/2004	JT
Endrin	BDL	ug/Kg	3550/8081-82	30.000	07/07/2004	07/14/2004	JT
Endosulfan II	BDL	ug/Kg	3550/8081-82	30.000	07/07/2004	07/14/2004	JT
4,4-DDD	BDL	ug/Kg	3550/8081-82	30.000	07/07/2004	07/14/2004	JT
Endrin Aldehyde	BDL	ug/Kg	3550/8081-82	60.000	07/07/2004	07/14/2004	JT
Endosulfan Sulfate	BDL	ug/Kg	3550/8081-82	30.000	07/07/2004	07/14/2004	JT
4,4-DDT	BDL	ug/Kg	3550/8081-82	30.000	07/07/2004	07/14/2004	JT
Methoxychlor	BDL	ug/Kg	3550/8081-82	540.000	07/07/2004	07/14/2004	JT
Aroclor 1016	BDL	ug/Kg	3550/8081-82	60.000	07/07/2004	07/14/2004	JT
Aroclor 1221	BDL	ug/Kg	3550/8081-82	60.000	07/07/2004	07/14/2004	JT
Aroclor 1232	BDL	ug/Kg	3550/8081-82	60.000	07/07/2004	07/14/2004	JT
Aroclor 1242	BDL	ug/Kg	3550/8081-82	60.000	07/07/2004	07/14/2004	JT
Aroclor 1248	BDL	ug/Kg	3550/8081-82	60.000	07/07/2004	07/14/2004	JT
Aroclor 1254	BDL	ug/Kg	3550/8081-82	60.000	07/07/2004	07/14/2004	JT
Aroclor 1260	BDL	ug/Kg	3550/8081-82	60.000	07/07/2004	07/14/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 18
 July 30, 2004
 Submission # 407000100
 Order # 53960
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@30'
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/Kg	3550/8081-82	750.000	07/07/2004	07/14/2004	JT
Chlordane	BDL	ug/Kg	3550/8081-82	30.000	07/07/2004	07/14/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	60.00	%					
8141A Organophosphorus Pesticides in Soils			MEDF	30			
Demeton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Disulfoton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Diazinon	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Malathion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Methyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Ethyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Ethion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Azinphos, Methyl (Guthion)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Fenthion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Chlorpyrifos (Dursban)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Simazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Atrazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Surrogate: Stirophos	121.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 19
 July 30, 2004
 Submission # 407000100
 Order # 53960
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@30'
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
8151A Chlorophenoxy Herbicides in Soil, Wastes			MEDF	30			
Dalapon	BDL	ug/Kg	8151A	34800.000	07/08/2004	07/13/2004	JT
Dicamba	BDL	ug/Kg	8151A	1620.000	07/08/2004	07/13/2004	JT
2,4-D	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Pentachlorophenol	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
2,4,5-TP (silvex)	BDL	ug/Kg	8151A	1020.000	07/08/2004	07/13/2004	JT
2,4,5-T	BDL	ug/Kg	8151A	900.000	07/08/2004	07/13/2004	JT
Dinoseb	BDL	ug/Kg	8151A	420.000	07/08/2004	07/13/2004	JT
Picloram	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Dichloroprop	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
2,4-DB	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
MCPP	BDL	ug/Kg	8151A	19800.000	07/08/2004	07/13/2004	JT
MCPA	BDL	ug/Kg	8151A	12900.000	07/08/2004	07/13/2004	JT
Surrogate: Acifluorfen	12.25	%					
8260.B Volatile Org.in Solids & Waste by GC/MS			MEDF	10			
Acetone	BDL	mg/Kg	5035/8260B	10.000	07/05/2004	07/05/2004	PMD
Acrolein	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Acrylonitrile	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 20
 July 30, 2004
 Submission # 407000100
 Order # 53960
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@30'
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Methyl Ethyl Ketone	18.3	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dichlorodifluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Vinyl Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trichlorofluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methylene Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trans-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methyl-Tert-Butyl Ether	2.07	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Cis-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloroform	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,1-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 21
 July 30, 2004
 Submission # 407000100
 Order # 53960
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@30'
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Benzene	1.01	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromodichloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2-Chloroethylvinyl Ether	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dibromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Cis-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Toluene	13.7	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trans-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,2-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tetrachloroethene	2.68	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dibromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dibromoethane (EDB)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 22
 July 30, 2004
 Submission # 407000100
 Order # 53960
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@30'
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Ethylbenzene	4.93	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,1,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
m & p-Xylene	19.3	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
o-Xylene	8.87	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Total Xylene	28.2	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Styrene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Isopropylbenzene	1-0.86	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromoform	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,2,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,3-Trichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3,5-Trimethylbenzene	6.9	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
4-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tert-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trimethylbenzene	22.9	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Sec-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
P-Isopropyltoluene	1.52	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 23
 July 30, 2004
 Submission # 407000100
 Order # 53960
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349;E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@30'
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,4-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-Butylbenzene	4.73	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-Propylbenzene	3.16	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Hexachlorobutadiene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Naphthalene	9.10	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,3-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
SURROGATE: Diethyl ether	0.00	%					
SURROGATE: Toluene-D8	0.00	%					
SURROGATE: Bromofluorobenzene	0.00	%					
8270.C Semivol. Org. in Solids & Waste by GC/MS			MEDF	30			
N-Nitrosodimethylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Phenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-MethylPhenol (o-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
3-Methyl Phenol (m-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-MethylPhenol (p-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 24
 July 30, 2004
 Submission # 407000100
 Order # 53960
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349;E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@30'
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bis (2-Chloroethyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Chlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,3-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,4-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzyl Alcohol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,2-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
N-Nitrosodi-N-Propylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Hexachloroethane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Nitrobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Isophorone	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dimethylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis (2-Chloroethoxy)methane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,2,3-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,2,4-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Naphthalene	209	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 25
 July 30, 2004
 Submission # 407000100
 Order # 53960
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@30'
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Hexachlorobutadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Chloro-3-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1-Methylnaphthalene	205	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Methylnaphthalene	639	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Hexachlorocyclopentadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,3,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4,5-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Chloronaphthalene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dimethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Acenaphthylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,6-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Acenaphthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dinitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Diethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Fluorene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 26
 July 30, 2004
 Submission # 407000100
 Order # 53960
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@30'
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chlorophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,6-Dinitro-2-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
N-Nitrosodiphenylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Bromophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Hexachlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Pentachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Phenanthrene	122	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Di-N-Butyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Butyl Benzyl Phthalate	380	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzo(A)Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
3,3-Dichlorobenzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Chrysene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Di-N-Octyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 27
 July 30, 2004
 Submission # 407000100
 Order # 53960
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@30'
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(B)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzo(K)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzo(A)Pyrene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/07/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dibenzo (A,H) Anthracene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/07/2004	ME
Benzo(G,H,I)Perylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis-2-ethylhexyl Adipate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Aldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
α -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
β -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
δ -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
γ -BHC (Lindane)(screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Chlordane (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,4'-DDD (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,4'-DDE (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,4'-DDT (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dieldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endosulfan I (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 28
 July 30, 2004
 Submission # 407000100
 Order # 53960
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@30'
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan II (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endosulfan Sulfate (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endrin Aldehyde (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Heptachlor (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Heptachlor Epoxide (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Toxaphene (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1016 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1221 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1232 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1242 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1248 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1254 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1260 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dioxin (screen)	BDL	mg/Kg	3550/8270C	30.000	07/06/2004	07/07/2004	ME
Azobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Methoxychlor	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzoic Acid	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 29
 July 30, 2004
 Submission # 407000100
 Order # 53960
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@30'
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Aniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Chloroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dibenzofuran	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
3-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Carbazole	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,6-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Pyridine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
SURROGATE: 2-Fluorophenol	75.00	%					
SURROGATE: Phenol-D6	72.50	%					
SURROGATE: 2,4,6-Tribromophenyl	82.50	%					
SURROGATE: D5-Nitrobenzene	70.60	%					
SURROGATE: 2-Fluorobiphenyl	90.00	%					
SURROGATE: 4-Terphenyl-D14	67.00	%					
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL			MEDF	30			

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 30
July 30, 2004
Submission # 407000100
Order # 53960
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-15@30'
Collected: 06/30/04 18:30
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
GRO (C8-C10) Range	1220	mg/Kg	FL-PRO	60.000	07/06/2004	07/06/2004	JRV
DRO (C10-C28) Range	6400	mg/Kg	FL-PRO	60.000	07/06/2004	07/06/2004	JRV
TRO (C28-C40) Range	5840	mg/Kg	FL-PRO	60.000	07/06/2004	07/06/2004	JRV
TOTAL PRO (C8-C40)	13500	mg/Kg	FL-PRO	60.000	07/06/2004	07/06/2004	JRV
SURROGATE: n-Nonatriacontane(C-39)	60.60	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries,please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE. DILUTION NEEDED.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 31
 July 30, 2004
 Submission # 407000100
 Order # 53961
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-100
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	2615	BTU/Lb.	PARR	40.0	07/10/2004	07/10/2004	EP
Karlfisher % Water in Soils & Wastes(02)	21.9	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}			MEDF	1			
Arsenic, Total	BDL	mg/Kg	3050/6010	0.700	07/06/2004	07/08/2004	MAH/SB
Barium, Total	22.4	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Cadmium, Total	BDL	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Chromium, Total	10.9	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Lead, Total	23.7	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Selenium, Total	BDL	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Silver, Total	BDL	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA)	BDL	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids			MEDF	1			
a-BHC	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/15/2004	JT
b-BHC	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/15/2004	JT
g-BHC (lindane)	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/15/2004	JT
d-BHC	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/15/2004	JT
Heptachlor	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/15/2004	JT
Aldrin	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/15/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 32
 July 30, 2004
 Submission # 407000100
 Order # 53961
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-100
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/15/2004	JT
Endosulfan I	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/15/2004	JT
Dieldrin	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/15/2004	JT
4,4-DDE	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/15/2004	JT
Endrin	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/15/2004	JT
Endosulfan II	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/15/2004	JT
4,4-DDD	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/15/2004	JT
Endrin Aldehyde	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/15/2004	JT
Endosulfan Sulfate	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/15/2004	JT
4,4-DDT	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/15/2004	JT
Methoxychlor	BDL	ug/Kg	3550/8081-82	180.000	07/07/2004	07/15/2004	JT
Aroclor 1016	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/15/2004	JT
Aroclor 1221	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/15/2004	JT
Aroclor 1232	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/15/2004	JT
Aroclor 1242	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/15/2004	JT
Aroclor 1248	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/15/2004	JT
Aroclor 1254	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/15/2004	JT
Aroclor 1260	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/15/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 33
 July 30, 2004
 Submission # 407000100
 Order # 53961
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-100
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/Kg	3550/8081-82	250.000	07/07/2004	07/15/2004	JT
Chlordane	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/15/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
8141A Organophosphorus Pesticides in Soils			MEDF	30			
Demeton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Disulfoton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Diazinon	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Malathion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Methyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Ethyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Ethion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Azinphos, Methyl (Guthion)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Fenthion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Chlorpyrifos (Dursban)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Simazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Atrazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Surrogate: Stirophos	0.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 34
 July 30, 2004
 Submission # 407000100
 Order # 53961
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-100
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
8151A Chlorophenoxy Herbicides in Soil, Wastes			MEDF	1			
Dalapon	BDL	ug/Kg	8151A	1160.000	07/08/2004	07/13/2004	JT
Dicamba	BDL	ug/Kg	8151A	54.000	07/08/2004	07/13/2004	JT
2,4-D	BDL	ug/Kg	8151A	240.000	07/08/2004	07/13/2004	JT
Pentachlorophenol	BDL	ug/Kg	8151A	240.000	07/08/2004	07/13/2004	JT
2,4,5-TP (silvex)	BDL	ug/Kg	8151A	34.000	07/08/2004	07/13/2004	JT
2,4,5-T	BDL	ug/Kg	8151A	30.000	07/08/2004	07/13/2004	JT
Dinoseb	BDL	ug/Kg	8151A	14.000	07/08/2004	07/13/2004	JT
Picloram	BDL	ug/Kg	8151A	240.000	07/08/2004	07/13/2004	JT
Dichloroprop	BDL	ug/Kg	8151A	100.000	07/08/2004	07/13/2004	JT
2,4-DB	BDL	ug/Kg	8151A	100.000	07/08/2004	07/13/2004	JT
MCPPE	BDL	ug/Kg	8151A	660.000	07/08/2004	07/13/2004	JT
MCPA	BDL	ug/Kg	8151A	430.000	07/08/2004	07/13/2004	JT
Surrogate: Acifluorfen	11.35	%					
8260.B Volatile Org.in Solids & Waste by GC/MS			MEDF	10			
Acetone	BDL	mg/Kg	5035/8260B	10.000	07/05/2004	07/05/2004	PMD
Acrolein	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Acrylonitrile	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 35
 July 30, 2004
 Submission # 407000100
 Order # 53961
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-100
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Methyl Ethyl Ketone	6.44	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dichlorodifluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Vinyl Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trichlorofluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methylene Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trans-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methyl-Tert-Butyl Ether	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Cis-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloroform	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,1-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 36
 July 30, 2004
 Submission # 407000100
 Order # 53961
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-100
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Benzene	1-0.43	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromodichloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2-Chloroethylvinyl Ether	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dibromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Cis-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Toluene	9.02	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trans-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,2-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tetrachloroethene	1.86	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dibromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dibromoethane (EDB)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 37
 July 30, 2004
 Submission # 407000100
 Order # 53961
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-100
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Ethylbenzene	3.98	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,1,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
m & p-Xylene	14.8	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
o-Xylene	6.54	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Total Xylene	21.3	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Styrene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Isopropylbenzene	1-0.88	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromoform	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,2,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,3-Trichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3,5-Trimethylbenzene	5.20	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
4-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tert-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trimethylbenzene	17.6	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Sec-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
P-Isopropyltoluene	1.2	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 38
 July 30, 2004
 Submission # 407000100
 Order # 53961
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-100
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,4-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-Butylbenzene	4.34	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-Propylbenzene	2.42	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Hexachlorobutadiene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Naphthalene	6.83	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,3-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
SURROGATE: Diethyl ether	90.50	%					
SURROGATE: Toluene-D8	102.25	%					
SURROGATE: Bromofluorobenzene	102.00	%					
8270.C Semivol. Org. in Solids & Waste by GC/MS			MEDIA	300			
N-Nitrosodimethylamine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Phenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-MethylPhenol (o-cresol)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
3-Methyl Phenol (m-cresol)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-MethylPhenol (p-cresol)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 39
 July 30, 2004
 Submission # 407000100
 Order # 53961
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-100
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bis (2-Chloroethyl) Ether	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Chlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1,3-Dichlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1,4-Dichlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzyl Alcohol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1,2-Dichlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
N-Nitrosodi-N-Propylamine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Hexachloroethane	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Nitrobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Isophorone	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Nitrophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4-Dimethylphenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Bis (2-Chloroethoxy)methane	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4-Dichlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1,2,3-Trichlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1,2,4-Trichlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Naphthalene	1780	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 40
 July 30, 2004
 Submission # 407000100
 Order # 53961
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-100
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Hexachlorobutadiene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-Chloro-3-Methylphenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1-Methylnaphthalene	2080	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Methylnaphthalene	6860	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Hexachlorocyclopentadiene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,3,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4,5-Trichlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Chloronaphthalene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Dimethyl Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Acenaphthylene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,6-Dinitrotoluene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Acenaphthene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4-Dinitrophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,4-Dinitrotoluene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-Nitrophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Diethyl Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Fluorene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 41
 July 30, 2004
 Submission # 407000100
 Order # 53961
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-100
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chlorophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4,6-Dinitro-2-Methylphenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
N-Nitrosodiphenylamine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-Bromophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Hexachlorobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Pentachlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Phenanthrene	1070	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Anthracene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Di-N-Butyl Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Fluoranthene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzidine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Pyrene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Butyl Benzyl Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzo(A)Anthracene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
3,3-Dichlorobenzidine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Chrysene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Di-N-Octyl Phthalate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 42
 July 30, 2004
 Submission # 407000100
 Order # 53961
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-100
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(B)Fluoranthene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzo(K)Fluoranthene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzo(A)Pyrene	BDL	mg/Kg	3550/8270C	30.000	07/06/2004	07/08/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Dibenzo (A,H) Anthracene	BDL	mg/Kg	3550/8270C	30.000	07/06/2004	07/08/2004	ME
Benzo(G,H,I)Perylene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Bis-2-ethylhexyl Adipate	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Aldrin (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
α -BHC (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
β -BHC (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
δ -BHC (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
γ -BHC (Lindane)(screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Chlordane (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4,4'-DDD (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4,4'-DDE (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4,4'-DDT (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Dieldrin (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Endosulfan I (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 43
 July 30, 2004
 Submission # 407000100
 Order # 53961
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-100
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan II (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Endosulfan Sulfate (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Endrin (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Endrin Aldehyde (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Heptachlor (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Heptachlor Epoxide (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Toxaphene (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1016 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1221 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1232 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1242 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1248 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1254 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
PCB-1260 (screen)	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Dioxin (screen)	BDL	mg/Kg	3550/8270C	300.000	07/06/2004	07/08/2004	ME
Azobenzene	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Methoxychlor	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Benzoic Acid	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 44
 July 30, 2004
 Submission # 407000100
 Order # 53961
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-100
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Aniline	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-Chloroaniline	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Dibenzofuran	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Nitroaniline	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
3-Nitroaniline	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
4-Nitroaniline	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Carbazole	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,6-Dichlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Pyridine	BDL	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
SURROGATE: 2-Fluorophenol	63.50	%					
SURROGATE: Phenol-D6	79.50	%					
SURROGATE: 2,4,6-Tribromophenyl	0.00	%					
SURROGATE: D5-Nitrobenzene	22.10	%					
SURROGATE: 2-Fluorobiphenyl	20.20	%					
SURROGATE: 4-Terphenyl-D14	17.20	%					
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL			MEDF	300			

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 45
July 30, 2004
Submission # 407000100
Order # 53961
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-100
Collected: 07/01/04 08:00
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
GRO (C8-C10) Range	3360	mg/Kg	FL-PRO	600.000	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	164000	mg/Kg	FL-PRO	600.000	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	165000	mg/Kg	FL-PRO	600.000	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	332000	mg/Kg	FL-PRO	600.000	07/06/2004	07/07/2004	JT
SURROGATE: n-Nonatriacontane(C-39)	0.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries,please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE. DILUTION NEEDED.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 46
 July 30, 2004
 Submission # 407000100
 Order # 53962
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@25'
 Collected: 07/01/04 09:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU/Lb.	PARR	40.0	07/10/2004	07/10/2004	EP
Karlfisher %Water in Soils & Wastes(02)	74.0	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}			MEDF	1			
Arsenic, Total	BDL	mg/Kg	3050/6010	0.700	07/06/2004	07/08/2004	MAH/SB
Barium, Total	15.9	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Cadmium, Total	BDL	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Chromium, Total	5.3	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Lead, Total	10.8	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Selenium, Total	BDL	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Silver, Total	BDL	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA)	BDL	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids			MEDF	30			
a-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
b-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
g-BHC (lindane)	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
d-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Heptachlor	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Aldrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 47
 July 30, 2004
 Submission # 407000100
 Order # 53962
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@25'
 Collected: 07/01/04 09:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endosulfan I	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Dieldrin	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
4,4-DDE	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endosulfan II	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
4,4-DDD	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endrin Aldehyde	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Endosulfan Sulfate	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
4,4-DDT	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Methoxychlor	BDL	ug/Kg	3550/8081-82	5400.000	07/07/2004	07/08/2004	JT
Aroclor 1016	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1221	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1232	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1242	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1248	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1254	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1260	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 48
 July 30, 2004
 Submission # 407000100
 Order # 53962
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@25'
 Collected: 07/01/04 09:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/Kg	3550/8081-82	7500.000	07/07/2004	07/08/2004	JT
Chlordane	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
8141A Organophosphorus Pesticides in Soils			MEDF	30			
Demeton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Disulfoton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Diazinon	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Malathion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Methyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Ethyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Ethion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Azinphos, Methyl (Guthion)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Fenthion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Chlorpyrifos (Dursban)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Simazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Atrazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Surrogate: Stirophos	120.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 49
 July 30, 2004
 Submission # 407000100
 Order # 53962
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@25'
 Collected: 07/01/04 09:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
8151A Chlorophenoxy Herbicides in Soil, Wastes			MEDF	1			
Dalapon	BDL	ug/Kg	8151A	1160.000	07/08/2004	07/13/2004	JT
Dicamba	BDL	ug/Kg	8151A	54.000	07/08/2004	07/13/2004	JT
2,4-D	BDL	ug/Kg	8151A	240.000	07/08/2004	07/13/2004	JT
Pentachlorophenol	BDL	ug/Kg	8151A	240.000	07/08/2004	07/13/2004	JT
2,4,5-TP (silvex)	BDL	ug/Kg	8151A	34.000	07/08/2004	07/13/2004	JT
2,4,5-T	BDL	ug/Kg	8151A	30.000	07/08/2004	07/13/2004	JT
Dinoseb	BDL	ug/Kg	8151A	14.000	07/08/2004	07/13/2004	JT
Picloram	BDL	ug/Kg	8151A	240.000	07/08/2004	07/13/2004	JT
Dichloroprop	BDL	ug/Kg	8151A	100.000	07/08/2004	07/13/2004	JT
2,4-DB	BDL	ug/Kg	8151A	100.000	07/08/2004	07/13/2004	JT
MCPPP	BDL	ug/Kg	8151A	660.000	07/08/2004	07/13/2004	JT
MCPA	BDL	ug/Kg	8151A	430.000	07/08/2004	07/13/2004	JT
Surrogate: Acifluorfen	11.20	%					
8260.B Volatile Org.in Solids & Waste by GC/MS			MEDF	10			
Acetone	BDL	mg/Kg	5035/8260B	10.000	07/05/2004	07/05/2004	PMD
Acrolein	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Acrylonitrile	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 50
 July 30, 2004
 Submission # 407000100
 Order # 53962
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@25'
 Collected: 07/01/04 09:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Methyl Ethyl Ketone	8.11	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dichlorodifluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Vinyl Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trichlorofluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methylene Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trans-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methyl-Tert-Butyl Ether	2.61	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Cis-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloroform	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,1-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 51
 July 30, 2004
 Submission # 407000100
 Order # 53962
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@25'
 Collected: 07/01/04 09:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Benzene	1-0.34	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromodichloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2-Chloroethylvinyl Ether	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dibromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Cis-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Toluene	1.89	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trans-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,2-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tetrachloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dibromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dibromoethane (EDB)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 52
 July 30, 2004
 Submission # 407000100
 Order # 53962
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@25'
 Collected: 07/01/04 09:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Ethylbenzene	1-0.459	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,1,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
m & p-Xylene	1.86	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
o-Xylene	1-0.800	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Total Xylene	1.86	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Styrene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Isopropylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromoform	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,1,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,3-Trichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3,5-Trimethylbenzene	1-0.55	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
4-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tert-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trimethylbenzene	2.56	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Sec-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
P-Isopropyltoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 53
 July 30, 2004
 Submission # 407000100
 Order # 53962
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@25'
 Collected: 07/01/04 09:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,4-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-Butylbenzene	1-0.54	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-PropylBenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Hexachlorobutadiene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Naphthalene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,3-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
SURROGATE: Diethyl ether	93.75	%					
SURROGATE: Toluene-D8	103.75	%					
SURROGATE: Bromofluorobenzene	107.20	%					
8270.C Semivol. Org. in Solids & Waste by GC/MS			MEDF	30			
N-Nitrosodimethylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Phenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-MethylPhenol (o-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
3-Methyl Phenol (m-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-MethylPhenol (p-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 54
 July 30, 2004
 Submission # 407000100
 Order # 53962
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@25'
 Collected: 07/01/04 09:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bis (2-Chloroethyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Chlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,3-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,4-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzyl Alcohol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,2-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
N-Nitrosodi-N-Propylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Hexachloroethane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Nitrobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Isophorone	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dimethylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis (2-Chloroethoxy)methane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,2,3-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,2,4-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Naphthalene	1110	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 55
 July 30, 2004
 Submission # 407000100
 Order # 53962
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@25'
 Collected: 07/01/04 09:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Hexachlorobutadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Chloro-3-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1-Methylnaphthalene	977	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Methylnaphthalene	2970	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Hexachlorocyclopentadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,3,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4,5-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Chloronaphthalene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dimethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Acenaphthylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,6-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Acenaphthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dinitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Diethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Fluorene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 56
 July 30, 2004
 Submission # 407000100
 Order # 53962
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@25'
 Collected: 07/01/04 09:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chlorophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,6-Dinitro-2-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
N-Nitrosodiphenylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Bromophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Hexachlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Pentachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Phenanthrene	1010	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Anthracene	246	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Di-N-Butyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Butyl Benzyl Phthalate	1790	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzo(A)Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
3,3-Dichlorobenzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Chrysene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis (2 Ethylhexyl) Phthalate	467	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Di-N-Octyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 57
 July 30, 2004
 Submission # 407000100
 Order # 53962
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@25'
 Collected: 07/01/04 09:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(B)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzo(K)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzo(A)Pyrene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/07/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dibenzo (A,H) Anthracene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/07/2004	ME
Benzo(G,H,I)Perylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis-2-ethylhexyl Adipate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Aldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
α -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
β -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
δ -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
γ -BHC (Lindane)(screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Chlordane (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,4'-DDD (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,4'-DDE (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,4'-DDT (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dieldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endosulfan I (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 58
 July 30, 2004
 Submission # 407000100
 Order # 53962
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@25'
 Collected: 07/01/04 09:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan II (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endosulfan Sulfate (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endrin Aldehyde (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Heptachlor (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Heptachlor Epoxide (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Toxaphene (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1016 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1221 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1232 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1242 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1248 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1254 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1260 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dioxin (screen)	BDL	mg/Kg	3550/8270C	30.000	07/06/2004	07/07/2004	ME
Azobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Methoxychlor	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzoic Acid	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 59
 July 30, 2004
 Submission # 407000100
 Order # 53962
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@25'
 Collected: 07/01/04 09:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Aniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Chloroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dibenzofuran	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
3-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Carbazole	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,6-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Pyridine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
SURROGATE: 2-Fluorophenol	77.50	%					
SURROGATE: Phenol-D6	75.00	%					
SURROGATE: 2,4,6-Tribromophenyl	80.00	%					
SURROGATE: D5-Nitrobenzene	74.70	%					
SURROGATE: 2-Fluorobiphenyl	83.80	%					
SURROGATE: 4-Terphenyl-D14	67.80	%					
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL			MEDIA	30			

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 60
July 30, 2004
Submission # 407000100
Order # 53962
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-13@25'
Collected: 07/01/04 09:00
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
GRO (C8-C10) Range	2110	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
DRO (C10-C28) Range	32700	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TRO (C28-C40) Range	9680	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TOTAL PRO (C8-C40)	44500	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
SURROGATE: n-Nonatriacontane(C-39)	26.60	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion, the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries, please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE. DILUTION NEEDED.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 61
 July 30, 2004
 Submission # 407000100
 Order # 53963
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@10'
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU/Lb.	PARR	40.0	07/10/2004	07/10/2004	EP
Karlfisher % Water in Soils & Wastes(02)	84.0	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}			MEDF	1			
Arsenic, Total	BDL	mg/Kg	3050/6010	0.700	07/02/2004	07/09/2004	SB
Barium, Total	15.6	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Cadmium, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Chromium, Total	6.3	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Lead, Total	5.1	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Selenium, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Silver, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Mercury (Cold Vapor AA)	BDL	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids			MEDF	30			
a-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
b-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
g-BHC (lindane)	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
d-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Heptachlor	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Aldrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 62
 July 30, 2004
 Submission # 407000100
 Order # 53963
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@10'
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endosulfan I	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Dieldrin	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
4,4-DDE	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endosulfan II	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
4,4-DDD	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endrin Aldehyde	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Endosulfan Sulfate	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
4,4-DDT	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Methoxychlor	BDL	ug/Kg	3550/8081-82	5400.000	07/07/2004	07/08/2004	JT
Aroclor 1016	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1221	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1232	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1242	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1248	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1254	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1260	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 63
 July 30, 2004
 Submission # 407000100
 Order # 53963
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@10'
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/Kg	3550/8081-82	7500.000	07/07/2004	07/08/2004	JT
Chlordane	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
8141A Organophosphorus Pesticides in Soils			MEDF	30			
Demeton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Disulfoton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Diazinon	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Malathion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Methyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Ethyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Ethion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Azinphos, Methyl (Guthion)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Fenthion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Chlorpyrifos (Dursban)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Simazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Atrazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Surrogate: Stirophos	133.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 64
 July 30, 2004
 Submission # 407000100
 Order # 53963
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@10'
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
8151A Chlorophenoxy Herbicides in Soil, Wastes			MEDF	30			
Dalapon	BDL	ug/Kg	8151A	34800.000	07/08/2004	07/13/2004	JT
Dicamba	BDL	ug/Kg	8151A	1620.000	07/08/2004	07/13/2004	JT
2,4-D	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Pentachlorophenol	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
2,4,5-TP (silvex)	BDL	ug/Kg	8151A	1020.000	07/08/2004	07/13/2004	JT
2,4,5-T	BDL	ug/Kg	8151A	900.000	07/08/2004	07/13/2004	JT
Dinoseb	BDL	ug/Kg	8151A	420.000	07/08/2004	07/13/2004	JT
Picloram	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Dichloroprop	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
2,4-DB	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
MCPP	BDL	ug/Kg	8151A	19800.000	07/08/2004	07/13/2004	JT
MCPA	BDL	ug/Kg	8151A	12900.000	07/08/2004	07/13/2004	JT
Surrogate: Acifluorfen	10.95	%					
8260.B Volatile Org.in Solids & Waste by GC/MS			MEDF	10			
Acetone	BDL	mg/Kg	5035/8260B	10.000	07/05/2004	07/05/2004	PMD
Acrolein	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Acrylonitrile	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 65
 July 30, 2004
 Submission # 407000100
 Order # 53963
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@10'
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Methyl Ethyl Ketone	13.9	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dichlorodifluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Vinyl Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trichlorofluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methylene Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trans-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methyl-Tert-Butyl Ether	1.79	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Cis-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloroform	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,1-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 66
 July 30, 2004
 Submission # 407000100
 Order # 53963
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@10'
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Benzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromodichloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2-Chloroethylvinyl Ether	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dibromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Cis-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Toluene	8.97	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trans-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,2-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tetrachloroethene	1.75	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dibromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dibromoethane (EDB)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 67
 July 30, 2004
 Submission # 407000100
 Order # 53963
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@10'
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Ethylbenzene	3.05	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,1,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
m & p-Xylene	12.2	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
o-Xylene	5.38	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Total Xylene	17.6	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Styrene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Isopropylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromoform	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,2,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,3-Trichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3,5-Trimethylbenzene	4.51	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
4-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tert-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trimethylbenzene	15.3	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Sec-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
P-Isopropyltoluene	1.87	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 68
 July 30, 2004
 Submission # 407000100
 Order # 53963
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@10'
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,4-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-PropylBenzene	1.99	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Hexachlorobutadiene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Naphthalene	5.71	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,3-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
SURROGATE: Diethyl ether	87.13	%					
SURROGATE: Toluene-D8	101.75	%					
SURROGATE: Bromofluorobenzene	98.00	%					
8270.C Semivol. Org. in Solids & Waste by GC/MS			MEDF	30			
N-Nitrosodimethylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Phenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-MethylPhenol (o-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
3-Methyl Phenol (m-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-MethylPhenol (p-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 69
 July 30, 2004
 Submission # 407000100
 Order # 53963
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@10'
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bis (2-Chloroethyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Chlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,3-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,4-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzyl Alcohol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,2-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
N-Nitrosodi-N-Propylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Hexachloroethane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Nitrobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Isophorone	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dimethylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis (2-Chloroethoxy)methane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,2,3-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,2,4-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Naphthalene	207	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 70
 July 30, 2004
 Submission # 407000100
 Order # 53963
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@10'
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Hexachlorobutadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Chloro-3-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1-Methylnaphthalene	217	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Methylnaphthalene	668	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Hexachlorocyclopentadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,3,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4,5-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Chloronaphthalene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dimethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Acenaphthylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,6-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Acenaphthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dinitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Diethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Fluorene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 71
 July 30, 2004
 Submission # 407000100
 Order # 53963
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@10'
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chlorophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,6-Dinitro-2-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
N-Nitrosodiphenylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Bromophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Hexachlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Pentachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Phenanthrene	128	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Di-N-Butyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Butyl Benzyl Phthalate	303	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzo(A)Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
3,3-Dichlorobenzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Chrysene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Di-N-Octyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 72
 July 30, 2004
 Submission # 407000100
 Order # 53963
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@10'
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(B)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzo(K)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzo(A)Pyrene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/07/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dibenzo (A,H) Anthracene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/07/2004	ME
Benzo(G,H,I)Perylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis-2-ethylhexyl Adipate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Aldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
α -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
β -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
δ -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
γ -BHC (Lindane)(screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Chlordane (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,4'-DDD (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,4'-DDE (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,4'-DDT (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dieldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endosulfan I (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 73
 July 30, 2004
 Submission # 407000100
 Order # 53963
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@10'
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan II (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endosulfan Sulfate (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endrin Aldehyde (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Heptachlor (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Heptachlor Epoxide (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Toxaphene (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1016 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1221 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1232 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1242 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1248 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1254 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1260 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dioxin (screen)	BDL	mg/Kg	3550/8270C	30.000	07/06/2004	07/07/2004	ME
Azobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Methoxychlor	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzoic Acid	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 74
 July 30, 2004
 Submission # 407000100
 Order # 53963
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@10'
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Aniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Chloroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dibenzofuran	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
3-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Carbazole	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,6-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Pyridine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
SURROGATE: 2-Fluorophenol	67.00	%					
SURROGATE: Phenol-D6	61.00	%					
SURROGATE: 2,4,6-Tribromophenyl	76.00	%					
SURROGATE: D5-Nitrobenzene	63.70	%					
SURROGATE: 2-Fluorobiphenyl	73.30	%					
SURROGATE: 4-Terphenyl-D14	69.30	%					
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL			MEDF	30			

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 75
July 30, 2004
Submission # 407000100
Order # 53963
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-14@10'
Collected: 07/01/04 11:00
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
GRO (C8-C10) Range	872	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
DRO (C10-C28) Range	9040	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TRO (C28-C40) Range	4420	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TOTAL PRO (C8-C40)	14300	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
SURROGATE: n-Nonatriacontane(C-39)	49.30	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field


Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries, please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE. DILUTION NEEDED.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 76
 July 30, 2004
 Submission # 407000100
 Order # 53964
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-101
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU/Lb.	PARR	40.0	07/10/2004	07/10/2004	EP
Karlfisher % Water in Soils & Wastes(02)	> 99	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP (No Hg)			MEDF	1			
Arsenic, Total	BDL	mg/Kg	3050/6010	0.700	07/02/2004	07/09/2004	SB
Barium, Total	49.9	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Cadmium, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Chromium, Total	6.6	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Lead, Total	8.7	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Selenium, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Silver, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Mercury (Cold Vapor AA)	0.135	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids			MEDF	30			
a-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
b-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
g-BHC (lindane)	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
d-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Heptachlor	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Aldrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 77
 July 30, 2004
 Submission # 407000100
 Order # 53964
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-101
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Endosulfan I	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Dieldrin	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
4,4-DDE	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Endrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Endosulfan II	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
4,4-DDD	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Endrin Aldehyde	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Endosulfan Sulfate	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
4,4-DDT	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Methoxychlor	BDL	ug/Kg	3550/8081-82	5400.000	07/07/2004	07/15/2004	JT
Aroclor 1016	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1221	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1232	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1242	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1248	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1254	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1260	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 78
 July 30, 2004
 Submission # 407000100
 Order # 53964
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-101
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/Kg	3550/8081-82	7500.000	07/07/2004	07/15/2004	JT
Chlordane	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
SURROGATE: MTX	96.00	%					
SURROGATE: Decachlorobiphenyl	45.20	%					
8141A Organophosphorus Pesticides in Soils			MEDF	30			
Demeton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Disulfoton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Diazinon	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Malathion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Methyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Ethyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Ethion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Azinphos, Methyl (Guthion)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Fenthion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Chlorpyrifos (Dursban)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Simazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Atrazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Surrogate: Stirophos	120.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 79
 July 30, 2004
 Submission # 407000100
 Order # 53964
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-101
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
8151A Chlorophenoxy Herbicides in Soil, Wastes			MEDF	30			
Dalapon	BDL	ug/Kg	8151A	34800.000	07/08/2004	07/13/2004	JT
Dicamba	BDL	ug/Kg	8151A	1620.000	07/08/2004	07/13/2004	JT
2,4-D	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Pentachlorophenol	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
2,4,5-TP (silvex)	BDL	ug/Kg	8151A	1020.000	07/08/2004	07/13/2004	JT
2,4,5-T	BDL	ug/Kg	8151A	900.000	07/08/2004	07/13/2004	JT
Dinoseb	BDL	ug/Kg	8151A	420.000	07/08/2004	07/13/2004	JT
Picloram	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Dichloroprop	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
2,4-DB	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
MCPPP	BDL	ug/Kg	8151A	19800.000	07/08/2004	07/13/2004	JT
MCPA	BDL	ug/Kg	8151A	12900.000	07/08/2004	07/13/2004	JT
Surrogate: Acifluorfen	15.35	%					
8260.B Volatile Org.in Solids & Waste by GC/MS			MEDF	10			
Acetone	BDL	mg/Kg	5035/8260B	10.000	07/05/2004	07/05/2004	PMD
Acrolein	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Acrylonitrile	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 80
 July 30, 2004
 Submission # 407000100
 Order # 53964
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-101
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Methyl Ethyl Ketone	24.5	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dichlorodifluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Vinyl Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trichlorofluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methylene Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trans-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methyl-Tert-Butyl Ether	1.31	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Cis-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloroform	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,1-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

Page 81
 July 30, 2004
 Submission # 407000100
 Order # 53964
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-101
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Benzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromodichloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2-Chloroethylvinyl Ether	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dibromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Cis-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Toluene	9.18	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trans-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,2-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tetrachloroethene	2.06	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dibromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dibromoethane (EDB)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 82
 July 30, 2004
 Submission # 407000100
 Order # 53964
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-101
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Ethylbenzene	3.76	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,1,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
m & p-Xylene	14.5	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
o-Xylene	6.74	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Total Xylene	21.2	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Styrene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Isopropylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromoform	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,2,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,3-Trichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3,5-Trimethylbenzene	6.00	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
4-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tert-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trimethylbenzene	21.2	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Sec-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
P-Isopropyltoluene	2.29	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 83
 July 30, 2004
 Submission # 407000100
 Order # 53964
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-101
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,4-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-Propylbenzene	2.79	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Hexachlorobutadiene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Naphthalene	15.6	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,3-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
SURROGATE: Diethyl ether	86.38	%					
SURROGATE: Toluene-D8	100.00	%					
SURROGATE: Bromofluorobenzene	101.60	%					
8270.C Semivol. Org. in Solids & Waste by GC/MS			MEDF	30			
N-Nitrosodimethylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Phenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-MethylPhenol (o-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
3-Methyl Phenol (m-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-MethylPhenol (p-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 84
 July 30, 2004
 Submission # 407000100
 Order # 53964
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-101
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bis (2-Chloroethyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Chlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,3-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,4-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzyl Alcohol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,2-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
N-Nitrosodi-N-Propylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Hexachloroethane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Nitrobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Isophorone	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dimethylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis (2-Chloroethoxy)methane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,2,3-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1,2,4-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Naphthalene	1000	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 85
 July 30, 2004
 Submission # 407000100
 Order # 53964
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-101
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Hexachlorobutadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Chloro-3-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1-Methylnaphthalene	1040	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Methylnaphthalene	2920	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Hexachlorocyclopentadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,3,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4,5-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Chloronaphthalene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dimethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Acenaphthylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,6-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Acenaphthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dinitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,4-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Diethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Fluorene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 86
 July 30, 2004
 Submission # 407000100
 Order # 53964
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-101
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chlorophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,6-Dinitro-2-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
N-Nitrosodiphenylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Bromophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Hexachlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Pentachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Phenanthrene	839	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Di-N-Butyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Pyrene	300	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Butyl Benzyl Phthalate	712	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzo(A)Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
3,3-Dichlorobenzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Chrysene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Di-N-Octyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 87
 July 30, 2004
 Submission # 407000100
 Order # 53964
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-101
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(B)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzo(K)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzo(A)Pyrene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/07/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dibenzo (A,H) Anthracene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/07/2004	ME
Benzo(G,H,I)Perylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis-2-ethylhexyl Adipate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Aldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
α -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
β -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
δ -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
γ -BHC (Lindane)(screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Chlordane (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,4'-DDD (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,4'-DDE (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4,4'-DDT (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dieldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endosulfan I (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 88
 July 30, 2004
 Submission # 407000100
 Order # 53964
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-101
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan II (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endosulfan Sulfate (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Endrin Aldehyde (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Heptachlor (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Heptachlor Epoxide (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Toxaphene (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1016 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1221 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1232 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1242 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1248 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1254 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
PCB-1260 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dioxin (screen)	BDL	mg/Kg	3550/8270C	30.000	07/06/2004	07/07/2004	ME
Azobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Methoxychlor	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Benzoic Acid	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 89
 July 30, 2004
 Submission # 407000100
 Order # 53964
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-101
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Aniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Chloroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Dibenzofuran	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
3-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
4-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Carbazole	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,6-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Pyridine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
SURROGATE: 2-Fluorophenol	74.50	%					
SURROGATE: Phenol-D6	72.00	%					
SURROGATE: 2,4,6-Tribromophenyl	80.00	%					
SURROGATE: D5-Nitrobenzene	45.70	%					
SURROGATE: 2-Fluorobiphenyl	81.20	%					
SURROGATE: 4-Terphenyl-D14	114.00	%					
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL			MEDIA	30			

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 90
July 30, 2004
Submission # 407000100
Order # 53964
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-101
Collected: 07/01/04 11:30
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
GRO (C8-C10) Range	1750	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
DRO (C10-C28) Range	25600	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TRO (C28-C40) Range	6820	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TOTAL PRO (C8-C40)	34200	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
SURROGATE: n-Nonatriacontane(C-39)	34.30	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries,please contact the representative who signed this report, or the QA department.

* DILUTION NEEDED DUE TO MATRIX.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 91
 July 30, 2004
 Submission # 407000100
 Order # 53965
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@30'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU/Lb.	PARR	40.0	07/10/2004	07/10/2004	EP
Karlfisher % Water in Soils & Wastes(02)	55.6	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}			MEDF	1			
Arsenic, Total	BDL	mg/Kg	3050/6010	0.700	07/02/2004	07/09/2004	SB
Barium, Total	114	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Cadmium, Total	2.6	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Chromium, Total	40.7	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Lead, Total	107	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Selenium, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Silver, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Mercury (Cold Vapor AA)	0.138	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids			MEDF	30			
a-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
b-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
g-BHC (lindane)	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
d-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Heptachlor	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Aldrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 92
 July 30, 2004
 Submission # 407000100
 Order # 53965
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@30'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Endosulfan I	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Dieldrin	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
4,4-DDE	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Endrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Endosulfan II	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
4,4-DDD	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Endrin Aldehyde	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Endosulfan Sulfate	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
4,4-DDT	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Methoxychlor	BDL	ug/Kg	3550/8081-82	5400.000	07/07/2004	07/15/2004	JT
Aroclor 1016	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1221	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1232	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1242	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1248	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1254	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1260	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 93
 July 30, 2004
 Submission # 407000100
 Order # 53965
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@30'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/Kg	3550/8081-82	7500.000	07/07/2004	07/15/2004	JT
Chlordane	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
8141A Organophosphorus Pesticides in Soils			MEDF	30			
Demeton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Disulfoton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Diazinon	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Malathion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Methyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Ethyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Ethion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Azinphos, Methyl (Guthion)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Fenthion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Chlorpyrifos (Dursban)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Simazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Atrazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Surrogate: Stirophos	35.10	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 94
 July 30, 2004
 Submission # 407000100
 Order # 53965
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@30'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
8151A Chlorophenoxy Herbicides in Soil, Wastes			MEDF	30			
Dalapon	BDL	ug/Kg	8151A	34800.000	07/08/2004	07/13/2004	JT
Dicamba	BDL	ug/Kg	8151A	1620.000	07/08/2004	07/13/2004	JT
2,4-D	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Pentachlorophenol	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
2,4,5-TP (silvex)	BDL	ug/Kg	8151A	1020.000	07/08/2004	07/13/2004	JT
2,4,5-T	BDL	ug/Kg	8151A	900.000	07/08/2004	07/13/2004	JT
Dinoseb	BDL	ug/Kg	8151A	420.000	07/08/2004	07/13/2004	JT
Picloram	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Dichloroprop	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
2,4-DB	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
MCP	BDL	ug/Kg	8151A	19800.000	07/08/2004	07/13/2004	JT
MCPA	BDL	ug/Kg	8151A	12900.000	07/08/2004	07/13/2004	JT
Surrogate: Acifluorfen	12.15	%					
8260.B Volatile Org.in Solids & Waste by GC/MS			MEDF	10			
Acetone	BDL	mg/Kg	5035/8260B	10.000	07/05/2004	07/05/2004	PMD
Acrolein	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Acrylonitrile	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 95
 July 30, 2004
 Submission # 407000100
 Order # 53965
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@30'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Methyl Ethyl Ketone	91.5	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dichlorodifluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Vinyl Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trichlorofluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methylene Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trans-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methyl-Tert-Butyl Ether	8.75	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Cis-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chloroform	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,1-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 96
 July 30, 2004
 Submission # 407000100
 Order # 53965
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@30'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Benzene	17.8	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromodichloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
2-Chloroethylvinyl Ether	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dibromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Cis-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Toluene	205	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Trans-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,1,2-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tetrachloroethene	13.2	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Dibromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dibromoethane (EDB)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Bromobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Chlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 97
 July 30, 2004
 Submission # 407000100
 Order # 53965
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@30'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Ethylbenzene	68.4	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD
1,1,1,2-Tetrachloroethane	BDL	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD
m & p-Xylene	200	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD
o-Xylene	89.3	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD
Total Xylene	289	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD
Styrene	BDL	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD
Isopropylbenzene	16.9	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD
Bromoform	BDL	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD
1,1,2,2-Tetrachloroethane	BDL	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD
1,2,3-Trichloropropane	BDL	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD
1,3,5-Trimethylbenzene	92.7	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD
2-Chlorotoluene	BDL	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD
4-Chlorotoluene	BDL	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD
Tert-Butylbenzene	BDL	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trimethylbenzene	335	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD
Sec-Butylbenzene	BDL	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD
P-Isopropyltoluene	23.5	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD
1,3-Dichlorobenzene	BDL	mg/Kg	5035/82:60B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 98
 July 30, 2004
 Submission # 407000100
 Order # 53965
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@30'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,4-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-Butylbenzene	55.2	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-PropylBenzene	47.2	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Hexachlorobutadiene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Naphthalene	90.4	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,3-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
SURROGATE: Diethyl ether	85.75	%					
SURROGATE: Toluene-D8	103.00	%					
SURROGATE: Bromofluorobenzene	128.40	%					
8270.C Semivol. Org. in Solids & Waste by GC/MS			MEDF	30			
N-Nitrosodimethylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Phenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-MethylPhenol (o-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
3-Methyl Phenol (m-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-MethylPhenol (p-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 99
 July 30, 2004
 Submission # 407000100
 Order # 53965
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@30'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bis (2-Chloroethyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Chlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,3-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,4-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzyl Alcohol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,2-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
N-Nitrosodi-N-Propylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Hexachloroethane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Nitrobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Isophorone	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dimethylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis (2-Chloroethoxy)methane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,2,3-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,2,4-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Naphthalene	2260	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 100
 July 30, 2004
 Submission # 407000100
 Order # 53965
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@30'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Hexachlorobutadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Chloro-3-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1-Methylnaphthalene	2190	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Methylnaphthalene	6730	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Hexachlorocyclopentadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,3,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4,5-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Chloronaphthalene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dimethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Acenaphthylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,6-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Acenaphthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dinitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Diethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Fluorene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 101
 July 30, 2004
 Submission # 407000100
 Order # 53965
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@30'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chlorophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,6-Dinitro-2-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
N-Nitrosodiphenylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Bromophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Hexachlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Pentachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Phenanthrene	1080	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Di-N-Butyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Butyl Benzyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzo(A)Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
3,3-Dichlorobenzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Chrysene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Di-N-Octyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 102
 July 30, 2004
 Submission # 407000100
 Order # 53965
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@30'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(B)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzo(K)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzo(A)Pyrene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/08/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dibenzo (A,H) Anthracene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/08/2004	ME
Benzo(G,H,I)Perylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis-2-ethylhexyl Adipate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Aldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
α -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
β -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
δ -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
γ -BHC (Lindane)(screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Chlordane (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,4'-DDD (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,4'-DDE (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,4'-DDT (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dieldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endosulfan I (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 103
 July 30, 2004
 Submission # 407000100
 Order # 53965
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@30'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan II (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endosulfan Sulfate (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endrin Aldehyde (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Heptachlor (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Heptachlor Epoxide (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Toxaphene (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1016 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1221 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1232 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1242 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1248 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1254 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1260 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dioxin (screen)	BDL	mg/Kg	3550/8270C	30.000	07/06/2004	07/08/2004	ME
Azobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Methoxychlor	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzoic Acid	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 104
 July 30, 2004
 Submission # 407000100
 Order # 53965
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@30'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Aniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Chloroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dibenzofuran	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
3-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Carbazole	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,6-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Pyridine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
SURROGATE: 2-Fluorophenol	68.50	%					
SURROGATE: Phenol-D6	62.00	%					
SURROGATE: 2,4,6-Tribromophenyl	109.00	%					
SURROGATE: D5-Nitrobenzene	72.60	%					
SURROGATE: 2-Fluorobiphenyl	59.50	%					
SURROGATE: 4-Terphenyl-D14	53.80	%					
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL			MEDF	30			

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 105
July 30, 2004
Submission # 407000100
Order # 53965
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-102@30'
Collected: 07/01/04 13:00
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
GRO (C8-C10) Range	5860	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
DRO (C10-C28) Range	76900	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TRO (C28-C40) Range	19700	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TOTAL PRO (C8-C40)	102000	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
SURROGATE: n-Nonatriacontane(C-39)	17.20	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries,please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE. DILUTION NEEDED.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 106
 July 30, 2004
 Submission # 407000100
 Order # 53966
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@1'
 Collected: 07/01/04 14:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU/Lb.	PARR	40.0	07/10/2004	07/10/2004	EP
Karlfisher %Water in Soils & Wastes(02)	71.0	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}			MEDF	1			
Arsenic, Total	BDL	mg/Kg	3050/6010	0.700	07/02/2004	07/09/2004	SB
Barium, Total	7.1	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Cadmium, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Chromium, Total	7.2	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Lead, Total	4.2	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Selenium, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Silver, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Mercury (Cold Vapor AA)	0.142	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids			MEDF	30			
a-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
b-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
g-BHC (lindane)	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
d-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Heptachlor	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Aldrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 107
 July 30, 2004
 Submission # 407000100
 Order # 53966
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@1'
 Collected: 07/01/04 14:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endosulfan I	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Dieldrin	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
4,4-DDE	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endosulfan II	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
4,4-DDD	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Endrin Aldehyde	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Endosulfan Sulfate	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
4,4-DDT	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
Methoxychlor	BDL	ug/Kg	3550/8081-82	5400.000	07/07/2004	07/08/2004	JT
Aroclor 1016	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1221	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1232	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1242	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1248	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1254	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT
Aroclor 1260	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 108
 July 30, 2004
 Submission # 407000100
 Order # 53966
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@1'
 Collected: 07/01/04 14:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/Kg	3550/8081-82	7500.000	07/07/2004	07/08/2004	JT
Chlordane	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/08/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	24.80	%					
8141A Organophosphorus Pesticides in Soils			MEDF	30			
Demeton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Disulfoton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Diazinon	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Malathion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Methyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Ethyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Ethion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Azinphos, Methyl (Guthion)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Fenthion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Chlorpyrifos (Dursban)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Simazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Atrazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Surrogate: Stirophos	129.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 109
 July 30, 2004
 Submission # 407000100
 Order # 53966
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@1'
 Collected: 07/01/04 14:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
8151A Chlorophenoxy Herbicides in Soil, Wastes			MEDF	1			
Dalapon	BDL	ug/Kg	8151A	1160.000	07/08/2004	07/13/2004	JT
Dicamba	BDL	ug/Kg	8151A	54.000	07/08/2004	07/13/2004	JT
2,4-D	BDL	ug/Kg	8151A	240.000	07/08/2004	07/13/2004	JT
Pentachlorophenol	BDL	ug/Kg	8151A	240.000	07/08/2004	07/13/2004	JT
2,4,5-TP (silvex)	BDL	ug/Kg	8151A	34.000	07/08/2004	07/13/2004	JT
2,4,5-T	BDL	ug/Kg	8151A	30.000	07/08/2004	07/13/2004	JT
Dinoseb	BDL	ug/Kg	8151A	14.000	07/08/2004	07/13/2004	JT
Picloram	BDL	ug/Kg	8151A	240.000	07/08/2004	07/13/2004	JT
Dichloroprop	BDL	ug/Kg	8151A	100.000	07/08/2004	07/13/2004	JT
2,4-DB	BDL	ug/Kg	8151A	100.000	07/08/2004	07/13/2004	JT
MCPP	BDL	ug/Kg	8151A	660.000	07/08/2004	07/13/2004	JT
MCPA	BDL	ug/Kg	8151A	430.000	07/08/2004	07/13/2004	JT
Surrogate: Acifluorfen	10.70	%					
8260.B Volatile Org.in Solids & Waste by GC/MS			MEDF	10			
Acetone	BDL	mg/Kg	5035/8260B	10.000	07/05/2004	07/05/2004	SKL
Acrolein	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Acrylonitrile	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 110
 July 30, 2004
 Submission # 407000100
 Order # 53966
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@1'
 Collected: 07/01/04 14:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Methyl Ethyl Ketone	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Dichlorodifluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Chloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Vinyl Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Bromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Chloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Trichlorofluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,1-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Methylene Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Trans-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Methyl-Tert-Butyl Ether	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,1-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
2,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Cis-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Chloroform	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Bromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,1,1-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,1-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 111
 July 30, 2004
 Submission # 407000100
 Order # 53966
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@1'
 Collected: 07/01/04 14:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Benzene	1-0.72	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Trichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Bromodichloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
2-Chloroethylvinyl Ether	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Dibromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Cis-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Toluene	24.0	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Trans-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,1,2-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,3-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Tetrachloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Dibromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2-Dibromoethane (EDB)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Bromobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Chlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 112
 July 30, 2004
 Submission # 407000100
 Order # 53966
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@1'
 Collected: 07/01/04 14:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Ethylbenzene	4.87	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
m & p-Xylene	19.3	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
o-Xylene	6.6	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Total Xylene	25.9	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Styrene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Isopropylbenzene	1.26	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Bromoform	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2,3-Trichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,3,5-Trimethylbenzene	3.50	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
2-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
4-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Tert-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2,4-Trimethylbenzene	11.9	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Sec-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
P-Isopropyltoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,3-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 113
 July 30, 2004
 Submission # 407000100
 Order # 53966
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@1'
 Collected: 07/01/04 14:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,4-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
n-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
n-Propylbenzene	1.69	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2,4-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Hexachlorobutadiene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Naphthalene	2.28	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2,3-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
SURROGATE: Diethyl ether	84.50	%					
SURROGATE: Toluene-D8	103.25	%					
SURROGATE: Bromofluorobenzene	102.80	%					
8270.C Semivol. Org. in Solids & Waste by GC/MS			MEDIA	30			
N-Nitrosodimethylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Phenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-MethylPhenol (o-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
3-Methyl Phenol (m-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-MethylPhenol (p-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 114
 July 30, 2004
 Submission # 407000100
 Order # 53966
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@1'
 Collected: 07/01/04 14:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bis (2-Chloroethyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Chlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,3-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,4-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzyl Alcohol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,2-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
N-Nitrosodi-N-Propylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Hexachloroethane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Nitrobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Isophorone	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dimethylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis (2-Chloroethoxy)methane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,2,3-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,2,4-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Naphthalene	27.2	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 115
 July 30, 2004
 Submission # 407000100
 Order # 53966
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@1'
 Collected: 07/01/04 14:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Hexachlorobutadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Chloro-3-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1-Methylnaphthalene	33.3	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Methylnaphthalene	81.2	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Hexachlorocyclopentadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,3,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4,5-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Chloronaphthalene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dimethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Acenaphthylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,6-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Acenaphthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dinitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Diethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Fluorene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 116
 July 30, 2004
 Submission # 407000100
 Order # 53966
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@1'
 Collected: 07/01/04 14:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chlorophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,6-Dinitro-2-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
N-Nitrosodiphenylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Bromophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Hexachlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Pentachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Phenanthrene	36.8	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Di-N-Butyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Butyl Benzyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzo(A)Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
3,3-Dichlorobenzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Chrysene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Di-N-Octyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 117
 July 30, 2004
 Submission # 407000100
 Order # 53966
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@1'
 Collected: 07/01/04 14:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(B)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzo(K)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzo(A)Pyrene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/08/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dibenzo (A,H) Anthracene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/08/2004	ME
Benzo(G,H,I)Perylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis-2-ethylhexyl Adipate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Aldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
α -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
β -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
δ -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
γ -BHC (Lindane)(screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Chlordane (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,4'-DDD (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,4'-DDE (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,4'-DDT (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dieldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endosulfan I (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 118
 July 30, 2004
 Submission # 407000100
 Order # 53966
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@1'
 Collected: 07/01/04 14:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan II (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endosulfan Sulfate (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endrin Aldehyde (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Heptachlor (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Heptachlor Epoxide (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Toxaphene (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1016 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1221 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1232 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1242 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1248 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1254 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1260 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dioxin (screen)	BDL	mg/Kg	3550/8270C	30.000	07/06/2004	07/08/2004	ME
Azobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Methoxychlor	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzoic Acid	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 119
 July 30, 2004
 Submission # 407000100
 Order # 53966
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@1'
 Collected: 07/01/04 14:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Aniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Chloroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dibenzofuran	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
3-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Carbazole	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,6-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Pyridine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
SURROGATE: 2-Fluorophenol	31.60	%					
SURROGATE: Phenol-D6	46.85	%					
SURROGATE: 2,4,6-Tribromophenyl	72.00	%					
SURROGATE: D5-Nitrobenzene	55.00	%					
SURROGATE: 2-Fluorobiphenyl	78.20	%					
SURROGATE: 4-Terphenyl-D14	69.80	%					
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL			MEDF	30			

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 120
July 30, 2004
Submission # 407000100
Order # 53966
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-104@1'
Collected: 07/01/04 14:00
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
GRO (C8-C10) Range	262	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	3940	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	1890	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	6090	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
SURROGATE: n-Nonatriacontane(C-39)	75.70	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries, please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE. DILUTION NEEDED.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 121
 July 30, 2004
 Submission # 407000100
 Order # 53967
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@25'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU/Lb.	PARR	40.0	07/10/2004	07/10/2004	EP
Karlfisher %Water in Soils & Wastes(02)	83.0	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}			MEDF	1			
Arsenic, Total	BDL	mg/Kg	3050/6010	0.700	07/02/2004	07/09/2004	SB
Barium, Total	74.9	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Cadmium, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Chromium, Total	19.1	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Lead, Total	76.4	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Selenium, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Silver, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Mercury (Cold Vapor AA)	0.147	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids			MEDF	30			
a-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
b-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
g-BHC (lindane)	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
d-BHC	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Heptachlor	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Aldrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 122
 July 30, 2004
 Submission # 407000100
 Order # 53967
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@25'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Endosulfan I	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Dieldrin	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
4,4-DDE	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Endrin	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Endosulfan II	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
4,4-DDD	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Endrin Aldehyde	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Endosulfan Sulfate	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
4,4-DDT	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
Methoxychlor	BDL	ug/Kg	3550/8081-82	5400.000	07/07/2004	07/15/2004	JT
Aroclor 1016	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1221	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1232	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1242	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1248	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1254	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT
Aroclor 1260	BDL	ug/Kg	3550/8081-82	600.000	07/07/2004	07/15/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 123
 July 30, 2004
 Submission # 407000100
 Order # 53967
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@25'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/Kg	3550/8081-82	7500.000	07/07/2004	07/15/2004	JT
Chlordane	BDL	ug/Kg	3550/8081-82	300.000	07/07/2004	07/15/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
8141A Organophosphorus Pesticides in Soils			MEDIA	30			
Demeton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Disulfoton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Diazinon	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Malathion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Methyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Ethyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Ethion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Azinphos, Methyl (Guthion)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Fenthion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Chlorpyrifos (Dursban)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Simazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Atrazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Surrogate: Stirophos	58.20	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 124
 July 30, 2004
 Submission # 407000100
 Order # 53967
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@25'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
8151A Chlorophenoxy Herbicides in Soil, Wastes			MEDF	30			
Dalapon	BDL	ug/Kg	8151A	34800.000	07/08/2004	07/13/2004	JT
Dicamba	BDL	ug/Kg	8151A	1620.000	07/08/2004	07/13/2004	JT
2,4-D	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Pentachlorophenol	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
2,4,5-TP (silvex)	BDL	ug/Kg	8151A	1020.000	07/08/2004	07/13/2004	JT
2,4,5-T	BDL	ug/Kg	8151A	900.000	07/08/2004	07/13/2004	JT
Dinoseb	BDL	ug/Kg	8151A	420.000	07/08/2004	07/13/2004	JT
Picloram	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Dichloroprop	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
2,4-DB	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
MCP	BDL	ug/Kg	8151A	19800.000	07/08/2004	07/13/2004	JT
MCPA	BDL	ug/Kg	8151A	12900.000	07/08/2004	07/13/2004	JT
Surrogate: Acifluorfen	9.70	%					
8260.B Volatile Org.in Solids & Waste by GC/MS			MEDF	10			
Acetone	BDL	mg/Kg	5035/8260B	10.000	07/23/2004	07/23/2004	PMD
Acrolein	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Acrylonitrile	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 125
 July 30, 2004
 Submission # 407000100
 Order # 53967
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@25'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Methyl Ethyl Ketone	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Dichlorodifluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Chloromethane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Vinyl Chloride	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Bromomethane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Chloroethane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Trichlorofluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,1-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Methylene Chloride	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Trans-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Methyl-Tert-Butyl Ether	11.0	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,1-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
2,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Cis-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Chloroform	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Bromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,1,1-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,1-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 126
 July 30, 2004
 Submission # 407000100
 Order # 53967
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@25'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Benzene	18.6	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,2-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Trichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Bromodichloromethane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
2-Chloroethylvinyl Ether	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Dibromomethane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Cis-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Toluene	243	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Trans-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,1,2-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,3-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Tetrachloroethene	9.47	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Dibromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,2-Dibromoethane (EDB)	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Bromobenzene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Chlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 127
 July 30, 2004
 Submission # 407000100
 Order # 53967
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@25'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Ethylbenzene	56.4	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,1,1,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
m & p-Xylene	231	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
o-Xylene	99.9	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Total Xylene	331	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Styrene	2.14	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Isopropylbenzene	11.9	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Bromoform	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,1,2,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,2,3-Trichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,3,5-Trimethylbenzene	76.1	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
2-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
4-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Tert-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,2,4-Trimethylbenzene	309	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Sec-Butylbenzene	15.9	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
P-Isopropyltoluene	18.7	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,3-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 128
 July 30, 2004
 Submission # 407000100
 Order # 53967
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@25'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,4-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
n-Butylbenzene	63.6	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
n-PropylBenzene	30.5	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,2-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,2,4-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Hexachlorobutadiene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Naphthalene	82.5	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,2,3-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
SURROGATE: Diethyl ether	91.50	%					
SURROGATE: Toluene-D8	100.50	%					
SURROGATE: Bromofluorobenzene	104.40	%					
8270.C Semivol. Org. in Solids & Waste by GC/MS			MEDF	30			
N-Nitrosodimethylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Phenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-MethylPhenol (o-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
3-Methyl Phenol (m-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-MethylPhenol (p-cresol)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 129
 July 30, 2004
 Submission # 407000100
 Order # 53967
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@25'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bis (2-Chloroethyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Chlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,3-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,4-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzyl Alcohol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,2-Dichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
N-Nitrosodi-N-Propylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Hexachloroethane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Nitrobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Isophorone	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dimethylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis (2-Chloroethoxy)methane	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,2,3-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1,2,4-Trichlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Naphthalene	2110	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 130
 July 30, 2004
 Submission # 407000100
 Order # 53967
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@25'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Hexachlorobutadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Chloro-3-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1-Methylnaphthalene	2020	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Methylnaphthalene	5550	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Hexachlorocyclopentadiene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,3,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4,5-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Chloronaphthalene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dimethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Acenaphthylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,6-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Acenaphthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dinitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,4-Dinitrotoluene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Nitrophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Diethyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Fluorene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 131
 July 30, 2004
 Submission # 407000100
 Order # 53967
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@25'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chlorophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,6-Dinitro-2-Methylphenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
N-Nitrosodiphenylamine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Bromophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Hexachlorobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Pentachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Phenanthrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Di-N-Butyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Butyl Benzyl Phthalate	2370	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzo(A)Anthracene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
3,3-Dichlorobenzidine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Chrysene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Di-N-Octyl Phthalate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 132
 July 30, 2004
 Submission # 407000100
 Order # 53967
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@25'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(B)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzo(K)Fluoranthene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzo(A)Pyrene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/08/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dibenzo (A,H) Anthracene	BDL	mg/Kg	3550/8270C	3.000	07/06/2004	07/08/2004	ME
Benzo(G,H,I)Perylene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Bis-2-ethylhexyl Adipate	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Aldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
α -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
β -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
δ -BHC (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
γ -BHC (Lindane)(screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Chlordane (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,4'-DDD (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,4'-DDE (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4,4'-DDT (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dieldrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endosulfan I (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 133
 July 30, 2004
 Submission # 407000100
 Order # 53967
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@25'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan II (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endosulfan Sulfate (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endrin (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Endrin Aldehyde (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Heptachlor (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Heptachlor Epoxide (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Toxaphene (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1016 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1221 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1232 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1242 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1248 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1254 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
PCB-1260 (screen)	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dioxin (screen)	BDL	mg/Kg	3550/8270C	30.000	07/06/2004	07/08/2004	ME
Azobenzene	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Methoxychlor	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Benzoic Acid	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 134
 July 30, 2004
 Submission # 407000100
 Order # 53967
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@25'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Aniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Chloroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Dibenzofuran	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
3-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
4-Nitroaniline	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Carbazole	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,6-Dichlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Pyridine	BDL	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
SURROGATE: 2-Fluorophenol	57.50	%					
SURROGATE: Phenol-D6	51.50	%					
SURROGATE: 2,4,6-Tribromophenyl	59.00	%					
SURROGATE: D5-Nitrobenzene	66.20	%					
SURROGATE: 2-Fluorobiphenyl	57.30	%					
SURROGATE: 4-Terphenyl-D14	103.00	%					
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL			MEDF	30			

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 135
July 30, 2004
Submission # 407000100
Order # 53967
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-105@25'
Collected: 07/01/04 14:55
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
GRO (C8-C10) Range	4160	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
DRO (C10-C28) Range	67000	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TRO (C28-C40) Range	18400	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TOTAL PRO (C8-C40)	89600	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
SURROGATE: n-Nonatriacontane(C-39)	12.40	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries, please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE. DILUTION NEEDED.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 136
 July 30, 2004
 Submission # 407000100
 Order # 53968
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@3'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL		PARR		07/10/2004	07/10/2004	EP
Karlfisher % Water in Soils & Wastes(02)	89.4		Karl Fischer		07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}			MEDF	1			
Arsenic, Total	BDL		3050/6010		07/02/2004	07/09/2004	SB
Barium, Total	BDL		3050/6010		07/02/2004	07/09/2004	SB
Cadmium, Total	BDL		3050/6010		07/02/2004	07/09/2004	SB
Chromium, Total	BDL		3050/6010		07/02/2004	07/09/2004	SB
Lead, Total	BDL		3050/6010		07/02/2004	07/09/2004	SB
Selenium, Total	BDL		3050/6010		07/02/2004	07/09/2004	SB
Silver, Total	BDL		3050/6010		07/02/2004	07/09/2004	SB
Mercury (Cold Vapor AA)	0.414		7471A		07/02/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER			MEDF	5.0			
a-BHC	BDL	ug/L	EPA 608/8081	0.050	07/06/2004	07/14/2004	JT
b-BHC	BDL	ug/L	EPA 608/8081	0.050	07/06/2004	07/14/2004	JT
g-BHC (lindane)	BDL	ug/L	EPA 608/8081	0.050	07/06/2004	07/14/2004	JT
d-BHC	BDL	ug/L	EPA 608/8081	0.050	07/06/2004	07/14/2004	JT
Heptachlor	BDL	ug/L	EPA 608/8081	0.050	07/06/2004	07/14/2004	JT
Aldrin	BDL	ug/L	EPA 608/8081	0.050	07/06/2004	07/14/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 137
 July 30, 2004
 Submission # 407000100
 Order # 53968
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@3'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/L	EPA 608/3081	0.450	07/06/2004	07/14/2004	JT
Endosulfan I	BDL	ug/L	EPA 608/3081	0.050	07/06/2004	07/14/2004	JT
Dieldrin	BDL	ug/L	EPA 608/3081	0.050	07/06/2004	07/14/2004	JT
4,4-DDE	BDL	ug/L	EPA 608/3081	0.050	07/06/2004	07/14/2004	JT
Endrin	BDL	ug/L	EPA 608/3081	0.050	07/06/2004	07/14/2004	JT
Endosulfan II	BDL	ug/L	EPA 608/3081	0.050	07/06/2004	07/14/2004	JT
4,4-DDD	BDL	ug/L	EPA 608/3081	0.050	07/06/2004	07/14/2004	JT
Endrin Aldehyde	BDL	ug/L	EPA 608/3081	0.100	07/06/2004	07/14/2004	JT
Endosulfan Sulfate	BDL	ug/L	EPA 608/3081	0.050	07/06/2004	07/14/2004	JT
4,4-DDT	BDL	ug/L	EPA 608/3081	0.050	07/06/2004	07/14/2004	JT
Methoxychlor (Screen Only)	BDL	ug/L	EPA 608/3081	0.050	07/06/2004	07/14/2004	JT
Aroclor 1016	BDL	ug/L	EPA 608/3081	0.350	07/06/2004	07/14/2004	JT
Aroclor 1221	BDL	ug/L	EPA 608/3081	0.350	07/06/2004	07/14/2004	JT
Aroclor 1232	BDL	ug/L	EPA 608/3081	0.350	07/06/2004	07/14/2004	JT
Aroclor 1242	BDL	ug/L	EPA 608/3081	0.350	07/06/2004	07/14/2004	JT
Aroclor 1248	BDL	ug/L	EPA 608/3081	0.350	07/06/2004	07/14/2004	JT
Aroclor 1254	BDL	ug/L	EPA 608/3081	0.350	07/06/2004	07/14/2004	JT
Aroclor 1260	BDL	ug/L	EPA 608/3081	0.350	07/06/2004	07/14/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 138
 July 30, 2004
 Submission # 407000100
 Order # 53968
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@3'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/L	EPA 608/8081	1.250	07/06/2004	07/14/2004	JT
Chlordane	BDL	ug/L	EPA 608/8081	0.050	07/06/2004	07/14/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
614 Organophosphorus Pesticides in Water			MEDF	5			
Demeton	BDL	ug/L	614/8141	0.500	07/08/2004	07/12/2004	YA
Disulfoton	BDL	ug/L	614/8141	1.000	07/08/2004	07/12/2004	YA
Diazinon	BDL	ug/L	614/8141	1.000	07/08/2004	07/12/2004	YA
Malathion	BDL	ug/L	614/8141	0.500	07/08/2004	07/12/2004	YA
Parathion, Methyl	BDL	ug/L	614/8141	0.200	07/08/2004	07/12/2004	YA
Parathion, Ethyl	BDL	ug/L	614/8141	0.200	07/08/2004	07/12/2004	YA
Ethion	BDL	ug/L	614/8141	1.000	07/08/2004	07/12/2004	YA
Azinphos, Methyl (Guthion)	BDL	ug/L	614/8141	1.000	07/08/2004	07/12/2004	YA
Mirex	BDL	ug/L	614/8141	0.005	07/08/2004	07/12/2004	YA
Fenthion	BDL	ug/L	614/8141	1.000	07/08/2004	07/12/2004	YA
Chlorpyrifos (Dursban)	BDL	ug/L	614/8141	1.000	07/08/2004	07/12/2004	YA
Surrogate: Stirophos	47.80	%					
615 Chlorophenoxy Acid Herbicides in Water			MEDF	50			

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 139
 July 30, 2004
 Submission # 407000100
 Order # 53968
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@3'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dalapon	BDL	ug/L	615/8151	290.000	07/07/2004	07/10/2004	JT
Dicamba	BDL	ug/L	615/8151	10.000	07/07/2004	07/10/2004	JT
2,4-D	BDL	ug/L	615/8151	60.000	07/07/2004	07/10/2004	JT
2,4,5-TP (silvex)	BDL	ug/L	615/8151	10.000	07/07/2004	07/10/2004	JT
Dinoseb	BDL	ug/L	615/8151	10.000	07/07/2004	07/10/2004	JT
Pentachlorophenol	BDL	ug/L	615/8151	10.000	07/07/2004	07/10/2004	JT
2,4,5 T	BDL	ug/L	615/8151	10.000	07/07/2004	07/10/2004	JT
Picloram	BDL	ug/L	615/8151	10.000	07/07/2004	07/10/2004	JT
Dichloroprop	BDL	ug/L	615/8151	10.000	07/07/2004	07/10/2004	JT
2,4-DB	BDL	ug/L	615/8151	10.000	07/07/2004	07/10/2004	JT
MCPPP	BDL	ug/L	615/8151	10.000	07/07/2004	07/10/2004	JT
MCPA	BDL	ug/L	615/8151	10.000	07/07/2004	07/10/2004	JT
Surrogate: Acifluorfen	0.00	%					
8260.B Volatile Organics in Water by GC/MS			MEDF	100			
Acetone	BDL	ug/L	5030/8260B	10000.000	07/14/2004	07/14/2004	PMD
Acrolein	BDL	ug/L	5030/8260B	1500.000	07/14/2004	07/14/2004	PMD
Acrylonitrile	BDL	ug/L	5030/8260B	1500.000	07/14/2004	07/14/2004	PMD
Methyl Ethyl Ketone	15400	ug/L	5030/8260B	1000.000	07/14/2004	07/14/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 140
 July 30, 2004
 Submission # 407000100
 Order # 53968
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@3'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dichlorodifluoromethane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Chloromethane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Vinyl Chloride	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Bromomethane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Chloroethane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Trichlorofluoromethane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,1-Dichloroethene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Methylene Chloride	3730	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Trans-1,2-Dichloroethene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Methyl-Tert-Butyl Ether	224	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,1-Dichloroethane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
2,2-Dichloropropane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Cis-1,2-Dichloroethene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Chloroform	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Bromochloromethane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,1,1-Trichloroethane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,1-Dichloropropene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Carbon Tetrachloride	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 141
 July 30, 2004
 Submission # 407000100
 Order # 53968
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@3'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzene	1-14.4	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,2-Dichloroethane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Trichloroethene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,2-Dichloropropane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Bromodichloromethane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
2-Chloroethylvinyl Ether	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Dibromomethane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Cis-1,3-Dichloropropene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Toluene	263	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Trans-1,3-Dichloropropene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,1,2-Trichloroethane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,3-Dichloropropane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Tetrachloroethene	1-65.8	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Dibromochloromethane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,2-Dibromoethane (EDB)	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Bromobenzene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Chlorobenzene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Ethylbenzene	117	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 142
 July 30, 2004
 Submission # 407000100
 Order # 53968
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@3'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,1,2-Tetrachloroethane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
m & p-Xylene	491	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
o-Xylene	205	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Total Xylene	696	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Styrene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Isopropylbenzene	I-30.0	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Bromoform	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,1,2,2-Tetrachloroethane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,2,3-Trichloropropane	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,3,5-Trimethylbenzene	233	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
2-Chlorotoluene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
4-Chlorotoluene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Tert-Butylbenzene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,2,4-Trimethylbenzene	1120	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Sec-Butylbenzene	I-35.2	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
P-Isopropyltoluene	I-54.0	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,3-Dichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,4-Dichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 143
 July 30, 2004
 Submission # 407000100
 Order # 53968
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@3'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
n-Butylbenzene	150	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
n-PropylBenzene	1-86.2	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,2-Dichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,2,4-Trichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Hexachlorobutadiene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Naphthalene	1040	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,2,3-Trichlorobenzene	BDL	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
SURROGATE: Diethyl ether	183.75	%					
SURROGATE: Toluene-D8	98.25	%					
SURROGATE: Bromofluorobenzene	90.80	%					
8270.C Semivolatile Organics in Water by GC-MS			MEDF	5			
N-Nitrosodimethylamine	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Phenol	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethyl) Ether	BDL	ug/L	3510/8270C	20.000	07/06/2004	07/09/2004	ME
2-Chlorophenol	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
1,3-Dichlorobenzene	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
1,4-Dichlorobenzene	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 144
 July 30, 2004
 Submission # 407000100
 Order # 53968
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@3'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzyl Alcohol	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
1,2-Dichlorobenzene	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
N-Nitrosodi-N-Propylamine	BDL	ug/L	3510/8270C	20.000	07/06/2004	07/09/2004	ME
Hexachloroethane	BDL	ug/L	3510/8270C	12.500	07/06/2004	07/09/2004	ME
Nitrobenzene	BDL	ug/L	3510/8270C	20.000	07/06/2004	07/09/2004	ME
Isophorone	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
2-Nitrophenol	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
2,4-Dimethylphenol	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethoxy)methane	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
2,4-Dichlorophenol	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
1,2,3-Trichlorobenzene	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
1,2,4-Trichlorobenzene	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Naphthalene	538	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Hexachlorobutadiene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Chloro-3-Methylphenol	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
1-Methylnaphthalene	727	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	1930	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 145
 July 30, 2004
 Submission # 407000100
 Order # 53968
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@3'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
2-Methylphenol (o-cresol)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Hexachlorocyclopentadiene	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
3-Methylphenol (m-cresol)	667	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	667	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
2,3,6-Trichlorophenol	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
2,4,5-Trichlorophenol	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
2,4,6-Trichlorophenol	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
2-Chloronaphthalene	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Dimethyl Phthalate	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Acenaphthylene	BDL	ug/L	3510/8270C	15.000	07/06/2004	07/09/2004	ME
2,6-Dinitrotoluene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Acenaphthene	BDL	ug/L	3510/8270C	15.000	07/06/2004	07/09/2004	ME
2,4-Dinitrophenol	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
2,4-Dinitrotoluene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Nitrophenol	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Diethyl Phthalate	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Fluorene	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
4-Chlorophenyl Phenyl Ether	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 146
 July 30, 2004
 Submission # 407000100
 Order # 53968
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@3'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4,6-Dinitro-2-Methylphenol	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
N-Nitrosodiphenylamine	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
4-Bromophenyl Phenyl Ether	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Hexachlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Pentachlorophenol	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Phenanthrene	319	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Anthracene	BDL	ug/L	3510/8270C	1.500	07/06/2004	07/09/2004	ME
Di-N-Butyl Phthalate	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Fluoranthene	BDL	ug/L	3510/8270C	1.500	07/06/2004	07/09/2004	ME
Benzidine	BDL	ug/L	3510/8270C	50.000	07/06/2004	07/09/2004	ME
Pyrene	BDL	ug/L	3510/8270C	1.500	07/06/2004	07/09/2004	ME
Butyl Benzyl Phthalate	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Benzo(A)Anthracene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
3,3-Dichlorobenzidine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Chrysene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Di-N-Octyl Phthalate	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Benzo(B)Fluoranthene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 147
 July 30, 2004
 Submission # 407000100
 Order # 53968
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@3'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(K)Fluoranthene	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
Benzo(A)Pyrene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Dibenzo(A,H,)Anthracene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Benzo(G,H,I)Perylene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Bis-2-ethylhexyl Adipate	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Aldrin (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
alpha-BHC (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
beta-BHC (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
delta-BHC (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
gamma-BHC (Lindane) (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Chlordane (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
4,4'-DDD (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
4,4'-DDE (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
4,4'-DDT (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Dieldrin (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Endosulfan I (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Endosulfan II (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 148
 July 30, 2004
 Submission # 407000100
 Order # 53968
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@3'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan Sulfate (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Endrin (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Endrin Aldehyde (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Heptachlor (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Heptachlor Epoxide (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Toxaphene (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
PCB-1016 (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
PCB-1221 (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
PCB-1232 (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
PCB-1242 (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
PCB-1248 (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
PCB-1254 (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
PCB-1260 (screen)	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Dioxin (screen)	BDL	ug/L	3510/8270C	50.000	07/06/2004	07/09/2004	ME
Azobenzene	BDL	ug/L	3510/8270C	20.000	07/06/2004	07/09/2004	ME
Methoxychlor	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Benzoic Acid	21100	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Aniline	BDL	ug/L	3510/8270C	20.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 149
 July 30, 2004
 Submission # 407000100
 Order # 53968
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-102@3'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chloroaniline	BDL	ug/L	3510/8270C	12.500	07/06/2004	07/09/2004	ME
Dibenzofuran	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
2-Nitroaniline	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
3-Nitroaniline	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
4-Nitroaniline	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Carbazole	BDL	ug/L	3510/8270C	20.000	07/06/2004	07/09/2004	ME
2,6-Dichlorophenol	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Pyridine	BDL	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
SURROGATE: 2-Fluorophenol	98.00	%					
SURROGATE: Phenol-D6	108.50	%					
SURROGATE: 2,4,6-Tribromophenol	0.00	%					
SURROGATE: D5-Nitrobenzene	0.00	%					
SURROGATE: 2-Fluorobiphenyl	28.10	%					
SURROGATE: 4-Terphenyl-D14	19.50	%					
FL-PRO (Petroleum Residual Organic w/ranges)-WATER			MEDF	5.0			
GRO (C8-C10) Range	299	mg/L	FL-PRO	2.500	07/06/2004	07/08/2004	SMF/JV

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 150
July 30, 2004
Submission # 407000100
Order # 53968
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-102@3'
Collected: 07/01/04 13:00
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
DRO (C10-C28) Range	1730	mg/L	FL-PRO	2.500	07/06/2004	07/08/2004	SMF/JV
TRO (C28-C40) Range	665	mg/L	FL-PRO	2.500	07/06/2004	07/08/2004	SMF/JV
TOTAL PRO (C8-C40)	2690	mg/L	FL-PRO	2.500	07/06/2004	07/08/2004	SMF/JV
SURROGATE : n-Nonatraicontane(C-39)	0.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries, please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE. DILUTION NEEDED.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 151
 July 30, 2004
 Submission # 407000100
 Order # 53969
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@23
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	18978	BTU/Lb.	PARR	40.0	07/10/2004	07/10/2004	EP
Karlfisher %Water in Soils & Wastes(02)	BDL	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}			MEDF	1			
Arsenic, Total	BDL	mg/Kg	3050/6010	0.700	07/02/2004	07/09/2004	SB
Barium, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Cadmium, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Chromium, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Lead, Total	2.3	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Selenium, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Silver, Total	BDL	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Mercury (Cold Vapor AA)	BDL	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids			MEDF	1			
a-BHC	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
b-BHC	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
g-BHC (lindane)	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
d-BHC	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
Heptachlor	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
Aldrin	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 152
 July 30, 2004
 Submission # 407000100
 Order # 53969
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@23
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
Endosulfan I	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
Dieldrin	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT
4,4-DDE	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
Endrin	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
Endosulfan II	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
4,4-DDD	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
Endrin Aldehyde	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT
Endosulfan Sulfate	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
4,4-DDT	BDL	ug/Kg	3550/8081-82	10.000	07/07/2004	07/08/2004	JT
Methoxychlor	BDL	ug/Kg	3550/8081-82	180.000	07/07/2004	07/08/2004	JT
Aroclor 1016	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT
Aroclor 1221	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT
Aroclor 1232	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT
Aroclor 1242	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT
Aroclor 1248	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT
Aroclor 1254	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT
Aroclor 1260	BDL	ug/Kg	3550/8081-82	20.000	07/07/2004	07/08/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 153
 July 30, 2004
 Submission # 407000100
 Order # 53969
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@23
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/Kg	3550/80&1-82	250.000	07/07/2004	07/08/2004	JT
Chlordane	BDL	ug/Kg	3550/80&1-82	10.000	07/07/2004	07/08/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
8141A Organophosphorus Pesticides in Soils			MEDF	30			
Demeton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Disulfoton	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Diazinon	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Malathion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Methyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Parathion, Ethyl	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Ethion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Azinphos, Methyl (Guthion)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Fenthion	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Chlorpyrifos (Dursban)	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Simazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Atrazine	BDL	ug/Kg	3550/8141A	60.000	07/07/2004	07/12/2004	JT
Surrogate: Stirophos	0.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 154
 July 30, 2004
 Submission # 407000100
 Order # 53969
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@23
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
8151A Chlorophenoxy Herbicides in Soil, Wastes			MEDF	30			
Dalapon	BDL	ug/Kg	8151A	34800.000	07/08/2004	07/13/2004	JT
Dicamba	BDL	ug/Kg	8151A	1620.000	07/08/2004	07/13/2004	JT
2,4-D	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Pentachlorophenol	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
2,4,5-TP (silvex)	BDL	ug/Kg	8151A	1020.000	07/08/2004	07/13/2004	JT
2,4,5-T	BDL	ug/Kg	8151A	900.000	07/08/2004	07/13/2004	JT
Dinoseb	BDL	ug/Kg	8151A	420.000	07/08/2004	07/13/2004	JT
Picloram	BDL	ug/Kg	8151A	7200.000	07/08/2004	07/13/2004	JT
Dichloroprop	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
2,4-DB	BDL	ug/Kg	8151A	3000.000	07/08/2004	07/13/2004	JT
MCPP	BDL	ug/Kg	8151A	19800.000	07/08/2004	07/13/2004	JT
MCPA	BDL	ug/Kg	8151A	12900.000	07/08/2004	07/13/2004	JT
Surrogate: Acifluorfen	14.50	%					
8260.B Volatile Org.in Solids & Waste by GC/MS			MEDF	10			
Acetone	BDL	mg/Kg	5035/8260B	10.000	07/05/2004	07/05/2004	SKL
Acrolein	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Acrylonitrile	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 155
July 30, 2004
Submission # 407000100
Order # 53969
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-104@23
Collected: 07/01/04 14:30
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Methyl Ethyl Ketone	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Dichlorodifluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Chloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Vinyl Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Bromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Chloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Trichlorofluoromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,1-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Methylene Chloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Trans-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Methyl-Tert-Butyl Ether	5.3	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,1-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
2,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Cis-1,2-Dichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Chloroform	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Bromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,1,1-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,1-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 156
 July 30, 2004
 Submission # 407000100
 Order # 53969
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@23
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Benzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2-Dichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Trichloroethene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Bromodichloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
2-Chloroethylvinyl Ether	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Dibromomethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Cis-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Toluene	11.8	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Trans-1,3-Dichloropropene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,1,2-Trichloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,3-Dichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Tetrachloroethene	27.8	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Dibromochloromethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2-Dibromoethane (EDB)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Bromobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Chlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 157
 July 30, 2004
 Submission # 407000100
 Order # 53969
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@23
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Ethylbenzene	13.6	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
m & p-Xylene	66.8	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
o-Xylene	41.4	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Total Xylene	108	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Styrene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Isopropylbenzene	6.51	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Bromoform	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2,3-Trichloropropane	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,3,5-Trimethylbenzene	83.1	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
2-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
4-Chlorotoluene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Tert-Butylbenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2,4-Trimethylbenzene	291	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Sec-Butylbenzene	11.3	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
P-Isopropyltoluene	22.4	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,3-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 158
 July 30, 2004
 Submission # 407000100
 Order # 53969
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@23
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,4-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
n-Butylbenzene	87.4	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
n-Propylbenzene	27.7	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2-Dichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2,4-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Hexachlorobutadiene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Naphthalene	222	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2,3-Trichlorobenzene	BDL	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
SURROGATE: Diethyl ether	90.13	%					
SURROGATE: Toluene-D8	102.00	%					
SURROGATE: Bromofluorobenzene	120.00	%					
8270.C Semivol. Org. in Solids & Waste by GC/MS			MEDF	10			
N-Nitrosodimethylamine	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Phenol	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2-MethylPhenol (o-cresol)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
3-Methyl Phenol (m-cresol)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
4-MethylPhenol (p-cresol)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 159
 July 30, 2004
 Submission # 407000100
 Order # 53969
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@23
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bis (2-Chloroethyl) Ether	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2-Chlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
1,3-Dichlorobenzene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
1,4-Dichlorobenzene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Benzyl Alcohol	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
1,2-Dichlorobenzene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Bis (2-Chloroisopropyl) Ether	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
N-Nitrosodi-N-Propylamine	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Hexachloroethane	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Nitrobenzene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Isophorone	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2-Nitrophenol	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2,4-Dimethylphenol	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Bis (2-Chloroethoxy)methane	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2,4-Dichlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
1,2,3-Trichlorobenzene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
1,2,4-Trichlorobenzene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Naphthalene	437	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 160
 July 30, 2004
 Submission # 407000100
 Order # 53969
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@23
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Hexachlorobutadiene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
4-Chloro-3-Methylphenol	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
1-Methylnaphthalene	440	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2-Methylnaphthalene	1100	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Hexachlorocyclopentadiene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2,3,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2,4,5-Trichlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2,4,6-Trichlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2-Chloronaphthalene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Dimethyl Phthalate	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Acenaphthylene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2,6-Dinitrotoluene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Acenaphthene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2,4-Dinitrophenol	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2,4-Dinitrotoluene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
4-Nitrophenol	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Diethyl Phthalate	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Fluorene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 161
 July 30, 2004
 Submission # 407000100
 Order # 53969
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@23
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chlorophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
4,6-Dinitro-2-Methylphenol	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
N-Nitrosodiphenylamine	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
4-Bromophenyl Phenyl Ether	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Hexachlorobenzene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Pentachlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Phenanthrene	264	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Anthracene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Di-N-Butyl Phthalate	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Fluoranthene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Benzidine	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Pyrene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Butyl Benzyl Phthalate	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Benzo(A)Anthracene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
3,3-Dichlorobenzidine	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Chrysene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Bis (2 Ethylhexyl) Phthalate	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Di-N-Octyl Phthalate	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 162
 July 30, 2004
 Submission # 407000100
 Order # 53969
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@23
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(B)Fluoranthene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Benzo(K)Fluoranthene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Benzo(A)Pyrene	BDL	mg/Kg	3550/8270C	1.000	07/08/2004	07/11/2004	MD
Indeno(1,2,3-CD)Pyrene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Dibenzo (A,H) Anthracene	BDL	mg/Kg	3550/8270C	1.000	07/08/2004	07/11/2004	MD
Benzo(G,H,I)Perylene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Bis-2-ethylhexyl Adipate	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Aldrin (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
α -BHC (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
β -BHC (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
δ -BHC (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
γ -BHC (Lindane)(screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Chlordane (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
4,4'-DDD (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
4,4'-DDE (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
4,4'-DDT (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Dieldrin (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Endosulfan I (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 163
 July 30, 2004
 Submission # 407000100
 Order # 53969
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@23
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan II (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Endosulfan Sulfate (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Endrin (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Endrin Aldehyde (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Heptachlor (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Heptachlor Epoxide (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Toxaphene (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
PCB-1016 (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
PCB-1221 (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
PCB-1232 (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
PCB-1242 (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
PCB-1248 (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
PCB-1254 (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
PCB-1260 (screen)	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Dioxin (screen)	BDL	mg/Kg	3550/8270C	10.000	07/08/2004	07/11/2004	MD
Azobenzene	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Methoxychlor	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Benzoic Acid	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 164
 July 30, 2004
 Submission # 407000100
 Order # 53969
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-104@23
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Aniline	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
4-Chloroaniline	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Dibenzofuran	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2-Nitroaniline	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
3-Nitroaniline	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
4-Nitroaniline	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Carbazole	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2,6-Dichlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2,3,4,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2,3,5,6-Tetrachlorophenol	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Pyridine	BDL	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
SURROGATE: 2-Fluorophenol	0.00	%					
SURROGATE: Phenol-D6	0.00	%					
SURROGATE: 2,4,6-Tribromophenyl	0.00	%					
SURROGATE: D5-Nitrobenzene	0.00	%					
SURROGATE: 2-Fluorobiphenyl	0.00	%					
SURROGATE: 4-Terphenyl-D14	0.00	%					
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL			MEDF	1			

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 165
July 30, 2004
Submission # 407000100
Order # 53969
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-104@23
Collected: 07/01/04 14:30
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
GRO (C8-C10) Range	20500	mg/Kg	FL-PRO	2.000	07/08/2004	07/09/2004	JT
DRO (C10-C28) Range	673000	mg/Kg	FL-PRO	2.000	07/08/2004	07/09/2004	JT
TRO (C28-C40) Range	405000	mg/Kg	FL-PRO	2.000	07/08/2004	07/09/2004	JT
TOTAL PRO (C8-C40)	1100000	mg/Kg	FL-PRO	2.000	07/08/2004	07/09/2004	JT
SURROGATE: n-Nonatriacontane(C-39)	0.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion, the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries, please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE. DILUTION NEEDED.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 166
 July 30, 2004
 Submission # 407000100
 Order # 53970
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-16
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	62.0	mg/L	160.2	5.0	07/06/2004	07/07/2004	YD/PJ
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)			MEDF	1			
Arsenic, Total	0.013	mg/L	4.1.3/200.7	0.008	07/02/2004	07/06/2004	MG
Barium, Total	BDL	mg/L	4.1.3/200.7	0.100	07/02/2004	07/06/2004	MG
Cadmium, Total	BDL	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Chromium, Total	BDL	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Lead, Total	0.005	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Selenium, Total	BDL	mg/L	4.1.3/200.7	0.010	07/02/2004	07/06/2004	MG
Silver, Total	BDL	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(I)	07/02/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER			MEDF	10			
a-BHC	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/14/2004	JT
b-BHC	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/14/2004	JT
g-BHC (lindane)	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/14/2004	JT
d-BHC	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/14/2004	JT
Heptachlor	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/14/2004	JT
Aldrin	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/14/2004	JT

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 167
July 30, 2004
Submission # 407000100
Order # 53970
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-16
Collected: 07/01/04 11:00
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/L	EPA 608/8081	0.900	07/06/2004	07/14/2004	JT
Endosulfan I	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/14/2004	JT
Dieldrin	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/14/2004	JT
4,4-DDE	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/14/2004	JT
Endrin	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/14/2004	JT
Endosulfan II	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/14/2004	JT
4,4-DDD	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/14/2004	JT
Endrin Aldehyde	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/14/2004	JT
Endosulfan Sulfate	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/14/2004	JT
4,4-DDT	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/14/2004	JT
Methoxychlor (Screen Only)	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/14/2004	JT
Aroclor 1016	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/14/2004	JT
Aroclor 1221	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/14/2004	JT
Aroclor 1232	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/14/2004	JT
Aroclor 1242	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/14/2004	JT
Aroclor 1248	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/14/2004	JT
Aroclor 1254	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/14/2004	JT
Aroclor 1260	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/14/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 168
 July 30, 2004
 Submission # 407000100
 Order # 53970
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-16
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/L	EPA 608/8081	2.500	07/06/2004	07/14/2004	JT
Chlordane	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/14/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
614 Organophosphorus Pesticides in Water			MEDF	1			
Demeton	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Disulfoton	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Diazinon	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Malathion	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Parathion, Methyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Parathion, Ethyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Ethion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Azinphos, Methyl (Guthion)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Mirex	BDL	ug/L	614/8141	0.001	07/06/2004	07/08/2004	YA
Fenthion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Chlorpyrifos (Dursban)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Surrogate: Stirophos	69.80	%					
615 Chlorophenoxy Acid Herbicides in Water			MEDF	1			

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 169
 July 30, 2004
 Submission # 407000100
 Order # 53970
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-16
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dalapon	BDL	ug/L	615/8151	5.800	07/07/2004	07/10/2004	JT
Dicamba	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
2,4-D	BDL	ug/L	615/8151	1.200	07/07/2004	07/10/2004	JT
2,4,5-TP (silvex)	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
Dinoseb	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
Pentachlorophenol	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
2,4,5 T	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
Picloram	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
Dichloroprop	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
2,4-DB	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
MCPP	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
MCPA	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
Surrogate: Acifluorfen	73.50	%					
8260.B Volatile Organics in Water by GC/MS			MEDF	1			
Acetone	BDL	ug/L	5030/8260B	100.000	07/04/2004	07/04/2004	SKL
Acrolein	BDL	ug/L	5030/8260B	15.000	07/04/2004	07/04/2004	SKL
Acrylonitrile	BDL	ug/L	5030/8260B	15.000	07/04/2004	07/04/2004	SKL
Methyl Ethyl Ketone	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 170
 July 30, 2004
 Submission # 407000100
 Order # 53970
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-16
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dichlorodifluoromethane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Chloromethane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Vinyl Chloride	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Bromomethane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Chloroethane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Trichlorofluoromethane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,1-Dichloroethene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Methylene Chloride	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Methyl-Tert-Butyl Ether	1.25	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,1-Dichloroethane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
2,2-Dichloropropane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Cis-1,2-Dichloroethene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Chloroform	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Bromochloromethane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,1,1-Trichloroethane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,1-Dichloropropene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Carbon Tetrachloride	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 171
 July 30, 2004
 Submission # 407000100
 Order # 53970
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-16
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,2-Dichloroethane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Trichloroethene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,2-Dichloropropane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Bromodichloromethane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Dibromomethane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Cis-1,3-Dichloropropene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Toluene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,3-Dichloropropane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Tetrachloroethene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Dibromochloromethane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,2-Dibromoethane (EDB)	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Bromobenzene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Chlorobenzene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Ethylbenzene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 172
 July 30, 2004
 Submission # 407000100
 Order # 53970
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-16
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,1,2-Tetrachloroethane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
m & p-Xylene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
o-Xylene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Total Xylene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Styrene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Isopropylbenzene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Bromoform	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,3,5-Trimethylbenzene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
2-Chlorotoluene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
4-Chlorotoluene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Tert-Butylbenzene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,2,4-Trimethylbenzene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Sec-Butylbenzene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
P-Isopropyltoluene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 173
 July 30, 2004
 Submission # 407000100
 Order # 53970
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-16
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
n-Butylbenzene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
n-PropylBenzene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Hexachlorobutadiene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
Naphthalene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
SURROGATE: Diethyl ether	99.63	%					
SURROGATE: Toluene-D8	99.75	%					
SURROGATE: Bromofluorobenzene	102.40	%					
8270.C Semivolatile Organics in Water by GC-MS			MEDF	1			
N-Nitrosodimethylamine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Phenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethyl) Ether	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2-Chlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
1,3-Dichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1,4-Dichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 174
 July 30, 2004
 Submission # 407000100
 Order # 53970
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-16
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzyl Alcohol	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1,2-Dichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
N-Nitrosodi-N-Propylamine	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Hexachloroethane	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
Nitrobenzene	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Isophorone	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Nitrophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4-Dimethylphenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethoxy)methane	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2,4-Dichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
1,2,3-Trichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1,2,4-Trichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Naphthalene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Hexachlorobutadiene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
4-Chloro-3-Methylphenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
1-Methylnaphthalene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 175
 July 30, 2004
 Submission # 407000100
 Order # 53970
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-16
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
2-Methylphenol (o-cresol)	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Hexachlorocyclopentadiene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
3-Methylphenol (m-cresol)	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,3,6-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4,5-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4,6-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2-Chloronaphthalene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dimethyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Acenaphthylene	BDL	ug/L	3510/8270C	3.000	07/06/2004	07/09/2004	ME
2,6-Dinitrotoluene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Acenaphthene	BDL	ug/L	3510/8270C	3.000	07/06/2004	07/09/2004	ME
2,4-Dinitrophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4-Dinitrotoluene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
4-Nitrophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Diethyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Fluorene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Chlorophenyl Phenyl Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 176
 July 30, 2004
 Submission # 407000100
 Order # 53970
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-16
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4,6-Dinitro-2-Methylphenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
N-Nitrosodiphenylamine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Bromophenyl Phenyl Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Hexachlorobenzene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Pentachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Phenanthrene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Anthracene	BDL	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Di-N-Butyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Fluoranthene	BDL	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Benzidine	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Pyrene	BDL	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Butyl Benzyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzo(A)Anthracene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
3,3-Dichlorobenzidine	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Chrysene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Di-N-Octyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzo(B)Fluoranthene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 177
 July 30, 2004
 Submission # 407000100
 Order # 53970
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-16
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(K)Fluoranthene	BDL	ug/L	3510/8270C	0.500	07/06/2004	07/09/2004	ME
Benzo(A)Pyrene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Dibenzo(A,H,)Anthracene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Benzo(G,H,I)Perylene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Bis-2-ethylhexyl Adipate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Aldrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
alpha-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
beta-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
delta-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
gamma-BHC (Lindane) (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Chlordane (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDD (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDE (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDT (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dieldrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endosulfan I (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endosulfan II (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 178
 July 30, 2004
 Submission # 407000100
 Order # 53970
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-16
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan Sulfate (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endrin Aldehyde (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Heptachlor (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Heptachlor Epoxide (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Toxaphene (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1016 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1221 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1232 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1242 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1248 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1254 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1260 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dioxin (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Azobenzene	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Methoxychlor	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzoic Acid	16.2	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Aniline	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 179
 July 30, 2004
 Submission # 407000100
 Order # 53970
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-16
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chloroaniline	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
Dibenzofuran	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
3-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Carbazole	16.2	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2,6-Dichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Pyridine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
SURROGATE: 2-Fluorophenol	67.00	%					
SURROGATE: Phenol-D6	63.00	%					
SURROGATE: 2,4,6-Tribromophenol	106.50	%					
SURROGATE: D5-Nitrobenzene	89.40	%					
SURROGATE: 2-Fluorobiphenyl	76.70	%					
SURROGATE: 4-Terphenyl-D14	98.20	%					
FL-PRO (Petroleum Residual Organic w/ranges)-WATER			MEDF	1			
GRO (C8-C10) Range	BDL	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 180
July 30, 2004
Submission # 407000100
Order # 53970
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-16
Collected: 07/01/04 11:00
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
DRO (C10-C28) Range	7.08	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	0.789	mg/L	FL-PRC	0.500	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	7.87	mg/L	FL-PRC	0.500	07/06/2004	07/07/2004	JT
SURROGATE : n-Nonatracontane(C-39)	46.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion, the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries, please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE. DILUTION NEEDED.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 181
 July 30, 2004
 Submission # 407000100
 Order # 53971
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@25'
 Collected: 07/01/04 11:15
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	60.0	mg/L	160.2	5.0	07/06/2004	07/07/2004	YD/PJ
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)			MEDF	1			
Arsenic, Total	0.012	mg/L	4.1.3/200.7	0.008	07/02/2004	07/06/2004	MG
Barium, Total	BDL	mg/L	4.1.3/200.7	0.100	07/02/2004	07/06/2004	MG
Cadmium, Total	BDL	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Chromium, Total	0.056	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Lead, Total	0.009	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Selenium, Total	BDL	mg/L	4.1.3/200.7	0.010	07/02/2004	07/06/2004	MG
Silver, Total	BDL	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(I)	07/02/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER			MEDF	1.09			
a-BHC	BDL	ug/L	EPA 608/8081	0.011	07/06/2004	07/14/2004	JT
b-BHC	BDL	ug/L	EPA 608/8081	0.011	07/06/2004	07/14/2004	JT
g-BHC (lindane)	BDL	ug/L	EPA 608/8081	0.011	07/06/2004	07/14/2004	JT
d-BHC	BDL	ug/L	EPA 608/8081	0.011	07/06/2004	07/14/2004	JT
Heptachlor	BDL	ug/L	EPA 608/8081	0.011	07/06/2004	07/14/2004	JT
Aldrin	BDL	ug/L	EPA 608/8081	0.011	07/06/2004	07/14/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 182
 July 30, 2004
 Submission # 407000100
 Order # 53971
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@25'
 Collected: 07/01/04 11:15
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/L	EPA 608/8081	0.098	07/06/2004	07/14/2004	JT
Endosulfan I	BDL	ug/L	EPA 608/8081	0.011	07/06/2004	07/14/2004	JT
Dieldrin	BDL	ug/L	EPA 608/8081	0.011	07/06/2004	07/14/2004	JT
4,4-DDE	BDL	ug/L	EPA 608/8081	0.011	07/06/2004	07/14/2004	JT
Endrin	BDL	ug/L	EPA 608/8081	0.011	07/06/2004	07/14/2004	JT
Endosulfan II	BDL	ug/L	EPA 608/8081	0.011	07/06/2004	07/14/2004	JT
4,4-DDD	BDL	ug/L	EPA 608/8081	0.011	07/06/2004	07/14/2004	JT
Endrin Aldehyde	BDL	ug/L	EPA 608/8081	0.022	07/06/2004	07/14/2004	JT
Endosulfan Sulfate	BDL	ug/L	EPA 608/8081	0.011	07/06/2004	07/14/2004	JT
4,4-DDT	BDL	ug/L	EPA 608/8081	0.011	07/06/2004	07/14/2004	JT
Methoxychlor (Screen Only)	BDL	ug/L	EPA 608/8081	0.011	07/06/2004	07/14/2004	JT
Aroclor 1016	BDL	ug/L	EPA 608/8081	0.076	07/06/2004	07/14/2004	JT
Aroclor 1221	BDL	ug/L	EPA 608/8081	0.076	07/06/2004	07/14/2004	JT
Aroclor 1232	BDL	ug/L	EPA 608/8081	0.076	07/06/2004	07/14/2004	JT
Aroclor 1242	BDL	ug/L	EPA 608/8081	0.076	07/06/2004	07/14/2004	JT
Aroclor 1248	BDL	ug/L	EPA 608/8081	0.076	07/06/2004	07/14/2004	JT
Aroclor 1254	BDL	ug/L	EPA 608/8081	0.076	07/06/2004	07/14/2004	JT
Aroclor 1260	BDL	ug/L	EPA 608/8081	0.076	07/06/2004	07/14/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 183
 July 30, 2004
 Submission # 407000100
 Order # 53971
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@25'
 Collected: 07/01/04 11:15
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/L	EPA 608/8081	0.273	07/06/2004	07/14/2004	JT
Chlordane	BDL	ug/L	EPA 608/8081	0.011	07/06/2004	07/14/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	11.80	%					
614 Organophosphorus Pesticides in Water			MEDF	1			
Demeton	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Disulfoton	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Diazinon	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Malathion	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Parathion, Methyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Parathion, Ethyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Ethion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Azinphos, Methyl (Guthion)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Mirex	BDL	ug/L	614/8141	0.001	07/06/2004	07/08/2004	YA
Fenthion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Chlorpyrifos (Dursban)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Surrogate: Stirophos	31.20	%					
615 Chlorophenoxy Acid Herbicides in Water			MEDF	10			

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 184
 July 30, 2004
 Submission # 407000100
 Order # 53971
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@25'
 Collected: 07/01/04 11:15
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dalapon	BDL	ug/L	615/8151	58.000	07/07/2004	07/10/2004	JT
Dicamba	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4-D	BDL	ug/L	615/8151	12.000	07/07/2004	07/10/2004	JT
2,4,5-TP (silvex)	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Dinoseb	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Pentachlorophenol	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4,5 T	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Picloram	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Dichloroprop	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4-DB	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
MCPP	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
MCPA	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Surrogate: Acifluorfen	0.00	%					
8260.B Volatile Organics in Water by GC/MS			MEDF	10			
Acetone	3720	ug/L	5030/8260B	1000.000	07/04/2004	07/04/2004	SKL
Acrolein	BDL	ug/L	5030/8260B	150.000	07/04/2004	07/04/2004	SKL
Acrylonitrile	BDL	ug/L	5030/8260B	150.000	07/04/2004	07/04/2004	SKL
Methyl Ethyl Ketone	2780	ug/L	5030/8260B	100.000	07/04/2004	07/04/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 185
 July 30, 2004
 Submission # 407000100
 Order # 53971
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@25'
 Collected: 07/01/04 11:15
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dichlorodifluoromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Chloromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Vinyl Chloride	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Bromomethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Chloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Trichlorofluoromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1-Dichloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Methylene Chloride	48.3	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Methyl-Tert-Butyl Ether	19.6	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1-Dichloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
2,2-Dichloropropane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Cis-1,2-Dichloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Chloroform	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Bromochloromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1,1-Trichloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1-Dichloropropene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Carbon Tetrachloride	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 186
 July 30, 2004
 Submission # 407000100
 Order # 53971
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@25'
 Collected: 07/01/04 11:15
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzene	1-3.95	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2-Dichloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Trichloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2-Dichloropropane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Bromodichloromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Dibromomethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Cis-1,3-Dichloropropene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Toluene	10.4	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,3-Dichloropropane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Tetrachloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Dibromochloromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2-Dibromoethane (EDB)	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Bromobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Chlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Ethylbenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 187
 July 30, 2004
 Submission # 407000100
 Order # 53971
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@25'
 Collected: 07/01/04 11:15
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,1,2-Tetrachloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
m & p-Xylene	1-7.63	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
o-Xylene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Total Xylene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Styrene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Isopropylbenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Bromoform	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,3,5-Trimethylbenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
2-Chlorotoluene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
4-Chlorotoluene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Tert-Butylbenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2,4-Trimethylbenzene	1-9.00	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Sec-Butylbenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
P-Isopropyltoluene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 188
 July 30, 2004
 Submission # 407000100
 Order # 53971
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@25'
 Collected: 07/01/04 11:15
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
n-Butylbenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
n-PropylBenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Hexachlorobutadiene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Naphthalene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
SURROGATE: Diethyl ether	98.38	%					
SURROGATE: Toluene-D8	97.25	%					
SURROGATE: Bromofluorobenzene	107.20	%					
8270.C Semivolatile Organics in Water by GC-MS			MEDF	1			
N-Nitrosodimethylamine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Phenol	990	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethyl) Ether	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2-Chlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
1,3-Dichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1,4-Dichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 189
 July 30, 2004
 Submission # 407000100
 Order # 53971
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@25'
 Collected: 07/01/04 11:15
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzyl Alcohol	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1,2-Dichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
N-Nitrosodi-N-Propylamine	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Hexachloroethane	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
Nitrobenzene	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Isophorone	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Nitrophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4-Dimethylphenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethoxy)methane	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2,4-Dichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
1,2,3-Trichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1,2,4-Trichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Naphthalene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Hexachlorobutadiene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
4-Chloro-3-Methylphenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
1-Methylnaphthalene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 190
 July 30, 2004
 Submission # 407000100
 Order # 53971
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@25'
 Collected: 07/01/04 11:15
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
2-Methylphenol (o-cresol)	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Hexachlorocyclopentadiene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
3-Methylphenol (m-cresol)	345	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	345	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,3,6-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4,5-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4,6-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2-Chloronaphthalene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dimethyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Acenaphthylene	BDL	ug/L	3510/8270C	3.000	07/06/2004	07/09/2004	ME
2,6-Dinitrotoluene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Acenaphthene	BDL	ug/L	3510/8270C	3.000	07/06/2004	07/09/2004	ME
2,4-Dinitrophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4-Dinitrotoluene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
4-Nitrophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Diethyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Fluorene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Chlorophenyl Phenyl Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 191
 July 30, 2004
 Submission # 407000100
 Order # 53971
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@25'
 Collected: 07/01/04 11:15
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4,6-Dinitro-2-Methylphenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
N-Nitrosodiphenylamine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Bromophenyl Phenyl Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Hexachlorobenzene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Pentachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Phenanthrene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Anthracene	BDL	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Di-N-Butyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Fluoranthene	BDL	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Benzidine	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Pyrene	BDL	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Butyl Benzyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzo(A)Anthracene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
3,3-Dichlorobenzidine	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Chrysene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Di-N-Octyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzo(B)Fluoranthene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 192
 July 30, 2004
 Submission # 407000100
 Order # 53971
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@25'
 Collected: 07/01/04 11:15
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(K)Fluoranthene	BDL	ug/L	3510/8270C	0.500	07/06/2004	07/09/2004	ME
Benzo(A)Pyrene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Dibenzo(A,H,)Anthracene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Benzo(G,H,I)Perylene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Bis-2-ethylhexyl Adipate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Aldrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
alpha-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
beta-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
delta-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
gamma-BHC (Lindane) (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Chlordane (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDD (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDE (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDT (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dieldrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endosulfan I (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endosulfan II (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 193
 July 30, 2004
 Submission # 407000100
 Order # 53971
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@25'
 Collected: 07/01/04 11:15
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan Sulfate (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endrin Aldehyde (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Heptachlor (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Heptachlor Epoxide (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Toxaphene (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1016 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1221 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1232 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1242 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1248 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1254 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1260 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dioxin (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Azobenzene	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Methoxychlor	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzoic Acid	870	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Aniline	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 194
 July 30, 2004
 Submission # 407000100
 Order # 53971
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-15@25'
 Collected: 07/01/04 11:15
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chloroaniline	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
Dibenzofuran	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
3-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Carbazole	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2,6-Dichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Pyridine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
SURROGATE: 2-Fluorophenol	65.50	%					
SURROGATE: Phenol-D6	89.00	%					
SURROGATE: 2,4,6-Tribromophenol	85.00	%					
SURROGATE: D5-Nitrobenzene	91.80	%					
SURROGATE: 2-Fluorobiphenyl	54.30	%					
SURROGATE: 4-Terphenyl-D14	22.70	%					
FL-PRO (Petroleum Residual Organic w/ranges)-WATER			MEDIA	1			
GRO (C8-C10) Range	5.80	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 195
July 30, 2004
Submission # 407000100
Order # 53971
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-15@25'
Collected: 07/01/04 11:15
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
DRO (C10-C28) Range	26.1	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	BDL	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	31.9	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
SURROGATE : n-Nonatracantane(C-39)	43.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.


Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries,please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE. DILUTION NEEDED.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 196
 July 30, 2004
 Submission # 407000100
 Order # 53972
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@20'
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	206	mg/L	160.2	5.0	07/06/2004	07/07/2004	YD/PJ
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)			MEDF	1			
Arsenic, Total	BDL	mg/L	4.1.3/200.7	0.008	07/02/2004	07/06/2004	MG
Barium, Total	BDL	mg/L	4.1.3/200.7	0.100	07/02/2004	07/06/2004	MG
Cadmium, Total	0.024	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Chromium, Total	0.180	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Lead, Total	0.042	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Selenium, Total	BDL	mg/L	4.1.3/200.7	0.010	07/02/2004	07/06/2004	MG
Silver, Total	BDL	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(1)	07/02/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER			MEDF	1			
a-BHC	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
b-BHC	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
g-BHC (lindane)	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
d-BHC	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Heptachlor	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Aldrin	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 197
 July 30, 2004
 Submission # 407000100
 Order # 53972
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@20'
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/L	EPA 608/8081	0.090	07/06/2004	07/09/2004	JT
Endosulfan I	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Dieldrin	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
4,4-DDE	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Endrin	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Endosulfan II	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
4,4-DDD	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Endrin Aldehyde	BDL	ug/L	EPA 608/8081	0.020	07/06/2004	07/09/2004	JT
Endosulfan Sulfate	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
4,4-DDT	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Methoxychlor (Screen Only)	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Aroclor 1016	BDL	ug/L	EPA 608/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1221	BDL	ug/L	EPA 608/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1232	BDL	ug/L	EPA 608/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1242	BDL	ug/L	EPA 608/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1248	BDL	ug/L	EPA 608/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1254	BDL	ug/L	EPA 608/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1260	BDL	ug/L	EPA 608/8081	0.070	07/06/2004	07/09/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 198
 July 30, 2004
 Submission # 407000100
 Order # 53972
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@20'
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/L	EPA 608/8081	0.250	07/06/2004	07/09/2004	JT
Chlordane	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
614 Organophosphorus Pesticides in Water			MEDF	1			
Demeton	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Disulfoton	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Diazinon	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Malathion	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Parathion, Methyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Parathion, Ethyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Ethion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Azinphos, Methyl (Guthion)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Mirex	BDL	ug/L	614/8141	0.001	07/06/2004	07/08/2004	YA
Fenthion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Chlorpyrifos (Dursban)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Surrogate: Stirophos	25.60	%					
615 Chlorophenoxy Acid Herbicides in Water			MEDF	10			

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 199
 July 30, 2004
 Submission # 407000100
 Order # 53972
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@20'
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dalapon	BDL	ug/L	615/8151	58.000	07/07/2004	07/10/2004	JT
Dicamba	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4-D	BDL	ug/L	615/8151	12.000	07/07/2004	07/10/2004	JT
2,4,5-TP (silvex)	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Dinoseb	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Pentachlorophenol	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4,5 T	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Picloram	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Dichloroprop	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4-DB	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
MCPD	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
MCPA	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Surrogate: Acifluorfen	0.00	%					
8260.B Volatile Organics in Water by GC/MS			MEDF	10			
Acetone	18200	ug/L	5030/8260B	1000.000	07/03/2004	07/03/2004	PMD
Acrolein	BDL	ug/L	5030/8260B	150.000	07/03/2004	07/03/2004	PMD
Acrylonitrile	BDL	ug/L	5030/8260B	150.000	07/03/2004	07/03/2004	PMD
Methyl Ethyl Ketone	4390	ug/L	5030/8260B	100.000	07/03/2004	07/03/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 200
 July 30, 2004
 Submission # 407000100
 Order # 53972
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@20'
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dichlorodifluoromethane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Chloromethane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Vinyl Chloride	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Bromomethane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Chloroethane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Trichlorofluoromethane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,1-Dichloroethene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Methylene Chloride	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Trans-1,2-Dichloroethene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Methyl-Tert-Butyl Ether	1050	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,1-Dichloroethane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
2,2-Dichloropropane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Cis-1,2-Dichloroethene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Chloroform	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Bromochloromethane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,1,1-Trichloroethane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,1-Dichloropropene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Carbon Tetrachloride	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 201
 July 30, 2004
 Submission # 407000100
 Order # 53972
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@20'
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzene	11.6	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,2-Dichloroethane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Trichloroethene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,2-Dichloropropane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Bromodichloromethane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
2-Chloroethylvinyl Ether	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Dibromomethane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Cis-1,3-Dichloropropene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Toluene	41.2	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Trans-1,3-Dichloropropene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,1,2-Trichloroethane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,3-Dichloropropane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Tetrachloroethene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Dibromochloromethane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,2-Dibromoethane (EDB)	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Bromobenzene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Chlorobenzene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Ethylbenzene	1-5.19	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 202
 July 30, 2004
 Submission # 407000100
 Order # 53972
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@20'
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,1,2-Tetrachloroethane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
m & p-Xylene	19.2	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
o-Xylene	10.7	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Total Xylene	29.9	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Styrene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Isopropylbenzene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Bromoform	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,1,2,2-Tetrachloroethane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,2,3-Trichloropropane	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,3,5-Trimethylbenzene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
2-Chlorotoluene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
4-Chlorotoluene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Tert-Butylbenzene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,2,4-Trimethylbenzene	11.8	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Sec-Butylbenzene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
P-Isopropyltoluene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,3-Dichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,4-Dichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 203
 July 30, 2004
 Submission # 407000100
 Order # 53972
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@20'
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
n-Butylbenzene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
n-PropylBenzene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,2-Dichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,2,4-Trichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Hexachlorobutadiene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Naphthalene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,2,3-Trichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
SURROGATE: Diethyl ether	103.25	%					
SURROGATE: Toluene-D8	98.25	%					
SURROGATE: Bromofluorobenzene	104.40	%					
8270.C Semivolatile Organics in Water by GC-MS			MEDF	1			
N-Nitrosodimethylamine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Phenol	834	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethyl) Ether	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2-Chlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
1,3-Dichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1,4-Dichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 204
 July 30, 2004
 Submission # 407000100
 Order # 53972
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@20'
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzyl Alcohol	1240	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1,2-Dichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
N-Nitrosodi-N-Propylamine	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Hexachloroethane	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
Nitrobenzene	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Isophorone	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Nitrophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4-Dimethylphenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethoxy)methane	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2,4-Dichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
1,2,3-Trichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1,2,4-Trichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Naphthalene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Hexachlorobutadiene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
4-Chloro-3-Methylphenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
1-Methylnaphthalene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 205
 July 30, 2004
 Submission # 407000100
 Order # 53972
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@20'
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
2-Methylphenol (o-cresol)	44.0	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Hexachlorocyclopentadiene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
3-Methylphenol (m-cresol)	97.3	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	97.3	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,3,6-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4,5-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4,6-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2-Chloronaphthalene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dimethyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Acenaphthylene	BDL	ug/L	3510/8270C	3.000	07/06/2004	07/09/2004	ME
2,6-Dinitrotoluene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Acenaphthene	BDL	ug/L	3510/8270C	3.000	07/06/2004	07/09/2004	ME
2,4-Dinitrophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4-Dinitrotoluene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
4-Nitrophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Diethyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Fluorene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Chlorophenyl Phenyl Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 206
 July 30, 2004
 Submission # 407000100
 Order # 53972
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@20'
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4,6-Dinitro-2-Methylphenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
N-Nitrosodiphenylamine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Bromophenyl Phenyl Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Hexachlorobenzene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Pentachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Phenanthrene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Anthracene	BDL	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Di-N-Butyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Fluoranthene	BDL	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Benzidine	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Pyrene	BDL	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Butyl Benzyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzo(A)Anthracene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
3,3-Dichlorobenzidine	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Chrysene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Di-N-Octyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzo(B)Fluoranthene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 207
 July 30, 2004
 Submission # 407000100
 Order # 53972
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@20'
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(K)Fluoranthene	BDL	ug/L	3510/8270C	0.500	07/06/2004	07/09/2004	ME
Benzo(A)Pyrene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Dibenzo(A,H,I)Anthracene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Benzo(G,H,I)Perylene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Bis-2-ethylhexyl Adipate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Aldrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
alpha-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
beta-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
delta-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
gamma-BHC (Lindane) (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Chlordane (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDD (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDE (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDT (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dieldrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endosulfan I (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endosulfan II (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 208
 July 30, 2004
 Submission # 407000100
 Order # 53972
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@20'
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan Sulfate (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endrin Aldehyde (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Heptachlor (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Heptachlor Epoxide (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Toxaphene (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1016 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1221 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1232 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1242 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1248 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1254 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1260 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dioxin (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Azobenzene	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Methoxychlor	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzoic Acid	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Aniline	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 209
 July 30, 2004
 Submission # 407000100
 Order # 53972
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-13@20'
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chloroaniline	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
Dibenzofuran	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
3-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Carbazole	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2,6-Dichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Pyridine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
SURROGATE: 2-Fluorophenol	83.00	%					
SURROGATE: Phenol-D6	118.50	%					
SURROGATE: 2,4,6-Tribromophenol	69.00	%					
SURROGATE: D5-Nitrobenzene	103.00	%					
SURROGATE: 2-Fluorobiphenyl	67.30	%					
SURROGATE: 4-Terphenyl-D14	95.10	%					
FL-PRO (Petroleum Residual Organic w/ranges)-WATER			MEDF	1			
GRO (C8-C10) Range	11.0	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 210
July 30, 2004
Submission # 407000100
Order # 53972
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-13@20'
Collected: 07/01/04 11:30
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
DRO (C10-C28) Range	55.7	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	6.93	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	73.6	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
SURROGATE : n-Nonatracontane(C-39)	30.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***


***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries,please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE. DILUTION NEEDED.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 211
 July 30, 2004
 Submission # 407000100
 Order # 53973
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@3'
 Collected: 07/01/04 11:45
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	1250	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)			MEDF	1			
Arsenic, Total	0.021	mg/L	4.1.3/200.7	0.008	07/02/2004	07/06/2004	MG
Barium, Total	BDL	mg/L	4.1.3/200.7	0.100	07/02/2004	07/06/2004	MG
Cadmium, Total	BDL	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Chromium, Total	0.093	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Lead, Total	0.033	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Selenium, Total	BDL	mg/L	4.1.3/200.7	0.010	07/02/2004	07/06/2004	MG
Silver, Total	BDL	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(1)	07/02/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER			MEDF	1			
a-BHC	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
b-BHC	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
g-BHC (lindane)	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
d-BHC	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Heptachlor	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Aldrin	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 212
 July 30, 2004
 Submission # 407000100
 Order # 53973
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@3'
 Collected: 07/01/04 11:45
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/L	EPA 603/8081	0.090	07/06/2004	07/09/2004	JT
Endosulfan I	BDL	ug/L	EPA 603/8081	0.010	07/06/2004	07/09/2004	JT
Dieldrin	BDL	ug/L	EPA 603/8081	0.010	07/06/2004	07/09/2004	JT
4,4-DDE	BDL	ug/L	EPA 603/8081	0.010	07/06/2004	07/09/2004	JT
Endrin	BDL	ug/L	EPA 603/8081	0.010	07/06/2004	07/09/2004	JT
Endosulfan II	BDL	ug/L	EPA 603/8081	0.010	07/06/2004	07/09/2004	JT
4,4-DDD	BDL	ug/L	EPA 603/8081	0.010	07/06/2004	07/09/2004	JT
Endrin Aldehyde	BDL	ug/L	EPA 603/8081	0.020	07/06/2004	07/09/2004	JT
Endosulfan Sulfate	BDL	ug/L	EPA 603/8081	0.010	07/06/2004	07/09/2004	JT
4,4-DDT	BDL	ug/L	EPA 603/8081	0.010	07/06/2004	07/09/2004	JT
Methoxychlor (Screen Only)	BDL	ug/L	EPA 603/8081	0.010	07/06/2004	07/09/2004	JT
Aroclor 1016	BDL	ug/L	EPA 603/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1221	BDL	ug/L	EPA 603/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1232	BDL	ug/L	EPA 603/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1242	BDL	ug/L	EPA 603/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1248	BDL	ug/L	EPA 603/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1254	BDL	ug/L	EPA 603/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1260	BDL	ug/L	EPA 603/8081	0.070	07/06/2004	07/09/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 213
 July 30, 2004
 Submission # 407000100
 Order # 53973
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@3'
 Collected: 07/01/04 11:45
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/L	EPA 608/8081	0.250	07/06/2004	07/09/2004	JT
Chlordane	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
614 Organophosphorus Pesticides in Water			MEDF	1			
Demeton	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Disulfoton	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Diazinon	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Malathion	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Parathion, Methyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Parathion, Ethyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Ethion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Azinphos, Methyl (Guthion)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Mirex	BDL	ug/L	614/8141	0.001	07/06/2004	07/08/2004	YA
Fenthion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Chlorpyrifos (Dursban)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Surrogate: Stirophos	31.80	%					
615 Chlorophenoxy Acid Herbicides in Water			MEDF	10			

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 214
 July 30, 2004
 Submission # 407000100
 Order # 53973
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@3'
 Collected: 07/01/04 11:45
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dalapon	BDL	ug/L	615/8151	58.000	07/07/2004	07/10/2004	JT
Dicamba	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4-D	BDL	ug/L	615/8151	12.000	07/07/2004	07/10/2004	JT
2,4,5-TP (silvex)	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Dinoseb	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Pentachlorophenol	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4,5 T	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Picloram	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Dichloroprop	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4-DB	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
MCPD	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
MCPA	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Surrogate: Acifluorfen	0.00	%					
8260.B Volatile Organics in Water by GC/MS			MEDF	10			
Acetone	I-261	ug/L	5030/8260B	1000.000	07/04/2004	07/04/2004	SKL
Acrolein	BDL	ug/L	5030/8260B	150.000	07/04/2004	07/04/2004	SKL
Acrylonitrile	BDL	ug/L	5030/8260B	150.000	07/04/2004	07/04/2004	SKL
Methyl Ethyl Ketone	130	ug/L	5030/8260B	100.000	07/04/2004	07/04/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 215
 July 30, 2004
 Submission # 407000100
 Order # 53973
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@3'
 Collected: 07/01/04 11:45
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dichlorodifluoromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Chloromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Vinyl Chloride	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Bromomethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Chloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Trichlorofluoromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1-Dichloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Methylene Chloride	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Methyl-Tert-Butyl Ether	11.3	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1-Dichloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
2,2-Dichloropropane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Cis-1,2-Dichloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Chloroform	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Bromochloromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1,1-Trichloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1-Dichloropropene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Carbon Tetrachloride	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 216
 July 30, 2004
 Submission # 407000100
 Order # 53973
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@3'
 Collected: 07/01/04 11:45
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzene	12.7	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2-Dichloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Trichloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2-Dichloropropane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Bromodichloromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Dibromomethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Cis-1,3-Dichloropropene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Toluene	111	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,3-Dichloropropane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Tetrachloroethene	12.1	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Dibromochloromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2-Dibromoethane (EDB)	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Bromobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Chlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Ethylbenzene	27.0	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 217
 July 30, 2004
 Submission # 407000100
 Order # 53973
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@3'
 Collected: 07/01/04 11:45
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,1,2-Tetrachloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
m & p-Xylene	102	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
o-Xylene	48.2	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Total Xylene	150	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Styrene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Isopropylbenzene	I-1.76	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Bromoform	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,3,5-Trimethylbenzene	18.6	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
2-Chlorotoluene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
4-Chlorotoluene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Tert-Butylbenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2,4-Trimethylbenzene	72.6	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Sec-Butylbenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
P-Isopropyltoluene	I-1.92	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 218
 July 30, 2004
 Submission # 407000100
 Order # 53973
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@3'
 Collected: 07/01/04 11:45
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
n-Butylbenzene	1-7.6	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
n-Propylbenzene	1-7.67	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Hexachlorobutadiene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Naphthalene	35.6	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
SURROGATE: Diethyl ether	94.63	%					
SURROGATE: Toluene-D8	98.25	%					
SURROGATE: Bromofluorobenzene	103.20	%					
8270.C Semivolatile Organics in Water by GC-MS			MEDF	1			
N-Nitrosodimethylamine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Phenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethyl) Ether	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2-Chlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
1,3-Dichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1,4-Dichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 219
 July 30, 2004
 Submission # 407000100
 Order # 53973
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@3'
 Collected: 07/01/04 11:45
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzyl Alcohol	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1,2-Dichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
N-Nitrosodi-N-Propylamine	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Hexachloroethane	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
Nitrobenzene	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Isophorone	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Nitrophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4-Dimethylphenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethoxy)methane	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2,4-Dichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
1,2,3-Trichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1,2,4-Trichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Naphthalene	8.71	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Hexachlorobutadiene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
4-Chloro-3-Methylphenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
1-Methylnaphthalene	6.3	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	13.6	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 220
 July 30, 2004
 Submission # 407000100
 Order # 53973
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@3'
 Collected: 07/01/04 11:45
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
2-Methylphenol (o-cresol)	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Hexachlorocyclopentadiene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
3-Methylphenol (m-cresol)	18.7	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	18.7	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,3,6-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4,5-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4,6-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2-Chloronaphthalene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dimethyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Acenaphthylene	BDL	ug/L	3510/8270C	3.000	07/06/2004	07/09/2004	ME
2,6-Dinitrotoluene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Acenaphthene	BDL	ug/L	3510/8270C	3.000	07/06/2004	07/09/2004	ME
2,4-Dinitrophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4-Dinitrotoluene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
4-Nitrophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Diethyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Fluorene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Chlorophenyl Phenyl Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 221
 July 30, 2004
 Submission # 407000100
 Order # 53973
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@3'
 Collected: 07/01/04 11:45
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4,6-Dinitro-2-Methylphenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
N-Nitrosodiphenylamine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Bromophenyl Phenyl Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Hexachlorobenzene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Pentachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Phenanthrene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Anthracene	BDL	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Di-N-Butyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Fluoranthene	BDL	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Benzidine	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Pyrene	BDL	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Butyl Benzyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzo(A)Anthracene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
3,3-Dichlorobenzidine	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Chrysene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Di-N-Octyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzo(B)Fluoranthene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 222
 July 30, 2004
 Submission # 407000100
 Order # 53973
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@3'
 Collected: 07/01/04 11:45
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(K)Fluoranthene	BDL	ug/L	3510/8270C	0.500	07/06/2004	07/09/2004	ME
Benzo(A)Pyrene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Dibenzo(A,H,)Anthracene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Benzo(G,H,I)Perylene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Bis-2-ethylhexyl Adipate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Aldrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
alpha-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
beta-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
delta-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
gamma-BHC (Lindane) (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Chlordane (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDD (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDE (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDT (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dieldrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endosulfan I (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endosulfan II (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 223
 July 30, 2004
 Submission # 407000100
 Order # 53973
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@3'
 Collected: 07/01/04 11:45
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan Sulfate (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endrin Aldehyde (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Heptachlor (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Heptachlor Epoxide (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Toxaphene (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1016 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1221 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1232 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1242 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1248 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1254 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1260 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dioxin (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Azobenzene	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Methoxychlor	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzoic Acid	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Aniline	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 224
 July 30, 2004
 Submission # 407000100
 Order # 53973
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-14@3'
 Collected: 07/01/04 11:45
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chloroaniline	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
Dibenzofuran	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
3-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Carbazole	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2,6-Dichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Pyridine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
SURROGATE: 2-Fluorophenol	68.00	%					
SURROGATE: Phenol-D6	65.00	%					
SURROGATE: 2,4,6-Tribromophenol	64.00	%					
SURROGATE: D5-Nitrobenzene	69.80	%					
SURROGATE: 2-Fluorobiphenyl	76.00	%					
SURROGATE: 4-Terphenyl-D14	96.30	%					
FL-PRO (Petroleum Residual Organic w/ranges)-WATER			MEDIA	1			
GRO (C8-C10) Range	0.912	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 225
July 30, 2004
Submission # 407000100
Order # 53973
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-14@3'
Collected: 07/01/04 11:45
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
DRO (C10-C28) Range	38.8	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	9.45	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	49.2	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
SURROGATE : n-Nonatracontane(C-39)	29.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion, the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries, please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE. DILUTION NEEDED.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 226
 July 30, 2004
 Submission # 407000100
 Order # 53974
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-103
 Collected: 07/01/04 13:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	7980	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)			MEDF	1			
Arsenic, Total	BDL	mg/L	4.1.3/200.7	0.008	07/02/2004	07/06/2004	MG
Barium, Total	0.11	mg/L	4.1.3/200.7	0.100	07/02/2004	07/06/2004	MG
Cadmium, Total	0.183	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Chromium, Total	0.216	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Lead, Total	0.189	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Selenium, Total	BDL	mg/L	4.1.3/200.7	0.010	07/02/2004	07/06/2004	MG
Silver, Total	BDL	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(I)	07/02/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER			MEDF	10			
a-BHC	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
b-BHC	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
g-BHC (lindane)	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
d-BHC	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Heptachlor	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Aldrin	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 227
 July 30, 2004
 Submission # 407000100
 Order # 53974
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-103
 Collected: 07/01/04 13:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/L	EPA 608/8081	0.900	07/06/2004	07/09/2004	JT
Endosulfan I	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Dieldrin	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
4,4-DDE	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Endrin	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Endosulfan II	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
4,4-DDD	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Endrin Aldehyde	BDL	ug/L	EPA 608/8081	0.200	07/06/2004	07/09/2004	JT
Endosulfan Sulfate	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
4,4-DDT	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Methoxychlor (Screen Only)	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
Aroclor 1016	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1221	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1232	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1242	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1248	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1254	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT
Aroclor 1260	BDL	ug/L	EPA 608/8081	0.700	07/06/2004	07/09/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 228
 July 30, 2004
 Submission # 407000100
 Order # 53974
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-103
 Collected: 07/01/04 13:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/L	EPA 608/8081	2.500	07/06/2004	07/09/2004	JT
Chlordane	BDL	ug/L	EPA 608/8081	0.100	07/06/2004	07/09/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
614 Organophosphorus Pesticides in Water			MEDF	1			
Demeton	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Disulfoton	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Diazinon	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Malathion	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	YA
Parathion, Methyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Parathion, Ethyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	YA
Ethion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Azinphos, Methyl (Guthion)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Mirex	BDL	ug/L	614/8141	0.001	07/06/2004	07/08/2004	YA
Fenthion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Chlorpyrifos (Dursban)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	YA
Surrogate: Stirophos	26.30	%					
615 Chlorophenoxy Acid Herbicides in Water			MEDF	10			

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 229
 July 30, 2004
 Submission # 407000100
 Order # 53974
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-103
 Collected: 07/01/04 13:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dalapon	BDL	ug/L	615/8151	58.000	07/07/2004	07/10/2004	JT
Dicamba	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4-D	BDL	ug/L	615/8151	12.000	07/07/2004	07/10/2004	JT
2,4,5-TP (silvex)	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Dinoseb	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Pentachlorophenol	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4,5 T	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Picloram	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Dichloroprop	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
2,4-DB	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
MCPD	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
MCPA	BDL	ug/L	615/8151	2.000	07/07/2004	07/10/2004	JT
Surrogate: Acifluorfen	0.00	%					
8260.B Volatile Organics in Water by GC/MS			MEDF	10			
Acetone	3500	ug/L	5030/8260B	1000.000	07/04/2004	07/04/2004	SKL
Acrolein	BDL	ug/L	5030/8260B	150.000	07/04/2004	07/04/2004	SKL
Acrylonitrile	BDL	ug/L	5030/8260B	150.000	07/04/2004	07/04/2004	SKL
Methyl Ethyl Ketone	1620	ug/L	5030/8260B	100.000	07/04/2004	07/04/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 230
 July 30, 2004
 Submission # 407000100
 Order # 53974
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-103
 Collected: 07/01/04 13:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dichlorodifluoromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Chloromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Vinyl Chloride	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Bromomethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Chloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Trichlorofluoromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1-Dichloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Methylene Chloride	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Methyl-Tert-Butyl Ether	145	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1-Dichloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
2,2-Dichloropropane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Cis-1,2-Dichloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Chloroform	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Bromochloromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1,1-Trichloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1-Dichloropropene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Carbon Tetrachloride	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 231
 July 30, 2004
 Submission # 407000100
 Order # 53974
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-103
 Collected: 07/01/04 13:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzene	I-1.35	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2-Dichloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Trichloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2-Dichloropropane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Bromodichloromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Dibromomethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Cis-1,3-Dichloropropene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Toluene	12.2	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,3-Dichloropropane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Tetrachloroethene	I-4.36	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Dibromochloromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2-Dibromoethane (EDB)	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Bromobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Chlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Ethylbenzene	I-3.89	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 232
 July 30, 2004
 Submission # 407000100
 Order # 53974
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-103
 Collected: 07/01/04 13:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,1,2-Tetrachloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
m & p-Xylene	15.6	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
o-Xylene	1-8.90	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Total Xylene	15.6	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Styrene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Isopropylbenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Bromoform	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,3,5-Trimethylbenzene	1-5.04	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
2-Chlorotoluene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
4-Chlorotoluene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Tert-Butylbenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2,4-Trimethylbenzene	27.5	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Sec-Butylbenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
P-Isopropyltoluene	1-3.64	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 233
 July 30, 2004
 Submission # 407000100
 Order # 53974
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-103
 Collected: 07/01/04 13:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
n-Butylbenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
n-PropylBenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Hexachlorobutadiene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Naphthalene	39.3	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
SURROGATE: Diethyl ether	97.25	%					
SURROGATE: Toluene-D8	99.50	%					
SURROGATE: Bromofluorobenzene	106.80	%					
8270.C Semivolatile Organics in Water by GC-MS			MEDF	20			
N-Nitrosodimethylamine	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Phenol	1630	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethyl) Ether	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
2-Chlorophenol	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
1,3-Dichlorobenzene	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
1,4-Dichlorobenzene	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 234
 July 30, 2004
 Submission # 407000100
 Order # 53974
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-103
 Collected: 07/01/04 13:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzyl Alcohol	1590	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
1,2-Dichlorobenzene	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
N-Nitrosodi-N-Propylamine	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
Hexachloroethane	BDL	ug/L	3510/8270C	50.000	07/06/2004	07/09/2004	ME
Nitrobenzene	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
Isophorone	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
2-Nitrophenol	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
2,4-Dimethylphenol	126	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethoxy)methane	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
2,4-Dichlorophenol	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
1,2,3-Trichlorobenzene	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
1,2,4-Trichlorobenzene	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Naphthalene	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Hexachlorobutadiene	BDL	ug/L	3510/8270C	20.000	07/06/2004	07/09/2004	ME
4-Chloro-3-Methylphenol	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
1-Methylnaphthalene	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 235
 July 30, 2004
 Submission # 407000100
 Order # 53974
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-103
 Collected: 07/01/04 13:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
2-Methylphenol (o-cresol)	181	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
Hexachlorocyclopentadiene	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
3-Methylphenol (m-cresol)	580	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	580	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
2,3,6-Trichlorophenol	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
2,4,5-Trichlorophenol	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
2,4,6-Trichlorophenol	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
2-Chloronaphthalene	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Dimethyl Phthalate	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Acenaphthylene	BDL	ug/L	3510/8270C	60.000	07/06/2004	07/09/2004	ME
2,6-Dinitrotoluene	BDL	ug/L	3510/8270C	20.000	07/06/2004	07/09/2004	ME
Acenaphthene	BDL	ug/L	3510/8270C	60.000	07/06/2004	07/09/2004	ME
2,4-Dinitrophenol	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
2,4-Dinitrotoluene	BDL	ug/L	3510/8270C	20.000	07/06/2004	07/09/2004	ME
4-Nitrophenol	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
Diethyl Phthalate	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Fluorene	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
4-Chlorophenyl Phenyl Ether	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 236
 July 30, 2004
 Submission # 407000100
 Order # 53974
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-103
 Collected: 07/01/04 13:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4,6-Dinitro-2-Methylphenol	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
N-Nitrosodiphenylamine	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
4-Bromophenyl Phenyl Ether	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Hexachlorobenzene	BDL	ug/L	3510/8270C	20.000	07/06/2004	07/09/2004	ME
Pentachlorophenol	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
Phenanthrene	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Anthracene	BDL	ug/L	3510/8270C	6.000	07/06/2004	07/09/2004	ME
Di-N-Butyl Phthalate	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Fluoranthene	BDL	ug/L	3510/8270C	6.000	07/06/2004	07/09/2004	ME
Benzidine	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Pyrene	BDL	ug/L	3510/8270C	6.000	07/06/2004	07/09/2004	ME
Butyl Benzyl Phthalate	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Benzo(A)Anthracene	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
3,3-Dichlorobenzidine	BDL	ug/L	3510/8270C	20.000	07/06/2004	07/09/2004	ME
Chrysene	BDL	ug/L	3510/8270C	20.000	07/06/2004	07/09/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Di-N-Octyl Phthalate	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Benzo(B)Fluoranthene	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 237
 July 30, 2004
 Submission # 407000100
 Order # 53974
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-103
 Collected: 07/01/04 13:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(K)Fluoranthene	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Benzo(A)Pyrene	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Dibenzo(A,H,)Anthracene	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Benzo(G,H,I)Perylene	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Bis-2-ethylhexyl Adipate	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Aldrin (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
alpha-BHC (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
beta-BHC (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
delta-BHC (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
gamma-BHC (Lindane) (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Chlordane (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
4,4'-DDD (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
4,4'-DDE (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
4,4'-DDT (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Dieldrin (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Endosulfan I (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Endosulfan II (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 238
 July 30, 2004
 Submission # 407000100
 Order # 53974
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-103
 Collected: 07/01/04 13:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan Sulfate (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Endrin (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Endrin Aldehyde (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Heptachlor (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Heptachlor Epoxide (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Toxaphene (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
PCB-1016 (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
PCB-1221 (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
PCB-1232 (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
PCB-1242 (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
PCB-1248 (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
PCB-1254 (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
PCB-1260 (screen)	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Dioxin (screen)	BDL	ug/L	3510/8270C	200.000	07/06/2004	07/09/2004	ME
Azobenzene	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
Methoxychlor	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Benzoic Acid	4730	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Aniline	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 239
 July 30, 2004
 Submission # 407000100
 Order # 53974
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-103
 Collected: 07/01/04 13:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chloroaniline	BDL	ug/L	3510/8270C	50.000	07/06/2004	07/09/2004	ME
Dibenzofuran	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
2-Nitroaniline	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
3-Nitroaniline	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
4-Nitroaniline	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
Carbazole	BDL	ug/L	3510/8270C	80.000	07/06/2004	07/09/2004	ME
2,6-Dichlorophenol	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
Pyridine	BDL	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
SURROGATE: 2-Fluorophenol	81.00	%					
SURROGATE: Phenol-D6	31.35	%					
SURROGATE: 2,4,6-Tribromophenol	82.00	%					
SURROGATE: D5-Nitrobenzene	27.50	%					
SURROGATE: 2-Fluorobiphenyl	19.90	%					
SURROGATE: 4-Terphenyl-D14	23.60	%					
FL-PRO (Petroleum Residual Organic w/ranges)-WATER			MEDF	1			
GRO (C8-C10) Range	71.4	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 240
July 30, 2004
Submission # 407000100
Order # 53974
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-103
Collected: 07/01/04 13:30
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
DRO (C10-C28) Range	67.1	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	5.47	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	144	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
SURROGATE : n-Nonatracontane(C-39)	25.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries,please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE. DILUTION NEEDED.


Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 241
 July 30, 2004
 Submission # 407000100
 Order # 53975
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@5'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	90.0	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)			MEDF	1			
Arsenic, Total	0.027	mg/L	4.1.3/200.7	0.008	07/02/2004	07/06/2004	MG
Barium, Total	BDL	mg/L	4.1.3/200.7	0.100	07/02/2004	07/06/2004	MG
Cadmium, Total	BDL	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Chromium, Total	0.031	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Lead, Total	0.006	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Selenium, Total	BDL	mg/L	4.1.3/200.7	0.010	07/02/2004	07/06/2004	MG
Silver, Total	BDL	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(I)	07/02/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER			MEDF	1			
a-BHC	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
b-BHC	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
g-BHC (lindane)	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
d-BHC	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Heptachlor	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Aldrin	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 242
 July 30, 2004
 Submission # 407000100
 Order # 53975
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@5'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Heptachlor Epoxide	BDL	ug/L	EPA 608/8081	0.090	07/06/2004	07/09/2004	JT
Endosulfan I	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Dieldrin	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
4,4-DDE	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Endrin	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Endosulfan II	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
4,4-DDD	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Endrin Aldehyde	BDL	ug/L	EPA 608/8081	0.020	07/06/2004	07/09/2004	JT
Endosulfan Sulfate	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
4,4-DDT	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Methoxychlor (Screen Only)	BDL	ug/L	EPA 608/8081	0.010	07/06/2004	07/09/2004	JT
Aroclor 1016	BDL	ug/L	EPA 608/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1221	BDL	ug/L	EPA 608/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1232	BDL	ug/L	EPA 608/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1242	BDL	ug/L	EPA 608/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1248	BDL	ug/L	EPA 608/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1254	BDL	ug/L	EPA 608/8081	0.070	07/06/2004	07/09/2004	JT
Aroclor 1260	BDL	ug/L	EPA 608/8081	0.070	07/06/2004	07/09/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 243
 July 30, 2004
 Submission # 407000100
 Order # 53975
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@5'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Toxaphene	BDL	ug/L	EPA 608/3081	0.250	07/06/2004	07/09/2004	JT
Chlordane	BDL	ug/L	EPA 608/3081	0.010	07/06/2004	07/09/2004	JT
SURROGATE: MTX	0.00	%					
SURROGATE: Decachlorobiphenyl	0.00	%					
614 Organophosphorus Pesticides in Water			MEDF	1			
Demeton	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	JT
Disulfoton	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	JT
Diazinon	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	JT
Malathion	BDL	ug/L	614/8141	0.100	07/06/2004	07/08/2004	JT
Parathion, Methyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	JT
Parathion, Ethyl	BDL	ug/L	614/8141	0.040	07/06/2004	07/08/2004	JT
Ethion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	JT
Azinphos, Methyl (Guthion)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	JT
Mirex	BDL	ug/L	614/8141	0.001	07/06/2004	07/08/2004	JT
Fenthion	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	JT
Chlorpyrifos (Dursban)	BDL	ug/L	614/8141	0.200	07/06/2004	07/08/2004	JT
Surrogate: Stirophos	22.70	%					
615 Chlorophenoxy Acid Herbicides in Water			MEDF	1			

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 244
 July 30, 2004
 Submission # 407000100
 Order # 53975
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@5'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dalapon	BDL	ug/L	615/8151	5.800	07/07/2004	07/10/2004	JT
Dicamba	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
2,4-D	BDL	ug/L	615/8151	1.200	07/07/2004	07/10/2004	JT
2,4,5-TP (silvex)	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
Dinoseb	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
Pentachlorophenol	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
2,4,5 T	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
Picloram	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
Dichloroprop	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
2,4-DB	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
MCP	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
MCPA	BDL	ug/L	615/8151	0.200	07/07/2004	07/10/2004	JT
Surrogate: Acifluorfen	0.00	%					
8260.B Volatile Organics in Water by GC/MS			MEDF	10			
Acetone	43100	ug/L	5030/8260B	1000.000	07/04/2004	07/04/2004	PMD
Acrolein	BDL	ug/L	5030/8260B	150.000	07/04/2004	07/04/2004	PMD
Acrylonitrile	BDL	ug/L	5030/8260B	150.000	07/04/2004	07/04/2004	PMD
Methyl Ethyl Ketone	3360	ug/L	5030/8260B	100.000	07/04/2004	07/04/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 245
 July 30, 2004
 Submission # 407000100
 Order # 53975
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@5'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Dichlorodifluoromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Chloromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Vinyl Chloride	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Bromomethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Chloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Trichlorofluoromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,1-Dichloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Methylene Chloride	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Trans-1,2-Dichloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Methyl-Tert-Butyl Ether	4850	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,1-Dichloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
2,2-Dichloropropane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Cis-1,2-Dichloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Chloroform	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Bromochloromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,1,1-Trichloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,1-Dichloropropene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Carbon Tetrachloride	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 246
 July 30, 2004
 Submission # 407000100
 Order # 53975
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@5'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzene	55.1	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,2-Dichloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Trichloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,2-Dichloropropane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Bromodichloromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
2-Chloroethylvinyl Ether	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Dibromomethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Cis-1,3-Dichloropropene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Toluene	174	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Trans-1,3-Dichloropropene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,1,2-Trichloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,3-Dichloropropane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Tetrachloroethene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Dibromochloromethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,2-Dibromoethane (EDB)	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Bromobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Chlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Ethylbenzene	19.9	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 247
 July 30, 2004
 Submission # 407000100
 Order # 53975
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@5'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,1,2-Tetrachloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
m & p-Xylene	62.9	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
o-Xylene	32.1	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Total Xylene	95.0	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Styrene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Isopropylbenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Bromoform	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,1,2,2-Tetrachloroethane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,2,3-Trichloropropane	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,3,5-Trimethylbenzene	1-6.83	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
2-Chlorotoluene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
4-Chlorotoluene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Tert-Butylbenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,2,4-Trimethylbenzene	32.0	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Sec-Butylbenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
P-Isopropyltoluene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,3-Dichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,4-Dichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 248
 July 30, 2004
 Submission # 407000100
 Order # 53975
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@5'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
n-Butylbenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
n-PropylBenzene	1-3.29	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,2-Dichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,2-Dibromo-3-Chloropropane (DBCP)	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,2,4-Trichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Hexachlorobutadiene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Naphthalene	1-7.43	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,2,3-Trichlorobenzene	BDL	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
SURROGATE: Diethyl ether	95.88	%					
SURROGATE: Toluene-D8	97.50	%					
SURROGATE: Bromofluorobenzene	104.00	%					
8270.C Semivolatile Organics in Water by GC-MS			MEDF	1			
N-Nitrosodimethylamine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Phenol	879	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethyl) Ether	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2-Chlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
1,3-Dichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1,4-Dichlorobenzene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 249
 July 30, 2004
 Submission # 407000100
 Order # 53975
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@5'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzyl Alcohol	BDL	ug/L	3510/82:70C	5.000	07/06/2004	07/09/2004	ME
1,2-Dichlorobenzene	BDL	ug/L	3510/82:70C	5.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroisopropyl) Ether	BDL	ug/L	3510/82:70C	5.000	07/06/2004	07/09/2004	ME
N-Nitrosodi-N-Propylamine	BDL	ug/L	3510/82:70C	4.000	07/06/2004	07/09/2004	ME
Hexachloroethane	BDL	ug/L	3510/82:70C	2.500	07/06/2004	07/09/2004	ME
Nitrobenzene	BDL	ug/L	3510/82:70C	4.000	07/06/2004	07/09/2004	ME
Isophorone	BDL	ug/L	3510/82:70C	5.000	07/06/2004	07/09/2004	ME
2-Nitrophenol	BDL	ug/L	3510/82:70C	2.000	07/06/2004	07/09/2004	ME
2,4-Dimethylphenol	BDL	ug/L	3510/82:70C	2.000	07/06/2004	07/09/2004	ME
Bis (2-Chloroethoxy)methane	BDL	ug/L	3510/82:70C	5.000	07/06/2004	07/09/2004	ME
2,4-Dichlorophenol	BDL	ug/L	3510/82:70C	2.000	07/06/2004	07/09/2004	ME
1,2,3-Trichlorobenzene	BDL	ug/L	3510/82:70C	5.000	07/06/2004	07/09/2004	ME
1,2,4-Trichlorobenzene	BDL	ug/L	3510/82:70C	5.000	07/06/2004	07/09/2004	ME
Naphthalene	6.62	ug/L	3510/82:70C	5.000	07/06/2004	07/09/2004	ME
Hexachlorobutadiene	BDL	ug/L	3510/82:70C	1.000	07/06/2004	07/09/2004	ME
4-Chloro-3-Methylphenol	BDL	ug/L	3510/82:70C	2.000	07/06/2004	07/09/2004	ME
1-Methylnaphthalene	21.3	ug/L	3510/82:70C	5.000	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	51.2	ug/L	3510/82:70C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 250
 July 30, 2004
 Submission # 407000100
 Order # 53975
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@5'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
2-Methylphenol (o-cresol)	51.5	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Hexachlorocyclopentadiene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
3-Methylphenol (m-cresol)	878	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	878	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,3,6-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4,5-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4,6-Trichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2-Chloronaphthalene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dimethyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Acenaphthylene	BDL	ug/L	3510/8270C	3.000	07/06/2004	07/09/2004	ME
2,6-Dinitrotoluene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Acenaphthene	BDL	ug/L	3510/8270C	3.000	07/06/2004	07/09/2004	ME
2,4-Dinitrophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,4-Dinitrotoluene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
4-Nitrophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Diethyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Fluorene	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Chlorophenyl Phenyl Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 251
 July 30, 2004
 Submission # 407000100
 Order # 53975
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@5'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4,6-Dinitro-2-Methylphenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
N-Nitrosodiphenylamine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Bromophenyl Phenyl Ether	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Hexachlorobenzene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Pentachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Phenanthrene	40.0	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Anthracene	BDL	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Di-N-Butyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Fluoranthene	BDL	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Benzidine	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Pyrene	BDL	ug/L	3510/8270C	0.300	07/06/2004	07/09/2004	ME
Butyl Benzyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzo(A)Anthracene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
3,3-Dichlorobenzidine	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Chrysene	BDL	ug/L	3510/8270C	1.000	07/06/2004	07/09/2004	ME
Bis (2 Ethylhexyl) Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Di-N-Octyl Phthalate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzo(B)Fluoranthene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 252
 July 30, 2004
 Submission # 407000100
 Order # 53975
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@5'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Benzo(K)Fluoranthene	BDL	ug/L	3510/8270C	0.500	07/06/2004	07/09/2004	ME
Benzo(A)Pyrene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Indeno(1,2,3-CD)Pyrene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Dibenzo(A,H,)Anthracene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Benzo(G,H,I)Perylene	BDL	ug/L	3510/8270C	0.200	07/06/2004	07/09/2004	ME
Bis-2-ethylhexyl Adipate	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Aldrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
alpha-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
beta-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
delta-BHC (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
gamma-BHC (Lindane) (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Chlordane (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDD (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDE (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4,4'-DDT (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dieldrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endosulfan I (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endosulfan II (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 253
 July 30, 2004
 Submission # 407000100
 Order # 53975
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@5'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Endosulfan Sulfate (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endrin (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Endrin Aldehyde (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Heptachlor (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Heptachlor Epoxide (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Toxaphene (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1016 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1221 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1232 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1242 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1248 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1254 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
PCB-1260 (screen)	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Dioxin (screen)	BDL	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Azobenzene	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
Methoxychlor	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Benzoic Acid	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Aniline	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 254
 July 30, 2004
 Submission # 407000100
 Order # 53975
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville

Sample I.D.: BCX-105@5'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chloroaniline	BDL	ug/L	3510/8270C	2.500	07/06/2004	07/09/2004	ME
Dibenzofuran	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
3-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
4-Nitroaniline	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Carbazole	BDL	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
2,6-Dichlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Pyridine	BDL	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2,3,4,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
2,3,5,6-Tetrachlorophenol	BDL	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
SURROGATE: 2-Fluorophenol	111.00	%					
SURROGATE: Phenol-D6	84.50	%					
SURROGATE: 2,4,6-Tribromophenol	90.50	%					
SURROGATE: D5-Nitrobenzene	112.00	%					
SURROGATE: 2-Fluorobiphenyl	73.90	%					
SURROGATE: 4-Terphenyl-D14	58.00	%					
FL-PRO (Petroleum Residual Organic w/ranges)-WATER			MEDF	1			
GRO (C8-C10) Range	4.84	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 255
July 30, 2004
Submission # 407000100
Order # 53975
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville

Sample I.D.: BCX-105@5'
Collected: 07/01/04 14:55
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
DRO (C10-C28) Range	109	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	47.4	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	161	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
SURROGATE : n-Nonatracontane(C-39)	40.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion, the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process"

coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries, please contact the representative who signed this report, or the QA department.

* MATRIX INTERFERES WITH SURROGATE. DILUTION NEEDED.


Project Manager



STL

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 1
July 29, 2004
Submission # 407000100
Order # 53959
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Site Location/Project
Jacksonville, FL.
BCX-Jacksonville
Order # 53959

Sample I.D.: BCX-17
Collected: 06/30/04 15:30
Received: 07/02/04 10:00
Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02) Karlfisher % Water in Soils & Waste	BDL 89.7	BTU/Lb. %	PARR Karl Fischer	40.0 0.5	07/10/2004 07/09/2004	07/10/2004 07/09/2004	EP RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}		DONE	MEDF	1	07/05/2004	07/08/2004	MAH/SB
Barium, Total	136	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Cadmium, Total	2.7	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Chromium, Total	10.8	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Lead, Total	19.1	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA) 8081 Chlorinated Pesticides & PCBs in Solids	BDL	mg/Kg DONE	7471A MEDF	0.100 30	07/02/2004 07/07/2004	07/05/2004 07/08/2004	MG JT
8141A Organophosphorus Pesticides in Soils		DONE	MEDF	30	07/07/2004	07/12/2004	JT
8151A Chlorophenoxy Herbicides in Soil, Wastes		DONE	MEDF	30	07/08/2004	07/13/2004	JT
8260.B Volatile Org.in Solids & Waste by GC/MS		DONE	MEDF	10	07/05/2004	07/05/2004	PMD
Methyl Ethyl Ketone	16.0	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methyl-Tert-Butyl Ether	3.83	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Benzene	4.27	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Toluene	60.7	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tetrachloroethene	9.02	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Ethylbenzene	21.5	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
m & p-Xylene	81.0	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 2
 July 29, 2004
 Submission # 407000100
 Order # 53959
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

o-Xylene	34.9	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Total Xylene	116	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Styrene	1.64	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Isopropylbenzene	3.81	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3,5-Trimethylbenzene	25.0	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trimethylbenzene	80.7	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
P-Isopropyltoluene	8.43	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-PropylBenzene	12.1	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Naphthalene	27.7	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
8270.C Semivol. Org. in Solids & Waste by GC/MS		DONE	MEDF	30	07/06/2004	07/07/2004	ME
Naphthalene	695	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1-Methylnaphthalene	669	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Methylnaphthalene	1970	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Phenanthrene	432	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL		DONE	MEDF	30	07/06/2004	07/06/2004	JRV
GRO (C8-C10) Range	1900	mg/Kg	FL-PRO	60.000	07/06/2004	07/06/2004	JRV
DRO (C10-C28) Range	31600	mg/Kg	FL-PRO	60.000	07/06/2004	07/06/2004	JRV
TRO (C28-C40) Range	16900	mg/Kg	FL-PRO	60.000	07/06/2004	07/06/2004	JRV
TOTAL PRO (C8-C40)	50400	mg/Kg	FL-PRO	60.000	07/06/2004	07/06/2004	JRV

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 3
 July 29, 2004
 Submission # 407000100
 Order # 53960
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville
 Order # 53960

Sample I.D.: BCX-15@30'
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02) Karlfisher %Water in Soils & Waste	BDL 98.7	BTU/Lb. %	PARR Karl Fischer	40.0 0.5	07/10/2004 07/09/2004	07/10/2004 07/09/2004	EP RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}		DONE	MEDF	1	07/05/2004	07/08/2004	MAH/SB
Barium, Total	11.7	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Cadmium, Total	BDFL	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Chromium, Total	5.6	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Lead, Total	4.2	mg/Kg	3050/6010	1.000	07/05/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA) 8081 Chlorinated Pesticides & PCBs in Solids	BDL	mg/Kg DONE	7471A MEDF	0.100 3	07/02/2004 07/07/2004	07/05/2004 07/14/2004	MG JT
8141A Organophosphorus Pesticides in Soils		DONE	MEDF	30	07/07/2004	07/12/2004	JT
8151A Chlorophenoxy Herbicides in Soil, Wastes		DONE	MEDF	30	07/08/2004	07/13/2004	JT
8260.B Volatile Org. in Solids & Waste by GC/MS		DONE	MEDF	10	07/05/2004	07/05/2004	PMD
Methyl Ethyl Ketone	18.3	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methyl-Tert-Butyl Ether	2.07	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Benzene	1.01	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Toluene	13.7	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tetrachloroethene	2.68	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Ethylbenzene	4.93	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
m & p-Xylene	19.3	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 4
 July 29, 2004
 Submission # 407000100
 Order # 53960
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

o-Xylene	8.87	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Total Xylene	28.2	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Isopropylbenzene	140.86	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3,5-Trimethylbenzene	6.9	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trimethylbenzene	22.9	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
P-Isopropyltoluene	1.52	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-Butylbenzene	4.73	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-PropylBenzene	3.16	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Naphthalene	9.10	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
8270.C Semivol. Org. in Solids & Waste by GC/MS		DONE	MEDF	30	07/06/2004	07/07/2004	ME
Naphthalene	209	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1-Methylnaphthalene	205	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Methylnaphthalene	639	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Phenanthrene	122	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Butyl Benzyl Phthalate	380	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL		DONE	MEDF	30	07/06/2004	07/06/2004	JRV
GRO (C8-C10) Range	1220	mg/Kg	FL-PRO	60.000	07/06/2004	07/06/2004	JRV
DRO (C10-C28) Range	6400	mg/Kg	FL-PRO	60.000	07/06/2004	07/06/2004	JRV
TRO (C28-C40) Range	5840	mg/Kg	FL-PRO	60.000	07/06/2004	07/06/2004	JRV
TOTAL PRO (C8-C40)	13500	mg/Kg	FL-PRO	60.000	07/06/2004	07/06/2004	JRV

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 5
 July 29, 2004
 Submission # 407000100
 Order # 53961
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville
 Order # 53961

Sample I.D.: BCX-100
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	2615	BTU/Lb.	PARR	40.0	07/10/2004	07/10/2004	EP
Karlfisher % Water in Soils & Waste	21.9	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}		DONE	MEDF	1	07/06/2004	07/08/2004	MAH/SB
Barium, Total	22.4	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Chromium, Total	10.9	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Lead, Total	23.7	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA)	BDL	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids		DONE	MEDF	1	07/07/2004	07/15/2004	JT
8141A Organophosphorus Pesticides in Soils		DONE	MEDF	30	07/07/2004	07/12/2004	JT
8151A Chlorophenoxy Herbicides in Soil, Wastes		DONE	MEDF	1	07/08/2004	07/13/2004	JT
8260.B Volatile Org.in Solids & Waste by GC/MS		DONE	MEDF	10	07/05/2004	07/05/2004	PMD
Methyl Ethyl Ketone	6.44	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Benzene	1-0.43	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Toluene	9.02	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tetrachloroethene	1.86	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Ethylbenzene	3.98	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
m & p-Xylene	14.8	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
o-Xylene	6.54	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Total Xylene	21.3	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 6
 July 29, 2004
 Submission # 407000100
 Order # 53961
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Isopropylbenzene	1-0.88	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3,5-Trimethylbenzene	5.20	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trimethylbenzene	17.6	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
P-Isopropyltoluene	1.2	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-Butylbenzene	4.34	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-PropylBenzene	2.42	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Naphthalene	6.83	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
8270.C Semivol. Org. in Solids & Waste by GC/MS		DONE	MEDF	300	07/06/2004	07/08/2004	ME
Naphthalene	1780	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
1-Methylnaphthalene	2080	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
2-Methylnaphthalene	6860	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
Phenanthrene	1070	mg/Kg	3550/8270C	99.000	07/06/2004	07/08/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL		DONE	MEDF	300	07/06/2004	07/07/2004	JT
GRO (C8-C10) Range	3360	mg/Kg	FL-PRO	600.000	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	164000	mg/Kg	FL-PRO	600.000	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	165000	mg/Kg	FL-PRO	600.000	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	332000	mg/Kg	FL-PRO	600.000	07/06/2004	07/07/2004	JT

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville
 Order # 53962

Sample I.D.: BCX-13@25'
 Collected: 07/01/04 09:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU/Lb.	PARR	40.0	07/10/2004	07/10/2004	EP
Karlfisher %Water in Soils & Waste	74.0	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 7
 July 29, 2004
 Submission # 407000100
 Order # 53962
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}		DONE	MEDF	1	07/06/2004	07/08/2004	MAH/SB
Barium, Total	15.9	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Chromium, Total	5.3	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Lead, Total	10.8	mg/Kg	3050/6010	1.000	07/06/2004	07/08/2004	MAH/SB
Mercury (Cold Vapor AA)	BDL	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids		DONE	MEDF	30	07/07/2004	07/08/2004	JT
8141A Organophosphorus Pesticides in Soils		DONE	MEDF	30	07/07/2004	07/12/2004	JT
8151A Chlorophenoxy Herbicides in Soil, Wastes		DONE	MEDF	1	07/08/2004	07/13/2004	JT
8260.B Volatile Org.in Solids & Waste by GC/MS		DONE	MEDF	10	07/05/2004	07/05/2004	PMD
Methyl Ethyl Ketone	8.11	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methyl-Tert-Butyl Ether	2.61	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Benzene	I-0.34	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Toluene	1.89	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Ethylbenzene	I-0.459	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
m & p-Xylene	1.86	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
o-Xylene	I-0.800	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Total Xylene	1.86	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3,5-Trimethylbenzene	I-0.55	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trimethylbenzene	2.56	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-Butylbenzene	I-0.54	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
8270.C Semivol. Org. in Solids & Waste by GC/MS		DONE	MEDF	30	07/06/2004	07/07/2004	ME
Naphthalene	1110	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1-Methylnaphthalene	977	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Methylnaphthalene	2970	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 8
 July 29, 2004
 Submission # 407000100
 Order # 53962
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Phenanthrene	1010	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Anthracene	246	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Butyl Benzyl Phthalate	1790	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Bis (2 Ethylhexyl) Phthalate	467	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL		DONE	MEDF	30	07/06/2004	07/07/2004	JRV
GRO (C8-C10) Range	2110	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
DRO (C10-C28) Range	32700	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TRO (C28-C40) Range	9680	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TOTAL PRO (C8-C40)	44500	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville
 Order # 53963

Sample I.D.: BCX-14@10'
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU/Lb.	PARR	40.0	07/10/2004	07/10/2004	EP
Karlfisher % Water in Soils & Waste	84.0	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}		DONE	MEDF	1	07/02/2004	07/09/2004	SB
Barium, Total	15.6	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Chromium, Total	6.3	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Lead, Total	5.1	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Mercury (Cold Vapor AA)	BDL	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids		DONE	MEDF	30	07/07/2004	07/08/2004	JT
8141A Organophosphorus Pesticides in Soils		DONE	MEDF	30	07/07/2004	07/12/2004	JT
8151A Chlorophenoxy Herbicides in Soil, Wastes		DONE	MEDF	30	07/08/2004	07/13/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 9
 July 29, 2004
 Submission # 407000100
 Order # 53963
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

8260.B Volatile Org.in Solids & Waste by GC/MS		DONE	MEDF	10	07/05/2004	07/05/2004	PMD
Methyl Ethyl Ketone	13.9	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methyl-Tert-Butyl Ether	1.79	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Toluene	8.97	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tetrachloroethene	1.75	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Ethylbenzene	3.05	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
m & p-Xylene	12.2	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
o-Xylene	5.38	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Total Xylene	17.6	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3,5-Trimethylbenzene	4.51	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trimethylbenzene	15.3	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
P-Isopropyltoluene	1.87	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-PropylBenzene	1.99	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Naphthalene	5.71	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
8270.C Semivol. Org. in Solids & Waste by GC/MS		DONE	MEDF	30	07/06/2004	07/07/2004	ME
Naphthalene	207	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1-Methylnaphthalene	217	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Methylnaphthalene	668	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Phenanthrene	128	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Butyl Benzyl Phthalate	303	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL		DONE	MEDF	30	07/06/2004	07/07/2004	JRV
GRO (C8-C10) Range	872	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
DRO (C10-C28) Range	9040	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TRO (C28-C40) Range	4420	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 10
 July 29, 2004
 Submission # 407000100
 Order # 53963
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

TOTAL PRO (C8-C40)	14300	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
--------------------	-------	-------	--------	--------	------------	------------	-----

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville
 Order # 53964

Sample I.D.: BCX-101
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU/Lb.	PARR	40.0	07/10/2004	07/10/2004	EP
Karlfisher %Water in Soils & Waste	>99	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}	DONE		MEDF	1	07/02/2004	07/09/2004	SB
Barium, Total	49.9	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Chromium, Total	6.6	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Lead, Total	8.7	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Mercury (Cold Vapor AA)	0.135	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids	DONE		MEDF	30	07/07/2004	07/15/2004	JT
8141A Organophosphorus Pesticides in Soils	DONE		MEDF	30	07/07/2004	07/12/2004	JT
8151A Chlorophenoxy Herbicides in Soil, Wastes	DONE		MEDF	30	07/08/2004	07/13/2004	JT
8260.B Volatile Org.in Solids & Waste by GC/MS	DONE		MEDF	10	07/05/2004	07/05/2004	PMD
Methyl Ethyl Ketone	24.5	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methyl-Tert-Butyl Ether	1.31	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Toluene	9.18	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tetrachloroethene	2.06	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Ethylbenzene	3.76	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
m & p-Xylene	14.5	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
o-Xylene	6.74	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 11
 July 29, 2004
 Submission # 407000100
 Order # 53964
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Total Xylene	21.2	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3,5-Trimethylbenzene	6.00	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trimethylbenzene	21.2	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
P-Isopropyltoluene	2.29	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-PropylBenzene	2.79	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Naphthalene	15.6	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
8270.C Semivol. Org. in Solids & Waste by GC/MS		DONE	MEDF	30	07/06/2004	07/07/2004	ME
Naphthalene	1000	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
1-Methylnaphthalene	1040	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
2-Methylnaphthalene	2920	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Phenanthrene	839	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Pyrene	300	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
Butyl Benzyl Phthalate	712	mg/Kg	3550/8270C	9.900	07/06/2004	07/07/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL		DONE	MEDF	30	07/06/2004	07/07/2004	JRV
GRO (C8-C10) Range	1750	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
DRO (C10-C28) Range	25600	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TRO (C28-C40) Range	6820	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TOTAL PRO (C8-C40)	34200	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville
 Order # 53965

Sample I.D.: BCX-102@30'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU/Lb.	PARR	40.0	07/10/2004	07/10/2004	EP

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 12
 July 29, 2004
 Submission # 407000100
 Order # 53965
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Karlfisher % Water in Soils & Waste	55.6	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}		DONE	MEDF	1	07/02/2004	07/09/2004	SB
Barium, Total	114	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Cadmium, Total	2.6	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Chromium, Total	40.7	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Lead, Total	107	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Mercury (Cold Vapor AA)	0.138	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids		DONE	MEDF	30	07/07/2004	07/15/2004	JT
8141A Organophosphorus Pesticides in Soils		DONE	MEDF	30	07/07/2004	07/12/2004	JT
8151A Chlorophenoxy Herbicides in Soil, Wastes		DONE	MEDF	30	07/08/2004	07/13/2004	JT
8260.B Volatile Org.in Solids & Waste by GC/MS		DONE	MEDF	10	07/05/2004	07/05/2004	PMD
Methyl Ethyl Ketone	91.5	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Methyl-Tert-Butyl Ether	8.75	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Benzene	17.8	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Toluene	205	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Tetrachloroethene	13.2	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Ethylbenzene	68.4	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
m & p-Xylene	200	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
o-Xylene	89.3	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Total Xylene	289	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Isopropylbenzene	16.9	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,3,5-Trimethylbenzene	92.7	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
1,2,4-Trimethylbenzene	335	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
P-Isopropyltoluene	23.5	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 13
 July 29, 2004
 Submission # 407000100
 Order # 53965
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

n-Butylbenzene	55.2	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
n-PropylBenzene	47.2	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
Naphthalene	90.4	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	PMD
8270.C Semivol. Org. in Solids & Waste by GC/MS		DONE	MEDF	30	07/06/2004	07/08/2004	ME
Naphthalene	2260	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1-Methylnaphthalene	2190	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Methylnaphthalene	6730	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Phenanthrene	1080	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL		DONE	MEDF	30	07/06/2004	07/07/2004	JRV
GRO (C8-C10) Range	5860	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
DRO (C10-C28) Range	76900	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TRO (C28-C40) Range	19700	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TOTAL PRO (C8-C40)	102000	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville
 Order # 53966

Sample I.D.: BCX-104@1'
 Collected: 07/01/04 14:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU/Lb.	PARR	40.0	07/10/2004	07/10/2004	EP
Karlifisher %Water in Soils & Waste	71.0	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}		DONE	MEDF	1	07/02/2004	07/09/2004	SB
Barium, Total	7.1	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Chromium, Total	7.2	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Lead, Total	4.2	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 14
 July 29, 2004
 Submission # 407000100
 Order # 53966
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Mercury (Cold Vapor AA)	0.142	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids		DONE	MEDF	30	07/07/2004	07/08/2004	JT
8141A Organophosphorus Pesticides in Soils		DONE	MEDF	30	07/07/2004	07/12/2004	JT
8151A Chlorophenoxy Herbicides in Soil, Wastes		DONE	MEDF	1	07/08/2004	07/13/2004	JT
8260.B Volatile Org. in Solids & Waste by GC/MS		DONE	MEDF	10	07/05/2004	07/05/2004	SKL
Benzene	1-0.72	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Toluene	24.0	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Ethylbenzene	4.87	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
m & p-Xylene	19.3	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
o-Xylene	6.6	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Total Xylene	25.9	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Isopropylbenzene	1.26	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,3,5-Trimethylbenzene	3.50	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2,4-Trimethylbenzene	11.9	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
n-PropylBenzene	1.69	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Naphthalene	2.28	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
8270.C Semivol. Org. in Solids & Waste by GC/MS		DONE	MEDF	30	07/06/2004	07/08/2004	ME
Naphthalene	27.2	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1-Methylnaphthalene	33.3	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Methylnaphthalene	81.2	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Phenanthrene	36.8	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL		DONE	MEDF	30	07/06/2004	07/07/2004	JT
GRO (C8-C10) Range	262	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	3940	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 15
 July 29, 2004
 Submission # 407000100
 Order # 53966
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

TRO (C28-C40) Range	1890	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	6090	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JT

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville
 Order # 53967

Sample I.D.: BCX-105@25'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	BDL	BTU/Lb.	PARF	40.0	07/10/2004	07/10/2004	EP
Karlfisher %Water in Soils & Waste	83.0	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP (No Hg)	DONE	DONE	MEDF	1	07/02/2004	07/09/2004	SB
Barium, Total	74.9	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Chromium, Total	19.1	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Lead, Total	76.4	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Mercury (Cold Vapor AA)	0.147	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids	DONE	DONE	MEDF	30	07/07/2004	07/15/2004	JT
8141A Organophosphorus Pesticides in Soils	DONE	DONE	MEDF	30	07/07/2004	07/12/2004	JT
8151A Chlorophenoxy Herbicides in Soil, Wastes	DONE	DONE	MEDF	30	07/08/2004	07/13/2004	JT
8260.B Volatile Org.in Solids & Waste by GC/MS	DONE	DONE	MEDF	10	07/23/2004	07/23/2004	PMD
Methyl-Tert-Butyl Ether	11.0	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Benzene	18.6	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Toluene	243	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Tetrachloroethene	9.47	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Ethylbenzene	56.4	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
m & p-Xylene	231	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 16
 July 29, 2004
 Submission # 407000100
 Order # 53967
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

o-Xylene	99.9	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Total Xylene	331	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Styrene	2.14	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Isopropylbenzene	11.9	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,3,5-Trimethylbenzene	76.1	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
1,2,4-Trimethylbenzene	309	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Sec-Butylbenzene	15.9	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
P-Isopropyltoluene	18.7	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
n-Butylbenzene	63.6	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
n-Propylbenzene	30.5	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
Naphthalene	82.5	mg/Kg	5035/8260B	1.000	07/23/2004	07/23/2004	PMD
8270.C Semivol. Org. in Solids & Waste by GC/MS		DONE	MEDF	30	07/06/2004	07/08/2004	ME
Naphthalene	2110	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
1-Methylnaphthalene	2020	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
2-Methylnaphthalene	5550	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
Butyl Benzyl Phthalate	2370	mg/Kg	3550/8270C	9.900	07/06/2004	07/08/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL		DONE	MEDF	30	07/06/2004	07/07/2004	JRV
GRO (C8-C10) Range	4160	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
DRO (C10-C28) Range	67000	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TRO (C28-C40) Range	18400	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV
TOTAL PRO (C8-C40)	89600	mg/Kg	FL-PRO	60.000	07/06/2004	07/07/2004	JRV

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 17
 July 29, 2004
 Submission # 407000100
 Order # 53968
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville
 Order # 53968

Sample I.D.: BCX-102@3'
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02) Karlfisher % Water in Soils & Waste	BDL 89.4		PARR Karl Fischer		07/10/2004 07/09/2004	07/10/2004 07/09/2004	EP RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}		DONE	MEDF	1	07/02/2004	07/09/2004	SB
Mercury (Cold Vapor AA)	0.414		7471A		07/02/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER		DONE	MEDF	5.0	07/06/2004	07/14/2004	JT
614 Organophosphorus Pesticides in Water		DONE	MEDF	5	07/08/2004	07/12/2004	YA
615 Chlorophenoxy Acid Herbicides in Water		DONE	MEDF	50	07/07/2004	07/10/2004	JT
8260.B Volatile Organics in Water by GC/MS		DONE	MEDF	100	07/14/2004	07/14/2004	PMD
Methyl Ethyl Ketone	15400	ug/L	5030/8260B	1000.000	07/14/2004	07/14/2004	PMD
Methylene Chloride	3730	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Methyl-Tert-Butyl Ether	224	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Benzene	I-14.4	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Toluene	263	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Tetrachloroethene	I-65.8	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Ethylbenzene	117	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
m & p-Xylene	491	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
o-Xylene	205	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Total Xylene	696	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Isopropylbenzene	I-30.0	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 18
 July 29, 2004
 Submission # 407000100
 Order # 53968
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

1,3,5-Trimethylbenzene	233	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
1,2,4-Trimethylbenzene	1120	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Sec-Butylbenzene	I-35.2	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
P-Isopropyltoluene	I-54.0	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
n-Butylbenzene	150	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
n-PropylBenzene	I-86.2	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
Naphthalene	1040	ug/L	5030/8260B	100.000	07/14/2004	07/14/2004	PMD
8270.C Semivolatile Organics in Water by GC-MS		DONE	MEDF	5	07/06/2004	07/09/2004	ME
Naphthalene	538	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
1-Methylnaphthalene	727	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	1930	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
3-MethylPhenol (m-cresol)	667	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	667	ug/L	3510/8270C	10.000	07/06/2004	07/09/2004	ME
Phenanthrene	319	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
Benzoic Acid	21100	ug/L	3510/8270C	25.000	07/06/2004	07/09/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-WATER		DONE	MEDF	5.0	07/06/2004	07/08/2004	SMF/JV
GRO (C8-C10) Range	299	mg/L	FL-PRO	2.500	07/06/2004	07/08/2004	SMF/JV
DRO (C10-C28) Range	1730	mg/L	FL-PRO	2.500	07/06/2004	07/08/2004	SMF/JV
TRO (C28-C40) Range	665	mg/L	FL-PRO	2.500	07/06/2004	07/08/2004	SMF/JV
TOTAL PRO (C8-C40)	2690	mg/L	FL-PRO	2.500	07/06/2004	07/08/2004	SMF/JV

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 19
 July 29, 2004
 Submission # 407000100
 Order # 53969
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville
 Order # 53969

Sample I.D.: BCX-104@23
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
British Thermal Unit (BTU) (02)	18978	BTU/Lb.	PARR	40.0	07/10/2004	07/10/2004	EP
Karlfisher %Water in Soils & Waste	BDL	%	Karl Fischer	0.5	07/09/2004	07/09/2004	RG
6010 RCRA 7 Metals in SOIL/WASTES-ICP {No Hg}	DONE	DONE	MEDF	1	07/02/2004	07/09/2004	SB
Lead, Total	2.3	mg/Kg	3050/6010	1.000	07/02/2004	07/09/2004	SB
Mercury (Cold Vapor AA)	BDL	mg/Kg	7471A	0.100	07/02/2004	07/05/2004	MG
8081 Chlorinated Pesticides & PCBs in Solids	DONE	DONE	MEDF	1	07/07/2004	07/08/2004	JT
8141A Organophosphorus Pesticides in Soils	DONE	DONE	MEDF	30	07/07/2004	07/12/2004	JT
8151A Chlorophenoxy Herbicides in Soil, Wastes	DONE	DONE	MEDF	30	07/08/2004	07/13/2004	JT
8260.B Volatile Org.in Solids & Waste by GC/MS	DONE	DONE	MEDF	10	07/05/2004	07/05/2004	SKL
Methyl-Tert-Butyl Ether	5.3	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Toluene	11.8	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Tetrachloroethene	27.8	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Ethylbenzene	13.6	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
m & p-Xylene	66.8	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
o-Xylene	41.4	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Total Xylene	108	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Isopropylbenzene	6.51	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,3,5-Trimethylbenzene	83.1	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
1,2,4-Trimethylbenzene	291	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 20
 July 29, 2004
 Submission # 407000100
 Order # 53969
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Sec-Butylbenzene	11.3	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
P-Isopropyltoluene	22.4	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
n-Butylbenzene	87.4	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
n-PropylBenzene	27.7	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
Naphthalene	222	mg/Kg	5035/8260B	1.000	07/05/2004	07/05/2004	SKL
8270.C Semivol. Org. in Solids & Waste by GC/MS		DONE	MEDF	10	07/08/2004	07/11/2004	MD
Naphthalene	437	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
1-Methylnaphthalene	440	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
2-Methylnaphthalene	1100	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
Phenanthrene	264	mg/Kg	3550/8270C	3.300	07/08/2004	07/11/2004	MD
FL-PRO (Petroleum Residual Organic w/ranges)-SOIL		DONE	MEDF	1	07/08/2004	07/09/2004	JT
GRO (C8-C10) Range	20500	mg/Kg	FL-PRO	2.000	07/08/2004	07/09/2004	JT
DRO (C10-C28) Range	673000	mg/Kg	FL-PRO	2.000	07/08/2004	07/09/2004	JT
TRO (C28-C40) Range	405000	mg/Kg	FL-PRO	2.000	07/08/2004	07/09/2004	JT
TOTAL PRO (C8-C40)	1100000	mg/Kg	FL-PRO	2.000	07/08/2004	07/09/2004	JT

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville
 Order # 53970

Sample I.D.: BCX-16
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	62.0	mg/L	160.2	5.0	07/06/2004	07/07/2004	YD/PJ
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)		CONC	MEDF	1	07/02/2004	07/06/2004	MG
Arsenic, Total	0.013	mg/L	4.1.3/200.7	0.008	07/02/2004	07/06/2004	MG

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 21
 July 29, 2004
 Submission # 407000100
 Order # 53970
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Lead, Total	0.005	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(I)	07/02/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER		DONE	MEDF	10	07/06/2004	07/14/2004	JT
614 Organophosphorus Pesticides in Water		DONE	MEDF	1	07/06/2004	07/08/2004	YA
615 Chlorophenoxy Acid Herbicides in Water		DONE	MEDF	1	07/07/2004	07/10/2004	JT
8260.B Volatile Organics in Water by GC/MS		DONE	MEDF	1	07/04/2004	07/04/2004	SKL
Methyl-Tert-Butyl Ether	1.25	ug/L	5030/8260B	1.000	07/04/2004	07/04/2004	SKL
8270.C Semivolatile Organics in Water by GC-MS		DONE	MEDF	1	07/06/2004	07/09/2004	ME
Benzoic Acid	16.2	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
Carbazole	16.2	ug/L	3510/8270C	4.000	07/06/2004	07/09/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-WATER		DONE	MEDF	1	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	7.08	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	0.789	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	7.87	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville
 Order # 53971

Sample I.D.: BCX-15@25'
 Collected: 07/01/04 11:15
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	60.0	mg/L	160.2	5.0	07/06/2004	07/07/2004	YD/PJ
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)		DONE	MEDF	1	07/02/2004	07/06/2004	MG
Arsenic, Total	0.012	mg/L	4.1.3/200.7	0.008	07/02/2004	07/06/2004	MG
Chromium, Total	0.056	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 22
 July 29, 2004
 Submission # 407000100
 Order # 53971
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Lead, Total	0.009	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(1)	07/02/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER		DONE	MEDF	1.09	07/06/2004	07/14/2004	JT
614 Organophosphorus Pesticides in Water		DONE	MEDF	1	07/06/2004	07/08/2004	YA
615 Chlorophenoxy Acid Herbicides in Water		DONE	MEDF	10	07/07/2004	07/10/2004	JT
8260.B Volatile Organics in Water by GC/MS		DONE	MEDF	10	07/04/2004	07/04/2004	SKL
Acetone	3720	ug/L	5030/8260B	1000.000	07/04/2004	07/04/2004	SKL
Methyl Ethyl Ketone	2780	ug/L	5030/8260B	100.000	07/04/2004	07/04/2004	SKL
Methylene Chloride	48.3	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Methyl-Tert-Butyl Ether	19.6	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Benzene	1-3.95	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Toluene	10.4	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
m & p-Xylene	1-7.63	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2,4-Trimethylbenzene	1-9.00	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
8270.C Semivolatile Organics in Water by GC-MS		DONE	MEDF	1	07/06/2004	07/09/2004	ME
Phenol	990	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
3-Methylphenol (m-cresol)	345	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	345	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Benzoic Acid	870	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-WATER		DONE	MEDF	1	07/06/2004	07/07/2004	JT
GRO (C8-C10) Range	5.80	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	26.1	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	31.9	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 23
 July 29, 2004
 Submission # 407000100
 Order # 53972
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville
 Order # 53972

Sample I.D.: BCX-13@20'
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	206	mg/L	160.2	5.0	07/06/2004	07/07/2004	YD/PJ
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)		DONE	MEDF	1	07/02/2004	07/06/2004	MG
Cadmium, Total	0.024	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Chromium, Total	0.180	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Lead, Total	0.042	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(1)	07/02/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER		DONE	MEDF	1	07/06/2004	07/09/2004	JT
614 Organophosphorus Pesticides in Water		DONE	MEDF	1	07/06/2004	07/08/2004	YA
615 Chlorophenoxy Acid Herbicides in Water		DONE	MEDF	10	07/07/2004	07/10/2004	JT
8260.B Volatile Organics in Water by GC/MS		DONE	MEDF	10	07/03/2004	07/03/2004	PMD
Acetone	18200	ug/L	5030/8260B	1000.000	07/03/2004	07/03/2004	PMD
Methyl Ethyl Ketone	4390	ug/L	5030/8260B	100.000	07/03/2004	07/03/2004	PMD
Methyl-Tert-Butyl Ether	1050	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Benzene	11.6	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Toluene	41.2	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
Ethylbenzene	1-5.19	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
m & p-Xylene	19.2	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
o-Xylene	10.7	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 24
 July 29, 2004
 Submission # 407000100
 Order # 53972
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Total Xylene	29.9	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
1,2,4-Trimethylbenzene	11.8	ug/L	5030/8260B	10.000	07/03/2004	07/03/2004	PMD
8270.C Semivolatile Organics in Water by GC-MS		DONE	MEDF	1	07/06/2004	07/09/2004	ME
Phenol	834	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Benzyl Alcohol	1240	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Methylphenol (o-cresol)	44.0	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
3-Methylphenol (m-cresol)	97.3	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	97.3	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-WATER		DONE	MEDF	1	07/06/2004	07/07/2004	JT
GRO (C8-C10) Range	11.0	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	55.7	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	6.93	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	73.6	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville
 Order # 53973

Sample I.D.: BCX-14@3'
 Collected: 07/01/04 11:45
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	1250	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)		DONE	MEDF	1	07/02/2004	07/06/2004	MG
Arsenic, Total	0.021	mg/L	4.1.3/200.7	0.008	07/02/2004	07/06/2004	MG
Chromium, Total	0.093	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Lead, Total	0.033	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 25
 July 29, 2004
 Submission # 407000100
 Order # 53973
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(I)	07/02/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER		DONE	MEDF	1	07/06/2004	07/09/2004	JT
614 Organophosphorus Pesticides in Water		DONE	MEDF	1	07/06/2004	07/08/2004	YA
615 Chlorophenoxy Acid Herbicides in Water		DONE	MEDF	10	07/07/2004	07/10/2004	JT
8260.B Volatile Organics in Water by GC/MS		DONE	MEDF	10	07/04/2004	07/04/2004	SKL
Acetone	1-261	ug/L	5030/8260B	1000.000	07/04/2004	07/04/2004	SKL
Methyl Ethyl Ketone	130	ug/L	5030/8260B	100.000	07/04/2004	07/04/2004	SKL
Methyl-Tert-Butyl Ether	11.3	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Benzene	12.7	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Toluene	111	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Tetrachloroethene	12.1	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Ethylbenzene	27.0	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
m & p-Xylene	102	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
o-Xylene	48.2	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Total Xylene	150	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Isopropylbenzene	1-1.76	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,3,5-Trimethylbenzene	18.6	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2,4-Trimethylbenzene	72.6	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
P-Isopropyltoluene	1-1.92	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
n-Butylbenzene	1-7.6	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
n-Propylbenzene	1-7.67	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Naphthalene	35.6	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
8270.C Semivolatile Organics in Water by GC-MS		DONE	MEDF	1	07/06/2004	07/09/2004	ME
Naphthalene	8.71	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 26
 July 29, 2004
 Submission # 407000100
 Order # 53973
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

1-Methylnaphthalene	6.3	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	13.6	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
3-MethylPhenol (m-cresol)	18.7	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	18.7	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-WATER		DONE	MEDF	1	07/06/2004	07/07/2004	JT
GRO (C8-C10) Range	0.912	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	38.8	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	9.45	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	49.2	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville
 Order # 53974

Sample I.D.: BCX-103
 Collected: 07/01/04 13:30
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	7980	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)	\	DONE	MEDF	1	07/02/2004	07/06/2004	MG
Barium, Total	0.11	mg/L	4.1.3/200.7	0.100	07/02/2004	07/06/2004	MG
Cadmium, Total	0.183	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Chromium, Total	0.216	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Lead, Total	0.189	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(1)	07/02/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER		DONE	MEDF	10	07/06/2004	07/09/2004	JT
614 Organophosphorus Pesticides in Water		DONE	MEDF	1	07/06/2004	07/08/2004	YA

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 27
 July 29, 2004
 Submission # 407000100
 Order # 53974
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

615	Chlorophenoxy Acid Herbicides in Water	DONE	MEDF	10	07/07/2004	07/10/2004	JT
8260.B	Volatile Organics in Water by GC/MS	DONE	MEDF	10	07/04/2004	07/04/2004	SKL
Acetone	3500	ug/L	5030/8260B	1000.000	07/04/2004	07/04/2004	SKL
Methyl Ethyl Ketone	1620	ug/L	5030/8260B	100.000	07/04/2004	07/04/2004	SKL
Methyl-Tert-Butyl Ether	145	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Benzene	1-1.35	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Toluene	12.2	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Tetrachloroethene	1-4.36	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Ethylbenzene	1-3.89	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
m & p-Xylene	15.6	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
o-Xylene	1-8.90	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Total Xylene	15.6	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,3,5-Trimethylbenzene	1-5.04	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
1,2,4-Trimethylbenzene	27.5	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
P-Isopropyltoluene	1-3.64	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
Naphthalene	39.3	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	SKL
8270.C	Semivolatile Organics in Water by GC-MS	DONE	MEDF	20	07/06/2004	07/09/2004	ME
Phenol	1630	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
Benzyl Alcohol	1590	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME
2,4-Dimethylphenol	126	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
2-Methylphenol (o-cresol)	181	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
3-Methylphenol (m-cresol)	580	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	580	ug/L	3510/8270C	40.000	07/06/2004	07/09/2004	ME
Benzoic Acid	4730	ug/L	3510/8270C	100.000	07/06/2004	07/09/2004	ME

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 28
 July 29, 2004
 Submission # 407000100
 Order # 53974
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

FL-PRO (Petroleum Residual Organic w/ranges)-WATER		DONE	MEDF	1	07/06/2004	07/07/2004	JT
GRO (C8-C10) Range	71.4	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	67.1	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	5.47	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TOTAL PRO (C8-C40)	144	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT

Site Location/Project
 Jacksonville, FL.
 BCX-Jacksonville
 Order # 53975

Sample I.D.: BCX-105@5'
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Client

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT	DATE EXT.	DATE ANALY.	ANALYST
Residue, Non-Filterable (TSS)	90.0	mg/L	160.2	5.0	07/07/2004	07/08/2004	YD
British Thermal Unit (BTU) (02)	BDL	BTU	PARR		07/09/2004	07/09/2004	EP
200.7 Metals in Environmental Waters(Group 7)		DONE	MEDF	1	07/02/2004	07/06/2004	MG
Arsenic, Total	0.027	mg/L	4.1.3/200.7	0.008	07/02/2004	07/06/2004	MG
Chromium, Total	0.031	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Lead, Total	0.006	mg/L	4.1.3/200.7	0.005	07/02/2004	07/06/2004	MG
Mercury	BDL	mg/L	SM3112B (245.1)	0.0002(1)	07/02/2004	07/05/2004	MG
608 Chlorinated Pesticides & PCBs in WATER		DONE	MEDF	1	07/06/2004	07/09/2004	JT
614 Organophosphorus Pesticides in Water		DONE	MEDF	1	07/06/2004	07/08/2004	JT
615 Chlorophenoxy Acid Herbicides in Water		DONE	MEDF	1	07/07/2004	07/10/2004	JT
8260.B Volatile Organics in Water by GC/MS		DONE	MEDF	10	07/04/2004	07/04/2004	PMD
Acetone	43100	ug/L	5030/8260B	1000.000	07/04/2004	07/04/2004	PMD
Methyl Ethyl Ketone	3360	ug/L	5030/8260B	100.000	07/04/2004	07/04/2004	PMD
Methyl-Tert-Butyl Ether	4850	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 29
 July 29, 2004
 Submission # 407000100
 Order # 53975
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

Benzene	55.1	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Toluene	174	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Ethylbenzene	19.9	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
m & p-Xylene	62.9	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
o-Xylene	32.1	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Total Xylene	95.0	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,3,5-Trimethylbenzene	1-6.83	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
1,2,4-Trimethylbenzene	32.0	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
n-PropylBenzene	1-3.29	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
Naphthalene	1-7.43	ug/L	5030/8260B	10.000	07/04/2004	07/04/2004	PMD
8270.C Semivolatile Organics in Water by GC-MS		DONE	MEDF	1	07/06/2004	07/09/2004	ME
Phenol	879	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Naphthalene	6.62	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
1-Methylnaphthalene	21.3	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Methylnaphthalene	51.2	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
2-Methylphenol (o-cresol)	51.5	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
3-MethylPhenol (m-cresol)	878	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
4-Methylphenol (p-cresol)	878	ug/L	3510/8270C	2.000	07/06/2004	07/09/2004	ME
Phenanthrene	40.0	ug/L	3510/8270C	5.000	07/06/2004	07/09/2004	ME
FL-PRO (Petroleum Residual Organic w/ranges)-WATER		DONE	MEDF	1	07/06/2004	07/07/2004	JT
GRO (C8-C10) Range	4.84	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
DRO (C10-C28) Range	109	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT
TRO (C28-C40) Range	47.4	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT

WESTIN000091
Jeff Brown
WRS Infrastructure & Env-TAMPA
221 Hobbs Street, #108
Tampa, FL 33619

Page 30
July 29, 2004
Submission # 407000100
Order # 53975
FDEP CompQAP# 990102
FL-DOH Certification# E86349,E86616

QUICK REFERENCE SUMMARY REPORT
ALL BDL'S FOR ANALYTES HAVE BEEN REMOVED

TOTAL PRO (C8-C40)	161	mg/L	FL-PRO	0.500	07/06/2004	07/07/2004	JT

***FINAL NELAC COMPLIANT REPORT WILL FOLLOW.

BDL: Indicates Analyte is Below Detection Limit

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7

Unless otherwise noted, mg/Kg denotes wet weight

MEDF: Matrix Effect Dilution Factor

* MATRIX INTERFERES WITH SURROGATE. DILUTION NEEDED.


Project Manager

Authorized Laboratory Management

Submission Code: <u>04/07-100</u> Orders: <u>53959-53975</u> Entered to lims: <u>(S)</u>		SEVERN TRENT LABORATORIES, INC. CHAIN OF CUSTODY RECORD (DEP 62-770.900 - modified form) 10200 USA TODAY WAY, MIRAMAR, FLORIDA 33025 (954) 431-4550 • NAT'L WATS (800) LAB-8550 • FAX (954) 431-1959 • SAMPLE CUSTODY FAX (954) 432-8875				FDEP Facility No. _____ Page: <u>1</u> of <u>2</u> Sampling CompQAP No. _____ Approval Date: _____	
		Original - Return w/Report		Yellow - Lab Copy		Pink - Sampler Copy	
Report To: <u>JEFF BROWN</u>				Report To Address: <u>WRS 221 HOBBS ST Suite 108</u>			
Bill To: <u>WRS</u>				Billing Address: <u>TAMPA-FL 33619</u>			
Project Number/Name: <u>Bcx-Jacksonville</u>				Site Location: <u>JACKSONVILLE FL</u>			
Project Contact: <u>JEFF BROWN</u>		Phone: <u>770-335-3612</u>		FAX: _____			
Alternate Contact: <u>Bernardo Deduani</u>		Phone: <u>813-376-4521</u>		FAX: <u>813-684-9177</u>			
Sampled By (print): _____				Sampler's Signature: <u>Bernardo Deduani</u>			

I T E M	SAMPLE ID	DATE COLLECTED	TIME COLLECTED	pH	T E M P °C	C O N D	MATRIX DW SW GW SED S EFF HW BIO SA	SAMPLE LOCATION JOB DESCRIPTION (optional if needed when samples are from different site location)	# C O N T A I N E R S	ANALYSIS REQUIRED							Sample Condition as Received			
										PLACE NAME OR METHOD NUMBER OF TESTS NEEDED IN LARGE BOXES BELOW							Temp <u>4.1</u>		Sealed Yes <u>No</u>	
										(✓) CHECK OFF WHICH SAMPLE ITEMS NEED EACH TEST PERFORMED										
1	Bcx-17	6/30/04	3:30PM				Sludge		2	<input checked="" type="checkbox"/> Metals	<input checked="" type="checkbox"/> BOD	<input checked="" type="checkbox"/> BGV	<input checked="" type="checkbox"/> 202/382	<input checked="" type="checkbox"/> 241/251	<input checked="" type="checkbox"/> WRS	<input checked="" type="checkbox"/> RCRA	<input checked="" type="checkbox"/> FL-PRD	<input checked="" type="checkbox"/> % H ₂ O	<input checked="" type="checkbox"/> KF	53959
2	Bcx-15030	6/30/04	6:30PM						1											53960
3	Bcx-100	7/1/04	8:00AM						4											53961
4	Bcx-13025	7/1/04	9:00AM						2											53962
5	Bcx-14010	7/1/04	11:00AM						2											53963
6	Bcx-101	7/1/04	11:30AM						3											53964
7	Bcx-102030	7/1/04	1:45PM						3											53965
8	Bcx-104030	7/1/04	2:00PM						3											53966
9	Bcx-10025	7/1/04	2:55PM						3											53967
10																				

Special Comments: <u>Add % H₂O KF to sludges / Jeff Brown 7/2/04 pm</u>		Total # of Containers: _____	QA/QC Report Needed? <u>Yes</u> <u>No</u> (See price guide for applicable fees)
Report Format: <u>Standard</u> <u>Other (specify)</u>			

(1) Relinquished by Signature: <u>Bernardo Deduani</u>		Date: <u>7/1/04</u>	(2) Relinquished by Signature: _____		Date: _____	DUE DATE REQUESTED	
Company: <u>WRS</u>		Time: <u>3:20</u>	Company: _____		Time: _____	Coating Code: _____ Q/L/D	
(1) Received by Signature: <u>JEFF BROWN</u>		Date: <u>7/1/04</u>	(2) Received by Signature: <u>JEFF BROWN</u>		Date: <u>7/2/04</u>	Misc. Charges	
Company: <u>STL</u>		Time: <u>1520</u>	Company: <u>STL</u>		Time: <u>10:50</u>	SHADED AREAS ARE FOR LAB USE ONLY	

SEVERN TRENT LABORATORIES, INC.

CHAIN OF CUSTODY RECORD (DEP 62-770.900 - modified form)

Submission Code: 07-100
 Orders: 53968-53975
 Entered to lims: JA

10200 USA TODAY WAY, MIRAMAR, FLORIDA 33025
 (954) 431-4550 • NAT'L WATS (800) LAB-8550 • FAX (954) 431-1959 • SAMPLE CUSTODY FAX (954) 432-8875

FDEP Facility No. _____
 Page: 2 of 2
 Sampling CompQAP No.: _____
 Approval Date: _____

Original - Return w/Report

Yellow - Lab Copy

Pink - Sampler Copy

Report To: JEFF BROWN Report To Address: WAS 221 Hobbs St Suite 108
 Bill To: WAS Billing Address: Tampa FL 33619

Project Number/Name: BCX-JACKSONVILLE Site Location: JACKSONVILLE

Project Contact: JEFF BROWN Phone: 770-335-3610 FAX: 813

Alternate Contact: Bernardo Paduan Phone: 813-376-4521 FAX: 813-624-4177

Sampled By (print): Bernardo Paduan Sampler's Signature: Bernardo Paduan

I T E M	SAMPLE ID	DATE COLLECTED	TIME COLLECTED	pH	T E M P °C	C O N D	MATRIX DW SW GW SED S EFF HW BIO SA	SAMPLE LOCATION JOB DESCRIPTION (optional if needed when samples are from different site location)	# C O N T A I N E R S	ANALYSIS REQUIRED PLACE NAME OR METHOD NUMBER OF TESTS NEEDED IN LARGE BOXES BELOW (✓) CHECK OFF WHICH SAMPLE ITEMS NEED EACH TEST PERFORMED										Sample Condition as Received Temp <u>4.1</u> °C Sealed Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Lot number of Sampling Containers Used
										FLD	FLD	FLD	FLD	FLD	FLD	FLD	FLD	FLD	FLD		
1	BCX-16	7-1-04	11:00am				Water		11	<input checked="" type="checkbox"/> VOC-20	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	53970			
2	BCX-15 @ 25'	7-1-04	11:15am				Water		11	<input checked="" type="checkbox"/> VOC-20	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	53971			
3	BCX-13 @ 20'	7-1-04	11:30am				Water		11	<input checked="" type="checkbox"/> VOC-20	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	53972			
4	BCX-14 @ 3'	7-1-04	11:45am				Water		11	<input checked="" type="checkbox"/> VOC-20	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	53973			
5	BCX-10 @ 3'	7-1-04	11:40am				Water	Waste Sample	10	<input checked="" type="checkbox"/> VOC-20	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	53974			
6	BCX-103	7-1-04	11:30am				Water		10	<input checked="" type="checkbox"/> VOC-20	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	53974			
7	BCX-104 @ 23'	7-1-04	2:30pm				Water	Waste Sample	10	<input checked="" type="checkbox"/> VOC-20	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	53975			
8	BCX-105 @ 5'	7-1-04	2:55pm				Water		10	<input checked="" type="checkbox"/> VOC-20	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	<input checked="" type="checkbox"/> SV	53975			
9	1X 3202	wide Mouth Glass bottle rec'd for BCX #16, BCX #15 @ 25', BCX 13 @ 20' not listed on con.																			
10	informal	Bernardo 7/2/04																			

Special Comments: Deleted % H2O by KF; Jeff Total # of Containers: _____ QA/QC Report Needed? Yes ☐ No ☐ (See price guide for applicable fees)

Brown 7/2/04 Report Format: Standard Other (specify) _____

(1) Relinquished by Signature: <u>Bernardo Paduan</u>	Date: <u>7-1-04</u>	(2) Relinquished by Signature: <u>[Signature]</u>	Date: _____	DUE DATE REQUESTED Confirmation # _____
Company: <u>WRS</u>	Time: <u>3:20pm</u>	Company: _____	Time: _____	Coating Code: _____ Q/L/D
(1) Received by Signature: <u>[Signature]</u>	Date: <u>7/1/04</u>	(2) Received by Signature: <u>[Signature]</u>	Date: <u>7/2/04</u>	Misc. Charges _____
Company: <u>STL</u>	Time: <u>1:520</u>	Company: <u>STL</u>	Time: <u>6:50</u>	SHADED AREAS ARE FOR LAB USE ONLY

SATURDAY SHIPMENT:

EXTRA SAMPLES NOT LISTED ON COC:

			AMBER	WIDE MOUTH 320Z (GLASS)	40ml
BCX-13 @ 20'	7/1	@ 11:30	1		3 5397
BCX-13	7/1	@ 9:00		1	3 5396
BCX-14 @ 3'	7/1	@ 11:30	1	2	3 5397
BCX-15 @ 25'	7/1	@ 11:15	1		3 5397
BCX-15 @ 25'	6/30	@ 6:30		1	3 5397
BCX-16	7/1	@ 16:00	1		3 5397
BCX-105 @ 5'	7/1	@ 2:55	1		3 5397
BCX-102 @ 3'	7/1	@ 13:00	1		3 5396
BCX-104 @ 23'	7/1	@ 2:30	1		3 5396
BCX-103	7/1	@ 1:00	1		3 5397
BCX-SC	7/1	@ 8:30	1	(TSS)	*

* Add To COC and Run for TSS as per Berrado 7/6/01 @

FRIDAY SHIPMENT:

BCX-16	6/30	@ 5:46	53970	2	✓ extra
BCX-15 @ 25'	6/30	@ 6:30	53971	1	✓ extra
BCX-13 @ 20'	7/1	@ 9:00	53972	1	extra