

REMOVAL SITE EVALUATION REPORT

***Cosmo Specialty Fibers 2025 Removal Site Evaluation
Cosmopolis, Grays Harbor County, Washington
Contract No.: 68HE0720D0005
Task Order No.: 68HE0725F0182***



Prepared for:

U.S. Environmental Protection Agency, Region 10
1200 Sixth Avenue
Seattle, WA 98101

Prepared by:

Weston Solutions, Inc.
615 2nd Avenue, Suite 350
Seattle, WA 98104

February 2026

TABLE OF CONTENTS

EXECUTIVE SUMMARY	- 1 -
1 INTRODUCTION.....	1-1
1.1 PARTICIPATING ORGANIZATIONS.....	1-1
1.2 SCOPE OF WORK.....	1-1
2 SITE BACKGROUND	2-1
2.1 SITE LOCATION AND DESCRIPTION	2-1
2.2 SITE FEATURES.....	2-2
2.3 ENVIRONMENTAL SETTING	2-4
2.3.1 Climate.....	2-4
2.3.2 Land Use	2-5
2.4 PREVIOUS SITE ACTIONS	2-5
3 REMOVAL SITE EVALUATION	3-1
3.1 APPROACH	3-1
3.1.1 Tank Assessment and Inventory	3-1
3.1.2 Sampling Activities.....	3-4
3.2 DEVIATIONS FROM SAMPLING AND ANALYSIS PLAN.....	3-5
3.3 FIELD DOCUMENTATION	3-5
3.4 INVESTIGATION-DERIVED WASTE.....	3-6
4 ANALYTICAL METHODOLOGY AND DATA VALIDATION.....	4-1
4.1 DATA VALIDATION.....	4-2
4.2 DATA REPORTING.....	4-3
4.3 DATA STORAGE.....	4-3
5 SUMMARY OF RESULTS	5-1
5.1 ANALYTICAL RESULTS	5-2
5.1.1 LIQUID ANALYTICAL RESULTS.....	5-3
5.1.2 SOLID ANALYTICAL RESULTS.....	5-7
5.2 TANK ASSESSMENT AND INVENTORY RESULTS.....	5-8
5.2.1 Rank and Rating System.....	5-9
5.2.2 SME Findings	5-16
5.2.3 2024 Emergency Response Chemical Relocation & Storage Inventory	5-16
5.3 CHEMICAL SUMMARY	5-17
6 SUMMARY AND CONCLUSIONS	6-20
6.1 OVERVIEW OF SITE.....	6-20
6.2 GENERAL SITE CONDITONS	6-20
6.3 TANK ASSESSMENT AND INVENTORY	6-21

6.4	RELEASE PATHWAYS.....	6-22
6.5	PRELIMINARY WASTE MANAGEMENT CONSIDERATIONS.....	6-23
7	REFERENCES.....	7-1

LIST OF TABLES

Table 1-1	Participating Organizations.....	1-1
Table 2-1	Site Information	2-1
Table 3-1	RSE Tank Assessment and Inventory Activities	3-2
Table 3-2	Sample Station Coding Key.....	3-5
Table 4-1	Sample Information Summary.....	4-1
Table 4-2	Data Validation Qualifiers	4-2
Table 5-1	Tanks with Unknown Contents	5-1
Table 5-2	Presumed Similar Tanks	5-2
Table 5-3	RCRA Exceedances	Attached
Table 5-4	Liquid Product CERCLA Detections.....	Attached
Table 5-5	Solid Product CERCLA Detections.....	Attached
Table 5-6	Corrosivity	5-4
Table 5-7	Rank and Rating System Scoring Rubric.....	5-9
Table 5-8	Tank Volume	5-10
Table 5-9	Probable Discharge Pathway	5-11
Table 5-10	Tanks with Insufficient or No Secondary Containment	5-12
Table 5-11	Tanks, Valves and Piping with Visible Rust/Corrosion	5-13
Table 5-12	Non-Active Leaks and Staining.....	5-13
Table 5-13	Active Leaks	5-15
Table 5-14	Rank and Rating Summary	5-15
Table 5-15	Non-Storage Tanks with Chemical Contents.....	5-16
Table 5-16	Key Findings.....	5-18

LIST OF FIGURES

Figure 1	Site Location
Figure 2	Site Features – Main Facility
Figure 2a	Site Features – Westport Ponds
Figure 3	Sewer Systems
Figure 4	Sample Location Map
Figure 5	pH Values
Figure 6	Inventoried Tanks-Pulp Mill
Figure 7	Inventoried Tanks-Powerhouse
Figure 8a	Inventoried Tanks-External Tanks
Figure 8b	Inventoried Tanks-External Tanks
Figure 9	CERCLA Hazardous Substance Tanks-Pulp Mill
Figure 10	CERCLA Hazardous Substance Tanks-Powerhouse
Figure 11	CERCLA Hazardous Substance Tanks-External
Figure 12	Active Leaks

LIST OF APPENDICES

Appendix A	Photograph Log
Appendix B	Data Validation Reports

Appendix C Laboratory Data Packages
Appendix D Laboratory Results Summary
Appendix E Thermal Imaging Photograph Log
Appendix F Rank and Rating Scoring Matrix
Appendix G Tank Assessment and Inventory Summary

LIST OF ABBREVIATIONS AND ACRONYMS

CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CFR	Code of Federal Regulations
CSF	Cosmo Specialty Fibers
Ecology	Washington State Department of Ecology
EPA	U.S. Environmental Protection Agency
ERRS	Emergency and Rapid Response Services
ID	Identification Number
IDW	Investigation-Derived Waste
µg/kg	micrograms per kilogram
mg/L	milligrams per liter
MTCA	Model Toxics Control Act
NOAA	National Oceanic and Atmospheric Administration
RCRA	Resource Conservation and Recovery Act
RSE	Removal Site Evaluation
SAP	Sampling and Analysis Plan
SE	Structural engineer
Site	Cosmo Specialty Fibers
SME	Subject matter expert
SOW	Scope of Work
SSDMP	Site-Specific Data Management Plan
START	Superfund Technical Assessment and Response Team
SVOC	Semi-volatile organic compound
TAL	Target Analyte List
TCLP	Toxicity Characteristic Leaching Procedure
USCG	U.S. Coast Guard Pacific Strike TEAM
VOC	Volatile organic compound
WAC	Washington Administrative Code
WESTON®	Weston Solutions, Inc.
WWTP	Wastewater Treatment Plant

EXECUTIVE SUMMARY

The U.S. Environmental Protection Agency (EPA) tasked Weston Solutions, Inc. (WESTON®), the Superfund Technical Assessment and Response Team (START) contractor, to provide technical support and documentation of on-site activities conducted by EPA during a Removal Site Evaluation (RSE) at the Cosmo Specialty Fibers facility (Site) located in Cosmopolis, Grays Harbor County, Washington. This work was completed under START Contract No. 68HE0720D0005 and Task Order No. 68HE0725F0182. The RSE was initiated at the request of the Department of Ecology after a 2024 Emergency Response confirmed the presence of improperly stored hazardous substances and degrading infrastructure throughout the Site. EPA and their contractors completed the field portion of the RSE in November 2025. In general, the objectives of the RSE were to determine the volume of Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) hazardous substances on Site, evaluate the risk of release of those substances and identify means for removal and disposal of those substances. EPA will use the findings of this RSE to evaluate the need for additional response action.

A subject matter expert (SME) in pulp mills supported the RSE by identifying potentially hazardous tanks and sample collection locations using Site-provided technical schematics and years of prior experience at pulp mills. A structural engineer (SE) evaluated existing infrastructure during the tank assessment and inventory phase of the RSE. Staff from the Emergency and Rapid Response Services (ERRS) contract supported the RSE effort by collecting tank measurements and providing logistical support for opening tanks and collecting samples. START contractors documented site conditions and conducted field screening and sampling of chemicals.

A tank assessment and inventory resulted in the identification and documentation of numerous risks at the Site. During the RSE, EPA observed:

- Presence of CERCLA hazardous substances,
- Active leaks and evidence of past leaks,
- Insufficient or non-existent secondary containment,
- Extensive rust and corrosion on storage tanks, piping and valves,

- Corrosive materials being stored in improper tanks (e.g. process tanks rather than storage tanks),
- Multiple trespassing and theft events, with one leading to a perpetrator reportedly receiving chemical burns after intentionally releasing a strong caustic chemical, and
- Progressive deterioration of the integrity of the tanks and associated piping.

In addition to these observations, the facility has been without power and many of its staff since September 2024, increasing the risk of secondary containment overflows and potential trespassing, theft, and burglary. Over two dozen 911 calls have been made in the facility since its closure in 2022. These calls reported, among other things, multiple instances of trespassing, theft, burglary, and fire. On February 24, 2026, EPA was informed that Site staff, who had not been paid for several months abandoned the Site leaving it without any form of staffing or facility-provided security.

Laboratory analyses of 29 liquid and solid product samples confirmed the presence of multiple CERCLA regulated hazardous substances as well as substances with characteristics identified in the Resource Conservation and Recovery Act (RCRA). Analytical results along with observations from the tank assessment and inventory were used to identify 75 tanks (out of 227) that contain or are presumed to contain CERCLA hazardous substances. During the tank assessment and inventory, the RSE Team verified the contents and volume of 47 of the tanks (totalling approximately 727,000 gallons). The remaining 28 tanks have an unknown volume. The total capacity of the 28 tanks with unknown volume is over 1.7 million gallons.

A rank and rating system that accounted for risk factors including tank volume, content, rust, leaks, adequacy of secondary containment, and probable discharge pathway, was created to identify tanks with the greatest risk of release and impact on receptors. The rank and rating system was utilized on the 75 tanks containing known or presumed CERCLA hazardous substances. A scoring metric was created to evaluate the risks observed on each tank. The results indicate that tanks 247 and 249 were are the highest risk tanks. These tanks both contain over 67,000 gallons of corrosive liquid (pH <2), have active leaks, have no secondary containment and exhibit significant rust on the tank as well as associated piping and valves.

Other key findings of the RSE include:

- Over 727,000 gallons of confirmed CERCLA hazardous substances are present on Site with the potential for an additional 1.7 million gallons.
- 30 tanks containing over 433,00 gallons of corrosive material (pH<2).
- 11 tanks containing over 150,000 gallons of corrosive material (pH>12).
- 29 tanks containing over 366,000 gallons of sulfite liquor.
- Eight actively leaking tanks, pipes or valves and evidence that corrosive liquids are contributing to continued degradation.
- 38 tanks containing over 392,000 gallons of CERCLA hazardous substances stored in improper tanks (non-storage tanks).
- 53 tanks without secondary containment.
- 10 tanks with insufficient secondary containment.
- 28 tanks suspected of containing chemicals (but unable to be verified during field work) with a potential volume of 1.7 million gallons.

Given the volume of corrosive CERCLA hazardous substances on Site, the proximity to the Chehalis River, the lack of adequate staffing, deficient security, and electricity, and the deteriorating infrastructure, this Site poses a substantial and increasing risk of continued and expanding releases of hazardous substances to the environment with the potential for impacts to public health.

The evaluation of the tanks identified that most of the chemicals are in a liquid state and pumpable using existing tank infrastructure or through minimally invasive techniques. The laboratory results were reviewed by EPA personnel with a background in pulp and paper mills. There are multiple options for removal and disposal of the waste chemicals, including off-site disposal or incineration, or on-site treatment of the chemicals, and treatment and discharge via a wastewater treatment plant. More analysis is required, but treatment and discharge via the treatment plant presents significant cost savings if viable.

1 INTRODUCTION

The U.S. Environmental Protection Agency (EPA) tasked Weston Solutions, Inc. (WESTON®) under the Superfund Technical Assessment and Response Team (START) Contract No. 68HE0720D0005 and Task Order No. 68HE0725F0182, to conduct a Removal Site Evaluation (RSE) at the Cosmo Specialty Fibers (Site) located in Cosmopolis, Grays Harbor County, Washington. A Site Location Map is provided as **Figure 1**.

1.1 PARTICIPATING ORGANIZATIONS

Table 1-1 Participating Organizations

Agency/Company	Contact Person	Role
EPA	Bradley Martin	On-Scene Coordinator
EPA	Tom Vroman	On-Scene Coordinator
START	Bryan Ciecko	SOW Manager
START	Alaina Hickey	Project Team Leader
ERRS	Dayne Evenson	Removal Manager

Key:

EPA = U.S. Environmental Protection Agency.

ERRS = Emergency and Rapid Response Services.

SOW = Scope of Work.

START = Superfund Technical Assessment and Response Team.

1.2 SCOPE OF WORK

The scope of EPA's RSE was limited to evaluating chemicals in tanks and other containers throughout the Site. While historical chemical releases to air, soil, surface water, groundwater, and sediments may have occurred at the Site, they are not within purview of EPA's RSE. The Washington State Department of Ecology (Ecology) has initiated the Model Toxics Control Act process to investigate whether cleanup of soil, sediment, and/or waters from historical releases are necessary. Ecology serves as the lead agency for this process and as the lead agency for general environmental oversight of the facility.

EPA's Scope for the RSE included:

- Determining if storage containers at the Site contain Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) regulated substances, that pose a threat of release into the environment.

- Determining the quantity of CERCLA hazardous substances, pollutants, and/or contaminants.
- Identifying methods to remove chemicals from tanks for disposal and/or treatment.
- Developing a ranking and rating system for chemical tanks that addressed multiple factors, including, but not limited to chemical and container characteristics; probability and severity of a release; pathways; and receptors.
- Determining if additional removal actions are warranted.

START support to EPA included:

- Development of a Site-Specific Health and Safety Plan (HASP) (WESTON, 2025a), Site-Specific Sampling and Analysis Plan (SAP) (WESTON, 2025b), and Site-Specific Data Management Plan (SSDMP) (WESTON, 2025c).
- Documenting site conditions.
- Evaluating chemical tank characteristics and contents.
- Collecting and analyzing samples of chemicals from tanks, including data validation.
- Providing subject matter expertise in structural engineering and pulp mill chemical operations.

2 SITE BACKGROUND

Information regarding the Site location and setting, Site background, and summary of previous actions is included in the following subsections.

2.1 SITE LOCATION AND DESCRIPTION

Table 2-1 Site Information

Site Name:	Cosmo Specialty Fibers
Location:	1701 1st St, Cosmopolis, Grays Harbor County, Washington
SSID:	10XH
SEMS ID:	WAN001020901
Latitude, Longitude:	46.9522530, -123.7662487

Key:

ID = Identification Number.

SEMS = Superfund Enterprise Management System.

SSID = Site/Spill Identification Number.

The Site is in Cosmopolis, Grays Harbor County, Washington and is comprised of an inactive high purity cellulose pulp mill facility including a pulp processing plant, bleach plant, acid plant, powerhouse, waste treatment systems and ponds, and a wood stave conveyance connecting the main mill facility and a treatment pond facility several miles away. The main pulp mill facility encompasses several hundred acres and is roughly four miles from the confluence of the Chehalis River and Grays Harbor. Much of the Site is vegetated and includes aquatic and terrestrial species that reside in the nearby estuary's sloughs, wetlands, riparian zones, and forests. Evidence of wildlife is prevalent. The Chehalis River abuts the northwestern boundary of the Site. The land to the west and southwest is primarily residential, and undeveloped riverine and wetland landscapes are to the east of the Site. Approximately three miles to the west of the main facility, a treatment pond facility referred to as the Westport Ponds abuts Grays Harbor to the north, Washington route 105 to the south, and sparse residential properties to the east. The property covers approximately 175 acres. A subsurface wood stave pipe connects the main facility and Westport ponds and is routed through residential areas and undeveloped areas in Cosmopolis and Aberdeen.

The City of Cosmopolis has approximately 1,638 residents, with the adjacent City of Aberdeen having approximately 17,013 residents (United States Census Bureau, 2020). Residential

neighborhoods and businesses are located to the west and northwest of the facility. The nearest school and childcare facilities are 0.3 miles west of the Site. Two other schools are located 1.5 miles to the northwest and a college with a childcare facility is located 1.7 miles west of the Site. In 2024, an EPA screening tool was used to identify potential environmental issues impacting the Cosmopolis area. The community falls within the 80-90 percentile for lead, the 50-80 percentile for Toxic Releases to Air, proximity to Risk Management Program Facilities, and Underground Storage Tank facilities. The community also ranks in the top 20% in the state for four out of five adverse health indicators.

2.2 SITE FEATURES

Weyerhaeuser constructed the mill in 1957 as a sulfite pulp mill. The company later converted the mill to add dissolving and specialty grade pulp to its product line. Weyerhaeuser operated the facility until a temporary shutdown in September 2006, then permanently suspended operations in preparation to sell the mill. According to Ecology, Weyerhaeuser removed most of the chemicals from the Site prior to the sale. The Gores Group purchased the mill in August 2010 and resumed full operation in June 2011 under the name Cosmo Specialty Fibers (CSF). CSF was sold to Charlestown Investments, LLC in December 2022 which continued operating under the CSF name but placed the facility into curtailment status while seeking funding to re-start the mill. Following their acquisition, Charlestown Investments transferred some portions of the Site to Westport Property Holdings, LLC who ceded those properties to TVT Capital Source, LLC in 2025. The mill remains closed currently.

The Site has two primary properties, the main mill (**Figure 2**) and the Westport Ponds. These properties are connected by a three-mile continuous underground wood stave effluent pipe with several vents in the community (**Figure 2a**). The wood stave has evidence of historical repairs related to structural failures that have caused flooding in residential areas on multiple occasions. The Westport Ponds consist of an outfall to Grays Harbor, four wastewater ponds, two dredge spoil landfills, and a water treatment/pumping buildings that have two storage tanks that hold highly caustic liquids. One dredge spoils landfill has a water cap over it to minimize off gassing of hydrogen sulfide; the other has a soil cap. A public walking and bike path runs between the wastewater ponds and dredge spoils landfills. Since curtailment, this portion of the Site has been

subject to repeated trespassing, vandalism, theft, and burglary. CSF staff have informed EPA that the facility is completely inoperable because of these incursions and that millions of dollars in damage have been incurred.

The main mill property is where the bulk of Site operations took place prior to curtailment. Prominent site features include a pulping mill/bleach plant, a powerhouse/acid plant, over two hundred chemical and oil storage and processing tanks, waste and stormwater sewers (including a wood stave conveyance), several treatment and wastewater storage ponds, waste treatment systems, laboratories, and assorted operations, maintenance, and administrative buildings. When in operation, CSF produced dissolving pulp of the acetate, viscose, and ether grades with a capacity of 500 metric tons per day. The pulping process used large volumes of magnesium bisulfite cooking acid, caustics, oxygen, chlorine dioxide, sulfur, hydrogen peroxides and numerous other chemicals. Since the shutdown, an unknown amount of chemicals has been stored in storage and processing tanks and other containers. The Site has several hundred chemical and oil storage and/or processing tanks, many of which contain CERCLA hazardous substances (including several strong acids and caustics), oils, and other toxic substances. Some of the tanks and associated piping are actively leaking to the environment.

There are two drainage systems on the main facility, a “Sweet Sewer” and “Sour Sewer” (**Figure 3**). These sewers are both pathways for contaminants to migrate off site. Additional pathways include overland flow during rain and flooding events and a suspected, but unverified, illicit connection to a conveyance to the wastewater treatment plant (WWTP) work in Aberdeen. The Sweet Sewer generally collects rainwater and discharges directly to the Chehalis River via a series of drains, culverts, weirs, and sloughs. This system can be impacted by tidal fluctuation. The Sour Sewer collects industrial water and waste and is the primary pathway for chemicals if released from a tank (unless heavy rain and/or flooding are present). During normal operations, the industrial water and waste are subject to treatment at an on-site wastewater plant and/or direct discharge to settling ponds via the 48-inch wood stave conveyance. Effluent from both the Westport Ponds and wastewater plant discharges to Grays Harbor. Standard operation of the Sour Sewer requires power to pump liquids between the various treatment components. Since the facility has been without power since September 2024, it is unknown where liquids end up after

migrating to the Sour Sewer. Several of the leaks from chemical tanks are entering the Sour Sewer. Most of the wood stave portion of the Sour Sewer is inaccessible and could not be adequately assessed during the RSE. During flooding events and heavy rains, the Sour Sewer can be overtopped, resulting in liquids from that system migrating into the Sweet Sewer or being transported via overland flow towards the Chehalis River. The City of Cosmopolis has reported that an illicit connection may be present at the Site as large volumes of water are flowing uncontrolled to the City of Aberdeen Wastewater Treatment Plant (WWTP). CSF is reported to have discharged over 4.5 million gallons of wastewater to the sanitary sewer system since the fall of 2024. Given that the City of Cosmopolis discontinued sanitary water services to the Site in 2024 for non-payment, water should not be leaving the Site via the sanitary sewer unless an illicit connection is present.

While the Site has undergone a partial asbestos abatement, many tanks and pipes at the facility have been labeled as containing asbestos material. In many locations, asbestos has begun releasing from structures. Bags containing previously abated asbestos contaminated material have been observed in maintenance sheds on-site.

2.3 ENVIRONMENTAL SETTING

2.3.1 Climate

Climate data for Cosmopolis, Washington, were developed using National Oceanic and Atmospheric Administration (NOAA) National Centers for Environmental Information regional climate normals for the Grays Harbor County coastal area, which includes the Cosmopolis ZIP code (98537) as documented in NOAA's Climate Data Online system. The region is characterized by mild summers, cool winters, and high annual precipitation typical of the southwest Washington coastal climate zone.

Winters are cool and wet, with average low temperatures in December and January around 36–38°F and average highs near 45–48°F. Summers are mild, with August representing the warmest month, averaging high temperatures around 68–72°F. Annual precipitation is high, averaging 80–90 inches per year, with the wettest months occurring from November through January. Snowfall

is generally light, with only one to three inches annually, occurring primarily between December and February. Precipitation occurs year-round, though summer months experience significantly lower rainfall. The area also experiences atmospheric rivers that cause extreme rainfall and subsequent flooding. FEMA flood zone mapping indicates much of the Site is in a Special Flood Hazard Area. Additionally, the stormwater drainage waterways (sweet sewer) are subject to tidal influences, especially under extreme high tide conditions.

2.3.2 Land Use

The Site has historically been used for pulp and fiber production since the late 1950s, when the mill was constructed. Surrounding land use is predominantly industrial and commercial, with residential areas located farther inland within the city limits. The facility's location adjacent to the Chehalis River and Grays Harbor reflects its long-standing use of the waterways as discharge points for stormwater and waste management. The current land use classification is industrial, consistent with its historical and intended operational purpose. A portion of the Westport Ponds include a publicly accessible walking and bike pathway that bisects the treatment ponds and dredge spoils landfills.

2.4 PREVIOUS SITE ACTIONS

The Site has been the focus of numerous local, state, and federal environmental inspections and compliance concerns since the late 1980s.

Ecology's Industrial Section provides oversight and regulation for air, water, waste, and cleanup activities at the Site. In May 2022, Ecology issued an Administrative Order requiring CSF to comply with State and Federal requirements under their National Pollutant Discharge Elimination System permit after documenting multiple violations. In May 2023, Ecology (under its Resource Conservation and Recovery Act authorized program) conducted a Dangerous Waste Compliance Evaluation Inspection at the facility which documented multiple violations of the facility's handling of state-designated dangerous wastes. In 2024 and 2025 Ecology issued multiple penalties to the Site's current owner/operator totalling more than \$2.3 million for violations of state dangerous waste, air and water quality, and climate regulations. The Ecology-issued facility Air Operating Permit lapsed in early 2026 and is no longer in effect.

In 2024, Ecology issued letters of potential liability to current and prior facility owner/operators to initiate state-led Model Toxics Control Act (MTCA) assessment and cleanup. Both the current owner and Weyerhaeuser signed an agreed order with Ecology in 2025. Weyerhaeuser is actively engaging with Ecology on initiating the MTCA process. Additionally, Ecology issued an Interim Action Order which was signed by the current owner in December 2025 that requires the owner to take a series of actions to secure the Site and reduce the threat of offsite chemical releases and future contamination.

EPA Region 10 has conducted Spill Prevention, Control, and Countermeasure (SPCC), Clean Air Act (CAA), and Emergency Planning and Community Right-to-Know Act (EPCRA) inspections at the facility in recent years. The CAA and EPCRA inspections in June 2022 and February 2023 resulted in a Notice of Violation being issued in January 2024 under Section 113 of the CAA and Section 313 of EPCRA.

Since February 2024, EPA Region 10 Superfund and Emergency Management Division has been monitoring the status of the mill following reports of a potential utility shutdown and threatened release of hazardous substances and/or oils. In April 2024, EPA issued a CERCLA Unilateral Administrative Order that required CSF to maintain power and water services, operable fire suppression systems, 24-hour security, and provide adequate staff to manage stormwater and prevent, detect, and respond to spills or releases of contaminants at or from the Site.

In September 2024, Grays Harbor County Public Utilities District (PUD) suspended power to the facility due to nonpayment. This action disrupted power to three of the four PUD connections supplying power and left only two buildings with power at the front gate. The power outage also disabled security cameras, functionality of the front gate, fire suppression systems, chemical monitoring systems, waste treatment, and stormwater management systems. In response, the facility requested the City of Aberdeen cease their industrial water supply because the facility would no longer have the power needed to pump excess water to prevent on-site flooding, and the city agreed. The City of Cosmopolis also discontinued sanitary water service due to non-payment.

In September 2024, following several Site inspections, EPA concluded that actual and/or threatened releases of hazardous substances pollutants and/or contaminants from this Site presented an imminent and substantial endangerment to public health, or welfare, or the environment due to the loss of utilities, inoperable safety systems, inadequate security, and insufficient staffing. Based on these findings, EPA initiated an emergency response to prevent and mitigate potential and ongoing environmental releases. The response action resulted in the removal of hazardous substances from the Site and on-site relocation of precariously stored chemicals.

Multiple site inspections by local, state, and federal regulators following the emergency response action documented deteriorating conditions at the site including:

- Increasing numbers and volumes of chemical leaks from tanks and piping.
- Dozens of reported incidents of trespassing, vandalism, theft, and/or burglary with at least one instance resulting in an intentional release of a strong corrosive liquid to the environment that reportedly chemically burned the skin of the perpetrator. Estimates of this release range from hundreds to thousands of gallons. Facility staff have reported over \$2 million in damage to the Westport Pond infrastructure that has rendered the treatment and water management systems useless. On three occasions during field work for this RSE, EPA staff were present at the Site when trespassing and thefts were underway. On one occasion, Ecology staff witnessed a theft in progress. In total, police and other first responders have been called via 911 to the main facility 28 times in the last three years for various reasons including trespassing, vandalism, burglary, and theft.
- Regular flooding on the Site impacts areas where chemicals are stored and creates additional pathways for chemicals and oils to migrate to the Chehalis River. Since 2025, a critical drainage culvert has been blocked that has increased the magnitude and extent of flooding. Facility staff must manually pump accumulated water off the Site but only have one operable generator and limited access to generator fuel.
- The facility is inadequately staffed and lacks resources to appropriately secure the Site, prevent and respond to the active leaks, and address the deteriorating facilities. Many personnel have left employment and the Site owner reported in the past that CSF has no

source of income and was considering bankruptcy options. Payments to staff have been inconsistent with instances where staff are unpaid for weeks or months at a time. In February 2026, the owner reported that “CSF will no longer be able to provide site security” due to non-payment of staff. On February 24, 2026, CSF staff abandoned the facility after locking the main gate.

3 REMOVAL SITE EVALUATION

EPA's Superfund and Emergency Management Division has been monitoring and evaluating Site conditions since February of 2024 through a series of Site inspections, communication with local and state partners, and an EPA-led emergency response conducted in the fall of 2024. The culmination of the ongoing monitoring and evaluation of Site conditions and at the request of the Department of Ecology, EPA initiated a formal Removal Site Evaluation (RSE) in November 2025 to more thoroughly assess chemical tanks and Site conditions.

EPA objectives for the RSE were to:

1. Determine if storage containers at the facility contain CERCLA regulated substances, that pose a threat of release into the environment.
2. Determine the quantity of CERCLA hazardous substances, pollutants, and/or contaminants.
3. Identify methods to remove chemicals from containers for disposal and/or treatment.
4. Develop a ranking and rating system for storage containers that addressed multiple factors, including, but not limited to chemical and container characteristics, probability and severity of a release, pathways, and receptors.

The information collected during the RSE will be used to determine if additional removal response actions are warranted.

EPA, START, ERRS and the U.S Coast Guard Pacific Strike Team (USCG) were on Site to conduct RSE activities from November 5, 2025, to November 20, 2025. Site activities were conducted in accordance with the EPA-approved SAP and SSDMP (WESTON, 2025b, 2023c).

To meet EPA's objectives, RSE field activities consisted of a comprehensive tank assessment and inventory, documentation of Site conditions, chemical field screening, and sampling activities.

3.1 APPROACH

3.1.1 Tank Assessment and Inventory

The initial phase of fieldwork consisted of a tank assessment and inventory. A team consisting of EPA, ERRS, START, USCG, a dissolving sulfite pulp mill subject matter expert (SME), and a

START structural engineer (SE) conducted the activities listed in **Table 3-1** in support of the four RSE objectives. USCG staff did not have a specific role in meeting the RSE objectives, however, they were present on the team to oversee health and safety aspects during the assessment and inventory process. These activities are discussed in greater detail below.

Table 3-1 RSE Tank Assessment and Inventory Activities

Activities	Supports RSE Objective No.	Completed By
Identification of tank contents	1, 4	EPA, SME, START
Determination of tank capacity	2, 4	START, SE, SME, ERRS
Presence/volume of tank contents	2, 4	START, ERRS, SME, SE
Structural integrity of tank and surrounding infrastructure	3, 4	SE, ERRS
Presence/location of leaks	1, 4	EPA, SME, START, ERRS
Access for sample collection/removal of tank contents	1, 3	SE, SME, ERRS
Adequacy of secondary containment	4	SME, SE
Suspected spill pathway	4	START, SME
Tank identification/labeling	N/A	START

Key:

EPA = U.S. Environmental Protection Agency. ERRS = Emergency and Rapid Response Services.

N/A = Not applicable.

No. = Number.

RSE = Removal Site Evaluation.

SE = Structural engineer.

SME = Subject matter expert.

START = Superfund Technical Assessment and Response Team.

1. Identification of Tank Contents: In support of RSE objectives 1 and 4, the RSE Team (EPA, ERRS, SE, SME, START, and USCG) attempted to identify the contents of each tank. Initial efforts at identification of tank contents relied upon interviewing CSF staff and available CSF documents. Given the age and incomplete nature of the CSF documents, further investigation was necessary. During on-site activities, the RSE Team inspected each tank, documenting tank labeling/placarding and noting safety data sheet information when available. Where specific tank information was unavailable, the RSE Team relied on the SME to determine the general function of each tank, and which chemicals may be present. pH paper was also used to determine corrosivity

characteristics where possible.

2. Determination of Tank Capacity: In support of RSE objectives 2 and 4, the RSE Team estimated the capacity of each tank. The RSE Team collected measurements (diameter, height, width, etc.) necessary to calculate the total capacity of each tank. Measurements were documented as described in Section 3.3.
3. Volume of Tank Contents: In support of RSE objectives 2 and 4, the RSE Team determined the volume of the contents of each tank where possible. Tank contents were visually confirmed where possible. For empty tanks visual confirmation typically meant verifying that a tank was empty by looking into a lower port that was found open. A thermal imaging camera was used on tanks that were not clearly empty. If thermal imaging suggested that the tank held contents, ERRS would attempt to visually confirm the contents by opening the tank and measuring the distance to the contents to verify the volume. Some tanks could not be opened, such as pressurized tanks. For tanks that could not be opened, or otherwise visually verified, thermal imaging was relied upon to verify contents. Thermal imaging was limited to uninsulated tanks as the thermal imaging camera was ineffective at determining temperature gradient through insulation.
4. Structural Integrity of Tank and Surrounding Infrastructure: In support of RSE objectives 3 and 4, the SE assessed each tank, noting specifically the appearance of rust/corrosion on the tank itself, and associated piping, valves, and walkways/ladders. Observations from the SE assessment were documented as described in Section 3.3.
5. Presence/Location of Leaks: In support of RSE objectives 1 and 4, the RSE Team documented the presence of active leaks observed as well as evidence of past leaks including staining, residue, blistering, and evidence of previous repairs. Leaks and evidence of leaks were documented in Site logbooks and with photographic documentation. Where possible, the rate of leaking was measured using a jar with a known volume and a stopwatch.
6. Access for Sample collection/Removal of Tank Contents: In support of RSE objectives 1 and 3, the RSE Team identified and documented suitable locations to a.) collect samples for laboratory analysis, and b.) facilitate the removal of tank contents should further action occur.

7. Adequacy of Secondary Containment: In support of RSE objective 4, the RSE Team, specifically the SE, completed measurements and calculations to determine whether the secondary containment was adequate for the tanks within. Findings of the calculations were documented as described in Section 3.3 and are provided in Section 5.2.
8. Suspected Spill Pathway: Building information gathered during the 2024 Emergency Response regarding the Sweet and Sour Sewer systems, the RSE Team supported RSE objective 4 by determining the probable pathway that tank contents would flow in the event of a release. This information will support the development of a ranking and rating system as it helps predict the severity of a potential spill based on which receptors may be affected.
9. Tank Identification/Labeling: Though not directly correlated with an RSE objective, the RSE Team generated a unique tank identification number (ID) for each tank evaluated. A yellow tag affixed either directly to the tank or as close as possible on piping or valves so that future users of the data generated during this RSE could identify the tanks in the field. The tank ID numbers generated during this RSE are unique to any tank numbering system used by CSF during historical operations.

3.1.2 Sampling Activities

EPA used data generated during the tank assessment and inventory to select 38 tanks to be sampled. Sample locations are shown in **Figure 4**. Of the 38 tanks sampled, 29 samples (not including quality assurance duplicates) were sent for laboratory analysis. EPA decided not to send samples collected from nine of the tanks to the laboratory for analysis because the results for those samples would likely be duplicative of samples already submitted, they were collected from tanks with known contents, or they were collected from lower priority tanks. Analytical methods and sample results are discussed in Sections 4 and 5.

Sample stations were assigned to samples along with a unique sample number. Sample stations consist of a character alphanumeric code that provides information as to the location of the sample collected. **Table 3-2** provides a key to decipher the Sample station. Throughout this document, specific samples will be referenced by Sample station; however, discussion of specific tanks will reference only the last three characters of the Sample station which reference the Tank Identification Number.

Table 3-2 Sample Station Coding Key

Digits	Description	Code	Example
1, 2	Site Identifier	CF	Cosmo Specialty Fibers
3, 4, 5	Location Identifier	PBI	Pulp Building Interior
		PBE	Pulp Building Exterior
		PHI	Powerhouse Interior
		PHE	Powerhouse Exterior
		EXT	External Tank Area
		OWE	Old Warehouse
6, 7, 8	Tank Identification Number	###	001-999

3.1.2.1 Quality Control Samples

Per the SAP, duplicate liquid product samples were collected at a rate of one duplicate per ten samples per matrix. Duplicate samples were collected from:

- CF-EXT-149, CF-PHI-143, and CF-PHI-103 for liquid and
- CF-PHE-115 for solids.

3.2 DEVIATIONS FROM SAMPLING AND ANALYSIS PLAN

No deviations from the approved SAP occurred during field activities.

3.3 FIELD DOCUMENTATION

START maintained multiple logbooks during RSE field activities. The logbooks provide a description of Site activities and observations so that an accurate account of field procedures may be reconstructed. Field personnel signed each day's logbook entry. Logbooks include a project team lead general logbook of Site observations, a tank evaluation logbook, a sampling logbook, and a secondary evaluation logbook for thermal imaging data and SME information.

START utilized Survey 123 digital data forms and smart forms via the Field Maps application to aid in the documentation of the tank evaluations, sampling, known chemical information, and consolidation of previous Site information from Site staff.

Site photographs are included in **Appendix A**.

3.4 INVESTIGATION-DERIVED WASTE

Investigation-derived waste (IDW), including personal protective equipment, plastic scoops, and plastic sheeting, were double bagged and disposed of as solid waste.

4 ANALYTICAL METHODOLOGY AND DATA VALIDATION

Liquid and solid product samples were collected in accordance with the SAP (WESTON 2025b). Samples were submitted to Eurofins in Tacoma, Washington, and Rainier Environmental in Fife, Washington. A summary of sample analyses is provided in **Table 4-1**. Laboratory analyses were selected to assess and identify the potential RCRA hazards of ignitability, corrosivity, reactivity, and toxicity, CERCLA hazardous substances, and fish bioassay. START and ERRS utilized jars and single use sampling equipment to collect each liquid and solid product sample. All materials used during sampling were disposed of as IDW.

Table 4-1 Sample Information Summary

Matrix	Number of Samples	Type of Sample	Sample Pattern	Data Quality	Analysis
Product-Liquid	22 (not including QC samples)	Grab	Targeted	Definitive	- VOCs, EPA Method 8260B/D - SVOCs, EPA Method 8270E - Ignitability, EPA Method 1010B - pH, EPA Method 9040D - Reactive Sulfides, EPA Methods 9030B/9034 - TAL Metals w/ TCLP (EPA 1311), EPA Methods 6010D/7470A
	2		Targeted	Definitive	Fish Bioassay, Washington State Department of Ecology Method 80-12
Product-Solid	7 (not including QC samples)	Grab	Targeted	Definitive	- VOCs, EPA Method 8260B/D - SVOCs, EPA Method 8270E - Ignitability, EPA Method 1010B - pH, EPA Method 9040D - Reactive Sulfides, EPA Methods 9030B/9034 - TAL Metals w/ TCLP (EPA 1311), EPA Methods 6010D/7470A

Key:

EPA U.S. Environmental Protection Agency.
 QC Quality Control (e.g. field duplicates).
 SVOC semi-volatile organic compound.
 TAL Target Analyte List.

TCLP Toxicity Characteristic Leaching Procedure.
VOC volatile organic compound.

4.1 DATA VALIDATION

Data validation was performed as directed in the EPA Region 10 Emergency Management Program Standard Operating Guidance 144J (Analytical Data Validation) under the Quality Assurance Plan for the EPA Region 10 Emergency Management Branch. The data was determined to be of acceptable quality for their intended use as presented in **Appendix B** – Data Validation Reports.

A START chemist performed commercial laboratory data validation. Data received a minimum Stage 2B evaluation (90% S2BVM) and 10% of the data received a minimum Stage 4 evaluation (10% S4VM).

Table 4-2 describes the final qualifiers that were used during data validation.

Table 4-2 Data Validation Qualifiers

Qualifier	Description
J =	The associated numerical value may not be consistent with the amount actually present in the environmental sample or may not be consistent with the sample detection or quantitation limit. The value is an estimated quantity. The data should be seriously considered for decision-making and are usable for many purposes.
R =	Quality Control indicates that data is unusable for all purposes. The analyte was analyzed for, but the presence or absence of the analyte has not been verified. Resampling and reanalysis are necessary for verification to confirm or deny the presence of an analyte.
U =	The material was analyzed for the analyte, but it was not detected. The associated numerical value is the sample quantitation or detection limit.

Qualifier	Description
UJ =	The material was analyzed for the analyte, but it was not detected. The associated value is an estimate and may be inaccurate or imprecise.

4.2 DATA REPORTING

In accordance with the EPA Region 10 Regional Data Management Plan (EPA, 2018), field data was managed in accordance with the SSDMP (WESTON, 2025c), which was updated as conditions required. Following collection, field data was processed to generate a Scribe-compatible file, which was imported into a Scribe database. The Scribe datasets have been published to Scribe.net (Project ID: 5501).

4.3 DATA STORAGE

A standard data management system includes the use of Site photographs, Survey 123 digital data forms, sample management and tracking procedures, document control, and inventory procedures for both laboratory data and field measurements. Scribe software was used to create chain-of-custody forms and sample labels. Scribe was also used to manage and track information for samples submitted to laboratories.

5 SUMMARY OF RESULTS

Execution of the RSE resulted in a dataset that includes observations from an assessment and inventory of the tanks on-site and field screening and laboratory analytical data. Analytical results were used to support RSE objectives 1 and 4. RSE objectives 2, 3, and 4 were supported by the tank assessment and inventory which utilized a SME, SE, ERRS, and START staff to evaluate the characteristics of the tank and the surrounding environment.

The following sections present a discussion of laboratory analytical results and how they were used to determine whether the tanks contain hazardous substances, and a discussion of the findings of the tank assessment and inventory and how that data were used to rank and rate storage containers.

Results discussed in this section and throughout the remaining report are focused on tanks with known or suspected hazardous substances (e.g. empty tanks and tanks containing water or other benign substances will not be discussed further). Some of the tanks at the Site could not be safely accessed to assess contents. **Table 5-1** presents a summary of these tanks. Notably, the digester tanks may contain over 1 million gallons of sulfite liquor. Based on pH tests conducted from leaking pipes near the digestors, these tanks contain some amount of corrosive (pH <2) material. Further, multiple SMEs have advised EPA that there is a possibility of flammable vapor build-up within the Digestors.

Table 5-1 Tanks with Unknown Contents

Tank Functional Group	Tank Number(s)	Tank Capacity (Gallons)	Presumed Contents
Digestors	236, 237, 238, 239, 240, 241, 242, 243, 244	1,069,200	Sulfite Liquor
Process	105, 132, 143, 166, 293, 294, 295, 296, 297, 298, 299, 300, 301	22,600	Sulfite Liquor, Magnesium Oxide/Magnesium Hydroxide, Unknown
Storage	144, 145, 148, 197, 286, 287	619,700	Sulfite Liquor, Sulfuric Acid, Antichlor, Unknown,
Total Volume (Gallons)		1,711,500	

In some cases, assumptions were made regarding tank contents. For example, when information provided by the subject matter expert (SME), together with other information, such as labels on tanks or information from CSF Staff, was available, tanks were presumed to contain the same material as other tanks with confirmed contents. **Table 5-2** summarizes the tanks that were not sampled but are presumed to have the same contents as a sampled tank.

Table 5-2 Presumed Similar Tanks

Sampled Tank ID	Presumed Similar Tank ID	Tank Contents
296	293, 294, 295, 297, 298, 299, 300, 301	Sulfite Liquors
291	290	Sulfite Liquors
109	108	Defoamer
113	105	Magnesium Oxide
115	114	Sulfite Liquors
144	145	Sulfite Liquors

Key:

ID = Identification Number.

5.1 ANALYTICAL RESULTS

Analytical results were used to support RSE objectives 1 and 4. The following sections present a discussion of laboratory analytical results and how they were used to determine whether the tanks contain hazardous substances. Data validation memoranda and laboratory data packages are included in **Appendix B** and **Appendix C**, respectively. A full summary of laboratory results is provided as **Appendix D**. Sample locations are depicted in **Figure 4**.

Results of analysis in solid and liquid product samples were compared to the following criteria:

- RCRA Characteristics of Hazardous Waste (Title 40 of the Code of Federal Regulations [CFR] §261) (EPA 2025a).
 - Ignitability (40 CFR §261.21)
 - Corrosivity (40 CFR §261.22)
 - Reactivity (40 CFR §261.23)
 - Toxicity (40 CFR §261.24)
- CERCLA List of Hazardous Substances and Reportable Quantities (40 CFR §302.4) (EPA 2025b).

Tables 5-3 through **5-5** present a summary of samples may be considered hazardous substances based on criteria above. **Table 5-3** summarizes the samples which meet the characteristics of hazardous waste based on 40 CFR §261 (RCRA). **Tables 5-4** and **5-5** present a summary of samples which contain substances identified in 40 CFR §302.4 (CERCLA).

5.1.1 LIQUID ANALYTICAL RESULTS

5.1.1.1 CERCLA

Laboratory results of samples collected during the RSE were compared against Table 302.4 of 40 CFR §302.4, which states that “*The elements and compounds and hazardous wastes appearing in table 302.4 are designated as hazardous substances under section 102(a) of the Act.*” Elements and compounds that were detected during laboratory analysis are highlighted in **Tables 5-5** through **5-5**.

Metals were the primary hazardous substances indicated by analytical results. Every primary sample collected resulted in the detection of at least one hazardous substance regulated by CERCLA. Among the metals, chromium, copper, and zinc were the most frequently detected constituents in the liquid product samples. In comparison, only one VOC and one SVOC hazardous substance were detected. Those detections occurred in sample CF-PBE-218 with an estimated concentration of 4,800 micrograms per kilogram (µg/kg) for bromomethane and sample CF-PHI-103 with an estimated concentration of 4,400 µg/kg for pentachlorophenol.

5.1.1.2 Corrosivity

Corrosivity as defined by 40 CFR § 261.21 states that “(a) A solid waste exhibits the characteristic of corrosivity if a representative sample of the waste has either of the following properties: (1) It is aqueous and has a pH less than or equal to 2 or greater or equal to 12.5, as determined by a pH meter using Method 9040C...”

Samples were analyzed via Method 9045D which supersedes Method 9040C as cited in the regulation. Nine samples exceeded the corrosivity characteristic.

Results from CF-PHI-103 indicate that Tank 103 has a pH of 13.7. Tank 103 has an estimated volume of 495 gallons and is believed to contain a substance called Tri-ACT 1825, a corrosion inhibitor.

Results of samples collected from Tanks 214, 218, 223, 246, 247, 296 all have pH of values of less than 2 and are presumed to contain sulfite liquor. While not directly sampled, Tank 249 (sampled from similar Tank 247) and Tanks 293, 294, 295, 297, 298, 299, 300, and 301 (sampled from similar Tank 296) are all presumed to have a pH value of less than 2.

Results from CF-PHI-125 indicate a pH of 0.06, the lowest pH of the samples collected during this RSE. Tank 125 contains approximately 94 gallons of sodium bisulfite (Nalco 7408). **Table 5-6** summarizes the tanks and associated cumulative volume of corrosive liquids. **Figure 5** shows the locations of tanks with corrosive content.

Table 5-6 Corrosivity

Chemical Categories	Tank Number
Bases with pH >12	103, 104, 105, 113, 139, 152, 196, 207, 224, 225, 235
Acids with pH <2	110, 112, 125, 148, 197, 214 , 214, 218 , 223 , 237 , 238 , 239 , 240 , 241 , 242 , 243 , 244 , 246 , 247, 248 , 249, 290 , 292, 293 , 294 , 295 , 296 , 297 , 299 , 300 , 301

Key:

Bold = Tank contains sulfite liquor

< = less than

> = greater than

Note: Corrosivity for some tanks was determined using field pH paper measurements rather than laboratory analysis. Because pH paper does not provide sufficient precision to reliably distinguish decimal values, a threshold of pH 12 was used to indicate the characteristic of corrosivity for these tanks.

5.1.1.3 Toxicity

Toxicity as defined by 40 CFR § 261.24, states that *“(a) A solid waste (except manufactured gas plant waste) exhibits the characteristic of toxicity if, ...the extract from a representative sample of the waste contains any of the contaminants listed in table 1 at the concentration equal to or greater than the respective value given in that table...”*

To evaluate samples for the toxicity characteristic, samples were analyzed using Method 1311, the Toxicity Characteristic Leaching Procedure (TCLP). Results were compared to the values listed in Table 1 of 40 CFR § 261.24. Three samples resulted in concentrations of metals greater than the corresponding values listed in Table 1 of 40 CFR § 261.24. Sample CF-PHI-103 had a selenium value of 1.7 milligrams per liter (mg/L) exceeding the regulatory value of 1 mg/L for selenium. Samples CF-PHI-125 and CF-PBI-296 each exceeded the chromium regulatory value of 5 mg/L with concentrations at 14 mg/L and 53 mg/L, respectively.

The remaining samples and analytes did not exceed RCRA Characteristic limits for toxicity.

5.1.1.4 Ignitability

Ignitability, as defined by 40 CFR § 261.21, states that *“(a) A solid waste exhibits the characteristic of ignitability if a representative sample of the waste has any of the following properties: (1) It is a liquid, other than a solution containing less than 24 percent alcohol by volume and at least 50 percent water by weight, that has a flash point less than 60 °C (140 °F)...”*

Other criteria listed in the regulation do not pertain to liquids.

Samples were analyzed via SW846 method 1010A for ignitability. All the results indicated a flash point greater than 212 °F. A flashpoint of greater than 212 °F is significant because water boils at 212 °F and greatly reduces the ability of substances that contain water to flash. For this reason, 212 °F is considered the upper limit of flashpoint. None of the samples collected may be considered hazardous substances by the ignitability characteristic.

5.1.1.5 Reactivity

Reactivity as defined by 40 CFR § 261.23, states that “(a) A solid waste exhibits the characteristic of reactivity if a representative sample of the waste has any of the following properties: (1) it is normally unstable and readily undergoes violent change without detonating. (2) It reacts violently with water. (3) It forms potentially explosive mixtures with water. (4) When mixed with water, it generates toxic gases, vapors or fumes in a quantity sufficient to present a danger to human health or the environment. (5) It is a cyanide or sulfide bearing waste which, when exposed to pH conditions between 2 and 12.5, can generate toxic gases, vapors or fumes in a quantity sufficient to present a danger to human health or the environment. (6) Is capable of detonation or explosive reaction if it is subjected to a strong initiating source or if headed under confinement. (7) It is readily capable of detonation or explosive decomposition or reaction at standard temperature and pressure. (8) It is a forbidden explosive as defined in 49 CFR 173.54, or is a Division 1.1, 1.2 or 1.3 explosive as defined in 49 CFR 173.50 and 173.53.” It should be noted that the laboratory analyses selected for this RSE do not evaluate each of the properties identified above. The analytical methods utilized for this RSE evaluate property (5), whether a cyanide or sulfide bearing waste can generate toxic gases, vapors or fumes in a quantity sufficient to present a danger to human health or the environment, when exposed to pH conditions between 2 and 12.5.”

Samples to evaluate reactivity were analyzed via method 9034, reactive sulfides. The analysis identifies if a solid waste contains sulfide compounds capable of generating toxic gas when exposed to pH conditions between 2 and 12.5. This analysis directly determines if the waste meets a reactivity characteristic.

None of the samples analyzed by this method resulted in a detection of reactive sulfide indicating that none of the samples are hazardous substances by the characteristic (5) of reactivity. Some of the materials may be reactive under other properties of the characteristic that were not analyzed.

5.1.1.6 Fish Bioassay

Ecology Method 80-12, the Static Acute Fish Toxicity Test is used to determine how waste is classified under Washington Administrative Code (WAC) 173-303-100 and WAC 173-303-110.

Results of the test are used to categorize waste as Extremely Hazardous Waste, Dangerous Waste, or not toxic by Washington state criteria.

Two samples, CF-PHE-144 and CF-PBE-218, were analyzed by Method 80-12 for fish mortality. Both samples resulted in 0% fish mortality rate indicating that contents from tanks 144 and 218 are not necessarily considered toxic by Washington state criteria. As indicated in **Table 5-3**, Tank 218 has a pH less than 2 indicating that it is corrosive as defined by WAC 173-303-090(6) and therefore cannot be classified as not toxic.

5.1.2 SOLID ANALYTICAL RESULTS

5.1.2.1 CERCLA

Like liquid samples described in Section 5.1.1, solid samples were compared against Table 302.4 of 40 CFR §302.4 to determine whether hazardous substances were present. Like the liquid samples, metals were the primary hazardous substances indicated by analytical results. Each of the primary sample results indicated that at least one metal was detected in each sample. Among the metals, arsenic, copper, and zinc were the most frequently detected constituents in the solid product samples.

Four samples resulted in detections of VOC compounds identified in Table 302.4 as hazardous substances. Sample CF-PHE-115 contained bromomethane and chloromethane. Samples CF-PHE-174 and CF-PHE-173 contained chloromethane. Sample CF-PHE-181 contained methylene chloride.

Three samples resulted in detections of SVOC compounds listed in Table 302.4 as hazardous substances. Samples CF-EXT-189, CF-PHE-174 and CF-PHE-173 all contained SVOC compounds including dibenzofuran, fluoranthene, isophorone, naphthalene, phenanthrene, phenol, and pyrene.

5.1.2.2 Corrosivity

pH from the seven solid samples analyzed ranged from 2.3 to 10.2. These substances are not considered hazardous substances by the corrosivity characteristic.

5.1.2.3 Toxicity

Sample extracts from method 1311, TCLP were analyzed for metals concentrations. The concentration of metals in these samples were below the values provided in Table 1 of 40 CFR § 261.24. These substances are not considered hazardous substances by the toxicity characteristic.

5.1.2.4 Ignitability

Results of ignitability analysis via method 1010A indicate a flash point above 212 °F for each of the solid samples. None of the solid samples are hazardous substances by the characteristic of ignitability.

5.1.2.5 Reactivity

Samples analyzed for reactive sulfide by method 9034 resulted concentrations of toxic gas below the detection level of the method/instrument. These substances are not considered hazardous substances by the reactivity characteristic.

Table 5-3 presents CERCLA Exceedances in Solid Product samples.

5.2 TANK ASSESSMENT AND INVENTORY RESULTS

During field activities, 227 tanks ranging in capacity from 100 gallons to 412,000 gallons were assessed in support of this RSE. The tank assessment and inventory addressed RSE objectives 1, 2, 3, and 4. RSE objective 1 was supported by using pH paper to assess the corrosivity of tank contents, documenting labels and placards on the tanks and utilizing the SME for insight on tank contents. RSE objective 2 was addressed by measuring and calculating tank capacity for each tank and using direct measurement and thermal imaging to estimate volume. RSE objective 3 was addressed with the SME and ERRS evaluating sampling and removal methods. RSE objective 4 was addressed by utilizing critical information collected during the tank assessment and inventory including tank contents, capacity, volume, structural deterioration of the tanks and associated piping, valves, and infrastructure, suspected spill pathways, and adequacy of

secondary containment. This information was used to develop a rank and rating system for tanks that address multiple factors including chemical characteristics, volume, severity of a release, and release pathways.

Findings of the tank assessment and inventory revealed that of the 227 tanks assessed, 139 were confirmed to be empty. Of the remaining 88 tanks that were either verified or suspected to contain contents of some type, 11 contained water, and two (Tanks 272 and 277) contained non-hazardous substances as determined by the SME. The remaining 75 tanks are the focus of the remaining report. As described in **Table 5-1**, 28 tanks contain an unknown amount of material, and their contents are presumed hazardous substances. **Figures 6** through **8b** display the tank locations and whether they contained material, were empty, or whether contents could not be verified. **Figures 9** through **11** show the locations of tanks which contain known or suspected CERCLA hazardous substances.

5.2.1 Rank and Rating System

The rank and rating system accounted for 47 tanks verified to contain hazardous substances and 28 tanks where the contents (volume or composition) could not be verified. A point system was devised in which tanks with certain characteristics were given a point or points(s) for each characteristic they possessed. The points were totaled and the tanks with the highest corresponding tank values are considered the highest risk tanks at the Site. Points were given based on the volume of tank contents, the probable spill pathway, rust/corrosion on the tank, valves, or pipes, and observed leaks. **Table 5-7** presents the scoring rubric.

Table 5-7 Rank and Rating System Scoring Rubric

Points	Item
1	Volume of contents <1,000 gallons
2	Volume of contents 1,000-10,000 gallons
3	Volume of contents 10,000-100,000 gallons
4	Volume of contents >100,000 gallons
2	Contain RCRA hazardous waste
2	No secondary containment
1	Insufficient secondary containment
1	Probable discharge into river
1	Probable discharge into sweet sewer

Points	Item
2	Non-storage tank with chemical
1	Rust/corrosion on valves
1	Rust/corrosion on tank exterior
1	Rust/corrosion on pipes
2	Active leak
1	Historic leak (staining/residue)
16	Maximum Achievable Points

Note: For the purpose of the rank and rating scoring, tanks with unknown content volume were assumed to contain 25% of the tank's total capacity.

Key:

> = greater than.

< = less than.

5.2.1.1 Volume of Tank Contents

As described in Section 3.1.1, the RSE Team assessed the volume of tank contents using a thermal imaging camera or by opening a top access point and sounding the depth to the top of the product and calculating the volume. Volume of tank contents is a critical metric to evaluate risk of a potential release as it controls the maximum credible release, the severity of consequences and the effectiveness window for response. Essentially, the greater the tank volume, the greater the risk.

Table 5-8 summarizes how many tanks were documented at the Site containing materials in the volume ranges used in the rank and rating system. **Appendix E** provides a photograph log from the thermal imaging camera.

Table 5-8 Tank Volume

Estimated Volume of Contents	Number of Tanks	Tank Number
<1,000 gallons	17	101, 102, 103, 104, 106, 107, 108, 109, 112, 125, 152, 173, 193, 226, 255, 277, 285
1,000-10,000 gallons	17	110, 111, 114, 139, 141, 149, 174, 181, 188, 189, 199, 207, 213, 215, 217, 218, 225
10,000-100,000 gallons	12	113, 115, 192, 196, 223, 224, 235, 246, 247, 248, 290, 291
>100,000 gallons	1	214
Unknown	28	105, 132, 143, 144, 145, 148, 166, 197, 236, 237, 238, 239, 240, 241, 242, 243, 244, 286, 287, 293, 294, 295, 296, 297, 298, 299, 300, 301

5.2.1.2 Probable Discharge Pathway

The RSE Team evaluated the most likely pathway that, in the event of a large catastrophic release, the contents of the tank would likely flow into. The RSE Team considered secondary containment, proximity to storm drains and surface waters leading to the Chehalis River and the catchment areas for the Sour Sewer system. Overland flow during heavy rain and flooding and potential migration via a reported, but unverified illicit connection to City of Aberdeen Wastewater Treatment Plant are also pathways for chemicals to migrate, however, they are not accounted for in the ranking and ratings.

One data gap that could not be addressed in the field is the migration pathway that liquids take when they enter the Sour Sewer system (including the wood stave conveyance). CSF staff knowledgeable about the Sour Sewer system operations left employment in 2024, so detailed employee information on how the Sour Sewer handles waste liquids was not available. EPA reviewed engineering, waste treatment documents, and other CSF sources, but each document was predicated on having an operational system to treat and/or move liquids. CSF staff at the Site were not sure how liquids would behave when power and water systems are offline as has been the case since September of 2024. What is known is that the Sour Sewer system still allows liquid movement in some form. EPA and Ecology have been monitoring liquid levels in a variety of Sour Sewer components and have not witnessed overtopping of the system except in heavy rain/flooding scenarios. These observations support the conclusion that liquids, including chemicals, are mobile, but determining that fate and transport of liquids in the Sour Sewer was not addressed. Furthermore, the wood stave portion of the Sour Sewer does not have access points once it leaves the CSF property (**Figure 2a**). As such, EPA could not assess the wood stave conveyance. **Table 5-9** presents a summary of the expected discharge point in the event of a catastrophic release.

Table 5-9 Probable Discharge Pathway

Probable Discharge Pathway	Number of Tanks	Tank Number
Sweet sewer	2	111, 235
Sour sewer	62	101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 112, 113, 114, 125, 132, 141, 143, 144, 145, 148, 149, 166, 181, 192, 193, 197, 207, 213, 214, 215, 217, 218, 223, 226, 236, 237, 238, 239, 240, 241, 242, 243, 244, 246, 247, 248, 255, 277, 285, 286,

		287, 290, 291, 293, 294, 295, 296, 297, 298, 299, 300, 301
Surface Water/Chahalish River	3	135, 152, 196
Unknown/Undetermined/Other	8	115, 173, 174, 188, 189, 224, 225, 235

5.2.1.3 Secondary Containment

During the tank assessment and inventory, the SME and SE evaluated secondary containment to determine whether secondary containment is present, and it is sufficient for the tanks that are within. For many tanks, it is presumed that the Sour Sewer was meant to serve as the secondary containment; however, as there is currently no electricity at the Site and no treatment is occurring to materials entering the Sour Sewer. For the purposes of this RSE, secondary containment refers only to concrete berms or dikes around above ground storage tanks. Ten tanks were found to have insufficient secondary containment and in the event of a catastrophic release, tank contents may overflow the secondary containment. 53 tanks were found to have no secondary containment. A determination of insufficient secondary containment was generally assigned because the secondary containment was improperly designed or contained too much precipitation to contain a spill as designed. **Table 5-10** summarizes the tanks with insufficient or no secondary containment.

Table 5-10 Tanks with Insufficient or No Secondary Containment

Secondary Containment	Number of Tanks	Tank Number	Volume of Tank (Gallons)
No Secondary Containment	53	105, 110, 112, 113, 114, 115, 125, 132, 139, 141, 143, 144, 145, 148, 173, 174, 181, 192, 193, 207, 213, 214, 215, 217, 218, 223, 226, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 246, 247, 249, 255, 285, 286, 287, 293, 294, 295, 296, 297, 298, 299, 300, 301	471,148
Insufficient Secondary Containment	10	101, 103, 104, 188, 189, 196, 197, 225, 290, 291	148,809

5.2.1.4 Rust/Corrosion on Tanks, Valves, Piping

Rust/corrosion is a degradation mechanism that reduces metal thickness and leads to pitting, leaks, and wall failure. An SE evaluated each tank and identified rusted/corroded tanks, valves and piping. **Table 5-11** summarizes tanks, valves and piping that exhibited rust/corrosion and therefore are at greater risk of failure.

Table 5-11 Tanks, Valves and Piping with Visible Rust/Corrosion

Visible Rust/Corrosion	Number of Tanks	Tank Number
Tank Exterior	40	105, 111, 113, 132, 139, 144, 145, 148, 174, 181, 181, 192, 193, 196, 197, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 244, 244, 246, 247, 248, 255, 277, 290, 294, 296, 297, 298, 299, 300, 301
Valve	34	105, 113, 132, 148, 181, 192, 193, 196, 196, 196, 196, 196, 196, 196, 196, 196, 226, 236, 237, 239, 240, 244, 246, 248, 245, 247, 247, 255, 277, 290, 290, 290, 291, 293, 294, 295, 297, 298, 299, 300, 301
Piping	34	104, 105, 111, 113, 113, 139, 148, 181, 192, 193, 196, 237, 239, 240, 241, 242, 243, 244, 246, 247, 255, 277, 290, 293, 294, 295, 296, 297, 298, 299, 300, 301

5.2.1.5 Tank Leaks and Staining

During the tank assessment and inventory, the RSE Team documented the presence of active leaks and evidence of prior leaks that can indicate degradation and failure of tanks and associated piping.

Table 5-12 summarizes the tanks where evidence of non-active leaks was observed.

Table 5-12 Non-Active Leaks and Staining

Tank Number	Tank Contents	Comments
101	Nalco NexGard 22305	Staining from leakage
103	Tri-Act 1825	Staining from leakage
105	Magnesium Oxide/Magnesium Hydroxide	Staining from leakage
106	Axfolc 4820	Staining from leakage
113	Magnesium Oxide	Staining from leakage
125	Nalco 7408	Staining from leakage
224	Sodium Hydroxide	Active leakage stopped by ERRS

Key:
ERRS = Emergency and Rapid Response Services

The RSE Team visually identified eight active leaks throughout the Site: seven in the Pulp Mill and one in the Powerhouse (**Table 5-13**). Most leaks were observed emanating from piping surrounding the Dump Tanks, Accumulators, and Digestors. In one instance, a leak was identified at the bottom of a tank, indicating a failure of the tank itself. Each leak location was documented, and the data was integrated into a dedicated layer within the ArcGIS platform for spatial reference and analysis. The mapped leak locations are presented in **Figure 12**. The leaks occurred in pipes and tanks at rates between approximately 0.25 gallons per day and 45 gallons per day, as measured using timed fill and drip count methods. The leak rate from two documented leaks could not be determined due to the physical locations on the tank or pipes. Contents of the leaking tanks and pipes range in pH from the highest in a magnesium oxide tank at a pH of 12 and the lowest in sulfite liquor tanks at a pH of 2.

Field observations documented during the RSE that two of the eight leaks are being captured by improvised conveyances into chemical totes onsite. These totes were periodically filled and replaced with empty totes. The filled totes were moved to storage in the Old Warehouse near the location of the chemicals stored after the 2024 Emergency Response. The remaining six leaks are not being captured and are entering into the Sour Sewer system. This sewer system feeds the wood stave pipe discussed in Section 2.1. Due to the lack of electrical power and limited institutional knowledge among current Site staff, the ultimate destination and accumulation points of these leaks are unknown.

EPA attempted to stop some of the leaks associated with the Dump Tanks using patching material but was unsuccessful. During these efforts, EPA contractors reported that the piping metal where some of the leaks were coming from was brittle to the touch and small pinhole leaks would form with very little pressure being applied (i.e., touching with a gloved hand). The leaking chemical was a sulfite liquor with pH below 2 that was likely corroding the piping. Based on observations made during multiple Site inspections, this sulfite liquor appears to be corroding several components of the dump tank infrastructure, as the number of active leaks and leak rate have only increased over time.

Table 5-13 Active Leaks

Tank Number	Leak Location	Leaking Material	Approximate Leak Rate (gpd)
113	Piping from storage tank	Magnesium Oxide	22.5
214	Piping from dump tank	Sulfite Liquor	17
218	Sidewall of tank	Sulfite Liquor	NM
218	Piping from dump tank	Sulfite Liquor	13.5
220	Piping adjacent to dump tank	Sulfite Liquor	45
N/A	Piping between tanks 243 and 244	Unknown	NM
247	Piping from accumulator tank	Sulfite Liquor	0.5
249	Piping from accumulator tank	Sulfite Liquor	0.25

Key:

gpd = gallons per day (approximate)

N/A = Not applicable

NM = not measurable

5.2.1.6 Rank and Rating Summary

The culmination of the risk factors assessed and tabulated provides a ranking of the most hazardous tanks on Site. **Table 5-13** presents a summary of each tank's final risk value and the cumulative volume of tank contents in each category. Some tanks have unknown volume and are not included in the cumulative volume calculation of **Table 5-14**. Tanks 247 and 249 resulted in the greatest risk; both tanks are accumulators, verified to be full of hazardous waste based on the corrosivity characteristic. **Appendix F** includes a matrix showing how the point totals were derived.

Table 5-14 Rank and Rating Summary

Final Risk Value	Tank Number	Cumulative Volume (gallons)¹
14 (highest)	247, 249	135,825
13	113	43,003
12	246	67,912
11	290	13,836
10	105, 214, 248	193,750
9	125, 139, 148, 181, 196, 235, 237, 238, 239, 240, 241, 242, 243, 244, 291, 293, 294, 295, 296, 297, 298, 299, 300, 301	134,240
8	192, 218, 224, 255	33,730
7 and below	101, 102, 103, 104, 106, 107, 108, 109, 110, 111, 112, 114, 115, 132, 141, 143, 144, 145, 149, 152, 166, 173, 174, 188, 189, 193, 197, 199, 207, 213, 215, 217, 223, 225, 226, 236, 285, 286, 287	101,672
Total Volume		723,970

Key:

Bold = Tank volume is unknown

¹ = Total volume was only tabulated for tanks where the volume could be confirmed. The actual volume including tanks where volumes could not be confirmed may be higher.

5.2.2 SME Findings

The SME supported the RSE by providing insight into the function and use of each tank, what each tank may have been used to store, and how to safely collect sample from the Tank. The SME expressed concern that many of the tanks on Site were storing chemicals but were not designed as storage tanks and are likely degrading the tank and may ultimately result in a release. **Table 5-15** shows tanks where chemicals are present in non-storage tanks.

Table 5-15 Non-Storage Tanks with Chemical Contents

	Number of Tanks	Tank Number	Total Volume (Gallons) ¹
Tanks with known volume	16	114, 115, 173, 174, 181, 213, 215, 217, <u>224</u> , <u>246</u> , <u>247</u> , <u>248</u> , <u>249</u> , 255, <u>290</u> , 291	392,836
Tanks with unknown volume	22	<u>105</u> , 132, 143, 166, 236, <u>237</u> , <u>238</u> , <u>239</u> , <u>240</u> , <u>241</u> , <u>242</u> , <u>243</u> , <u>244</u> , <u>293</u> , <u>294</u> , <u>295</u> , <u>296</u> , <u>297</u> , <u>298</u> , <u>299</u> , <u>300</u> , <u>301</u>	Unknown

Notes: Dump tanks are considered storage tanks and therefore not included in this table. Process, digester, and accumulator tanks are not considered storage tanks and are included in this table.

Key:

Bold = Tank contents are corrosive (pH <2)

Bold Underline = Tanks contents are corrosive (pH >12)

¹ = Total volume was only tabulated for tanks where the volume could be confirmed. The actual volume including tanks where volumes could not be confirmed may be higher.

The SME, along with ERRS, also provided insight on how to remove chemicals from tanks. Given that most of the tanks contain liquid, the contents could be pumped utilizing existing tank piping and valves.

5.2.3 2024 Emergency Response Chemical Relocation & Storage Inventory

During the 2024 Emergency Response, EPA identified and relocated and placed into containment approximately 206 total containers, 132 chemical totes and 74 drums and other containers. The estimated volume of these containers is over 33,000 gallons. Most totes and drums were stored outdoors without secondary containment, often in remote areas, and some had already leaked to the environment. Many containers were severely deteriorated—missing lids or caps, punctured with staining, rusted drums with unknown contents unsafe to move, bulging totes suggesting chemical reactions, and metal tote frames corroded or collapsed. Additional

totes with unknown chemicals were kept in a warehouse with a partially collapsed roof and are labeled as “Junk” or marked with “Danger,” underscoring significant safety and environmental risks. EPA chemical screening identified flammable liquids, corrosive acids, caustic bases, oxidizers, toxic materials, and other miscellaneous hazards among the relocated containers.

Since April 2024, CSF staff have made efforts to collect a portion of the acidic sulfite liquors actively leaking in storage totes. CSF collected 30 totes and has placed them adjacent to the chemicals relocated by EPA in 2024. Over 7,500 gallons of strong acidic sulfite liquor are currently stored in the area.

5.3 CHEMICAL SUMMARY

Laboratory analytical results and information gathered during the tank assessment and inventory resulted in several key findings. Based on the full dataset and using presumed similar tanks, notable data includes:

- 30 tanks contain corrosive materials with pH less than or equal to 2,
- 11 tanks contain corrosive material with a pH greater than 12,
- Two tanks contain suspected flammable materials,
- 13 tanks with unknown contents,
- 29 tanks contain sulfite liquor,
- Two tanks with hydrochloric acid,
- Two tanks with sulfuric acid,
- Five tanks with sodium hydroxide,
- Three tanks with sodium hypochlorite.
- One tank with methanol,
- Other tank contents include Antichlor, AXFIX 8557 Axfloc4820, concentrated oxygen extraction liquor, Defoamer, fennofix501/Nalco 8105, flocculent, surfactant, magnesium oxide, magnesium hydroxide, Nalco 7408, Nalco Nexguard 22305, Nalco Surgard 1700, and Tri-Act 1825

Table 5-16 presents a summary of these key findings. A full summary of information collected during the tank assessment and inventory is included as **Appendix G**.

Table 5-16 Key Findings

Category	Tank Number	Number of Tanks	Total Volume (Gallons)¹
Tanks verified to exhibit one or more characteristics RCRA of hazardous waste (laboratory data only)	103, 125, 214, 218, 223, 246, 247 , 296	8	281,622
Tanks (liquid) verified to contain one or more CERCLA hazardous substances (laboratory data only)	101, 102, 103, 106, 125, 141, 143, 144, 149, 166, 188, 192, 193, 214, 218, 223, 246, 247 , 285, 287, 291, 296	22	361,232
Tanks (solid) verified to contain one or more CERCLA hazardous substances (laboratory data only)	109, 111, 115, 173, 174, 181, 189	7	41,763
Total tanks containing CERCLA hazardous substances	101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 125, 132, 139, 141, 143, 144, 145, 148, 149, 152, 166, 173, 174, 181, 188, 189, 192, 193, 196, 197, 199, 207, 213, 214, 215, 217, 218, 223, 224, 225, 226, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 246, 247 , 248, 249 , 255, 285, 286, 287, 290, 291, 293, 294, 295, 296, 297, 298, 299, 300, 301,	75	727,111
Tanks containing Sulfite Liquors	114, 115, 144, 145, 214, 218, 223, 236, 237, 238, 239, 240, 241, 242, 243, 244, 246, 248, 290, 291, 293, 294, 295, 296, 297, 298, 299, 300, 301,	29	366,840
Tanks with verified pH <2	110, 112, 125, 148, 197, 214, 218, 223, 237, 238, 239, 240, 241, 242, 243, 244, 246, 247 , 248, 249 , 290, 293, 294, 295, 296, 297, 298, 299, 300, 301	30	433,408
Tanks with verified pH >12	103, 104, 105, 113, 139, 152, 196, 207, 224, 225, 235	11	150,961
Tanks containing suspected flammable materials	103, 199	2	3,139

Key:

CERCLA = Comprehensive Environmental Response, Compensation and Liability Act
Removal Site Evaluation

RCRA = Resource Conservation and Recovery Act

< = less than

> = greater than

Bold = Indicates that the tank scored a 14 (highest score) in the risk and ranking system

¹ = Total volume was only tabulated for tanks where the volume could be confirmed. The actual volume including tanks where volumes could not be confirmed may be higher.

6 SUMMARY AND CONCLUSIONS

6.1 OVERVIEW OF SITE

The Cosmo Specialty Fibers plant in Cosmopolis, Washington is located on a nearly 400-acre property housing an inactive sulfite pulp mill. The Site is located adjacent and discharges to the Chehalis River which flows into Grays Harbor approximately 4 miles downstream. A second property, located approximately 3 miles away, is used for wastewater storage, treatment, and discharge to Grays Harbor.

EPA has been monitoring and evaluating Site conditions since February of 2024 and led an emergency response in the fall of 2024. Ongoing evaluation and monitoring of Site conditions and a request from the State of Washington, Department of Ecology, led EPA to initiate a RSE to assess and document:

- If storage containers at the facility contain CERCLA regulated substances that pose a threat of release into the environment.
- The quantity of CERCLA hazardous substances, pollutants, and/or contaminants.
- Methods to remove chemicals from containers for disposal and/or treatment.

The field portion of the RSE occurred from November 5, 2025, through November 20, 2025, and consisted of personnel from EPA, ERRS, START, USCG, as well as a sulfite pulp mill SME and an SE. EPA will use the information in this report as well as other sources of information to determine next steps.

6.2 GENERAL SITE CONDITIONS

Overall, the RSE team observed many indicators of an increasing threat of release of hazardous substances at the Site; highly corrosive materials, leaking tanks, pipes, and valves; extensive rust/corrosion, insufficient secondary containment, lack of power, limited staffing, inadequate security, and tanks storing chemicals that were not intended to be used as long-term storage tanks.

Given the corrosive nature of much of the tank contents, if left in its current state, the infrastructure will continue to degrade and likely result in additional releases of CERCLA hazardous substances into the environment that may impact public health.

6.3 TANK ASSESSMENT AND INVENTORY

Together the RSE Team carried out an extensive tank assessment, inventory, and collected samples for laboratory analysis. In total 227 tanks were assessed and inventoried and 38 samples were collected from the tank contents (note: 29 samples were sent for laboratory analysis). The tank assessment and inventory consisted of nine primary activities:

- Tank identification and labelling,
- Identification of tank contents,
- Determination of tank capacities,
- Presence/volume of tank contents,
- Structural integrity of tank and surrounding infrastructure,
- Access for sample collection/removal of tank contents,
- Adequacy of secondary containment, and,
- Suspected spill pathway.

Data gathered during the tank assessment and inventory was coupled with laboratory analytical results to determine that 75 tanks contain CERCLA hazardous or suspected CERCLA hazardous substances. Contents of 47 tanks were verified and determined to contain over 727,000 gallons of CERCLA hazardous substances. The RSE Team was unable to determine the contents and volume present in 28 tanks. Since the volumes were unknown, estimates of cumulative volumes presented in this report do not include a volume for these 28 tanks. The RSE Team determined that the total capacity of the combined 28 tanks is approximately 1,711,500 gallons.

In addition to confirmation of CERCLA hazardous substances, the RSE Teams assessment included many observations highlighting the threat of future releases from the tanks, such as corrosion/rust on tanks, piping and valves connected to tanks and. The RSE Team identified 8 active leaks throughout the Site and documented evidence of 7 additional non-active leaks.

The SME and SE determined that of the 75 tanks containing hazardous substances, 53 had no secondary containment, 10 had inadequate secondary containment and only 12 were within sufficient secondary containment. Even where secondary containment was determined to be sufficient, the lack of electricity at the Site requires manually removing precipitation from secondary containment. This process needs to be completed repeatedly as secondary containment fills with precipitation.

Data gathered during the tank assessment and inventory and analytical data were used to create a rank and rating system. The system works by assigning points for certain risks characteristics observed on tanks. The risk characteristics used for scoring include:

- Volume of tank contents,
- Chemicals within the tank
- Potential migration pathway,
- Rust/corrosion on tank/valves/piping,
- Historic leaking
- Active leaking; and,
- Whether secondary containment is sufficient.

The rank and rating system resulted in two tanks achieving the highest risk (14 points) and containing a combined 135,825 gallons of corrosive hazardous waste. One tank each received 13, 12, and 11 points for indicating the next highest risks.

6.4 RELEASE PATHWAYS

The RSE Team attempted to determine the path that material from each tank would flow in the event of a release. Some tanks, given the proximity to the Chehalis River, would likely be released directly into it after a short overland flow. Other tanks would be released into either a sweet sewer or Sour Sewer system. The sewer systems are not well characterized and due to the lack of information onsite about them, and lack of knowledge from current CSF staff, it can be difficult to distinguish between them. However, it is understood that the sweet sewer system is untreated and discharges to surface water and ultimately discharging into the Chehalis River. The Sour Sewer system is treated on Site before being conveyed to the Westport settling ponds and

Removal Site Evaluation 6-22 February 2026

ultimately discharged into the Chehalis River as it enters Grays Harbor. Given that the power to the Site has been cut off, and current lack of CSF staff, it is understood that no treatment is occurring to the Sour Sewer system.

6.5 PRELIMINARY WASTE MANAGEMENT CONSIDERATIONS

The evaluation of the tanks identified that most of the chemicals are in a liquid state and pumpable using existing tank infrastructure or through minimally invasive techniques. Tanker trucks using hosing and pumps and similar equipment will be able to remove most of the highest risk chemicals on Site. Once removed from their tanks, these waste chemicals can be managed in a few different ways. Most simply, and likely most expensively, the chemicals could be trucked from the Site to disposal facilities in Grandview, Idaho and Arlington, Oregon. EPA enlisted the assistance of the EPA Environmental Response Team to evaluate Site data and advise on potential options for waste management should a removal action proceed. Alternatives that were assessed include: chemical recovery, energy recovery, On-Site Treat using facility systems or an EPA built system, off-site treatment at a wastewater treatment plant (WWTP), and off-site disposal at a landfill. Given the volumes and characteristics of the waste at the Site, a combination of methods would be necessary to appropriately manage the waste. For chemicals with large volumes (sulfite liquor), techniques that include on-site neutralization and subsequent treatment at a WWTP are, based on a preliminary assessment, likely the most viable and cost-effective approaches. More data must be collected and assessed to designate the various waste streams and evaluate management options.

7 REFERENCES

- U.S. Environmental Protection Agency (EPA). 2025a. *Identification and Listing of Hazardous Waste* 40 C.F.R. § 261, <https://www.ecfr.gov/current/title-40/chapter-I/subchapter-I/part-261>
- _____. 2025b. *Hazardous Substances and Reportable Quantities*, 40 C.F.R. § 302.4, <https://www.ecfr.gov/current/title-40/chapter-I/subchapter-J/part-302/section-302.4>
- _____. 2018. Region 10 Regional Data Management Plan.
- U.S. Census Bureau. 2020. 2020 Census Profile: Grays Harbor County, Washington.
- Weston Solutions, Inc. (WESTON). 2025a, START-V Health and Safety Plan, Cosmo Specialty Fibers Removal Site Evaluation.
- _____. 2025b. START-V Sampling and Analysis Plan Cosmo Specialty Fibers Removal Site Evaluation.
- _____. 2025c. START-V Site-Specific Data Management Plan Cosmo Specialty Fibers Removal Site Evaluation.

SITE FIGURES

File: \\loop.fle_core.windows.net\\loop\\R10\\START V\\Removal\\Cosmo_Paper\\2025\\Pro\\CosmoMaps2025.aprx



Coordinate System:
NAD 1983 HARN StatePlane Washington South FIPS 4602 Feet

Source:
Background: ESRI World Street Map
Inset Background: ESRI Ocean Basemap

Task Order No.:
68HE0725F0182

Legend:

- Site Location

0 0.25 0.5
Mile


 EPA Region 10

 Weston Solutions Inc.
START V


FIGURE 1
SITE LOCATION
COSMO SPECIALTY
FIBERS 2025 RSE
COSMOPOLIS, WA

February 2026

File: \\oep-fie-core-windows-net\\epa\\R10\\R10 START V\\Removal\\Cosmo Paper\\2025\\Pro\\Cosmo Maps\\2025.aprx



Coordinate System:
WGS 1984 Web Mercator Auxiliary Sphere
Source:
Background: ESRI World Imagery
Task Order No.:
68HE0725F0182



Legend:
● Outfall



EPA Region 10



Weston Solutions Inc.
START V

FIGURE 2
SITE FEATURES -
MAIN FACILITY
COSMO SPECIALTY
FIBERS 2025 RSE
COSMOPOLIS, WA

February, 2026

File: \\pop_files_core\windows\external\IR10-START V\Removal\Cosmo_Paper\2025\Pro\CosmoStormwaterMans.aprx



Coordinate System:
NAD 1983 HARN StatePlane Washington South FIPS 4602 Feet
Source:
Background: Nearmap 07/02/2025
Task Order No.:
68HE0725F0182

Legend:

-  Site Location
-  Outfall
-  Wooden Stave Pipe
-  Settling Pond



0 0.5 1 Mile



EPA Region 10



Weston Solutions Inc.
START V


FIGURE 2a
SITE FEATURES
WESTPORT PONDS
COSMO SPECIALTY
FIBERS 2025 RSE

COSMOPOLIS, WA

February 2026



Coordinate System:
NAD 1983 HARN StatePlane Washington South FIPS 4602 Feet
Source:
Background: Nearmap 07/02/2025
Task Order No.:
68HE0725F0182



- Legend:**
- Closed Stormwater Drain Line (Sweet Sewer)
 - Surface Water Conveyance
 - Mapped Sewer Line (Presumed Sour Sewer)



EPA Region 10




Weston Solutions Inc.
START V

FIGURE 3
SEWER SYSTEMS
COSMO SPECIALTY
FIBERS 2025 RSE
COSMOPOLIS, WA

February 2026

File: \\oep-fie-core-windows-net\epa\10\10\START V\Removal\Cosmo_Paper\2025\ProCosmoMaps\2025.aprx



Coordinate System:
WGS 1984 Web Mercator Auxiliary Sphere
Source:
Background: ESRI World Imagery
Task Order No.:
68HE0725F0182



0 75 150 300 Feet

Legend:

● Tank Sample for Laboratory Analysis




EPA Region 10



Weston Solutions Inc.
START V

FIGURE 4
SAMPLE LOCATION MAP
COSMO SPECIALTY
FIBERS 2025 RSE
COSMOPOLIS, WA

February 2026



Coordinate System:
NAD 1983 2011 StatePlane Washington South FIPS 4602 Ft US
Source:
Background: Nearmap 07/15/2025
Task Order No.:
68HE0725F0182




FIGURE 5
pH VALUES
COSMO SPECIALTY
FIBERS 2025 RSE
COSMOPOLIS, WA

February 2026

File: C:\Users\comeau\OneDrive - Weston Solutions, Inc\Desktop\COSMORSE\Pro\CosmoRSE.aprx



Coordinate System:
NAD 1983 2011 StatePlane Washington South FIPS 4602 Ft US
Source:
Background: Nearmap 07/15/2025
Task Order No.:
68HE0725F0182



0 50 100 Feet

Legend:

- Empty
- Contents Present
- Unknown



EPA Region 10




Weston Solutions Inc.
START V

FIGURE 6
INVENTORIED TANKS
PULP MILL
COSMO SPECIALTY
FIBERS 2025 RSE
COSMOPOLIS, WA

February 2026



Coordinate System:
 NAD 1983 2011 StatePlane Washington South FIPS 4602 Ft US
Source:
 Background: Nearmap 07/15/2025
Task Order No.:
 68HE0725F0182



Legend:
 [Green Circle] Empty
 [Blue Circle] Contents Present
 [Red Circle] Unknown



EPA Region 10



Weston Solutions Inc.
START V

FIGURE 7
INVENTORIED TANKS
POWERHOUSE
COSMO SPECIALTY
FIBERS 2025 RSE
COSMOPOLIS, WA

February 2026



Coordinate System:
NAD 1983 2011 StatePlane Washington South FIPS 4602 Ft US
Source:
Background: Nearmap 07/15/2025
Task Order No.:
68HE0725F0182



Legend:
■ Empty
■ Contents Present
■ Unknown




FIGURE 8a
INVENTORIED TANKS
EXTERNAL TANKS
COSMO SPECIALTY
FIBERS 2025 RSE
COSMOPOLIS, WA

February 2026



Coordinate System:
NAD 1983 2011 StatePlane Washington South FIPS 4602 Ft US
Source:
Background: Nearmap 07/15/2025
Task Order No.:
68HE0725F0182

Legend:

- Empty
- Contents Present
- Unknown
- Site Location



EPA Region 10



Weston Solutions Inc.
START V


FIGURE 8b
INVENTORIED TANKS
EXTERNAL TANKS
COSMO SPECIALTY
FIBERS 2025 RSE
COSMOPOLIS, WA

February 2026




0 100 200 Feet

File: C:\Users\comeau\OneDrive - Weston Solutions, Inc\Desktop\COSMORSE\Pro\CosmoRSE\CosmoRSE.aprx



Coordinate System:
NAD 1983 2011 StatePlane Washington South FIPS 4602 Ft US
Source:
Background: Nearmap 07/15/2025
Task Order No.:
68HE0725F0182



Legend:
 CERLCA Hazardous Substance




EPA Region 10




Weston Solutions Inc.
START V

FIGURE 9
CERCLA HAZARDOUS
SUBSTANCE TANKS
PULP MILL
COSMO SPECIALTY FIBERS
2025 RSE
COSMOPOLIS, WA
February 2026



Coordinate System:
NAD 1983 2011 StatePlane Washington South FIPS 4602 Ft US
Source:
Background: Nearmap 07/15/2025
Task Order No.:
68HE0725F0182



Legend:
 CERLCA Hazardous Substance



EPA Region 10



Weston Solutions Inc.
START V

FIGURE 10
CERCLA HAZARDOUS
SUBSTANCE TANKS
POWERHOUSE
COSMO SPECIALTY FIBERS
2025 RSE
COSMOPOLIS, WA
February 2026

File: C:\Users\comeau\OneDrive - Weston Solutions, Inc\Desktop\COSMORSE\Pro\CosmoRSE\CosmoRSE.aprx



Coordinate System:
NAD 1983 2011 StatePlane Washington South FIPS 4602 Ft US
Source:
Background: Nearmap 07/15/2025
Task Order No.:
68HE0725F0182



0 50 100 Feet

Legend:

-  CERLCA Hazardous Substance
-  Site Location



EPA Region 10




Weston Solutions Inc.
START V

FIGURE 11
CERCLA HAZARDOUS
SUBSTANCE TANKS
EXTERNAL
COSMO SPECIALTY FIBERS
2025 RSE
COSMOPOLIS, WA
February 2026

File: \\open_file_core_windows.net\openat10\IR10 START V\Removal\Cosmo Paper\2025\ProCosmoMaps2025.aprx



Coordinate System:
WGS 1984 Web Mercator Auxiliary Sphere
Source:
Background: ESRI World Imagery
Task Order No.:
68HE0725F0182



Legend:
● Active Leak

	EPA Region 10
	Weston Solutions Inc. START V

FIGURE 12
ACTIVE LEAKS
COSMO SPECIALTY
FIBERS 2025 RSE
COSMOPOLIS, WA
February 2026

TABLES

Table 5-2 Liquid Product – RCRA Exceedances

Analyte	CAS.NO	RCRA Characteristics	Sample ID	25111004	25111005	25111010	25111014	25111016	25111017	25111018 / 25111043	25111023	25111044
			Station	CF-PHI-103	CF-PHI-103	CF-PHI-125	CF-PBI-296	CF-PBI-247	CF-PBE-214	CF-PBE-218	CF-PBI-246	CF-PBE-223
			ER Related Sample ID	NA	NA	NA	NA	CF-PR-BL-01	CF-PR-BL-06	CF-PR-BL-04	NA	NA
			Date	11/12/2025	11/12/2025	11/12/2025	11/14/2025	11/14/2025	11/14/2025	11/14/2025	11/15/2025	11/18/2025
			Type	FS	FD	FS	FS	FS	FS	FS	FS	FS
9045D pH (SU)												
pH	STL00204	≤2 or ≥12.5	--	13.7	13.4	0.06	0.7	1.8	1.9	1.4	1.2	2
Field pH (pH paper)												
Field pH		≤2 or ≥12.5		*13.74	*13.74	1	1	1	1	2	1	1
6010D Metals (ICP) TCLP (mg/L)												
Chromium	7440-47-3	5	--	0.027 U	0.027 U	14	53	0.027 U	0.26	0.14 J	0.21 J	0.42
Selenium	7782-49-2	1	--	1.7	2.2	0.087 U	1 U	0.087 U	0.087 U	1 U	0.087 U	0.087 U

Bold type indicates result is detected.

Yellow highlight indicates result exceeds RCRA characteristic.

* Reading taken with a pH probe

Key:

CAS. NO = Chemical Abstracts Service Number

CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act

ER= Emergency Response

FD = Field Duplicate

FS = Field Sample

ICP= Inductively Coupled Plasma

ID= Identification

J = The associated value is an estimated quantity.

mg/L = Milligram per liter

NA= Not Applicable

RCRA = Resource Conservation and Recovery

Act SU= Standard unit

TCLP= Toxicity Characteristic Leaching Procedure

U = The material was analyzed for but was not detected above the level of the associated value. The associated value is either the sample quantitation limit or the sample detection limit.

Table 5-3 Liquid Products – CERCLA Detections

Analyte	CAS.NO	CERCLA Hazardous Substance			Date	ER Related Sample ID	Station	Sample ID																								
									Type	FS	FD	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
CE-PHL-103	CE-PHL-103	CE-PHL-102	CE-PHL-101	CE-PHL-106	CE-PHL-125	CE-PHE-141	CE-PHE-144	CE-PBL-296	CE-PBL-285	CE-PBL-247	CE-PBE-214	CE-PBE-218	CE-EXT-192	CE-EXT-188	CE-PBL-246	CE-PBE-287	CE-EXT-193	CE-PHL-166	CE-PBE-291	CE-EXT-149	CE-PHL-143	CE-PBE-223										
2511004	2511005	2511006	2511007	2511008	2511010	2511011	2511012	2511014	2511015	2511016	2511017	2511018/2511043	2511019	2511020	2511023	2511024	2511025	2511028	2511030	2511034	2511039	2511044										
6010D Metals (ICP) TCLP (mg/L)																																
Antimony	7440-36-0	Yes	--	0.042 U	0.042 U	0.042 U	0.0042 U	--	0.38 J	0.0042 U	0.042 U	0.042 U	0.0042 UJ	0.042 U	0.042 U	0.042 U	0.042 U	0.042 U	0.042 U	0.042 U	0.042 U	0.042 U	0.042 U	0.042 U	0.042 U	0.042 U	0.042 U	0.042 U				
Arsenic	7440-38-2	Yes	--	1.3	1.6	0.6 U	0.0072 U	--	0.6 U	0.06 U	0.6 U	0.6 U	0.06 U	0.072 U	0.072 U	0.6 U	0.072 U	0.6 U	0.072 U	0.072 U	0.072 U	0.072 U	0.072 U	0.072 U	0.072 U	0.072 U	0.072 U	0.072 U				
Chromium	7440-47-3	Yes	--	0.027 U	0.027 U	0.25 U	0.0027 U	--	14	0.0027 U	0.25 U	53	0.0027 U	0.027 U	0.26	0.14 J	0.027 U	0.25 U	0.21 J	3.9	0.0054 J	0.027 U	0.034 J	0.027 U	0.24 J	0.42						
Copper	7440-50-8	Yes	--	0.12 J	0.055 U	0.055 U	0.0055 U	--	1.2	0.0055 U	5.1	5.7	0.0055 U	0.055 U	0.055 U	0.14 J	0.055 U	0.055 U	0.38 J	0.067 J	0.0089 J	0.12 J	0.055 U	0.055 U	0.12 J	0.071 J						
Lead	7439-92-1	Yes	--	0.027 U	0.027 U	0.027 U	0.0048 J	--	0.058 J	0.0027 U	0.087 J	0.057 J	0.0027 U	2.7	0.027 U	0.027 U	0.027 U	0.027 U	0.54	0.027 U	0.0027 U	0.027 U	0.027 U	0.027 U	0.027 U	0.027 U	0.027 U	0.027 U				
Nickel	7440-02-0	Yes	--	0.2 U	0.01 U	0.01 U	0.02 U	--	15	0.02 U	0.21	30	0.02 U	0.01 U	0.2 U	0.16 J	0.01 U	0.2 U	0.28	12	0.02 U	0.01 U	0.2 U	0.01 U	0.2 U	0.01 U	0.2 U	0.25				
Selenium	7782-49-2	Yes	--	1.7	2.2	0.26 J	0.0087 U	--	0.087 U	0.1 U	1 U	1 U	0.1 U	0.087 U	0.087 U	1 U	0.087 U	0.087 U	0.087 U	0.028 J	0.087 U	0.087 U	0.087 U	0.087 U	0.087 U	0.087 U	0.087 U	0.087 U				
Silver	7440-22-4	Yes	--	0.085 U	0.085 U	0.085 U	0.0085 U	--	0.085 U	0.0085 U	0.085 U	0.085 U	0.0085 U	0.085 U	0.085 U	0.085 U	0.085 U	0.085 U	0.085 U	0.085 U	0.085 U	0.085 U	0.085 U	0.085 U	0.085 U	0.085 U	0.085 U	0.085 U				
Thallium	7440-28-0	Yes	--	0.032 U	0.032 U	0.032 U	0.0032 U	--	1 U	0.1 U	0.032 U	0.032 U	R	0.032 U	0.032 U	1 U	0.032 U	0.032 U	0.032 U	0.032 U	0.032 U	0.032 U	0.032 U	0.032 U	0.032 U	0.032 U	0.032 U	0.032 U				
Zinc	7440-66-6	Yes	--	0.31 J	0.093 U	0.093 U	0.043	--	7.7	0.02 J	3	1.3	0.046	0.096 J	0.18 J	0.95	0.093 U	0.093 U	2	0.093 U	0.012 J	0.093 U	0.093 U	0.11 J	0.093 U	0.33 J						
7470A Mercury (CVAA) TCLP (mg/L)																																
Mercury	7439-97-6	Yes	--	0.00053 J	0.0005 U	0.00053 J	0.0005 U	--	0.0042	0.00058 J	0.0081 J	0.0085 J	0.0015 J	0.00057 J	0.00064 J	0.005 U	0.00057 J	0.0094 J	0.0006 J	0.0005 U	0.00057 J	0.0005 U	0.0005 U	0.0005 U	0.0005 U	0.0005 U	0.0005 U	0.0005 U				
6010D Metals (ICP) (mg/kg)																																
Antimony	7440-36-0	Yes	--	0.22 U	0.22 U	0.19 U	0.19 J	0.2 U	0.36 J	0.2 U	0.18 U	0.19 U	0.18 U	0.19 U	0.19 U	0.16 U	0.17 U	0.19 U	0.15 U	0.18 U	0.18 U	0.16 U	0.17 U	0.18 U	0.18 U	0.21 U	0.23 U					
Arsenic	7440-38-2	Yes	--	1.3	1.4	0.17 J	0.17 U	0.52 J	0.41 J	0.46 J	0.17 U	0.32 J	0.72 J	0.18 U	0.18 U	0.15 U	0.16 U	0.33 J	0.14 U	0.17 U	0.57 J	0.15 U	0.16 U	0.17 U	0.2 U	0.22 U						
Chromium	7440-47-3	Yes	--	0.26 J	0.18 U	0.15 U	1.4	2.6	7.5	0.16 U	0.24 J	59	0.16 J	0.16 U	0.25 J	0.24 J	0.14 U	0.16 U	0.24 J	22	0.14 U	0.13 U	0.14 U	0.15 U	0.98 J	0.41 J						
Copper	7440-50-8	Yes	--	0.34 U	0.33 U	0.28 U	0.77 J	1.7 J	0.61 J	0.3 U	6.6	6.6	0.27 U	0.29 U	0.29 U	0.31 J	0.26 U	0.29 U	0.82 J	0.28 U	0.27 U	25	0.26 U	0.27 U	0.32 U	0.35 U						
Lead	7439-92-1	Yes	--	0.82 J	0.18 U	0.16 U	0.24 J	0.17 U	0.15 U	0.17 U	0.29 J	0.16 U	0.15 U	3.2	0.16 U	0.13 U	0.14 U	0.16 U	1.4	0.16 U	0.15 U	0.14 J	0.14 U	0.15 U	0.18 U	0.19 U						
Nickel	7440-02-0	Yes	--	0.12 J	0.085 U	0.073 U	0.88	1.4	8.2	0.078 U	0.23 J	34	0.13 J	0.074 U	0.12 J	0.2 J	0.067 U	0.079 J	0.27 J	14	0.2 J	0.061 U	0.067 U	0.071 U	0.52 J	0.21 J						
Selenium	7782-49-2	Yes	--	1.4 J	1.3 J	0.28 U	0.27 U	0.82 J	0.26 U	0.72 J	0.26 U	0.29 U	0.8 J	0.29 U	0.29 U	0.24 U	0.26 U	0.28 U	0.22 U	0.28 U	0.24 U	0.26 U	0.27 U	0.31 U	0.35 U							
Zinc	7440-66-6	Yes	--	0.8 U	0.79 U	0.67 U	3	0.73 U	3.5	0.73 U	3.1	1.6 J	1.9 J	0.69 U	0.69 U	0.96 J	0.62 U	0.69 U	1.9 J	0.67 U	0.64 U	0.57 U	0.62 U	0.65 U	0.76 U	0.83 U						
7471B Mercury (CVAA) (mg/kg)																																
Mercury	7439-97-6	Yes	--	0.019	0.0076 U	0.0065 U	0.033	0.0058 U	0.0067 U	0.0063 U	0.0063 U	0.0073 U	0.0077 U	0.0062 U	0.0073 U	0.0078 U	0.0067 U	0.0081 U	0.0059 U	0.0059 U	0.0056 U	0.0079 U	0.0062 U	0.0069 U	0.0072 U	0.007 U						
8260D Volatile Organic Compounds by GC/MS (ug/kg)																																
Bromomethane	74-83-9	Yes	--	4000 U	4000 U	4100 U	4100 U	3800 U	4200 U	4200 U	4000 U	4100 U	4000 U	4000 U	4000 U	3900 U	4800 J	3800 U	4100 U	4000 U	3900 U	3700 U	3900 U	3900 U	3800 U	4000 U						
8270E Semivolatile Organic Compounds (GC/MS) (ug/kg)																																
Naphthalene	91-20-3	Yes	--	300 UJ	310	49 U	42 UJ	9200 U	49 U	45 U	210 U	210 U	960 U	44 U	43 UJ	41 U	42 U	46 U	45 UJ	43 UJ	45 UJ	40 UJ	46 UJ	46 UJ	44 UJ	44 UJ						
Pentachlorophenol	87-86-5	Yes	--	4400 J	R	R	2300 UJ	490000 U	R	2400 UJ	1100 U	1100 U	52000 U	2400 UJ	2300 U	2200 U	2300 UJ	2500 U	2400 UJ	2300 UJ	2400 UJ	2200 UJ	2500 UJ	2500 UJ	2400 U	2400 UJ						

Bold type indicates result is detected.
Orange highlight indicates analyte is in the CERCLA hazardous substance list and result is detected.
-- indicates regulatory limit and/or result is not available.

Key:
CAS.NO = Chemical Abstracts Service Number
CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act
CVAA= Cold Vapor Atomic Absorption
ER= Emergency Response
FD = Field Duplicate
FS = Field Sample
GC/MS= Gas chromatography mass spectrometry
ICP= Inductively Coupled Plasma
ID= Identification
J = The associated value is an estimated quantity.
mg/kg = Milligram per kilogram
mg/L = Milligram per liter
NA= Not Applicable
R = The data are unusable. The analyte may or may not be present in the sample.
RCRA = Resource Conservation and Recovery Act
SU = Standard Units
TCLP= Toxicity Characteristic Leaching Procedure
The material was analyzed for but was not detected above the level of the associated value. The associated value is either the sample quantitation limit
U = or the sample detection limit.
ug/kg = Microgram per kilogram
UJ = The analyte was analyzed for but was not detected. The associated value is an estimate and may be inaccurate or imprecise.

Table 5-4 Solid Product – CERCLA Detections

Analyte	CAS.NO	CERCLA Hazardous Substance	Sample ID	25111001	25111002	25111003	25111009	25111021	25111036	25111037	25111038
			Station	CF-PHE-111	CF-PHE-115	CF-PHE-115	CF-PHI-109	CF-EXT-189	CF-PHE-174	CF-PHE-173	CF-PHE-181
			Date	11/12/2025	11/12/2025	11/12/2025	11/12/2025	11/14/2025	11/17/2025	11/17/2025	11/17/2025
			Type	FS	FS	FD	FS	FS	FS	FS	FS
6010D Metals (ICP) TCLP (mg/L)											
Antimony	7440-36-0	Yes	--	0.0042 U	0.0042 U	0.0042 U	0.0042 U	0.0042 U	0.0042 U	0.027 J	0.0042 U
Arsenic	7440-38-2	Yes	--	0.009 J	0.021 J	0.011 J	0.0072 U	0.013 J	0.034 J	0.042 J	0.0072 U
Chromium	7440-47-3	Yes	--	2	0.0027 U	0.0027 U	0.0027 U	0.0066 J	0.015 J	0.0027 U	0.12
Copper	7440-50-8	Yes	--	0.046 J	0.015 J	0.0095 J	0.028 J	0.35	0.037 J	0.12	20
Lead	7439-92-1	Yes	--	0.0027 U	0.0037 J	0.004 J	0.0027 U	0.013 J	0.0027 U	0.018 J	0.014 J
Nickel	7440-02-0	Yes	--	1.7	0.078	0.059	0.02 U	0.027	0.02 U	0.33	0.17
Selenium	7782-49-2	Yes	--	0.0087 U	0.014 J	0.0087 U	0.0087 U	0.021 J	0.0087 U	0.0097 J	0.0089 J
Zinc	7440-66-6	Yes	--	0.015 J	1	0.7 J	0.07	0.051	0.77	16	1
7470A Mercury (CVAA) (mg/L)											
Mercury	7439-97-6	Yes	--	0.0005 U	0.0005 U	0.0005 U	0.0005 U	0.00067 J	0.00056 J	0.00056 J	0.00056 J
6010D Metals (ICP) (mg/kg)											
Antimony	7440-36-0	Yes	--	0.26 U	0.2 U	0.18 U	0.23 U	0.28 U	0.18 U	23	3 J
Arsenic	7440-38-2	Yes	--	0.25 J	1.5 J	1.6 J	0.21 U	0.27 U	3.6	8.8	2.2 J
Beryllium	7440-41-7	Yes	--	0.068 U	0.73 J	0.71	0.061 U	0.075 U	0.23 J	0.18 J	0.22 J
Cadmium	7440-43-9	Yes	--	0.048 U	1.6	2	0.042 U	0.053 U	0.69	3.2	0.27 J
Chromium	7440-47-3	Yes	--	65	45	40	0.19 U	0.56 J	28	86	21
Copper	7440-50-8	Yes	--	2.3 J	11	13	0.53 J	9.4	35	310	430
Lead	7439-92-1	Yes	--	0.22 U	21	21	0.19 U	0.61 J	4.7	580	45
Nickel	7440-02-0	Yes	--	38	3.9	3.7	0.089 U	0.88 J	26	74	9.9
Selenium	7782-49-2	Yes	--	0.39 U	0.3 U	0.27 U	0.34 U	0.43 U	0.26 U	2.7 J	0.5 J
Silver	7440-22-4	Yes	--	0.55 U	0.43 U	0.38 U	0.48 U	0.6 U	0.37 U	1.7 J	0.58 U
Thallium	7440-28-0	Yes	--	0.41 U	0.32 U	0.4 J	0.36 U	0.45 U	0.28 U	2.1 J	0.44 U
Zinc	7440-66-6	Yes	--	0.93 U	170	230	1.4 J	1.1 J	160	8800	27
7471B Mercury (CVAA) (mg/kg)											
Mercury	7439-97-6	Yes	--	0.014 J	0.0075 U	0.0064 U	0.0063 U	0.0058 U	0.0057 U	0.11	0.028
8260D Volatile Organic Compounds by GC/MS (ug/kg)											
Bromomethane	74-83-9	Yes	--	96 U	130	120 J	4600 U	4900 U	110 U	130 U	730 U
Chloromethane	74-87-3	Yes	--	26 U	27 J	24 J	1200 U	1300 U	17 J	20 J	190 U
Methylene Chloride	75-09-2	Yes	--	66 U	35 U	34 U	3200 U	3400 U	28 U	33 U	2100 J
8270E Semivolatile Organic Compounds (GC/MS) (ug/kg)											
2,4-Dimethylphenol	105-67-9	Yes	--	470 UJ	490 UJ	550 UJ	5700 U	1100 U	58 U	350 J	740 UJ
Dibenzofuran	132-64-9	Yes	--	46 U	48 U	54 UJ	560 U	110 U	5.7 U	13 J	73 UJ
Fluoranthene	206-44-0	Yes	--	94 U	97 U	110 UJ	1100 U	220 U	13 J	38 J	150 UJ
Isophorone	78-59-1	Yes	--	66 U	68 U	77 UJ	790 U	160 U	8.1 U	61 J	100 UJ
Naphthalene	91-20-3	Yes	--	39 U	41 U	46 UJ	470 U	93 U	4.8 U	66 J	62 UJ
Phenanthrene	85-01-8	Yes	--	45 U	47 U	53 UJ	550 U	110 U	5.6 U	24 J	72 UJ
Phenol	108-95-2	Yes	--	180 UJ	190 UJ	210 UJ	2200 U	730 J	22 U	560 J	280 UJ
Pyrene	129-00-0	Yes	--	100 U	110 U	120 UJ	1200 U	240 U	12 J	30 J	160 UJ

Bold type indicates result is detected.

Orange highlight indicates analyte is in the CERCLA hazardous substance list and result is detected

Key:

CAS.NO = Chemical Abstracts Service Number

CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act

CVAA= Cold Vapor Atomic Absorption

ER= Emergency Response

FD = Field Duplicate

FS = Field Sample

GC/MS= Gas chromatography mass spectrometry

ICP= Inductively Coupled Plasma

ID= Identification

J = The associated value is an estimated quantity.

mg/kg = Milligram per kilogram

mg/L = Milligram per liter

NA= Not Applicable

TCLP= Toxicity Characteristic Leaching Procedure

U = The material was analyzed for but was not detected above the level of the associated value. The associated value is either the sample quantitation limit or the sample detection limit.

ug/kg = Microgram per kilogram

UJ = The analyte was analyzed for but was not detected. The associated value is an estimate and may be inaccurate or imprecise.

APPENDIX A

Photograph Log

Project Name:
Cosmo Specialty Fibers 2025 RSE

Site Location:
Grays Harbor County, Washington

Project No.
68HE0725F0182

Photo No. 1	Date: 11/06/2025
Photo Coordinates	
Lat	46.953184
Long	-123.76156
Direction Photo Taken: Northeast	
Description: Tanks stored on-site with visible labels in a secondary containment.	



Photo No. 2	Date: 11/06/2025
Photo Coordinates	
Lat	46.953309
Long	-123.762796
Direction Photo Taken: Northwest	
Description: Tank on-site with a degraded label.	



Project Name:
Cosmo Specialty Fibers 2025 RSE

Site Location:
Grays Harbor County, Washington

Project No.
68HE0725F0182

Photo No. 3	Date: 11/07/2025
Photo Coordinates	
Lat	46.95337
Long	-123.761787
Direction Photo Taken: Southeast	
Description: Flooding on-site near the Powerhouse.	



Photo No. 4	Date: 11/07/2025
Photo Coordinates	
Lat	46.953567
Long	-123.76198
Direction Photo Taken: Northeast	
Description: Tank evaluation being conducted by the structural engineer and the pulp mill subject matter expert.	



Project Name:
Cosmo Specialty Fibers 2025 RSE

Site Location:
Grays Harbor County, Washington

Project No.
68HE0725F0182

Photo No.
5

Date:
11/07/2025

Photo Coordinates

Lat 46.953591

Long -123.762409

Direction Photo Taken:
Southeast

Description:

Overview Powerhouse with visible storage in drums along the edge of the building.



Photo No.
6

Date:
11/07/2025

Photo Coordinates

Lat 46.953309

Long -123.762796

Direction Photo Taken:
Northwest

Description:

Tank evaluation with the FLiR thermal imaging camera.



Project Name:
Cosmo Specialty Fibers 2025 RSE

Site Location:
Grays Harbor County, Washington

Project No.
68HE0725F0182

Photo No. 7	Date: 11/07/2025
Photo Coordinates	
Lat	46.9515
Long	-123.757359
Direction Photo Taken: Northwest	
Description: START and ERRS crew conducting tank evaluations.	



Photo No. 8	Date: 11/13/2025
Photo Coordinates	
Lat	46.953025
Long	-123.761728
Direction Photo Taken: Southwest	
Description: ERRS conducting tank sampling inside a bucket basket lift.	



Project Name:
Cosmo Specialty Fibers 2025 RSE

Site Location:
Grays Harbor County, Washington

Project No.
68HE0725F0182

Photo No. 9	Date: 11/13/2025
Photo Coordinates	
Lat	46.953117
Long	-123.761619
Direction Photo Taken: Northeast	
Description: Sampling from the top spigot of the tank.	



Photo No. 10	Date: 11/13/2025
Photo Coordinates	
Lat	46.953203
Long	-123.762864
Direction Photo Taken: Southeast	
Description: Samplers cross back to the main platform after sampling the tank.	



Project Name:
Cosmo Specialty Fibers 2025 RSE

Site Location:
Grays Harbor County, Washington

Project No.
68HE0725F0182

Photo No. 11	Date: 11/14/2025
Photo Coordinates	
Lat	46.952428
Long	-123.765219
Direction Photo Taken: Northwest	
Description: Sample collected from the bottom port of a tank.	



Photo No. 12	Date: 11/09/2025
Photo Coordinates	
Lat	46.956703
Long	-123.822219
Direction Photo Taken: Southeast	
Description: A pH strip was used to assess corrosivity of an active tank leak at a sodium hydroxide tank.	



Project Name:
Cosmo Specialty Fibers 2025 RSE

Site Location:
Grays Harbor County, Washington

Project No.
68HE0725F0182

Photo No. 13	Date: 11/11/2025
Photo Coordinates	
Lat	46.954422
Long	-123.767814
Direction Photo Taken: Southeast	
Description: Daily safety meeting with all the contractors assembled prior to conducting tasking.	



Photo No. 14	Date: 11/12/2025
Photo Coordinates	
Lat	46.952889
Long	-123.761397
Direction Photo Taken: Southeast	
Description: ERRS utilizing the fixed ladders along the tank to access to the top for sampling.	



Project Name:
Cosmo Specialty Fibers 2025 RSE

Site Location:
Grays Harbor County, Washington

Project No.
68HE0725F0182

Photo No. 15	Date: 11/12/2025
Photo Coordinates	
Lat	46.952911
Long	-123.761375
Direction Photo Taken: Northeast	
Description: UAV in operation conducting a survey.	



Photo No. 16	Date: 11/12/2025
Photo Coordinates	
Lat	46.952994
Long	-123.761414
Direction Photo Taken: Northeast	
Description: On-screen view of the UAV survey monitoring a tank being sampled.	



Project Name:
Cosmo Specialty Fibers 2025 RSE

Site Location:
Grays Harbor County, Washington

Project No.
68HE0725F0182

Photo No.
17

Date:
11/12/2025

Photo Coordinates

Lat 46.953006

Long -123.761939

Direction Photo Taken:
Northeast

Description:

Sample collection from a tank side port.



Photo No.
18

Date:
11/12/2025

Photo Coordinates

Lat 46.952961

Long -123.762108

Direction Photo Taken:
Southeast

Description:

Sample collection from a bottom spigot over liquid inside the secondary containment.



Project Name:
Cosmo Specialty Fibers 2025 RSE

Site Location:
Grays Harbor County, Washington

Project No.
68HE0725F0182

Photo No.
19

Date:
11/12/2025

Photo Coordinates

Lat 46.952964

Long -123.761978

Direction Photo Taken:
Southeast

Description:

Samples being collected in appropriate jars and quantities in preparation for lab analysis.



Photo No.
20

Date:
11/20/2025

Photo Coordinates

Lat 46.953281

Long -123.766961

Direction Photo Taken:
Northwest

Description:

Chemical storage in totes on-site.



Project Name:
Cosmo Specialty Fibers 2025 RSE

Site Location:
Grays Harbor County, Washington

Project No.
68HE0725F0182

Photo No. 21	Date: 11/13/2025
Photo Coordinates	
Lat	46.953083
Long	-123.761772
Direction Photo Taken: Northeast	
Description: ERRS using the bucket basket lift during sampling operations.	



Photo No. 22	Date: 11/17/2025
Photo Coordinates	
Lat	46.952847
Long	-123.764939
Direction Photo Taken: Southwest	
Description: Suspected red liquor leaking from tank valves on-site.	



Project Name:
Cosmo Specialty Fibers 2025 RSE

Site Location:
Grays Harbor County, Washington

Project No.
68HE0725F0182

Photo No. 23	Date: 11/18/2025
Photo Coordinates	
Lat	46.952844
Long	-123.764856
Direction Photo Taken: East	
Description: ERSS utilizing coliwasa tubes to sample from a tank port.	



Photo No. 24	Date: 11/09/2025
Photo Coordinates	
Lat	46.956678
Long	-123.822281
Direction Photo Taken: Southeast	
Description: ERRS attempting to tighten valve to prevent further leakage into the secondary containment.	



Project Name:
Cosmo Specialty Fibers 2025 RSE

Site Location:
Grays Harbor County, Washington

Project No.
68HE0725F0182

Photo No.
25

Date:
11/11/2025

Photo Coordinates

Lat 46.952503

Long -123.764436

Direction Photo Taken:
Northeast

Description:

Coast Guard and contractors conducting tank inspections and evaluations inside the Pulp Mill building interior.



APPENDIX B

Data Validation Reports

APPENDIX C

Laboratory Data Packages

APPENDIX D

Laboratory Results Summary

Liquid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	25111004	25111005	25111006	25111007	25111008	25111010
					Station	CF-PHI-103	CF-PHI-103	CF-PHI-102	CF-PHI-101	CF-PHI-106	CF-PHI-125
					ER Related Sample ID	NA	NA	NA	NA	NA	NA
					Date	11/12/2025	11/12/2025	11/12/2025	11/12/2025	11/12/2025	11/12/2025
					Type	FS	FD	FS	FS	FS	FS
1010A Ignitability, Pensky-Martens Closed-Cup Method											
Ignitability	STL00250	Degrees F	< 140	--	--	--	--	--	--	>212	--
9034 Reactive Sulfide											
Sulfide, Reactive	STL00261	mg/kg	--	--	--	1.9 U	1.9 U	1.9 U	2 U	2.6 U	1.8 U
9045D pH											
pH	STL00204	SU	≤2 or ≥12.5	--	--	13.7	13.4	6.4	9	3.7	0.06
Field pH (pH paper)											
Field pH						13.74	13.74	7		5	1
376.2 Sulfide											
Sulfide	18496-25-8	mg/kg	--	--	--	0.18 J	0.29 J	0.16 U	0.42 J	0.16 U	0.13 U
Fish Bioassay											
Percent Mortality		%				--	--	--	--	--	--
6010D Metals (ICP) TCLP											
						0 R					
Aluminum	7429-90-5	mg/L	--	--	--	1 U	1 U	1 U	0.5 U	--	31
Antimony	7440-36-0	mg/L	--	Yes	--	0.042 U	0.042 U	0.042 U	0.0042 U	--	0.38 J
Arsenic	7440-38-2	mg/L	5	Yes	--	1.3	1.6	0.6 U	0.0072 U	--	0.6 U
Barium	7440-39-3	mg/L	100	--	--	0.2 U	0.01 U	0.2 U	0.02 U	--	1.1
Beryllium	7440-41-7	mg/L	--	Yes	--	0.009 U	0.009 U	0.009 U	0.0009 U	--	0.009 U
Cadmium	7440-43-9	mg/L	1	Yes	--	0.009 U	0.009 U	0.009 U	0.0009 U	--	0.009 U
Chromium	7440-47-3	mg/L	5	Yes	--	0.027 U	0.027 U	0.25 U	0.0027 U	--	14
Cobalt	7440-48-4	mg/L	--	--	--	0.21	0.2 U	0.005 U	0.0005 U	--	0.36
Copper	7440-50-8	mg/L	--	Yes	--	0.12 J	0.055 U	0.055 U	0.0055 U	--	1.2
Iron	7439-89-6	mg/L	--	--	--	5 U	0.61 U	5 U	0.12 J	--	190
Lead	7439-92-1	mg/L	5	Yes	--	0.027 U	0.027 U	0.027 U	0.0048 J	--	0.058 J
Manganese	7439-96-5	mg/L	--	--	--	0.2 U	0.017 U	0.2 U	0.02 U	--	11
Nickel	7440-02-0	mg/L	--	Yes	--	0.2 U	0.01 U	0.01 U	0.02 U	--	15
Selenium	7782-49-2	mg/L	1	Yes	--	1.7	2.2	0.26 J	0.0087 U	--	0.087 U
Silver	7440-22-4	mg/L	5	Yes	--	0.085 U	0.085 U	0.085 U	0.0085 U	--	0.085 U
Thallium	7440-28-0	mg/L	--	Yes	--	0.032 U	0.032 U	0.032 U	0.0032 U	--	1 U
Vanadium	7440-62-2	mg/L	--	--	--	0.061 U	0.061 U	0.061 U	0.0061 U	--	0.27 J
Zinc	7440-66-6	mg/L	--	Yes	--	0.31 J	0.093 U	0.093 U	0.043	--	7.7
7470A Mercury (CVAA) TCLP											
Mercury	7439-97-6	mg/L	0.2	Yes	--	0.00053 J	0.0005 U	0.00053 J	0.0005 U	--	0.0042
6010D Metals (ICP)											
Aluminum	7429-90-5	mg/kg	--	--	--	8.3 U	8.2 U	7 U	7.7 J	7.7 U	13 J
Antimony	7440-36-0	mg/kg	--	Yes	--	0.22 U	0.22 U	0.19 U	0.19 J	0.2 U	0.36 J
Arsenic	7440-38-2	mg/kg	--	Yes	--	1 J	1 J	0.17 J	0.17 U	0.52 J	0.41 J
Barium	7440-39-3	mg/kg	--	--	--	0.066 U	0.065 U	0.056 U	0.053 U	0.061 U	0.83
Beryllium	7440-41-7	mg/kg	--	Yes	--	0.059 U	0.058 U	0.049 U	0.047 U	0.054 U	0.046 U
Cadmium	7440-43-9	mg/kg	--	Yes	--	0.041 U	0.04 U	0.035 U	0.033 U	0.038 U	0.033 U
Chromium	7440-47-3	mg/kg	--	Yes	--	0.26 J	0.18 U	0.15 U	1.4	2.6	7.5
Cobalt	7440-48-4	mg/kg	--	--	--	1	0.2 U	0.037 U	0.035 U	0.04 U	0.19 J
Copper	7440-50-8	mg/kg	--	Yes	--	0.34 U	0.33 U	0.28 U	0.77 J	1.7 J	0.61 J
Iron	7439-89-6	mg/kg	--	--	--	16 J	13 U	11 U	14 J	26 J	120
Lead	7439-92-1	mg/kg	--	Yes	--	0.82 J	0.18 U	0.16 U	0.24 J	0.17 U	0.15 U
Manganese	7439-96-5	mg/kg	--	--	--	0.63 J	0.32 U	0.27 U	0.26 U	0.38 J	6
Nickel	7440-02-0	mg/kg	--	Yes	--	0.12 J	0.085 U	0.073 U	0.88	1.4	8.2
Selenium	7782-49-2	mg/kg	--	Yes	--	1.4 J	1.3 J	0.28 U	0.27 U	0.82 J	0.26 U
Silver	7440-22-4	mg/kg	--	Yes	--	0.47 U	0.46 U	0.39 U	0.38 U	0.43 U	0.37 U
Thallium	7440-28-0	mg/kg	--	Yes	--	0.35 U	0.35 U	0.3 U	0.28 U	0.32 U	0.28 U
Vanadium	7440-62-2	mg/kg	--	--	--	0.22 U	0.21 U	0.18 U	0.18 U	0.21 J	0.17 U
Zinc	7440-66-6	mg/kg	--	Yes	--	0.8 U	0.79 U	0.67 U	3	0.73 U	3.5
7471B Mercury (CVAA)											
Mercury	7439-97-6	mg/kg	--	Yes	--	0.019	0.0076 U	0.0065 U	0.033	0.0058 U	0.0067 U

Liquid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	25111004	25111005	25111006	25111007	25111008	25111010
					Station	CF-PHI-103	CF-PHI-103	CF-PHI-102	CF-PHI-101	CF-PHI-106	CF-PHI-125
					ER Related Sample ID	NA	NA	NA	NA	NA	NA
					Date	11/12/2025	11/12/2025	11/12/2025	11/12/2025	11/12/2025	11/12/2025
					Type	FS	FD	FS	FS	FS	FS
8260D Volatile Organic Compounds by GC/MS											
1,1,1,2-Tetrachloroethane	630-20-6	ug/kg	--	Yes	--	530 U	530 U	550 U	550 U	500 U	560 U
1,1,1-Trichloroethane	71-55-6	ug/kg	--	Yes	--	480 U	490 U	500 U	500 U	460 U	520 U
1,1,2,2-Tetrachloroethane	79-34-5	ug/kg	--	Yes	--	800 U	810 U	830 U	830 U	760 U	850 U
1,1,2-Trichloroethane	79-00-5	ug/kg	--	Yes	--	780 U	790 U	810 U	810 U	740 U	830 U
1,1-Dichloroethane	75-34-3	ug/kg	--	Yes	--	970 U	980 U	1000 U	1000 U	920 U	1000 U
1,1-Dichloroethene	75-35-4	ug/kg	--	Yes	--	1300 U	1300 U	1300 U	1300 U	1200 U	1400 U
1,1-Dichloropropene	563-58-6	ug/kg	--	--	--	560 U	560 U	580 U	580 U	530 U	590 U
1,2,3-Trichlorobenzene	87-61-6	ug/kg	--	--	--	4200 U	4200 U	4400 U	4400 U	4000 U	4400 U
1,2,3-Trichloropropane	96-18-4	ug/kg	--	--	--	1200 U	1200 U	1300 U	1300 U	1200 U	1300 U
1,2,4-Trichlorobenzene	120-82-1	ug/kg	--	Yes	--	4500 U	4500 U	4700 U	4700 U	4300 U	4800 U
1,2,4-Trimethylbenzene	95-63-6	ug/kg	--	--	--	3900 J	1400 U	1500 U	1500 U	1400 U	1500 U
1,2-Dibromo-3-Chloropropane	96-12-8	ug/kg	--	Yes	--	1600 U	1600 U	1700 U	1700 U	1500 U	1700 U
1,2-Dibromoethane	106-93-4	ug/kg	--	Yes	--	400 U	400 U	420 U	420 U	380 U	430 U
1,2-Dichlorobenzene	95-50-1	ug/kg	--	Yes	--	920 U	930 U	950 U	950 U	870 U	970 U
1,2-Dichloroethane	107-06-2	ug/kg	--	Yes	--	580 U	590 U	600 U	600 U	550 U	620 U
1,2-Dichloropropane	78-87-5	ug/kg	--	Yes	--	700 U	700 U	720 U	720 U	660 U	740 U
1,3,5-Trimethylbenzene	108-67-8	ug/kg	--	--	--	800 U	810 U	830 U	830 U	760 U	850 U
1,3-Dichlorobenzene	541-73-1	ug/kg	--	Yes	--	1400 U	1400 U	1500 U	1500 U	1300 U	1500 U
1,3-Dichloropropane	142-28-9	ug/kg	--	Yes	--	590 U	600 U	610 U	610 U	560 U	630 U
1,4-Dichlorobenzene	106-46-7	ug/kg	--	Yes	--	1100 U	1100 U	1200 U	1200 U	1100 U	1200 U
2,2-Dichloropropane	594-20-7	ug/kg	--	--	--	1300 U	1300 U	1300 U	1300 U	1200 U	1400 U
2-Chlorotoluene	95-49-8	ug/kg	--	--	--	930 U	940 U	970 U	970 U	880 U	990 U
4-Chlorotoluene	106-43-4	ug/kg	--	--	--	1000 U	1000 U	1100 U	1100 U	980 U	1100 U
4-Isopropyltoluene	99-87-6	ug/kg	--	--	--	4200 U	4300 U	1100 U	1100 U	1000 U	1100 U
Benzene	71-43-2	ug/kg	--	Yes	--	400 U	400 U	420 U	420 U	380 U	430 U
Bromobenzene	108-86-1	ug/kg	--	--	--	440 U	450 U	460 U	460 U	420 U	470 U
Bromochloromethane	74-97-5	ug/kg	--	--	--	650 U	660 U	680 U	680 U	620 U	690 U
Bromodichloromethane	75-27-4	ug/kg	--	Yes	--	580 U	590 U	600 U	600 U	550 U	620 U
Bromoform	75-25-2	ug/kg	--	Yes	--	470 U	480 U	490 U	490 U	450 U	500 U
Bromomethane	74-83-9	ug/kg	--	Yes	--	4000 U	4000 U	4100 U	4100 U	3800 U	4200 U
Carbon tetrachloride	56-23-5	ug/kg	--	Yes	--	460 U	470 U	480 U	480 U	440 U	490 U
Chlorobenzene	108-90-7	ug/kg	--	Yes	--	510 U	510 U	530 U	530 U	480 U	540 U
Chloroethane	75-00-3	ug/kg	--	Yes	--	2200 U	2200 U	2300 U	2300 U	2100 U	2300 UJ
Chloroform	67-66-3	ug/kg	--	Yes	--	440 U	450 U	460 U	460 U	420 U	470 U
Chloromethane	74-87-3	ug/kg	--	Yes	--	1100 U	1100 U	1100 U	1100 U	1000 U	1100 U
cis-1,2-Dichloroethene	156-59-2	ug/kg	--	--	--	1300 U	1300 U	1400 U	1400 U	1300 U	1400 U
cis-1,3-Dichloropropene	10061-01-5	ug/kg	--	--	--	420 U	430 U	440 U	440 U	400 U	450 U
Dibromochloromethane	124-48-1	ug/kg	--	Yes	--	520 U	520 U	540 U	540 U	490 U	550 U
Dibromomethane	74-95-3	ug/kg	--	Yes	--	780 U	790 U	810 U	810 U	740 U	830 U
Dichlorodifluoromethane	75-71-8	ug/kg	--	Yes	--	4800 U	4900 U	5000 U	5000 U	4600 U	5100 U
Ethylbenzene	100-41-4	ug/kg	--	Yes	--	960 U	970 U	1000 U	1000 U	910 U	1000 U
Hexachlorobutadiene	87-68-3	ug/kg	--	Yes	--	2500 U	2500 U	2600 U	2600 U	2400 U	2700 U
Isopropylbenzene	98-82-8	ug/kg	--	Yes	--	910 U	920 U	940 U	940 U	860 U	960 U
Methyl tert-butyl ether	1634-04-4	ug/kg	--	Yes	--	630 U	640 U	660 U	660 U	600 U	670 U
Methylene Chloride	75-09-2	ug/kg	--	Yes	--	2700 U	2800 U	2900 U	2900 U	2600 U	2900 U
m-Xylene & p-Xylene	179601-23-1	ug/kg	--	--	--	2900 J	760 U	780 U	780 U	710 U	800 U
Naphthalene	91-20-3	ug/kg	--	Yes	--	4100 U	4200 U	4300 U	4300 U	3900 U	4400 U
n-Butylbenzene	104-51-8	ug/kg	--	--	--	4200 U	2000 U	2000 U	2000 U	1900 U	2100 U
N-Propylbenzene	103-65-1	ug/kg	--	--	--	1600 U	1600 U	1600 U	1600 U	1500 U	1700 U
o-Xylene	95-47-6	ug/kg	--	Yes	--	530 U	530 U	550 U	550 U	500 U	560 U
sec-Butylbenzene	135-98-8	ug/kg	--	--	--	910 U	920 U	940 U	940 U	860 U	960 U
Styrene	100-42-5	ug/kg	--	Yes	--	1300 U	1400 U	1400 U	1400 U	1300 U	1400 U
t-Butylbenzene	98-06-6	ug/kg	--	--	--	810 U	820 U	840 U	840 U	770 U	860 U
Tetrachloroethene	127-18-4	ug/kg	--	Yes	--	560 U	560 U	580 U	580 U	530 U	590 U
Toluene	108-88-3	ug/kg	--	Yes	--	1400 U	1400 U	1500 U	1500 U	1400 U	1500 U
trans-1,2-Dichloroethene	156-60-5	ug/kg	--	Yes	--	1500 U	1600 U	1600 U	1600 U	1500 U	1600 U
trans-1,3-Dichloropropene	10061-02-6	ug/kg	--	--	--	740 U	750 U	770 U	770 U	700 U	780 U
Trichloroethene	79-01-6	ug/kg	--	Yes	--	1100 U	1100 U	1100 U	1100 U	1000 U	1200 U
Trichlorofluoromethane	75-69-4	ug/kg	--	Yes	--	2700 U	2800 U	2900 U	2900 U	2600 U	2900 U
Vinyl chloride	75-01-4	ug/kg	--	Yes	--	2000 U	2000 U	2100 U	2100 U	1900 U	2100 U

Liquid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	25111004	25111005	25111006	25111007	25111008	25111010
					Station	CF-PHI-103	CF-PHI-103	CF-PHI-102	CF-PHI-101	CF-PHI-106	CF-PHI-125
					ER Related Sample ID	NA	NA	NA	NA	NA	NA
					Date	11/12/2025	11/12/2025	11/12/2025	11/12/2025	11/12/2025	11/12/2025
					Type	FS	FD	FS	FS	FS	FS
8270E Semivolatile Organic Compounds (GC/MS)											
1,2,4-Trichlorobenzene	120-82-1	ug/kg	--	Yes	--	57 UJ	57 U	59 U	50 UJ	11000 U	58 U
1,2-Dichlorobenzene	95-50-1	ug/kg	--	Yes	--	48 UJ	47 U	49 U	42 UJ	9200 U	49 U
1,3-Dichlorobenzene	541-73-1	ug/kg	--	Yes	--	46 UJ	45 U	47 U	40 UJ	8800 U	47 U
1,4-Dichlorobenzene	106-46-7	ug/kg	--	Yes	--	79 UJ	78 U	81 U	70 UJ	15000 U	81 U
1-Methylnaphthalene	90-12-0	ug/kg	--	--	--	48 UJ	47 U	49 U	42 UJ	9200 U	49 U
2,4,5-Trichlorophenol	95-95-4	ug/kg	--	Yes	--	R	R	R	68 UJ	15000 U	R
2,4,6-Trichlorophenol	88-06-2	ug/kg	--	Yes	--	R	R	R	280 UJ	61000 U	R
2,4-Dichlorophenol	120-83-2	ug/kg	--	Yes	--	R	R	R	240 UJ	51000 U	R
2,4-Dimethylphenol	105-67-9	ug/kg	--	Yes	--	R	R	R	500 UJ	110000 U	R
2,4-Dinitrophenol	51-28-5	ug/kg	--	Yes	--	R	R	R	4900 UJ	1100000 UJ	R
2,4-Dinitrotoluene	121-14-2	ug/kg	--	Yes	--	410 UJ	410 U	420 U	360 UJ	79000 U	420 U
2,6-Dinitrotoluene	606-20-2	ug/kg	--	Yes	--	140 UJ	140 U	150 U	130 UJ	28000 U	150 U
2-Chloronaphthalene	91-58-7	ug/kg	--	Yes	--	48 UJ	47 U	49 U	42 UJ	9200 U	49 U
2-Chlorophenol	95-57-8	ug/kg	--	Yes	--	R	R	R	34 UJ	7300 U	R
2-Methylnaphthalene	91-57-6	ug/kg	--	--	--	84 UJ	83 U	86 U	74 UJ	16000 U	85 U
2-Methylphenol	95-48-7	ug/kg	--	Yes	--	R	R	R	82 UJ	18000 U	R
2-Nitroaniline	88-74-4	ug/kg	--	--	--	140 UJ	140 U	150 U	130 UJ	28000 U	150 U
2-Nitrophenol	88-75-5	ug/kg	--	Yes	--	R	R	R	160 UJ	35000 UJ	R
3 & 4 Methylphenol	15831-10-4	ug/kg	--	--	--	R	R	R	130 UJ	28000 U	150 R
3,3'-Dichlorobenzidine	91-94-1	ug/kg	--	Yes	--	2700 UJ	2700 U	2800 U	2400 UJ	520000 U	2700 U
3-Nitroaniline	99-09-2	ug/kg	--	--	--	950 UJ	940 U	980 U	840 UJ	180000 U	970 U
4,6-Dinitro-2-methylphenol	534-52-1	ug/kg	--	Yes	--	R	R	R	840 UJ	180000 UJ	R
4-Bromophenyl phenyl ether	101-55-3	ug/kg	--	Yes	--	87 UJ	86 U	89 U	76 UJ	17000 U	88 U
4-Chloro-3-methylphenol	59-50-7	ug/kg	--	Yes	--	R	R	R	280 UJ	61000 U	R
4-Chloroaniline	106-47-8	ug/kg	--	Yes	--	1300 UJ	1300 U	1300 U	1100 UJ	250000 U	1300 U
4-Chlorophenyl phenyl ether	7005-72-3	ug/kg	--	Yes	--	60 UJ	59 U	62 U	53 UJ	12000 U	61 U
4-Nitroaniline	100-01-6	ug/kg	--	Yes	--	480 UJ	470 U	490 U	420 UJ	92000 U	490 U
4-Nitrophenol	100-02-7	ug/kg	--	Yes	--	R	R	R	2100 UJ	470000 U	R
Acenaphthene	83-32-9	ug/kg	--	Yes	--	44 UJ	43 U	45 U	39 UJ	8400 U	45 U
Acenaphthylene	208-96-8	ug/kg	--	Yes	--	48 UJ	47 U	49 U	42 UJ	9200 U	49 U
Anthracene	120-12-7	ug/kg	--	Yes	--	150 UJ	150 U	160 U	130 UJ	29000 U	160 U
Benzo[a]anthracene	56-55-3	ug/kg	--	Yes	--	100 UJ	100 U	110 U	92 UJ	20000 U	110 U
Benzo[a]pyrene	50-32-8	ug/kg	--	Yes	--	370 UJ	370 U	380 U	330 UJ	72000 U	380 U
Benzo[b]fluoranthene	205-99-2	ug/kg	--	Yes	--	95 UJ	94 U	98 U	84 UJ	18000 U	97 U
Benzo[g,h,i]perylene	191-24-2	ug/kg	--	Yes	--	170 UJ	170 U	180 U	150 UJ	33000 U	170 U
Benzo[k]fluoranthene	207-08-9	ug/kg	--	Yes	--	130 UJ	130 U	140 U	120 UJ	26000 U	140 U
Benzoic acid	65-85-0	ug/kg	--	Yes	--	R	R	R	10000 UJ	2200000 U	R
Benzyl alcohol	100-51-6	ug/kg	--	--	--	R	R	R	2200 UJ	470000 U	R
Bis(2-chloroethoxy)methane	111-91-1	ug/kg	--	Yes	--	170 UJ	170 U	180 U	150 UJ	33000 U	170 U
Bis(2-chloroethyl)ether	111-44-4	ug/kg	--	Yes	--	73 UJ	73 U	75 U	65 UJ	14000 U	75 U
Bis(2-ethylhexyl) phthalate	117-81-7	ug/kg	--	Yes	--	680 UJ	670 U	700 U	600 UJ	130000 U	690 U

Liquid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	25111004	25111005	25111006	25111007	25111008	25111010
					Station	CF-PHI-103	CF-PHI-103	CF-PHI-102	CF-PHI-101	CF-PHI-106	CF-PHI-125
					ER Related Sample ID	NA	NA	NA	NA	NA	NA
					Date	11/12/2025	11/12/2025	11/12/2025	11/12/2025	11/12/2025	11/12/2025
					Type	FS	FD	FS	FS	FS	FS
bis(chloroisopropyl) ether	108-60-1	ug/kg	--	Yes	--	58 UJ	58 UJ	60 UJ	51 UJ	11000 UJ	59 UJ
Butyl benzyl phthalate	85-68-7	ug/kg	--	Yes	--	490 UJ	480 U	500 U	430 UJ	94000 U	500 U
Carbazole	86-74-8	ug/kg	--	--	--	70 UJ	69 UJ	72 UJ	61 UJ	13000 UJ	71 UJ
Chrysene	218-01-9	ug/kg	--	Yes	--	120 UJ	120 U	130 U	110 UJ	24000 U	130 U
Dibenz(a,h)anthracene	53-70-3	ug/kg	--	Yes	--	450 UJ	440 U	460 U	390 UJ	86000 U	460 U
Dibenzofuran	132-64-9	ug/kg	--	Yes	--	56 UJ	56 U	58 U	50 UJ	11000 U	57 U
Diethyl phthalate	84-66-2	ug/kg	--	Yes	--	210 UJ	210 U	220 U	180 UJ	40000 U	210 U
Dimethyl phthalate	131-11-3	ug/kg	--	Yes	--	48 UJ	47 U	49 U	42 UJ	9200 U	49 U
Di-n-butyl phthalate	84-74-2	ug/kg	--	Yes	--	450 UJ	440 U	460 U	390 UJ	86000 U	460 U
Di-n-octyl phthalate	117-84-0	ug/kg	--	Yes	--	850 UJ	840 U	870 U	750 UJ	160000 U	860 U
Fluoranthene	206-44-0	ug/kg	--	Yes	--	110 UJ	110 U	120 U	100 UJ	22000 U	120 U
Fluorene	86-73-7	ug/kg	--	Yes	--	48 UJ	47 U	49 U	42 UJ	9200 U	49 U
Hexachlorobenzene	118-74-1	ug/kg	--	Yes	--	140 UJ	140 U	150 U	130 UJ	28000 U	150 U
Hexachlorobutadiene	87-68-3	ug/kg	--	Yes	--	140 UJ	140 U	150 U	130 UJ	28000 U	150 U
Hexachlorocyclopentadiene	77-47-4	ug/kg	--	Yes	--	73 UJ	73 U	75 U	65 UJ	14000 U	75 U
Hexachloroethane	67-72-1	ug/kg	--	Yes	--	41 UJ	41 U	42 U	36 UJ	7900 U	42 U
Indeno[1,2,3-cd]pyrene	193-39-5	ug/kg	--	Yes	--	110 UJ	110 U	120 U	100 UJ	22000 U	120 U
Isophorone	78-59-1	ug/kg	--	Yes	--	80 UJ	79 U	82 U	71 UJ	15000 U	82 U
Naphthalene	91-20-3	ug/kg	--	Yes	--	300 UJ	310	49 U	42 UJ	9200 U	49 U
Nitrobenzene	98-95-3	ug/kg	--	Yes	--	190 UJ	190 U	200 U	170 UJ	37000 U	190 U
N-Nitrosodi-n-propylamine	621-64-7	ug/kg	--	Yes	--	210 UJ	210 U	220 U	180 UJ	40000 U	210 U
N-Nitrosodiphenylamine	86-30-6	ug/kg	--	Yes	--	76 UJ	75 U	78 U	67 UJ	15000 U	78 U
Pentachlorophenol	87-86-5	ug/kg	--	Yes	--	4400 J	R	R	2300 UJ	490000 U	R
Phenanthrene	85-01-8	ug/kg	--	Yes	--	55 UJ	55 UJ	57 UJ	49 UJ	11000 UJ	56 UJ
Phenol	108-95-2	ug/kg	--	Yes	--	R	R	R	190 UJ	42000 U	R
Pyrene	129-00-0	ug/kg	--	Yes	--	120 UJ	120 U	130 U	110 UJ	24000 U	130 U

Bold type indicates result is detected.

Yellow highlight indicates result exceeds RCRA characteristic.

Orange highlight indicates analyte is in the CERCLA hazardous substance list and result is detected.

-- indicates regulatory limit and/or result is not available.

Key:

CAS.NO = Chemical Abstracts Service Number

CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act

CVAA= Cold Vapor Atomic Absorption

ER= Emergency Response

FD = Field Duplicate

FS = Field Sample

GC/MS= Gas chromatography mass spectrometry

ICP= Inductively Coupled Plasma

ID= Identification

J = The associated value is an estimated quantity.

mg/kg = Milligram per kilogram

mg/L = Milligram per liter

NA= Not Applicable

R = The data are unusable. The analyte may or may not be present in the sample.

RCRA = Resource Conservation and Recovery Act

SU = Standard Units

TCLP= Toxicity Characteristic Leaching Procedure

The material was analyzed for but was not detected above the level of the associated value. The associated value is either the sample

U = quantitation limit or the sample detection limit.

ug/kg = Microgram per kilogram

UJ = The analyte was analyzed for but was not detected. The associated value is an estimate and may be inaccurate or imprecise.

Liquid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	25111011	25111012	25111014	25111015	25111016	25111017
					Station	CF-PHE-141	CF-PHE-144	CF-PBI-296	CF-PBI-285	CF-PBI-247	CF-PBE-214
					ER Related Sample ID	NA	CF-PR-PH-01	NA	NA	CF-PR-BL-01	CF-PR-BL-06
					Date	11/12/2025	11/13/2025	11/14/2025	11/14/2025	11/14/2025	11/14/2025
					Type	FS	FS	FS	FS	FS	FS
1010A Ignitability, Pensky-Martens Closed-Cup Method											
Ignitability	STL00250	Degrees F	<140	--	--	--	>212	>212	--	>212	--
9034 Reactive Sulfide											
Sulfide, Reactive	STL00261	mg/kg	--	--	--	1.9 U	2 U	2 U	2.4 U	2 U	1.9 U
9045D pH											
pH	STL00204	SU	≤2 or ≥12.5	--	--	5.1	4.6	0.7	4.6	1.8	1.9
Field pH (pH paper)											
Field pH						6	5	1	6	1	1
376.2 Sulfide											
Sulfide	18496-25-8	mg/kg	--	--	--	0.16 U	1.6	0.62	0.16 U	0.16 U	1.9
Fish Bioassay											
Percent Mortality		%				--	0	--	--	--	--
6010D Metals (ICP) TCLP											
Aluminum	7429-90-5	mg/L	--	--	--	0.5 U	6.4	9.6	0.1 U	17	5 U
Antimony	7440-36-0	mg/L	--	Yes	--	0.0042 U	0.042 U	0.042 U	0.0042 UJ	0.042 U	0.042 U
Arsenic	7440-38-2	mg/L	5	Yes	--	0.06 U	0.6 U	0.6 U	0.06 U	0.072 U	0.072 U
Barium	7440-39-3	mg/L	100	--	--	0.02 U	0.2 U	0.2 U	0.02 U	0.2 U	0.2 U
Beryllium	7440-41-7	mg/L	--	Yes	--	0.0009 U	0.009 U	0.009 U	0.0009 U	0.009 U	0.009 U
Cadmium	7440-43-9	mg/L	1	Yes	--	0.0009 U	0.009 U	0.009 U	0.0009 U	0.009 U	0.009 U
Chromium	7440-47-3	mg/L	5	Yes	--	0.0027 U	0.25 U	53	0.0027 U	0.027 U	0.26
Cobalt	7440-48-4	mg/L	--	--	--	0.0005 U	0.006 J	0.34	0.0005 U	0.005 U	0.005 U
Copper	7440-50-8	mg/L	--	Yes	--	0.0055 U	5.1	5.7	0.0055 U	0.055 U	0.055 U
Iron	7439-89-6	mg/L	--	--	--	0.061 U	39	180	0.061 U	4.3 J	9.9
Lead	7439-92-1	mg/L	5	Yes	--	0.0027 U	0.087 J	0.057 J	0.0027 U	2.7	0.027 U
Manganese	7439-96-5	mg/L	--	--	--	0.0017 U	46	37	0.0071 J	0.095 J	5.1
Nickel	7440-02-0	mg/L	--	Yes	--	0.02 U	0.21	30	0.02 U	0.01 U	0.2 U
Selenium	7782-49-2	mg/L	1	Yes	--	0.1 U	1 U	1 U	0.1 U	0.087 U	0.087 U
Silver	7440-22-4	mg/L	5	Yes	--	0.0085 U	0.085 U	0.085 U	0.0085 U	0.085 U	0.085 U
Thallium	7440-28-0	mg/L	--	Yes	--	0.1 U	0.032 U	0.032 U	R	0.032 U	0.032 U
Vanadium	7440-62-2	mg/L	--	--	--	0.0061 U	0.061 U	0.29 J	0.0061 U	0.061 U	0.061 U
Zinc	7440-66-6	mg/L	--	Yes	--	0.02 J	3	1.3	0.046	0.096 J	0.18 J
7470A Mercury (CVAA) TCLP											
Mercury	7439-97-6	mg/L	0.2	Yes	--	0.00058 J	0.0081 J	0.0085 J	0.0015 J	0.00057 J	0.00064 J
6010D Metals (ICP)											
Aluminum	7429-90-5	mg/kg	--	--	--	7.6 U	19 J	8.4 J	6.8 U	16 J	7.2 U
Antimony	7440-36-0	mg/kg	--	Yes	--	0.2 U	0.18 U	0.19 U	0.18 UJ	0.19 U	0.19 U
Arsenic	7440-38-2	mg/kg	--	Yes	--	0.46 J	0.17 U	0.32 J	0.72 J	0.18 U	0.18 U
Barium	7440-39-3	mg/kg	--	--	--	0.06 U	17	3.2	0.054 U	0.057 U	0.057 U
Beryllium	7440-41-7	mg/kg	--	Yes	--	0.053 U	0.047 U	0.05 U	0.048 UJ	0.051 U	0.05 U
Cadmium	7440-43-9	mg/kg	--	Yes	--	0.037 U	0.033 U	0.035 U	0.034 U	0.035 U	0.035 U
Chromium	7440-47-3	mg/kg	--	Yes	--	0.16 U	0.24 J	59	0.16 J	0.16 U	0.25 J
Cobalt	7440-48-4	mg/kg	--	--	--	0.04 U	0.035 U	0.36 J	0.036 U	0.038 U	0.037 U
Copper	7440-50-8	mg/kg	--	Yes	--	0.3 U	6.6	6.6	0.27 UJ	0.29 U	0.29 U
Iron	7439-89-6	mg/kg	--	--	--	12 U	55	250	31 J	11 U	11 U
Lead	7439-92-1	mg/kg	--	Yes	--	0.17 U	0.29 J	0.16 U	0.15 U	3.2	0.16 U
Manganese	7439-96-5	mg/kg	--	--	--	0.29 U	50	42	0.26 U	0.28 U	6.2
Nickel	7440-02-0	mg/kg	--	Yes	--	0.078 U	0.23 J	34	0.13 J	0.074 U	0.12 J
Selenium	7782-49-2	mg/kg	--	Yes	--	0.72 J	0.26 U	0.29 U	0.8 J	0.29 U	0.29 U
Silver	7440-22-4	mg/kg	--	Yes	--	0.43 U	0.37 U	0.4 U	0.38 U	0.4 U	0.4 U
Thallium	7440-28-0	mg/kg	--	Yes	--	0.32 U	0.28 U	0.3 U	0.29 U	0.3 U	0.3 U
Vanadium	7440-62-2	mg/kg	--	--	--	0.27 J	0.17 U	0.29 J	0.18 U	0.19 U	0.19 U
Zinc	7440-66-6	mg/kg	--	Yes	--	0.73 U	3.1	1.6 J	1.9 J	0.69 U	0.69 U
7471B Mercury (CVAA)											
Mercury	7439-97-6	mg/kg	--	Yes	--	0.0063 U	0.0063 U	0.0073 U	0.0077 U	0.0062 U	0.0073 U

Liquid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	25111011	25111012	25111014	25111015	25111016	25111017
					Station	CF-PHE-141	CF-PHE-144	CF-PBI-296	CF-PBI-285	CF-PBI-247	CF-PBE-214
					ER Related Sample ID	NA	CF-PR-PH-01	NA	NA	CF-PR-BL-01	CF-PR-BL-06
					Date	11/12/2025	11/13/2025	11/14/2025	11/14/2025	11/14/2025	11/14/2025
					Type	FS	FS	FS	FS	FS	FS
8260D Volatile Organic Compounds by GC/MS											
1,1,1,2-Tetrachloroethane	630-20-6	ug/kg	--	Yes	--	550 U	530 U	540 U	530 U	530 U	520 U
1,1,1-Trichloroethane	71-55-6	ug/kg	--	Yes	--	510 U	490 U	490 U	490 U	490 U	480 U
1,1,2,2-Tetrachloroethane	79-34-5	ug/kg	--	Yes	--	840 U	810 U	820 U	810 U	810 U	790 U
1,1,2-Trichloroethane	79-00-5	ug/kg	--	Yes	--	820 U	790 U	800 U	790 U	790 U	760 U
1,1-Dichloroethane	75-34-3	ug/kg	--	Yes	--	1000 U	980 U	990 U	980 U	980 U	950 U
1,1-Dichloroethene	75-35-4	ug/kg	--	Yes	--	1400 U	1300 U	1300 U	1300 U	1300 U	1300 U
1,1-Dichloropropene	563-58-6	ug/kg	--	--	--	590 U	560 U	570 U	560 U	560 U	550 U
1,2,3-Trichlorobenzene	87-61-6	ug/kg	--	--	--	4400 U	4200 U	4300 U	4200 U	4200 U	4100 U
1,2,3-Trichloropropane	96-18-4	ug/kg	--	--	--	1300 U	1200 U	1200 U	1200 U	1200 U	1200 U
1,2,4-Trichlorobenzene	120-82-1	ug/kg	--	Yes	--	4700 U	4500 U	4600 U	4500 U	4500 U	4400 U
1,2,4-Trimethylbenzene	95-63-6	ug/kg	--	--	--	1500 U	1400 U	1500 U	1400 U	1400 U	1400 U
1,2-Dibromo-3-Chloropropane	96-12-8	ug/kg	--	Yes	--	1700 U	1600 U	1600 U	1600 U	1600 U	1600 U
1,2-Dibromoethane	106-93-4	ug/kg	--	Yes	--	420 U	400 U	410 U	400 U	400 U	390 U
1,2-Dichlorobenzene	95-50-1	ug/kg	--	Yes	--	960 U	930 U	940 U	930 U	930 U	900 U
1,2-Dichloroethane	107-06-2	ug/kg	--	Yes	--	610 U	590 U	590 U	590 U	590 U	570 U
1,2-Dichloropropane	78-87-5	ug/kg	--	Yes	--	730 U	700 U	710 U	700 U	700 U	680 U
1,3,5-Trimethylbenzene	108-67-8	ug/kg	--	--	--	840 U	810 U	820 U	810 U	810 U	790 U
1,3-Dichlorobenzene	541-73-1	ug/kg	--	Yes	--	1500 U	1400 U	1400 U	1400 U	1400 U	1400 U
1,3-Dichloropropane	142-28-9	ug/kg	--	Yes	--	620 U	600 U	600 U	600 U	600 U	580 U
1,4-Dichlorobenzene	106-46-7	ug/kg	--	Yes	--	1200 U	1100 U	1200 U	1100 U	1100 U	1100 U
2,2-Dichloropropane	594-20-7	ug/kg	--	--	--	1300 U	1300 U	1300 U	1300 U	1300 U	1300 U
2-Chlorotoluene	95-49-8	ug/kg	--	--	--	980 U	940 U	950 U	940 U	940 U	910 U
4-Chlorotoluene	106-43-4	ug/kg	--	--	--	1100 U	1000 U	1100 U	1000 U	1000 U	1000 U
4-Isopropyltoluene	99-87-6	ug/kg	--	--	--	1100 U	4300 U	110000	5600	13000	4100 U
Benzene	71-43-2	ug/kg	--	Yes	--	420 U	400 U	410 U	400 U	400 U	390 U
Bromobenzene	108-86-1	ug/kg	--	--	--	470 U	450 U	450 U	450 U	450 U	430 U
Bromochloromethane	74-97-5	ug/kg	--	--	--	690 U	660 U	670 U	660 U	660 U	640 U
Bromodichloromethane	75-27-4	ug/kg	--	Yes	--	610 U	590 U	590 U	590 U	590 U	570 U
Bromoform	75-25-2	ug/kg	--	Yes	--	500 U	480 U	480 U	48000 U	480 U	470 U
Bromomethane	74-83-9	ug/kg	--	Yes	--	4200 U	4000 U	4100 U	4000 U	4000 U	3900 U
Carbon tetrachloride	56-23-5	ug/kg	--	Yes	--	490 U	470 U	470 U	470 U	470 U	450 U
Chlorobenzene	108-90-7	ug/kg	--	Yes	--	530 U	510 U	520 U	510 U	510 U	500 U
Chloroethane	75-00-3	ug/kg	--	Yes	--	2300 UJ	2200 UJ	2200 UJ	2200 UJ	2200 UJ	2200 UJ
Chloroform	67-66-3	ug/kg	--	Yes	--	470 U	450 U	450 U	450 U	450 U	430 U
Chloromethane	74-87-3	ug/kg	--	Yes	--	1100 U	1100 U	1100 U	1100 U	1100 U	1000 U
cis-1,2-Dichloroethene	156-59-2	ug/kg	--	--	--	1400 U	1300 U	1400 U	1300 U	1300 U	1300 U
cis-1,3-Dichloropropene	10061-01-5	ug/kg	--	--	--	440 U	430 U	430 U	430 U	430 U	410 U
Dibromochloromethane	124-48-1	ug/kg	--	Yes	--	540 U	520 U	530 U	520 U	520 U	510 U
Dibromomethane	74-95-3	ug/kg	--	Yes	--	820 U	790 U	800 U	790 U	790 U	760 U
Dichlorodifluoromethane	75-71-8	ug/kg	--	Yes	--	5100 U	4900 U	4900 U	4900 U	4900 U	4700 U
Ethylbenzene	100-41-4	ug/kg	--	Yes	--	1000 U	970 U	980 U	970 U	970 U	940 U
Hexachlorobutadiene	87-68-3	ug/kg	--	Yes	--	2600 U	2500 U	2600 U	2500 U	2500 U	2500 U
Isopropylbenzene	98-82-8	ug/kg	--	Yes	--	950 U	920 U	920 U	920 U	920 U	890 U
Methyl tert-butyl ether	1634-04-4	ug/kg	--	Yes	--	660 U	640 U	650 U	640 U	640 U	620 U
Methylene Chloride	75-09-2	ug/kg	--	Yes	--	2900 U	2800 U	2800 U	2800 U	2800 U	2700 U
m-Xylene & p-Xylene	179601-23-1	ug/kg	--	--	--	790 U	760 U	760 U	760 U	760 U	730 U
Naphthalene	91-20-3	ug/kg	--	Yes	--	4300 U	4200 U	4200 U	4200 U	4200 U	4000 U
n-Butylbenzene	104-51-8	ug/kg	--	--	--	2100 U	2000 U	2000 U	2000 U	2000 U	1900 U
N-Propylbenzene	103-65-1	ug/kg	--	--	--	1700 U	1600 U	1600 U	1600 U	1600 U	1600 U
o-Xylene	95-47-6	ug/kg	--	Yes	--	550 U	530 U	540 U	530 U	530 U	520 U
sec-Butylbenzene	135-98-8	ug/kg	--	--	--	950 U	920 U	920 U	920 U	920 U	890 U
Styrene	100-42-5	ug/kg	--	Yes	--	1400 U	1400 U	1400 U	1400 U	1400 U	1300 U
t-Butylbenzene	98-06-6	ug/kg	--	--	--	850 U	820 U	830 U	820 U	820 U	800 U
Tetrachloroethene	127-18-4	ug/kg	--	Yes	--	590 U	560 U	570 U	560 U	560 U	550 U
Toluene	108-88-3	ug/kg	--	Yes	--	1500 U	1400 U	1500 U	1400 U	1400 U	1400 U
trans-1,2-Dichloroethene	156-60-5	ug/kg	--	Yes	--	1600 U	1600 U	1600 U	1600 U	1600 U	1500 U
trans-1,3-Dichloropropene	10061-02-6	ug/kg	--	--	--	780 U	750 U	750 U	750 U	750 U	720 U
Trichloroethene	79-01-6	ug/kg	--	Yes	--	1100 U	1100 U	1100 U	1100 U	1100 U	1100 U
Trichlorofluoromethane	75-69-4	ug/kg	--	Yes	--	2900 U	2800 U	2800 U	280000 U	2800 U	2700 U
Vinyl chloride	75-01-4	ug/kg	--	Yes	--	2100 U	2000 U	2000 U	2000 U	2000 U	1900 U

Liquid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	25111011	25111012	25111014	25111015	25111016	25111017
					Station	CF-PHE-141	CF-PHE-144	CF-PBI-296	CF-PBI-285	CF-PBI-247	CF-PBE-214
					ER Related Sample ID	NA	CF-PR-PH-01	NA	NA	CF-PR-BL-01	CF-PR-BL-06
					Date	11/12/2025	11/13/2025	11/14/2025	11/14/2025	11/14/2025	11/14/2025
					Type	FS	FS	FS	FS	FS	FS
8270E Semivolatile Organic Compounds (GC/MS)											
1,2,4-Trichlorobenzene	120-82-1	ug/kg	--	Yes	--	55 U	260 U	250 U	1200 U	53 U	51 UJ
1,2-Dichlorobenzene	95-50-1	ug/kg	--	Yes	--	45 U	210 U	210 U	960 U	44 U	43 UJ
1,3-Dichlorobenzene	541-73-1	ug/kg	--	Yes	--	44 U	210 U	200 U	920 U	42 U	41 UJ
1,4-Dichlorobenzene	106-46-7	ug/kg	--	Yes	--	75 U	350 U	350 U	1600 U	73 U	71 UJ
1-Methylnaphthalene	90-12-0	ug/kg	--	--	--	45 U	210 U	210 U	960 U	44 U	43 UJ
2,4,5-Trichlorophenol	95-95-4	ug/kg	--	Yes	--	74 UJ	350 U	340 U	1600 U	71 UJ	69 U
2,4,6-Trichlorophenol	88-06-2	ug/kg	--	Yes	--	300 UJ	1400 U	1400 U	6300 U	290 UJ	280 U
2,4-Dichlorophenol	120-83-2	ug/kg	--	Yes	--	250 UJ	1200 U	1200 U	5400 U	250 UJ	240 U
2,4-Dimethylphenol	105-67-9	ug/kg	--	Yes	--	550 UJ	2600 U	2500 U	12000 U	530 UJ	510 U
2,4-Dinitrophenol	51-28-5	ug/kg	--	Yes	--	5300 UJ	25000 UJ	25000 UJ	110000 UJ	5100 UJ	5000 UJ
2,4-Dinitrotoluene	121-14-2	ug/kg	--	Yes	--	390 U	1800 U	1800 U	8300 U	380 U	370 UJ
2,6-Dinitrotoluene	606-20-2	ug/kg	--	Yes	--	140 U	640 U	640 U	2900 U	130 U	130 UJ
2-Chloronaphthalene	91-58-7	ug/kg	--	Yes	--	45 U	210 U	210 U	960 U	44 U	43 UJ
2-Chlorophenol	95-57-8	ug/kg	--	Yes	--	36 UJ	170 U	170 U	770 U	35 UJ	34 U
2-Methylnaphthalene	91-57-6	ug/kg	--	--	--	80 U	380 U	370 U	1700 U	77 U	75 UJ
2-Methylphenol	95-48-7	ug/kg	--	Yes	--	89 UJ	420 U	420 U	1900 U	86 UJ	84 U
2-Nitroaniline	88-74-4	ug/kg	--	--	--	140 U	640 U	640 U	2900 U	130 U	130 UJ
2-Nitrophenol	88-75-5	ug/kg	--	Yes	--	170 UJ	810 UJ	810 UJ	3700 UJ	170 UJ	160 UJ
3 & 4 Methylphenol	15831-10-4	ug/kg	--	--	--	140 UJ	640 U	640 U	2900 U	130 UJ	130 U
3,3'-Dichlorobenzidine	91-94-1	ug/kg	--	Yes	--	2600 U	12000 U	12000 U	54000 U	2500 U	2400 UJ
3-Nitroaniline	99-09-2	ug/kg	--	--	--	910 U	4300 U	4200 U	19000 U	880 U	850 UJ
4,6-Dinitro-2-methylphenol	534-52-1	ug/kg	--	Yes	--	910 UJ	4300 UJ	4200 UJ	19000 UJ	880 UJ	850 UJ
4-Bromophenyl phenyl ether	101-55-3	ug/kg	--	Yes	--	83 U	390 U	390 U	1800 U	80 U	78 UJ
4-Chloro-3-methylphenol	59-50-7	ug/kg	--	Yes	--	300 UJ	1400 U	1400 U	6300 U	290 UJ	280 U
4-Chloroaniline	106-47-8	ug/kg	--	Yes	--	1200 U	5700 U	5700 U	26000 U	1200 U	1100 UJ
4-Chlorophenyl phenyl ether	7005-72-3	ug/kg	--	Yes	--	57 U	270 U	270 U	1200 U	55 U	54 UJ
4-Nitroaniline	100-01-6	ug/kg	--	Yes	--	450 U	2100 U	2100 U	9600 U	440 U	430 UJ
4-Nitrophenol	100-02-7	ug/kg	--	Yes	--	2300 UJ	11000 U	11000 U	49000 U	2200 UJ	2200 U
Acenaphthene	83-32-9	ug/kg	--	Yes	--	42 U	200 U	190 U	880 U	40 U	39 UJ
Acenaphthylene	208-96-8	ug/kg	--	Yes	--	45 U	210 U	210 U	960 U	44 U	43 UJ
Anthracene	120-12-7	ug/kg	--	Yes	--	150 U	680 U	680 U	3100 U	140 U	140 UJ
Benzo[a]anthracene	56-55-3	ug/kg	--	Yes	--	100 U	470 U	470 U	2100 U	96 U	94 UJ
Benzo[a]pyrene	50-32-8	ug/kg	--	Yes	--	350 U	1700 U	1700 U	7500 U	340 U	330 UJ
Benzo[b]fluoranthene	205-99-2	ug/kg	--	Yes	--	91 U	430 U	420 U	1900 U	88 U	85 UJ
Benzo[g,h,i]perylene	191-24-2	ug/kg	--	Yes	--	160 U	770 U	760 U	3500 U	160 U	150 UJ
Benzo[k]fluoranthene	207-08-9	ug/kg	--	Yes	--	130 U	600 U	590 U	2700 U	120 U	120 UJ
Benzoic acid	65-85-0	ug/kg	--	Yes	--	11000 UJ	52000 U	52000 U	230000 U	11000 UJ	10000 U
Benzyl alcohol	100-51-6	ug/kg	--	--	--	2300 UJ	11000 U	11000 U	49000 U	2200 UJ	2200 U
Bis(2-chloroethoxy)methane	111-91-1	ug/kg	--	Yes	--	160 U	770 U	760 U	3500 U	160 U	150 UJ
Bis(2-chloroethyl)ether	111-44-4	ug/kg	--	Yes	--	70 U	330 U	330 U	1500 U	68 U	66 UJ
Bis(2-ethylhexyl) phthalate	117-81-7	ug/kg	--	Yes	--	650 U	3000 U	3000 U	14000 U	620 U	610 UJ

Liquid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	25111011	25111012	25111014	25111015	25111016	25111017
					Station	CF-PHE-141	CF-PHE-144	CF-PBI-296	CF-PBI-285	CF-PBI-247	CF-PBE-214
					ER Related Sample ID	NA	CF-PR-PH-01	NA	NA	CF-PR-BL-01	CF-PR-BL-06
					Date	11/12/2025	11/13/2025	11/14/2025	11/14/2025	11/14/2025	11/14/2025
					Type	FS	FS	FS	FS	FS	FS
bis(chloroisopropyl) ether	108-60-1	ug/kg	--	Yes	--	55 UJ	260 UJ	260 UJ	1200 UJ	54 UJ	52 UJ
Butyl benzyl phthalate	85-68-7	ug/kg	--	Yes	--	460 U	2200 U	2200 U	9800 U	450 U	440 UJ
Carbazole	86-74-8	ug/kg	--	--	--	66 UJ	310 UJ	310 UJ	1400 UJ	64 UJ	62 UJ
Chrysene	218-01-9	ug/kg	--	Yes	--	120 U	560 U	550 U	2500 U	110 U	110 UJ
Dibenz[a,h]anthracene	53-70-3	ug/kg	--	Yes	--	430 U	2000 U	2000 U	9000 U	410 U	400 UJ
Dibenzofuran	132-64-9	ug/kg	--	Yes	--	54 U	250 U	250 U	1100 U	52 U	50 UJ
Diethyl phthalate	84-66-2	ug/kg	--	Yes	--	200 U	940 U	930 U	4200 U	190 U	190 UJ
Dimethyl phthalate	131-11-3	ug/kg	--	Yes	--	45 U	210 U	210 U	960 U	44 U	43 UJ
Di-n-butyl phthalate	84-74-2	ug/kg	--	Yes	--	430 U	2000 U	2000 U	9000 U	410 U	400 UJ
Di-n-octyl phthalate	117-84-0	ug/kg	--	Yes	--	810 U	3800 U	3800 U	17000 U	780 U	760 UJ
Fluoranthene	206-44-0	ug/kg	--	Yes	--	110 U	510 U	510 U	2300 U	110 U	100 UJ
Fluorene	86-73-7	ug/kg	--	Yes	--	45 U	210 U	210 U	960 U	44 U	43 UJ
Hexachlorobenzene	118-74-1	ug/kg	--	Yes	--	140 U	640 U	640 U	2900 U	130 U	130 UJ
Hexachlorobutadiene	87-68-3	ug/kg	--	Yes	--	140 U	640 U	640 U	2900 U	130 U	130 UJ
Hexachlorocyclopentadiene	77-47-4	ug/kg	--	Yes	--	70 U	330 U	330 U	1500 U	68 U	66 UJ
Hexachloroethane	67-72-1	ug/kg	--	Yes	--	39 U	180 U	180 U	830 U	38 U	37 UJ
Indeno[1,2,3-cd]pyrene	193-39-5	ug/kg	--	Yes	--	110 U	510 U	510 U	2300 U	110 U	100 UJ
Isophorone	78-59-1	ug/kg	--	Yes	--	76 U	360 U	360 U	1600 U	74 U	72 UJ
Naphthalene	91-20-3	ug/kg	--	Yes	--	45 U	210 U	210 U	960 U	44 U	43 UJ
Nitrobenzene	98-95-3	ug/kg	--	Yes	--	180 U	850 U	850 U	3800 U	180 U	170 UJ
N-Nitrosodi-n-propylamine	621-64-7	ug/kg	--	Yes	--	200 U	940 U	930 U	4200 U	190 U	190 UJ
N-Nitrosodiphenylamine	86-30-6	ug/kg	--	Yes	--	73 U	340 U	340 U	1500 U	70 U	68 UJ
Pentachlorophenol	87-86-5	ug/kg	--	Yes	--	2400 UJ	11000 U	11000 U	52000 U	2400 UJ	2300 U
Phenanthrene	85-01-8	ug/kg	--	Yes	--	53 UJ	250 UJ	250 UJ	1100 UJ	51 UJ	50 UJ
Phenol	108-95-2	ug/kg	--	Yes	--	210 UJ	980 U	970 U	4400 U	200 UJ	200 U
Pyrene	129-00-0	ug/kg	--	Yes	--	120 U	560 U	550 U	2500 U	110 U	110 UJ

Bold type indicates result is detected.

Yellow highlight indicates result exceeds RCRA characteristic.

Orange highlight indicates analyte is in the CERCLA hazardous substance list and result is detected.

-- indicates regulatory limit and/or result is not available.

Key:

CAS.NO = Chemical Abstracts Service Number

CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act

CVAA= Cold Vapor Atomic Absorption

ER= Emergency Response

FD = Field Duplicate

FS = Field Sample

GC/MS= Gas chromatography mass spectrometry

ICP= Inductively Coupled Plasma

ID= Identification

J = The associated value is an estimated quantity.

mg/kg = Milligram per kilogram

mg/L = Milligram per liter

NA= Not Applicable

R = The data are unusable. The analyte may or may not be present in the sample.

RCRA = Resource Conservation and Recovery Act

SU = Standard Units

TCLP= Toxicity Characteristic Leaching Procedure

The material was analyzed for but was not detected above the level of the associated value. The associated value is either the sample

U = quantitation limit or the sample detection limit.

ug/kg = Microgram per kilogram

UJ = The analyte was analyzed for but was not detected. The associated value is an estimate and may be inaccurate or imprecise.

Liquid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	25111018 / 25111043	25111019	25111020	25111023	25111024	25111025
					Station	CF-PBE-218	CF-EXT-192	CF-EXT-188	CF-PBI-246	CF-PBE-287	CF-EXT-193
					ER Related Sample ID	CF-PR-BL-04	NA	NA	NA	NA	NA
					Date	11/14/2025	11/14/2025	11/14/2025	11/15/2025	11/15/2025	11/15/2025
					Type	FS	FS	FS	FS	FS	FS
1010A Ignitability, Pensky-Martens Closed-Cup Method											
Ignitability	STL00250	Degrees F	<140	--	--	--	--	>212	--	>212	--
9034 Reactive Sulfide											
Sulfide, Reactive	STL00261	mg/kg	--	--	--	1.9 U	2 U	1.8 U	2 U	1.9 U	2 U
9045D pH											
pH	STL00204	SU	≤2 or ≥12.5	--	--	1.4	10.1	9.4	1.2	2.3	4.6
Field pH (pH paper)											
Field pH						2	10	9	1	3	6
376.2 Sulfide											
Sulfide	18496-25-8	mg/kg	--	--	--	3.5	0.16 U	0.27 J	0.16 U	0.31 J	0.16 U
Fish Bioassay											
Percent Mortality		%				0	--	--	--	--	--
6010D Metals (ICP) TCLP											
Aluminum	7429-90-5	mg/L	--	--	--	5.3	1 U	5 U	28	22	0.5 U
Antimony	7440-36-0	mg/L	--	Yes	--	0.042 U	0.042 U	0.042 U	0.042 U	0.042 U	0.0042 U
Arsenic	7440-38-2	mg/L	5	Yes	--	0.6 U	0.072 U	0.6 U	0.072 U	0.072 U	0.015 J
Barium	7440-39-3	mg/L	100	--	--	0.2 U	0.2 U	1.5	0.2 U	0.2 U	0.2 U
Beryllium	7440-41-7	mg/L	--	Yes	--	0.009 U	0.009 U	0.009 U	0.009 U	0.009 U	0.0009 U
Cadmium	7440-43-9	mg/L	1	Yes	--	0.009 U	0.009 U	0.009 U	0.009 U	0.009 U	0.0009 U
Chromium	7440-47-3	mg/L	5	Yes	--	0.14 J	0.027 U	0.25 U	0.21 J	3.9	0.0054 J
Cobalt	7440-48-4	mg/L	--	--	--	0.005 U	0.005 U	0.005 U	0.2 U	0.22	0.2 U
Copper	7440-50-8	mg/L	--	Yes	--	0.14 J	0.055 U	0.055 U	0.38 J	0.067 J	0.0089 J
Iron	7439-89-6	mg/L	--	--	--	24	0.61 U	4.2 J	32	14	1.4
Lead	7439-92-1	mg/L	5	Yes	--	0.027 U	0.027 U	0.027 U	0.54	0.027 U	0.0027 U
Manganese	7439-96-5	mg/L	--	--	--	22	0.017 U	0.79	42	1.5	0.015 J
Nickel	7440-02-0	mg/L	--	Yes	--	0.16 J	0.01 U	0.2 U	0.28	12	0.02 U
Selenium	7782-49-2	mg/L	1	Yes	--	1 U	0.087 U	1 U	0.087 U	0.087 U	0.028 J
Silver	7440-22-4	mg/L	5	Yes	--	0.085 U	0.085 U	0.28 J	0.085 U	0.085 U	0.0085 U
Thallium	7440-28-0	mg/L	--	Yes	--	1 U	0.032 U	0.032 U	0.032 U	0.032 U	0.0032 U
Vanadium	7440-62-2	mg/L	--	--	--	0.061 U	0.07 J	0.061 U	0.061 U	0.061 U	0.014 J
Zinc	7440-66-6	mg/L	--	Yes	--	0.95	0.093 U	0.093 U	2	0.093 U	0.012 J
7470A Mercury (CVAA) TCLP											
Mercury	7439-97-6	mg/L	0.2	Yes	--	0.005 U	0.00057 J	0.0094 J	0.0006 J	0.0005 U	0.00057 J
6010D Metals (ICP)											
Aluminum	7429-90-5	mg/kg	--	--	--	5.9 U	6.5 U	7.1 U	26 J	23 J	6.6 U
Antimony	7440-36-0	mg/kg	--	Yes	--	0.16 U	0.17 U	0.19 U	0.15 U	0.18 U	0.18 U
Arsenic	7440-38-2	mg/kg	--	Yes	--	0.15 U	0.16 U	0.33 J	0.14 U	0.17 U	0.57 J
Barium	7440-39-3	mg/kg	--	--	--	0.26 J	0.052 U	1.5	0.15 J	0.15 J	0.053 U
Beryllium	7440-41-7	mg/kg	--	Yes	--	0.042 U	0.046 U	0.05 U	0.039 U	0.049 U	0.047 U
Cadmium	7440-43-9	mg/kg	--	Yes	--	0.029 U	0.032 U	0.035 U	0.027 U	0.034 U	0.033 U
Chromium	7440-47-3	mg/kg	--	Yes	--	0.24 J	0.14 U	0.16 U	0.24 J	22	0.14 U
Cobalt	7440-48-4	mg/kg	--	--	--	0.031 U	0.034 U	0.037 U	0.029 U	0.22 J	0.035 U
Copper	7440-50-8	mg/kg	--	Yes	--	0.31 J	0.26 U	0.29 U	0.82 J	0.28 U	0.27 U
Iron	7439-89-6	mg/kg	--	--	--	27 J	10 U	11 U	34 J	100	54
Lead	7439-92-1	mg/kg	--	Yes	--	0.13 U	0.14 U	0.16 U	1.4	0.16 U	0.15 U
Manganese	7439-96-5	mg/kg	--	--	--	24	0.25 U	3.6	44	1.8	0.5 J
Nickel	7440-02-0	mg/kg	--	Yes	--	0.2 J	0.067 U	0.079 J	0.27 J	14	0.2 J
Selenium	7782-49-2	mg/kg	--	Yes	--	0.24 U	0.26 U	0.28 U	0.22 U	0.28 U	0.94 J
Silver	7440-22-4	mg/kg	--	Yes	--	0.33 U	0.37 U	0.4 U	0.31 U	0.39 U	0.37 U
Thallium	7440-28-0	mg/kg	--	Yes	--	0.25 U	0.27 U	0.3 U	0.23 U	0.29 U	0.28 U
Vanadium	7440-62-2	mg/kg	--	--	--	0.16 U	0.17 U	0.19 U	0.14 U	0.18 U	0.29 J
Zinc	7440-66-6	mg/kg	--	Yes	--	0.96 J	0.62 U	0.69 U	1.9 J	0.67 U	0.64 U
7471B Mercury (CVAA)											
Mercury	7439-97-6	mg/kg	--	Yes	--	0.0078 U	0.0067 U	0.0081 U	0.0059 U	0.0059 U	0.0056 U

Liquid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	25111018 / 25111043	25111019	25111020	25111023	25111024	25111025
					Station	CF-PBE-218	CF-EXT-192	CF-EXT-188	CF-PBI-246	CF-PBE-287	CF-EXT-193
					ER Related Sample ID	CF-PR-BL-04	NA	NA	NA	NA	NA
					Date	11/14/2025	11/14/2025	11/14/2025	11/15/2025	11/15/2025	11/15/2025
					Type	FS	FS	FS	FS	FS	FS
8260D Volatile Organic Compounds by GC/MS											
1,1,1,2-Tetrachloroethane	630-20-6	ug/kg	--	Yes	--	530 U	510 U	540 U	530 U	520 U	490 U
1,1,1-Trichloroethane	71-55-6	ug/kg	--	Yes	--	490 U	470 U	490 U	490 U	480 U	450 U
1,1,2,2-Tetrachloroethane	79-34-5	ug/kg	--	Yes	--	810 U	770 U	820 U	810 U	790 U	750 U
1,1,2-Trichloroethane	79-00-5	ug/kg	--	Yes	--	790 U	750 U	800 U	790 U	770 U	730 U
1,1-Dichloroethane	75-34-3	ug/kg	--	Yes	--	980 U	930 U	990 U	980 U	960 U	910 U
1,1-Dichloroethene	75-35-4	ug/kg	--	Yes	--	1300 U	1200 U	1300 U	1300 U	1300 U	1200 U
1,1-Dichloropropene	563-58-6	ug/kg	--	--	--	560 U	540 U	570 U	560 U	550 U	520 U
1,2,3-Trichlorobenzene	87-61-6	ug/kg	--	--	--	4200 U	4000 U	4300 U	4200 U	4100 U	3900 U
1,2,3-Trichloropropane	96-18-4	ug/kg	--	--	--	1200 U	1200 U	1200 U	1200 U	1200 U	1100 U
1,2,4-Trichlorobenzene	120-82-1	ug/kg	--	Yes	--	4500 U	4300 U	4600 U	4500 U	4400 U	4200 U
1,2,4-Trimethylbenzene	95-63-6	ug/kg	--	--	--	1400 U	1400 U	1500 U	1400 U	1400 U	1300 U
1,2-Dibromo-3-Chloropropane	96-12-8	ug/kg	--	Yes	--	1600 U	1500 U	1600 U	1600 U	1600 U	1500 U
1,2-Dibromoethane	106-93-4	ug/kg	--	Yes	--	400 U	390 U	410 U	400 U	400 U	370 U
1,2-Dichlorobenzene	95-50-1	ug/kg	--	Yes	--	930 U	880 U	940 U	930 U	910 U	860 U
1,2-Dichloroethane	107-06-2	ug/kg	--	Yes	--	590 U	560 U	590 U	590 U	570 U	540 U
1,2-Dichloropropane	78-87-5	ug/kg	--	Yes	--	700 U	670 U	710 U	700 U	690 U	650 U
1,3,5-Trimethylbenzene	108-67-8	ug/kg	--	--	--	810 U	770 U	820 U	810 U	790 U	750 U
1,3-Dichlorobenzene	541-73-1	ug/kg	--	Yes	--	1400 U	1300 U	1400 U	1400 U	1400 U	1300 U
1,3-Dichloropropane	142-28-9	ug/kg	--	Yes	--	600 U	570 U	600 U	600 U	580 U	550 U
1,4-Dichlorobenzene	106-46-7	ug/kg	--	Yes	--	1100 U	1100 U	1200 U	1100 U	1100 U	1100 U
2,2-Dichloropropane	594-20-7	ug/kg	--	--	--	1300 U	1200 U	1300 U	1300 U	1300 U	1200 U
2-Chlorotoluene	95-49-8	ug/kg	--	--	--	940 U	890 U	950 U	940 U	920 U	870 U
4-Chlorotoluene	106-43-4	ug/kg	--	--	--	1000 U	990 U	1100 U	1000 U	1000 U	970 U
4-Isopropyltoluene	99-87-6	ug/kg	--	--	--	7100	1000 U	1100 U	58000	4200 U	1000 U
Benzene	71-43-2	ug/kg	--	Yes	--	400 U	390 U	410 U	400 U	400 U	370 U
Bromobenzene	108-86-1	ug/kg	--	--	--	450 U	430 U	450 U	450 U	440 U	410 U
Bromochloromethane	74-97-5	ug/kg	--	--	--	660 U	630 U	670 U	660 U	650 U	610 U
Bromodichloromethane	75-27-4	ug/kg	--	Yes	--	590 U	560 U	590 U	590 U	570 U	540 U
Bromoform	75-25-2	ug/kg	--	Yes	--	480 U	460 U	480 U	480 U	470 U	440 U
Bromomethane	74-83-9	ug/kg	--	Yes	--	4800 J	3800 U	4100 U	4000 U	3900 U	3700 U
Carbon tetrachloride	56-23-5	ug/kg	--	Yes	--	470 U	450 U	470 U	470 U	460 U	430 U
Chlorobenzene	108-90-7	ug/kg	--	Yes	--	510 U	490 U	520 U	510 U	500 U	470 U
Chloroethane	75-00-3	ug/kg	--	Yes	--	2200 UJ	2100 UJ	2200 UJ	2200 UJ	2200 UJ	2100 UJ
Chloroform	67-66-3	ug/kg	--	Yes	--	450 U	430 U	450 U	450 U	440 U	410 U
Chloromethane	74-87-3	ug/kg	--	Yes	--	1100 U	1000 U	1100 U	1100 U	1100 U	1000 U
cis-1,2-Dichloroethene	156-59-2	ug/kg	--	--	--	1300 U	1300 U	1400 U	1300 U	1300 U	1200 U
cis-1,3-Dichloropropene	10061-01-5	ug/kg	--	--	--	430 U	410 U	430 U	430 U	420 U	390 U
Dibromochloromethane	124-48-1	ug/kg	--	Yes	--	520 U	500 U	530 U	520 U	510 U	480 U
Dibromomethane	74-95-3	ug/kg	--	Yes	--	790 U	750 U	800 U	790 U	770 U	730 U
Dichlorodifluoromethane	75-71-8	ug/kg	--	Yes	--	4900 U	4700 U	4900 U	4900 U	4800 U	4500 U
Ethylbenzene	100-41-4	ug/kg	--	Yes	--	970 U	920 U	980 U	970 U	950 U	900 U
Hexachlorobutadiene	87-68-3	ug/kg	--	Yes	--	2500 U	2400 U	2600 U	2500 U	2500 U	2400 U
Isopropylbenzene	98-82-8	ug/kg	--	Yes	--	920 U	870 U	920 U	920 U	900 U	850 U
Methyl tert-butyl ether	1634-04-4	ug/kg	--	Yes	--	640 U	610 U	650 U	640 U	630 U	590 U
Methylene Chloride	75-09-2	ug/kg	--	Yes	--	2800 U	2600 U	2800 U	27000 U	26000 U	25000 U
m-Xylene & p-Xylene	179601-23-1	ug/kg	--	--	--	760 U	720 U	760 U	760 U	740 U	700 U
Naphthalene	91-20-3	ug/kg	--	Yes	--	4200 U	4000 U	4200 U	4200 U	4100 U	3900 U
n-Butylbenzene	104-51-8	ug/kg	--	--	--	2000 U	1900 U	2000 U	2000 U	1900 U	1800 U
N-Propylbenzene	103-65-1	ug/kg	--	--	--	1600 U	1500 U	1600 U	1600 U	1600 U	1500 U
o-Xylene	95-47-6	ug/kg	--	Yes	--	530 U	510 U	540 U	530 U	520 U	490 U
sec-Butylbenzene	135-98-8	ug/kg	--	--	--	920 U	870 U	920 U	920 U	900 U	850 U
Styrene	100-42-5	ug/kg	--	Yes	--	1400 U	1300 U	1400 U	1400 U	1300 U	1300 U
t-Butylbenzene	98-06-6	ug/kg	--	--	--	820 U	780 U	830 U	820 U	800 U	760 U
Tetrachloroethene	127-18-4	ug/kg	--	Yes	--	560 U	540 U	570 U	560 U	550 U	520 U
Toluene	108-88-3	ug/kg	--	Yes	--	1400 U	1400 U	1500 U	1400 U	1400 U	1300 U
trans-1,2-Dichloroethene	156-60-5	ug/kg	--	Yes	--	1600 U	1500 U	1600 U	1600 U	1500 U	1400 U
trans-1,3-Dichloropropene	10061-02-6	ug/kg	--	--	--	750 U	710 U	750 U	750 U	730 U	690 U
Trichloroethene	79-01-6	ug/kg	--	Yes	--	1100 U	1000 U	1100 U	1100 U	1100 U	1000 U
Trichlorofluoromethane	75-69-4	ug/kg	--	Yes	--	2800 U	2600 U	2800 U	2800 U	2700 U	2600 U
Vinyl chloride	75-01-4	ug/kg	--	Yes	--	2000 U	1900 U	2000 U	2000 U	2000 U	1800 U

Liquid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	25111018 / 25111043	25111019	25111020	25111023	25111024	25111025
					Station	CF-PBE-218	CF-EXT-192	CF-EXT-188	CF-PBI-246	CF-PBE-287	CF-EXT-193
					ER Related Sample ID	CF-PR-BL-04	NA	NA	NA	NA	NA
					Date	11/14/2025	11/14/2025	11/14/2025	11/15/2025	11/15/2025	11/15/2025
					Type	FS	FS	FS	FS	FS	FS
8270E Semivolatile Organic Compounds (GC/MS)											
1,2,4-Trichlorobenzene	120-82-1	ug/kg	--	Yes	--	50 U	51 U	55 U	54 UJ	52 UJ	54 UJ
1,2-Dichlorobenzene	95-50-1	ug/kg	--	Yes	--	41 U	42 U	46 U	45 UJ	43 UJ	45 UJ
1,3-Dichlorobenzene	541-73-1	ug/kg	--	Yes	--	40 U	41 U	44 U	43 UJ	42 UJ	43 UJ
1,4-Dichlorobenzene	106-46-7	ug/kg	--	Yes	--	69 U	70 U	76 U	75 UJ	72 UJ	75 UJ
1-Methylnaphthalene	90-12-0	ug/kg	--	--	--	41 U	42 U	46 U	45 UJ	43 UJ	45 UJ
2,4,5-Trichlorophenol	95-95-4	ug/kg	--	Yes	--	67 U	69 UJ	74 U	73 UJ	70 UJ	73 UJ
2,4,6-Trichlorophenol	88-06-2	ug/kg	--	Yes	--	270 U	280 UJ	300 U	300 UJ	290 UJ	300 UJ
2,4-Dichlorophenol	120-83-2	ug/kg	--	Yes	--	230 U	240 UJ	260 U	250 UJ	240 UJ	250 UJ
2,4-Dimethylphenol	105-67-9	ug/kg	--	Yes	--	500 U	510 UJ	550 U	540 UJ	520 UJ	540 UJ
2,4-Dinitrophenol	51-28-5	ug/kg	--	Yes	--	4800 UJ	5000 UJ	5400 UJ	5300 UJ	5100 UJ	5300 UJ
2,4-Dinitrotoluene	121-14-2	ug/kg	--	Yes	--	360 U	360 U	390 U	390 UJ	370 UJ	390 UJ
2,6-Dinitrotoluene	606-20-2	ug/kg	--	Yes	--	120 U	130 U	140 U	140 UJ	130 UJ	140 UJ
2-Chloronaphthalene	91-58-7	ug/kg	--	Yes	--	41 U	42 U	46 U	45 UJ	43 UJ	45 UJ
2-Chlorophenol	95-57-8	ug/kg	--	Yes	--	33 U	34 UJ	37 U	36 UJ	35 UJ	36 UJ
2-Methylnaphthalene	91-57-6	ug/kg	--	--	--	73 U	75 U	81 U	79 UJ	77 UJ	79 UJ
2-Methylphenol	95-48-7	ug/kg	--	Yes	--	81 U	83 UJ	90 U	88 UJ	85 UJ	88 UJ
2-Nitroaniline	88-74-4	ug/kg	--	--	--	120 U	130 U	140 U	140 UJ	130 UJ	140 UJ
2-Nitrophenol	88-75-5	ug/kg	--	Yes	--	160 UJ	160 UJ	170 UJ	170 UJ	170 UJ	170 UJ
3 & 4 Methylphenol	15831-10-4	ug/kg	--	--	--	120 U	130 UJ	140 U	140 UJ	130 UJ	140 UJ
3,3'-Dichlorobenzidine	91-94-1	ug/kg	--	Yes	--	2300 U	2400 U	2600 U	2500 UJ	2500 UJ	2500 UJ
3-Nitroaniline	99-09-2	ug/kg	--	--	--	830 U	850 U	920 U	900 UJ	870 UJ	900 UJ
4,6-Dinitro-2-methylphenol	534-52-1	ug/kg	--	Yes	--	830 UJ	850 UJ	920 UJ	900 UJ	870 UJ	900 UJ
4-Bromophenyl phenyl ether	101-55-3	ug/kg	--	Yes	--	75 U	77 U	83 U	82 UJ	79 UJ	82 UJ
4-Chloro-3-methylphenol	59-50-7	ug/kg	--	Yes	--	270 U	280 UJ	300 U	300 UJ	290 UJ	300 UJ
4-Chloroaniline	106-47-8	ug/kg	--	Yes	--	1100 U	1100 U	1200 U	1200 UJ	1200 UJ	1200 UJ
4-Chlorophenyl phenyl ether	7005-72-3	ug/kg	--	Yes	--	52 U	53 U	58 U	57 UJ	55 UJ	57 UJ
4-Nitroaniline	100-01-6	ug/kg	--	Yes	--	410 U	420 U	460 U	450 UJ	430 UJ	450 UJ
4-Nitrophenol	100-02-7	ug/kg	--	Yes	--	2100 U	2200 UJ	2300 U	2300 UJ	2200 UJ	2300 UJ
Acenaphthene	83-32-9	ug/kg	--	Yes	--	38 U	39 U	42 U	41 UJ	40 UJ	41 UJ
Acenaphthylene	208-96-8	ug/kg	--	Yes	--	41 U	42 U	46 U	45 UJ	43 UJ	45 UJ
Anthracene	120-12-7	ug/kg	--	Yes	--	130 U	140 U	150 U	140 UJ	140 UJ	140 UJ
Benzo[a]anthracene	56-55-3	ug/kg	--	Yes	--	91 U	93 U	100 U	99 UJ	96 UJ	99 UJ
Benzo[a]pyrene	50-32-8	ug/kg	--	Yes	--	320 U	330 U	360 U	350 UJ	340 UJ	350 UJ
Benzo[b]fluoranthene	205-99-2	ug/kg	--	Yes	--	83 U	85 U	92 U	90 UJ	87 UJ	90 UJ
Benzo[g,h,i]perylene	191-24-2	ug/kg	--	Yes	--	150 U	150 U	170 U	160 UJ	160 UJ	160 UJ
Benzo[k]fluoranthene	207-08-9	ug/kg	--	Yes	--	120 U	120 U	130 U	130 UJ	120 UJ	130 UJ
Benzoic acid	65-85-0	ug/kg	--	Yes	--	10000 U	10000 UJ	11000 U	11000 UJ	11000 UJ	11000 UJ
Benzyl alcohol	100-51-6	ug/kg	--	--	--	2100 U	2200 UJ	2300 U	2300 UJ	2200 UJ	2300 UJ
Bis(2-chloroethoxy)methane	111-91-1	ug/kg	--	Yes	--	150 U	150 U	170 U	160 UJ	160 UJ	160 UJ
Bis(2-chloroethyl)ether	111-44-4	ug/kg	--	Yes	--	64 U	65 U	71 U	69 UJ	67 UJ	69 UJ
Bis(2-ethylhexyl) phthalate	117-81-7	ug/kg	--	Yes	--	590 U	600 U	650 U	640 UJ	620 UJ	640 UJ

Liquid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	25111018 / 25111043	25111019	25111020	25111023	25111024	25111025
					Station	CF-PBE-218	CF-EXT-192	CF-EXT-188	CF-PBI-246	CF-PBE-287	CF-EXT-193
					ER Related Sample ID	CF-PR-BL-04	NA	NA	NA	NA	NA
					Date	11/14/2025	11/14/2025	11/14/2025	11/15/2025	11/15/2025	11/15/2025
					Type	FS	FS	FS	FS	FS	FS
bis(chloroisopropyl) ether	108-60-1	ug/kg	--	Yes	--	50 UJ	52 UJ	56 UJ	55 UJ	53 UJ	55 UJ
Butyl benzyl phthalate	85-68-7	ug/kg	--	Yes	--	420 U	430 U	470 U	460 UJ	440 UJ	460 UJ
Carbazole	86-74-8	ug/kg	--	--	--	60 UJ	62 UJ	67 UJ	66 UJ	63 UJ	66 UJ
Chrysene	218-01-9	ug/kg	--	Yes	--	110 U	110 U	120 U	120 UJ	110 UJ	120 UJ
Dibenz(a,h)anthracene	53-70-3	ug/kg	--	Yes	--	390 U	400 U	430 U	420 UJ	410 UJ	420 UJ
Dibenzofuran	132-64-9	ug/kg	--	Yes	--	49 U	50 U	54 U	53 UJ	51 UJ	53 UJ
Diethyl phthalate	84-66-2	ug/kg	--	Yes	--	180 U	190 U	200 U	200 UJ	190 UJ	200 UJ
Dimethyl phthalate	131-11-3	ug/kg	--	Yes	--	41 U	42 U	46 U	45 UJ	43 UJ	45 UJ
Di-n-butyl phthalate	84-74-2	ug/kg	--	Yes	--	390 U	400 U	430 U	420 UJ	410 UJ	420 UJ
Di-n-octyl phthalate	117-84-0	ug/kg	--	Yes	--	740 U	750 U	820 U	800 UJ	770 UJ	800 UJ
Fluoranthene	206-44-0	ug/kg	--	Yes	--	99 U	100 U	110 U	110 UJ	100 UJ	110 UJ
Fluorene	86-73-7	ug/kg	--	Yes	--	41 U	42 U	46 U	45 UJ	43 UJ	45 UJ
Hexachlorobenzene	118-74-1	ug/kg	--	Yes	--	120 U	130 U	140 U	140 UJ	130 UJ	140 UJ
Hexachlorobutadiene	87-68-3	ug/kg	--	Yes	--	120 U	130 U	140 U	140 UJ	130 UJ	140 UJ
Hexachlorocyclopentadiene	77-47-4	ug/kg	--	Yes	--	64 U	65 U	71 U	69 UJ	67 UJ	69 UJ
Hexachloroethane	67-72-1	ug/kg	--	Yes	--	36 U	36 U	39 U	39 UJ	37 UJ	39 UJ
Indeno[1,2,3-cd]pyrene	193-39-5	ug/kg	--	Yes	--	99 U	100 U	110 U	110 UJ	100 UJ	110 UJ
Isophorone	78-59-1	ug/kg	--	Yes	--	69 U	71 U	77 U	76 UJ	73 UJ	76 UJ
Naphthalene	91-20-3	ug/kg	--	Yes	--	41 U	42 U	46 U	45 UJ	43 UJ	45 UJ
Nitrobenzene	98-95-3	ug/kg	--	Yes	--	170 U	170 U	180 U	180 UJ	170 UJ	180 UJ
N-Nitrosodi-n-propylamine	621-64-7	ug/kg	--	Yes	--	180 U	190 U	200 U	200 UJ	190 UJ	200 UJ
N-Nitrosodiphenylamine	86-30-6	ug/kg	--	Yes	--	66 U	68 U	73 U	72 UJ	70 UJ	72 UJ
Pentachlorophenol	87-86-5	ug/kg	--	Yes	--	2200 U	2300 UJ	2500 U	2400 UJ	2300 UJ	2400 UJ
Phenanthrene	85-01-8	ug/kg	--	Yes	--	48 UJ	49 UJ	53 UJ	52 UJ	50 UJ	52 UJ
Phenol	108-95-2	ug/kg	--	Yes	--	190 U	190 UJ	210 U	210 UJ	200 UJ	210 UJ
Pyrene	129-00-0	ug/kg	--	Yes	--	110 U	110 U	120 U	120 UJ	110 UJ	120 UJ

Bold type indicates result is detected.

Yellow highlight indicates result exceeds RCRA characteristic.

Orange highlight indicates analyte is in the CERCLA hazardous substance list and result is detected.

-- indicates regulatory limit and/or result is not available.

Key:

CAS.NO = Chemical Abstracts Service Number

CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act

CVAA= Cold Vapor Atomic Absorption

ER= Emergency Response

FD = Field Duplicate

FS = Field Sample

GC/MS= Gas chromatography mass spectrometry

ICP= Inductively Coupled Plasma

ID= Identification

J = The associated value is an estimated quantity.

mg/kg = Milligram per kilogram

mg/L = Milligram per liter

NA= Not Applicable

R = The data are unusable. The analyte may or may not be present in the sample.

RCRA = Resource Conservation and Recovery Act

SU = Standard Units

TCLP= Toxicity Characteristic Leaching Procedure

The material was analyzed for but was not detected above the level of the associated value. The associated value is either the sample

U = quantitation limit or the sample detection limit.

ug/kg = Microgram per kilogram

UJ = The analyte was analyzed for but was not detected. The associated value is an estimate and may be inaccurate or imprecise.

Liquid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	25111028	25111030	25111034	25111035	25111039	25111040	25111044
					Station	CF-PHI-166	CF-PBE-291	CF-EXT-149	CF-EXT-149	CF-PHI-143	CF-PHI-143	CF-PBE-223
					ER Related Sample ID	NA	NA	NA	NA	NA	NA	NA
					Date	11/15/2025	11/17/2025	11/17/2025	11/17/2025	11/17/2025	11/17/2025	11/18/2025
					Type	FS	FS	FS	FD	FS	FD	FS
1010A Ignitability, Pensky-Martens Closed-Cup Method												
Ignitability	STL00250	Degrees F	< 140	--	--	--	--	--	--	>212	>212	>212
9034 Reactive Sulfide												
Sulfide, Reactive	STL00261	mg/kg	--	--	--	1.6 U	1.5 U	1.9 U	1.9 U	8 U	63 U	2.4 U
9045D pH												
pH	STL00204	SU	≤2 or ≥12.5	--	--	7.6	2.6	4.6	4.6	8.9	8.6	2
Field pH (pH paper)												
Field pH						7	3	5	5	9	9	1
376.2 Sulfide												
Sulfide	18496-25-8	mg/kg	--	--	--	0.53	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U
Fish Bioassay												
Percent Mortality		%				--	--	--	--	--	--	--
6010D Metals (ICP) TCLP												
Aluminum	7429-90-5	mg/L	--	--	--	1 U	1 U	1 U	1 U	1 U	1 U	32
Antimony	7440-36-0	mg/L	--	Yes	--	0.042 U	0.042 U	0.042 U	0.042 U	0.042 U	0.042 U	0.042 U
Arsenic	7440-38-2	mg/L	5	Yes	--	0.072 U	0.072 U	0.072 U	0.072 U	0.072 U	0.072 U	0.072 U
Barium	7440-39-3	mg/L	100	--	--	0.2 U	0.2 U	0.2 U	0.2 U	0.27	0.2 U	0.2 U
Beryllium	7440-41-7	mg/L	--	Yes	--	0.009 U	0.009 U	0.009 U	0.009 U	0.009 U	0.009 U	0.009 U
Cadmium	7440-43-9	mg/L	1	Yes	--	0.009 U	0.009 U	0.009 U	0.009 U	0.009 U	0.009 U	0.009 U
Chromium	7440-47-3	mg/L	5	Yes	--	0.027 U	0.034 J	0.027 U	0.027 U	0.24 J	0.027 U	0.42
Cobalt	7440-48-4	mg/L	--	--	--	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.2 U
Copper	7440-50-8	mg/L	--	Yes	--	0.12 J	0.055 U	0.055 U	0.055 U	0.12 J	0.055 U	0.071 J
Iron	7439-89-6	mg/L	--	--	--	3.8 J	1.1 J	0.61 U	0.61 U	3.5 J	0.61 U	55
Lead	7439-92-1	mg/L	5	Yes	--	0.027 U	0.027 U	0.027 U	0.027 U	0.027 U	0.027 U	0.027 U
Manganese	7439-96-5	mg/L	--	--	--	0.43	1.3	0.017 U	0.017 U	0.047 J	0.017 U	7.7
Nickel	7440-02-0	mg/L	--	Yes	--	0.01 U	0.2 U	0.01 U	0.01 U	0.2 U	0.01 U	0.25
Selenium	7782-49-2	mg/L	1	Yes	--	0.087 U	0.087 U	0.087 U	0.087 U	0.087 U	0.087 U	0.087 U
Silver	7440-22-4	mg/L	5	Yes	--	0.085 U	0.085 U	0.085 U	0.085 U	0.085 U	0.085 U	0.085 U
Thallium	7440-28-0	mg/L	--	Yes	--	0.032 U	0.032 U	0.032 U	0.032 U	0.032 U	0.032 U	0.032 U
Vanadium	7440-62-2	mg/L	--	--	--	0.061 U	0.061 U	0.061 U	0.061 U	0.061 U	0.061 U	0.061 U
Zinc	7440-66-6	mg/L	--	Yes	--	0.093 U	0.093 U	0.11 J	0.093 U	0.093 U	0.093 U	0.33 J
7470A Mercury (CVAA) TCLP												
Mercury	7439-97-6	mg/L	0.2	Yes	--	0.0005 U	0.0005 U	0.0005 U	0.0005 U	0.00086 J	0.005 U	0.005 U
6010D Metals (ICP)												
Aluminum	7429-90-5	mg/kg	--	--	--	5.9 U	6.5 U	6.8 U	5.4 U	7.9 U	8.7 U	32 J
Antimony	7440-36-0	mg/kg	--	Yes	--	0.16 U	0.17 U	0.18 U	0.14 U	0.21 U	0.23 U	0.23 U
Arsenic	7440-38-2	mg/kg	--	Yes	--	0.15 U	0.16 U	0.17 U	0.14 U	0.2 U	0.22 U	0.22 U
Barium	7440-39-3	mg/kg	--	--	--	1.9	0.052 U	0.054 U	0.043 U	1.5 J	0.58 J	0.069 U
Beryllium	7440-41-7	mg/kg	--	Yes	--	0.042 U	0.046 U	0.048 U	0.038 U	0.056 U	0.061 U	0.061 U
Cadmium	7440-43-9	mg/kg	--	Yes	--	0.029 U	0.032 U	0.034 U	0.027 U	0.039 U	0.043 U	0.043 U
Chromium	7440-47-3	mg/kg	--	Yes	--	0.13 U	0.14 U	0.15 U	0.12 U	0.98 J	0.19 U	0.41 J
Cobalt	7440-48-4	mg/kg	--	--	--	0.031 U	0.034 U	0.036 U	0.028 U	0.041 U	0.046 U	0.045 U
Copper	7440-50-8	mg/kg	--	Yes	--	25	0.26 U	0.27 U	0.22 U	0.32 U	0.35 U	0.35 U
Iron	7439-89-6	mg/kg	--	--	--	26 J	10 U	11 U	16 J	19 J	14 U	60
Lead	7439-92-1	mg/kg	--	Yes	--	0.14 J	0.14 U	0.15 U	0.12 U	0.18 U	0.19 U	0.19 U
Manganese	7439-96-5	mg/kg	--	--	--	0.58 J	1.5	0.26 U	0.21 U	0.83 J	0.4 J	8.6
Nickel	7440-02-0	mg/kg	--	Yes	--	0.061 U	0.067 U	0.071 U	0.056 U	0.52 J	0.09 U	0.21 J
Selenium	7782-49-2	mg/kg	--	Yes	--	0.24 U	0.26 U	0.27 U	0.22 U	0.31 U	0.35 U	0.35 U
Silver	7440-22-4	mg/kg	--	Yes	--	0.33 U	0.37 U	0.38 U	0.31 U	0.44 U	0.49 U	0.49 U
Thallium	7440-28-0	mg/kg	--	Yes	--	0.25 U	0.27 U	0.29 U	0.23 U	0.33 U	0.37 U	0.37 U
Vanadium	7440-62-2	mg/kg	--	--	--	0.16 U	0.17 U	0.18 U	0.14 U	0.21 U	0.23 U	0.23 U
Zinc	7440-66-6	mg/kg	--	Yes	--	0.57 U	0.62 U	0.65 U	0.52 U	0.76 U	0.84 U	0.83 U
7471B Mercury (CVAA)												
Mercury	7439-97-6	mg/kg	--	Yes	--	0.0079 U	0.0062 U	0.0069 U	0.0067 U	0.0072 U	0.0059 U	0.007 U

Liquid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	25111028	25111030	25111034	25111035	25111039	25111040	25111044
					Station	CF-PHI-166	CF-PBE-291	CF-EXT-149	CF-EXT-149	CF-PHI-143	CF-PHI-143	CF-PBE-223
					ER Related Sample ID	NA	NA	NA	NA	NA	NA	NA
					Date	11/15/2025	11/17/2025	11/17/2025	11/17/2025	11/17/2025	11/17/2025	11/18/2025
					Type	FS	FS	FS	FD	FS	FD	FS
8260D Volatile Organic Compounds by GC/MS												
1,1,1,2-Tetrachloroethane	630-20-6	ug/kg	--	Yes	--	510 U	520 U	510 U	530 U	500 U	490 U	530 U
1,1,1-Trichloroethane	71-55-6	ug/kg	--	Yes	--	470 U	480 U	470 U	490 U	460 U	450 U	490 U
1,1,2,2-Tetrachloroethane	79-34-5	ug/kg	--	Yes	--	780 U	790 U	780 U	810 U	760 U	750 U	810 U
1,1,2-Trichloroethane	79-00-5	ug/kg	--	Yes	--	760 U	760 U	760 U	790 U	740 U	730 U	790 U
1,1-Dichloroethane	75-34-3	ug/kg	--	Yes	--	940 U	950 U	940 U	980 U	920 U	910 U	980 U
1,1-Dichloroethene	75-35-4	ug/kg	--	Yes	--	1300 U	1300 U	1300 U	1300 U	1200 U	1200 U	1300 U
1,1-Dichloropropene	563-58-6	ug/kg	--	--	--	540 U	550 U	540 U	560 U	530 U	520 U	560 U
1,2,3-Trichlorobenzene	87-61-6	ug/kg	--	--	--	4100 U	4100 U	4100 U	4200 U	4000 U	3900 U	4200 U
1,2,3-Trichloropropane	96-18-4	ug/kg	--	--	--	1200 U	1200 U	1200 U	1200 U	1200 U	1100 U	1200 U
1,2,4-Trichlorobenzene	120-82-1	ug/kg	--	Yes	--	4400 U	4400 U	4400 U	4500 U	4300 U	4200 U	4500 U
1,2,4-Trimethylbenzene	95-63-6	ug/kg	--	--	--	1400 U	1400 U	1400 U	1400 U	1400 U	1300 U	1400 U
1,2-Dibromo-3-Chloropropane	96-12-8	ug/kg	--	Yes	--	1600 U	1600 U	1600 U	1600 U	1500 U	1500 U	1600 U
1,2-Dibromoethane	106-93-4	ug/kg	--	Yes	--	390 U	390 U	390 U	400 U	380 U	370 U	400 U
1,2-Dichlorobenzene	95-50-1	ug/kg	--	Yes	--	890 U	900 U	890 U	930 U	870 U	860 U	930 U
1,2-Dichloroethane	107-06-2	ug/kg	--	Yes	--	560 U	570 U	560 U	590 U	550 U	540 U	590 U
1,2-Dichloropropane	78-87-5	ug/kg	--	Yes	--	680 U	680 U	680 U	700 U	660 U	650 U	700 U
1,3,5-Trimethylbenzene	108-67-8	ug/kg	--	--	--	780 U	790 U	780 U	810 U	760 U	750 U	810 U
1,3-Dichlorobenzene	541-73-1	ug/kg	--	Yes	--	1400 U	1400 U	1400 U	1400 U	1300 U	1300 U	1400 U
1,3-Dichloropropane	142-28-9	ug/kg	--	Yes	--	570 U	580 U	570 U	600 U	560 U	550 U	600 U
1,4-Dichlorobenzene	106-46-7	ug/kg	--	Yes	--	1100 U	1100 U	1100 U	1100 U	1100 U	1100 U	1100 U
2,2-Dichloropropane	594-20-7	ug/kg	--	--	--	1200 U	1300 U	1200 U	1300 U	1200 U	1200 U	1300 U
2-Chlorotoluene	95-49-8	ug/kg	--	--	--	900 U	910 U	900 U	940 U	880 U	870 U	940 U
4-Chlorotoluene	106-43-4	ug/kg	--	--	--	1000 U	1000 U	1000 U	1000 U	980 U	970 U	1000 U
4-Isopropyltoluene	99-87-6	ug/kg	--	--	--	1000 U	1100 U	1000 U	1100 U	1000 U	1000 U	1100 U
Benzene	71-43-2	ug/kg	--	Yes	--	390 U	390 U	390 U	400 U	380 U	370 U	400 U
Bromobenzene	108-86-1	ug/kg	--	--	--	430 U	430 U	430 U	450 U	420 U	410 U	450 U
Bromochloromethane	74-97-5	ug/kg	--	--	--	630 U	640 U	630 U	660 U	620 U	610 U	660 U
Bromodichloromethane	75-27-4	ug/kg	--	Yes	--	560 U	570 U	560 U	590 U	550 U	540 U	590 U
Bromoform	75-25-2	ug/kg	--	Yes	--	460 U	470 U	460 U	480 U	450 U	440 U	480 U
Bromomethane	74-83-9	ug/kg	--	Yes	--	3900 U	3900 U	3900 U	4000 U	3800 U	3700 U	4000 U
Carbon tetrachloride	56-23-5	ug/kg	--	Yes	--	450 U	450 U	450 U	470 U	440 U	430 U	470 U
Chlorobenzene	108-90-7	ug/kg	--	Yes	--	490 U	500 U	490 U	510 U	480 U	470 U	510 U
Chloroethane	75-00-3	ug/kg	--	Yes	--	2100 UJ	2200 UJ	2100 UJ	2200 UJ	2100 UJ	2100 UJ	2200 UJ
Chloroform	67-66-3	ug/kg	--	Yes	--	430 U	430 U	430 U	450 U	420 U	410 U	450 U
Chloromethane	74-87-3	ug/kg	--	Yes	--	1000 U	1000 U	1000 U	1100 U	1000 U	1000 U	1100 U
cis-1,2-Dichloroethene	156-59-2	ug/kg	--	--	--	1300 U	1300 U	1300 U	1300 U	1300 U	1200 U	1300 U
cis-1,3-Dichloropropene	10061-01-5	ug/kg	--	--	--	410 U	410 U	410 U	430 U	400 U	390 U	430 U
Dibromochloromethane	124-48-1	ug/kg	--	Yes	--	500 U	510 U	500 U	520 U	490 U	480 U	520 U
Dibromomethane	74-95-3	ug/kg	--	Yes	--	760 U	760 U	760 U	790 U	740 U	730 U	790 U
Dichlorodifluoromethane	75-71-8	ug/kg	--	Yes	--	4700 U	4700 U	4700 U	4900 U	4600 U	4500 U	4900 U
Ethylbenzene	100-41-4	ug/kg	--	Yes	--	930 U	940 U	930 U	970 U	910 U	900 U	970 U
Hexachlorobutadiene	87-68-3	ug/kg	--	Yes	--	2400 U	2500 U	2400 U	2500 U	2400 U	2400 U	2500 U
Isopropylbenzene	98-82-8	ug/kg	--	Yes	--	880 U	890 U	880 U	920 U	860 U	850 U	920 U
Methyl tert-butyl ether	1634-04-4	ug/kg	--	Yes	--	610 U	620 U	610 U	640 U	600 U	590 U	640 U
Methylene Chloride	75-09-2	ug/kg	--	Yes	--	26000 U	26000 U	26000 U	27000 U	25000 U	25000 U	27000 U
m-Xylene & p-Xylene	179601-23-1	ug/kg	--	--	--	730 U	730 U	730 U	770 U	710 U	700 U	760 U
Naphthalene	91-20-3	ug/kg	--	Yes	--	4000 U	4000 U	4000 U	4200 U	3900 U	3900 U	4200 U
n-Butylbenzene	104-51-8	ug/kg	--	--	--	1900 U	1900 U	1900 U	2000 U	1900 U	1800 U	2000 U
N-Propylbenzene	103-65-1	ug/kg	--	--	--	1500 U	1600 U	1500 U	1600 U	1500 U	1500 U	1600 U
o-Xylene	95-47-6	ug/kg	--	Yes	--	510 U	520 U	510 U	530 U	500 U	490 U	530 U
sec-Butylbenzene	135-98-8	ug/kg	--	--	--	880 U	890 U	880 U	920 U	860 U	850 U	920 U
Styrene	100-42-5	ug/kg	--	Yes	--	1300 U	1300 U	1300 U	1400 U	1300 U	1300 U	1400 U
t-Butylbenzene	98-06-6	ug/kg	--	--	--	790 U	800 U	790 U	820 U	770 U	760 U	820 U
Tetrachloroethene	127-18-4	ug/kg	--	Yes	--	540 U	550 U	540 U	560 U	530 U	520 U	560 U
Toluene	108-88-3	ug/kg	--	Yes	--	1400 U	1400 U	1400 U	1400 U	1400 U	1300 U	1400 U
trans-1,2-Dichloroethene	156-60-5	ug/kg	--	Yes	--	1500 U	1500 U	1500 U	1600 U	1500 U	1400 U	1600 U
trans-1,3-Dichloropropene	10061-02-6	ug/kg	--	--	--	720 U	720 U	720 U	750 U	700 U	690 U	750 U
Trichloroethene	79-01-6	ug/kg	--	Yes	--	1100 U	1100 U	1100 U	1100 U	1000 U	1000 U	1100 U
Trichlorofluoromethane	75-69-4	ug/kg	--	Yes	--	2700 U	2700 U	2700 U	2800 U	2600 U	2600 U	2800 U
Vinyl chloride	75-01-4	ug/kg	--	Yes	--	1900 U	1900 U	1900 U	2000 U	1900 U	1800 U	2000 U

Liquid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	25111028	25111030	25111034	25111035	25111039	25111040	25111044
					Station	CF-PHI-166	CF-PBE-291	CF-EXT-149	CF-EXT-149	CF-PHI-143	CF-PHI-143	CF-PBE-223
					ER Related Sample ID	NA	NA	NA	NA	NA	NA	NA
					Date	11/15/2025	11/17/2025	11/17/2025	11/17/2025	11/17/2025	11/17/2025	11/18/2025
					Type	FS	FS	FS	FD	FS	FD	FS
8270E Semivolatile Organic Compounds (GC/MS)												
1,2,4-Trichlorobenzene	120-82-1	ug/kg	--	Yes	--	48 UJ	55 UJ	55 UJ	53 UJ	53 UJ	53 U	53 UJ
1,2-Dichlorobenzene	95-50-1	ug/kg	--	Yes	--	40 UJ	46 UJ	46 UJ	44 UJ	44 UJ	44 U	44 UJ
1,3-Dichlorobenzene	541-73-1	ug/kg	--	Yes	--	38 UJ	44 UJ	44 UJ	42 UJ	42 UJ	42 U	42 UJ
1,4-Dichlorobenzene	106-46-7	ug/kg	--	Yes	--	66 UJ	76 UJ	76 UJ	73 UJ	73 UJ	73 U	73 UJ
1-Methylnaphthalene	90-12-0	ug/kg	--	--	--	40 UJ	46 UJ	46 UJ	44 UJ	44 UJ	44 U	44 UJ
2,4,5-Trichlorophenol	95-95-4	ug/kg	--	Yes	--	65 UJ	74 UJ	74 UJ	71 UJ	71 UJ	72 UJ	71 UJ
2,4,6-Trichlorophenol	88-06-2	ug/kg	--	Yes	--	260 UJ	300 UJ	300 U	290 U	290 U	290 U	290 U
2,4-Dichlorophenol	120-83-2	ug/kg	--	Yes	--	220 UJ	260 UJ	260 U	250 U	250 U	250 U	250 U
2,4-Dimethylphenol	105-67-9	ug/kg	--	Yes	--	480 UJ	550 UJ	550 U	530 U	530 U	530 U	530 U
2,4-Dinitrophenol	51-28-5	ug/kg	--	Yes	--	4700 UJ	5400 UJ	5400 UJ	5100 UJ	5100 UJ	5200 UJ	5100 UJ
2,4-Dinitrotoluene	121-14-2	ug/kg	--	Yes	--	340 UJ	390 UJ	390 UJ	380 UJ	380 UJ	380 U	380 UJ
2,6-Dinitrotoluene	606-20-2	ug/kg	--	Yes	--	120 UJ	140 UJ	140 UJ	130 UJ	130 UJ	130 U	130 UJ
2-Chloronaphthalene	91-58-7	ug/kg	--	Yes	--	40 UJ	46 UJ	46 UJ	44 UJ	44 UJ	44 UJ	44 UJ
2-Chlorophenol	95-57-8	ug/kg	--	Yes	--	32 UJ	37 UJ	37 U	35 U	35 U	35 U	35 U
2-Methylnaphthalene	91-57-6	ug/kg	--	--	--	70 UJ	81 UJ	81 UJ	77 UJ	77 UJ	78 UJ	77 UJ
2-Methylphenol	95-48-7	ug/kg	--	Yes	--	78 UJ	90 UJ	90 U	86 U	86 U	87 U	86 U
2-Nitroaniline	88-74-4	ug/kg	--	--	--	120 UJ	140 UJ	140 UJ	130 UJ	130 UJ	130 U	130 UJ
2-Nitrophenol	88-75-5	ug/kg	--	Yes	--	150 UJ	170 UJ	170 UJ	170 UJ	170 UJ	170 UJ	170 UJ
3 & 4 Methylphenol	15831-10-4	ug/kg	--	--	--	120 UJ	140 UJ	140 U	130 U	130 U	130 U	130 U
3,3'-Dichlorobenzidine	91-94-1	ug/kg	--	Yes	--	2300 UJ	2600 UJ	2600 UJ	2500 UJ	2500 UJ	2500 U	2500 UJ
3-Nitroaniline	99-09-2	ug/kg	--	--	--	800 UJ	920 UJ	920 UJ	880 UJ	880 UJ	880 U	880 UJ
4,6-Dinitro-2-methylphenol	534-52-1	ug/kg	--	Yes	--	800 UJ	920 UJ	920 UJ	880 UJ	880 UJ	880 UJ	880 UJ
4-Bromophenyl phenyl ether	101-55-3	ug/kg	--	Yes	--	73 UJ	83 UJ	83 UJ	80 UJ	80 UJ	81 U	80 UJ
4-Chloro-3-methylphenol	59-50-7	ug/kg	--	Yes	--	260 UJ	300 UJ	300 U	290 U	290 U	290 U	290 U
4-Chloroaniline	106-47-8	ug/kg	--	Yes	--	1100 UJ	1200 UJ	1200 UJ	1200 UJ	1200 UJ	1200 U	1200 UJ
4-Chlorophenyl phenyl ether	7005-72-3	ug/kg	--	Yes	--	50 UJ	58 UJ	58 UJ	55 UJ	55 UJ	56 U	55 UJ
4-Nitroaniline	100-01-6	ug/kg	--	Yes	--	400 UJ	460 UJ	460 UJ	440 UJ	440 UJ	440 U	440 UJ
4-Nitrophenol	100-02-7	ug/kg	--	Yes	--	2000 UJ	2300 UJ	2300 UJ	2200 UJ	2200 U	2200 UJ	2200 UJ
Acenaphthene	83-32-9	ug/kg	--	Yes	--	37 UJ	42 UJ	42 UJ	40 UJ	40 UJ	41 U	40 UJ
Acenaphthylene	208-96-8	ug/kg	--	Yes	--	40 UJ	46 UJ	46 UJ	44 UJ	44 UJ	44 U	44 UJ
Anthracene	120-12-7	ug/kg	--	Yes	--	130 UJ	150 UJ	150 UJ	140 UJ	140 UJ	140 U	140 UJ
Benzo[a]anthracene	56-55-3	ug/kg	--	Yes	--	88 UJ	100 UJ	100 UJ	96 UJ	96 UJ	97 U	96 UJ
Benzo[a]pyrene	50-32-8	ug/kg	--	Yes	--	310 UJ	360 UJ	360 UJ	340 UJ	340 UJ	350 U	340 UJ
Benzo[b]fluoranthene	205-99-2	ug/kg	--	Yes	--	80 UJ	92 UJ	92 UJ	88 UJ	88 UJ	88 U	88 UJ
Benzo[g,h,i]perylene	191-24-2	ug/kg	--	Yes	--	140 UJ	170 UJ	170 UJ	160 UJ	160 UJ	160 U	160 UJ
Benzo[k]fluoranthene	207-08-9	ug/kg	--	Yes	--	110 UJ	130 UJ	130 UJ	120 UJ	120 UJ	120 U	120 UJ
Benzoic acid	65-85-0	ug/kg	--	Yes	--	9800 UJ	11000 UJ	11000 UJ	11000 UJ	11000 UJ	11000 UJ	11000 UJ
Benzyl alcohol	100-51-6	ug/kg	--	--	--	2000 UJ	2300 UJ	2300 U	2200 U	2200 U	2300 U	2200 U
Bis(2-chloroethoxy)methane	111-91-1	ug/kg	--	Yes	--	140 UJ	170 UJ	170 UJ	160 UJ	160 UJ	160 U	160 UJ
Bis(2-chloroethyl)ether	111-44-4	ug/kg	--	Yes	--	62 UJ	71 UJ	71 UJ	68 UJ	68 UJ	68 U	68 UJ
Bis(2-ethylhexyl) phthalate	117-81-7	ug/kg	--	Yes	--	570 UJ	650 UJ	650 UJ	620 UJ	620 UJ	630 UJ	620 UJ

Appendix D

Liquid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	25111028	25111030	25111034	25111035	25111039	25111040	25111044
					Station	CF-PHI-166	CF-PBE-291	CF-EXT-149	CF-EXT-149	CF-PHI-143	CF-PHI-143	CF-PBE-223
					ER Related Sample ID	NA	NA	NA	NA	NA	NA	NA
					Date	11/15/2025	11/17/2025	11/17/2025	11/17/2025	11/17/2025	11/17/2025	11/18/2025
					Type	FS	FS	FS	FD	FS	FD	FS
bis(chloroisopropyl) ether	108-60-1	ug/kg	--	Yes	--	49 UJ	56 UJ	56 UJ	54 UJ	54 UJ	54 UJ	54 UJ
Butyl benzyl phthalate	85-68-7	ug/kg	--	Yes	--	410 UJ	470 UJ	470 UJ	450 UJ	450 UJ	450 U	450 UJ
Carbazole	86-74-8	ug/kg	--	--	--	58 UJ	67 UJ	67 UJ	64 UJ	64 UJ	65 U	64 UJ
Chrysene	218-01-9	ug/kg	--	Yes	--	100 UJ	120 UJ	120 UJ	110 UJ	110 UJ	120 U	110 UJ
Dibenz(a,h)anthracene	53-70-3	ug/kg	--	Yes	--	380 UJ	430 UJ	430 UJ	410 UJ	410 UJ	420 U	410 UJ
Dibenzofuran	132-64-9	ug/kg	--	Yes	--	47 UJ	54 UJ	54 UJ	52 UJ	52 UJ	52 U	52 UJ
Diethyl phthalate	84-66-2	ug/kg	--	Yes	--	180 UJ	200 UJ	200 UJ	190 UJ	190 UJ	190 U	190 UJ
Dimethyl phthalate	131-11-3	ug/kg	--	Yes	--	40 UJ	46 UJ	46 UJ	44 UJ	44 UJ	44 U	44 UJ
Di-n-butyl phthalate	84-74-2	ug/kg	--	Yes	--	380 UJ	430 UJ	430 UJ	410 UJ	410 UJ	420 U	410 UJ
Di-n-octyl phthalate	117-84-0	ug/kg	--	Yes	--	710 UJ	820 UJ	820 UJ	780 UJ	780 UJ	790 UJ	780 UJ
Fluoranthene	206-44-0	ug/kg	--	Yes	--	110 UJ	110 UJ	110 UJ	110 UJ	110 UJ	110 U	110 UJ
Fluorene	86-73-7	ug/kg	--	Yes	--	40 UJ	46 UJ	46 UJ	44 UJ	44 UJ	44 U	44 UJ
Hexachlorobenzene	118-74-1	ug/kg	--	Yes	--	120 UJ	140 UJ	140 UJ	130 UJ	130 UJ	130 U	130 UJ
Hexachlorobutadiene	87-68-3	ug/kg	--	Yes	--	120 UJ	140 UJ	140 UJ	130 UJ	130 UJ	130 U	130 UJ
Hexachlorocyclopentadiene	77-47-4	ug/kg	--	Yes	--	62 UJ	71 UJ	71 UJ	68 UJ	68 UJ	68 U	68 UJ
Hexachloroethane	67-72-1	ug/kg	--	Yes	--	34 UJ	39 UJ	39 UJ	38 UJ	38 UJ	38 U	38 UJ
Indeno[1,2,3-cd]pyrene	193-39-5	ug/kg	--	Yes	--	96 UJ	110 UJ	110 UJ	110 UJ	110 UJ	110 U	110 UJ
Isophorone	78-59-1	ug/kg	--	Yes	--	67 UJ	77 UJ	77 UJ	74 UJ	74 UJ	74 U	74 UJ
Naphthalene	91-20-3	ug/kg	--	Yes	--	40 UJ	46 UJ	46 UJ	44 UJ	44 UJ	44 U	44 UJ
Nitrobenzene	98-95-3	ug/kg	--	Yes	--	160 UJ	180 UJ	180 UJ	180 UJ	180 UJ	180 U	180 UJ
N-Nitrosodi-n-propylamine	621-64-7	ug/kg	--	Yes	--	180 UJ	200 UJ	200 UJ	190 UJ	190 UJ	190 U	190 UJ
N-Nitrosodiphenylamine	86-30-6	ug/kg	--	Yes	--	64 UJ	73 UJ	73 UJ	70 UJ	70 UJ	71 U	70 UJ
Pentachlorophenol	87-86-5	ug/kg	--	Yes	--	2200 UJ	2500 UJ	2500 UJ	2400 UJ	2400 U	2400 UJ	2400 UJ
Phenanthrene	85-01-8	ug/kg	--	Yes	--	46 UJ	53 UJ	53 UJ	51 UJ	51 UJ	51 U	51 UJ
Phenol	108-95-2	ug/kg	--	Yes	--	180 UJ	210 UJ	210 U	200 U	200 U	200 U	200 U
Pyrene	129-00-0	ug/kg	--	Yes	--	110 UJ	120 UJ	120 UJ	110 UJ	110 UJ	120 U	110 UJ

Bold type indicates result is detected.

Yellow highlight indicates result exceeds RCRA characteristic.

Orange highlight indicates analyte is in the CERCLA hazardous substance list and result is detected.

-- indicates regulatory limit and/or result is not available.

Key:

CAS.NO = Chemical Abstracts Service Number

CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act

CVAA= Cold Vapor Atomic Absorption

ER= Emergency Response

FD = Field Duplicate

FS = Field Sample

GC/MS= Gas chromatography mass spectrometry

ICP= Inductively Coupled Plasma

ID= Identification

J = The associated value is an estimated quantity.

mg/kg = Milligram per kilogram

mg/L = Milligram per liter

NA= Not Applicable

R = The data are unusable. The analyte may or may not be present in the sample.

RCRA = Resource Conservation and Recovery Act

SU = Standard Units

TCLP= Toxicity Characteristic Leaching Procedure

The material was analyzed for but was not detected above the level of the associated value. The associated value is either the sample

U = quantitation limit or the sample detection limit.

ug/kg = Microgram per kilogram

UJ = The analyte was analyzed for but was not detected. The associated value is an estimate and may be inaccurate or imprecise.

Solid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	2511001	2511002	2511003	2511009
					Station	CF-PHE-111-NL-FS	CF-PHE-115-NL-FS	CF-PHE-115-NL-FD	CF-PHI-109-NL-FS
					Date	11/12/2025	11/12/2025	11/12/2025	11/12/2025
					Type	FS	FS	FD	FS
1010A Ignitability, Pensky-Martens Closed-Cup Method									
Ignitability	STL00250	Degrees F	<140	--	--	>212	>212	>212	>212
9034 Reactive Sulfide, Reactive									
Sulfide, Reactive	STL00261	mg/kg	--	--	--	2 U	2 U	1.9 U	2 U
9045D pH									
pH	STL00204	SU	≤2 or ≥12.5	--	--	3	5.3	5.4	9.6
376.2 Sulfide									
Sulfide	18496-25-8	mg/kg	--	--	--	0.7	0.19 U	0.18 U	0.2 U
6010D Metals (ICP) TCLP									
Aluminum	7429-90-5	mg/L	--	--	--	0.1 U	0.5 U	0.5 U	0.74
Antimony	7440-36-0	mg/L	--	Yes	--	0.0042 U	0.0042 U	0.0042 U	0.0042 U
Arsenic	7440-38-2	mg/L	5	Yes	--	0.009 J	0.021 J	0.011 J	0.0072 U
Barium	7440-39-3	mg/L	100	--	--	0.02 U	0.02 U	0.02 U	0.02 U
Beryllium	7440-41-7	mg/L	--	Yes	--	0.0009 U	0.0009 U	0.0009 U	0.0009 U
Cadmium	7440-43-9	mg/L	1	Yes	--	0.0009 U	0.02 U	0.02 U	0.0009 U
Chromium	7440-47-3	mg/L	5	Yes	--	2	0.0027 U	0.0027 U	0.0027 U
Cobalt	7440-48-4	mg/L	--	--	--	0.02 U	0.02 U	0.02 U	0.0005 U
Copper	7440-50-8	mg/L	--	Yes	--	0.046 J	0.015 J	0.0095 J	0.028 J
Iron	7439-89-6	mg/L	--	--	--	3	0.061 U	0.061 U	0.18 J
Lead	7439-92-1	mg/L	5	Yes	--	0.0027 U	0.0037 J	0.004 J	0.0027 U
Manganese	7439-96-5	mg/L	--	--	--	0.25	22	16	0.028
Nickel	7440-02-0	mg/L	--	Yes	--	1.7	0.078	0.059	0.02 U
Selenium	7782-49-2	mg/L	1	Yes	--	0.0087 U	0.014 J	0.0087 U	0.0087 U
Silver	7440-22-4	mg/L	5	Yes	--	0.0085 U	0.0085 U	0.0085 U	0.0085 U
Thallium	7440-28-0	mg/L	--	Yes	--	0.0032 U	0.1 U	0.1 U	0.0032 U
Vanadium	7440-62-2	mg/L	--	--	--	0.0061 U	0.0061 U	0.0061 U	0.0061 U
Zinc	7440-66-6	mg/L	--	Yes	--	0.015 J	1	0.7 J	0.07
7470A Mercury (CVAA)									
Mercury	7439-97-6	mg/L	0.2	Yes	--	0.0005 U	0.0005 U	0.0005 U	0.0005 U
6010D Metals (ICP)									
Aluminum	7429-90-5	mg/kg	--	--	--	9.7 U	5000	5000	17 J
Antimony	7440-36-0	mg/kg	--	Yes	--	0.26 U	0.2 U	0.18 U	0.23 U
Arsenic	7440-38-2	mg/kg	--	Yes	--	0.25 J	1.5 J	1.6 J	0.21 U
Barium	7440-39-3	mg/kg	--	--	--	0.89	49	46	0.068 U
Beryllium	7440-41-7	mg/kg	--	Yes	--	0.068 U	0.73 J	0.71	0.061 U
Cadmium	7440-43-9	mg/kg	--	Yes	--	0.048 U	1.6	2	0.042 U
Calcium	7440-70-2	mg/kg	--	--	--		61000 J	93000 J	20 J
Chromium	7440-47-3	mg/kg	--	Yes	--	65	45	40	0.19 U
Cobalt	7440-48-4	mg/kg	--	--	--	0.14 J	0.56 J	0.66 J	0.045 U
Copper	7440-50-8	mg/kg	--	Yes	--	2.3 J	11	13	0.53 J
Iron	7439-89-6	mg/kg	--	--	--	230	9600	9100	32 J
Lead	7439-92-1	mg/kg	--	Yes	--	0.22 U	21	21	0.19 U
Magnesium	7439-95-4	mg/kg	--	--	--		27000	24000	17 J
Manganese	7439-96-5	mg/kg	--	--	--	6.4	1300	1400	0.42 J
Nickel	7440-02-0	mg/kg	--	Yes	--	38	3.9	3.7	0.089 U
Potassium	7440-9-7	mg/kg	--	--	--		670	630	5500
Selenium	7782-49-2	mg/kg	--	Yes	--	0.39 U	0.3 U	0.27 U	0.34 U
Silver	7440-22-4	mg/kg	--	Yes	--	0.55 U	0.43 U	0.38 U	0.48 U
Sodium	7440-23-5	mg/kg	--	--	--		270	340	35 J
Thallium	7440-28-0	mg/kg	--	Yes	--	0.41 U	0.32 U	0.4 J	0.36 U
Vanadium	7440-62-2	mg/kg	--	--	--	0.54 J	5.3	5.4	0.23 U
Zinc	7440-66-6	mg/kg	--	Yes	--	0.93 U	170	230	1.4 J
7471B Mercury (CVAA)									
Mercury	7439-97-6	mg/kg	--	Yes	--	0.014 J	0.0075 U	0.0064 U	0.0063 U

Solid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	2511001	2511002	2511003	2511009
					Station	CF-PHE-111-NL-FS	CF-PHE-115-NL-FS	CF-PHE-115-NL-FD	CF-PHI-109-NL-FS
					Date	11/12/2025	11/12/2025	11/12/2025	11/12/2025
					Type	FS	FS	FD	FS
8260D Volatile Organic Compounds by GC/MS									
1,1,1,2-Tetrachloroethane	630-20-6	ug/kg	--	Yes	--	13 U	6.7 U	6.5 U	610 U
1,1,1-Trichloroethane	71-55-6	ug/kg	--	Yes	--	12 U	6.2 U	6 U	560 U
1,1,2,2-Tetrachloroethane	79-34-5	ug/kg	--	Yes	--	19 U	10 U	9.9 U	930 U
1,1,2-Trichloroethane	79-00-5	ug/kg	--	Yes	--	19 U	9.9 U	9.6 U	910 U
1,1-Dichloroethane	75-34-3	ug/kg	--	Yes	--	23 U	12 U	12 U	1100 U
1,1-Dichloroethene	75-35-4	ug/kg	--	Yes	--	31 U	16 U	16 U	1500 U
1,1-Dichloropropene	563-58-6	ug/kg	--	--	--	13 U	7.1 U	6.9 U	650 U
1,2,3-Trichlorobenzene	87-61-6	ug/kg	--	--	--	100 U	53 U	51 U	4900 U
1,2,3-Trichloropropane	96-18-4	ug/kg	--	--	--	29 U	15 U	15 U	1400 U
1,2,4-Trichlorobenzene	120-82-1	ug/kg	--	Yes	--	110 U	57 U	55 U	5200 U
1,2,4-Trimethylbenzene	95-63-6	ug/kg	--	--	--	34 U	18 U	18 U	1700 U
1,2-Dibromo-3-Chloropropane	96-12-8	ug/kg	--	Yes	--	39 U	20 U	20 U	1900 U
1,2-Dibromoethane	106-93-4	ug/kg	--	Yes	--	9.6 U	5.1 U	4.9 U	470 U
1,2-Dichlorobenzene	95-50-1	ug/kg	--	Yes	--	22 U	12 U	11 U	1100 U
1,2-Dichloroethane	107-06-2	ug/kg	--	Yes	--	14 U	7.4 U	7.1 U	670 U
1,2-Dichloropropane	78-87-5	ug/kg	--	Yes	--	17 U	8.8 U	8.6 U	810 U
1,3,5-Trimethylbenzene	108-67-8	ug/kg	--	--	--	19 U	10 U	9.9 U	930 U
1,3-Dichlorobenzene	541-73-1	ug/kg	--	Yes	--	34 U	18 U	17 U	1600 U
1,3-Dichloropropane	142-28-9	ug/kg	--	Yes	--	14 U	7.5 U	7.3 U	690 U
1,4-Dichlorobenzene	106-46-7	ug/kg	--	Yes	--	27 U	14 U	14 U	1300 U
2,2-Dichloropropane	594-20-7	ug/kg	--	--	--	31 U	16 U	16 U	1500 U
2-Chlorotoluene	95-49-8	ug/kg	--	--	--	22 U	12 U	11 U	1100 U
4-Chlorotoluene	106-43-4	ug/kg	--	--	--	25 U	13 U	13 U	1200 U
4-Isopropyltoluene	99-87-6	ug/kg	--	--	--	26 U	360 J	89 J	1200 U
Benzene	71-43-2	ug/kg	--	Yes	--	9.6 U	5.1 U	4.9 U	470 U
Bromobenzene	108-86-1	ug/kg	--	--	--	11 U	5.6 U	5.4 U	510 U
Bromochloromethane	74-97-5	ug/kg	--	--	--	16 U	8.3 U	8 U	760 U
Bromodichloromethane	75-27-4	ug/kg	--	Yes	--	14 U	7.4 U	7.1 U	670 U
Bromoform	75-25-2	ug/kg	--	Yes	--	11 U	6 U	5.8 U	550 U
Bromomethane	74-83-9	ug/kg	--	Yes	--	96 U	130	120 J	4600 U
Carbon tetrachloride	56-23-5	ug/kg	--	Yes	--	11 U	5.9 U	5.7 U	540 U
Chlorobenzene	108-90-7	ug/kg	--	Yes	--	12 U	6.4 U	6.2 U	590 U
Chloroethane	75-00-3	ug/kg	--	Yes	--	53 U	28 U	27 U	2600 U
Chloroform	67-66-3	ug/kg	--	Yes	--	11 U	5.6 U	5.4 U	510 U
Chloromethane	74-87-3	ug/kg	--	Yes	--	26 U	27 J	24 J	1200 U
cis-1,2-Dichloroethene	156-59-2	ug/kg	--	--	--	32 U	17 U	16 U	1500 U
cis-1,3-Dichloropropene	10061-01-5	ug/kg	--	--	--	10 U	5.4 U	5.2 U	490 U
Dibromochloromethane	124-48-1	ug/kg	--	Yes	--	12 U	6.6 U	6.4 U	600 U
Dibromomethane	74-95-3	ug/kg	--	Yes	--	19 U	9.9 U	9.6 U	910 U
Dichlorodifluoromethane	75-71-8	ug/kg	--	Yes	--	120 U	62 U	60 U	5600 U
Ethylbenzene	100-41-4	ug/kg	--	Yes	--	23 U	12 U	12 U	1100 U
Hexachlorobutadiene	87-68-3	ug/kg	--	Yes	--	61 U	130 U	130 U	2900 U
Isopropylbenzene	98-82-8	ug/kg	--	Yes	--	22 U	12 U	11 U	1100 U
Methyl tert-butyl ether	1634-04-4	ug/kg	--	Yes	--	15 U	8 U	7.8 U	740 U
Methylene Chloride	75-09-2	ug/kg	--	Yes	--	66 U	35 U	34 U	3200 U
m-Xylene & p-Xylene	179601-23-1	ug/kg	--	--	--	18 U	9.5 U	9.2 U	870 U
Naphthalene	91-20-3	ug/kg	--	Yes	--	99 U	52 U	51 U	4800 U
n-Butylbenzene	104-51-8	ug/kg	--	--	--	47 U	54 U	24 U	2300 U
N-Propylbenzene	103-65-1	ug/kg	--	--	--	38 U	20 U	19 U	1800 U
o-Xylene	95-47-6	ug/kg	--	Yes	--	13 U	6.7 U	6.5 U	610 U
sec-Butylbenzene	135-98-8	ug/kg	--	--	--	22 U	12 U	11 U	1100 U
Styrene	100-42-5	ug/kg	--	Yes	--	32 U	17 U	16 U	1600 U
t-Butylbenzene	98-06-6	ug/kg	--	--	--	20 U	10 U	10 U	940 U
Tetrachloroethene	127-18-4	ug/kg	--	Yes	--	13 U	7.1 U	6.9 U	650 U
Toluene	108-88-3	ug/kg	--	Yes	--	34 U	18 U	18 U	1700 U
trans-1,2-Dichloroethene	156-60-5	ug/kg	--	Yes	--	37 U	20 U	19 U	1800 U
trans-1,3-Dichloropropene	10061-02-6	ug/kg	--	--	--	18 U	9.4 U	9.1 U	860 U
Trichloroethene	79-01-6	ug/kg	--	Yes	--	26 U	14 U	13 U	1300 U
Trichlorofluoromethane	75-69-4	ug/kg	--	Yes	--	66 U	35 U	34 U	3200 U
Vinyl chloride	75-01-4	ug/kg	--	Yes	--	47 U	25 U	24 U	2300 U

Solid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	2511001	2511002	2511003	2511009
					Station	CF-PHE-111-NL-FS	CF-PHE-115-NL-FS	CF-PHE-115-NL-FD	CF-PHI-109-NL-FS
					Date	11/12/2025	11/12/2025	11/12/2025	11/12/2025
					Type	FS	FS	FD	FS
8270E Semivolatile Organic Compounds (GC/MS)									
1,2,4-Trichlorobenzene	120-82-1	ug/kg	--	Yes	--	47 U	49 U	55 UJ	570 U
1,2-Dichlorobenzene	95-50-1	ug/kg	--	Yes	--	39 U	41 U	46 UJ	470 U
1,3-Dichlorobenzene	541-73-1	ug/kg	--	Yes	--	38 U	39 U	44 UJ	450 U
1,4-Dichlorobenzene	106-46-7	ug/kg	--	Yes	--	65 U	67 U	76 UJ	780 U
1-Methylnaphthalene	90-12-0	ug/kg	--	--	--	39 U	41 U	46 UJ	470 U
2,4,5-Trichlorophenol	95-95-4	ug/kg	--	Yes	--	63 UJ	66 UJ	74 UJ	760 U
2,4,6-Trichlorophenol	88-06-2	ug/kg	--	Yes	--	260 UJ	270 UJ	300 UJ	3100 U
2,4-Dichlorophenol	120-83-2	ug/kg	--	Yes	--	220 UJ	230 UJ	260 UJ	2600 U
2,4-Dimethylphenol	105-67-9	ug/kg	--	Yes	--	470 UJ	490 UJ	550 UJ	5700 U
2,4-Dinitrophenol	51-28-5	ug/kg	--	Yes	--	4600 UJ	4700 UJ	5400 UJ	55000 UJ
2,4-Dinitrotoluene	121-14-2	ug/kg	--	Yes	--	340 U	350 U	400 UJ	4100 U
2,6-Dinitrotoluene	606-20-2	ug/kg	--	Yes	--	120 U	120 U	140 UJ	1400 U
2-Chloronaphthalene	91-58-7	ug/kg	--	Yes	--	39 U	41 U	46 UJ	470 U
2-Chlorophenol	95-57-8	ug/kg	--	Yes	--	31 UJ	32 UJ	37 UJ	380 U
2-Methylnaphthalene	91-57-6	ug/kg	--	--	--	69 U	71 U	81 UJ	830 U
2-Methylphenol	95-48-7	ug/kg	--	Yes	--	77 UJ	80 UJ	90 UJ	920 U
2-Nitroaniline	88-74-4	ug/kg	--	--	--	120 U	120 U	140 UJ	1400 U
2-Nitrophenol	88-75-5	ug/kg	--	Yes	--	150 UJ	150 UJ	170 UJ	1800 UJ
3 & 4 Methylphenol	15831-10-4	ug/kg	--	--	--	120 UJ	120 UJ	140 UJ	1400 U
3,3'-Dichlorobenzidine	91-94-1	ug/kg	--	Yes	--	2200 U	2300 U	2600 UJ	27000 U
3-Nitroaniline	99-09-2	ug/kg	--	--	--	780 U	810 U	920 UJ	9400 U
4,6-Dinitro-2-methylphenol	534-52-1	ug/kg	--	Yes	--	780 UJ	810 UJ	920 UJ	9400 UJ
4-Bromophenyl phenyl ether	101-55-3	ug/kg	--	Yes	--	71 U	74 U	84 UJ	860 U
4-Chloro-3-methylphenol	59-50-7	ug/kg	--	Yes	--	260 UJ	270 UJ	300 UJ	3100 U
4-Chloroaniline	106-47-8	ug/kg	--	Yes	--	1000 U	1100 U	1200 UJ	13000 U
4-Chlorophenyl phenyl ether	7005-72-3	ug/kg	--	Yes	--	49 U	51 U	58 UJ	590 U
4-Nitroaniline	100-01-6	ug/kg	--	Yes	--	390 UJ	410 UJ	460 UJ	4700 UJ
4-Nitrophenol	100-02-7	ug/kg	--	Yes	--	2000 UJ	2100 UJ	2300 UJ	24000 U
Acenaphthene	83-32-9	ug/kg	--	Yes	--	36 U	37 U	42 UJ	430 U
Acenaphthylene	208-96-8	ug/kg	--	Yes	--	39 U	41 U	46 UJ	470 U
Anthracene	120-12-7	ug/kg	--	Yes	--	130 U	130 U	150 UJ	1500 U
Benzo[a]anthracene	56-55-3	ug/kg	--	Yes	--	86 U	89 U	100 UJ	1000 U
Benzo[a]pyrene	50-32-8	ug/kg	--	Yes	--	310 U	320 U	360 UJ	3700 U
Benzo[b]fluoranthene	205-99-2	ug/kg	--	Yes	--	78 U	81 U	92 UJ	940 U
Benzo[g,h,i]perylene	191-24-2	ug/kg	--	Yes	--	140 U	150 U	170 UJ	1700 U
Benzo[k]fluoranthene	207-08-9	ug/kg	--	Yes	--	110 U	110 U	130 UJ	1300 U
Benzoic acid	65-85-0	ug/kg	--	Yes	--	9500 UJ	9900 UJ	11000 UJ	120000 UJ
Benzyl alcohol	100-51-6	ug/kg	--	--	--	2000 UJ	2100 UJ	2400 UJ	24000 UJ
Bis(2-chloroethoxy)methane	111-91-1	ug/kg	--	Yes	--	140 U	150 U	170 UJ	1700 U
Bis(2-chloroethyl)ether	111-44-4	ug/kg	--	Yes	--	60 U	62 U	71 UJ	730 U
Bis(2-ethylhexyl) phthalate	117-81-7	ug/kg	--	Yes	--	560 UJ	580 UJ	650 UJ	6700 UJ
bis(chloroisopropyl) ether	108-60-1	ug/kg	--	Yes	--	48 UJ	50 UJ	56 UJ	580 UJ
Butyl benzyl phthalate	85-68-7	ug/kg	--	Yes	--	400 U	410 U	470 UJ	4800 U
Carbazole	86-74-8	ug/kg	--	--	--	57 U	59 U	67 UJ	690 U
Chrysene	218-01-9	ug/kg	--	Yes	--	100 U	110 U	120 UJ	1200 U
Dibenz(a,h)anthracene	53-70-3	ug/kg	--	Yes	--	370 U	380 U	430 UJ	4400 U

Solid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	25111001	25111002	25111003	25111009
					Station	CF-PHE-111-NL-FS	CF-PHE-115-NL-FS	CF-PHE-115-NL-FD	CF-PHI-109-NL-FS
					Date	11/12/2025	11/12/2025	11/12/2025	11/12/2025
					Type	FS	FS	FD	FS
Dibenzofuran	132-64-9	ug/kg	--	Yes	--	46 U	48 U	54 UJ	560 U
Diethyl phthalate	84-66-2	ug/kg	--	Yes	--	170 U	180 U	200 UJ	2100 U
Dimethyl phthalate	131-11-3	ug/kg	--	Yes	--	39 U	41 U	46 UJ	470 U
Di-n-butyl phthalate	84-74-2	ug/kg	--	Yes	--	370 U	380 U	430 UJ	4400 U
Di-n-octyl phthalate	117-84-0	ug/kg	--	Yes	--	700 UJ	720 UJ	820 UJ	8400 UJ
Fluoranthene	206-44-0	ug/kg	--	Yes	--	94 U	97 U	110 UJ	1100 U
Fluorene	86-73-7	ug/kg	--	Yes	--	39 U	41 U	46 UJ	470 U
Hexachlorobenzene	118-74-1	ug/kg	--	Yes	--	120 U	120 U	140 UJ	1400 U
Hexachlorobutadiene	87-68-3	ug/kg	--	Yes	--	120 U	120 U	140 UJ	1400 U
Hexachlorocyclopentadiene	77-47-4	ug/kg	--	Yes	--	60 U	62 U	71 UJ	730 U
Hexachloroethane	67-72-1	ug/kg	--	Yes	--	34 U	35 U	40 UJ	410 U
Indeno[1,2,3-cd]pyrene	193-39-5	ug/kg	--	Yes	--	94 U	97 U	110 UJ	1100 U
Isophorone	78-59-1	ug/kg	--	Yes	--	66 U	68 U	77 UJ	790 U
Naphthalene	91-20-3	ug/kg	--	Yes	--	39 U	41 U	46 UJ	470 U
Nitrobenzene	98-95-3	ug/kg	--	Yes	--	160 U	160 U	180 UJ	1900 U
N-Nitrosodi-n-propylamine	621-64-7	ug/kg	--	Yes	--	170 U	180 U	200 UJ	2100 U
N-Nitrosodiphenylamine	86-30-6	ug/kg	--	Yes	--	63 U	65 U	74 UJ	750 U
Pentachlorophenol	87-86-5	ug/kg	--	Yes	--	2100 UJ	2200 UJ	2500 UJ	25000 U
Phenanthrene	85-01-8	ug/kg	--	Yes	--	45 U	47 U	53 UJ	550 U
Phenol	108-95-2	ug/kg	--	Yes	--	180 UJ	190 UJ	210 UJ	2200 U
Pyrene	129-00-0	ug/kg	--	Yes	--	100 U	110 U	120 UJ	1200 U

Bold type indicates result is detected.
Orange highlight indicates analyte is in the CERCLA hazardous substance list and result is detected
-- indicates regulatory limit and/or result is not available.

Key:

CAS.NO = Chemical Abstracts Service Number
CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act
CVAA = Cold Vapor Atomic Absorption
ER= Emergency Response
FD = Field Duplicate
FS = Field Sample
GC/MS= Gas chromatography mass spectrometry
ICP= Inductively Coupled Plasma
ID= Identification
J = The associated value is an estimated quantity.
mg/kg = Milligram per kilogram
mg/L = Milligram per liter
NA= Not Applicable
R = The data are unusable. The analyte may or may not be present in the sample.
RCRA = Resource Conservation and Recovery Act
SU = Standard Units
TCLP= Toxicity Characteristic Leaching Procedure
The material was analyzed for but was not detected above the level of the associated value. The associated value is either the sample quantitation limit
U = or the sample detection limit.
ug/kg = Microgram per kilogram
UJ = The analyte was analyzed for but was not detected. The associated value is an estimate and may be inaccurate or imprecise.

Solid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	2511021	2511036	2511037	2511038
					Station	CF-EXT-189-NL-FS	CF-PHE-174-NL-FS	CF-PHE-173-NL-FS	CF-PHE-181-NL-FS
					Date	11/14/2025	11/17/2025	11/17/2025	11/17/2025
					Type	FS	FS	FS	FS
1010A Ignitability, Pensky-Martens Closed-Cup Method									
Ignitability	STL00250	Degrees F	< 140	--	--	>212	>212	>212	>212
9034 Reactive Sulfide, Reactive									
Sulfide, Reactive	STL00261	mg/kg	--	--	--	2 U	1.9 U	2.5 U	1.9 U
9045D pH									
pH	STL00204	SU	≤2 or ≥12.5	--	--	9.8	10.2	9.1	2.3
376.2 Sulfide									
Sulfide	18496-25-8	mg/kg	--	--	--	0.4 J	0.17 U	0.63	0.2 U
6010D Metals (ICP) TCLP									
Aluminum	7429-90-5	mg/L	--	--	--	2.8	0.5 U	0.5 U	33
Antimony	7440-36-0	mg/L	--	Yes	--	0.0042 U	0.0042 U	0.027 J	0.0042 U
Arsenic	7440-38-2	mg/L	5	Yes	--	0.013 J	0.034 J	0.042 J	0.0072 U
Barium	7440-39-3	mg/L	100	--	--	0.4	0.22	0.32	0.024
Beryllium	7440-41-7	mg/L	--	Yes	--	0.0009 U	0.0009 U	0.0009 U	0.02 U
Cadmium	7440-43-9	mg/L	1	Yes	--	0.0009 U	0.0009 U	0.02 U	0.0009 U
Chromium	7440-47-3	mg/L	5	Yes	--	0.0066 J	0.015 J	0.0027 U	0.12
Cobalt	7440-48-4	mg/L	--	--	--	0.0005 U	0.02 U	0.02 U	0.02 U
Copper	7440-50-8	mg/L	--	Yes	--	0.35	0.037 J	0.12	20
Iron	7439-89-6	mg/L	--	--	--	0.57	0.061 U	0.061 U	1.6
Lead	7439-92-1	mg/L	5	Yes	--	0.013 J	0.0027 U	0.018 J	0.014 J
Manganese	7439-96-5	mg/L	--	--	--	0.72	0.92	21	11
Nickel	7440-02-0	mg/L	--	Yes	--	0.027	0.02 U	0.33	0.17
Selenium	7782-49-2	mg/L	1	Yes	--	0.021 J	0.0087 U	0.0097 J	0.0089 J
Silver	7440-22-4	mg/L	5	Yes	--	0.0085 U	0.0085 U	0.0085 U	0.0085 U
Thallium	7440-28-0	mg/L	--	Yes	--	0.0032 U	0.0032 U	0.0032 U	0.0032 U
Vanadium	7440-62-2	mg/L	--	--	--	0.0061 U	0.065	0.054	0.0061 U
Zinc	7440-66-6	mg/L	--	Yes	--	0.051	0.77	16	1
7470A Mercury (CVAA)									
Mercury	7439-97-6	mg/L	0.2	Yes	--	0.00067 J	0.00056 J	0.00056 J	0.00056 J
6010D Metals (ICP)									
Aluminum	7429-90-5	mg/kg	--	--	--	55 J	17000	25000	3800
Antimony	7440-36-0	mg/kg	--	Yes	--	0.28 U	0.18 U	23	3 J
Arsenic	7440-38-2	mg/kg	--	Yes	--	0.27 U	3.6	8.8	2.2 J
Barium	7440-39-3	mg/kg	--	--	--	22	70	2200	43
Beryllium	7440-41-7	mg/kg	--	Yes	--	0.075 U	0.23 J	0.18 J	0.22 J
Cadmium	7440-43-9	mg/kg	--	Yes	--	0.053 U	0.69	3.2	0.27 J
Calcium	7440-70-2	mg/kg	--	--	--	4100	9100	68000	1800
Chromium	7440-47-3	mg/kg	--	Yes	--	0.56 J	28	86	21
Cobalt	7440-48-4	mg/kg	--	--	--	0.056 U	8.5	17	1.3
Copper	7440-50-8	mg/kg	--	Yes	--	9.4	35	310	430
Iron	7439-89-6	mg/kg	--	--	--	54 J	26000	34000	19000
Lead	7439-92-1	mg/kg	--	Yes	--	0.61 J	4.7	580	45
Magnesium	7439-95-4	mg/kg	--	--	--	4400	6100	19000	70000
Manganese	7439-96-5	mg/kg	--	--	--	20	410	5800	320
Nickel	7440-02-0	mg/kg	--	Yes	--	0.88 J	26	74	9.9
Potassium	7440-9-7	mg/kg	--	--	--	480	7700	8700	1900
Selenium	7782-49-2	mg/kg	--	Yes	--	0.43 U	0.26 U	2.7 J	0.5 J
Silver	7440-22-4	mg/kg	--	Yes	--	0.6 U	0.37 U	1.7 J	0.58 U
Sodium	7440-23-5	mg/kg	--	--	--	84000	3400	2600	450
Thallium	7440-28-0	mg/kg	--	Yes	--	0.45 U	0.28 U	2.1 J	0.44 U
Vanadium	7440-62-2	mg/kg	--	--	--	0.28 U	59	110	13
Zinc	7440-66-6	mg/kg	--	Yes	--	1.1 J	160	8800	27
7471B Mercury (CVAA)									
Mercury	7439-97-6	mg/kg	--	Yes	--	0.0058 U	0.0057 U	0.11	0.028

Solid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	2511021	2511036	2511037	2511038
					Station	CF-EXT-189-NL-FS	CF-PHE-174-NL-FS	CF-PHE-173-NL-FS	CF-PHE-181-NL-FS
					Date	11/14/2025	11/17/2025	11/17/2025	11/17/2025
					Type	FS	FS	FS	FS
8260D Volatile Organic Compounds by GC/MS									
1,1,1,2-Tetrachloroethane	630-20-6	ug/kg	--	Yes	--	650 U	5.4 U	6.4 U	96 U
1,1,1-Trichloroethane	71-55-6	ug/kg	--	Yes	--	590 U	4.9 U	5.9 U	89 U
1,1,2,2-Tetrachloroethane	79-34-5	ug/kg	--	Yes	--	980 U	8.2 U	9.8 U	150 U
1,1,2-Trichloroethane	79-00-5	ug/kg	--	Yes	--	960 U	8 U	9.5 U	140 U
1,1-Dichloroethane	75-34-3	ug/kg	--	Yes	--	1200 U	9.9 U	12 U	180 U
1,1-Dichloroethene	75-35-4	ug/kg	--	Yes	--	1600 U	13 U	16 U	240 U
1,1-Dichloropropene	563-58-6	ug/kg	--	--	--	680 U	5.7 U	6.8 U	100 U
1,2,3-Trichlorobenzene	87-61-6	ug/kg	--	--	--	5100 U	43 U	51 U	760 U
1,2,3-Trichloropropane	96-18-4	ug/kg	--	--	--	1500 U	12 U	15 U	220 U
1,2,4-Trichlorobenzene	120-82-1	ug/kg	--	Yes	--	5500 U	46 U	55 U	820 U
1,2,4-Trimethylbenzene	95-63-6	ug/kg	--	--	--	1700 U	15 U	17 U	260 U
1,2-Dibromo-3-Chloropropane	96-12-8	ug/kg	--	Yes	--	2000 U	16 U	20 U	290 U
1,2-Dibromoethane	106-93-4	ug/kg	--	Yes	--	490 U	4.1 U	4.9 U	73 U
1,2-Dichlorobenzene	95-50-1	ug/kg	--	Yes	--	1100 U	9.4 U	11 U	170 U
1,2-Dichloroethane	107-06-2	ug/kg	--	Yes	--	710 U	5.9 U	7.1 U	110 U
1,2-Dichloropropane	78-87-5	ug/kg	--	Yes	--	850 U	7.1 U	8.5 U	130 U
1,3,5-Trimethylbenzene	108-67-8	ug/kg	--	--	--	980 U	8.2 U	9.8 U	150 U
1,3-Dichlorobenzene	541-73-1	ug/kg	--	Yes	--	1700 U	14 U	17 U	260 U
1,3-Dichloropropane	142-28-9	ug/kg	--	Yes	--	720 U	6 U	7.2 U	110 U
1,4-Dichlorobenzene	106-46-7	ug/kg	--	Yes	--	1400 U	12 U	14 U	210 U
2,2-Dichloropropane	594-20-7	ug/kg	--	--	--	1600 U	13 U	16 U	230 U
2-Chlorotoluene	95-49-8	ug/kg	--	--	--	1100 U	9.5 U	11 U	170 U
4-Chlorotoluene	106-43-4	ug/kg	--	--	--	1300 U	11 U	13 U	190 U
4-Isopropyltoluene	99-87-6	ug/kg	--	--	--	1300 U	43 U	51 U	1000
Benzene	71-43-2	ug/kg	--	Yes	--	490 U	4.1 U	4.9 U	73 U
Bromobenzene	108-86-1	ug/kg	--	--	--	540 U	4.5 U	5.4 U	81 U
Bromochloromethane	74-97-5	ug/kg	--	--	--	800 U	6.7 U	8 U	120 U
Bromodichloromethane	75-27-4	ug/kg	--	Yes	--	710 U	5.9 U	7.1 U	110 U
Bromoform	75-25-2	ug/kg	--	Yes	--	5800 U	4.8 U	5.8 U	87 U
Bromomethane	74-83-9	ug/kg	--	Yes	--	4900 U	110 U	130 U	730 U
Carbon tetrachloride	56-23-5	ug/kg	--	Yes	--	570 U	4.7 U	5.6 U	85 U
Chlorobenzene	108-90-7	ug/kg	--	Yes	--	620 U	5.2 U	6.2 U	92 U
Chloroethane	75-00-3	ug/kg	--	Yes	--	2700 U	22 U	27 U	400 U
Chloroform	67-66-3	ug/kg	--	Yes	--	540 U	4.5 U	5.4 U	81 U
Chloromethane	74-87-3	ug/kg	--	Yes	--	1300 U	17 J	20 J	190 U
cis-1,2-Dichloroethene	156-59-2	ug/kg	--	--	--	1600 U	14 U	16 U	240 U
cis-1,3-Dichloropropene	10061-01-5	ug/kg	--	--	--	520 U	4.3 U	5.1 U	77 U
Dibromochloromethane	124-48-1	ug/kg	--	Yes	--	630 U	5.3 U	6.3 U	94 U
Dibromomethane	74-95-3	ug/kg	--	Yes	--	960 U	8 U	9.5 U	140 U
Dichlorodifluoromethane	75-71-8	ug/kg	--	Yes	--	5900 U	49 U	59 U	880 U
Ethylbenzene	100-41-4	ug/kg	--	Yes	--	1200 U	9.8 U	12 U	180 U
Hexachlorobutadiene	87-68-3	ug/kg	--	Yes	--	3100 U	110 U	130 U	460 U
Isopropylbenzene	98-82-8	ug/kg	--	Yes	--	1100 U	9.2 U	11 U	170 U
Methyl tert-butyl ether	1634-04-4	ug/kg	--	Yes	--	770 U	6.5 U	7.7 U	120 U
Methylene Chloride	75-09-2	ug/kg	--	Yes	--	3400 U	28 U	33 U	2100 J
m-Xylene & p-Xylene	179601-23-1	ug/kg	--	--	--	920 U	7.6 U	9.1 U	140 U
Naphthalene	91-20-3	ug/kg	--	Yes	--	5000 U	42 U	50 U	750 U
n-Butylbenzene	104-51-8	ug/kg	--	--	--	2400 U	20 U	24 U	360 U
N-Propylbenzene	103-65-1	ug/kg	--	--	--	1900 U	16 U	19 U	290 U
o-Xylene	95-47-6	ug/kg	--	Yes	--	650 U	5.4 U	6.4 U	96 U
sec-Butylbenzene	135-98-8	ug/kg	--	--	--	1100 U	9.2 U	11 U	170 U
Styrene	100-42-5	ug/kg	--	Yes	--	1600 U	14 U	16 U	240 U
t-Butylbenzene	98-06-6	ug/kg	--	--	--	990 U	8.3 U	9.9 U	150 U
Tetrachloroethene	127-18-4	ug/kg	--	Yes	--	680 U	5.7 U	6.8 U	100 U
Toluene	108-88-3	ug/kg	--	Yes	--	1700 U	15 U	17 U	260 U
trans-1,2-Dichloroethene	156-60-5	ug/kg	--	Yes	--	1900 U	16 U	19 U	280 U
trans-1,3-Dichloropropene	10061-02-6	ug/kg	--	--	--	900 U	7.5 U	9 U	130 U
Trichloroethene	79-01-6	ug/kg	--	Yes	--	1300 U	11 U	13 U	200 U
Trichlorofluoromethane	75-69-4	ug/kg	--	Yes	--	3400 U	28 U	33 U	500 U
Vinyl chloride	75-01-4	ug/kg	--	Yes	--	2400 U	20 U	24 U	360 U

Solid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	2511021	2511036	2511037	2511038
					Station	CF-EXT-189-NL-FS	CF-PHE-174-NL-FS	CF-PHE-173-NL-FS	CF-PHE-181-NL-FS
					Date	11/14/2025	11/17/2025	11/17/2025	11/17/2025
					Type	FS	FS	FS	FS
8270E Semivolatile Organic Compounds (GC/MS)									
1,2,4-Trichlorobenzene	120-82-1	ug/kg	--	Yes	--	110 U	48 U	49 UJ	74 UJ
1,2-Dichlorobenzene	95-50-1	ug/kg	--	Yes	--	93 U	4.8 U	4.9 UJ	62 UJ
1,3-Dichlorobenzene	541-73-1	ug/kg	--	Yes	--	89 U	4.6 U	4.7 UJ	59 UJ
1,4-Dichlorobenzene	106-46-7	ug/kg	--	Yes	--	150 U	8 U	8.1 UJ	100 UJ
1-Methylnaphthalene	90-12-0	ug/kg	--	--	--	93 U	4.8 U	12 J	62 UJ
2,4,5-Trichlorophenol	95-95-4	ug/kg	--	Yes	--	150 U	7.8 UJ	7.9 UJ	100 UJ
2,4,6-Trichlorophenol	88-06-2	ug/kg	--	Yes	--	610 U	32 U	32 UJ	410 UJ
2,4-Dichlorophenol	120-83-2	ug/kg	--	Yes	--	520 U	27 UJ	27 UJ	350 UJ
2,4-Dimethylphenol	105-67-9	ug/kg	--	Yes	--	1100 U	58 U	350 J	740 UJ
2,4-Dinitrophenol	51-28-5	ug/kg	--	Yes	--	11000 U	560 UJ	570 UJ	7200 UJ
2,4-Dinitrotoluene	121-14-2	ug/kg	--	Yes	--	800 U	41 U	42 UJ	530 UJ
2,6-Dinitrotoluene	606-20-2	ug/kg	--	Yes	--	280 U	14 U	15 UJ	190 UJ
2-Chloronaphthalene	91-58-7	ug/kg	--	Yes	--	93 U	4.8 U	4.9 UJ	62 UJ
2-Chlorophenol	95-57-8	ug/kg	--	Yes	--	74 U	3.8 U	3.9 UJ	50 UJ
2-Methylnaphthalene	91-57-6	ug/kg	--	--	--	160 U	8.4 U	10 J	110 UJ
2-Methylphenol	95-48-7	ug/kg	--	Yes	--	180 U	9.4 U	9.5 UJ	120 UJ
2-Nitroaniline	88-74-4	ug/kg	--	--	--	7100	14 U	15 UJ	190 UJ
2-Nitrophenol	88-75-5	ug/kg	--	Yes	--	350 UJ	18 U	18 UJ	240 UJ
3 & 4 Methylphenol	15831-10-4	ug/kg	--	--	--	280 U	14 U	1700 J	190 UJ
3,3'-Dichlorobenzidine	91-94-1	ug/kg	--	Yes	--	5300 U	270 U	270 UJ	3500 UJ
3-Nitroaniline	99-09-2	ug/kg	--	--	--	1900 U	96 U	97 UJ	1200 UJ
4,6-Dinitro-2-methylphenol	534-52-1	ug/kg	--	Yes	--	1900 U	96 UJ	97 UJ	1200 UJ
4-Bromophenyl phenyl ether	101-55-3	ug/kg	--	Yes	--	170 U	8.7 U	8.8 UJ	110 UJ
4-Chloro-3-methylphenol	59-50-7	ug/kg	--	Yes	--	610 U	32 U	32 UJ	410 UJ
4-Chloroaniline	106-47-8	ug/kg	--	Yes	--	2500 U	130 U	130 UJ	1700 UJ
4-Chlorophenyl phenyl ether	7005-72-3	ug/kg	--	Yes	--	120 U	6 U	6.1 UJ	78 UJ
4-Nitroaniline	100-01-6	ug/kg	--	Yes	--	930 U	48 UJ	49 UJ	620 UJ
4-Nitrophenol	100-02-7	ug/kg	--	Yes	--	4700 U	240 UJ	250 UJ	3100 UJ
Acenaphthene	83-32-9	ug/kg	--	Yes	--	86 U	4.4 U	4.5 UJ	57 UJ
Acenaphthylene	208-96-8	ug/kg	--	Yes	--	93 U	4.8 U	4.9 UJ	62 UJ
Anthracene	120-12-7	ug/kg	--	Yes	--	300 U	15 U	16 UJ	200 UJ
Benzo[a]anthracene	56-55-3	ug/kg	--	Yes	--	200 U	11 U	11 UJ	140 UJ
Benzo[a]pyrene	50-32-8	ug/kg	--	Yes	--	730 U	37 U	38 UJ	480 UJ
Benzo[b]fluoranthene	205-99-2	ug/kg	--	Yes	--	190 U	9.6 U	9.7 UJ	120 UJ
Benzo[g,h,i]perylene	191-24-2	ug/kg	--	Yes	--	340 U	17 U	17 UJ	220 UJ
Benzo[k]fluoranthene	207-08-9	ug/kg	--	Yes	--	260 U	13 U	14 UJ	170 UJ
Benzoic acid	65-85-0	ug/kg	--	Yes	--	23000 UJ	1200 UJ	1200 UJ	15000 UJ
Benzyl alcohol	100-51-6	ug/kg	--	--	--	4800 U	250 U	250 UJ	3200 UJ
Bis(2-chloroethoxy)methane	111-91-1	ug/kg	--	Yes	--	340 U	17 U	17 UJ	220 UJ
Bis(2-chloroethyl)ether	111-44-4	ug/kg	--	Yes	--	140 U	7.4 U	7.5 UJ	95 UJ
Bis(2-ethylhexyl) phthalate	117-81-7	ug/kg	--	Yes	--	1300 U	68 U	69 UJ	880 UJ
bis(chloroisopropyl) ether	108-60-1	ug/kg	--	Yes	--	110 UJ	5.9 UJ	5.9 UJ	76 UJ
Butyl benzyl phthalate	85-68-7	ug/kg	--	Yes	--	950 U	49 U	50 UJ	630 UJ
Carbazole	86-74-8	ug/kg	--	--	--	140 U	7 U	7.1 UJ	90 UJ
Chrysene	218-01-9	ug/kg	--	Yes	--	240 U	12 U	13 UJ	160 UJ
Dibenz(a,h)anthracene	53-70-3	ug/kg	--	Yes	--	880 U	45 U	46 UJ	580 UJ

Solid Product: Analytical Data
EPA Region 10

Analyte	CAS.NO	Units	RCRA Characteristics	CERCLA Hazardous Substance	Sample ID	2511021	2511036	2511037	2511038
					Station	CF-EXT-189-NL-FS	CF-PHE-174-NL-FS	CF-PHE-173-NL-FS	CF-PHE-181-NL-FS
					Date	11/14/2025	11/17/2025	11/17/2025	11/17/2025
					Type	FS	FS	FS	FS
Dibenzofuran	132-64-9	ug/kg	--	Yes	--	110 U	5.7 U	13 J	73 UJ
Diethyl phthalate	84-66-2	ug/kg	--	Yes	--	410 U	21 U	21 UJ	270 UJ
Dimethyl phthalate	131-11-3	ug/kg	--	Yes	--	93 U	4.8 U	4.9 UJ	62 UJ
Di-n-butyl phthalate	84-74-2	ug/kg	--	Yes	--	880 U	45 U	46 UJ	580 UJ
Di-n-octyl phthalate	117-84-0	ug/kg	--	Yes	--	1700 U	85 U	86 UJ	1100 UJ
Fluoranthene	206-44-0	ug/kg	--	Yes	--	220 U	13 J	38 J	150 UJ
Fluorene	86-73-7	ug/kg	--	Yes	--	93 U	4.8 U	4.9 UJ	62 UJ
Hexachlorobenzene	118-74-1	ug/kg	--	Yes	--	280 U	14 U	15 UJ	190 UJ
Hexachlorobutadiene	87-68-3	ug/kg	--	Yes	--	280 U	14 U	15 UJ	190 UJ
Hexachlorocyclopentadiene	77-47-4	ug/kg	--	Yes	--	140 U	7.4 U	7.5 UJ	95 UJ
Hexachloroethane	67-72-1	ug/kg	--	Yes	--	80 U	4.1 U	4.2 UJ	53 UJ
Indeno[1,2,3-cd]pyrene	193-39-5	ug/kg	--	Yes	--	220 U	12 U	12 UJ	150 UJ
Isophorone	78-59-1	ug/kg	--	Yes	--	160 U	8.1 U	61 J	100 UJ
Naphthalene	91-20-3	ug/kg	--	Yes	--	93 U	4.8 U	66 J	62 UJ
Nitrobenzene	98-95-3	ug/kg	--	Yes	--	370 U	19 U	19 UJ	250 UJ
N-Nitrosodi-n-propylamine	621-64-7	ug/kg	--	Yes	--	410 U	21 U	21 UJ	270 UJ
N-Nitrosodiphenylamine	86-30-6	ug/kg	--	Yes	--	150 U	7.7 U	7.8 UJ	99 UJ
Pentachlorophenol	87-86-5	ug/kg	--	Yes	--	5000 U	260 U	260 UJ	3300 UJ
Phenanthrene	85-01-8	ug/kg	--	Yes	--	110 U	5.6 U	24 J	72 UJ
Phenol	108-95-2	ug/kg	--	Yes	--	730 J	22 U	560 J	280 UJ
Pyrene	129-00-0	ug/kg	--	Yes	--	240 U	12 J	30 J	160 UJ

Bold type indicates result is detected.
 Orange highlight indicates analyte is in the CERCLA hazardous substance list and result is detected
 -- indicates regulatory limit and/or result is not available.

Key:
 CAS.NO = Chemical Abstracts Service Number
 CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act
 CVAA = Cold Vapor Atomic Absorption
 ER= Emergency Response
 FD = Field Duplicate
 FS = Field Sample
 GC/MS= Gas chromatography mass spectrometry
 ICP= Inductively Coupled Plasma
 ID= Identification
 J = The associated value is an estimated quantity.
 mg/kg = Milligram per kilogram
 mg/L = Milligram per liter
 NA= Not Applicable
 R = The data are unusable. The analyte may or may not be present in the sample.
 RCRA = Resource Conservation and Recovery Act
 SU = Standard Units
 TCLP= Toxicity Characteristic Leaching Procedure
 The material was analyzed for but was not detected above the level of the associated value. The associated value is either the sample quantitation limit
 U = or the sample detection limit.
 ug/kg = Microgram per kilogram
 UJ = The analyte was analyzed for but was not detected. The associated value is an estimate and may be inaccurate or imprecise.

APPENDIX E

Thermal Imaging Photograph Log

APPENDIX F

Rank and Rating Scoring Matrix

Rank and Rating Scoring Matrix
EPA Region 10

EPA Tank ID	Tank Contents	Gallons Present	Active Leak Points	Non-Storage Tank Points	Capacity Points	RCRA Points	No Secondary Containment Points	Insufficient Secondary Containment Points	Rust on Valve Points	Rust on Exterior Points	Rust on Pipes Points	Historical Leak Points	Sweet Sewer Points	River Points	Total Points
247	Unknown	67,912	2	2	3	2	2	--	1	1	1	--	--	--	14
249	Unknown	67,912	2	2	3	2	2	--	1	1	1	--	--	--	14
113	Magnesium Oxide	43,003	2	--	3	2	2	--	1	1	1	1	--	--	13
246	Sulfite Liquors	67,912	--	2	3	2	2	--	1	1	1	--	--	--	12
290	Sulfite Liquors	13,836	--	2	3	2	--	1	1	1	1	--	--	--	11
105	Magnesium Oxide and Magnesium Hydroxide	Unknown	--	2	--	2	2	--	1	1	1	1	--	--	10
214	Sulfite Liquors	125,838	2	--	4	2	2	--	--	--	--	--	--	--	10
248	Sulfite Liquors	67,912	--	2	3	2	--	--	1	1	1	--	--	--	10
125	Nalco 7408	100	--	--	1	2	2	--	1	1	1	1	--	--	9
139	Sodium Hydroxide	2,256	--	--	2	2	2	--	--	1	1	--	--	1	9
148	Sulfuric Acid	3,141	--	--	2	2	2	--	1	1	1	--	--	--	9
181	Unknown	2,132	--	2	2	--	2	--	1	1	1	--	--	--	9
196	Sodium Hydroxide	65,196	--	--	3	2	--	1	1	1	--	--	--	1	9
235	Sodium Hydroxide	15,227	--	--	3	2	2	--	--	1	--	--	1	--	9
237	Sulfite Liquors	Unknown	--	2	--	2	2	--	1	1	1	--	--	--	9
238	Sulfite Liquors	Unknown	--	2	--	2	2	--	1	1	1	--	--	--	9
239	Sulfite Liquors	Unknown	--	2	--	2	2	--	1	1	1	--	--	--	9
240	Sulfite Liquors	Unknown	--	2	--	2	2	--	1	1	1	--	--	--	9
241	Sulfite Liquors	Unknown	--	2	--	2	2	--	1	1	1	--	--	--	9
242	Sulfite Liquors	Unknown	--	2	--	2	2	--	1	1	1	--	--	--	9
243	Sulfite Liquors	Unknown	--	2	--	2	2	--	1	1	1	--	--	--	9
244	Sulfite Liquors	Unknown	--	2	--	2	2	--	1	1	1	--	--	--	9
291	Sulfite Liquors	49,329	--	2	3	--	--	1	1	1	1	--	--	--	9
293	Sulfite Liquors	Unknown	--	2	--	2	2	--	1	1	1	--	--	--	9
294	Sulfite Liquors	Unknown	--	2	--	2	2	--	1	1	1	--	--	--	9
295	Sulfite Liquors	Unknown	--	2	--	2	2	--	1	1	1	--	--	--	9
296	Sulfite Liquors	Unknown	--	2	--	2	2	--	1	1	1	--	--	--	9
297	Sulfite Liquors	Unknown	--	2	--	2	2	--	1	1	1	--	--	--	9
298	Sulfite Liquors	Unknown	--	2	--	2	2	--	1	1	1	--	--	--	9
299	Sulfite Liquors	Unknown	--	2	--	2	2	--	1	1	1	--	--	--	9
300	Sulfite Liquors	Unknown	--	2	--	2	2	--	1	1	1	--	--	--	9
301	Sulfite Liquors	Unknown	--	2	--	2	2	--	1	1	1	--	--	--	9
255	Unknown	71	--	2	1	--	2	--	1	1	1	--	--	--	8
192	Unknown	10,448	--	--	3	--	2	--	1	1	1	--	--	--	8
218	Sulfite Liquors	4,177	2	--	2	2	2	--	--	--	--	--	--	--	8
224	Sodium Hydroxide	19,034	--	2	3	2	--	--	--	--	1	--	--	--	8
132	Unknown	Unknown	--	2	--	--	2	--	1	1	1	--	--	--	7
115	Sulfite Liquors	14,466	--	2	3	--	2	--	--	--	--	--	--	--	7
174	Unknown	7,538	--	2	2	--	2	--	--	1	--	--	--	--	7
223	Sulfite Liquors	15,227	--	--	3	2	2	--	--	--	--	--	--	--	7
215	Unknown	1,692	--	2	2	--	2	--	--	--	--	--	--	--	6
217	Unknown	1,692	--	2	2	--	2	--	--	--	--	--	--	--	6
110	Hydrochloric Acid	2,400	--	--	2	2	2	--	--	--	--	--	--	--	6
114	Sulfite Liquors	8,141	--	2	2	--	2	--	--	--	--	--	--	--	6
173	Unknown	82	--	2	1	--	2	--	1	--	--	--	--	--	6
193	Fennofix 501/Nalco 8105	913	--	--	1	--	2	--	1	1	1	--	--	--	6
207	Sodium Hypochlorite	1,218	--	--	2	2	2	--	--	--	--	--	--	--	6
213	Unknown - Empty	3,172	--	2	2	--	2	--	--	--	--	--	--	--	6
236	Sulfite Liquors	Unknown	--	2	--	--	2	--	1	1	--	--	--	--	6
285	Igepal Surfactant	477	--	--	1	--	2	--	1	1	1	--	--	--	6
103	Tri-Aet 1825	495	--	--	1	2	--	1	--	--	--	1	--	--	5
104	Sodium Hydroxide	56	--	--	1	2	--	1	--	--	1	--	--	--	5
111	Sulfur	9,925	--	--	2	--	--	--	--	1	1	--	1	--	5
112	Hydrochloric Acid	180	--	--	1	2	2	--	--	--	--	--	--	--	5
225	Sodium Hypochlorite	3,629	--	--	2	2	--	1	--	--	--	--	--	--	5
226	Unknown	785	--	--	1	--	2	--	1	--	--	--	--	--	4
141	AXFIX 8557	6,175	--	--	2	--	2	--	--	--	--	--	--	--	4
143	Multiple unknowns	Unknown	--	2	--	--	2	--	--	--	--	--	--	--	4
152	Sodium Hypochlorite	846	--	--	1	2	--	--	--	--	--	--	--	1	4
197	Sulfuric Acid	Unknown	--	--	--	2	--	1	--	1	--	--	--	--	4
286	Multiple unknowns	Unknown	--	--	--	--	2	--	--	1	--	--	--	--	3
101	Nalco Nexguard 22305	825	--	--	1	--	--	1	--	--	--	1	--	--	3
144	Sulfite Liquors	Unknown	--	--	--	--	2	--	--	1	--	--	--	--	3
145	Sulfite Liquors	Unknown	--	--	--	--	2	--	--	1	--	--	--	--	3
188	COEL	7,943	--	--	2	--	--	1	--	--	--	--	--	--	3
189	COEL	7,500	--	--	2	--	--	1	--	--	--	--	--	--	3
106	Axfloc 4820	660	--	--	1	--	--	--	--	--	--	1	--	--	2
149	Flocculent	2,482	--	--	2	--	--	--	--	--	--	--	--	--	2
166	Unknown	Unknown	--	2	--	--	--	--	--	--	--	--	--	--	2
199	Methanol	2,644	--	--	2	--	--	--	--	--	--	--	--	--	2
287	Antichlor	Unknown	--	--	--	--	2	--	--	--	--	--	--	--	2
102	Nalco Surgard 1700	320	--	--	1	--	--	--	--	--	--	--	--	--	1
107	Axfloc 4820	20	--	--	1	--	--	--	--	--	--	--	--	--	1
108	Defoamer 540	50	--	--	1	--	--	--	--	--	--	--	--	--	1
109	Defoamer 540	120	--	--	1	--	--	--	--	--	--	--	--	--	1

APPENDIX G

Tank Assessment and Inventory Summary

Appendix G - Tank Assessment and Inventory Summary
Cosmo Specialty Fibers Removal Site Evaluation Report
February 2026

TankID_EPA	Tank_Area	Tank_FunctionalGroup	Tank_CapacityRounded (Gallons)	CalculatedGallonsPresent	CERCLA_ListedHazSubstance	Tank_ContentsSimplified	Tank_RiskEvaluation	Tank_ProbablePathway	Tank_Type
101	PHI	Storage	1,500	825	Yes	Nalco Nexguard 22305	Leakage_Staining,Insufficient_SecondaryContainment	Sour_Sewer	Poly
102	PHI	Storage	800	320	Yes	Nalco Surgard 1700	Near_MigrationPath	Sour_Sewer	Poly
103	PHI	Storage	1,100	495	Yes	Tri-Act 1825	Leakage_Staining,Insufficient_SecondaryContainment	Sour_Sewer	Poly
104	PHI	Storage	400	56	Yes	Sodium Hydroxide	Rust_Piping,Other,Insufficient_SecondaryContainment,Crystallization on valve and piping and top of tank	Sour_Sewer	Poly
105	PHI	Process	10,000	Unknown	Yes	Magnesium Oxide and Magnesium Hydroxide	Rust_Exterior,Rust_Valves,Rust_Piping,Leakage_Staining,Insufficient_SecondaryContainment,Large_Volume	Sour_Sewer	Carbon Steel
106	PHI	Storage	5,500	660	Yes	Axfloc 4820	Leakage_Staining	Sour_Sewer	Carbon Steel
107	PHI	Storage	1,000	20	Yes	Axfloc 4820	None	Sour_Sewer	Poly
108	PHI	Storage	200	50	Yes	Defoamer 540	None	Sour_Sewer	Poly
109	PHI	Storage	200	120	Yes	Defoamer 540	None	Sour_Sewer	Poly
110	PHE	Storage	3,000	2,400	Yes	Hydrochloric Acid	High-Hazard_Contents	Sour_Sewer	Poly
111	PHE	Storage	55,100	9,925	Yes	Sulfur	Rust_Exterior,Rust_Piping,Large_Volume	Other,Surrounding area is flooded, pathway potential sweet sewer	Stainless Steel
112	PHE	Storage	200	180	Yes	Hydrochloric Acid	Insufficient_SecondaryContainment,High-Hazard_Contents	Sour_Sewer	Poly
113	PHE	Storage	286,700	43,003	Yes	Magnesium Oxide	Rust_Exterior,Rust_Valves,Rust_Piping,Leakage_Staining,Large_Volume	Sour_Sewer	Carbon Steel
114	PHE	Process	162,800	8,141	Yes	Sulfite Liquors	Near_MigrationPath,Insufficient_SecondaryContainment	Sour_Sewer	Stainless Steel
115	PHE	Process	289,300	14,466	Yes	Sulfite Liquors	Near_MigrationPath	Unknown	Stainless Steel
116	PHI	Storage	2,500	2,500	No	Demineralized water	Rust_Exterior,Insufficient_SecondaryContainment,Rust_Valves	Sour_Sewer	Stainless Steel
117	PHI	Storage	2,500	2,500	No	Demineralized water	Insufficient_SecondaryContainment	Sour_Sewer	Carbon Steel
119	PHI	Storage	2,500	2,500	No	Demineralized water	Insufficient_SecondaryContainment	Sour_Sewer	Carbon Steel
120	PHI	Storage	2,500	2,500	No	Demineralized water	Rust_Exterior,Rust_Valves,Rust_Piping,Insufficient_SecondaryContainment,Leakage_Staining	Sour_Sewer	Carbon Steel
121	PHI	Storage	2,500	2,500	No	Demineralized water	Rust_Exterior,Rust_Valves,Rust_Piping,Leakage_Staining,Insufficient_SecondaryContainment	Sour_Sewer	Carbon Steel
122	PHI	Storage	2,500	2,500	No	Demineralized water	Rust_Exterior,Rust_Valves,Rust_Piping,Insufficient_SecondaryContainment	Sour_Sewer	Carbon Steel
123	PHI	Storage	2,500	2,500	No	Demineralized water	Leakage_Staining,Insufficient_SecondaryContainment	Sour_Sewer	Carbon Steel
125	PHI	Storage	100	100	Yes	Nalco 7408	Leakage_Staining,Rust_Exterior,Rust_Valves,Rust_Piping,Insufficient_SecondaryContainment	Sour_Sewer	Carbon Steel
132	PHE	Process	2,200	Unknown	Unknown	Unknown	Rust_Exterior,Rust_Valves,Rust_Piping	Sour_Sewer	Carbon Steel
139	PHE	Storage	5,600	2,256	Yes	Sodium Hydroxide	Rust_Exterior,Rust_Piping,Insufficient_SecondaryContainment,Near_MigrationPath	Other,Proximal to River	Carbon Steel
141	PHE	Storage	6,500	6,175	Yes	AXFIX 8557	None	Sour_Sewer	Poly
142	PHE	Storage	200	Unknown	No	Tailing Water	None	Sour_Sewer	Stainless Steel
143	PHE	Process	400	Unknown	Unknown	Multiple unknowns	None	Sour_Sewer	Stainless Steel
144	PHE	Storage	300,800	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Large_Volume	Sour_Sewer	Carbon Steel
145	PHE	Storage	300,800	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Large_Volume,Insufficient_SecondaryContainment	Sour_Sewer	Carbon Steel
147	PHE	Process	7,400	Unknown	No	Water	Rust_Exterior,Rust_Valves,Rust_Piping,Insufficient_SecondaryContainment	Sour_Sewer	Carbon Steel
148	PHE	Storage	3,200	Unknown	Yes	Sulfuric Acid	Rust_Exterior,Rust_Valves,Rust_Piping,High-Hazard_Contents,Near_MigrationPath	Sour_Sewer	Carbon Steel
149	EXT	Storage	4,500	2,482	Yes	Flocculent	None	Sour_Sewer	Poly
152	EXT	Storage	7,000	846	Yes	Sodium Hypochlorite	Near_MigrationPath	Other,Close to river	Poly
166	PHE	Process	1,900	Unknown	Yes	Unknown	None	Sour_Sewer	Stainless Steel
173	PHE	Process	4,100	82	Yes	Unknown	Near_MigrationPath,Rust_Valves	Unknown	Stainless Steel
174	PHE	Process	41,900	7,538	Yes	Unknown	Rust_Exterior	Unknown	Carbon Steel
181	PHE	Process	15,200	2,132	Yes	Unknown	Rust_Exterior,Rust_Valves,Rust_Piping	Sour_Sewer	Carbon Steel
188	EXT	Storage	158,900	7,943	Yes	COEL	Insufficient_SecondaryContainment,Large_Volume	Unknown	Stainless Steel
189	EXT	Storage	75,000	7,500	Yes	COEL	Large_Volume,Insufficient_SecondaryContainment	Unknown	Stainless Steel
192	EXT	Storage	11,000	10,448	Yes	Unknown	Rust_Valves,Rust_Exterior,Rust_Piping,Insufficient_SecondaryContainment	Sour_Sewer	Carbon Steel
193	EXT	Storage	11,000	913	Yes	Fennofix 501/Nalco 8105	Rust_Exterior,Rust_Valves,Rust_Piping	Sour_Sewer	Fiberglass
196	EXT	Storage	217,300	65,196	Yes	Sodium Hydroxide	Rust_Exterior,Rust_Valves,Insufficient_SecondaryContainment,Other,Near_MigrationPath,Asbestos	Other,River	Carbon Steel
197	OWH	Storage	4,300	Unknown	Yes	Sulfuric Acid	Rust_Exterior,Insufficient_SecondaryContainment	Sour_Sewer	Carbon Steel
199	EXT	Storage	10,600	2,644	Yes	Methanol	Large_Volume	Other,Secondary containment	Stainless Steel
207	PBE	Storage	13,500	1,218	Yes	Sodium Hypochlorite	Insufficient_SecondaryContainment	Sour_Sewer	Poly
213	PBE	Process	317,200	3,172	Yes	Unknown - Empty	Insufficient_SecondaryContainment,Large_Volume	Sour_Sewer	Concrete
214	PBE	Dump	179,800	125,838	Yes	Sulfite Liquors	Insufficient_SecondaryContainment,Large_Volume,Other,Asbestos	Sour_Sewer	Carbon Steel
215	PBE	Process	169,200	1,692	Unknown	Unknown	Insufficient_SecondaryContainment,Large_Volume	Sour_Sewer	Concrete
217	PBE	Process	169,200	1,692	Unknown	Unknown	Insufficient_SecondaryContainment,Large_Volume	Sour_Sewer	Concrete
218	PBE	Dump	208,800	4,177	Yes	Sulfite Liquors	Insufficient_SecondaryContainment,Large_Volume	Sour_Sewer	Carbon Steel
221	PBE	Storage	158,600	Unknown	No	Water	Large_Volume	Sour_Sewer	Wood stave
222	PBE	Process	65,800	Unknown	No	Water	Large_Volume	Sour_Sewer	Fiberglass
223	PBE	Storage	169,200	15,227	Yes	Sulfite Liquors	Large_Volume,Insufficient_SecondaryContainment,Other,Asbestos	Sour_Sewer	Carbon Steel
224	EXT	Process	38,100	19,034	Yes	Sodium Hydroxide	Leakage_Active,Near_MigrationPath,Large_Volume,Rust_Piping	Other,Settling Pond A	Carbon Steel
225	EXT	Storage	11,000	3,629	Yes	Sodium Hypochlorite	Near_MigrationPath,Large_Volume,Insufficient_SecondaryContainment	Other,Settling Pond A	Poly
226	PBI	Dump	5,200	785	Unknown	Unknown	Rust_Valves	Sour_Sewer	Stainless Steel
235	PBI	Storage	20,300	15,227	Yes	Sodium Hydroxide	Rust_Exterior,Large_Volume	Sweet_Sewer	Carbon Steel
236	PBI	Digester	118,800	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Large_Volume	Sour_Sewer	Carbon Steel
237	PBI	Digester	118,800	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping,Large_Volume	Sour_Sewer	Carbon Steel
238	PBI	Digester	118,800	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Rust_Piping,Rust_Valves,Large_Volume	Sour_Sewer	Carbon Steel
239	PBI	Digester	118,800	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping	Sour_Sewer	Carbon Steel
240	PBI	Digester	118,800	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping	Sour_Sewer	Carbon Steel
241	PBI	Digester	118,800	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping,Large_Volume	Sour_Sewer	Carbon Steel
242	PBI	Digester	118,800	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping,Large_Volume	Sour_Sewer	Carbon Steel
243	PBI	Digester	118,800	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping	Sour_Sewer	Carbon Steel
244	PBI	Digester	118,800	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping,Large_Volume	Sour_Sewer	Carbon Steel
246	PBI	Accumulator	67,900	67,912	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping,Large_Volume	Sour_Sewer	Carbon Steel
247	PBI	Accumulator	67,900	67,912	Yes	Unknown	Rust_Exterior,Rust_Valves,Rust_Piping,Large_Volume	Sour_Sewer	Carbon Steel
248	PBI	Accumulator	67,900	67,912	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping,Large_Volume	Sour_Sewer	Carbon Steel
249	PBI	Accumulator	67,900	67,912	Yes	Unknown	Rust_Exterior,Rust_Valves,Rust_Piping,Large_Volume	Sour_Sewer	Carbon Steel
255	PBI	Process	7,100	71	Unknown	Unknown	Rust_Exterior,Rust_Valves,Rust_Piping	Sour_Sewer	Carbon Steel
285	PBI	Storage	6,000	477	Yes	Igepal Surfactant	Large_Volume,Rust_Exterior,Rust_Valves,Rust_Piping	Sour_Sewer	Carbon Steel
286	PBE	Storage	8,500	Unknown	Unknown	Multiple unknowns	Insufficient_SecondaryContainment,Rust_Exterior	Sour_Sewer	Carbon Steel
287	PBE	Storage	2,100	Unknown	Yes	Antichlor	Insufficient_SecondaryContainment	Sour_Sewer	Stainless Steel
290	PBE	Process	60,200	13,836	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping,Insufficient_SecondaryContainment	Sour_Sewer	Carbon Steel
291	PBE	Process	60,200	49,329	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping,Insufficient_SecondaryContainment	Sour_Sewer	Carbon Steel
293	PBI	Process	900	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping	Sour_Sewer	Carbon Steel
294	PBI	Process	900	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping	Sour_Sewer	Carbon Steel
295	PBI	Process	900	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping	Sour_Sewer	Carbon Steel
296	PBI	Process	900	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping	Sour_Sewer	Carbon Steel
297	PBI	Process	900	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping	Sour_Sewer	Carbon Steel
298	PBI	Process	900	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping	Sour_Sewer	Carbon Steel
299	PBI	Process	900	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping	Sour_Sewer	Carbon Steel
300	PBI	Process	900	Unknown	Yes	Sulfite Liquors	Rust_Valves,Rust_Exterior,Rust_Piping	Sour_Sewer	Carbon Steel
301	PBI	Process	900	Unknown	Yes	Sulfite Liquors	Rust_Exterior,Rust_Valves,Rust_Piping	Sour_Sewer	Carbon Steel

TankID_EPA	Pressurize d	Suspected_Fla m	pH	SampleCollected	SampleCollected_SimilarTank	Similar_TankID	SampleCollected_AndAnalyzed	SampleCollected_Bioassay	Assumed_p H	RCRA	Toxicity	Reactivity	Corrosivity	Ignitability
101	No	No	7	Yes	No	NA	Yes	No	No	No	No	No	No	No
102	No	No	7	Yes	No	NA	Yes	No	No	No	No	No	No	No
103	No	Yes	13.74	Yes	No	NA	Yes	No	No	Yes	Yes	No	Yes	Unknown
104	No	No	14	No	No	NA	No	No	No	Yes	No	No	Yes	No
105	No	No	12	No	No	113	No	No	Yes	Yes	No	No	Yes	No
106	No	No	5	Yes	No	NA	Yes	No	Yes	No	No	No	No	No
107	No	No	5	Yes	No	NA	No	No	No	No	No	No	No	No
108	No	No		No	Yes	109	No	No	No	No	No	No	No	No
109	No	No		Yes	No	NA	Yes	No	No	No	No	No	No	No
110	No	No	0	Yes	No	NA	No	No	No	Yes	No	No	Yes	No
111	No	No		Yes	No	NA	Yes	No	No	No	No	No	No	No
112	No	No	0	Yes	No	NA	No	No	No	Yes	No	No	Yes	No
113	No	No	12	No	No	NA	No	No	No	Yes	No	No	Yes	No
114	No	No		No	Yes	115	No	No	No	No	No	No	No	No
115	No	No		Yes	No	NA	Yes	No	No	No	No	No	No	No
116	No	No		No	No	NA	No	No	No	No	No	No	No	No
117	No	No		No	No	NA	No	No	No	No	No	No	No	No
119	No	No		No	No	NA	No	No	No	No	No	No	No	No
120	No	No		No	No	NA	No	No	No	No	No	No	No	No
121	No	No		No	No	NA	No	No	No	No	No	No	No	No
122	No	No		No	No	NA	No	No	No	No	No	No	No	No
123	No	No		No	No	NA	No	No	No	No	No	No	No	No
125	No	No	1	Yes	No	NA	Yes	No	No	Yes	Yes	No	Yes	No
132	No	No		No	No	NA	No	No	No	No	No	No	No	No
139	No	No	14	No	No	NA	No	No	No	Yes	No	No	Yes	No
141	No	No	6	Yes	No	NA	Yes	No	No	No	No	No	No	No
142	No	No		No	No	NA	No	No	No	No	No	No	No	No
143	No	No	9	Yes	No	NA	Yes	No	No	No	No	No	No	No
144	No	No	5	Yes	No	NA	Yes	Yes	Yes	No	No	No	No	No
145	No	No	5	No	Yes	144	No	No	No	No	No	No	No	No
147	No	No		No	No	NA	No	No	No	No	No	No	No	No
148	No	No	0	Yes	No	NA	No	No	No	Yes	No	No	Yes	No
149	No	No	5	Yes	No	NA	Yes	No	No	No	No	No	No	No
152	No	No	14	No	No	NA	No	No	No	Yes	No	No	Yes	No
166	No	No	7	Yes	No	NA	Yes	No	No	No	No	No	No	No
173	No	No		Yes	No	NA	Yes	No	No	No	No	No	No	No
174	No	No		Yes	No	NA	Yes	No	No	No	No	No	No	No
181	No	No		Yes	No	NA	Yes	No	No	No	No	No	No	No
188	No	No	9	Yes	No	NA	Yes	No	No	No	No	No	No	No
189	No	No		Yes	No	NA	Yes	No	No	No	No	No	No	No
192	No	No	10	Yes	No	NA	Yes	No	No	No	No	No	No	No
193	No	No	6	Yes	No	NA	Yes	No	No	No	No	No	No	No
196	No	No	14	No	No	NA	No	No	Yes	Yes	No	No	Yes	No
197	No	No	0	No	No	NA	No	No	No	Yes	No	No	Yes	No
199	No	Yes		No	No	NA	No	No	No	No	No	No	No	Unknown
207	No	No	12	Yes	No	NA	No	No	No	Yes	No	No	Yes	No
213	No	No		No	No	NA	No	No	No	No	No	No	No	No
214	No	No	1	Yes	No	NA	Yes	No	No	Yes	No	No	Yes	No
215	No	No		No	No	NA	No	No	No	No	No	No	No	No
217	No	No		No	No	NA	No	No	No	No	No	No	No	No
218	No	No	2	Yes	No	NA	Yes	Yes	No	Yes	No	No	Yes	No
221	No	No		No	No	NA	No	No	No	No	No	No	No	No
222	No	No		No	No	NA	No	No	No	No	No	No	No	No
223	No	No	1	Yes	No	NA	Yes	No	No	Yes	No	No	Yes	No
224	No	No	14	No	No	NA	No	No	No	Yes	No	No	Yes	No
225	No	No	12	No	No	NA	No	No	Yes	Yes	No	No	Yes	No
226	No	No		No	No	NA	No	No	No	No	No	No	No	No
235	No	No	14	Yes	No	NA	No	No	No	Yes	No	No	Yes	No
236	Yes	No		No	No	NA	No	No	No	No	No	No	No	No
237	Yes	No	2	No	No	NA	No	No	Yes	Yes	No	No	Yes	No
238	Yes	No	2	No	No	NA	No	No	Yes	Yes	No	No	Yes	No
239	Yes	No	2	No	No	NA	No	No	Yes	Yes	No	No	Yes	No
240	Yes	No	2	No	No	NA	No	No	Yes	Yes	No	No	Yes	No
241	Yes	No	2	No	No	NA	No	No	Yes	Yes	No	No	Yes	No
242	Yes	No	2	No	No	NA	No	No	Yes	Yes	No	No	Yes	No
243	Yes	No	2	No	No	NA	No	No	Yes	Yes	No	No	Yes	No
244	Yes	No	2	No	No	NA	No	No	Yes	Yes	No	No	Yes	No
246	Yes	No	1	Yes	No	NA	Yes	No	No	Yes	No	No	Yes	No
247	No	No	1	Yes	No	NA	Yes	No	No	Yes	No	No	Yes	No
248	Yes	No	1	Yes	No	NA	No	No	No	Yes	No	No	Yes	No
249	No	No	1	No	Yes	247	No	No	Yes	Yes	No	No	Yes	No
255	No	No	6	Yes	No	NA	No	No	No	No	No	No	No	No
285	No	No	6	Yes	No	NA	Yes	No	No	No	No	No	No	No
286	Yes	No		No	No	NA	No	No	No	No	No	No	No	No
287	No	No	3	Yes	No	NA	Yes	No	No	No	No	No	No	No
290	No	No	2	No	Yes	291	No	No	Yes	Yes	No	No	Yes	No
291	No	No	3	Yes	No	NA	Yes	No	No	No	No	No	No	No
293	Yes	No	1	No	Yes	296	No	No	Yes	Yes	No	No	Yes	No
294	Yes	No	1	No	Yes	296	No	No	Yes	Yes	No	No	Yes	No
295	Yes	No	1	No	Yes	296	No	No	Yes	Yes	No	No	Yes	No
296	Yes	No	1	Yes	No	NA	Yes	No	No	Yes	Yes	No	Yes	No
297	Yes	No	1	No	Yes	296	No	No	Yes	Yes	No	No	Yes	No
298	Yes	No	1	No	Yes	296	No	No	Yes	Yes	No	No	Yes	No
299	Yes	No	1	No	Yes	296	No	No	Yes	Yes	No	No	Yes	No
300	Yes	No	1	No	Yes	296	No	No	Yes	Yes	No	No	Yes	No
301	Yes	No	1	No	Yes	296	No	No	Yes	Yes	No	No	Yes	No