



de maximis, inc.

450 Montbrook Lane
Knoxville, TN 37919
(865) 691-5052
(865) 691-6485 FAX
(865) 691-9835 ACCT. FAX

Via Electronic and Certified Mail

February 8, 2008

Dion Novak
Remedial Project Manager
United States EPA
77 W. Jackson Blvd.
Mail Stop SR-6J
Chicago, Illinois 60604

Steve Renninger
On-Scene Coordinator
United States EPA – Region V
26 West Martin Luther King Drive, G-41
Cincinnati, Ohio 45268

Re: North Sanitary Landfill - Dayton, Montgomery County, Ohio
Removal Action – January 2008 Monthly Progress Report


Dear Mr. Novak and Mr. Renninger:

In accordance with Section V, Subsection 2.5, of the Administrative Order by Consent for the North Sanitary Landfill, please find enclosed a summary of site-related activities for January 2008.

A separate monthly progress report is being submitted to the Ohio Environmental Protection Agency (Ohio EPA) under the Ohio EPA Director's Final Findings and Orders, dated January 31, 1995, summarizing the Remedial Investigation/Feasibility Study activities. A courtesy copy of the Ohio EPA report will be provided to you under separate cover.

Should you have any questions or comments please do not hesitate to contact the undersigned at (865) 691-5052.

Sincerely,
de maximis, inc.


Michael H. Samples
Alternate Project Coordinator

MHS:car
Attachments

Dion Novak
Steve Renninger
February 8, 2008
Page 2 of 2

cc: w/attachment (U.S. Mail)
C. Kawakami
S. Glum
J. Vanover
T. Hut
H. Cole
J. Weatherington-Rice
VLSG Steering Committee
VLSG Technical Committee
V. Stamp
I. Richardson
M. Miller

**Summary of Removal Action Activities
Monthly Progress Report
Report Number 156 – January 2008
North Sanitary Landfill Site
Dayton, Montgomery County, Ohio**

A. Actions Taken Toward Compliance with the Order

- The following field work, related to the operation of the landfill gas abatement system (LGAS), was performed during the reporting period:
 - Operation of the LGAS was continued and select probes were monitored during the reporting period (see attached Weekly LFG Monitoring Summaries); and,
 - Attempts to gain access to 2029 Valley Street so that a check of the combustible gas unit could be performed continued (see December 2007 Monthly Progress Report).
- The following activities associated with the Removal Action occurred during the reporting period:
 - Complete

B/C. Problems Encountered/Actions to Rectify Problems

- None.

D. Changes in Removal Action Activities

- None.

E. Site Data

- Weekly LGAS compliance data summaries for the month of January 2008 are presented as Attachment A of this report.

Monthly Progress Report – North Sanitary Landfill
Report Number 156 – January 2008
February 8, 2008
Page 2 of 2

F. Planned Activities for the Next Reporting Period (February 2008)

- Develop Monthly Progress Report #156 summarizing activities in January 2008 for submission to the U.S. EPA;
- Receive the revised U.S. EPA calendar year 2004, 2005 and 2006 oversight bills and issue a supplemental payment(s), if necessary; and,
- Continue LGAS operation and performance monitoring.

G. Schedule of Significant Activities and Deliverables (February 2008)

- February 10 - Anticipated submittal of January 2008 MPR to U.S. EPA.

H. Changes in Personnel During Reporting Period

- None.

I. Significant Correspondence, Telephone Conversations, or Discussions

<u>Communication</u>	<u>Date</u>	<u>Recipient(s)</u>	<u>Subject</u>
dmi transmittal	01/10	U.S. EPA, et al.	Monthly Progress Report for the Month of December 2007.



de maximis

ATTACHMENT A
WEEKLY LGAS SUMMARIES

R. M. BROYLES COMPANY, L. L. C.

P.O. Box 13154, Dayton, OH 45413

FAX # 937- 558-5582

MOB # 937-776-5304

email: rmbcom@woh.rr.com

REPORT COVER PAGE

To: Gary Saylor SCS <gsaylor@scsengineers.com>

Pages: 5

From: Mike Broyles <rmbcom@woh.rr.com>

Date: 1/8/2008

Subject: LFG Monitoring Summary Week of 12/31/07 - 01/06/08

All CPs remained in compliance this week.

There were three (3) flare failures due to low methane or other condition.

Flare operating cycles were 240 to 300 mins ON and 180 to 240 mins OFF.

Weekly Gas Vent, Extraction & Supplemental Well monitoring was performed January 5, 2008 between 8:00 AM and 12:00 PM with temperatures of 37oF to 36oF with overcast conditions.

Valves were open to Legs 1b, 2, 3A, 3B, 4 and 5

Wells open were NW 1-8, WC 1 & 4, SW 1 & 2, EW 1-4, 7, 8, 10, 11 & 12

Flare Operating Hours:

Date	AM				PM				"ON" Hours
	on	off	on	off	on	off	on	off	
12/31/2007	0:00	2:00	5:00	10:00	1:00	6:00	9:00	12:00	15.0
1/1/2008	0:00	2:00	5:00#	--	--	--	10:00	10:30#	2.5
1/2/2008	--	--	--	--	--	--	8:00	8:30#	0.5
1/3/2008	--	--	9:30	--	--	1:30	5:30	9:30	8.0
1/4/2008	1:30	5:30	9:30	--	--	1:30	5:30	9:30	12.0
1/5/2008	1:30	5:30	9:30	--	--	1:30	5:30	9:30	12.0
1/6/2008	1:30	5:30	9:30	--	--	1:30	5:30	9:30	12.0
Note:	# = Flare shut down during operation. ## = Manual Flare operation.				Total Hrs. =				62.0

* = Flare reset to operate full time with propane. @ Flare reset to operate full time with methane. + Other reason

Times represent Flare Clock which is set to EST minus 30 minutes.

Flow rate was 190 - 220 scfm. Temperature range (middle thermocouple) 1520 - 1570° F.

Daily/Weekly monitoring

Date	Probes/Wells Monitored	Sampling Period	Readings	Barometric Pressure	Trend
12/31/2007	--	--	--	--	--
1/1/2008	--	--	--	--	--
1/2/2008	--	--	--	--	--
1/3/2008	--	--	--	--	--
1/4/2008	CPs 1-4, TGP/GP	12:00 - 3:30P	0.0	30.48 - 30.40	F
1/5/2008	GVs, S&EWs, CP 5	8:00A - 12:00P	0.0	30.22 - 30.17	F
1/6/2008	--	--	--	--	--

Notes: CP/s = Compliance Probe/s; S&EW=Supplemental and Extraction Wells; 1, 1b, 2, 3A, 3B, 4 & 5 = Leg numbers.

Readings in **BOLD** represent **Compliance Probe (CP)** readings greater than 5.0%

Barometric Pressure represents pressure and range during Sampling Period. Trend: R = rising, F = falling, S = steady

CONFIDENTIALITY NOTE: THIS MESSAGE IS INTENDED ONLY FOR THE INDIVIDUAL/S OR ENTITY/IES TO WHICH IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT/S, OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERING THE MESSAGE TO THE INTENDED RECIPIENT/S, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY R. M. BROYLES COMPANY, L. L. C. IMMEDIATELY BY TELEPHONE AT (937) 890-6985, AND RETURN THE ORIGINAL MESSAGE TO R. M. BROYLES COMPANY, L. L. C. AT THE ABOVE ADDRESS VIA THE U. S. POSTAL SERVICE.

VALLEYCREST COMPLIANCE PROBE REPORT
(% Methane by Volume)

Compliance Probes	31-Dec	1-Jan	2-Jan	3-Jan	4-Jan	5-Jan	6-Jan
CP1-1R	--	--	--	--	0.0	--	--
CP1-2	--	--	--	--	0.0	--	--
CP1-3	--	--	--	--	0.0	--	--
CP1-4	--	--	--	--	0.0	--	--
CP1-5	--	--	--	--	0.0	--	--
CP1-7	--	--	--	--	0.0	--	--
CP1-9	--	--	--	--	0.0	--	--
CP1-11	--	--	--	--	0.0	--	--
CP1-13	--	--	--	--	0.0	--	--
GP-01 (for CP1-14)	--	--	--	--	0.0	--	--
GP-02 (for CP1b-1R)	--	--	--	--	0.0	--	--
CP1b-2R	--	--	--	--	0.0	--	--
CP1b-4R	--	--	--	--	0.0	--	--
CP1b-6R	--	--	--	--	0.0	--	--
TGP1b-E	--	--	--	--	0.0	--	--
TGP1b-A	--	--	--	--	0.0	--	--
TGP1b-F	--	--	--	--	0.0	--	--
TGP1b-B	--	--	--	--	0.0	--	--
TGP1b-G	--	--	--	--	0.0	--	--
TGP1b-C	--	--	--	--	0.0	--	--
TGP1b-H	--	--	--	--	0.0	--	--
TGP1b-D	--	--	--	--	0.0	--	--
GP-03	--	--	--	--	0.0	--	--
TGP-82	--	--	--	--	0.0	--	--
GP-04	--	--	--	--	0.0	--	--
TGP-83	--	--	--	--	0.0	--	--
CP2-1	--	--	--	--	0.0	--	--
CP2-2	--	--	--	--	0.0	--	--
CP2-4R	--	--	--	--	0.0	--	--
CP2-5R	--	--	--	--	0.0	--	--
CP-6R	--	--	--	--	0.0	--	--
CP2-7	--	--	--	--	0.0	--	--
CP2-9	--	--	--	--	0.0	--	--
TGP-06	--	--	--	--	0.0	--	--
TGP-East	--	--	--	--	0.0	--	--
TGP-Dads	--	--	--	--	0.0	--	--
CP3-1RR	--	--	--	--	0.0	--	--
CP3-2R	--	--	--	--	0.0	--	--
CP3-4R	--	--	--	--	0.0	--	--
CP3-5R	--	--	--	--	0.0	--	--
CP3-7R	--	--	--	--	0.0	--	--
CP3-8R	--	--	--	--	0.0	--	--
CP3-9	--	--	--	--	0.0	--	--
CP3-10R	--	--	--	--	0.0	--	--
CP3-12R	--	--	--	--	0.0	--	--
CP3-13R	--	--	--	--	0.0	--	--
CP3-14R	--	--	--	--	0.0	--	--
CP3-15R	--	--	--	--	0.0	--	--
TGP-89	--	--	--	--	0.0	--	--
CP4-A	--	--	--	--	0.0	--	--
CP4-B	--	--	--	--	0.0	--	--
CP4-C	--	--	--	--	0.0	--	--
CP4-1	--	--	--	--	0.0	--	--
CP4-2	--	--	--	--	0.0	--	--
CP4-3	--	--	--	--	0.0	--	--
CP4-4	--	--	--	--	0.0	--	--
CP4-6	--	--	--	--	0.0	--	--
CP5-1R	--	--	--	--	--	0.0	--
CP5-3R	--	--	--	--	--	0.0	--
CP5-4R	--	--	--	--	--	0.0	--
CP5-6	--	--	--	--	--	0.0	--
CP5-8	--	--	--	--	--	0.0	--

Notes: 1) Underline reading assumed to be abtarent based on historical bhavor of the monitoring location; 2) NR = Value not recorded.
3) NS = Not sampled due to instrument failure; 4) Values in **Bold** Face Type exceed applicable concentration ceilings of 5% methane by volume
5) Sampling instrument used is a Landtec GA 90, calibrated to a standard at 15% CH4, 15% CO2 & 4% O2 by volume
6) Probes highlighted and **Bold** denote compliance probes installed the week of October 13, 2003 as part of the 2003 O&M Plan.

VALLEYCREST COMPLIANCE PROBE REPORT
(% Methane by Volume)

Compliance Probes	31-Dec	1-Jan	2-Jan	3-Jan	4-Jan	5-Jan	6-Jan
TGP-76	--	--	--	--	0.0	--	--
TGP-63	--	--	--	--	0.0	--	--
TGP-57	--	--	--	--	0.0	--	--
TGP-62	--	--	--	--	0.0	--	--
GP-12	--	--	--	--	0.0	--	--
TGP-60	--	--	--	--	0.0	--	--
TGP-65	--	--	--	--	0.0	--	--
TGP-66	--	--	--	--	0.0	--	--
TGP-67	--	--	--	--	0.0	--	--
TGP-68	--	--	--	--	0.0	--	--
TGP-53	--	--	--	--	0.0	--	--
TGP-59	--	--	--	--	0.0	--	--
TGP-58	--	--	--	--	0.0	--	--
GP-14	--	--	--	--	0.0	--	--
TGP-87	--	--	--	--	0.0	--	--
TGP-88	--	--	--	--	0.0	--	--
TGP-69	--	--	--	--	0.0	--	--
TGP-90	--	--	--	--	0.0	--	--
GP-17	--	--	--	--	0.0	--	--
TGP-91	--	--	--	--	0.0	--	--
GP-18	--	--	--	--	0.0	--	--
TGP-73	--	--	--	--	0.0	--	--
TGP-74	--	--	--	--	0.0	--	--
TGP-84	--	--	--	--	0.0	--	--
TGP-75	--	--	--	--	0.0	--	--
TGP-85	--	--	--	--	0.0	--	--
TGP-72	--	--	--	--	0.0	--	--
TGP-86	--	--	--	--	0.0	--	--
TGP-32	--	--	--	--	0.0	--	--

Notes: 1) Underline reading assumed to be abbartent based on historical bhavior of the monitoring location; 2) NR = Value not recorded.
3) NS = Not sampled due to instrument failure; 4) Values in **Bold Face Type** exceed applicable concentration ceilings of 5% methane by volume
5) Sampling instrument used is a Landtec GA 90, calibrated to a standard at 15% CH4, 15% CO2 & 4% O2 by volume
6) Probes highlighted and **Bold** denote compliance probes installed the week of October 13, 2003 as part of the 2003 O&M Plan.

VALLEYCREST GAS VENT AND WELL REPORT
(% Gas by Volume)

Week of:	Dec 24 - Dec 30, 2007						Week of:	Dec 31 - Jan 06, 2008					
Wellhead ID	Vacuum	Temp	CH4	O2	CO2	Bal	Wellhead ID	Vacuum	Temp	CH4	O2	CO2	Bal
LEG 1	-1.35	--	--	--	--	--	LEG 1	--	--	--	--	--	--
GV1-1	--	34	25.1	1.8	28	45	GV1-1	--	32	29.2	0.3	31	40
GV1-2	--	80	25.4	0.9	30	44	GV1-2	--	80	29.3	0.4	30	40
GV1-3	--	34	25.7	0.1	32	42	GV1-3	--	32	29.1	0.1	31	40
GV1-4	--	36	29.5	0.0	31	40	GV1-4	--	34	30.9	0.0	31	38
GV1-5	--	38	28.2	0.0	31	41	GV1-5	--	34	29.2	0.1	30	41
GV1-6	--	40	25.6	0.0	30	44	GV1-6	--	40	28.1	0.1	29	43
GV1-7	--	38	26.9	0.0	30	43	GV1-7	--	36	27.3	0.1	29	44
GV1-8	--	38	27.0	0.0	30	43	GV1-8	--	34	26.3	0.4	28	45
GV1-9	--	36	27.8	0.2	31	41	GV1-9	--	34	16.2	1.4	23	59
GV1-10X	--	40	22.4	3.6	25	49	GV1-10X	--	40	4.1	13.8	7.2	75
GV1-11	--	34	14.7	0.3	24	61	GV1-11	--	34	17.4	0.3	25	57
GV1-12	--	40	24.3	1.5	28	46	GV1-12	--	40	16.9	0.1	24	59
GV1-13	--	56	25.2	1.1	28	46	GV1-13	--	54	17.0	0.0	25	58
LEG 1b	-0.93	--	--	--	--	--	LEG 1b	--	--	--	--	--	--
GV1b-1	--	--	29.9	3.3	29	38	GV1b-1	--	--	6.7	11.2	10	72
GV1b-2	--	40	17.1	4.1	20	59	GV1b-2	--	38	0.2	12.1	7.3	80
GV1b-3	--	34	13.3	7.0	16	64	GV1b-3	--	32	3.9	10.7	10	75
GV1b-4	--	38	15.8	6.9	17	60	GV1b-4	--	38	8.2	10.2	12	70
	--	38	12.6	7.6	16	64	GV1b-5	--	34	8.0	10.1	12	70
LEG 2	-0.24	--	--	--	--	--	LEG 2	--	--	--	--	--	--
GV2-1	--	52	20.9	2.0	23	54	GV2-1	--	40	10.3	8.1	14	68
GV2-2	--	42	19.5	3.2	22	55	GV2-2	--	40	8.1	9.6	11	71
GV2-3	--	40	14.0	5.3	18	63	GV2-3	--	40	9.6	8.3	13	69
GV2-4	--	80	10.0	6.6	16	67	GV2-4	--	84	9.9	8.1	13	69
LEG 3	-0.12	--	--	--	--	--	LEG 3	--	--	--	--	--	--
GV3-1	--	--	20.9	0.2	25	54	GV3-1	--	--	51.9	0.3	36	12
GV3-2	--	38	54.4	0.6	33	12	GV3-2	--	36	56.3	0.4	32	11
GV3-3	--	42	12.7	5.8	14	68	GV3-3	--	40	40.5	5.2	24	30
GV3-4	--	44	7.4	7.7	13	72	GV3-4	--	34	7.6	13.0	8.3	71
GV3-5	--	40	4.6	4.9	14	77	GV3-5	--	36	15.1	8.6	16	61
GV3-6	--	42	5.7	1.6	18	75	GV3-6	--	34	15.8	8.3	16	60
GV3-7	--	40	6.8	2.4	18	73	GV3-7	--	36	1.4	5.0	14	80
GV3-8	--	40	6.1	9.2	13	72	GV3-8	--	38	12.4	9.2	14	64
GV3-9	--	58	6.3	2.2	19	73	GV3-9	--	78	10.9	9.4	13	67
GV3-10 X	--	42	5.4	1.6	18	75	GV3-10 X	--	40	14.2	8.2	16	62
GV3-11	--	42	9.6	0.8	19	71	GV3-11	--	40	13.5	8.5	15	63
GV3-12	--	40	8.4	4.6	17	70	GV3-12	--	40	13.7	8.4	15	63
GV3-13	--	40	12.6	1.4	21	65	GV3-13	--	40	14.1	8.2	15	63
GV3-14	--	102	24.1	0.1	25	51	GV3-14	--	100	13.4	8.3	15	63
LEG 3	-0.15	--	--	--	--	--	LEG 3	--	--	--	--	--	--
LEG 4	-0.25	--	--	--	--	--	LEG 4	--	--	--	--	--	--
GV4-C	--	44	1.7	5.9	15	77	GV4-C	--	44	13.4	8.7	14	64
GV4-B	--	48	2.6	4.0	16	77	GV4-B	--	70	9.3	9.2	13	69
GV4-A	--	42	3.0	9.1	12	76	GV4-A	--	40	8.0	9.5	12	71
GV4-1	--	80	10.6	1.8	20	68	GV4-1	--	98	6.7	6.7	15	72
GV4-2	--	74	10.4	5.2	18	66	GV4-2	--	70	7.9	9.3	12	71
GV4-3	--	54	5.1	6.4	15	74	GV4-3	--	52	7.5	3.6	18	71
GV4-4 X	--	42	0.0	7.6	8.9	84	GV4-4 X	--	40	0.0	15.2	3.3	82
GV4-5	--	54	25.3	0.4	26	48	GV4-5	--	44	21.2	3.1	23	53
GV4-6	--	78	8.1	5.6	16	70	GV4-6	--	78	10.2	4.7	18	67
GV4-7	--	52	22.1	0.1	28	50	GV4-7	--	50	37.6	0.4	32	30
LEG 5	-0.39	--	--	--	--	--	LEG 5	--	--	--	--	--	--
GV5-1	--	76	24.9	2.4	26	47	GV5-1	--	74	18.1	11.3	15	56
GV5-2	--	32	43.9	0.8	34	21	GV5-2	--	32	45.6	2.3	33	19
GV5-3	--	40	23.8	1.0	27	48	GV5-3	--	40	18.0	9.1	17	56
GV5-4	--	40	21.4	4.4	23	51	GV5-4	--	38	15.7	2.9	16	65
GV5-5	--	38	21.5	2.0	26	51	GV5-5	--	32	11.8	6.4	16	66
GV5-6	--	40	24.0	0.2	30	46	GV5-6	--	38	1.4	7.1	15	77
GV5-7	--	48	29.2	0.0	31	40	GV5-7	--	44	19.6	1.1	28	51
GV5-8	--	40	24.4	0.0	28	48	GV5-8	--	40	21.0	1.2	26	52
GV5-9	--	40	24.9	0.0	28	47	GV5-9	--	38	33.6	0.3	31	35

Notes: 1) Underline reading assumed to be aberrant based on historical behavior of the monitoring location; 2) NR = Value not recorded (WC1&4 within current Exclusion Zone);

3) NS = Not sampled due to instrument failure; 4) Sampling instrument used is a CES Landtec GA 90 calibrated to 15% CH4, 15% CO2 & 4% O2 by volume.

5) Temperature readings recorded from well head thermometers. 6) NAM = Not Accessible for Monitoring; 7) Wellheads in **BOLD** with **X** have been disconnected or valve closed.

8) Bal (Nitrogen) levels are the estimated balance gas remaining after deducting for CH4 (methane), O2 (oxygen), and CO2 (carbon dioxide).

VALLEYCREST GAS VENT AND WELL REPORT
(% Gas by Volume)

Week of:	Dec 24 - Dec 30, 2007						Week of:	Dec 31 - Jan 06, 2008					
Supplment/ Extraction Well	Valve Notch	Vacuum	CH4	O2	CO2	Bal	Supplment/ Extraction Well	Valve Notch	Vacuum	CH4	O2	CO2	Bal
EW-1	5	-0.51	11.6	8.8	14	66	EW-1	5	--	7.3	11.1	10	72
EW-2	5	-0.39	11.1	3.3	17	54	EW-2	5	--	3.7	5.2	12	74
EW-3	13	-0.34	25.9	0.3	25	44	EW-3	13	--	8.7	10.3	12	47
EW-4	7	0.00	30.6	0.1	29	32	EW-4	7	--	30.7	0.4	28	33
EW-5	0	0.00	38.8	0.0	32	39	EW-5	0	--	38.3	0.2	32	40
EW-6	0	0.00	29.5	0.0	36	32	EW-6	0	--	27.9	0.3	28	40
EW-7	27	0.00	32.1	0.8	30	44	EW-7	27	--	32.2	0.8	29	42
EW-8	27	0.00	25.3	0.0	29	34	EW-8	27	--	28.1	0.1	30	32
EW-9	0	0.00	37.5	0.0	33	61	EW-9	0	--	37.9	0.0	33	64
EW-10	5	-0.32	5.6	2.5	16	69	EW-10	5	--	3.4	5.7	13	73
EW-11	4	-0.65	12.1	9.2	15	64	EW-11	4	--	8.1	10.3	12	70
EW-12	4	-0.45	13.6	6.6	17	63	EW-12	4	--	6.0	11.9	10	72
SW1	13	0.00	39.3	0.0	35	26	SW1	13	--	36.2	2.0	32	30
SW2	13	0.00	36.1	0.0	35	29	SW2	13	--	35.3	1.9	31	32
SW3	--	--	--	--	--	--	SW3	--	--	--	--	--	--
NW1	13	0.00	51.3	0.0	38	11	NW1	13	--	61.6	0.0	37	1
NW2	13	0.00	54.5	0.3	38	7.2	NW2	13	--	57.5	0.1	36	6.4
NW3	13	0.00	51.1	0.5	38	10	NW3	13	--	51.2	0.0	38	11
NW4	13	0.00	55.1	0.2	37	7.7	NW4	13	--	51.5	0.1	35	13.4
NW5	13	0.00	54.8	0.3	38	6.9	NW5	13	--	56.7	0.2	38	5.1
NW6	13	0.00	48.6	0.2	40	11	NW6	13	--	39.7	0.1	37	23
NW7	13	0.00	67.3	0.2	38	0	NW7	13	--	67.3	0.0	38	0
NW8	13	0.00	50.4	0.2	37	12	NW8	13	--	42.4	0.3	32	25
WC1	--	--	--	--	--	--	WC1	--	--	--	--	--	--
WC4	--	--	--	--	--	--	WC4	--	--	--	--	--	--
FLARE 90	--	-2.90	--	--	--	--	FLARE 90	--	-2.70	--	--	--	--

Notes: 1) Underline reading assumed to be aberrant based on historical behavior of the monitoring location; 2) NR = Value not recorded (WC1&4 within current Exclusion Zone);

3) NS = Not sampled due to instrument failure; 4) Sampling instrument used is a CES Landtec GA 90 calibrated to 15% CH4, 15% CO2 & 4% O2 by volume.

5) Temperature readings recorded from well head thermometers; 6) NAM = Not Accessable for monitoring; 7) Wellheads in **BOLD** with **X** have been disconnected or valve closed.

8) Bal (Nitrogen) levels are the estimated balance gas remaining after deducting for CH4 (methane), O2 (oxygen), and CO2 (carbon dioxide).

R. M. BROYLES COMPANY, L. L. C.

P.O. Box 13154, Dayton, OH 45413

FAX # 937- 558-5582

MOB # 937-776-5304

email: rmbcom@woh.rr.com

REPORT COVER PAGE

To: Gary Saylor SCS <gsaylor@scsengineers.com>

Pages: 5

From: Mike Broyles <rmbcom@woh.rr.com>

Date: 1/15/2008

Subject: LFG Monitoring Summary Week of 01/07/08 - 01/13/08

All CPs remained in compliance this week.

There were three (3) flare failures due to low methane or other condition.

Flare operating cycles were 240 mins ON and 240 mins OFF.

Weekly Gas Vent, Extraction & Supplemental Well monitoring was begun January 11, 2008 between 11:00 AM and 12:30 PM with temperatures of 36°F to 41°F with partly cloudy conditions, and completed January 12, 2008 between 11:30AM and 2:30 PM with temperatures of 36°F to 39°F with partly cloudy conditions.

Valves were open to Legs 1b, 2, 3A, 3B, 4 and 5

Wells open were NW 1-8, WC 1 & 4, SW 1 & 2, EW 1-4, 7, 8, 10, 11 & 12

Flare Operating Hours:

Date	AM				PM				"ON" Hours
	on	off	on	off	on	off	on	off	
1/7/2008	1:00	5:00	9:00	--	--	1:00	5:00	9:00	12.0
1/8/2008	1:00	5:00	9:00	--	--	1:00	5:00	9:00	12.0
1/9/2008	1:00	5:00	9:00#	--	--	--	5:00	9:00	8.0
1/10/2008	1:00	5:00	9:00	--	--	1:00	5:00	9:00	12.0
1/11/2008	1:00	5:00	9:00#	--	--	1:00#	--	--	4.0
1/12/2008	--	--	11:00	--	--	1:00	5:00	9:00	6.0
1/13/2008	1:00	5:00	9:00	--	--	1:00	5:00	9:00	12.0
Note:	# = Flare shut down during operation. ## = Manual Flare operation. Total Hrs. =								66.0

* = Flare reset to operate full time with propane. @ Flare reset to operate full time with methane. + Other reason

Times represent Flare Clock which is set to EST minus 30 minutes.

Flow rate was 190 - 220 scfm. Temperature range (middle thermocouple) 1520 - 1570° F.

Daily/Weekly monitoring

Date	Probes/Wells Monitored	Sampling Period	Readings	Barometric Pressure	Trend
1/7/2008	--	--	--	--	--
1/8/2008	--	--	--	--	--
1/9/2008	--	--	--	--	--
1/10/2008	--	--	--	--	--
1/11/2008	CPs 1-5, TGP/GP, GV 4-5, S&EW	11:00A - 4:00P	0.0	29.76 - 29.82	R
1/12/2008	GV 1-3, TGP/GP Area	11:00A - 2:30P	0.0	30.12 - 30.06	F
1/13/2008	--	--	--	--	--

Notes: CP/s = Compliance Probe/s; S&EW=Supplemental and Extraction Wells; 1, 1b, 2, 3A, 3B, 4 & 5 = Leg numbers.

Readings in **BOLD** represent **Compliance Probe (CP)** readings greater than 5.0%

Barometric Pressure represents pressure and range during Sampling Period. Trend: R = rising, F = falling, S = steady

CONFIDENTIALITY NOTE: THIS MESSAGE IS INTENDED ONLY FOR THE INDIVIDUAL/S OR ENTITY/IES TO WHICH IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT/S, OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERING THE MESSAGE TO THE INTENDED RECIPIENT/S, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY R. M. BROYLES COMPANY, L. L. C. IMMEDIATELY BY TELEPHONE AT (937) 890-6985, AND RETURN THE ORIGINAL MESSAGE TO R. M. BROYLES COMPANY, L. L. C. AT THE ABOVE ADDRESS VIA THE U. S. POSTAL SERVICE.

VALLEYCREST COMPLIANCE PROBE REPORT
(% Methane by Volume)

Compliance Probes	7-Jan	8-Jan	9-Jan	10-Jan	11-Jan	12-Jan	13-Jan
CP1-1R	--	--	--	--	0.0	--	--
CP1-2	--	--	--	--	0.0	--	--
CP1-3	--	--	--	--	0.0	--	--
CP1-4	--	--	--	--	0.0	--	--
CP1-5	--	--	--	--	0.0	--	--
CP1-7	--	--	--	--	0.0	--	--
CP1-9	--	--	--	--	0.0	--	--
CP1-11	--	--	--	--	0.0	--	--
CP1-13	--	--	--	--	0.0	--	--
GP-01 (for CP1-14)	--	--	--	--	0.0	--	--
GP-02 (for CP1b-1R)	--	--	--	--	0.0	--	--
CP1b-2R	--	--	--	--	0.0	--	--
CP1b-4R	--	--	--	--	0.0	--	--
CP1b-6R	--	--	--	--	0.0	--	--
TGP1b-E	--	--	--	--	0.0	--	--
TGP1b-A	--	--	--	--	0.0	--	--
TGP1b-F	--	--	--	--	0.0	--	--
TGP1b-B	--	--	--	--	0.0	--	--
TGP1b-G	--	--	--	--	0.0	--	--
TGP1b-C	--	--	--	--	0.0	--	--
TGP1b-H	--	--	--	--	0.0	--	--
TGP1b-D	--	--	--	--	0.0	--	--
GP-03	--	--	--	--	0.0	--	--
TGP-82	--	--	--	--	0.0	--	--
GP-04	--	--	--	--	0.0	--	--
TGP-83	--	--	--	--	0.0	--	--
CP2-1	--	--	--	--	0.0	--	--
CP2-2	--	--	--	--	0.0	--	--
CP2-4R	--	--	--	--	0.0	--	--
CP2-5R	--	--	--	--	0.0	--	--
CP-6R	--	--	--	--	0.0	--	--
CP2-7	--	--	--	--	0.0	--	--
CP2-9	--	--	--	--	0.0	--	--
TGP-06	--	--	--	--	0.0	--	--
TGP-East	--	--	--	--	0.0	--	--
TGP-Dads	--	--	--	--	0.0	--	--
CP3-1RR	--	--	--	--	0.0	--	--
CP3-2R	--	--	--	--	0.0	--	--
CP3-4R	--	--	--	--	0.0	--	--
CP3-5R	--	--	--	--	0.0	--	--
CP3-7R	--	--	--	--	0.0	--	--
CP3-8R	--	--	--	--	0.0	--	--
CP3-9	--	--	--	--	0.0	--	--
CP3-10R	--	--	--	--	0.0	--	--
CP3-12R	--	--	--	--	0.0	--	--
CP3-13R	--	--	--	--	0.0	--	--
CP3-14R	--	--	--	--	0.0	--	--
CP3-15R	--	--	--	--	0.0	--	--
TGP-89	--	--	--	--	0.0	--	--
CP4-A	--	--	--	--	0.0	--	--
CP4-B	--	--	--	--	0.0	--	--
CP4-C	--	--	--	--	0.0	--	--
CP4-1	--	--	--	--	0.0	--	--
CP4-2	--	--	--	--	0.0	--	--
CP4-3	--	--	--	--	0.0	--	--
CP4-4	--	--	--	--	0.0	--	--
CP4-6	--	--	--	--	0.0	--	--
CP5-1R	--	--	--	--	0.0	--	--
CP5-3R	--	--	--	--	0.0	--	--
CP5-4R	--	--	--	--	0.0	--	--
CP5-6	--	--	--	--	0.0	--	--
CP5-8	--	--	--	--	0.0	--	--

Notes: 1) Underline reading assumed to be abbartent based on historical bhavor of the monitoring location; 2) NR = Value not recorded.
3) NS = Not sampled due to instrument failure; 4) Values in **Bold** Face Type exceed applicable concentration ceilings of 5% methane by volume
5) Sampling instrument used is a Landtec GA 90, calibrated to a standard at 15% CH4, 15% CO2 & 4% O2 by volume
6) Probes highlighted and **Bold** denote compliance probes installed the week of October 13, 2003 as part of the 2003 O&M Plan.

VALLEYCREST COMPLIANCE PROBE REPORT
(% Methane by Volume)

Compliance Probes	7-Jan	8-Jan	9-Jan	10-Jan	11-Jan	12-Jan	13-Jan
TGP-76	--	--	--	--	0.0	--	--
TGP-63	--	--	--	--	0.0	--	--
TGP-57	--	--	--	--	0.0	--	--
TGP-62	--	--	--	--	0.0	--	--
GP-12	--	--	--	--	0.0	--	--
TGP-60	--	--	--	--	0.0	--	--
TGP-65	--	--	--	--	0.0	--	--
TGP-66	--	--	--	--	0.0	--	--
TGP-67	--	--	--	--	0.0	--	--
TGP-68	--	--	--	--	0.0	--	--
TGP-53	--	--	--	--	0.0	--	--
TGP-59	--	--	--	--	0.0	--	--
TGP-58	--	--	--	--	0.0	--	--
GP-14	--	--	--	--	0.0	--	--
TGP-87	--	--	--	--	0.0	--	--
TGP-88	--	--	--	--	0.0	--	--
TGP-69	--	--	--	--	--	0.0	--
TGP-90	--	--	--	--	--	0.0	--
GP-17	--	--	--	--	--	0.0	--
TGP-91	--	--	--	--	--	0.0	--
GP-18	--	--	--	--	--	0.0	--
TGP-73	--	--	--	--	--	0.0	--
TGP-74	--	--	--	--	--	0.0	--
TGP-84	--	--	--	--	--	0.0	--
TGP-75	--	--	--	--	--	0.0	--
TGP-85	--	--	--	--	--	0.0	--
TGP-72	--	--	--	--	--	0.0	--
TGP-86	--	--	--	--	--	0.0	--
TGP-32	--	--	--	--	--	0.0	--

Notes: 1) Underline reading assumed to be abbartent based on historical bhavior of the monitoring location; 2) NR = Value not recorded.
3) NS = Not sampled due to instrument failure; 4) Values in **Bold Face Type** exceed applicable concentration ceilings of 5% methane by volume
5) Sampling instrument used is a Landtec GA 90, calibrated to a standard at 15% CH4, 15% CO2 & 4% O2 by volume
6) Probes highlighted and **Bold** denote compliance probes installed the week of October 13, 2003 as part of the 2003 O&M Plan.

VALLEYCREST GAS VENT AND WELL REPORT
(% Gas by Volume)

Dec 31 - Jan 06, 2008							Jan 07 - Jan 13, 2008						
Week of:							Week of:						
Wellhead ID	Vacuum	Temp	CH4	O2	CO2	Bal	Wellhead ID	Vacuum	Temp	CH4	O2	CO2	Bal
LEG 1	--	--	--	--	--	--	LEG 1	--	--	--	--	--	--
GV1-1	--	32	29.2	0.3	31	40	GV1-1	--	36	21.3	1.6	25	52
GV1-2	--	80	29.3	0.4	30	40	GV1-2	--	38	20.4	4.5	25	50
GV1-3	--	32	29.1	0.1	31	40	GV1-3	--	38	9.9	11.1	12	67
GV1-4	--	34	30.9	0.0	31	38	GV1-4	--	38	17.3	1.6	24	57
GV1-5	--	34	29.2	0.1	30	41	GV1-5	--	40	28.8	0.3	30	41
GV1-6	--	40	28.1	0.1	29	43	GV1-6	--	44	14.1	1.2	22	63
GV1-7	--	36	27.3	0.1	29	44	GV1-7	--	40	12.0	0.8	22	65
GV1-8	--	34	26.3	0.4	28	45	GV1-8	--	40	15.0	0.3	24	61
GV1-9	--	34	16.2	1.4	23	59	GV1-9	--	40	10.4	0.6	24	65
GV1-10X	--	40	4.1	13.8	7.2	75	GV1-10X	--	42	16.1	0.8	25	58
GV1-11	--	34	17.4	0.3	25	57	GV1-11	--	38	16.0	0.4	24	60
GV1-12	--	40	16.9	0.1	24	59	GV1-12	--	40	16.3	0.2	22	62
GV1-13	--	54	17.0	0.0	25	58	GV1-13	--	52	7.9	0.1	17	75
LEG 1b	--	--	--	--	--	--	LEG 1b	--	--	--	--	--	--
GV1b-1	--	--	6.7	11.2	10	72	GV1b-1	--	--	4.3	11.1	8.4	76
GV1b-2	--	38	0.2	12.1	7.3	80	GV1b-2	--	42	0.0	9.4	4.0	87
GV1b-3	--	32	3.9	10.7	10	75	GV1b-3	--	38	3.1	12.8	6.8	77
GV1b-4	--	38	8.2	10.2	12	70	GV1b-4	--	40	2.5	14.6	5.7	77
--	--	34	8.0	10.1	12	70	GV1b-5	--	40	4.2	9.2	12	75
LEG 2	--	--	--	--	--	--	LEG 2	--	--	--	--	--	--
GV2-1	--	40	10.3	8.1	14	68	GV2-1	--	60	7.4	10.3	12	70
GV2-2	--	40	8.1	9.6	11	71	GV2-2	--	52	0.6	17.9	2.8	79
GV2-3	--	40	9.6	8.3	13	69	GV2-3	--	60	5.0	11.1	11	73
GV2-4	--	84	9.9	8.1	13	69	GV2-4	--	68	6.1	10.6	11	72
LEG 3	--	--	--	--	--	--	LEG 3	--	--	--	--	--	--
GV3-1	--	--	51.9	0.3	36	12	GV3-1	--	--	6.7	11.6	11	71
GV3-2	--	36	56.3	0.4	32	11	GV3-2	--	38	6.6	11.7	9.1	73
GV3-3	--	40	40.5	5.2	24	30	GV3-3	--	40	6.4	10.9	10	73
GV3-4	--	34	7.6	13.0	8.3	71	GV3-4	--	36	5.2	13.3	8.4	73
GV3-5	--	36	15.1	8.6	16	61	GV3-5	--	38	5.2	13.3	8.5	73
GV3-6	--	34	15.8	8.3	16	60	GV3-6	--	36	5.9	12.8	9.1	72
GV3-7	--	36	1.4	5.0	14	80	GV3-7	--	40	6.5	11.8	10	72
GV3-8	--	38	12.4	9.2	14	64	GV3-8	--	40	5.0	12.4	8.8	74
GV3-9	--	78	10.9	9.4	13	67	GV3-9	--	78	6.3	11.6	10	72
GV3-10 X	--	40	14.2	8.2	16	62	GV3-10 X	--	40	6.1	12.0	10	72
GV3-11	--	40	13.5	8.5	15	63	GV3-11	--	40	6.4	11.8	10	72
GV3-12	--	40	13.7	8.4	15	63	GV3-12	--	40	5.5	12.5	8.8	73
GV3-13	--	40	14.1	8.2	15	63	GV3-13	--	38	6.3	12.0	10	72
GV3-14	--	100	13.4	8.3	15	63	GV3-14	--	100	6.2	11.9	10	72
LEG 3	--	--	--	--	--	--	LEG 3	--	--	--	--	--	--
LEG 4	--	--	--	--	--	--	LEG 4	--	--	--	--	--	--
GV4-C	--	44	13.4	8.7	14	64	GV4-C	--	50	1.2	6.8	13	79
GV4-B	--	70	9.3	9.2	13	69	GV4-B	--	54	1.1	6.0	13	80
GV4-A	--	40	8.0	9.5	12	71	GV4-A	--	52	1.0	9.3	9.2	81
GV4-1	--	98	6.7	6.7	15	72	GV4-1	--	50	11.4	0.4	18	70
GV4-2	--	70	7.9	9.3	12	71	GV4-2	--	60	6.4	5.8	15	73
GV4-3	--	52	7.5	3.6	18	71	GV4-3	--	58	3.4	6.0	13	78
GV4-4 X	--	40	0.0	15.2	3.3	82	GV4-4 X	--	50	0.0	10.9	6.4	83
GV4-5	--	44	21.2	3.1	23	53	GV4-5	--	50	21.1	0.1	24	55
GV4-6	--	78	10.2	4.7	18	67	GV4-6	--	78	6.8	4.9	15	73
GV4-7	--	50	37.6	0.4	32	30	GV4-7	--	60	18.0	0.2	26	56
LEG 5	--	--	--	--	--	--	LEG 5	--	--	--	--	--	--
GV5-1	--	74	18.1	11.3	15	56	GV5-1	--	40	12.8	8.2	14	65
GV5-2	--	32	45.6	2.3	33	19	GV5-2	--	46	37.4	2.7	29	31
GV5-3	--	40	18.0	9.1	17	56	GV5-3	--	50	34.3	1.0	27	38
GV5-4	--	38	15.7	2.9	16	65	GV5-4	--	48	2.4	12.3	8.1	77
GV5-5	--	32	11.8	6.4	16	66	GV5-5	--	46	4.8	5.6	13	77
GV5-6	--	38	1.4	7.1	15	77	GV5-6	--	48	5.0	5.7	14	75
GV5-7	--	44	19.6	1.1	28	51	GV5-7	--	56	2.8	6.5	12	79
GV5-8	--	40	21.0	1.2	26	52	GV5-8	--	52	18.1	0.8	25	56
GV5-9	--	38	33.6	0.3	31	35	GV5-9	--	50	27.5	0.5	28	44

Notes: 1) Underline reading assumed to be aberrant based on historical behavior of the monitoring location; 2) NR = Value not recorded (WC1&4 within current Exclusion Zone);
3) NS = Not sampled due to instrument failure; 4) Sampling instrument used is a CES Landtec GA 90 calibrated to 15% CH4, 15% CO2 & 4% O2 by volume.
5) Temperature readings recorded from well head thermometers. 6) NAM = Not Accessible for Monitoring; 7) Wellheads in **BOLD** with X have been disconnected or valve closed.
8) Bal (Nitrogen) levels are the estimated balance gas remaining after deducting for CH4 (methane), O2 (oxygen), and CO2 (carbon dioxide).

VALLEYCREST GAS VENT AND WELL REPORT
(% Gas by Volume)

Week of:	Dec 31 - Jan 06, 2008						Week of:	Jan 07 - Jan 13, 2008					
Suppliment/ Extraction Well	Valve Notch	Vacuum	CH4	O2	CO2	Bal	Suppliment/ Extraction Well	Valve Notch	Vacuum	CH4	O2	CO2	Bal
EW-1	5	--	7.3	11.1	10	72	EW-1	5	--	11.7	5.6	21	62
EW-2	5	--	3.7	5.2	12	74	EW-2	5	--	7.6	4.0	14	56
EW-3	13	--	8.7	10.3	12	47	EW-3	13	--	25.6	0.4	24	46
EW-4	7	--	30.7	0.4	28	33	EW-4	7	--	30.1	0.2	25	43
EW-5	0	--	38.3	0.2	32	40	EW-5	0	--	32.3	0.0	29	42
EW-6	0	--	27.9	0.3	28	40	EW-6	0	--	29.0	0.1	28	40
EW-7	27	--	32.2	0.8	29	42	EW-7	27	--	31.7	0.0	30	41
EW-8	27	--	28.1	0.1	30	32	EW-8	27	--	28.8	0.0	26	38
EW-9	0	--	37.9	0.0	33	64	EW-9	0	--	36.1	0.0	32	57
EW-10	5	--	3.4	5.7	13	73	EW-10	5	--	10.9	1.2	18	79
EW-11	4	--	8.1	10.3	12	70	EW-11	4	--	2.0	15.0	4.3	79
EW-12	4	--	6.0	11.9	10	72	EW-12	4	--	6.1	8.7	9.1	76
SW1	13	--	36.2	2.0	32	30	SW1	13	--	38.5	0.0	33	29
SW2	13	--	35.3	1.9	31	32	SW2	13	--	37.6	0.1	33	29
SW3	--	--	--	--	--	--	SW3	--	--	--	--	--	--
NW1	13	--	61.6	0.0	37	1	NW1	13	--	24.9	0.4	29	46
NW2	13	--	57.5	0.1	36	6.4	NW2	13	--	45.4	0.1	35	20
NW3	13	--	51.2	0.0	38	11	NW3	13	--	50.3	0.2	38	12
NW4	13	--	51.5	0.1	35	13.4	NW4	13	--	33.0	1.6	25	40
NW5	13	--	56.7	0.2	38	5.1	NW5	13	--	26.2	0.3	28	46
NW6	13	--	39.7	0.1	37	23	NW6	13	--	45.6	0.7	39	15
NW7	13	--	67.3	0.0	38	0	NW7	13	--	51.2	0.4	38	10
NW8	13	--	42.4	0.3	32	25	NW8	13	--	44.7	2.2	34	19
WC1	--	--	--	--	--	--	WC1	--	--	--	--	--	--
WC4	--	--	--	--	--	--	WC4	--	--	--	--	--	--
FLARE 90	--	-2.70	--	--	--	--	FLARE 90	--	-2.70	--	--	--	--

Notes: 1) Underline reading assumed to be aberrant based on historical behavior of the monitoring location; 2) NR = Value not recorded (WC1&4 within current Exclusion Zone);

3) NS = Not sampled due to instrument failure; 4) Sampling instrument used is a CES Landtec GA 90 calibrated to 15% CH4, 15% CO2 & 4% O2 by volume.

5) Temperature readings recorded from well head thermometers. 6) NAM = Not Accessable for monitoring; 7) Wellheads in **BOLD** with **X** have been disconnected or valve closed.

8) Bal (Nitrogen) levels are the estimated balance gas remaining after deducting for CH4 (methane), O2 (oxygen), and CO2 (carbon dioxide).

R. M. BROYLES COMPANY, L. L. C.

P.O. Box 13154, Dayton, OH 45413

FAX # 937- 558-5582

MOB # 937-776-5304

email: rmbcom@woh.rr.com

REPORT COVER PAGE

To: Gary Saylor SCS <gsaylor@scsengineers.com>

Pages: 5

From: Mike Broyles <rmbcom@woh.rr.com>

Date: 1/23/2008

Subject: LFG Monitoring Summary Week of 01/14/08 - 01/20/08

All CPs remained in compliance this week.

There were three (3) flare failures due to low methane or other condition.

Flare operating cycles were 240 mins ON and 240 mins OFF.

Weekly Gas Vent, Extraction & Supplemental Well monitoring was performed January 18, 2008 between 11:00 AM and 2:00 PM with temperatures of 23°F to 27°F with partly cloudy conditions.

Valves were open to Legs 1b, 2, 3A, 3B, 4 and 5

Wells open were NW 1-8, WC 1 & 4, SW 1 & 2, EW 1-4, 7, 8, 10, 11 & 12

Flare Operating Hours:

Date	AM				PM				"ON" Hours
	on	off	on	off	on	off	on	off	
1/14/2008	1:00	5:00	9:00	--	--	1:00	4:30	8:30	12.0
1/15/2008	12:30	4:30	8:30	--	--	12:30	4:30	6:00#	9.5
1/16/2008	--	--	--	--	1:00	5:00	9:00	12:00	7.0
1/17/2008	0:00	1:00	5:00	9:00	1:00	5:00	9:00	12:00	12.0
1/18/2008	0:00	1:00	5:00#	--	1:00	5:00	9:00	12:00	8.0
1/19/2008	0:00	1:00	5:00	9:00	1:00	5:00	9:00#	--	9.0
1/20/2008	--	--	--	--	--	--	--	--	0.0
Total Hrs. =									57.5

Note: # = Flare shut down during operation. ## = Manual Flare operation.

* = Flare reset to operate full time with propane. @ Flare reset to operate full time with methane. + Other reason

Times represent Flare Clock which is set to EST minus 30 minutes.

Flow rate was 190 - 220 scfm. Temperature range (middle thermocouple) 1520 - 1570° F.

Daily/Weekly monitoring

Date	Probes/Wells Monitored	Sampling Period	Readings	Barometric Pressure	Trend
1/14/2008	--	--	--	--	--
1/15/2008	--	--	--	--	--
1/16/2008	--	--	--	--	--
1/17/2008	--	--	--	--	--
1/18/2008	GVs, S&EW	11:00A - 2:00P	--	30.17 - 30.14	F
1/19/2008	CPs 1-5, TGP/GPs	12:30 - 4:00P	0.0	30.24 - 30.22	F
1/20/2008	--	--	--	--	--

Notes: CP/s = Compliance Probe/s; S&EW=Supplemental and Extraction Wells; 1, 1b, 2, 3A, 3B, 4 & 5 = Leg numbers.

Readings in **BOLD** represent **Compliance Probe (CP)** readings greater than 5.0%

Barometric Pressure represents pressure and range during Sampling Period. Trend: R = rising, F = falling, S = steady

CONFIDENTIALITY NOTE: THIS MESSAGE IS INTENDED ONLY FOR THE INDIVIDUAL/S OR ENTITY/IES TO WHICH IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT/S, OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERING THE MESSAGE TO THE INTENDED RECIPIENT/S, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY R. M. BROYLES COMPANY, L. L. C. IMMEDIATELY BY TELEPHONE AT (937) 890-6985, AND RETURN THE ORIGINAL MESSAGE TO R. M. BROYLES COMPANY, L. L. C. AT THE ABOVE ADDRESS VIA THE U. S. POSTAL SERVICE.

VALLEYCREST COMPLIANCE PROBE REPORT
(% Methane by Volume)

Compliance Probes	14-Jan	15-Jan	16-Jan	17-Jan	18-Jan	19-Jan	20-Jan
CP1-1R	--	--	--	--	--	0.0	--
CP1-2	--	--	--	--	--	0.0	--
CP1-3	--	--	--	--	--	0.0	--
CP1-4	--	--	--	--	--	0.0	--
CP1-5	--	--	--	--	--	0.0	--
CP1-7	--	--	--	--	--	0.0	--
CP1-9	--	--	--	--	--	0.0	--
CP1-11	--	--	--	--	--	0.0	--
CP1-13	--	--	--	--	--	0.0	--
GP-01 (for CP1-14)	--	--	--	--	--	0.0	--
GP-02 (for CP1b-1R)	--	--	--	--	--	0.0	--
CP1b-2R	--	--	--	--	--	0.0	--
CP1b-4R	--	--	--	--	--	0.0	--
CP1b-6R	--	--	--	--	--	0.0	--
TGP1b-E	--	--	--	--	--	0.0	--
TGP1b-A	--	--	--	--	--	0.0	--
TGP1b-F	--	--	--	--	--	0.0	--
TGP1b-B	--	--	--	--	--	0.0	--
TGP1b-G	--	--	--	--	--	0.0	--
TGP1b-C	--	--	--	--	--	0.0	--
TGP1b-H	--	--	--	--	--	0.0	--
TGP1b-D	--	--	--	--	--	0.0	--
GP-03	--	--	--	--	--	0.0	--
TGP-82	--	--	--	--	--	0.0	--
GP-04	--	--	--	--	--	0.0	--
TGP-83	--	--	--	--	--	0.0	--
CP2-1	--	--	--	--	--	0.0	--
CP2-2	--	--	--	--	--	0.0	--
CP2-4R	--	--	--	--	--	0.0	--
CP2-5R	--	--	--	--	--	0.0	--
CP-6R	--	--	--	--	--	0.0	--
CP2-7	--	--	--	--	--	0.0	--
CP2-9	--	--	--	--	--	0.0	--
TGP-06	--	--	--	--	--	0.0	--
TGP-East	--	--	--	--	--	0.0	--
TGP-Dads	--	--	--	--	--	0.0	--
CP3-1RR	--	--	--	--	--	0.0	--
CP3-2R	--	--	--	--	--	0.0	--
CP3-4R	--	--	--	--	--	0.0	--
CP3-5R	--	--	--	--	--	0.0	--
CP3-7R	--	--	--	--	--	0.0	--
CP3-8R	--	--	--	--	--	0.0	--
CP3-9	--	--	--	--	--	0.0	--
CP3-10R	--	--	--	--	--	0.0	--
CP3-12R	--	--	--	--	--	0.0	--
CP3-13R	--	--	--	--	--	0.0	--
CP3-14R	--	--	--	--	--	0.0	--
CP3-15R	--	--	--	--	--	0.0	--
TGP-89	--	--	--	--	--	0.0	--
CP4-A	--	--	--	--	--	0.0	--
CP4-B	--	--	--	--	--	0.0	--
CP4-C	--	--	--	--	--	0.0	--
CP4-1	--	--	--	--	--	0.0	--
CP4-2	--	--	--	--	--	0.0	--
CP4-3	--	--	--	--	--	0.0	--
CP4-4	--	--	--	--	--	0.0	--
CP4-6	--	--	--	--	--	0.0	--
CP5-1R	--	--	--	--	--	0.0	--
CP5-3R	--	--	--	--	--	0.0	--
CP5-4R	--	--	--	--	--	0.0	--
CP5-6	--	--	--	--	--	0.0	--
CP5-8	--	--	--	--	--	0.0	--

Notes: 1) Underline reading assumed to be abartent based on historical bhavor of the monitoring location; 2) NR = Value not recorded.
3) NS = Not sampled due to instrument failure; 4) Values in **Bold** Face Type exceed applicable concentration ceilings of 5% methane by volume
5) Sampling instrument used is a Landtec GA 90, calibrated to a standard at 15% CH₄, 15% CO₂ & 4% O₂ by volume
6) Probes highlighted and **Bold** denote compliance probes installed the week of October 13, 2003 as part of the 2003 O&M Plan.

VALLEYCREST COMPLIANCE PROBE REPORT
(% Methane by Volume)

Compliance Probes	14-Jan	15-Jan	16-Jan	17-Jan	18-Jan	19-Jan	20-Jan
TGP-76	--	--	--	--	--	0.0	--
TGP-63	--	--	--	--	--	0.0	--
TGP-57	--	--	--	--	--	0.0	--
TGP-62	--	--	--	--	--	0.0	--
GP-12	--	--	--	--	--	0.0	--
TGP-60	--	--	--	--	--	0.0	--
TGP-65	--	--	--	--	--	0.0	--
TGP-66	--	--	--	--	--	0.0	--
TGP-67	--	--	--	--	--	0.0	--
TGP-68	--	--	--	--	--	0.0	--
TGP-53	--	--	--	--	--	0.0	--
TGP-59	--	--	--	--	--	0.0	--
TGP-58	--	--	--	--	--	0.0	--
GP-14	--	--	--	--	--	0.0	--
TGP-87	--	--	--	--	--	0.0	--
TGP-88	--	--	--	--	--	0.0	--
TGP-69	--	--	--	--	--	0.0	--
TGP-90	--	--	--	--	--	0.0	--
GP-17	--	--	--	--	--	0.0	--
TGP-91	--	--	--	--	--	0.0	--
GP-18	--	--	--	--	--	0.0	--
TGP-73	--	--	--	--	--	0.0	--
TGP-74	--	--	--	--	--	0.0	--
TGP-84	--	--	--	--	--	0.0	--
TGP-75	--	--	--	--	--	0.0	--
TGP-85	--	--	--	--	--	0.0	--
TGP-72	--	--	--	--	--	0.0	--
TGP-86	--	--	--	--	--	0.0	--
TGP-32	--	--	--	--	--	0.0	--

Notes: 1) Underline reading assumed to be abbartent based on historical bhavior of the monitoring location; 2) NR = Value not recorded.
3) NS = Not sampled due to instrument failure; 4) Values in **Bold Face Type** exceed applicable concentration ceilings of 5% methane by volume
5) Sampling instrument used is a Landtec GA 90, calibrated to a standard at 15% CH4, 15% CO2 & 4% O2 by volume
6) Probes highlighted and **Bold** denote compliance probes installed the week of October 13, 2003 as part of the 2003 O&M Plan.

VALLEYCREST GAS VENT AND WELL REPORT
(% Gas by Volume)

Week of:	Jan 07 - Jan 13, 2008						Week of:	Jan 14 - Jan 20, 2008					
Wellhead ID	Vacuum	Temp	CH4	O2	CO2	Bal	Wellhead ID	Vacuum	Temp	CH4	O2	CO2	Bal
LEG 1	--	--	--	--	--	--	LEG 1	--	--	--	--	--	--
GV1-1	--	36	21.3	1.6	25	52	GV1-1	--	28	26.6	0.4	32	41
GV1-2	--	38	20.4	4.5	25	50	GV1-2	--	80	26.9	1.2	32	40
GV1-3	--	38	9.9	11.1	12	67	GV1-3	--	34	28.5	0.4	33	38
GV1-4	--	38	17.3	1.6	24	57	GV1-4	--	30	25.4	0.4	31	43
GV1-5	--	40	28.8	0.3	30	41	GV1-5	--	34	25.6	0.5	31	43
GV1-6	--	44	14.1	1.2	22	63	GV1-6	--	36	10.9	3.9	20	65
GV1-7	--	40	12.0	0.8	22	65	GV1-7	--	30	12.4	2.7	22	63
GV1-8	--	40	15.0	0.3	24	61	GV1-8	--	38	13.0	2.0	26	59
GV1-9	--	40	10.4	0.6	24	65	GV1-9	--	36	12.1	2.5	22	63
GV1-10X	--	42	16.1	0.8	25	58	GV1-10X	--	40	9.3	5.6	18	67
GV1-11	--	38	16.0	0.4	24	60	GV1-11	--	30	13.7	0.7	24	62
GV1-12	--	40	16.3	0.2	22	62	GV1-12	--	40	13.4	0.7	24	62
GV1-13	--	52	7.9	0.1	17	75	GV1-13	--	56	12.9	0.7	24	62
LEG 1b	--	--	--	--	--	--	LEG 1b	--	--	--	--	--	--
GV1b-1	--	--	4.3	11.1	8.4	76	GV1b-1	--	--	5.3	12.7	7.8	74
GV1b-2	--	42	0.0	9.4	4.0	87	GV1b-2	--	40	0.0	13.5	6.8	80
GV1b-3	--	38	3.1	12.8	6.8	77	GV1b-3	--	30	4.1	12.9	9.5	74
GV1b-4	--	40	2.5	14.6	5.7	77	GV1b-4	--	38	4.2	12.5	9.4	74
--	--	40	4.2	9.2	12	75	GV1b-5	--	30	3.9	12.6	9.7	74
LEG 2	--	--	--	--	--	--	LEG 2	--	--	--	--	--	--
GV2-1	--	60	7.4	10.3	12	70	GV2-1	--	58	7.0	12.6	11	69
GV2-2	--	52	0.6	17.9	2.8	79	GV2-2	--	40	3.2	14.5	7.4	75
GV2-3	--	60	5.0	11.1	11	73	GV2-3	--	40	6.4	9.5	13	71
GV2-4	--	68	6.1	10.6	11	72	GV2-4	--	80	6.0	9.6	13	71
LEG 3	--	--	--	--	--	--	LEG 3	--	--	--	--	--	--
GV3-1	--	--	6.7	11.6	11	71	GV3-1	--	--	28.5	1.0	30	41
GV3-2	--	38	6.6	11.7	9.1	73	GV3-2	--	42	49.9	0.8	33	16
GV3-3	--	40	6.4	10.9	10	73	GV3-3	--	44	39.2	2.4	27	31
GV3-4	--	36	5.2	13.3	8.4	73	GV3-4	--	40	3.2	13.8	7.3	76
GV3-5	--	38	5.2	13.3	8.5	73	GV3-5	--	40	2.8	13.8	8.3	75
GV3-6	--	36	5.9	12.8	9.1	72	GV3-6	--	42	2.8	13.9	7.9	75
GV3-7	--	40	6.5	11.8	10	72	GV3-7	--	32	3.2	14.2	7.9	75
GV3-8	--	40	5.0	12.4	8.8	74	GV3-8	--	32	2.8	13.9	8.1	75
GV3-9	--	78	6.3	11.6	10	72	GV3-9	--	78	4.0	13.5	8.9	74
GV3-10 X	--	40	6.1	12.0	10	72	GV3-10 X	--	40	4.0	14.0	8.9	73
GV3-11	--	40	6.4	11.8	10	72	GV3-11	--	56	3.9	13.6	8.7	74
GV3-12	--	40	5.5	12.5	8.8	73	GV3-12	--	50	3.9	13.4	9.0	74
GV3-13	--	38	6.3	12.0	10	72	GV3-13	--	50	4.2	13.4	9.1	73
GV3-14	--	100	6.2	11.9	10	72	GV3-14	--	100	4.3	13.2	9.3	73
LEG 3	--	--	--	--	--	--	LEG 3	--	--	--	--	--	--
LEG 4	--	--	--	--	--	--	LEG 4	--	--	--	--	--	--
GV4-C	--	50	1.2	6.8	13	79	GV4-C	--	56	6.1	11.6	11	71
GV4-B	--	54	1.1	6.0	13	80	GV4-B	--	70	5.1	11.8	10	73
GV4-A	--	52	1.0	9.3	9.2	81	GV4-A	--	48	4.5	12.1	9.4	74
GV4-1	--	50	11.4	0.4	18	70	GV4-1	--	76	5.2	11.8	10	73
GV4-2	--	60	6.4	5.8	15	73	GV4-2	--	74	8.3	9.9	13	69
GV4-3	--	58	3.4	6.0	13	78	GV4-3	--	60	4.3	12.1	8.9	75
GV4-4 X	--	50	0.0	10.9	6.4	83	GV4-4 X	--	40	0.0	11.5	6.5	82
GV4-5	--	50	21.1	0.1	24	55	GV4-5	--	44	3.7	13.1	8.2	75
GV4-6	--	78	6.8	4.9	15	73	GV4-6	--	78	12.8	5.6	19	63
GV4-7	--	60	18.0	0.2	26	56	GV4-7	--	60	19.7	0.6	26	54
LEG 5	--	--	--	--	--	--	LEG 5	--	--	--	--	--	--
GV5-1	--	40	12.8	8.2	14	65	GV5-1	--	76	0.1	10.4	8.7	81
GV5-2	--	46	37.4	2.7	29	31	GV5-2	--	38	0.9	14.9	6.5	78
GV5-3	--	50	34.3	1.0	27	38	GV5-3	--	50	0.0	18.2	2.3	80
GV5-4	--	48	2.4	12.3	8.1	77	GV5-4	--	40	0.1	13.9	3.6	82
GV5-5	--	46	4.8	5.6	13	77	GV5-5	--	46	0.0	10.8	4.6	85
GV5-6	--	48	5.0	5.7	14	75	GV5-6	--	38	0.0	13.1	5.7	81
GV5-7	--	56	2.8	6.5	12	79	GV5-7	--	52	0.0	12.3	6.7	81
GV5-8	--	52	18.1	0.8	25	56	GV5-8	--	44	21.2	4.5	24	50
GV5-9	--	50	27.5	0.5	28	44	GV5-9	--	46	30.2	0.4	31	38

Notes: 1) Underline reading assumed to be aberrant based on historical behavior of the monitoring location. 2) NR = Value not recorded (WC1&4 within current Exclusion Zone).
3) NS = Not sampled due to instrument failure. 4) Sampling instrument used is a CES Landtec GA 90 calibrated to 15% CH4, 15% CO2 & 4% O2 by volume.
5) Temperature readings recorded from well head thermometers. 6) NAM = Not Accessible for Monitoring. 7) Wellheads in **BOLD** with **X** have been disconnected or valve closed.
8) Bal (Nitrogen) levels are the estimated balance gas remaining after deducting for CH4 (methane), O2 (oxygen), and CO2 (carbon dioxide).

VALLEYCREST GAS VENT AND WELL REPORT
(% Gas by Volume)

Week of:	Jan 07 - Jan 13, 2008						Week of:	Jan 14 - Jan 20, 2008					
Supplment/ Extraction Well	Valve Notch	Vacuum	CH4	O2	CO2	Bal	Supplment/ Extraction Well	Valve Notch	Vacuum	CH4	O2	CO2	Bal
EW-1	5	--	11.7	5.6	21	62	EW-1	5	--	2.3	15.3	7.1	75
EW-2	5	--	7.6	4.0	14	56	EW-2	5	--	3.5	5.3	13	77
EW-3	13	--	25.6	0.4	24	46	EW-3	13	--	4.3	14.4	7.3	52
EW-4	7	--	30.1	0.2	25	43	EW-4	7	--	26.5	0.2	27	28
EW-5	0	--	32.3	0.0	29	42	EW-5	0	--	44.7	0.1	33	35
EW-6	0	--	29.0	0.1	28	40	EW-6	0	--	31.7	0.3	29	37
EW-7	27	--	31.7	0.0	30	41	EW-7	27	--	33.9	0.1	31	34
EW-8	27	--	28.8	0.0	26	38	EW-8	27	--	34.9	0.2	32	34
EW-9	0	--	36.1	0.0	32	57	EW-9	0	--	33.7	0.2	32	40
EW-10	5	--	10.9	1.2	18	79	EW-10	5	--	28.0	1.6	27	69
EW-11	4	--	2.0	15.0	4.3	79	EW-11	4	--	2.2	15.2	7.1	76
EW-12	4	--	6.1	8.7	9.1	76	EW-12	4	--	2.3	15.2	7.2	75
SW1	13	--	38.5	0.0	33	29	SW1	13	--	31.4	0.1	30	39
SW2	13	--	37.6	0.1	33	29	SW2	13	--	33.6	0.7	31	35
SW3	--	--	--	--	--	--	SW3	--	--	--	--	--	--
NW1	13	--	24.9	0.4	29	46	NW1	13	--	51.7	0.2	38	10
NW2	13	--	45.4	0.1	35	20	NW2	13	--	43.7	0.2	37	19
NW3	13	--	50.3	0.2	38	12	NW3	13	--	47.2	0.2	39	14
NW4	13	--	33.0	1.6	25	40	NW4	13	--	22.0	0.4	27	51
NW5	13	--	26.2	0.3	28	46	NW5	13	--	40.9	2.8	34	22
NW6	13	--	45.6	0.7	39	15	NW6	13	--	36.0	0.4	39	25
NW7	13	--	51.2	0.4	38	10	NW7	13	--	67.1	1.1	40	0
NW8	13	--	44.7	2.2	34	19	NW8	13	--	24.1	0.5	27	48
WC1	--	--	--	--	--	--	WC1	--	--	--	--	--	--
WC4	--	--	--	--	--	--	WC4	--	--	--	--	--	--
FLARE 90	--	-2.70	--	--	--	--	FLARE 90	--	-2.70	--	--	--	--

Notes: 1) Underline reading assumed to be aberrant based on historical behavior of the monitoring location; 2) NR = Value not recorded (WC1&4 within current Exclusion Zone);

3) NS = Not sampled due to instrument failure; 4) Sampling instrument used is a CES Landtec GA 90 calibrated to 15% CH4, 15% CO2 & 4% O2 by volume.

5) Temperature readings recorded from well head thermometers; 6) NAM = Not Accessable for monitoring; 7) Wellheads in **BOLD** with **X** have been disconnected or valve closed.

8) Bal (Nitrogen) levels are the estimated balance gas remaining after deducting for CH4 (methane), O2 (oxygen), and CO2 (carbon dioxide).

R. M. BROYLES COMPANY, L. L. C.

P.O. Box 13154, Dayton, OH 45413

FAX # 937- 558-5582

MOB # 937-776-5304

email: rmbcom@woh.rr.com

REPORT COVER PAGE

To: Gary Saylor SCS <gsaylor@scsengineers.com>

Pages: 5

From: Mike Broyles <rmbcom@woh.rr.com>

Date: 1/30/2008

Subject: LFG Monitoring Summary Week of 01/21/08 - 01/27/08

All CPs remained in compliance this week.

There were three (3) flare failures due to low methane or other condition.

Flare operating cycles were 240 to 300 mins ON and 180 to 240 mins OFF.

Weekly Gas Vent, Extraction & Supplemental Well monitoring was performed January 25, 2008 between 12:30 PM and 4:00 PM with temperatures of 18°F to 22°F with partly cloudy conditions.

Valves were open to Legs 1b, 2, 3A, 3B, 4 and 5

Wells open were NW 1-8, WC 1 & 4, SW 1 & 2, EW 1-4, 7, 8, 10, 11 & 12

Flare Operating Hours:

Date	AM				PM				"ON" Hours
	on	off	on	off	on	off	on	off	
1/21/2008	--	--	--	--	5:00	--	--	10:00	5.0
1/22/2008	1:00	6:00	9:00	--	--	2:00	5:00#	--	10.0
1/23/2008	--	--	--	--	5:00	--	--	9:00	4.0
1/24/2008	1:00	5:00	9:00	--	--	1:00	5:00#	--	8.0
1/25/2008	--	--	11:00	--	--	5:00	9:00	12:00	9.0
1/26/2008	0:00	1:00	5:00	9:00	1:00	5:00	9:00	12:00	12.0
1/27/2008	0:00#	--	--	--	2:00	6:00	10:00	12:00	6.0
Note:	# = Flare shut down during operation. ## = Manual Flare operation.				Total Hrs. =				54.0

* = Flare reset to operate full time with propane. @ Flare reset to operate full time with methane. + Other reason

Times represent Flare Clock which is set to EST minus 30 minutes.

Flow rate was 190 - 220 scfm. Temperature range (middle thermocouple) 1520 - 1570° F.

Daily/Weekly monitoring

Date	Probes/Wells Monitored	Sampling Period	Readings	Barometric Pressure	Trend
1/21/2008	--	--	--	--	--
1/22/2008	--	--	--	--	--
1/23/2008	--	--	--	--	--
1/24/2008	--	--	--	--	--
1/25/2008	GVs, S&EW	12:30 - 4:00P	--	30.56 - 30.48	F
1/26/2008	CPs 1-5, TGP/GPs	2:30 - 5:30P	0.0	30.06 - 30.07	R
1/27/2008	--	--	--	--	--

Notes: CP/s = Compliance Probe/s; S&EW=Supplemental and Extraction Wells; 1, 1b, 2, 3A, 3B, 4 & 5 = Leg numbers.

Readings in **BOLD** represent **Compliance Probe (CP)** readings greater than 5.0%

Barometric Pressure represents pressure and range during Sampling Period. Trend: R = rising, F = falling, S = steady

CONFIDENTIALITY NOTE: THIS MESSAGE IS INTENDED ONLY FOR THE INDIVIDUAL/S OR ENTITY/IES TO WHICH IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT/S, OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERING THE MESSAGE TO THE INTENDED RECIPIENT/S, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY R. M. BROYLES COMPANY, L. L. C. IMMEDIATELY BY TELEPHONE AT (937) 890-6985, AND RETURN THE ORIGINAL MESSAGE TO R. M. BROYLES COMPANY, L. L. C. AT THE ABOVE ADDRESS VIA THE U. S. POSTAL SERVICE.

VALLEYCREST COMPLIANCE PROBE REPORT
(% Methane by Volume)

Compliance Probes	21-Jan	22-Jan	23-Jan	24-Jan	25-Jan	26-Jan	27-Jan
CP1-1R	--	--	--	--	--	--	0.0
CP1-2	--	--	--	--	--	--	0.0
CP1-3	--	--	--	--	--	--	0.0
CP1-4	--	--	--	--	--	--	0.0
CP1-5	--	--	--	--	--	--	0.0
CP1-7	--	--	--	--	--	--	0.0
CP1-9	--	--	--	--	--	--	0.0
CP1-11	--	--	--	--	--	--	0.0
CP1-13	--	--	--	--	--	--	0.0
GP-01 (for CP1-14)	--	--	--	--	--	--	0.0
GP-02 (for CP1b-1R)	--	--	--	--	--	--	0.0
CP1b-2R	--	--	--	--	--	--	0.0
CP1b-4R	--	--	--	--	--	--	0.0
CP1b-6R	--	--	--	--	--	--	0.0
TGP1b-E	--	--	--	--	--	--	0.0
TGP1b-A	--	--	--	--	--	--	0.0
TGP1b-F	--	--	--	--	--	--	0.0
TGP1b-B	--	--	--	--	--	--	0.0
TGP1b-G	--	--	--	--	--	--	0.0
TGP1b-C	--	--	--	--	--	--	0.0
TGP1b-H	--	--	--	--	--	--	0.0
TGP1b-D	--	--	--	--	--	--	0.0
GP-03	--	--	--	--	--	--	0.0
TGP-82	--	--	--	--	--	--	0.0
GP-04	--	--	--	--	--	--	0.0
TGP-83	--	--	--	--	--	--	0.0
CP2-1	--	--	--	--	--	--	0.0
CP2-2	--	--	--	--	--	--	0.0
CP2-4R	--	--	--	--	--	--	0.0
CP2-5R	--	--	--	--	--	--	0.0
CP-6R	--	--	--	--	--	--	0.0
CP2-7	--	--	--	--	--	--	0.0
CP2-9	--	--	--	--	--	--	0.0
TGP-06	--	--	--	--	--	--	0.0
TGP-East	--	--	--	--	--	--	0.0
TGP-Dads	--	--	--	--	--	--	0.0
CP3-1RR	--	--	--	--	--	--	0.0
CP3-2R	--	--	--	--	--	--	0.0
CP3-4R	--	--	--	--	--	--	0.0
CP3-5R	--	--	--	--	--	--	0.0
CP3-7R	--	--	--	--	--	--	0.0
CP3-8R	--	--	--	--	--	--	0.0
CP3-9	--	--	--	--	--	--	0.0
CP3-10R	--	--	--	--	--	--	0.0
CP3-12R	--	--	--	--	--	--	0.0
CP3-13R	--	--	--	--	--	--	0.0
CP3-14R	--	--	--	--	--	--	0.0
CP3-15R	--	--	--	--	--	--	0.0
TGP-89	--	--	--	--	--	--	0.0
CP4-A	--	--	--	--	--	--	0.0
CP4-B	--	--	--	--	--	--	0.0
CP4-C	--	--	--	--	--	--	0.0
CP4-1	--	--	--	--	--	--	0.0
CP4-2	--	--	--	--	--	--	0.0
CP4-3	--	--	--	--	--	--	0.0
CP4-4	--	--	--	--	--	--	0.0
CP4-6	--	--	--	--	--	--	0.0
CP5-1R	--	--	--	--	--	--	0.0
CP5-3R	--	--	--	--	--	--	0.0
CP5-4R	--	--	--	--	--	--	0.0
CP5-6	--	--	--	--	--	--	0.0
CP5-8	--	--	--	--	--	--	0.0

Notes: 1) Underline reading assumed to be abbartent based on historical bhavior of the monitoring location. 2) NR = Value not recorded.
3) NS = Not sampled due to instrument failure; 4) Values in **Bold Face Type** exceed applicable concentration ceilings of 5% methane by volume
5) Sampling instrument used is a Landtec GA 90, calibrated to a standard at 15% CH4, 15% CO2 & 4% O2 by volume
6) Probes highlighted and **Bold** denote compliance probes installed the week of October 13, 2003 as part of the 2003 O&M Plan.

VALLEYCREST COMPLIANCE PROBE REPORT
(% Methane by Volume)

Compliance Probes	21-Jan	22-Jan	23-Jan	24-Jan	25-Jan	26-Jan	27-Jan
TGP-76	--	--	--	--	--	--	0.0
TGP-63	--	--	--	--	--	--	0.0
TGP-57	--	--	--	--	--	--	0.0
TGP-62	--	--	--	--	--	--	0.0
GP-12	--	--	--	--	--	--	0.0
TGP-60	--	--	--	--	--	--	0.0
TGP-65	--	--	--	--	--	--	0.0
TGP-66	--	--	--	--	--	--	0.0
TGP-67	--	--	--	--	--	--	0.0
TGP-68	--	--	--	--	--	--	0.0
TGP-53	--	--	--	--	--	--	0.0
TGP-59	--	--	--	--	--	--	0.0
TGP-58	--	--	--	--	--	--	0.0
GP-14	--	--	--	--	--	--	0.0
TGP-87	--	--	--	--	--	--	0.0
TGP-88	--	--	--	--	--	--	0.0
TGP-69	--	--	--	--	--	--	0.0
TGP-90	--	--	--	--	--	--	0.0
GP-17	--	--	--	--	--	--	0.0
TGP-91	--	--	--	--	--	--	0.0
GP-18	--	--	--	--	--	--	0.0
TGP-73	--	--	--	--	--	--	0.0
TGP-74	--	--	--	--	--	--	0.0
TGP-84	--	--	--	--	--	--	0.0
TGP-75	--	--	--	--	--	--	0.0
TGP-85	--	--	--	--	--	--	0.0
TGP-72	--	--	--	--	--	--	0.0
TGP-86	--	--	--	--	--	--	0.0
TGP-32	--	--	--	--	--	--	0.0

Notes: 1) Underline reading assumed to be abbartent based on historical bhavior of the monitoring location; 2) NR = Value not recorded.
3) NS = Not sampled due to instrument failure; 4) Values in **Bold Face Type** exceed applicable concentration ceilings of 5% methane by volume
5) Sampling instrument used is a Landtec GA 90, calibrated to a standard at 15% CH4, 15% CO2 & 4% O2 by volume
6) Probes highlighted and **Bold** denote compliance probes installed the week of October 13, 2003 as part of the 2003 O&M Plan.

VALLEYCREST GAS VENT AND WELL REPORT
(% Gas by Volume)

Week of:	Jan 14 - Jan 20, 2008						Week of:	Jan 21 - Jan 27, 2008					
Wellhead ID	Vacuum	Temp	CH4	O2	CO2	Bal	Wellhead ID	Vacuum	Temp	CH4	O2	CO2	Bal
LEG 1	--	--	--	--	--	--	LEG 1	--	--	--	--	--	--
GV1-1	--	28	26.6	0.4	32	41	GV1-1	--	30	27.6	0.3	29	43
GV1-2	--	80	26.9	1.2	32	40	GV1-2	--	80	27.1	0.9	28	44
GV1-3	--	34	28.5	0.4	33	38	GV1-3	--	30	26.6	0.5	28	45
GV1-4	--	30	25.4	0.4	31	43	GV1-4	--	30	24.1	0.7	26	49
GV1-5	--	34	25.6	0.5	31	43	GV1-5	--	34	25.7	1.5	26	47
GV1-6	--	36	10.9	3.9	20	65	GV1-6	--	34	10.7	3.9	18	67
GV1-7	--	30	12.4	2.7	22	63	GV1-7	--	30	12.9	3.5	20	64
GV1-8	--	38	13.0	2.0	26	59	GV1-8	--	36	16.6	0.3	25	58
GV1-9	--	36	12.1	2.5	22	63	GV1-9	--	36	12.7	0.1	23	64
GV1-10X	--	40	9.3	5.6	18	67	GV1-10X	--	40	13.7	0.6	23	63
GV1-11	--	30	13.7	0.7	24	62	GV1-11	--	32	14.4	0.3	23	62
GV1-12	--	40	13.4	0.7	24	62	GV1-12	--	38	12.7	0.4	20	67
GV1-13	--	56	12.9	0.7	24	62	GV1-13	--	54	9.6	3.5	18	69
LEG 1b	--	--	--	--	--	--	LEG 1b	--	--	--	--	--	--
GV1b-1	--	--	5.3	12.7	7.8	74	GV1b-1	--	--	0.9	13.8	5.0	80
GV1b-2	--	40	0.0	13.5	6.8	80	GV1b-2	--	40	0.0	15.6	5.1	79
GV1b-3	--	30	4.1	12.9	9.5	74	GV1b-3	--	30	10.0	9.5	14	67
GV1b-4	--	38	4.2	12.5	9.4	74	GV1b-4	--	40	0.4	16.3	2.5	81
--	--	30	3.9	12.6	9.7	74	GV1b-5	--	32	2.6	9.1	12	76
LEG 2	--	--	--	--	--	--	LEG 2	--	--	--	--	--	--
GV2-1	--	58	7.0	12.6	11	69	GV2-1	--	60	4.8	11.1	9.4	75
GV2-2	--	40	3.2	14.5	7.4	75	GV2-2	--	60	0.3	16.6	3.2	80
GV2-3	--	40	6.4	9.5	13	71	GV2-3	--	64	0.0	9.7	11	79
GV2-4	--	80	6.0	9.6	13	71	GV2-4	--	88	3.4	9.2	11	76
LEG 3	--	--	--	--	--	--	LEG 3	--	--	--	--	--	--
GV3-1	--	--	28.5	1.0	30	41	GV3-1	--	--	29.4	1.4	26	43
GV3-2	--	42	49.9	0.8	33	16	GV3-2	--	40	36.0	3.0	25	36
GV3-3	--	44	39.2	2.4	27	31	GV3-3	--	48	0.0	17.6	1.3	81
GV3-4	--	40	3.2	13.8	7.3	76	GV3-4	--	50	0.7	16.4	5.0	78
GV3-5	--	40	2.8	13.8	8.3	75	GV3-5	--	36	0.4	11.5	8.4	80
GV3-6	--	42	2.8	13.9	7.9	75	GV3-6	--	42	0.6	13.0	6.4	80
GV3-7	--	32	3.2	14.2	7.9	75	GV3-7	--	30	0.1	6.0	12	82
GV3-8	--	32	2.8	13.9	8.1	75	GV3-8	--	30	0.0	4.8	4.3	91
GV3-9	--	78	4.0	13.5	8.9	74	GV3-9	--	78	2.0	15.5	13	70
GV3-10 X	--	40	4.0	14.0	8.9	73	GV3-10 X	--	40	1.0	6.0	11	82
GV3-11	--	56	3.9	13.6	8.7	74	GV3-11	--	44	5.6	1.9	17	76
GV3-12	--	50	3.9	13.4	9.0	74	GV3-12	--	42	6.9	0.4	17	76
GV3-13	--	50	4.2	13.4	9.1	73	GV3-13	--	42	14.5	4.7	16	65
GV3-14	--	100	4.3	13.2	9.3	73	GV3-14	--	104	24.0	1.2	22	53
LEG 3	--	--	--	--	--	--	LEG 3	--	--	--	--	--	--
LEG 4	--	--	--	--	--	--	LEG 4	--	--	--	--	--	--
GV4-C	--	56	6.1	11.6	11	71	GV4-C	--	52	0.4	6.3	11	82
GV4-B	--	70	5.1	11.8	10	73	GV4-B	--	70	0.7	5.9	12	81
GV4-A	--	48	4.5	12.1	9.4	74	GV4-A	--	38	0.4	11.6	6.9	81
GV4-1	--	76	5.2	11.8	10	73	GV4-1	--	76	8.1	3.5	18	70
GV4-2	--	74	8.3	9.9	13	69	GV4-2	--	74	12.3	5.2	15	68
GV4-3	--	60	4.3	12.1	8.9	75	GV4-3	--	76	3.8	7.1	12	77
GV4-4 X	--	40	0.0	11.5	6.5	82	GV4-4 X	--	36	0.0	12.9	4.7	82
GV4-5	--	44	3.7	13.1	8.2	75	GV4-5	--	42	18.9	1.1	22	58
GV4-6	--	78	12.8	5.6	19	63	GV4-6	--	78	2.7	7.3	12	78
GV4-7	--	60	19.7	0.6	26	54	GV4-7	--	50	21.2	1.8	24	53
LEG 5	--	--	--	--	--	--	LEG 5	--	--	--	--	--	--
GV5-1	--	76	0.1	10.4	8.7	81	GV5-1	--	76	0.0	18.4	1.2	80
GV5-2	--	38	0.9	14.9	6.5	78	GV5-2	--	44	0.0	16.5	3.9	80
GV5-3	--	50	0.0	18.2	2.3	80	GV5-3	--	40	0.0	18.5	2.3	79
GV5-4	--	40	0.1	13.9	3.6	82	GV5-4	--	40	0.0	18.1	2.8	79
GV5-5	--	46	0.0	10.8	4.6	85	GV5-5	--	40	0.0	13.4	6.0	81
GV5-6	--	38	0.0	13.1	5.7	81	GV5-6	--	80	0.0	14.3	5.1	81
GV5-7	--	52	0.0	12.3	6.7	81	GV5-7	--	50	0.0	13.2	7.0	80
GV5-8	--	44	21.2	4.5	24	50	GV5-8	--	40	2.9	4.1	18	75
GV5-9	--	46	30.2	0.4	31	38	GV5-9	--	40	23.3	0.3	26	50

Notes: 1) Underline reading assumed to be aberrant based on historical behavior of the monitoring location; 2) NR = Value not recorded (WC1&4 within current Exclusion Zone);
3) NS = Not sampled due to instrument failure; 4) Sampling instrument used is a CES Landtec GA 90 calibrated to 15% CH4, 15% CO2 & 4% O2 by volume.
5) Temperature readings recorded from well head thermometers. 6) NAM = Not Accessible for Monitoring; 7) Wellheads in **BOLD** with **X** have been disconnected or valve closed.
8) Bal (Nitrogen) levels are the estimated balance gas remaining after deducting for CH4 (methane), O2 (oxygen), and CO2 (carbon dioxide).

VALLEYCREST GAS VENT AND WELL REPORT
(% Gas by Volume)

Week of:	Jan 14 - Jan 20, 2008						Week of:	Jan 21 - Jan 27, 2008					
Supplment/ Extraction Well	Valve Notch	Vacuum	CH4	O2	CO2	Bal	Supplment/ Extraction Well	Valve Notch	Vacuum	CH4	O2	CO2	Bal
EW-1	5	--	2.3	15.3	7.1	75	EW-1	5	--	16.3	2.2	23.0	59
EW-2	5	--	3.5	5.3	13	77	EW-2	5	--	0.2	12.6	6	62
EW-3	13	--	4.3	14.4	7.3	52	EW-3	13	--	19.6	1.6	22.0	49
EW-4	7	--	26.5	0.2	27	28	EW-4	7	--	27.7	0.8	25	43
EW-5	0	--	44.7	0.1	33	35	EW-5	0	--	31.1	3.7	24	42
EW-6	0	--	31.7	0.3	29	37	EW-6	0	--	29.9	0.0	27	44
EW-7	27	--	33.9	0.1	31	34	EW-7	27	--	29.1	0.0	27	45
EW-8	27	--	34.9	0.2	32	34	EW-8	27	--	28.1	0.0	26	41
EW-9	0	--	33.7	0.2	32	40	EW-9	0	--	32.6	0.0	28	71
EW-10	5	--	28.0	1.6	27	69	EW-10	5	--	1.5	6.4	11	81
EW-11	4	--	2.2	15.2	7.1	76	EW-11	4	--	1.2	16.9	2.6	79
EW-12	4	--	2.3	15.2	7.2	75	EW-12	4	--	3.4	12.1	6.5	78
SW1	13	--	31.4	0.1	30	39	SW1	13	--	39.0	0.0	31	30
SW2	13	--	33.6	0.7	31	35	SW2	13	--	37.0	0.0	31	32
SW3	--	--	--	--	--	--	SW3	--	--	--	--	--	--
NW1	13	--	51.7	0.2	38	10	NW1	13	--	19.2	0.2	25	56
NW2	13	--	43.7	0.2	37	19	NW2	13	--	38.1	0.7	31	30
NW3	13	--	47.2	0.2	39	14	NW3	13	--	39.4	0.8	29	31
NW4	13	--	22.0	0.4	27	51	NW4	13	--	30.3	2.2	22	46
NW5	13	--	40.9	2.8	34	22	NW5	13	--	20.2	0.8	25	54
NW6	13	--	36.0	0.4	39	25	NW6	13	--	38.0	0.2	34	28
NW7	13	--	67.1	1.1	40	0	NW7	13	--	60.9	0.4	33	6
NW8	13	--	24.1	0.5	27	48	NW8	13	--	20.5	0.0	24	56
WC1	--	--	--	--	--	--	WC1	--	--	--	--	--	--
WC4	--	--	--	--	--	--	WC4	--	--	--	--	--	--
FLARE 90	--	-2.70	--	--	--	--	FLARE 90	--	-2.70	--	--	--	--

Notes: 1) Underline reading assumed to be aberrant based on historical behavior of the monitoring location; 2) NR = Value not recorded (WC1&4 within current Exclusion Zone);
3) NS = Not sampled due to instrument failure; 4) Sampling instrument used is a CES Landtec GA 90 calibrated to 15% CH4, 15% CO2 & 4% O2 by volume.
5) Temperature readings recorded from well head thermometers; 6) NAM = Not Accessable for monitoring; 7) Wellheads in **BOLD** with **X** have been disconnected or valve closed.
8) Bal (Nitrogen) levels are the estimated balance gas remaining after deducting for CH4 (methane), O2 (oxygen), and CO2 (carbon dioxide).