



1775 Moriah Woods Blvd., Ste. 12 ▪ Memphis, TN 38117 ▪ (901) 398-4001 Fax: (901) 398-4223

UNITED STATES ENVIRONMENTAL SERVICES, LLC.
ATTN: JIMMY THOMPSON
1855 VETERANS DRIVE
SOUTHAVEN, MS 38671

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Laboratory Report Case Narrative

On December 3, 2008, nine samples were submitted to the laboratory for analyses detailed on the chain of custody accompanying the samples. The samples were received on ice, sealed and in good condition. There were no analytical problems encountered and the results are on the succeeding pages.

If you have any questions about this report please do not hesitate to contact me.

Thank you for using Cornerstone Laboratories.

Sincerely,

Samuel J. LaBonia
President and Technical Director

UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Report of Analysis

Laboratory Number: 55005

Sample ID: SRO-1

<u>ANALYSIS</u>	<u>RESULT</u>	<u>Regulatory Limit</u>	<u>METHOD</u>	<u>DATE/TIME ANALYZED</u>	<u>ANALYST</u>
Ignitability	96°F	140°F	PMCC	12/04/08 09:00	M. Blum

Laboratory Number: 55006

Sample ID: SRO-2

<u>ANALYSIS</u>	<u>RESULT</u>	<u>Regulatory Limit</u>	<u>METHOD</u>	<u>DATE/TIME ANALYZED</u>	<u>ANALYST</u>
Ignitability	>200°F	140°F	PMCC	12/04/08 09:00	M. Blum

Laboratory Number: 55007

Sample ID: SRO-4

<u>ANALYSIS</u>	<u>RESULT</u>	<u>Regulatory Limit</u>	<u>METHOD</u>	<u>DATE/TIME ANALYZED</u>	<u>ANALYST</u>
Ignitability	>200°F	140°F	PMCC	12/04/08 09:00	M. Blum
Corrosivity	8.96 s.u.	2.0-12.5	9040	12/04/08 08:30	M. Blum
Reactive Sulfide	87 mg/Kg	500 mg/Kg	7.3.4	12/06/08 10:00	M. Blum
Reactive Cyanide	<1 mg/Kg	250 mg/Kg	7.3.3	12/06/08 13:30	M. Blum
TSS	98 %	N/A	160.2	12/05/08 11:30	M. Blum

Laboratory Number: 55008

Sample ID: SRO-5

<u>ANALYSIS</u>	<u>RESULT</u>	<u>Regulatory Limit</u>	<u>METHOD</u>	<u>DATE/TIME ANALYZED</u>	<u>ANALYST</u>
Ignitability	>200°F	140°F	PMCC	12/04/08 09:00	M. Blum
Corrosivity	7.36 s.u.	2.0-12.5	9040	12/04/08 08:30	M. Blum
Reactive Sulfide	39 mg/Kg	500 mg/Kg	7.3.4	12/06/08 10:00	M. Blum
Reactive Cyanide	<1 mg/Kg	250 mg/Kg	7.3.3	12/06/08 13:30	M. Blum
TSS	52 %	N/A	160.2	12/05/08 11:30	M. Blum

UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Report of Analysis

Laboratory Number: 55009

Sample ID: SRO-7

<u>ANALYSIS</u>	<u>RESULT</u>	<u>Regulatory Limit</u>	<u>METHOD</u>	<u>DATE/TIME ANALYZED</u>	<u>ANALYST</u>
Ignitability	>200°F	140°F	PMCC	12/04/08 09:00	M. Blum
Corrosivity	12.09 s.u.	2.0-12.5	9040	12/04/08 08:30	M. Blum
Reactive Sulfide	45 mg/Kg	500 mg/Kg	7.3.4	12/06/08 10:00	M. Blum
Reactive Cyanide	<1 mg/Kg	250 mg/Kg	7.3.3	12/06/08 13:30	M. Blum
TSS	106 mg/L	N/A	160.2	12/05/08 11:30	M. Blum

Laboratory Number: 55010

Sample ID: CSSR-1

<u>ANALYSIS</u>	<u>RESULT</u>	<u>Regulatory Limit</u>	<u>METHOD</u>	<u>DATE/TIME ANALYZED</u>	<u>ANALYST</u>
Ignitability	>200°F	140°F	PMCC	12/04/08 09:00	M. Blum
Corrosivity	11.60 s.u.	2.0-12.5	9040	12/04/08 08:30	M. Blum
Reactive Sulfide	62 mg/Kg	500 mg/Kg	7.3.4	12/06/08 10:00	M. Blum
Reactive Cyanide	<1 mg/Kg	250 mg/Kg	7.3.3	12/06/08 13:30	M. Blum
TSS	122 mg/L	N/A	160.2	12/05/08 11:30	M. Blum

Laboratory Number: 55011

Sample ID: CSPL-1

<u>ANALYSIS</u>	<u>RESULT</u>	<u>Regulatory Limit</u>	<u>METHOD</u>	<u>DATE/TIME ANALYZED</u>	<u>ANALYST</u>
Ignitability	>200°F	140°F	PMCC	12/04/08 09:00	M. Blum
Corrosivity	6.06 s.u.	2.0-12.5	9040	12/04/08 08:30	M. Blum
Reactive Sulfide	<1 mg/Kg	500 mg/Kg	7.3.4	12/06/08 10:00	M. Blum
Reactive Cyanide	<1 mg/Kg	250 mg/Kg	7.3.3	12/06/08 13:30	M. Blum
TSS	109 mg/L	N/A	160.2	12/05/08 11:30	M. Blum

Laboratory Number: 55012

Sample ID: PL-12

<u>ANALYSIS</u>	<u>RESULT</u>	<u>Regulatory Limit</u>	<u>METHOD</u>	<u>DATE/TIME ANALYZED</u>	<u>ANALYST</u>
Ignitability	>200°F	140°F	PMCC	12/04/08 09:00	M. Blum



UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Report of Analysis

Laboratory Number: 55013

Sample ID: PL-13

<u>ANALYSIS</u>	<u>RESULT</u>	<u>Regulatory Limit</u>	<u>METHOD</u>	<u>DATE/TIME ANALYZED</u>	<u>ANALYST</u>
Ignitability	>200°F	140°F	PMCC	12/04/08 09:00	M. Blum

UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Certificate of Volatile Organics by GC/MS

Laboratory Number: 55007

Sample ID: SRO-4

Compound	Quantitation		METHOD	DATE/TIME ANALYZED	ANALYST
	RESULT	Limit			
Acetone	<2.500 mg/Kg	2.500 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Benzene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Bromobenzene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Bromoform	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Bromomethane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
2-Butanone	<2.500 mg/Kg	2.500 mg/Kg	8260B	12/05/08 15:14	K. Shinn
n-Butylbenzene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
sec-Butylbenzene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
tert-Butylbenzene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Carbon Disulfide	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Carbon Tetrachloride	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Chlorobenzene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Chlorodibromomethane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Chloroethane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Chloroform	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Chloromethane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
2-Chlorotoluene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
4-Chlorotoluene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,2-Dibromo-3-chloropropane	<0.020 mg/Kg	0.020 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Dichlorobromomethane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,2-Dichlorobenzene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,3-Dichlorobenzene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,4-Dichlorobenzene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Dichlorodifluoromethane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Dibromomethane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,1-Dichloroethane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,2-Dichloroethane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
cis-1,2-Dichloroethylene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
trans-1,2-Dichloroethylene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,1-Dichloroethylene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,2-Dichloropropane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,3-Dichloropropane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn

Certificate of Volatile Organics by GC/MS (cont.)

Laboratory Number: 55007

Sample ID: SRO-4

Compound	Quantitation			DATE/TIME ANALYZED	ANALYST
	RESULT	Limit	METHOD		
2,2-Dichloropropane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,1-Dichloropropylene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
cis-1,3-Dichloropropylene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
trans-1,3-Dichloropropylene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Ethylbenzene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Hexachlorobutadiene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
2-Hexanone	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Isopropylbenzene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
4-Isopropyltoluene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
4-Methyl-2-Pentanone	<1.250 mg/Kg	1.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Methylene Chloride	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
n-Propylbenzene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Naphthalene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Styrene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,1,1,2-Tetrachloroethane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,1,2,2-Tetrachloroethane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Tetrachloroethylene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Toluene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,2,3-Trichlorobenzene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,2,4-Trichlorobenzene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,2,3-Trichloropropane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,1,1-Trichloroethane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,1,2-Trichloroethane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Trichloroethylene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,2,4-Trimethylbenzene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
1,3,5-Trimethylbenzene	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Trichlorofluoromethane	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Vinyl Chloride	<0.250 mg/Kg	0.250 mg/Kg	8260B	12/05/08 15:14	K. Shinn
Xylene (Total)	<0.750 mg/Kg	0.750 mg/Kg	8260B	12/05/08 15:14	K. Shinn

UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Certificate of Base/Neutral Extractables by GC/MS

Laboratory Number: 55007

Sample ID: SRO-4

Compound	Quantitation		METHOD	DATE/TIME ANALYZED	ANALYST
	RESULT	Limit			
Acenaphthene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Acenaphthylene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Anthracene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Benzidine	<0.500 mg/Kg	0.500 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Benzo(a)Anthracene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Benzo (a) pyrene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
3,4-Benzofluoranthene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Benzo (ghi) perylene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Benzo (k) Fluoranthene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Bis(2-chloroethoxy)methane	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Bis(2-chloroethyl)ether	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Bis(2-ethylhexyl)phthalate	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
4-Bromophenyl phenyl ether	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Butyl benzyl phthalate	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
2-Chloronaphthalene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
4-Chlorophenyl phenyl ether	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Chrysene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Dibenzo (ah) anthracene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
1,2-Dichlorobenzene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
1,3-Dichlorobenzene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
1,4-Dichlorobenzene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
3,3-Dichlorobenzidine	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Diethyl Phthalate	70.600 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Dimethyl Phthalate	16.500 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Di-n-butyl Phthalate	4.110 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
2,4-Dinitrotoluene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
2,6-Dinitrotoluene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Di-n-octyl Phthalate	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
1,2-Diphenylhydrazine	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Fluoranthene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Fluorene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Hexachlorobenzene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Hexachlorobutadiene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Hexachlorocyclopentadiene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Hexachloroethane	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn

Certificate of Base/Neutral Extractables by GC/MS (Cont.)

Laboratory Number: 55007

Sample ID: SRO-4

Compound	RESULT	Quantitation Limit	METHOD	DATE/TIME ANALYZED	ANALYST
Indeno (123cd) pyrene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Isophorone	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Naphthalene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Nitrobenzene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
N-Nitrosodimethylamine	<0.500 mg/Kg	0.500 mg/Kg	8270C	12/08/08 11:02	K. Shinn
N-Nitrosodi-n-propylamine	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
N-Nitrosodiphenylamine	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Phenanthrene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Pyrene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
1,2,4-Trichlorobenzene	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn

Certificate of Acid Extractable Organics by GC/MS

Laboratory Number: 55007

Sample ID: SRO-4

Compound	RESULT	Quantitation Limit	METHOD	DATE/TIME ANALYZED	ANALYST
2,4,6-Trichlorophenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
2-Chlorophenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
2,4,5-Trichlorophenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
2,4-Dichlorophenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
2,4-Dimethylphenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
2-Nitrophenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
4-Chlorophenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
2,6-Dichlorophenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
3,4-Dichlorophenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
4-Nitrophenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
2,4-Dinitrophenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
4,6-Dinitro-o-cresol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
Pentachlorophenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
3-Chlorophenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
2,3-Dichlorophenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn

Certificate of Acid Extractable Organics by GC/MS (Cont.)

Laboratory Number: 55007

Sample ID: SRO-4

Compound	RESULT	Quantitation	METHOD	DATE/TIME ANALYZED	ANALYST
		Limit			
2,5-Dichlorophenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
2-Methylphenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
3-Methylphenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn
4-Methylphenol	<0.250 mg/Kg	0.250 mg/Kg	8270C	12/08/08 11:02	K. Shinn

Certificate of Metals Analysis

Laboratory Number: 55007

Sample ID: SRO-4

Analyte	RESULT	Quantitation	METHOD	DATE/TIME ANALYZED	ANALYST
		Limit			
Arsenic	<0.1 mg/Kg	0.1 mg/Kg	6010B	12/08/08 12:11	M. Blum
Barium	5.1 mg/Kg	0.1 mg/Kg	6010B	12/08/08 12:11	M. Blum
Cadmium	<0.1 mg/Kg	0.1 mg/Kg	6010B	12/08/08 12:11	M. Blum
Chromium	<0.1 mg/Kg	0.1 mg/Kg	6010B	12/08/08 12:11	M. Blum
Lead	<0.1 mg/Kg	0.1 mg/Kg	6010B	12/08/08 12:11	M. Blum
Mercury	<0.009 mg/Kg	0.009 mg/Kg	7040	12/08/08 08:30	T. Tran
Selenium	<0.1 mg/Kg	0.1 mg/Kg	6010B	12/08/08 12:11	M. Blum
Silver	<0.1 mg/Kg	0.1 mg/Kg	6010B	12/08/08 12:11	M. Blum

UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Certificate of Volatile Organics by GC/MS

Laboratory Number: 55008

Sample ID: SRO-5

Compound	Quantitation		METHOD	DATE/TIME ANALYZED	ANALYST
	RESULT	Limit			
Acetone	<125.0 mg/Kg	125.0 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Benzene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Bromobenzene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Bromoform	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Bromomethane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
2-Butanone	<125.0 mg/Kg	125.0 mg/Kg	8260B	12/05/08 15:52	K. Shinn
n-Butylbenzene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
sec-Butylbenzene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
tert-Butylbenzene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Carbon Disulfide	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Carbon Tetrachloride	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Chlorobenzene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Chlorodibromomethane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Chloroethane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Chloroform	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Chloromethane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
2-Chlorotoluene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
4-Chlorotoluene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,2-Dibromo-3-chloropropane	<62.50 mg/Kg	32.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Dichlorobromomethane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,2-Dichlorobenzene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,3-Dichlorobenzene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,4-Dichlorobenzene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Dichlorodifluoromethane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Dibromomethane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,1-Dichloroethane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,2-Dichloroethane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
cis-1,2-Dichloroethylene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
trans-1,2-Dichloroethylene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,1-Dichloroethylene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,2-Dichloropropane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,3-Dichloropropane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn

Certificate of Volatile Organics by GC/MS (cont.)

Laboratory Number: 55008

Sample ID: SRO-5

Compound	Quantitation		METHOD	DATE/TIME ANALYZED	ANALYST
	RESULT	Limit			
2,2-Dichloropropane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,1-Dichloropropylene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
cis-1,3-Dichloropropylene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
trans-1,3-Dichloropropylene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Ethylbenzene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Hexachlorobutadiene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
2-Hexanone	<125.0 mg/Kg	125.0 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Isopropylbenzene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
4-Isopropyltoluene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
4-Methyl-2-Pentanone	<62.50 mg/Kg	62.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Methylene Chloride	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
n-Propylbenzene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Naphthalene	190.30 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Styrene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,1,1,2-Tetrachloroethane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,1,2,2-Tetrachloroethane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Tetrachloroethylene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Toluene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,2,3-Trichlorobenzene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,2,4-Trichlorobenzene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,2,3-Trichloropropane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,1,1-Trichloroethane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,1,2-Trichloroethane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Trichloroethylene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,2,4-Trimethylbenzene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
1,3,5-Trimethylbenzene	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Trichlorofluoromethane	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Vinyl Chloride	<12.50 mg/Kg	12.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn
Xylene (Total)	471.20 mg/Kg	37.50 mg/Kg	8260B	12/05/08 15:52	K. Shinn

UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Certificate of Base/Neutral Extractables by GC/MS**Laboratory Number: 55008****Sample ID: SRO-5**

Compound	Quantitation		METHOD	DATE/TIME ANALYZED	ANALYST
	RESULT	Limit			
Acenaphthene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Acenaphthylene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Anthracene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Benzidine	<25.00 mg/Kg	25.00 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Benzo(a)Anthracene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Benzo (a) pyrene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
3,4-Benzofluoranthene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Benzo (ghi) perylene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Benzo (k) Fluoranthene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Bis(2-chloroethoxy)methane	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Bis(2-chloroethyl)ether	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Bis(2-ethylhexyl)phthalate	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
4-Bromophenyl phenyl ether	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Butyl benzyl phthalate	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
2-Chloronaphthalene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
4-Chlorophenyl phenyl ether	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Chrysene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Dibenzo (ah) anthracene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
1,2-Dichlorobenzene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
1,3-Dichlorobenzene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
1,4-Dichlorobenzene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
3,3-Dichlorobenzidine	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Diethyl Phthalate	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Dimethyl Phthalate	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Di-n-butyl Phthalate	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
2,4-Dinitrotoluene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
2,6-Dinitrotoluene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Di-n-octyl Phthalate	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
1,2-Diphenylhydrazine	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Fluoranthene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Fluorene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Hexachlorobenzene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Hexachlorobutadiene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Hexachlorocyclopentadiene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Hexachloroethane	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn

UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Certificate of Base/Neutral Extractables by GC/MS (Cont.)

Laboratory Number: 55008

Sample ID: SRO-5

Compound	RESULT	Quantitation	METHOD	DATE/TIME ANALYZED	ANALYST
		Limit			
Indeno (123cd) pyrene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Isophorone	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Naphthalene	201.30 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Nitrobenzene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
N-Nitrosodimethylamine	<25.00 mg/Kg	25.00 mg/Kg	8270C	12/08/08 11:50	K. Shinn
N-Nitrosodi-n-propylamine	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
N-Nitrosodiphenylamine	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Phenanthrene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Pyrene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
1,2,4-Trichlorobenzene	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn

Certificate of Acid Extractable Organics by GC/MS

Laboratory Number: 55008

Sample ID: SRO-5

Compound	RESULT	Quantitation	METHOD	DATE/TIME ANALYZED	ANALYST
		Limit			
2,4,6-Trichlorophenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
2-Chlorophenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
2,4,5-Trichlorophenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
2,4-Dichlorophenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
2,4-Dimethylphenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
2-Nitrophenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
4-Chlorophenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
2,6-Dichlorophenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
3,4-Dichlorophenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
4-Nitrophenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
2,4-Dinitrophenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
4,6-Dinitro-o-cresol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
Pentachlorophenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
3-Chlorophenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
2,3-Dichlorophenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn

Certificate of Acid Extractable Organics by GC/MS (Cont.)

Laboratory Number: 55008

Sample ID: SRO-5

Compound	RESULT	Quantitation	METHOD	DATE/TIME ANALYZED	ANALYST
		Limit			
2,5-Dichlorophenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
2-Methylphenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
3-Methylphenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn
4-Methylphenol	<12.50 mg/Kg	12.50 mg/Kg	8270C	12/08/08 11:50	K. Shinn

Certificate of Metals Analysis

Laboratory Number: 55008

Sample ID: SRO-5

Analyte	RESULT	Quantitation	METHOD	DATE/TIME ANALYZED	ANALYST
		Limit			
Arsenic	<0.1 mg/Kg	0.1 mg/Kg	6010B	12/08/08 12:14	M. Blum
Barium	0.2 mg/Kg	0.1 mg/Kg	6010B	12/08/08 12:14	M. Blum
Cadmium	<0.1 mg/Kg	0.1 mg/Kg	6010B	12/08/08 12:14	M. Blum
Chromium	<0.1 mg/Kg	0.1 mg/Kg	6010B	12/08/08 12:14	M. Blum
Lead	<0.1 mg/Kg	0.1 mg/Kg	6010B	12/08/08 12:14	M. Blum
Mercury	<0.009 mg/Kg	0.009 mg/Kg	7040	12/08/08 08:30	T. Tran
Selenium	<0.1 mg/Kg	0.1 mg/Kg	6010B	12/08/08 12:14	M. Blum
Silver	<0.1 mg/Kg	0.1 mg/Kg	6010B	12/08/08 12:14	M. Blum

UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Certificate of Volatile Organics by GC/MS

Laboratory Number: 55009

Sample ID: SRO-7

Compound	RESULT	Quantitation		METHOD	DATE/TIME ANALYZED	ANALYST
		Limit				
Acetone	<0.050 mg/L	0.050 mg/L		8260B	12/05/08 17:08	K. Shinn
Benzene	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
Bromobenzene	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
Bromoform	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
Bromomethane	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
2-Butanone	<0.050 mg/L	0.050 mg/L		8260B	12/05/08 17:08	K. Shinn
n-Butylbenzene	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
sec-Butylbenzene	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
tert-Butylbenzene	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
Carbon Disulfide	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
Carbon Tetrachloride	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
Chlorobenzene	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
Chlorodibromomethane	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
Chloroethane	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
Chloroform	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
Chloromethane	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
2-Chlorotoluene	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
4-Chlorotoluene	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
1,2-Dibromo-3-chloropropane	<0.020 mg/L	0.020 mg/L		8260B	12/05/08 17:08	K. Shinn
Dichlorobromomethane	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
1,2-Dichlorobenzene	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
1,3-Dichlorobenzene	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
1,4-Dichlorobenzene	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
Dichlorodifluoromethane	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
Dibromomethane	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
1,1-Dichloroethane	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
1,2-Dichloroethane	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
cis-1,2-Dichloroethylene	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
trans-1,2-Dichloroethylene	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
1,1-Dichloroethylene	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
1,2-Dichloropropane	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn
1,3-Dichloropropane	<0.005 mg/L	0.005 mg/L		8260B	12/05/08 17:08	K. Shinn

Certificate of Volatile Organics by GC/MS (cont.)

Laboratory Number: 55009

Sample ID: SRO-7

Compound	Quantitation			DATE/TIME ANALYZED	ANALYST
	RESULT	Limit	METHOD		
2,2-Dichloropropane	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
1,1-Dichloropropylene	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
cis-1,3-Dichloropropylene	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
trans-1,3-Dichloropropylene	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
Ethylbenzene	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
Hexachlorobutadiene	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
2-Hexanone	<0.050 mg/L	0.050 mg/L	8260B	12/05/08 17:08	K. Shinn
Isopropylbenzene	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
4-Isopropyltoluene	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
4-Methyl-2-Pentanone	<0.020 mg/L	0.020 mg/L	8260B	12/05/08 17:08	K. Shinn
Methylene Chloride	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
n-Propylbenzene	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
Naphthalene	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
Styrene	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
1,1,1,2-Tetrachloroethane	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
1,1,2,2-Tetrachloroethane	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
Tetrachloroethylene	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
Toluene	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
1,2,3-Trichlorobenzene	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
1,2,4-Trichlorobenzene	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
1,2,3-Trichloropropane	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
1,1,1-Trichloroethane	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
1,1,2-Trichloroethane	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
Trichloroethylene	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
1,2,4-Trimethylbenzene	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
1,3,5-Trimethylbenzene	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
Trichlorofluoromethane	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
Vinyl Chloride	<0.005 mg/L	0.005 mg/L	8260B	12/05/08 17:08	K. Shinn
Xylene (Total)	<0.015 mg/L	0.015 mg/L	8260B	12/05/08 17:08	K. Shinn

UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Certificate of Base/Neutral Extractables by GC/MS

Laboratory Number: 55009

Sample ID: SRO-7

Compound	Quantitation		METHOD	DATE/TIME ANALYZED	ANALYST
	RESULT	Limit			
Acenaphthene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Acenaphthylene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Anthracene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Benzidine	<25.00 mg/L	25.00 mg/L	8270C	12/08/08 12:32	K. Shinn
Benzo(a)Anthracene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Benzo (a) pyrene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
3,4-Benzofluoranthene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Benzo (ghi) perylene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Benzo (k) Fluoranthene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Bis(2-chloroethoxy)methane	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Bis(2-chloroethyl)ether	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Bis(2-ethylhexyl)phthalate	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
4-Bromophenyl phenyl ether	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Butyl benzyl phthalate	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
2-Chloronaphthalene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
4-Chlorophenyl phenyl ether	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Chrysene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Dibenzo (ah) anthracene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
1,2-Dichlorobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
1,3-Dichlorobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
1,4-Dichlorobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
3,3-Dichlorobenzidine	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Diethyl Phthalate	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Dimethyl Phthalate	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Di-n-butyl Phthalate	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
2,4-Dinitrotoluene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
2,6-Dinitrotoluene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Di-n-octyl Phthalate	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
1,2-Diphenylhydrazine	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Fluoranthene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Fluorene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Hexachlorobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Hexachlorobutadiene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Hexachlorocyclopentadiene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Hexachloroethane	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn

UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Certificate of Base/Neutral Extractables by GC/MS (Cont.)

Laboratory Number: 55009

Sample ID: SRO-7

Compound	RESULT	Quantitation	METHOD	DATE/TIME ANALYZED	ANALYST
		Limit			
Indeno (123cd) pyrene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Isophorone	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Naphthalene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Nitrobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
N-Nitrosodimethylamine	<25.00 mg/L	25.00 mg/L	8270C	12/08/08 12:32	K. Shinn
N-Nitrosodi-n-propylamine	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
N-Nitrosodiphenylamine	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Phenanthrene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Pyrene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
1,2,4-Trichlorobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn

Certificate of Acid Extractable Organics by GC/MS

Laboratory Number: 55009

Sample ID: SRO-7

Compound	RESULT	Quantitation	METHOD	DATE/TIME ANALYZED	ANALYST
		Limit			
2,4,6-Trichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
2-Chlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
2,4,5-Trichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
2,4-Dichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
2,4-Dimethylphenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
2-Nitrophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
4-Chlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
2,6-Dichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
3,4-Dichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
4-Nitrophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
2,4-Dinitrophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
4,6-Dinitro-o-cresol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
Pentachlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
3-Chlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn
2,3-Dichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 12:32	K. Shinn

Certificate of Acid Extractable Organics by GC/MS (Cont.)

Laboratory Number: 55009

Sample ID: SRO-7

Compound	RESULT	Quantitation		METHOD	DATE/TIME ANALYZED	ANALYST
		Limit				
2,5-Dichlorophenol	<12.50 mg/L	12.50 mg/L		8270C	12/08/08 12:32	K. Shinn
2-Methylphenol	<12.50 mg/L	12.50 mg/L		8270C	12/08/08 12:32	K. Shinn
3-Methylphenol	<12.50 mg/L	12.50 mg/L		8270C	12/08/08 12:32	K. Shinn
4-Methylphenol	<12.50 mg/L	12.50 mg/L		8270C	12/08/08 12:32	K. Shinn

Certificate of Metals Analysis

Laboratory Number: 55009

Sample ID: SRO-7

Analyte	RESULT	Quantitation		METHOD	DATE/TIME ANALYZED	ANALYST
		Limit				
Arsenic	<0.005 mg/L	0.005 mg/L		200.7	12/08/08 12:17	M. Blum
Barium	0.015 mg/L	0.005 mg/L		200.7	12/08/08 12:17	M. Blum
Cadmium	<0.005 mg/L	0.005 mg/L		200.7	12/08/08 12:17	M. Blum
Chromium	<0.005 mg/L	0.005 mg/L		200.7	12/08/08 12:17	M. Blum
Lead	<0.005 mg/L	0.005 mg/L		200.7	12/08/08 12:17	M. Blum
Mercury	<0.0002 mg/L	0.0002 mg/L		245	12/08/08 08:30	T. Tran
Selenium	<0.005 mg/L	0.005 mg/L		200.7	12/08/08 12:17	M. Blum
Silver	<0.005 mg/L	0.005 mg/L		200.7	12/08/08 12:17	M. Blum

UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Certificate of Volatile Organics by GC/MS

Laboratory Number: 55010

Sample ID: CSSR-1

Compound	RESULT	Quantitation		METHOD	DATE/TIME ANALYZED	ANALYST
		Limit				
Acetone	<125.0 mg/L	125.0 mg/L		8260B	12/05/08 16:28	K. Shinn
Benzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
Bromobenzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
Bromoform	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
Bromomethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
2-Butanone	<125.0 mg/L	125.0 mg/L		8260B	12/05/08 16:28	K. Shinn
n-Butylbenzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
sec-Butylbenzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
tert-Butylbenzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
Carbon Disulfide	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
Carbon Tetrachloride	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
Chlorobenzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
Chlorodibromomethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
Chloroethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
Chloroform	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
Chloromethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
2-Chlorotoluene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
4-Chlorotoluene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
1,2-Dibromo-3-chloropropane	<62.50 mg/L	32.50 mg/L		8260B	12/05/08 16:28	K. Shinn
Dichlorobromomethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
1,2-Dichlorobenzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
1,3-Dichlorobenzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
1,4-Dichlorobenzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
Dichlorodifluoromethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
Dibromomethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
1,1-Dichloroethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
1,2-Dichloroethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
cis-1,2-Dichloroethylene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
trans-1,2-Dichloroethylene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
1,1-Dichloroethylene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
1,2-Dichloropropane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn
1,3-Dichloropropane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 16:28	K. Shinn

UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Certificate of Volatile Organics by GC/MS (cont.)

Laboratory Number: 55010

Sample ID: CSSR-1

Compound	Quantitation			DATE/TIME ANALYZED	ANALYST
	RESULT	Limit	METHOD		
2,2-Dichloropropane	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
1,1-Dichloropropylene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
cis-1,3-Dichloropropylene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
trans-1,3-Dichloropropylene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
Ethylbenzene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
Hexachlorobutadiene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
2-Hexanone	<125.0 mg/L	125.0 mg/L	8260B	12/05/08 16:28	K. Shinn
Isopropylbenzene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
4-Isopropyltoluene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
4-Methyl-2-Pentanone	<62.50 mg/L	62.50 mg/L	8260B	12/05/08 16:28	K. Shinn
Methylene Chloride	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
n-Propylbenzene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
Naphthalene	120.70 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
Styrene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
1,1,1,2-Tetrachloroethane	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
1,1,2,2-Tetrachloroethane	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
Tetrachloroethylene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
Toluene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
1,2,3-Trichlorobenzene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
1,2,4-Trichlorobenzene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
1,2,3-Trichloropropane	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
1,1,1-Trichloroethane	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
1,1,2-Trichloroethane	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
Trichloroethylene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
1,2,4-Trimethylbenzene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
1,3,5-Trimethylbenzene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
Trichlorofluoromethane	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
Vinyl Chloride	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 16:28	K. Shinn
Xylene (Total)	356.10 mg/L	37.50 mg/L	8260B	12/05/08 16:28	K. Shinn

UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Certificate of Base/Neutral Extractables by GC/MS

Laboratory Number: 55010

Sample ID: CSSR-1

Compound	Quantitation		METHOD	DATE/TIME ANALYZED	ANALYST
	RESULT	Limit			
Acenaphthene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Acenaphthylene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Anthracene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Benzidine	<25.00 mg/L	25.00 mg/L	8270C	12/08/08 13:20	K. Shinn
Benzo(a)Anthracene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Benzo (a) pyrene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
3,4-Benzofluoranthene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Benzo (ghi) perylene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Benzo (k) Fluoranthene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Bis(2-chloroethoxy)methane	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Bis(2-chloroethyl)ether	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Bis(2-ethylhexyl)phthalate	77.80 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
4-Bromophenyl phenyl ether	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Butyl benzyl phthalate	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
2-Chloronaphthalene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
4-Chlorophenyl phenyl ether	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Chrysene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Dibenzo (ah) anthracene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
1,2-Dichlorobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
1,3-Dichlorobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
1,4-Dichlorobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
3,3-Dichlorobenzidine	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Diethyl Phthalate	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Dimethyl Phthalate	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Di-n-butyl Phthalate	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
2,4-Dinitrotoluene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
2,6-Dinitrotoluene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Di-n-octyl Phthalate	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
1,2-Diphenylhydrazine	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Fluoranthene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Fluorene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Hexachlorobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Hexachlorobutadiene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Hexachlorocyclopentadiene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Hexachloroethane	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn

UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Certificate of Base/Neutral Extractables by GC/MS (Cont.)

Laboratory Number: 55010

Sample ID: CSSR-1

Compound	RESULT	Quantitation	METHOD	DATE/TIME ANALYZED	ANALYST
		Limit			
Indeno (123cd) pyrene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Isophorone	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Naphthalene	150.45 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Nitrobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
N-Nitrosodimethylamine	<25.00 mg/L	25.00 mg/L	8270C	12/08/08 13:20	K. Shinn
N-Nitrosodi-n-propylamine	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
N-Nitrosodiphenylamine	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Phenanthrene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Pyrene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
1,2,4-Trichlorobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn

Certificate of Acid Extractable Organics by GC/MS

Laboratory Number: 55010

Sample ID: CSSR-1

Compound	RESULT	Quantitation	METHOD	DATE/TIME ANALYZED	ANALYST
		Limit			
2,4,6-Trichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
2-Chlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
2,4,5-Trichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
2,4-Dichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
2,4-Dimethylphenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
2-Nitrophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
4-Chlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
2,6-Dichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
3,4-Dichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
4-Nitrophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
2,4-Dinitrophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
4,6-Dinitro-o-cresol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
Pentachlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
3-Chlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn
2,3-Dichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 13:20	K. Shinn

Certificate of Acid Extractable Organics by GC/MS (Cont.)

Laboratory Number: 55010

Sample ID: CSSR-1

Compound	RESULT	Quantitation		METHOD	DATE/TIME ANALYZED	ANALYST
		Limit				
2,5-Dichlorophenol	<12.50 mg/L	12.50 mg/L		8270C	12/08/08 13:20	K. Shinn
2-Methylphenol	<12.50 mg/L	12.50 mg/L		8270C	12/08/08 13:20	K. Shinn
3-Methylphenol	<12.50 mg/L	12.50 mg/L		8270C	12/08/08 13:20	K. Shinn
4-Methylphenol	<12.50 mg/L	12.50 mg/L		8270C	12/08/08 13:20	K. Shinn

Certificate of Metals Analysis

Laboratory Number: 55010

Sample ID: CSSR-1

Analyte	RESULT	Quantitation		METHOD	DATE/TIME ANALYZED	ANALYST
		Limit				
Arsenic	<0.005 mg/L	0.005 mg/L		200.7	12/08/08 12:20	M. Blum
Barium	0.083 mg/L	0.005 mg/L		200.7	12/08/08 12:20	M. Blum
Cadmium	<0.005 mg/L	0.005 mg/L		200.7	12/08/08 12:20	M. Blum
Chromium	<0.005 mg/L	0.005 mg/L		200.7	12/08/08 12:20	M. Blum
Lead	<0.005 mg/L	0.005 mg/L		200.7	12/08/08 12:20	M. Blum
Mercury	<0.0002 mg/L	0.0002 mg/L		245	12/08/08 08:30	T. Tran
Selenium	<0.005 mg/L	0.005 mg/L		200.7	12/08/08 12:20	M. Blum
Silver	<0.001 mg/L	0.001 mg/L		200.7	12/08/08 12:20	M. Blum

UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Certificate of Volatile Organics by GC/MS

Laboratory Number: 55011

Sample ID: CSPL-1

Compound	RESULT	Quantitation		METHOD	DATE/TIME ANALYZED	ANALYST
		Limit				
Acetone	<125.0 mg/L	125.0 mg/L		8260B	12/05/08 17:46	K. Shinn
Benzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
Bromobenzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
Bromoform	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
Bromomethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
2-Butanone	<125.0 mg/L	125.0 mg/L		8260B	12/05/08 17:46	K. Shinn
n-Butylbenzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
sec-Butylbenzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
tert-Butylbenzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
Carbon Disulfide	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
Carbon Tetrachloride	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
Chlorobenzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
Chlorodibromomethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
Chloroethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
Chloroform	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
Chloromethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
2-Chlorotoluene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
4-Chlorotoluene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
1,2-Dibromo-3-chloropropane	<62.50 mg/L	62.50 mg/L		8260B	12/05/08 17:46	K. Shinn
Dichlorobromomethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
1,2-Dichlorobenzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
1,3-Dichlorobenzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
1,4-Dichlorobenzene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
Dichlorodifluoromethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
Dibromomethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
1,1-Dichloroethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
1,2-Dichloroethane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
cis-1,2-Dichloroethylene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
trans-1,2-Dichloroethylene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
1,1-Dichloroethylene	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
1,2-Dichloropropane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn
1,3-Dichloropropane	<12.50 mg/L	12.50 mg/L		8260B	12/05/08 17:46	K. Shinn

Certificate of Volatile Organics by GC/MS (cont.)

Laboratory Number: 55011

Sample ID: CSPL-1

Compound	Quantitation			DATE/TIME ANALYZED	ANALYST
	RESULT	Limit	METHOD		
2,2-Dichloropropane	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
1,1-Dichloropropylene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
cis-1,3-Dichloropropylene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
trans-1,3-Dichloropropylene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
Ethylbenzene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
Hexachlorobutadiene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
2-Hexanone	<125.0 mg/L	125.0 mg/L	8260B	12/05/08 17:46	K. Shinn
Isopropylbenzene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
4-Isopropyltoluene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
4-Methyl-2-Pentanone	<62.50 mg/L	62.50 mg/L	8260B	12/05/08 17:46	K. Shinn
Methylene Chloride	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
n-Propylbenzene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
Naphthalene	798.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
Styrene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
1,1,1,2-Tetrachloroethane	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
1,1,2,2-Tetrachloroethane	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
Tetrachloroethylene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
Toluene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
1,2,3-Trichlorobenzene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
1,2,4-Trichlorobenzene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
1,2,3-Trichloropropane	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
1,1,1-Trichloroethane	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
1,1,2-Trichloroethane	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
Trichloroethylene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
1,2,4-Trimethylbenzene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
1,3,5-Trimethylbenzene	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
Trichlorofluoromethane	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
Vinyl Chloride	<12.50 mg/L	12.50 mg/L	8260B	12/05/08 17:46	K. Shinn
Xylene (Total)	915.80 mg/L	37.50 mg/L	8260B	12/05/08 17:46	K. Shinn

UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Certificate of Base/Neutral Extractables by GC/MS

Laboratory Number: 55011

Sample ID: CSPL-1

Compound	Quantitation		METHOD	DATE/TIME ANALYZED	ANALYST
	RESULT	Limit			
Acenaphthene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Acenaphthylene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Anthracene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Benzidine	<25.00 mg/L	25.00 mg/L	8270C	12/08/08 14:08	K. Shinn
Benzo(a)Anthracene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Benzo (a) pyrene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
3,4-Benzofluoranthene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Benzo (ghi) perylene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Benzo (k) Fluoranthene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Bis(2-chloroethoxy)methane	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Bis(2-chloroethyl)ether	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Bis(2-ethylhexyl)phthalate	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
4-Bromophenyl phenyl ether	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Butyl benzyl phthalate	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
2-Chloronaphthalene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
4-Chlorophenyl phenyl ether	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Chrysene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Dibenzo (ah) anthracene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
1,2-Dichlorobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
1,3-Dichlorobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
1,4-Dichlorobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
3,3-Dichlorobenzidine	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Diethyl Phthalate	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Dimethyl Phthalate	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Di-n-butyl Phthalate	66.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
2,4-Dinitrotoluene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
2,6-Dinitrotoluene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Di-n-octyl Phthalate	106.30 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
1,2-Diphenylhydrazine	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Fluoranthene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Fluorene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Hexachlorobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Hexachlorobutadiene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Hexachlorocyclopentadiene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Hexachloroethane	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn

UNITED STATES ENVIRONMENTAL SERVICES, LLC.

December 10, 2008

ACCOUNT #: 01-0303

REPORT NUMBER: 338-08-009

USES REFERENCE: Project#070-08-0366

Certificate of Base/Neutral Extractables by GC/MS (Cont.)

Laboratory Number: 55011

Sample ID: CSPL-1

Compound	RESULT	Quantitation	METHOD	DATE/TIME ANALYZED	ANALYST
		Limit			
Indeno (123cd) pyrene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Isophorone	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Naphthalene	815.20 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Nitrobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
N-Nitrosodimethylamine	<25.00 mg/L	25.00 mg/L	8270C	12/08/08 14:08	K. Shinn
N-Nitrosodi-n-propylamine	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
N-Nitrosodiphenylamine	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Phenanthrene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Pyrene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
1,2,4-Trichlorobenzene	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn

Certificate of Acid Extractable Organics by GC/MS

Laboratory Number: 55011

Sample ID: CSPL-1

Compound	RESULT	Quantitation	METHOD	DATE/TIME ANALYZED	ANALYST
		Limit			
2,4,6-Trichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
2-Chlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
2,4,5-Trichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
2,4-Dichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
2,4-Dimethylphenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
2-Nitrophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
4-Chlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
2,6-Dichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
3,4-Dichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
4-Nitrophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
2,4-Dinitrophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
4,6-Dinitro-o-cresol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
Pentachlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
3-Chlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn
2,3-Dichlorophenol	<12.50 mg/L	12.50 mg/L	8270C	12/08/08 14:08	K. Shinn

Certificate of Acid Extractable Organics by GC/MS (Cont.)

Laboratory Number: 55011

Sample ID: CSPL-1

Compound	RESULT	Quantitation		METHOD	DATE/TIME ANALYZED	ANALYST
		Limit				
2,5-Dichlorophenol	<12.50 mg/L	12.50 mg/L		8270C	12/08/08 14:08	K. Shinn
2-Methylphenol	<12.50 mg/L	12.50 mg/L		8270C	12/08/08 14:08	K. Shinn
3-Methylphenol	<12.50 mg/L	12.50 mg/L		8270C	12/08/08 14:08	K. Shinn
4-Methylphenol	<12.50 mg/L	12.50 mg/L		8270C	12/08/08 14:08	K. Shinn

Certificate of Metals Analysis

Laboratory Number: 55011

Sample ID: CSPL-1

Analyte	RESULT	Quantitation		METHOD	DATE/TIME ANALYZED	ANALYST
		Limit				
Arsenic	<0.005 mg/L	0.005 mg/L		200.7	12/08/08 12:23	M. Blum
Barium	0.035 mg/L	0.005 mg/L		200.7	12/08/08 12:23	M. Blum
Cadmium	<0.005 mg/L	0.005 mg/L		200.7	12/08/08 12:23	M. Blum
Chromium	<0.005 mg/L	0.005 mg/L		200.7	12/08/08 12:23	M. Blum
Lead	<0.005 mg/L	0.005 mg/L		200.7	12/08/08 12:23	M. Blum
Mercury	<0.0002 mg/L	0.0002 mg/L		245	12/08/08 08:30	T. Tran
Selenium	<0.005 mg/L	0.005 mg/L		200.7	12/08/08 12:23	M. Blum
Silver	<0.001 mg/L	0.001 mg/L		200.7	12/08/08 12:23	M. Blum