



engineering and constructing a better tomorrow

March 12, 2009

Mr. David Dorian
U.S. EPA, Region 4
On-Scene Coordinator
61 Forsyth Street, S.W. (11th Floor)
Atlanta, Georgia 30303

RE: Mills Gap Groundwater Contamination Site
CERCLA Docket No. CER-04-2004-3755
Monthly Progress Report, Number 57
Near Skyland, Buncombe County, North Carolina
MACTEC Project 6690-03-9450

Dear Mr. Dorian:

In accordance with the Administrative Order on Consent (AOC) and Scope of Work for the removal action at the Mills Gap Groundwater Contamination Site, enclosed for your review is the progress report for the month of January 2009.

If you have any questions, please feel free to call either Marv Gobles at (574) 293-7511, or me at (828) 252-8130.

Sincerely,

A handwritten signature in black ink that reads "Matthew E. Wallace". The signature is fluid and cursive, with a long horizontal stroke at the end.

Matthew E. Wallace, P.E.
Project Coordinator

Attachments

cc: Marvin Gobles, CTS Corporation
Elizabeth Bottorff Ahlemann, CTS Corporation
Michael F. Dolan, Esq., Jones Day
William Clarke, Robert & Stevens, P.A.

Mills Gap Groundwater Contamination Site

Monthly Progress Report

Reporting Period: January 2009

CERCLA Docket No. CER-04-2004-3755

This monthly report has been prepared in accordance with requirements specified in the Scope of Work (SOW) contained in the Administrative Order on Consent (AOC) for Removal Action issued by the USEPA.

1) Significant developments during the preceding period:

- On January 29, 2009, MACTEC submitted the December 2008 monthly progress report to USEPA.
- Operational and maintenance activities were performed and an air sample was collected from the soil vapor extraction (SVE) system discharge on December 24, 2008. An estimated 308 pounds of volatile organic compounds (VOCs) were removed by the SVE system in December 2008.
- Design/planning activities related to implementing the Supplemental Removal Action Plan were performed.

2) Developments from the present reporting period:

- Operational and maintenance activities were performed and an air sample was collected from the SVE system discharge on January 23, 2009. The SVE system operated for approximately 555 hours during the month of January 2009. An estimated 383 pounds of VOCs were removed by the SVE system in January 2009. There is an overall decreasing concentration trend of VOCs since the system's initial operation, as anticipated. Analytical data from the SVE air discharge sampling received during the period includes:
 - SGS Environmental Services, Inc. Report G132-2008, dated February 9, 2009 (sample collected January 23, 2009).
- An estimated 5,033 pounds of VOCs have been removed by the SVE system since its initial operation on July 20, 2006.
- Planning activities related to implementing the Supplemental Removal Action Plan were performed in January 2009.

3) Developments anticipated during the next reporting period:

- Monthly scheduled operational and maintenance activities will be performed for the SVE system.
- Monthly air sampling of the SVE system air discharge will be performed.
- Implementation of the Supplemental Removal Action Plan will continue, including installation of ozone injection points.



Susan Kelly
Mactec
1308C Patton Ave.
Asheville, NC 28806

Report Number: G132-2008

Client Project: Mills Gap


Dear Susan Kelly,

Enclosed are the results of the analytical services performed under the referenced project. The samples are certified to meet the requirements of the National Environmental Laboratory Accreditation Conference Standards. Copies of this report and supporting data will be retained in our files for a period of five years in the event they are required for future reference. Any samples submitted to our laboratory will be retained for a maximum of thirty (30) days from the date of this report unless other arrangements are requested.

If there are any questions about the report or the services performed during this project, please call SGS Environmental Services at (910) 350-1903. We will be happy to answer any questions or concerns which you may have.

Thank you for using SGS Environmental Services for your analytical services. We look forward to working with you again on any additional analytical needs which you may have.

Sincerely,
SGS Environmental Services, Inc.


Project Manager Date
Ashley Nifong

Case Narrative
Mactec
SGS Project: G132-2008
Project Name: Mills Gap


SGS Environmental Services Inc.

February 9, 2009

- The air samples were accepted into the laboratory in good condition on January 26, 2009 at 1350 for analyses as indicated on the chain of custody.
- All extractions and analyses were completed within holding time limits, with the following quality control exceptions.

VOC Analysis

- Several compounds did not pass linearity or RPD requirements in the initial instrument calibration. However, these compounds were not detected in the associated samples. Toluene, Trichloroethene and 1,1,1-Trichloroethane, which were detected in sample MG-39A, passed all initial and continuing calibration criteria.

 Date 09 FEB 09
Data Review

List of Reporting Abbreviations
And Data Qualifiers

B = Compound also detected in batch blank

BQL = Below Quantification Limit (RL or MDL)

DF = Dilution Factor

Dup = Duplicate

D = Detected, but RPD is > 40% between results in dual column method.

E = Estimated concentration, exceeds calibration range.

J = Estimated concentration, below calibration range and above MDL

LCS(D) = Laboratory Control Spike (Duplicate)

MDL = Method Detection Limit

MS(D) = Matrix Spike (Duplicate)

PQL = Practical Quantitation Limit

RL/CL = Reporting Limit / Control Limit

RPD = Relative Percent Difference

mg/kg = milligram per kilogram, ppm, parts per million

ug/kg = micrograms per kilogram, ppb, parts per billion

mg/L = milligram per liter, ppm, parts per million

ug/L = micrograms per liter, ppb, parts per billion

% Rec = Percent Recovery

% solids = Percent Solids

Special Notes:

- 1) Metals and mercury samples are digested with a hot block, see the standard operating procedure document for details.
- 2) Uncertainty for all reported data is less than or equal to 30 percent.

SGS Environmental Services, Inc.

Results for Volatiles in Air
by GC/MS

Client Sample ID: MG-39A-1/23/09 Front Half
Client Project ID: Mills Gap
Lab Sample ID: G132-2008-1A
Lab Project ID: G132-2008

Analyzed By: DES
Date Collected: 1/23/2009 15:25
Date Received: 1/26/2009
Matrix: Air

Compound	Result mg/m3	Quantitation Limit mg/m3	Dilution Factor	Date Analyzed
Benzene	BQL	10.0000	10	2/7/2009
Bromochloromethane	BQL	10.0000	10	2/7/2009
Bromodichloromethane	BQL	10.0000	10	2/7/2009
Bromoform	BQL	10.0000	10	2/7/2009
Carbon tetrachloride	BQL	10.0000	10	2/7/2009
Chlorobenzene	BQL	10.0000	10	2/7/2009
Chloroform	BQL	10.0000	10	2/7/2009
Dibromochloromethane	BQL	10.0000	10	2/7/2009
1,2-Dibromoethane (EDB)	BQL	10.0000	10	2/7/2009
1,2-Dichlorobenzene	BQL	10.0000	10	2/7/2009
1,3-Dichlorobenzene	BQL	10.0000	10	2/7/2009
1,4-Dichlorobenzene	BQL	10.0000	10	2/7/2009
1,1-Dichloroethane	BQL	10.0000	10	2/7/2009
1,1-Dichloroethene	BQL	10.0000	10	2/7/2009
1,2-Dichloroethane	BQL	10.0000	10	2/7/2009
cis-1,2-Dichloroethene	BQL	10.0000	10	2/7/2009
trans-1,2-dichloroethene	BQL	10.0000	10	2/7/2009
1,2-Dichloropropane	BQL	10.0000	10	2/7/2009
cis-1,3-Dichloropropene	BQL	10.0000	10	2/7/2009
trans-1,3-Dichloropropene	BQL	10.0000	10	2/7/2009
Diisopropyl ether	BQL	10.0000	10	2/7/2009
Ethylbenzene	BQL	10.0000	10	2/7/2009
Methyl-tert-butyl ether	BQL	10.0000	10	2/7/2009
Styrene	BQL	10.0000	10	2/7/2009
1,1,2,2-Tetrachloroethane	BQL	10.0000	10	2/7/2009
Tetrachloroethene	BQL	10.0000	10	2/7/2009
Toluene	27.4	10.0000	10	2/7/2009
Trichloroethene	414	10.0000	10	2/7/2009
1,1,1-Trichloroethane	22.8	10.0000	10	2/7/2009
1,1,2-Trichloroethane	BQL	10.0000	10	2/7/2009
m-,p-Xylene	BQL	20.0000	10	2/7/2009
o-Xylene	BQL	10.0000	10	2/7/2009

Comments:

Quantitation at 25°C and 1 atm.

Flags:

BQL = Below quantitation limit.

Reviewed By: 

SGS Environmental Services, Inc.

Results for Volatiles in Air
by GC/MS

Client Sample ID: MG-39B-1/23/09 Back Half
Client Project ID: Mills Gap
Lab Sample ID: G132-2008-2A
Lab Project ID: G132-2008

Analyzed By: DES
Date Collected: 1/23/2009 15:25
Date Received: 1/26/2009
Matrix: Air


Compound	Result mg/m3	Quantitation Limit mg/m3	Dilution Factor	Date Analyzed
Benzene	BQL	0.4000	1	2/7/2009
Bromochloromethane	BQL	0.4000	1	2/7/2009
Bromodichloromethane	BQL	0.4000	1	2/7/2009
Bromoform	BQL	0.4000	1	2/7/2009
Carbon tetrachloride	BQL	0.4000	1	2/7/2009
Chlorobenzene	BQL	0.4000	1	2/7/2009
Chloroform	BQL	0.4000	1	2/7/2009
Dibromochloromethane	BQL	0.4000	1	2/7/2009
1,2-Dibromoethane (EDB)	BQL	0.4000	1	2/7/2009
1,2-Dichlorobenzene	BQL	0.4000	1	2/7/2009
1,3-Dichlorobenzene	BQL	0.4000	1	2/7/2009
1,4-Dichlorobenzene	BQL	0.4000	1	2/7/2009
1,1-Dichloroethane	BQL	0.4000	1	2/7/2009
1,1-Dichloroethene	BQL	0.4000	1	2/7/2009
1,2-Dichloroethane	BQL	0.4000	1	2/7/2009
cis-1,2-Dichloroethene	BQL	0.4000	1	2/7/2009
trans-1,2-dichloroethene	BQL	0.4000	1	2/7/2009
1,2-Dichloropropane	BQL	0.4000	1	2/7/2009
cis-1,3-Dichloropropene	BQL	0.4000	1	2/7/2009
trans-1,3-Dichloropropene	BQL	0.4000	1	2/7/2009
Diisopropyl ether	BQL	0.4000	1	2/7/2009
Ethylbenzene	BQL	0.4000	1	2/7/2009
Methyl-tert-butyl ether	BQL	0.4000	1	2/7/2009
Styrene	BQL	0.4000	1	2/7/2009
1,1,2,2-Tetrachloroethane	BQL	0.4000	1	2/7/2009
Tetrachloroethene	BQL	0.4000	1	2/7/2009
Toluene	BQL	0.4000	1	2/7/2009
Trichloroethene	BQL	0.4000	1	2/7/2009
1,1,1-Trichloroethane	BQL	0.4000	1	2/7/2009
1,1,2-Trichloroethane	BQL	0.4000	1	2/7/2009
m-,p-Xylene	BQL	0.8000	1	2/7/2009
o-Xylene	BQL	0.4000	1	2/7/2009

Comments:

Quantitation at 25°C and 1 atm.

Flags:

BQL = Below quantitation limit.

Reviewed By: 

Results for Total Petroleum Hydrocarbons
by GC/FID 8015

Client Sample ID: MG-39A (and B)
Client Project ID: Mills Gap
Lab Sample ID: G132-2008-3 and -4
Lab Project ID: G132-2008-3 and -4

Analyzed By: EAW
Date Collected: 1/23/2009 0:00
Date Received: 1/26/2009
Matrix: Air

Analyte	Result mg/m ³	RL mg/m ³	Prep Method	Dilution Factor	Date Analyzed
Initial Tube:					
Diesel Range Organics	20.28	10	MM18	1	01/28/09

Analyte	Result mg/m ³	RL mg/m ³	Prep Method	Dilution Factor	Date Analyzed
Breakthrough tube:					
Diesel Range Organics	BQL	4	MM18	1	01/28/09

Comments:

Flags:



Locations Nationwide

- Alaska
- Hawaii
- Ohio
- Maryland
- New Jersey
- North Carolina
- West Virginia

www.us.ags.com

093328

[illegible]

☐ 200 W. Potter Drive Anchorage, AK 99518 Tel: (907) 562-2343 Fax: (907) 581-5301
☐ 5500 Business Drive Wilmington, NC 28405 Tel: (910) 350-1903 Fax: (910) 350-1557

☐ 1270 Greenbrier Street Charleston, WV 25311 Tel: (304) 346-0725 Fax: (304) 346-0761

White - Retained by Lab
Yellow - Returned with Report
Pink - Retained by Sampler