

# YORK

ANALYTICAL LABORATORIES, INC.

## Technical Report

prepared for:

**Connecticut Tank Removal Inc.  
118 Burr Court  
Bridgeport, CT 06605  
Attention: Tom Finnucan**

Report Date: 12/2/2008  
**Re: Client Project ID: CT DEP 200807380**  
York Project No.: 08110840

CT License No. PH-0723

New Jersey License No. CT-005

New York License No. 10854



**Connecticut Tank Removal Inc.**  
 118 Burr Court  
 Bridgeport, CT 06605  
 Attention: Tom Finnucan

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 11/25/08. The project was identified as your project "CT DEP 200807380".

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

## Analysis Results

Client Sample ID			Soil Location 1		Soil Location 2	
York Sample ID			08110840-01		08110840-02	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
<b>Volatiles, 8260 List</b>	SW846-5035/8260	ug/Kg	---	---	---	---
1,1,1,2-Tetrachloroethane			Not detected	5.0	Not detected	5.0
1,1,1-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1-Dichloroethane			Not detected	5.0	Not detected	5.0
1,1-Dichloroethylene			Not detected	5.0	Not detected	5.0
1,1-Dichloropropylene			Not detected	5.0	Not detected	5.0
1,2,3-Trichlorobenzene			Not detected	5.0	Not detected	5.0
1,2,3-Trichloropropane			Not detected	5.0	Not detected	5.0
1,2,3-Trimethylbenzene			Not detected	5.0	Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	5.0	Not detected	5.0
1,2,4-Trimethylbenzene			Not detected	5.0	Not detected	5.0
1,2-Dibromo-3-chloropropane			Not detected	5.0	Not detected	5.0
1,2-Dibromoethane			Not detected	5.0	Not detected	5.0
1,2-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dichloroethane			Not detected	5.0	Not detected	5.0

**YORK**

Client Sample ID			Soil Location 1		Soil Location 2	
York Sample ID			08110840-01		08110840-02	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
1,2-Dichloroethylene (Total)			Not detected	5.0	Not detected	5.0
1,2-Dichloropropane			Not detected	5.0	Not detected	5.0
1,3,5-Trimethylbenzene			Not detected	5.0	Not detected	5.0
1,3-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,3-Dichloropropane			Not detected	5.0	Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1-Chlorohexane			Not detected	5.0	Not detected	5.0
2,2-Dichloropropane			Not detected	5.0	Not detected	5.0
2-Chlorotoluene			Not detected	5.0	Not detected	5.0
4-Chlorotoluene			Not detected	5.0	Not detected	5.0
Benzene			Not detected	5.0	Not detected	5.0
Bromobenzene			Not detected	5.0	Not detected	5.0
Bromochloromethane			Not detected	5.0	Not detected	5.0
Bromodichloromethane			Not detected	5.0	Not detected	5.0
Bromoform			Not detected	5.0	Not detected	5.0
Bromomethane			Not detected	5.0	Not detected	5.0
Carbon tetrachloride			Not detected	5.0	Not detected	5.0
Chlorobenzene			Not detected	5.0	Not detected	5.0
Chloroethane			Not detected	5.0	Not detected	5.0
Chloroform			Not detected	5.0	Not detected	5.0
Chloromethane			Not detected	5.0	Not detected	5.0
cis-1,3-Dichloropropylene			Not detected	5.0	Not detected	5.0
Dibromochloromethane			Not detected	5.0	Not detected	5.0
Dibromomethane			Not detected	5.0	Not detected	5.0
Dichlorodifluoromethane			Not detected	5.0	Not detected	5.0
Ethylbenzene			Not detected	5.0	Not detected	5.0
Hexachlorobutadiene			Not detected	5.0	Not detected	5.0
Isopropylbenzene			Not detected	5.0	Not detected	5.0
Methylene chloride			Not detected	5.0	Not detected	5.0
MTBE			Not detected	5.0	Not detected	5.0
Naphthalene			Not detected	5.0	Not detected	5.0
n-Butylbenzene			Not detected	5.0	Not detected	5.0
n-Propylbenzene			Not detected	5.0	Not detected	5.0
o-Xylene			Not detected	5.0	Not detected	5.0
p- & m-Xylenes			7	5.0	8	5.0
p-Isopropyltoluene			Not detected	5.0	Not detected	5.0
sec-Butylbenzene			Not detected	5.0	Not detected	5.0
Styrene			Not detected	5.0	Not detected	5.0
tert-Butylbenzene			Not detected	5.0	Not detected	5.0
Tetrachloroethylene			9	5.0	15	5.0
Toluene			Not detected	5.0	5	5.0
trans-1,3-Dichloropropylene			Not detected	5.0	Not detected	5.0
Trichloroethylene			Not detected	5.0	Not detected	5.0
Trichlorofluoromethane			Not detected	5.0	Not detected	5.0
Vinyl chloride			Not detected	5.0	Not detected	5.0
<b>BNA, 8270 List</b>	SW846-8270C	ug/Kg	---	---	---	---
1,2,4-Trichlorobenzene			Not detected	165	Not detected	165
1,2-Dichlorobenzene			Not detected	165	Not detected	165
1,3-Dichlorobenzene			Not detected	165	Not detected	165
1,4-Dichlorobenzene			Not detected	165	Not detected	165
2,4,5-Trichlorophenol			Not detected	165	Not detected	165

**YORK**

Client Sample ID			Soil Location 1		Soil Location 2	
York Sample ID			08110840-01		08110840-02	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
2,4,6-Trichlorophenol			Not detected	165	Not detected	165
2,4-Dichlorophenol			Not detected	165	Not detected	165
2,4-Dimethylphenol			Not detected	165	Not detected	165
2,4-Dinitrophenol			Not detected	165	Not detected	165
2,4-Dinitrotoluene			Not detected	165	Not detected	165
2,6-Dinitrotoluene			Not detected	165	Not detected	165
2-Chloronaphthalene			Not detected	165	Not detected	165
2-Chlorophenol			Not detected	165	Not detected	165
2-Methylnaphthalene			Not detected	165	Not detected	165
2-Methylphenol			Not detected	165	Not detected	165
2-Nitroaniline			Not detected	165	Not detected	165
2-Nitrophenol			Not detected	165	Not detected	165
3,3'-Dichlorobenzidine			Not detected	165	Not detected	165
3-Methylphenol			Not detected	165	Not detected	165
3-Nitroaniline			Not detected	165	Not detected	165
4,6-Dinitro-2-methylphenol			Not detected	165	Not detected	165
4-Bromophenyl phenyl ether			Not detected	165	Not detected	165
4-Chloro-3-methyl phenol			Not detected	165	Not detected	165
4-Chloroaniline			Not detected	165	Not detected	165
4-Chlorophenyl phenyl ether			Not detected	165	Not detected	165
4-Methylphenol			Not detected	165	Not detected	165
4-Nitroaniline			Not detected	165	Not detected	165
4-Nitrophenol			Not detected	165	Not detected	165
Acenaphthene			Not detected	165	Not detected	165
Acenaphthylene			Not detected	165	Not detected	165
Aniline			Not detected	165	Not detected	165
Anthracene			Not detected	165	Not detected	165
Benzidine			Not detected	165	Not detected	165
Benzo(a)anthracene			Not detected	165	Not detected	165
Benzo(a)pyrene			Not detected	165	Not detected	165
Benzo(b)fluoranthene			Not detected	165	Not detected	165
Benzo(g,h,i)perylene			Not detected	165	Not detected	165
Benzo(k)fluoranthene			Not detected	165	Not detected	165
Benzyl alcohol			Not detected	165	Not detected	165
Bis(2-chloroethoxy)methane			Not detected	165	Not detected	165
Bis(2-chloroethyl)ether			Not detected	165	Not detected	165
Bis(2-chloroisopropyl)ether			Not detected	165	Not detected	165
Bis(2-ethylhexyl)phthalate			Not detected	165	Not detected	165
Butyl benzyl phthalate			Not detected	165	Not detected	165
Chrysene			Not detected	165	Not detected	165
Dibenz(a,h)anthracene			Not detected	165	Not detected	165
Dibenzofuran			Not detected	165	Not detected	165
Diethylphthalate			Not detected	165	Not detected	165
Dimethylphthalate			Not detected	165	Not detected	165
Di-n-butylphthalate			Not detected	165	Not detected	165
Di-n-octylphthalate			Not detected	165	Not detected	165
Fluoranthene			Not detected	165	Not detected	165
Fluorene			Not detected	165	Not detected	165
Hexachlorobenzene			Not detected	165	Not detected	165
Hexachlorobutadiene			Not detected	165	Not detected	165
Hexachlorocyclopentadiene			Not detected	165	Not detected	165

**YORK**

Client Sample ID			Soil Location 1		Soil Location 2	
York Sample ID			08110840-01		08110840-02	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Hexachloroethane			Not detected	165	Not detected	165
Indeno(1,2,3-cd)pyrene			Not detected	165	Not detected	165
Isophorone			Not detected	165	Not detected	165
Naphthalene			Not detected	165	Not detected	165
Nitrobenzene			Not detected	165	Not detected	165
N-Nitrosodi-n-propylamine			Not detected	165	Not detected	165
N-Nitrosodiphenylamine			Not detected	165	Not detected	165
Pentachlorophenol			Not detected	165	Not detected	165
Phenanthrene			Not detected	165	Not detected	165
Phenol			Not detected	165	Not detected	165
Pyrene			Not detected	165	Not detected	165
Pyridine			Not detected	165	Not detected	165
<b>PCB</b>	SW846-3550B/8082	mg/Kg	---	---	---	---
PCB 1016			Not detected	0.017	Not detected	0.017
PCB 1221			Not detected	0.017	Not detected	0.017
PCB 1232			Not detected	0.017	Not detected	0.017
PCB 1242			Not detected	0.017	Not detected	0.017
PCB 1248			Not detected	0.017	Not detected	0.017
PCB 1254			Not detected	0.017	Not detected	0.017
PCB 1260			Not detected	0.017	Not detected	0.017
PCB 1268			0.38	0.017	0.16	0.017
<b>TCLP Metals, RCRA List</b>	SW846-1311/6010	mg/L	---	---	---	---
TCLP Arsenic			Not detected	0.010	Not detected	0.010
TCLP Barium			0.805	0.010	0.649	0.010
TCLP Cadmium			Not detected	0.005	Not detected	0.005
TCLP Chromium			0.017	0.005	0.015	0.005
TCLP Lead			0.024	0.005	0.022	0.005
TCLP Selenium			Not detected	0.010	Not detected	0.010
TCLP Silver			Not detected	0.005	Not detected	0.005
TCLP Mercury	SW846-1311/7470	mg/L	Not detected	0.0005	Not detected	0.0005

Client Sample ID			Soil Location 3		Drum #6	
York Sample ID			08110840-03		08110840-04	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
<b>Volatiles, 8260 List</b>	SW846-8260	ug/Kg	---	---	---	---
1,1,1,2-Tetrachloroethane					Not detected	2500
1,1,1-Trichloroethane					Not detected	2500
1,1,2,2-Tetrachloroethane					Not detected	2500
1,1,2-Trichloroethane					Not detected	2500
1,1-Dichloroethane					Not detected	2500
1,1-Dichloroethylene					Not detected	2500
1,1-Dichloropropylene					Not detected	2500
1,2,3-Trichlorobenzene					Not detected	2500
1,2,3-Trichloropropane					Not detected	2500
1,2,4-Trichlorobenzene					Not detected	2500
1,2,4-Trimethylbenzene					3300	2500
1,2-Dibromo-3-chloropropane					Not detected	2500

**YORK**

Client Sample ID			Soil Location 3		Drum #6	
York Sample ID			08110840-03		08110840-04	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
1,2-Dibromoethane					Not detected	2500
1,2-Dichlorobenzene					Not detected	2500
1,2-Dichloroethane					Not detected	2500
1,2-Dichloroethylene (Total)					Not detected	2500
1,2-Dichloropropane					Not detected	2500
1,3,5-Trimethylbenzene					3200	2500
1,3-Dichlorobenzene					Not detected	2500
1,3-Dichloropropane					Not detected	2500
1,4-Dichlorobenzene					Not detected	2500
2,2-Dichloropropane					Not detected	2500
2-Chlorotoluene					Not detected	2500
4-Chlorotoluene					Not detected	2500
Benzene					Not detected	2500
Bromobenzene					Not detected	2500
Bromochloromethane					Not detected	2500
Bromodichloromethane					Not detected	2500
Bromoform					Not detected	2500
Bromomethane					Not detected	2500
Carbon tetrachloride					Not detected	2500
Chlorobenzene					Not detected	2500
Chloroethane					Not detected	2500
Chloroform					Not detected	2500
Chloromethane					Not detected	2500
cis-1,3-Dichloropropylene					Not detected	2500
Dibromochloromethane					Not detected	2500
Dibromomethane					Not detected	2500
Dichlorodifluoromethane					Not detected	2500
Ethylbenzene					34000	2500
Hexachlorobutadiene					Not detected	2500
Isopropylbenzene					5100	2500
Methylene chloride					Not detected	2500
MTBE					Not detected	2500
Naphthalene					4500	2500
n-Butylbenzene					Not detected	2500
n-Propylbenzene					Not detected	2500
o-Xylene					79000	2500
p- & m-Xylenes					370000	2500
p-Isopropyltoluene					Not detected	2500
sec-Butylbenzene					Not detected	2500
Styrene					Not detected	2500
tert-Butylbenzene					Not detected	2500
Tetrachloroethylene					Not detected	2500
Toluene					13000	2500
trans-1,3-Dichloropropylene					Not detected	2500
Trichloroethylene					Not detected	2500
Trichlorofluoromethane					Not detected	2500
Vinyl chloride					Not detected	2500
<b>Volatiles, 8260 List</b>	SW846-5035/8260	ug/Kg	---	---	---	---
1,1,1,2-Tetrachloroethane			Not detected	5.0		
1,1,1-Trichloroethane			Not detected	5.0		
1,1,2,2-Tetrachloroethane			Not detected	5.0		

**YORK**

Client Sample ID			Soil Location 3		Drum #6	
York Sample ID			08110840-03		08110840-04	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
1,1,2-Trichloroethane			Not detected	5.0		
1,1-Dichloroethane			Not detected	5.0		
1,1-Dichloroethylene			Not detected	5.0		
1,1-Dichloropropylene			Not detected	5.0		
1,2,3-Trichlorobenzene			Not detected	5.0		
1,2,3-Trichloropropane			Not detected	5.0		
1,2,3-Trimethylbenzene			Not detected	5.0		
1,2,4-Trichlorobenzene			Not detected	5.0		
1,2,4-Trimethylbenzene			Not detected	5.0		
1,2-Dibromo-3-chloropropane			Not detected	5.0		
1,2-Dibromoethane			Not detected	5.0		
1,2-Dichlorobenzene			Not detected	5.0		
1,2-Dichloroethane			Not detected	5.0		
1,2-Dichloroethylene (Total)			Not detected	5.0		
1,2-Dichloropropane			Not detected	5.0		
1,3,5-Trimethylbenzene			Not detected	5.0		
1,3-Dichlorobenzene			Not detected	5.0		
1,3-Dichloropropane			Not detected	5.0		
1,4-Dichlorobenzene			Not detected	5.0		
1-Chlorohexane			Not detected	5.0		
2,2-Dichloropropane			Not detected	5.0		
2-Chlorotoluene			Not detected	5.0		
4-Chlorotoluene			Not detected	5.0		
Benzene			Not detected	5.0		
Bromobenzene			Not detected	5.0		
Bromochloromethane			Not detected	5.0		
Bromodichloromethane			Not detected	5.0		
Bromoform			Not detected	5.0		
Bromomethane			Not detected	5.0		
Carbon tetrachloride			Not detected	5.0		
Chlorobenzene			Not detected	5.0		
Chloroethane			Not detected	5.0		
Chloroform			Not detected	5.0		
Chloromethane			Not detected	5.0		
cis-1,3-Dichloropropylene			Not detected	5.0		
Dibromochloromethane			Not detected	5.0		
Dibromomethane			Not detected	5.0		
Dichlorodifluoromethane			Not detected	5.0		
Ethylbenzene			Not detected	5.0		
Hexachlorobutadiene			Not detected	5.0		
Isopropylbenzene			Not detected	5.0		
Methylene chloride			Not detected	5.0		
MTBE			Not detected	5.0		
Naphthalene			Not detected	5.0		
n-Butylbenzene			Not detected	5.0		
n-Propylbenzene			Not detected	5.0		
o-Xylene			Not detected	5.0		
p- & m-Xylenes			7	5.0		
p-Isopropyltoluene			Not detected	5.0		
sec-Butylbenzene			Not detected	5.0		
Styrene			Not detected	5.0		

**YORK**

Client Sample ID			Soil Location 3		Drum #6	
York Sample ID			08110840-03		08110840-04	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
tert-Butylbenzene			Not detected	5.0		
Tetrachloroethylene			16	5.0		
Toluene			Not detected	5.0		
trans-1,3-Dichloropropylene			Not detected	5.0		
Trichloroethylene			Not detected	5.0		
Trichlorofluoromethane			Not detected	5.0		
Vinyl chloride			Not detected	5.0		
<b>BNA, 8270 List</b>	SW846-8270C	ug/Kg	---	---	---	---
1,2,4-Trichlorobenzene			Not detected	165	Not detected	3300
1,2-Dichlorobenzene			Not detected	165	Not detected	3300
1,3-Dichlorobenzene			Not detected	165	Not detected	3300
1,4-Dichlorobenzene			Not detected	165	Not detected	3300
2,4,5-Trichlorophenol			Not detected	165	Not detected	3300
2,4,6-Trichlorophenol			Not detected	165	Not detected	3300
2,4-Dichlorophenol			Not detected	165	Not detected	3300
2,4-Dimethylphenol			Not detected	165	130000	3300
2,4-Dinitrophenol			Not detected	165	Not detected	3300
2,4-Dinitrotoluene			Not detected	165	Not detected	3300
2,6-Dinitrotoluene			Not detected	165	Not detected	3300
2-Chloronaphthalene			Not detected	165	Not detected	3300
2-Chlorophenol			Not detected	165	Not detected	3300
2-Methylnaphthalene			Not detected	165	Not detected	3300
2-Methylphenol			Not detected	165	57000	3300
2-Nitroaniline			Not detected	165	Not detected	3300
2-Nitrophenol			Not detected	165	Not detected	3300
3,3'-Dichlorobenzidine			Not detected	165	Not detected	3300
3-Methylphenol			Not detected	165	Not detected	3300
3-Nitroaniline			Not detected	165	Not detected	3300
4,6-Dinitro-2-methylphenol			Not detected	165	Not detected	3300
4-Bromophenyl phenyl ether			Not detected	165	Not detected	3300
4-Chloro-3-methyl phenol			Not detected	165	Not detected	3300
4-Chloroaniline			Not detected	165	Not detected	3300
4-Chlorophenyl phenyl ether			Not detected	165	Not detected	3300
4-Methylphenol			Not detected	165	340000	3300
4-Nitroaniline			Not detected	165	Not detected	3300
4-Nitrophenol			Not detected	165	Not detected	3300
Acenaphthene			Not detected	165	Not detected	3300
Acenaphthylene			Not detected	165	Not detected	3300
Aniline			Not detected	165	Not detected	3300
Anthracene			Not detected	165	Not detected	3300
Benzidine			Not detected	165	Not detected	3300
Benzo(a)anthracene			Not detected	165	Not detected	3300
Benzo(a)pyrene			Not detected	165	Not detected	3300
Benzo(b)fluoranthene			Not detected	165	Not detected	3300
Benzo(g,h,i)perylene			Not detected	165	Not detected	3300
Benzo(k)fluoranthene			Not detected	165	Not detected	3300
Benzyl alcohol			Not detected	165	Not detected	3300
Bis(2-chloroethoxy)methane			Not detected	165	Not detected	3300
Bis(2-chloroethyl)ether			Not detected	165	Not detected	3300
Bis(2-chloroisopropyl)ether			Not detected	165	Not detected	3300
Bis(2-ethylhexyl)phthalate			Not detected	165	Not detected	3300

**YORK**

Client Sample ID			Soil Location 3		Drum #6	
York Sample ID			08110840-03		08110840-04	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Butyl benzyl phthalate			Not detected	165	Not detected	3300
Chrysene			Not detected	165	Not detected	3300
Dibenz(a,h)anthracene			Not detected	165	Not detected	3300
Dibenzofuran			Not detected	165	Not detected	3300
Diethylphthalate			Not detected	165	Not detected	3300
Dimethylphthalate			Not detected	165	Not detected	3300
Di-n-butylphthalate			Not detected	165	Not detected	3300
Di-n-octylphthalate			Not detected	165	Not detected	3300
Fluoranthene			Not detected	165	Not detected	3300
Fluorene			Not detected	165	Not detected	3300
Hexachlorobenzene			Not detected	165	Not detected	3300
Hexachlorobutadiene			Not detected	165	Not detected	3300
Hexachlorocyclopentadiene			Not detected	165	Not detected	3300
Hexachloroethane			Not detected	165	Not detected	3300
Indeno(1,2,3-cd)pyrene			Not detected	165	Not detected	3300
Isophorone			Not detected	165	Not detected	3300
Naphthalene			Not detected	165	Not detected	3300
Nitrobenzene			Not detected	165	Not detected	3300
N-Nitrosodi-n-propylamine			Not detected	165	Not detected	3300
N-Nitrosodiphenylamine			Not detected	165	Not detected	3300
Pentachlorophenol			Not detected	165	Not detected	3300
Phenanthrene			Not detected	165	Not detected	3300
Phenol			Not detected	165	11000	3300
Pyrene			Not detected	165	Not detected	3300
Pyridine			Not detected	165	Not detected	3300
<b>PCB</b>	SW846-3550B/8082	mg/Kg	---	---	---	---
PCB 1016			Not detected	0.017	Not detected	0.510
PCB 1221			Not detected	0.017	Not detected	0.510
PCB 1232			Not detected	0.017	Not detected	0.510
PCB 1242			Not detected	0.017	Not detected	0.510
PCB 1248			Not detected	0.017	Not detected	0.510
PCB 1254			Not detected	0.017	Not detected	0.510
PCB 1260			Not detected	0.017	Not detected	0.510
PCB 1268			0.05	0.017	38.0	0.510
<b>TCLP Metals, RCRA List</b>	SW846-1311/6010	mg/L	---	---	---	---
TCLP Arsenic			Not detected	0.010	Not detected	0.010
TCLP Barium			0.685	0.010	1.04	0.010
TCLP Cadmium			Not detected	0.005	Not detected	0.005
TCLP Chromium			0.015	0.005	Not detected	0.005
TCLP Lead			0.018	0.005	Not detected	0.005
TCLP Selenium			Not detected	0.010	Not detected	0.010
TCLP Silver			Not detected	0.005	Not detected	0.005
TCLP Mercury	SW846-1311/7470	mg/L	Not detected	0.0005	Not detected	0.0010
Asbestos	EPA-PLM	%	Not detected	1	Not detected	1

**YORK**

Client Sample ID			Drum #4		Drum #8	
York Sample ID			08110840-05		08110840-06	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
<b>Volatiles, 8260 List</b>	SW846-8260	ug/Kg	---	---	---	---
1,1,1,2-Tetrachloroethane			Not detected	5000	Not detected	500
1,1,1-Trichloroethane			Not detected	5000	Not detected	500
1,1,2,2-Tetrachloroethane			Not detected	5000	Not detected	500
1,1,2-Trichloroethane			Not detected	5000	Not detected	500
1,1-Dichloroethane			Not detected	5000	Not detected	500
1,1-Dichloroethylene			Not detected	5000	Not detected	500
1,1-Dichloropropylene			Not detected	5000	Not detected	500
1,2,3-Trichlorobenzene			Not detected	5000	Not detected	500
1,2,3-Trichloropropane			Not detected	5000	Not detected	500
1,2,4-Trichlorobenzene			Not detected	5000	Not detected	500
1,2,4-Trimethylbenzene			15000	5000	Not detected	500
1,2-Dibromo-3-chloropropane			Not detected	5000	Not detected	500
1,2-Dibromoethane			Not detected	5000	Not detected	500
1,2-Dichlorobenzene			Not detected	5000	Not detected	500
1,2-Dichloroethane			Not detected	5000	Not detected	500
1,2-Dichloroethylene (Total)			Not detected	5000	Not detected	500
1,2-Dichloropropane			Not detected	5000	Not detected	500
1,3,5-Trimethylbenzene			15000	5000	Not detected	500
1,3-Dichlorobenzene			Not detected	5000	Not detected	500
1,3-Dichloropropane			Not detected	5000	Not detected	500
1,4-Dichlorobenzene			Not detected	5000	Not detected	500
2,2-Dichloropropane			Not detected	5000	Not detected	500
2-Chlorotoluene			Not detected	5000	Not detected	500
4-Chlorotoluene			Not detected	5000	Not detected	500
Benzene			Not detected	5000	Not detected	500
Bromobenzene			Not detected	5000	Not detected	500
Bromochloromethane			Not detected	5000	Not detected	500
Bromodichloromethane			Not detected	5000	Not detected	500
Bromoform			Not detected	5000	Not detected	500
Bromomethane			Not detected	5000	Not detected	500
Carbon tetrachloride			Not detected	5000	Not detected	500
Chlorobenzene			Not detected	5000	Not detected	500
Chloroethane			Not detected	5000	Not detected	500
Chloroform			Not detected	5000	Not detected	500
Chloromethane			Not detected	5000	Not detected	500
cis-1,3-Dichloropropylene			Not detected	5000	Not detected	500
Dibromochloromethane			Not detected	5000	Not detected	500
Dibromomethane			Not detected	5000	Not detected	500
Dichlorodifluoromethane			Not detected	5000	Not detected	500
Ethylbenzene			97000	5000	Not detected	500
Hexachlorobutadiene			Not detected	5000	Not detected	500
Isopropylbenzene			24000	5000	Not detected	500
Methylene chloride			Not detected	5000	Not detected	500
MTBE			Not detected	5000	Not detected	500
Naphthalene			5200	5000	Not detected	500
n-Butylbenzene			Not detected	5000	Not detected	500
n-Propylbenzene			Not detected	5000	Not detected	500
o-Xylene			290000	5000	910	500
p- & m-Xylenes			890000	5000	1700	500
p-Isopropyltoluene			Not detected	5000	Not detected	500

**YORK**

Client Sample ID			Drum #4		Drum #8	
York Sample ID			08110840-05		08110840-06	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
sec-Butylbenzene			Not detected	5000	Not detected	500
Styrene			Not detected	5000	Not detected	500
tert-Butylbenzene			Not detected	5000	Not detected	500
Tetrachloroethylene			Not detected	5000	Not detected	500
Toluene			19000	5000	Not detected	500
trans-1,3-Dichloropropylene			Not detected	5000	Not detected	500
Trichloroethylene			Not detected	5000	Not detected	500
Trichlorofluoromethane			Not detected	5000	Not detected	500
Vinyl chloride			Not detected	5000	Not detected	500
<b>BNA, 8270 List</b>	SW846-8270C	ug/Kg	---	---	---	---
1,2,4-Trichlorobenzene			Not detected	3300	Not detected	1700
1,2-Dichlorobenzene			Not detected	3300	Not detected	1700
1,3-Dichlorobenzene			Not detected	3300	Not detected	1700
1,4-Dichlorobenzene			Not detected	3300	Not detected	1700
2,4,5-Trichlorophenol			Not detected	3300	Not detected	1700
2,4,6-Trichlorophenol			Not detected	3300	Not detected	1700
2,4-Dichlorophenol			Not detected	3300	Not detected	1700
2,4-Dimethylphenol			350000	3300	Not detected	1700
2,4-Dinitrophenol			Not detected	3300	Not detected	1700
2,4-Dinitrotoluene			Not detected	3300	Not detected	1700
2,6-Dinitrotoluene			Not detected	3300	Not detected	1700
2-Chloronaphthalene			Not detected	3300	Not detected	1700
2-Chlorophenol			Not detected	3300	Not detected	1700
2-Methylnaphthalene			Not detected	3300	Not detected	1700
2-Methylphenol			200000	3300	Not detected	1700
2-Nitroaniline			Not detected	3300	Not detected	1700
2-Nitrophenol			Not detected	3300	Not detected	1700
3,3'-Dichlorobenzidine			Not detected	3300	Not detected	1700
3-Methylphenol			Not detected	3300	Not detected	1700
3-Nitroaniline			Not detected	3300	Not detected	1700
4,6-Dinitro-2-methylphenol			Not detected	3300	Not detected	1700
4-Bromophenyl phenyl ether			Not detected	3300	Not detected	1700
4-Chloro-3-methyl phenol			Not detected	3300	Not detected	1700
4-Chloroaniline			Not detected	3300	Not detected	1700
4-Chlorophenyl phenyl ether			Not detected	3300	Not detected	1700
4-Methylphenol			400000	33000	Not detected	1700
4-Nitroaniline			Not detected	3300	Not detected	1700
4-Nitrophenol			Not detected	3300	Not detected	1700
Acenaphthene			Not detected	3300	Not detected	1700
Acenaphthylene			Not detected	3300	Not detected	1700
Aniline			Not detected	3300	Not detected	1700
Anthracene			Not detected	3300	Not detected	1700
Benzidine			Not detected	3300	Not detected	1700
Benzo(a)anthracene			Not detected	3300	Not detected	1700
Benzo(a)pyrene			Not detected	3300	Not detected	1700
Benzo(b)fluoranthene			Not detected	3300	Not detected	1700
Benzo(g,h,i)perylene			Not detected	3300	Not detected	1700
Benzo(k)fluoranthene			Not detected	3300	Not detected	1700
Benzyl alcohol			Not detected	3300	Not detected	1700
Bis(2-chloroethoxy)methane			Not detected	3300	Not detected	1700
Bis(2-chloroethyl)ether			Not detected	3300	Not detected	1700

**YORK**

Client Sample ID			Drum #4		Drum #8	
York Sample ID			08110840-05		08110840-06	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Bis(2-chloroisopropyl)ether			Not detected	3300	Not detected	1700
Bis(2-ethylhexyl)phthalate			Not detected	3300	Not detected	1700
Butyl benzyl phthalate			Not detected	3300	Not detected	1700
Chrysene			Not detected	3300	Not detected	1700
Dibenz(a,h)anthracene			Not detected	3300	Not detected	1700
Dibenzofuran			Not detected	3300	Not detected	1700
Diethylphthalate			Not detected	3300	Not detected	1700
Dimethylphthalate			Not detected	3300	Not detected	1700
Di-n-butylphthalate			Not detected	3300	Not detected	1700
Di-n-octylphthalate			Not detected	3300	Not detected	1700
Fluoranthene			Not detected	3300	Not detected	1700
Fluorene			Not detected	3300	Not detected	1700
Hexachlorobenzene			Not detected	3300	Not detected	1700
Hexachlorobutadiene			Not detected	3300	Not detected	1700
Hexachlorocyclopentadiene			Not detected	3300	Not detected	1700
Hexachloroethane			Not detected	3300	Not detected	1700
Indeno(1,2,3-cd)pyrene			Not detected	3300	Not detected	1700
Isophorone			Not detected	3300	Not detected	1700
Naphthalene			Not detected	3300	Not detected	1700
Nitrobenzene			Not detected	3300	Not detected	1700
N-Nitrosodi-n-propylamine			Not detected	3300	Not detected	1700
N-Nitrosodiphenylamine			Not detected	3300	Not detected	1700
Pentachlorophenol			Not detected	3300	Not detected	1700
Phenanthrene			Not detected	3300	Not detected	1700
Phenol			41000	3300	Not detected	1700
Pyrene			Not detected	3300	Not detected	1700
Pyridine			Not detected	3300	Not detected	1700
<b>PCB</b>	SW846-3550B/8082	mg/Kg	---	---	---	---
PCB 1016			Not detected	0.510	Not detected	0.510
PCB 1221			Not detected	0.510	Not detected	0.510
PCB 1232			Not detected	0.510	Not detected	0.510
PCB 1242			Not detected	0.510	Not detected	0.510
PCB 1248			Not detected	0.510	Not detected	0.510
PCB 1254			Not detected	0.510	Not detected	0.510
PCB 1260			Not detected	0.510	Not detected	0.510
PCB 1268			14.4	0.510		
<b>TCLP Metals, RCRA List</b>	SW846-1311/6010	mg/L	---	---	---	---
TCLP Arsenic			Not detected	0.010	Not detected	0.010
TCLP Barium			0.695	0.010	0.591	0.010
TCLP Cadmium			0.019	0.005	Not detected	0.005
TCLP Chromium			Not detected	0.005	0.053	0.005
TCLP Lead			0.039	0.005	0.028	0.005
TCLP Selenium			Not detected	0.010	Not detected	0.010
TCLP Silver			Not detected	0.005	Not detected	0.005
TCLP Mercury	SW846-1311/7470	mg/L	Not detected	0.0005	Not detected	0.0005

**YORK**

Client Sample ID			Drum #9		Drum #10	
York Sample ID			08110840-07		08110840-08	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, 8260 List	SW846-8260	ug/Kg	---	---	---	---
1,1,1,2-Tetrachloroethane			Not detected	50000	Not detected	50000
1,1,1-Trichloroethane			Not detected	50000	Not detected	50000
1,1,2,2-Tetrachloroethane			Not detected	50000	Not detected	50000
1,1,2-Trichloroethane			Not detected	50000	Not detected	50000
1,1-Dichloroethane			Not detected	50000	Not detected	50000
1,1-Dichloroethylene			Not detected	50000	Not detected	50000
1,1-Dichloropropylene			Not detected	50000	Not detected	50000
1,2,3-Trichlorobenzene			Not detected	50000	Not detected	50000
1,2,3-Trichloropropane			Not detected	50000	Not detected	50000
1,2,4-Trichlorobenzene			Not detected	50000	Not detected	50000
1,2,4-Trimethylbenzene			1400000	50000	2000000	50000
1,2-Dibromo-3-chloropropane			Not detected	50000	Not detected	50000
1,2-Dibromoethane			Not detected	50000	Not detected	50000
1,2-Dichlorobenzene			Not detected	50000	Not detected	50000
1,2-Dichloroethane			Not detected	50000	Not detected	50000
1,2-Dichloroethylene (Total)			Not detected	50000	Not detected	50000
1,2-Dichloropropane			Not detected	50000	Not detected	50000
1,3,5-Trimethylbenzene			790000	50000	1100000	50000
1,3-Dichlorobenzene			Not detected	50000	Not detected	50000
1,3-Dichloropropane			Not detected	50000	Not detected	50000
1,4-Dichlorobenzene			Not detected	50000	Not detected	50000
2,2-Dichloropropane			Not detected	50000	Not detected	50000
2-Chlorotoluene			Not detected	50000	Not detected	50000
4-Chlorotoluene			Not detected	50000	Not detected	50000
Benzene			Not detected	50000	Not detected	50000
Bromobenzene			Not detected	50000	Not detected	50000
Bromochloromethane			Not detected	50000	Not detected	50000
Bromodichloromethane			Not detected	50000	Not detected	50000
Bromoform			Not detected	50000	Not detected	50000
Bromomethane			Not detected	50000	Not detected	50000
Carbon tetrachloride			Not detected	50000	Not detected	50000
Chlorobenzene			Not detected	50000	Not detected	50000
Chloroethane			Not detected	50000	Not detected	50000
Chloroform			Not detected	50000	Not detected	50000
Chloromethane			Not detected	50000	Not detected	50000
cis-1,3-Dichloropropylene			Not detected	50000	Not detected	50000
Dibromochloromethane			Not detected	50000	Not detected	50000
Dibromomethane			Not detected	50000	Not detected	50000
Dichlorodifluoromethane			Not detected	50000	Not detected	50000
Ethylbenzene			640000	50000	840000	50000
Hexachlorobutadiene			Not detected	50000	Not detected	50000
Isopropylbenzene			170000	50000	250000	50000
Methylene chloride			Not detected	50000	Not detected	50000
MTBE			Not detected	50000	Not detected	50000
Naphthalene			140000	50000	150000	50000
n-Butylbenzene			Not detected	50000	Not detected	50000
n-Propylbenzene			Not detected	50000	Not detected	50000
o-Xylene			3400000	50000	4200000	50000
p- & m-Xylenes			8900000	50000	8900000	50000
p-Isopropyltoluene			Not detected	50000	53000	50000

**YORK**

Client Sample ID			Drum #9		Drum #10	
York Sample ID			08110840-07		08110840-08	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
sec-Butylbenzene			210000	50000	330000	50000
Styrene			Not detected	50000	Not detected	50000
tert-Butylbenzene			Not detected	50000	Not detected	50000
Tetrachloroethylene			Not detected	50000	Not detected	50000
Toluene			140000	50000	190000	50000
trans-1,3-Dichloropropylene			Not detected	50000	Not detected	50000
Trichloroethylene			Not detected	50000	Not detected	50000
Trichlorofluoromethane			Not detected	50000	Not detected	50000
Vinyl chloride			Not detected	50000	Not detected	50000
<b>BNA, 8270 List</b>	SW846-8270C	ug/Kg	---	---	---	---
1,2,4-Trichlorobenzene			Not detected	3300	Not detected	3300
1,2-Dichlorobenzene			Not detected	3300	Not detected	3300
1,3-Dichlorobenzene			Not detected	3300	Not detected	3300
1,4-Dichlorobenzene			Not detected	3300	Not detected	3300
2,4,5-Trichlorophenol			Not detected	3300	Not detected	3300
2,4,6-Trichlorophenol			Not detected	3300	Not detected	3300
2,4-Dichlorophenol			Not detected	3300	Not detected	3300
2,4-Dimethylphenol			510000	3300	340000	3300
2,4-Dinitrophenol			Not detected	3300	Not detected	3300
2,4-Dinitrotoluene			Not detected	3300	Not detected	3300
2,6-Dinitrotoluene			Not detected	3300	Not detected	3300
2-Chloronaphthalene			Not detected	3300	Not detected	3300
2-Chlorophenol			Not detected	3300	Not detected	3300
2-Methylnaphthalene			12000	3300	8600	3300
2-Methylphenol			82000	3300	45000	3300
2-Nitroaniline			Not detected	3300	Not detected	3300
2-Nitrophenol			Not detected	3300	Not detected	3300
3,3'-Dichlorobenzidine			Not detected	3300	Not detected	3300
3-Methylphenol			Not detected	3300	Not detected	3300
3-Nitroaniline			Not detected	3300	Not detected	3300
4,6-Dinitro-2-methylphenol			Not detected	3300	Not detected	3300
4-Bromophenyl phenyl ether			Not detected	3300	Not detected	3300
4-Chloro-3-methyl phenol			Not detected	3300	Not detected	3300
4-Chloroaniline			Not detected	3300	Not detected	3300
4-Chlorophenyl phenyl ether			Not detected	3300	Not detected	3300
4-Methylphenol			300000	3300	190000	3300
4-Nitroaniline			Not detected	3300	Not detected	3300
4-Nitrophenol			Not detected	3300	Not detected	3300
Acenaphthene			Not detected	3300	Not detected	3300
Acenaphthylene			Not detected	3300	Not detected	3300
Aniline			Not detected	3300	Not detected	3300
Anthracene			Not detected	3300	Not detected	3300
Benzidine			Not detected	3300	Not detected	3300
Benzo(a)anthracene			Not detected	3300	Not detected	3300
Benzo(a)pyrene			Not detected	3300	Not detected	3300
Benzo(b)fluoranthene			Not detected	3300	Not detected	3300
Benzo(g,h,i)perylene			Not detected	3300	Not detected	3300
Benzo(k)fluoranthene			Not detected	3300	Not detected	3300
Benzyl alcohol			Not detected	3300	Not detected	3300
Bis(2-chloroethoxy)methane			Not detected	3300	Not detected	3300
Bis(2-chloroethyl)ether			Not detected	3300	Not detected	3300

**YORK**

Client Sample ID			Drum #9		Drum #10	
York Sample ID			08110840-07		08110840-08	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Bis(2-chloroisopropyl)ether			Not detected	3300	Not detected	3300
Bis(2-ethylhexyl)phthalate			Not detected	3300	Not detected	3300
Butyl benzyl phthalate			Not detected	3300	Not detected	3300
Chrysene			Not detected	3300	Not detected	3300
Dibenz(a,h)anthracene			Not detected	3300	Not detected	3300
Dibenzofuran			Not detected	3300	Not detected	3300
Diethylphthalate			Not detected	3300	Not detected	3300
Dimethylphthalate			Not detected	3300	Not detected	3300
Di-n-butylphthalate			29000	3300	33000	3300
Di-n-octylphthalate			Not detected	3300	Not detected	3300
Fluoranthene			Not detected	3300	Not detected	3300
Fluorene			Not detected	3300	Not detected	3300
Hexachlorobenzene			Not detected	3300	Not detected	3300
Hexachlorobutadiene			Not detected	3300	Not detected	3300
Hexachlorocyclopentadiene			Not detected	3300	Not detected	3300
Hexachloroethane			Not detected	3300	Not detected	3300
Indeno(1,2,3-cd)pyrene			Not detected	3300	Not detected	3300
Isophorone			Not detected	3300	Not detected	3300
Naphthalene			Not detected	3300	Not detected	3300
Nitrobenzene			7200	3300	5700	3300
N-Nitrosodi-n-propylamine			Not detected	3300	Not detected	3300
N-Nitrosodiphenylamine			Not detected	3300	Not detected	3300
Pentachlorophenol			Not detected	3300	Not detected	3300
Phenanthrene			Not detected	3300	Not detected	3300
Phenol			Not detected	3300	Not detected	3300
Pyrene			47000	3300	28000	3300
Pyridine			Not detected	3300	Not detected	3300
PCB	SW846-3550B/8082	mg/Kg	Not detected	3300	Not detected	3300
PCB 1016			---	---	---	---
PCB 1221			Not detected	0.510	Not detected	0.510
PCB 1232			Not detected	0.510	Not detected	0.510
PCB 1242			Not detected	0.510	Not detected	0.510
PCB 1248			Not detected	0.510	Not detected	0.510
PCB 1254			Not detected	0.510	Not detected	0.510
PCB 1260			Not detected	0.510	Not detected	0.510
PCB 1268			Not detected	0.510	Not detected	0.510
<b>TCLP Metals, RCRA List</b>	SW846-1311/6010	mg/L	---	---	---	---
TCLP Arsenic			Not detected	0.010	Not detected	0.010
TCLP Barium			0.850	0.010	0.743	0.010
TCLP Cadmium			Not detected	0.005	Not detected	0.005
TCLP Chromium			Not detected	0.005	Not detected	0.005
TCLP Lead			0.006	0.005	0.014	0.005
TCLP Selenium			Not detected	0.010	Not detected	0.010
TCLP Silver			Not detected	0.005	Not detected	0.005
TCLP Mercury	SW846-1311/7470	mg/L	Not detected	0.0010	Not detected	0.0005

**YORK**

Client Sample ID			Drum #13		Drum #14	
York Sample ID			08110840-09		08110840-10	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, 8260 List	SW846-8260	ug/Kg	---	---	---	---
1,1,1,2-Tetrachloroethane			Not detected	50000	Not detected	2500
1,1,1-Trichloroethane			Not detected	50000	Not detected	2500
1,1,2,2-Tetrachloroethane			Not detected	50000	Not detected	2500
1,1,2-Trichloroethane			Not detected	50000	Not detected	2500
1,1-Dichloroethane			Not detected	50000	Not detected	2500
1,1-Dichloroethylene			Not detected	50000	Not detected	2500
1,1-Dichloropropylene			Not detected	50000	Not detected	2500
1,2,3-Trichlorobenzene			Not detected	50000	Not detected	2500
1,2,3-Trichloropropane			Not detected	50000	Not detected	2500
1,2,4-Trichlorobenzene			Not detected	50000	Not detected	2500
1,2,4-Trimethylbenzene			1800000	50000	3000	2500
1,2-Dibromo-3-chloropropane			Not detected	50000	Not detected	2500
1,2-Dibromoethane			Not detected	50000	Not detected	2500
1,2-Dichlorobenzene			Not detected	50000	Not detected	2500
1,2-Dichloroethane			Not detected	50000	Not detected	2500
1,2-Dichloroethylene (Total)			Not detected	50000	Not detected	2500
1,2-Dichloropropane			Not detected	50000	Not detected	2500
1,3,5-Trimethylbenzene			1100000	50000	2600	2500
1,3-Dichlorobenzene			Not detected	50000	Not detected	2500
1,3-Dichloropropane			Not detected	50000	Not detected	2500
1,4-Dichlorobenzene			Not detected	50000	Not detected	2500
2,2-Dichloropropane			Not detected	50000	Not detected	2500
2-Chlorotoluene			Not detected	50000	Not detected	2500
4-Chlorotoluene			Not detected	50000	Not detected	2500
Benzene			Not detected	50000	3700	2500
Bromobenzene			Not detected	50000	Not detected	2500
Bromochloromethane			Not detected	50000	Not detected	2500
Bromodichloromethane			Not detected	50000	Not detected	2500
Bromoform			Not detected	50000	Not detected	2500
Bromomethane			Not detected	50000	Not detected	2500
Carbon tetrachloride			Not detected	50000	Not detected	2500
Chlorobenzene			Not detected	50000	Not detected	2500
Chloroethane			Not detected	50000	Not detected	2500
Chloroform			Not detected	50000	Not detected	2500
Chloromethane			Not detected	50000	Not detected	2500
cis-1,3-Dichloropropylene			Not detected	50000	Not detected	2500
Dibromochloromethane			Not detected	50000	Not detected	2500
Dibromomethane			Not detected	50000	Not detected	2500
Dichlorodifluoromethane			Not detected	50000	Not detected	2500
Ethylbenzene			460000	50000	22000	2500
Hexachlorobutadiene			Not detected	50000	Not detected	2500
Isopropylbenzene			250000	50000	3100	2500
Methylene chloride			Not detected	50000	Not detected	2500
MTBE			Not detected	50000	Not detected	2500
Naphthalene			98000	50000	4700	2500
n-Butylbenzene			Not detected	50000	Not detected	2500
n-Propylbenzene			Not detected	50000	Not detected	2500
o-Xylene			4500000	50000	56000	2500
p- & m-Xylenes			8800000	50000	220000	2500
p-Isopropyltoluene			Not detected	50000	Not detected	2500

**YORK**

Client Sample ID			Drum #13		Drum #14	
York Sample ID			08110840-09		08110840-10	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
sec-Butylbenzene			260000	50000	Not detected	2500
Styrene			Not detected	50000	Not detected	2500
tert-Butylbenzene			Not detected	50000	Not detected	2500
Tetrachloroethylene			Not detected	50000	Not detected	2500
Toluene			Not detected	50000	25000	2500
trans-1,3-Dichloropropylene			Not detected	50000	Not detected	2500
Trichloroethylene			Not detected	50000	Not detected	2500
Trichlorofluoromethane			Not detected	50000	Not detected	2500
Vinyl chloride			Not detected	50000	Not detected	2500
<b>BNA, 8270 List</b>	SW846-8270C	ug/Kg	---	---	---	---
1,2,4-Trichlorobenzene			Not detected	3300	Not detected	3300
1,2-Dichlorobenzene			Not detected	3300	Not detected	3300
1,3-Dichlorobenzene			Not detected	3300	Not detected	3300
1,4-Dichlorobenzene			Not detected	3300	Not detected	3300
2,4,5-Trichlorophenol			Not detected	3300	Not detected	3300
2,4,6-Trichlorophenol			Not detected	3300	Not detected	3300
2,4-Dichlorophenol			Not detected	3300	Not detected	3300
2,4-Dimethylphenol			170000	3300	340000	3300
2,4-Dinitrophenol			Not detected	3300	Not detected	3300
2,4-Dinitrotoluene			Not detected	3300	Not detected	3300
2,6-Dinitrotoluene			Not detected	3300	Not detected	3300
2-Chloronaphthalene			Not detected	3300	Not detected	3300
2-Chlorophenol			Not detected	3300	Not detected	3300
2-Methylnaphthalene			Not detected	3300	Not detected	3300
2-Methylphenol			16000	3300	180000	3300
2-Nitroaniline			Not detected	3300	Not detected	3300
2-Nitrophenol			Not detected	3300	Not detected	3300
3,3'-Dichlorobenzidine			Not detected	3300	Not detected	3300
3-Methylphenol			Not detected	3300	Not detected	3300
3-Nitroaniline			Not detected	3300	Not detected	3300
4,6-Dinitro-2-methylphenol			Not detected	3300	Not detected	3300
4-Bromophenyl phenyl ether			Not detected	3300	Not detected	3300
4-Chloro-3-methyl phenol			Not detected	3300	Not detected	3300
4-Chloroaniline			Not detected	3300	Not detected	3300
4-Chlorophenyl phenyl ether			Not detected	3300	Not detected	3300
4-Methylphenol			90000	3300	3600000	33000
4-Nitroaniline			Not detected	3300	Not detected	3300
4-Nitrophenol			Not detected	3300	Not detected	3300
Acenaphthene			Not detected	3300	Not detected	3300
Acenaphthylene			Not detected	3300	Not detected	3300
Aniline			Not detected	3300	Not detected	3300
Anthracene			Not detected	3300	Not detected	3300
Benzidine			Not detected	3300	Not detected	3300
Benzo(a)anthracene			Not detected	3300	Not detected	3300
Benzo(a)pyrene			Not detected	3300	5000	3300
Benzo(b)fluoranthene			Not detected	3300	6100	3300
Benzo(g,h,i)perylene			Not detected	3300	Not detected	3300
Benzo(k)fluoranthene			Not detected	3300	5600	3300
Benzyl alcohol			Not detected	3300	Not detected	3300
Bis(2-chloroethoxy)methane			Not detected	3300	Not detected	3300
Bis(2-chloroethyl)ether			Not detected	3300	Not detected	3300

**YORK**

Client Sample ID			Drum #13		Drum #14	
York Sample ID			08110840-09		08110840-10	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Bis(2-chloroisopropyl)ether			Not detected	3300	Not detected	3300
Bis(2-ethylhexyl)phthalate			Not detected	3300	Not detected	3300
Butyl benzyl phthalate			Not detected	3300	Not detected	3300
Chrysene			Not detected	3300	Not detected	3300
Dibenz(a,h)anthracene			Not detected	3300	Not detected	3300
Dibenzofuran			Not detected	3300	Not detected	3300
Diethylphthalate			Not detected	3300	Not detected	3300
Dimethylphthalate			16000	3300	14000	3300
Di-n-butylphthalate			Not detected	3300	Not detected	3300
Di-n-octylphthalate			Not detected	3300	Not detected	3300
Fluoranthene			Not detected	3300	Not detected	3300
Fluorene			Not detected	3300	Not detected	3300
Hexachlorobenzene			Not detected	3300	Not detected	3300
Hexachlorobutadiene			Not detected	3300	Not detected	3300
Hexachlorocyclopentadiene			Not detected	3300	Not detected	3300
Hexachloroethane			Not detected	3300	Not detected	3300
Indeno(1,2,3-cd)pyrene			Not detected	3300	Not detected	3300
Isophorone			Not detected	3300	Not detected	3300
Naphthalene			8100	3300	Not detected	3300
Nitrobenzene			Not detected	3300	Not detected	3300
N-Nitrosodi-n-propylamine			Not detected	3300	Not detected	3300
N-Nitrosodiphenylamine			Not detected	3300	Not detected	3300
Pentachlorophenol			Not detected	3300	Not detected	3300
Phenanthrene			Not detected	3300	Not detected	3300
Phenol			7800	3300	42000	3300
Pyrene			Not detected	3300	Not detected	3300
Pyridine			Not detected	3300	Not detected	3300
<b>PCB</b>	SW846-3550B/8082	mg/Kg	---	---	---	---
PCB 1016			Not detected	0.510	Not detected	0.510
PCB 1221			Not detected	0.510	Not detected	0.510
PCB 1232			Not detected	0.510	Not detected	0.510
PCB 1242			Not detected	0.510	Not detected	0.510
PCB 1248			Not detected	0.510	Not detected	0.510
PCB 1254			Not detected	0.510	Not detected	0.510
PCB 1260			Not detected	0.510	Not detected	0.510
PCB 1268					63.7	0.510
<b>TCLP Metals, RCRA List</b>	SW846-1311/6010	mg/L	---	---	---	---
TCLP Arsenic			Not detected	0.010	Not detected	0.010
TCLP Barium			0.762	0.010	1.21	0.010
TCLP Cadmium			Not detected	0.005	0.710	0.005
TCLP Chromium			Not detected	0.005	Not detected	0.005
TCLP Lead			Not detected	0.005	Not detected	0.005
TCLP Selenium			Not detected	0.010	Not detected	0.010
TCLP Silver			Not detected	0.005	Not detected	0.005
TCLP Mercury	SW846-1311/7470	mg/L	Not detected	0.0005	Not detected	0.0010
Asbestos	EPA-PLM	%	---	---	Not detected	1

**YORK**

Client Sample ID			Soil Location 4A-D	
York Sample ID			08110840-11	
Matrix			SOIL	
Parameter	Method	Units	Results	MDL
Volatiles, 8260 List	SW846-5035/8260	ug/Kg	---	---
1,1,1,2-Tetrachloroethane			Not detected	5.0
1,1,1-Trichloroethane			Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0
1,1,2-Trichloroethane			Not detected	5.0
1,1-Dichloroethane			Not detected	5.0
1,1-Dichloroethylene			Not detected	5.0
1,1-Dichloropropylene			Not detected	5.0
1,2,3-Trichlorobenzene			Not detected	5.0
1,2,3-Trichloropropane			Not detected	5.0
1,2,3-Trimethylbenzene			Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	5.0
1,2,4-Trimethylbenzene			Not detected	5.0
1,2-Dibromo-3-chloropropane			Not detected	5.0
1,2-Dibromoethane			Not detected	5.0
1,2-Dichlorobenzene			Not detected	5.0
1,2-Dichloroethane			Not detected	5.0
1,2-Dichloroethylene (Total)			Not detected	5.0
1,2-Dichloropropane			Not detected	5.0
1,3,5-Trimethylbenzene			Not detected	5.0
1,3-Dichlorobenzene			Not detected	5.0
1,3-Dichloropropane			Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0
1-Chlorohexane			Not detected	5.0
2,2-Dichloropropane			Not detected	5.0
2-Chlorotoluene			Not detected	5.0
4-Chlorotoluene			Not detected	5.0
Benzene			Not detected	5.0
Bromobenzene			Not detected	5.0
Bromochloromethane			Not detected	5.0
Bromodichloromethane			Not detected	5.0
Bromoform			Not detected	5.0
Bromomethane			Not detected	5.0
Carbon tetrachloride			Not detected	5.0
Chlorobenzene			Not detected	5.0
Chloroethane			Not detected	5.0
Chloroform			Not detected	5.0
Chloromethane			Not detected	5.0
cis-1,3-Dichloropropylene			Not detected	5.0
Dibromochloromethane			Not detected	5.0
Dibromomethane			Not detected	5.0
Dichlorodifluoromethane			Not detected	5.0
Ethylbenzene			11	5.0
Hexachlorobutadiene			Not detected	5.0
Isopropylbenzene			Not detected	5.0
Methylene chloride			Not detected	5.0
MTBE			Not detected	5.0
Naphthalene			Not detected	5.0
n-Butylbenzene			Not detected	5.0
n-Propylbenzene			Not detected	5.0
o-Xylene			38	5.0

**YORK**

Client Sample ID			Soil Location 4A-D	
York Sample ID			08110840-11	
Matrix			SOIL	
Parameter	Method	Units	Results	MDL
p- & m-Xylenes			160	5.0
p-Isopropyltoluene			Not detected	5.0
sec-Butylbenzene			Not detected	5.0
Styrene			Not detected	5.0
tert-Butylbenzene			Not detected	5.0
Tetrachloroethylene			46	5.0
Toluene			6	5.0
trans-1,3-Dichloropropylene			Not detected	5.0
Trichloroethylene			Not detected	5.0
Trichlorofluoromethane			Not detected	5.0
Vinyl chloride			Not detected	5.0
<b>BNA, 8270 List</b>	SW846-8270C	ug/Kg	---	---
1,2,4-Trichlorobenzene			Not detected	17000
1,2-Dichlorobenzene			Not detected	17000
1,3-Dichlorobenzene			Not detected	17000
1,4-Dichlorobenzene			Not detected	17000
2,4,5-Trichlorophenol			Not detected	17000
2,4,6-Trichlorophenol			Not detected	17000
2,4-Dichlorophenol			Not detected	17000
2,4-Dimethylphenol			130000	17000
2,4-Dinitrophenol			Not detected	17000
2,4-Dinitrotoluene			Not detected	17000
2,6-Dinitrotoluene			Not detected	17000
2-Chloronaphthalene			Not detected	17000
2-Chlorophenol			Not detected	17000
2-Methylnaphthalene			Not detected	17000
2-Methylphenol			36000	17000
2-Nitroaniline			Not detected	17000
2-Nitrophenol			Not detected	17000
3,3'-Dichlorobenzidine			Not detected	17000
3-Methylphenol			Not detected	17000
3-Nitroaniline			Not detected	17000
4,6-Dinitro-2-methylphenol			Not detected	17000
4-Bromophenyl phenyl ether			Not detected	17000
4-Chloro-3-methyl phenol			Not detected	17000
4-Chloroaniline			Not detected	17000
4-Chlorophenyl phenyl ether			Not detected	17000
4-Methylphenol			820000	17000
4-Nitroaniline			Not detected	17000
4-Nitrophenol			Not detected	17000
Acenaphthene			Not detected	17000
Acenaphthylene			Not detected	17000
Aniline			Not detected	17000
Anthracene			Not detected	17000
Benzidine			Not detected	17000
Benzo(a)anthracene			Not detected	17000
Benzo(a)pyrene			Not detected	17000
Benzo(b)fluoranthene			Not detected	17000
Benzo(g,h,i)perylene			Not detected	17000
Benzo(k)fluoranthene			Not detected	17000
Benzyl alcohol			Not detected	17000

**YORK**

Client Sample ID			Soil Location 4A-D	
York Sample ID			08110840-11	
Matrix			SOIL	
Parameter	Method	Units	Results	MDL
Bis(2-chloroethoxy)methane			Not detected	17000
Bis(2-chloroethyl)ether			Not detected	17000
Bis(2-chloroisopropyl)ether			Not detected	17000
Bis(2-ethylhexyl)phthalate			Not detected	17000
Butyl benzyl phthalate			Not detected	17000
Chrysene			Not detected	17000
Dibenz(a,h)anthracene			Not detected	17000
Dibenzofuran			Not detected	17000
Diethylphthalate			Not detected	17000
Dimethylphthalate			Not detected	17000
Di-n-butylphthalate			Not detected	17000
Di-n-octylphthalate			Not detected	17000
Fluoranthene			Not detected	17000
Fluorene			Not detected	17000
Hexachlorobenzene			Not detected	17000
Hexachlorobutadiene			Not detected	17000
Hexachlorocyclopentadiene			Not detected	17000
Hexachloroethane			Not detected	17000
Indeno(1,2,3-cd)pyrene			Not detected	17000
Isophorone			Not detected	17000
Naphthalene			Not detected	17000
Nitrobenzene			Not detected	17000
N-Nitrosodi-n-propylamine			Not detected	17000
N-Nitrosodiphenylamine			Not detected	17000
Pentachlorophenol			Not detected	17000
Phenanthrene			Not detected	17000
Phenol			Not detected	17000
Pyrene			Not detected	17000
Pyridine			Not detected	17000
<b>PCB</b>	SW846-3550B/8082	mg/Kg	---	---
PCB 1016			Not detected	0.680
PCB 1221			Not detected	0.680
PCB 1232			Not detected	0.680
PCB 1242			Not detected	0.680
PCB 1248			Not detected	0.680
PCB 1254			Not detected	0.680
PCB 1260			Not detected	0.680
PCB 1268			20.5	0.680
<b>TCLP Metals, RCRA List</b>	SW846-1311/6010	mg/L	---	---
TCLP Arsenic			Not detected	0.010
TCLP Barium			0.791	0.010
TCLP Cadmium			0.012	0.005
TCLP Chromium			0.019	0.005
TCLP Lead			0.038	0.005
TCLP Selenium			Not detected	0.010
TCLP Silver			Not detected	0.005
TCLP Mercury	SW846-1311/7470	mg/L	Not detected	0.0005

**Units Key:**

For Waters/Liquids: mg/L = ppm ; ug/L = ppb

For Soils/Solids: mg/kg = ppm ; ug/kg = ppb


**YORK**

Report Date: 12/2/2008  
Client Project ID: CT DEP 200807380  
York Project No.: 08110840

**Notes for York Project No. 08110840**

1. The MDL (Minimum Detectable Limit) reported is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This MDL is the REPORTING LIMIT and is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that the Asbestos analyses reported herein were subcontracted to AmeriSci New York, NY, NY.

Approved By:



for Robert Q. Bradley  
Managing Director

Date: 12/2/2008

**YORK**

# CONNECTICUT TANK REMOVAL, INC.

118 Burr Court  
Bridgeport, CT 06605

PHONE: (203) 384-6020 FAX: (203) 384-6054

# CHAIN OF CUSTODY

08110840

CUSTOMER		SAMPLED BY:		PAGE 1 OF 3				
CT DEP 200807380		PRINT: Luis Gargachan		LAB: YORK				
29 Elm St Hartford		SIGN: <i>[Signature]</i>		JOB # 948704				
500 Moose Hill Road Mentore, CT								
SAMPLE #	SAMPLE LOCATION	DATE	TIME	LIQUID	SOLID	GAS	ANALYSIS	PRESERVATIVES
001A	Soil Location 1	11/24/08	15:26	X			PCB's TCDF RCRA 8 Metals	Chilled
001B	" "			X			VOC	Methanol
001C	" "			X			VOC	Sodium Bisulfate
001D	" "			X			VOC	Sodium Bisulfate
002A	Soil Location 2	11/24/08	15:30	X			PCB's Semi VOC TCDF RCRA 8 Metals	Chilled
002B	" "			X			VOC	Methanol
002C	" "			X			VOC	Sodium Bisulfate
002D	" "			X			VOC	Sodium Bisulfate
RELINQUISHED BY: Luis Gargachan		DATE: 11/25/08					RELINQUISHED BY: Andy Gai	DATE: 11/25/08
SIGNATURE: <i>[Signature]</i>		TIME: 7:30					SIGNATURE: <i>[Signature]</i>	TIME: 12:45
RECEIVED BY: Andy Gai		DATE: 11/25/08					RECEIVED BY: <i>[Signature]</i>	DATE: 11/25/08
SIGNATURE: <i>[Signature]</i>		TIME: 7:30					SIGNATURE: <i>[Signature]</i>	TIME: 1:30
COMMENTS OR SPECIAL INSTRUCTIONS:								

**PRIORITY**

CIRCLE ONE

NON-PRIORITY

YOG

# CONNECTICUT TANK REMOVAL, INC.

118 Burr Court  
Bridgeport, CT 06605

PHONE: (203) 384-6020 FAX: (203) 384-6054

# CHAIN OF CUSTODY

08110840

CUSTOMER		SAMPLED BY:		PAGE 2 OF 3					
CT DEP 200807380		PRINT: Luis Carrasco		LAB: York					
29 Elm St Hartford, CT		SIGN:		JOB # 948704					
SAMPLE #	SAMPLE LOCATION	DATE	TIME	LIQUID	SOLID	GAS	ANALYSIS	PRESERVATIVES	
003A	Soil Location 3	11/29/08	15:57	X			PCB's Semi VOC's TELP RCRA 8 Metals, Asbestos	Chilled	
003B	" " " "						VOC's	Methanol	
003C	" " " "						VOC's	Sodium Bisulfate	
003D	" " " "						VOC's	Sodium Bisulfate	
006	Drum #6	11/24/08	13:55	X			PCB Semi VOC, VOC TELP RCRA 8 Metals, Asbestos	Chilled	
004	Drum #4	11/24/08	14:02	X			PCB Semi VOC, VOC's TELP RCRA 8 Metals		
008	Drum #8	11/24/08	14:10	X					
009	Drum #9	11/24/08	14:25	X					
000	Drum #10	11/24/08	14:31	X					
RELINQUISHED BY: Luis Carrasco		DATE: 11/24/08	RELINQUISHED BY: Rudy Gai		DATE: 11/25/08				
SIGNATURE:		TIME: 7:30	SIGNATURE:		TIME: 2:45				
RECEIVED BY: Andy Gai		DATE: 11/25/08	RECEIVED BY:		DATE: 11/25/08				
SIGNATURE:		TIME: 7:30	SIGNATURE:		TIME: 13-				
COMMENTS OR SPECIAL INSTRUCTIONS:						CIRCLE ONE			
						<div style="border: 2px solid black; border-radius: 50%; padding: 10px; display: inline-block;"> <b>PRIORITY</b> </div> NON-PRIORITY			

Y.C.R.

# CONNECTICUT TANK REMOVAL, INC.

116 Burr Court  
Bridgeport, CT 06605

PHONE: (203) 384-6020 FAX: (203) 384-6054

# CHAIN OF CUSTODY

08110840

CUSTOMER		SAMPLED BY:		PAGE 3 OF 3				
CTDEP 200807380		PRINT: Luis Carrach...		LAB: York				
79 Elm St Hartford, CT		SIGN: <i>[Signature]</i>		JOB # 948704				
SAMPLE #	SAMPLE LOCATION	DATE	TIME	LIQUID	SOLID	GAS	ANALYSIS	PRESERVATIVES
013	Drum # 13	11/24/08	14:42		X		PCB's Semi VOC, VOC's TELP RCRA 8 Metals	Chilled
014	Drum # 14	11/24/08	14:51		X		PCB's Semi VOC, VOC's TELP RCRA 8 Metals Asbestos	''
015A	Soil location 4	11/24/08	15:20	X			PCB's, Semi VOC's, TELP RCRA 8 Metals	Chilled
015B	'' '' ''			X			VOC's	Method
015C	'' '' ''			X			VOC's	Sodium Bisulfate
015D	'' '' ''			X			VOC's	Sodium Bisulfate
RELINQUISHED BY: Luis Carrach...		DATE: 11/25/08		RELINQUISHED BY: Andy Gai		DATE: 11/25/08		
SIGNATURE: <i>[Signature]</i>		TIME: 7:30		SIGNATURE: <i>[Signature]</i>		TIME: 12:45		
RECEIVED BY: Andy Gai		DATE: 11/25/08		RECEIVED BY: <i>[Signature]</i>		DATE: 11/25/08		
SIGNATURE: <i>[Signature]</i>		TIME: 7:30		SIGNATURE: <i>[Signature]</i>		TIME: 13-		
COMMENTS OR SPECIAL INSTRUCTIONS:								
<p><b>PRIORITY</b> CIRCLE ONE 40% NON-PRIORITY</p>								