

**United States Environmental Protection Agency
Region III
POLLUTION REPORT**

Date: Sunday, July 24, 2005

From: Robert Kelly

Subject: Final Polrep

Hamburg-Pleasant Hills Trailer Park
Hill Drive, Hamburg, PA
Latitude: 40.5421000
Longitude: -76.0005000

POLREP No.:	4 Site #:	749
Reporting Period:	D.O. #:	
Start Date:	Response Authority:	CERCLA
Mob Date:	Response Type:	Emergency
Demob Date:	NPL Status:	
Completion Date:	Incident Category:	Removal Assessment
CERCLIS ID #:	Contract #	
RCRIS ID #:		

Site Description

The Pleasant Hills Trailer Park site is a 77-acre trailer park that consists of 300 to 325 residential units known as the Village At Pleasant Hills. According to the Village At Pleasant Hills manager Louis Williams, the current number of residents at the site is estimated at 850 to 1,000. The site demographics, including number of children, are currently unknown. A portion of the site to the south is being developed and is currently not inhabited. There are two wells located in pump houses on site that provide water to the residents, and one centralized sewage treatment plant (STP). Multiple roadways service the site, including South Street, on which lead battery waste (casing fragments) has been observed.

Current Activities

- a. The OSC reviewed the analytical data and determined that there was no imminent threat to the public.
- b. The OSC submitted a report to the Agency for Toxic Substance and Disease Registrar (ATSDR) for their consultation.
- c. After review, ATSDR concurred with the OSC's determination that there was no threat to the public.
- d. On July 18, 2005, the OSC delivered a complete copy of the report along with ATSDR to the Hamburg Command Post and notified concerned residents that they may obtain the copy at that location. The OSC also had the Community Involvement Coordinator place a copy in the town library.

Planned Removal Actions

No planned removal actions are anticipated at this Site.

Next Steps

- a. The OSC, at this time, has determined that there is no further EPA involvement necessary at this Site.

Estimated Costs *

	Budgeted	Total To Date	Remaining	% Remaining
Extramural Costs				
RST/START	\$70,150.00	\$12,342.00	\$57,808.00	82.41%
Intramural Costs				
Total Site Costs	\$70,150.00	\$12,342.00	\$57,808.00	82.41%

* The above accounting of expenditures is an estimate based on figures known to the OSC at the time this report was written. The OSC does not necessarily receive specific figures on final payments made to any contractor(s). Other financial data which the OSC must rely upon may not be entirely up-to-date. The cost accounting provided in this report does not necessarily represent an exact monetary figure which the

government may include in any claim for cost recovery.

response.epa.gov/PleasantHills

POLREP #4 Last Updated 7/24/2005