

WEEKLY AIR MONITORING REPORT

Vo-Toys Removal Action

Site Name: Vo-Toys Site, Harrison, New Jersey

CERCLA Docket No.: 02-2019-2028

Report No.: 24

Report Date: March 05, 2021

Reporting Period: March 01 to March 04, 2021

1 Introduction

This report summarizes the Vo-Toys Removal Action (RA) air monitoring program conducted between March 01 to March 04, 2021, at the Vo-Toys site located at 400 South 5th Street, Harrison, New Jersey (the site). Air monitoring for particulates less than 10 microns in diameter (PM₁₀) and mercury vapor was conducted in accordance with the U.S. Environmental Protection Agency (USEPA)-approved Community Air Monitoring Plan (CAMP). PM₁₀ and mercury vapor results were compared with action levels presented in the CAMP.

Air monitoring during the week of March 01, 2021 included the following monitoring tasks:

- Meteorological monitoring
- Work area perimeter air monitoring
- Site perimeter air monitoring

A summary of the monitoring activities that were conducted is presented in Section 3.

2 Meteorological Monitoring

Meteorological monitoring was conducted to measure wind speed, wind direction, and air temperature. Meteorological readings were recorded on a data logging device and evaluated at least three times per day to determine the upwind and downwind boundaries of the site.

Table 2-1 presents a summary of the meteorological monitoring during the week of March 01, 2021. The attached site air monitoring figures show the locations of the meteorological sensors.

**Table 2-1
Meteorological Monitoring Summary**

Date	Weather
March 01, 2021	Mostly Cloudy, high in the mid-40s°F; rain in AM. Winds: 0-5 mph NW (online), stronger winds in PM, 5-10 mph NW (site).
March 02, 2021	Mostly Sunny, high in the mid-30s°F; rain in the AM. Winds: 15-25 mph WNW (online), 5-10 mph W (site).
March 03, 2021	Mostly Sunny, high in the mid-40s°F; Winds: 5-15 mph SW (online), 0-10 mph W (site).
March 04, 2021	Mostly Sunny, high in the mid-40s°F; Winds: 10-20 mph SW (online), 10-20 mph W (site).

3 PM₁₀ and Mercury Vapor Monitoring

3.1 Work Area Perimeter Air Monitoring

Air monitoring was performed at the perimeter of the RA work areas and the RA activities were modified as necessary so that particulates and mercury vapors above action levels were not migrating to the site perimeter and off-site/community air monitoring locations. The work area perimeter monitoring locations were in or adjacent to the buildings and were determined based on the location and extent of RA activities and, for exterior RA activities, the prevailing wind direction. Readings were recorded and maintained on site by the Engineer.

3.2 Site Perimeter Air Monitoring Summary

Site perimeter monitoring was performed to document that particulates (PM₁₀) or mercury vapor above action levels were not migrating beyond the site boundary. Four air monitoring stations were located outside the buildings around the site perimeter: one upwind and up to three downwind. Figures SP-1 through SP-4 show the locations of the site perimeter stations each day. Readings were recorded and maintained on site by the Engineer.

On March 01, 2021, Station 2 exhibited elevated PM₁₀ readings upon startup and throughout the morning. The elevated readings were attributed to atmospheric particulate in the form of moisture from the light rain.

All other PM₁₀ and mercury vapor site perimeter air monitoring data were below action levels defined in the CAMP. A summary of site perimeter air monitoring data is presented in Table 3-1.

**Table 3-1
Summary of PM₁₀ and Mercury Vapor Site Perimeter Air Monitoring**

Date	Air Monitoring Station/Location	Upwind/Downwind	PM ₁₀ 15-Minute Average Range (ug/m ³) Action Level <100 ug/m ³	Mercury Vapor 15-Minute Average Range (ug/m ³) Action Level <10 ug/m ³
03/01/2020 ⁴	Station 1 – West	Upwind	12.7-67.7	0.10-0.19
	Station 2 – North	Downwind	6.3-145.5	0.11-0.36
	Station 3 – Southeast	Downwind	10.3-63.6	0.10-0.10
	Station 4 – Northeast	Downwind	7.2-50.9	0.10-0.16
03/02/2020	Station 1 – West	Upwind	7.7-18.1	0.10-0.29
	Station 2 – North	Downwind	2.6-7.6	0.14-0.19
	Station 3 – Southeast	Downwind	6.0-11.7	0.00-0.00
	Station 4 – Northeast	Downwind	2.2-9.7	0.13-0.20
03/03/2020	Station 1 – West	Upwind	20.0-38.5	0.10-0.29
	Station 2 – North	Downwind	11.8-23.9	0.11-0.19
	Station 3 – Southeast	Downwind	12.9-33.0	0.00-0.00
	Station 4 – Northeast	Downwind	13.3-29.0	0.11-0.16
03/04/2020	Station 1 – West	Upwind	10.9-48.0	0.10-0.30
	Station 2 – North	Downwind	3.9-36.6	0.13-0.21
	Station 3 – Southeast	Downwind	6.9-72.0	0.00-0.00
	Station 4 – Northeast	Downwind	5.9-42.8	0.12-0.18

Notes:

1. PM₁₀ action level: Normal operations if PM₁₀ <100 ug/m³
2. Mercury vapor action level: Normal operations if 15-minute average of MVA readings is <10 ug/m³
3. See CAMP for further details on action levels
4. PM₁₀ readings above action levels were attributed moisture/light rain

3.3 Off-Site/Community Air Monitoring

Off-site/community air monitoring for mercury vapors was not required during the week of March 01, 2021 based on Work Area Perimeter and Site Perimeter monitoring results and the tasks being performed on-site.

4 Monitoring Equipment

Table 4-1 presents the air monitoring devices used.


**Table 4-1
Monitoring Equipment and Calibration**

Parameter	Monitoring Equipment
Mercury Vapors – Real Time and Average Concentrations	<ul style="list-style-type: none"> • Jerome Mercury Vapor Analyzer J405 – Arizona Instruments, LLC (work area monitoring, regenerated prior to daily use) • VM 3000 – Mercury Instruments (site perimeter stations, auto zeroed prior to daily use)
Airborne Particulates	<ul style="list-style-type: none"> • MIE DataRAM™ Portable Particulate Monitor (work area perimeter, zeroed prior to daily use) • TSI Dusttrak Particulate Monitor (site perimeter stations, zeroed prior to daily use)
Meteorological Monitoring	<ul style="list-style-type: none"> • Vantage Pro 2 weather station

5 Issues or Potential Modifications to the CAMP

On March 02, 2021, the VM-3000 unit at Station 3 malfunctioned. All the VM-3000 units are in the process of being rotated through the yearly calibration/maintenance process so there was no spare unit onsite. Manual mercury vapor readings were taken every 15 minutes at Station 3 with the Jerome meter. These readings were tabulated in the field application. The faulty meter was sent for maintenance and calibration and the spare unit should return next week.


Figures



SOURCE: Floor plans compiled from CAD file entitled: "FIG05-REV071615" provided by AMEC Foster Wheeler, Inc. on March 31, 2016. Subsurface utilities and features compiled from CAD file entitled: "NUMBERED_SITEMAP_20101" provided by General Electric Company on March 3, 2016.
HORIZONTAL DATUM: New Jersey State Plane, North American Datum 1983, U.S. Feet (NJ83F).
VERTICAL DATUM: (None).

LEGEND
 A,1 --- BUILDING COLUMN LINE

- Site Perimeter Air Monitoring Location
- Upwind Site Perimeter Monitoring Location




Publish Date: 2019/01/03 4:00 PM | User: rpetrie
 Filepath: K:\Projects\0469-General Electric\VO-Toys\FIGURES - NJ83F\0469-RP-000 (NJ83F-Aerial).dwg Site Layout



Figure SP-1
03/01/2021
Air Monitoring Station Locations

Vo Toys Site Building C Removal Action
 General Electric Company




SOURCE: Floor plans compiled from CAD file entitled: "FIG05-REV071615" provided by AMEC Foster Wheeler, Inc. on March 31, 2016. Subsurface utilities and features compiled from CAD file entitled: "NUMBERED_SITEMAP_20101" provided by General Electric Company on March 3, 2016.
HORIZONTAL DATUM: New Jersey State Plane, North American Datum 1983, U.S. Feet (NJ83F).
VERTICAL DATUM: (None).

Publish Date: 2019/01/03 4:00 PM | User: rpetrie
 Filepath: K:\Projects\0469-General Electric\VO-Toys\FIGURES - NJ83F\0469-RP-000 (NJ83F-Aerial).dwg Site Layout



Figure SP-2
03/02/2021
Air Monitoring Station Locations
 Vo Toys Site Building C Removal Action
 General Electric Company




SOURCE: Floor plans compiled from CAD file entitled: "FIG05-REV071615" provided by AMEC Foster Wheeler, Inc. on March 31, 2016. Subsurface utilities and features compiled from CAD file entitled: "NUMBERED_SITEMAP_20101" provided by General Electric Company on March 3, 2016.
HORIZONTAL DATUM: New Jersey State Plane, North American Datum 1983, U.S. Feet (NJ83F).
VERTICAL DATUM: (None).

Publish Date: 2019/01/03 4:00 PM | User: rpetrie
 Filepath: K:\Projects\0469-General Electric\VO-Toys\FIGURES - NJ83F\0469-RP-000 (NJ83F-Aerial).dwg Site Layout




Figure SP-3
03/03/2021
Air Monitoring Station Locations
 Vo Toys Site Building C Removal Action
 General Electric Company



SOURCE: Floor plans compiled from CAD file entitled: "FIG05-REV071615" provided by AMEC Foster Wheeler, Inc. on March 31, 2016. Subsurface utilities and features compiled from CAD file entitled: "NUMBERED_SITEMAP_20101" provided by General Electric Company on March 3, 2016.
HORIZONTAL DATUM: New Jersey State Plane, North American Datum 1983, U.S. Feet (NJ83F).
VERTICAL DATUM: (None).

LEGEND
 A,1 --- BUILDING COLUMN LINE

- Site Perimeter Air Monitoring Location
- Upwind Site Perimeter Monitoring Location



Publish Date: 2019/01/03 4:00 PM | User: rpetrie
 Filepath: K:\Projects\0469-General Electric\VO-Toys\FIGURES - NJ83F\0469-RP-000 (NJ83F-Aerial).dwg Site Layout



Figure SP-4
03/04/2021
Air Monitoring Station Locations
 Vo Toys Site Building C Removal Action
 General Electric Company